

Analysis Results for 457804

Sample ID: CEC-10 @ 15' **Lab ID: 457804-030** **Collected: 02/02/22 13:28**
Matrix: Air

457804-030 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: ASTM D1946									
Prep Method: METHOD									
Helium	ND		Mol %	0.22	2.2	283251	02/07/22	02/07/22	MPD
Helium	ND		ppmv	2,200	2.2	283251	02/07/22	02/07/22	MPD
Method: EPA TO-15									
Prep Method: METHOD									
Freon 12	0.51		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Freon 12	2.5		ug/m3	2.2	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Freon 114	ND		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Freon 114	ND		ug/m3	3.1	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Chloromethane	ND		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Chloromethane	ND		ug/m3	0.91	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Vinyl Chloride	ND		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Vinyl Chloride	ND		ug/m3	1.1	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Bromomethane	ND		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Bromomethane	ND		ug/m3	1.7	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Chloroethane	ND		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Chloroethane	ND		ug/m3	1.2	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Trichlorofluoromethane	ND		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Trichlorofluoromethane	ND		ug/m3	2.5	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
1,1-Dichloroethene	ND		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
1,1-Dichloroethene	ND		ug/m3	1.7	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Freon 113	ND		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Freon 113	ND		ug/m3	3.4	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Acetone	9.7		ppbv	2.2	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Acetone	23		ug/m3	5.2	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Carbon Disulfide	2.5		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Carbon Disulfide	7.7		ug/m3	1.4	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Isopropanol (IPA)	ND		ppbv	2.2	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Isopropanol (IPA)	ND		ug/m3	5.4	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Methylene Chloride	1.2		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Methylene Chloride	4.3		ug/m3	1.5	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
trans-1,2-Dichloroethene	ND		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
trans-1,2-Dichloroethene	ND		ug/m3	1.7	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
MTBE	ND		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
MTBE	ND		ug/m3	1.6	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
n-Hexane	1.3		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
n-Hexane	4.7		ug/m3	1.6	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
1,1-Dichloroethane	ND		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
1,1-Dichloroethane	ND		ug/m3	1.8	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Vinyl Acetate	ND		ppbv	2.2	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Vinyl Acetate	ND		ug/m3	7.7	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ

Analysis Results for 457804

457804-030 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
cis-1,2-Dichloroethene	ND		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
cis-1,2-Dichloroethene	ND		ug/m3	1.7	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
2-Butanone	2.3		ppbv	2.2	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
2-Butanone	6.7		ug/m3	6.5	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Chloroform	ND		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Chloroform	ND		ug/m3	2.1	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
1,1,1-Trichloroethane	ND		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
1,1,1-Trichloroethane	ND		ug/m3	2.4	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Carbon Tetrachloride	ND		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Carbon Tetrachloride	ND		ug/m3	2.8	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Benzene	1.5		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Benzene	4.8		ug/m3	1.4	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
1,2-Dichloroethane	ND		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
1,2-Dichloroethane	ND		ug/m3	1.8	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Trichloroethene	0.88		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Trichloroethene	4.7		ug/m3	2.4	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
1,2-Dichloropropane	ND		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
1,2-Dichloropropane	ND		ug/m3	2.0	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Bromodichloromethane	ND		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Bromodichloromethane	ND		ug/m3	2.9	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
cis-1,3-Dichloropropene	ND		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
cis-1,3-Dichloropropene	ND		ug/m3	2.0	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
4-Methyl-2-Pentanone	ND		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
4-Methyl-2-Pentanone	ND		ug/m3	1.8	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Toluene	3.3		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Toluene	12		ug/m3	1.7	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
trans-1,3-Dichloropropene	ND		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
trans-1,3-Dichloropropene	ND		ug/m3	2.0	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
1,1,2-Trichloroethane	ND		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
1,1,2-Trichloroethane	ND		ug/m3	2.4	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Tetrachloroethene	6.2		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Tetrachloroethene	42		ug/m3	3.0	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
2-Hexanone	ND		ppbv	1.1	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
2-Hexanone	ND		ug/m3	4.5	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Dibromochloromethane	ND		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Dibromochloromethane	ND		ug/m3	3.7	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
1,2-Dibromoethane	ND		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
1,2-Dibromoethane	ND		ug/m3	3.4	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Chlorobenzene	ND		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Chlorobenzene	ND		ug/m3	2.0	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Ethylbenzene	0.75		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Ethylbenzene	3.3		ug/m3	1.9	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
m,p-Xylenes	1.3		ppbv	0.88	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
m,p-Xylenes	5.8		ug/m3	3.8	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
o-Xylene	0.66		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
o-Xylene	2.9		ug/m3	1.9	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ

Analysis Results for 457804

457804-030 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Styrene	0.75		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Styrene	3.2		ug/m3	1.9	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Bromoform	ND		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Bromoform	ND		ug/m3	4.5	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
1,1,2,2-Tetrachloroethane	ND		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
1,1,2,2-Tetrachloroethane	ND		ug/m3	3.0	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
1,1,1,2-Tetrachloroethane	ND		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
1,1,1,2-Tetrachloroethane	ND		ug/m3	3.0	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
4-Ethyltoluene	ND		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
4-Ethyltoluene	ND		ug/m3	2.2	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
1,3,5-Trimethylbenzene	ND		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
1,3,5-Trimethylbenzene	ND		ug/m3	2.2	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
1,2,4-Trimethylbenzene	0.67		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
1,2,4-Trimethylbenzene	3.3		ug/m3	2.2	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
1,3-Dichlorobenzene	ND		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
1,3-Dichlorobenzene	ND		ug/m3	2.6	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
1,4-Dichlorobenzene	ND		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
1,4-Dichlorobenzene	ND		ug/m3	2.6	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Benzyl chloride	ND		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Benzyl chloride	ND		ug/m3	2.3	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
1,2-Dichlorobenzene	ND		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
1,2-Dichlorobenzene	ND		ug/m3	2.6	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
1,2,4-Trichlorobenzene	ND		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
1,2,4-Trichlorobenzene	ND		ug/m3	3.3	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Hexachlorobutadiene	ND		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Hexachlorobutadiene	ND		ug/m3	4.7	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Xylene (total)	2.0		ppbv	0.44	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Xylene (total)	8.6		ug/m3	1.9	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ
Surrogates				Limits					
Bromofluorobenzene	114%		%REC	60-140	2.2	283541	02/11/22 08:06	02/11/22 08:06	ZNZ

ND Not Detected

b See narrative

Batch QC

Type: Lab Control Sample	Lab ID: QC970364	Batch: 283115
Matrix: Air	Method: ASTM D1946	Prep Method: METHOD

QC970364 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Helium	9.564	10.00	mol %	96%		85-115

Type: Lab Control Sample Duplicate	Lab ID: QC970365	Batch: 283115
Matrix: Air	Method: ASTM D1946	Prep Method: METHOD

QC970365 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	Lim
Helium	9.511	10.00	mol %	95%		85-115	1	10

Type: Blank	Lab ID: QC970367	Batch: 283115
Matrix: Air	Method: ASTM D1946	Prep Method: METHOD

QC970367 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Helium	ND		mol %	0.10	02/04/22	02/04/22

Type: Sample Duplicate	Lab ID: QC970368	Batch: 283115
Matrix (Source ID): Air (457804-001)	Method: ASTM D1946	Prep Method: METHOD

QC970368 Analyte	Result	Source Sample Result	Units	Qual	RPD	RPD Lim	DF
Helium	22.77	22.77	mol %		0	20	2

Type: Sample Duplicate	Lab ID: QC970369	Batch: 283115
Matrix (Source ID): Air (457815-001)	Method: ASTM D1946	Prep Method: METHOD

QC970369 Analyte	Result	Source Sample Result	Units	Qual	RPD	RPD Lim	DF
Helium	ND	ND	mol %			20	1.8

Type: Lab Control Sample	Lab ID: QC970775	Batch: 283251
Matrix: Air	Method: ASTM D1946	Prep Method: METHOD

QC970775 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Helium	9.449	10.00	mol %	94%		85-115

Batch QC

Type: Lab Control Sample Duplicate	Lab ID: QC970776	Batch: 283251
Matrix: Air	Method: ASTM D1946	Prep Method: METHOD

QC970776 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Helium	9.435	10.00	mol %	94%		85-115	0	10

Type: Blank	Lab ID: QC970777	Batch: 283251
Matrix: Air	Method: ASTM D1946	Prep Method: METHOD

QC970777 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Helium	ND		mol %	0.10	02/07/22	02/07/22

Type: Sample Duplicate	Lab ID: QC970778	Batch: 283251
Matrix (Source ID): Air (457804-020)	Method: ASTM D1946	Prep Method: METHOD

QC970778 Analyte	Result	Source Sample Result	Units	Qual	RPD	RPD Lim	DF
Helium	ND	ND	mol %			20	2

Batch QC

Type: Lab Control Sample	Lab ID: QC970975	Batch: 283325
Matrix: Air	Method: EPA TO-15	Prep Method: METHOD

QC970975 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Freon 12	9.657	10.00	ppbv	97%		70-130
Freon 114	9.404	10.00	ppbv	94%		70-130
Chloromethane	9.876	10.00	ppbv	99%		70-130
Vinyl Chloride	9.596	10.00	ppbv	96%		70-130
Bromomethane	9.338	10.00	ppbv	93%		70-130
Chloroethane	9.583	10.00	ppbv	96%		70-130
Trichlorofluoromethane	9.648	10.00	ppbv	96%		70-130
1,1-Dichloroethene	9.761	10.00	ppbv	98%		70-130
Freon 113	9.531	10.00	ppbv	95%		70-130
Acetone	10.06	10.00	ppbv	101%		70-130
Carbon Disulfide	9.596	10.00	ppbv	96%		70-130
Isopropanol (IPA)	10.36	10.00	ppbv	104%		70-130
Methylene Chloride	9.113	10.00	ppbv	91%		70-130
trans-1,2-Dichloroethene	9.709	10.00	ppbv	97%		70-130
MTBE	9.410	10.00	ppbv	94%		70-130
n-Hexane	9.720	10.00	ppbv	97%		70-130
1,1-Dichloroethane	9.733	10.00	ppbv	97%		70-130
Vinyl Acetate	9.458	10.00	ppbv	95%		70-130
cis-1,2-Dichloroethene	9.700	10.00	ppbv	97%		70-130
2-Butanone	9.849	10.00	ppbv	98%		70-130
Chloroform	9.603	10.00	ppbv	96%		70-130
1,1,1-Trichloroethane	9.606	10.00	ppbv	96%		70-130
Carbon Tetrachloride	9.649	10.00	ppbv	96%		70-130
Benzene	9.558	10.00	ppbv	96%		70-130
1,2-Dichloroethane	9.672	10.00	ppbv	97%		70-130
Trichloroethene	8.915	10.00	ppbv	89%	b	70-130
1,2-Dichloropropane	9.344	10.00	ppbv	93%		70-130
Bromodichloromethane	9.683	10.00	ppbv	97%		70-130
cis-1,3-Dichloropropene	9.787	10.00	ppbv	98%		70-130
4-Methyl-2-Pentanone	9.843	10.00	ppbv	98%		70-130
Toluene	9.666	10.00	ppbv	97%		70-130
trans-1,3-Dichloropropene	9.554	10.00	ppbv	96%		70-130
1,1,2-Trichloroethane	9.730	10.00	ppbv	97%		70-130
Tetrachloroethene	9.602	10.00	ppbv	96%		70-130
2-Hexanone	9.965	10.00	ppbv	100%		70-130
Dibromochloromethane	9.792	10.00	ppbv	98%		70-130
1,2-Dibromoethane	9.631	10.00	ppbv	96%		70-130
Chlorobenzene	9.347	10.00	ppbv	93%		70-130
Ethylbenzene	9.404	10.00	ppbv	94%		70-130
m,p-Xylenes	18.68	20.00	ppbv	93%		70-130
o-Xylene	9.329	10.00	ppbv	93%		70-130
Styrene	9.265	10.00	ppbv	93%		70-130

Batch QC

QC970975 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Bromoform	9.615	10.00	ppbv	96%		70-130
1,1,2,2-Tetrachloroethane	9.462	10.00	ppbv	95%		70-130
1,1,1,2-Tetrachloroethane	9.524	10.00	ppbv	95%		70-130
4-Ethyltoluene	9.415	10.00	ppbv	94%		70-130
1,3,5-Trimethylbenzene	9.404	10.00	ppbv	94%		70-130
1,2,4-Trimethylbenzene	9.415	10.00	ppbv	94%		70-130
1,3-Dichlorobenzene	9.173	10.00	ppbv	92%		70-130
1,4-Dichlorobenzene	9.097	10.00	ppbv	91%		70-130
Benzyl chloride	9.201	10.00	ppbv	92%		70-130
1,2-Dichlorobenzene	9.346	10.00	ppbv	93%		70-130
1,2,4-Trichlorobenzene	9.002	10.00	ppbv	90%		70-130
Hexachlorobutadiene	9.410	10.00	ppbv	94%		70-130
Surrogates						
Bromofluorobenzene	9.852	10.00	ppbv	99%		60-140

Batch QC

Type: Lab Control Sample Duplicate	Lab ID: QC970976	Batch: 283325
Matrix: Air	Method: EPA TO-15	Prep Method: METHOD

QC970976 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Freon 12	9.593	10.00	ppbv	96%		70-130	1	25
Freon 114	9.336	10.00	ppbv	93%		70-130	1	25
Chloromethane	9.818	10.00	ppbv	98%		70-130	1	25
Vinyl Chloride	9.512	10.00	ppbv	95%		70-130	1	25
Bromomethane	9.278	10.00	ppbv	93%		70-130	1	25
Chloroethane	9.448	10.00	ppbv	94%		70-130	1	25
Trichlorofluoromethane	9.575	10.00	ppbv	96%		70-130	1	25
1,1-Dichloroethene	9.751	10.00	ppbv	98%		70-130	0	25
Freon 113	9.530	10.00	ppbv	95%		70-130	0	25
Acetone	9.982	10.00	ppbv	100%		70-130	1	25
Carbon Disulfide	9.648	10.00	ppbv	96%		70-130	1	25
Isopropanol (IPA)	10.45	10.00	ppbv	105%		70-130	1	25
Methylene Chloride	9.066	10.00	ppbv	91%		70-130	1	25
trans-1,2-Dichloroethene	9.742	10.00	ppbv	97%		70-130	0	25
MTBE	9.431	10.00	ppbv	94%		70-130	0	25
n-Hexane	9.707	10.00	ppbv	97%		70-130	0	25
1,1-Dichloroethane	9.692	10.00	ppbv	97%		70-130	0	25
Vinyl Acetate	9.594	10.00	ppbv	96%		70-130	1	25
cis-1,2-Dichloroethene	9.731	10.00	ppbv	97%		70-130	0	25
2-Butanone	9.870	10.00	ppbv	99%		70-130	0	25
Chloroform	9.563	10.00	ppbv	96%		70-130	0	25
1,1,1-Trichloroethane	9.555	10.00	ppbv	96%		70-130	1	25
Carbon Tetrachloride	9.666	10.00	ppbv	97%		70-130	0	25
Benzene	9.546	10.00	ppbv	95%		70-130	0	25
1,2-Dichloroethane	9.630	10.00	ppbv	96%		70-130	0	25
Trichloroethene	8.943	10.00	ppbv	89%	b	70-130	0	25
1,2-Dichloropropane	9.425	10.00	ppbv	94%		70-130	1	25
Bromodichloromethane	9.736	10.00	ppbv	97%		70-130	1	25
cis-1,3-Dichloropropene	9.872	10.00	ppbv	99%		70-130	1	25
4-Methyl-2-Pentanone	9.927	10.00	ppbv	99%		70-130	1	25
Toluene	9.659	10.00	ppbv	97%		70-130	0	25
trans-1,3-Dichloropropene	9.668	10.00	ppbv	97%		70-130	1	25
1,1,2-Trichloroethane	9.702	10.00	ppbv	97%		70-130	0	25
Tetrachloroethene	9.698	10.00	ppbv	97%		70-130	1	25
2-Hexanone	10.02	10.00	ppbv	100%		70-130	1	25
Dibromochloromethane	9.797	10.00	ppbv	98%		70-130	0	25
1,2-Dibromoethane	9.668	10.00	ppbv	97%		70-130	0	25
Chlorobenzene	9.352	10.00	ppbv	94%		70-130	0	25
Ethylbenzene	9.418	10.00	ppbv	94%		70-130	0	25
m,p-Xylenes	18.66	20.00	ppbv	93%		70-130	0	25
o-Xylene	9.368	10.00	ppbv	94%		70-130	0	25

Batch QC

QC970976 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	
							RPD	Lim
Styrene	9.306	10.00	ppbv	93%		70-130	0	25
Bromoform	9.600	10.00	ppbv	96%		70-130	0	25
1,1,2,2-Tetrachloroethane	9.479	10.00	ppbv	95%		70-130	0	25
1,1,1,2-Tetrachloroethane	9.520	10.00	ppbv	95%		70-130	0	25
4-Ethyltoluene	9.427	10.00	ppbv	94%		70-130	0	25
1,3,5-Trimethylbenzene	9.398	10.00	ppbv	94%		70-130	0	25
1,2,4-Trimethylbenzene	9.453	10.00	ppbv	95%		70-130	0	25
1,3-Dichlorobenzene	9.214	10.00	ppbv	92%		70-130	0	25
1,4-Dichlorobenzene	9.151	10.00	ppbv	92%		70-130	1	25
Benzyl chloride	9.287	10.00	ppbv	93%		70-130	1	25
1,2-Dichlorobenzene	9.366	10.00	ppbv	94%		70-130	0	25
1,2,4-Trichlorobenzene	9.038	10.00	ppbv	90%		70-130	0	25
Hexachlorobutadiene	9.443	10.00	ppbv	94%		70-130	0	25
Surrogates								
Bromofluorobenzene	9.919	10.00	ppbv	99%		60-140		

Batch QC

Type: Blank	Lab ID: QC970977	Batch: 283325
Matrix: Air	Method: EPA TO-15	Prep Method: METHOD

QC970977 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Freon 12	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13
Freon 114	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13
Chloromethane	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13
Vinyl Chloride	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13
Bromomethane	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13
Chloroethane	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13
Trichlorofluoromethane	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13
1,1-Dichloroethene	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13
Freon 113	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13
Acetone	ND		ppbv	1.0	02/08/22 12:13	02/08/22 12:13
Carbon Disulfide	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13
Isopropanol (IPA)	ND		ppbv	1.0	02/08/22 12:13	02/08/22 12:13
Methylene Chloride	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13
trans-1,2-Dichloroethene	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13
MTBE	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13
n-Hexane	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13
1,1-Dichloroethane	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13
Vinyl Acetate	ND		ppbv	1.0	02/08/22 12:13	02/08/22 12:13
cis-1,2-Dichloroethene	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13
2-Butanone	ND		ppbv	1.0	02/08/22 12:13	02/08/22 12:13
Chloroform	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13
1,1,1-Trichloroethane	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13
Carbon Tetrachloride	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13
Benzene	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13
1,2-Dichloroethane	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13
Trichloroethene	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13
1,2-Dichloropropane	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13
Bromodichloromethane	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13
cis-1,3-Dichloropropene	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13
4-Methyl-2-Pentanone	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13
Toluene	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13
trans-1,3-Dichloropropene	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13
1,1,2-Trichloroethane	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13
Tetrachloroethene	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13
2-Hexanone	ND		ppbv	0.50	02/08/22 12:13	02/08/22 12:13
Dibromochloromethane	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13
1,2-Dibromoethane	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13
Chlorobenzene	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13
Ethylbenzene	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13
m,p-Xylenes	ND		ppbv	0.40	02/08/22 12:13	02/08/22 12:13
o-Xylene	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13
Styrene	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13

Batch QC

QC970977 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Bromoform	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13
1,1,2,2-Tetrachloroethane	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13
1,1,1,2-Tetrachloroethane	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13
4-Ethyltoluene	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13
1,3,5-Trimethylbenzene	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13
1,2,4-Trimethylbenzene	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13
1,3-Dichlorobenzene	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13
1,4-Dichlorobenzene	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13
Benzyl chloride	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13
1,2-Dichlorobenzene	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13
1,2,4-Trichlorobenzene	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13
Hexachlorobutadiene	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13
Xylene (total)	ND		ppbv	0.20	02/08/22 12:13	02/08/22 12:13
Surrogates				Limits		
Bromofluorobenzene	104%		%REC	60-140	02/08/22 12:13	02/08/22 12:13

Batch QC

Type: Lab Control Sample	Lab ID: QC970978	Batch: 283326
Matrix: Air	Method: EPA TO-15	Prep Method: METHOD

QC970978 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Freon 12	11.11	10.00	ppbv	111%		70-130
Freon 114	9.496	10.00	ppbv	95%		70-130
Chloromethane	12.13	10.00	ppbv	121%		70-130
Vinyl Chloride	10.60	10.00	ppbv	106%		70-130
Bromomethane	10.08	10.00	ppbv	101%		70-130
Chloroethane	10.21	10.00	ppbv	102%		70-130
Trichlorofluoromethane	10.70	10.00	ppbv	107%		70-130
1,1-Dichloroethene	10.80	10.00	ppbv	108%		70-130
Freon 113	9.779	10.00	ppbv	98%		70-130
Acetone	10.06	10.00	ppbv	101%		70-130
Carbon Disulfide	9.559	10.00	ppbv	96%		70-130
Isopropanol (IPA)	10.64	10.00	ppbv	106%		70-130
Methylene Chloride	10.97	10.00	ppbv	110%		70-130
trans-1,2-Dichloroethene	10.26	10.00	ppbv	103%		70-130
MTBE	9.559	10.00	ppbv	96%		70-130
n-Hexane	10.19	10.00	ppbv	102%		70-130
1,1-Dichloroethane	10.13	10.00	ppbv	101%		70-130
Vinyl Acetate	9.941	10.00	ppbv	99%		70-130
cis-1,2-Dichloroethene	10.33	10.00	ppbv	103%		70-130
2-Butanone	9.237	10.00	ppbv	92%		70-130
Chloroform	10.17	10.00	ppbv	102%		70-130
1,1,1-Trichloroethane	10.20	10.00	ppbv	102%		70-130
Carbon Tetrachloride	10.13	10.00	ppbv	101%		70-130
Benzene	9.260	10.00	ppbv	93%		70-130
1,2-Dichloroethane	11.19	10.00	ppbv	112%		70-130
Trichloroethene	9.951	10.00	ppbv	100%		70-130
1,2-Dichloropropane	10.11	10.00	ppbv	101%		70-130
Bromodichloromethane	11.23	10.00	ppbv	112%		70-130
cis-1,3-Dichloropropene	9.829	10.00	ppbv	98%		70-130
4-Methyl-2-Pentanone	10.46	10.00	ppbv	105%		70-130
Toluene	10.10	10.00	ppbv	101%		70-130
trans-1,3-Dichloropropene	9.821	10.00	ppbv	98%		70-130
1,1,2-Trichloroethane	10.13	10.00	ppbv	101%		70-130
Tetrachloroethene	9.712	10.00	ppbv	97%		70-130
2-Hexanone	10.67	10.00	ppbv	107%		70-130
Dibromochloromethane	10.42	10.00	ppbv	104%		70-130
1,2-Dibromoethane	10.37	10.00	ppbv	104%		70-130
Chlorobenzene	8.566	10.00	ppbv	86%		70-130
Ethylbenzene	8.796	10.00	ppbv	88%		70-130
m,p-Xylenes	17.84	20.00	ppbv	89%		70-130
o-Xylene	9.008	10.00	ppbv	90%		70-130
Styrene	8.722	10.00	ppbv	87%		70-130

Batch QC

QC970978 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Bromoform	8.580	10.00	ppbv	86%		70-130
1,1,2,2-Tetrachloroethane	9.103	10.00	ppbv	91%		70-130
1,1,1,2-Tetrachloroethane	8.718	10.00	ppbv	87%		70-130
4-Ethyltoluene	9.314	10.00	ppbv	93%		70-130
1,3,5-Trimethylbenzene	9.279	10.00	ppbv	93%		70-130
1,2,4-Trimethylbenzene	9.418	10.00	ppbv	94%		70-130
1,3-Dichlorobenzene	9.336	10.00	ppbv	93%		70-130
1,4-Dichlorobenzene	9.406	10.00	ppbv	94%		70-130
Benzyl chloride	9.172	10.00	ppbv	92%		70-130
1,2-Dichlorobenzene	9.201	10.00	ppbv	92%		70-130
1,2,4-Trichlorobenzene	9.186	10.00	ppbv	92%	b	70-130
Hexachlorobutadiene	7.956	10.00	ppbv	80%		70-130
Surrogates						
Bromofluorobenzene	9.915	10.00	ppbv	99%		60-140

Batch QC

Type: Lab Control Sample Duplicate	Lab ID: QC970979	Batch: 283326
Matrix: Air	Method: EPA TO-15	Prep Method: METHOD

QC970979 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Freon 12	11.44	10.00	ppbv	114%		70-130	3	25
Freon 114	9.908	10.00	ppbv	99%		70-130	4	25
Chloromethane	12.57	10.00	ppbv	126%		70-130	4	25
Vinyl Chloride	11.04	10.00	ppbv	110%		70-130	4	25
Bromomethane	10.14	10.00	ppbv	101%		70-130	1	25
Chloroethane	10.34	10.00	ppbv	103%		70-130	1	25
Trichlorofluoromethane	10.83	10.00	ppbv	108%		70-130	1	25
1,1-Dichloroethene	10.85	10.00	ppbv	108%		70-130	0	25
Freon 113	9.773	10.00	ppbv	98%		70-130	0	25
Acetone	10.18	10.00	ppbv	102%		70-130	1	25
Carbon Disulfide	9.554	10.00	ppbv	96%		70-130	0	25
Isopropanol (IPA)	10.85	10.00	ppbv	108%		70-130	2	25
Methylene Chloride	10.99	10.00	ppbv	110%		70-130	0	25
trans-1,2-Dichloroethene	10.30	10.00	ppbv	103%		70-130	0	25
MTBE	9.579	10.00	ppbv	96%		70-130	0	25
n-Hexane	10.25	10.00	ppbv	102%		70-130	1	25
1,1-Dichloroethane	10.20	10.00	ppbv	102%		70-130	1	25
Vinyl Acetate	9.721	10.00	ppbv	97%		70-130	2	25
cis-1,2-Dichloroethene	10.36	10.00	ppbv	104%		70-130	0	25
2-Butanone	9.235	10.00	ppbv	92%		70-130	0	25
Chloroform	10.30	10.00	ppbv	103%		70-130	1	25
1,1,1-Trichloroethane	10.32	10.00	ppbv	103%		70-130	1	25
Carbon Tetrachloride	10.33	10.00	ppbv	103%		70-130	2	25
Benzene	9.287	10.00	ppbv	93%		70-130	0	25
1,2-Dichloroethane	11.33	10.00	ppbv	113%		70-130	1	25
Trichloroethene	10.34	10.00	ppbv	103%		70-130	4	25
1,2-Dichloropropane	10.62	10.00	ppbv	106%		70-130	5	25
Bromodichloromethane	11.57	10.00	ppbv	116%		70-130	3	25
cis-1,3-Dichloropropene	10.28	10.00	ppbv	103%		70-130	4	25
4-Methyl-2-Pentanone	10.93	10.00	ppbv	109%		70-130	4	25
Toluene	10.49	10.00	ppbv	105%		70-130	4	25
trans-1,3-Dichloropropene	10.17	10.00	ppbv	102%		70-130	4	25
1,1,2-Trichloroethane	10.58	10.00	ppbv	106%		70-130	4	25
Tetrachloroethene	10.12	10.00	ppbv	101%		70-130	4	25
2-Hexanone	11.15	10.00	ppbv	112%		70-130	4	25
Dibromochloromethane	10.90	10.00	ppbv	109%		70-130	5	25
1,2-Dibromoethane	10.82	10.00	ppbv	108%		70-130	4	25
Chlorobenzene	8.559	10.00	ppbv	86%		70-130	0	25
Ethylbenzene	8.833	10.00	ppbv	88%		70-130	0	25
m,p-Xylenes	17.76	20.00	ppbv	89%		70-130	0	25
o-Xylene	9.027	10.00	ppbv	90%		70-130	0	25

Batch QC

QC970979 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	
							RPD	Lim
Styrene	8.707	10.00	ppbv	87%		70-130	0	25
Bromoform	8.669	10.00	ppbv	87%		70-130	1	25
1,1,2,2-Tetrachloroethane	9.132	10.00	ppbv	91%		70-130	0	25
1,1,1,2-Tetrachloroethane	8.716	10.00	ppbv	87%		70-130	0	25
4-Ethyltoluene	9.311	10.00	ppbv	93%		70-130	0	25
1,3,5-Trimethylbenzene	9.242	10.00	ppbv	92%		70-130	0	25
1,2,4-Trimethylbenzene	9.417	10.00	ppbv	94%		70-130	0	25
1,3-Dichlorobenzene	9.309	10.00	ppbv	93%		70-130	0	25
1,4-Dichlorobenzene	9.370	10.00	ppbv	94%		70-130	0	25
Benzyl chloride	9.319	10.00	ppbv	93%		70-130	2	25
1,2-Dichlorobenzene	9.219	10.00	ppbv	92%		70-130	0	25
1,2,4-Trichlorobenzene	9.164	10.00	ppbv	92%	b	70-130	0	25
Hexachlorobutadiene	7.786	10.00	ppbv	78%		70-130	2	25
Surrogates								
Bromofluorobenzene	9.922	10.00	ppbv	99%		60-140		

Batch QC

Type: Blank	Lab ID: QC970980	Batch: 283326
Matrix: Air	Method: EPA TO-15	Prep Method: METHOD

QC970980 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Freon 12	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20
Freon 114	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20
Chloromethane	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20
Vinyl Chloride	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20
Bromomethane	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20
Chloroethane	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20
Trichlorofluoromethane	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20
1,1-Dichloroethene	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20
Freon 113	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20
Acetone	ND		ppbv	1.0	02/08/22 12:20	02/08/22 12:20
Carbon Disulfide	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20
Isopropanol (IPA)	ND		ppbv	1.0	02/08/22 12:20	02/08/22 12:20
Methylene Chloride	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20
trans-1,2-Dichloroethene	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20
MTBE	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20
n-Hexane	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20
1,1-Dichloroethane	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20
Vinyl Acetate	ND		ppbv	1.0	02/08/22 12:20	02/08/22 12:20
cis-1,2-Dichloroethene	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20
2-Butanone	ND		ppbv	1.0	02/08/22 12:20	02/08/22 12:20
Chloroform	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20
1,1,1-Trichloroethane	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20
Carbon Tetrachloride	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20
Benzene	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20
1,2-Dichloroethane	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20
Trichloroethene	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20
1,2-Dichloropropane	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20
Bromodichloromethane	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20
cis-1,3-Dichloropropene	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20
4-Methyl-2-Pentanone	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20
Toluene	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20
trans-1,3-Dichloropropene	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20
1,1,2-Trichloroethane	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20
Tetrachloroethene	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20
2-Hexanone	ND		ppbv	0.50	02/08/22 12:20	02/08/22 12:20
Dibromochloromethane	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20
1,2-Dibromoethane	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20
Chlorobenzene	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20
Ethylbenzene	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20
m,p-Xylenes	ND		ppbv	0.40	02/08/22 12:20	02/08/22 12:20
o-Xylene	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20
Styrene	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20

Batch QC

QC970980 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Bromoform	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20
1,1,2,2-Tetrachloroethane	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20
1,1,1,2-Tetrachloroethane	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20
4-Ethyltoluene	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20
1,3,5-Trimethylbenzene	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20
1,2,4-Trimethylbenzene	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20
1,3-Dichlorobenzene	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20
1,4-Dichlorobenzene	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20
Benzyl chloride	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20
1,2-Dichlorobenzene	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20
1,2,4-Trichlorobenzene	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20
Hexachlorobutadiene	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20
Xylene (total)	ND		ppbv	0.20	02/08/22 12:20	02/08/22 12:20
Surrogates				Limits		
Bromofluorobenzene	96%		%REC	60-140	02/08/22 12:20	02/08/22 12:20

Type: Lab Control Sample	Lab ID: QC970996	Batch: 283332
Matrix: Air	Method: ASTM D1946	Prep Method: METHOD

QC970996 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Helium	9.459	10.00	mol %	95%		85-115

Type: Lab Control Sample Duplicate	Lab ID: QC970997	Batch: 283332
Matrix: Air	Method: ASTM D1946	Prep Method: METHOD

QC970997 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Helium	9.404	10.00	mol %	94%		85-115	1	10

Type: Blank	Lab ID: QC970998	Batch: 283332
Matrix: Air	Method: ASTM D1946	Prep Method: METHOD

QC970998 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Helium	ND		mol %	0.10	02/08/22	02/08/22

Type: Sample Duplicate	Lab ID: QC970999	Batch: 283332
Matrix (Source ID): Air (457903-007)	Method: ASTM D1946	Prep Method: METHOD

QC970999 Analyte	Result	Source Sample Result	Units	Qual	RPD	RPD Lim	DF
Helium	ND	ND	mol %			20	1.8

Batch QC

Type: Sample Duplicate	Lab ID: QC971000	Batch: 283332
Matrix (Source ID): Air (457946-001)	Method: ASTM D1946	Prep Method: METHOD

QC971000 Analyte	Result	Source Sample Result	Units	Qual	RPD	RPD Lim	DF
Helium	ND	ND	mol %		5	20	2

Batch QC

Type: Lab Control Sample	Lab ID: QC971224	Batch: 283405
Matrix: Air	Method: EPA TO-15	Prep Method: METHOD

QC971224 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Freon 12	9.527	10.00	ppbv	95%		70-130
Freon 114	9.352	10.00	ppbv	94%		70-130
Chloromethane	9.957	10.00	ppbv	100%		70-130
Vinyl Chloride	9.494	10.00	ppbv	95%		70-130
Bromomethane	9.203	10.00	ppbv	92%		70-130
Chloroethane	9.428	10.00	ppbv	94%		70-130
Trichlorofluoromethane	9.421	10.00	ppbv	94%		70-130
1,1-Dichloroethene	9.643	10.00	ppbv	96%		70-130
Freon 113	9.387	10.00	ppbv	94%		70-130
Acetone	9.983	10.00	ppbv	100%		70-130
Carbon Disulfide	9.479	10.00	ppbv	95%		70-130
Isopropanol (IPA)	10.22	10.00	ppbv	102%		70-130
Methylene Chloride	8.992	10.00	ppbv	90%		70-130
trans-1,2-Dichloroethene	9.551	10.00	ppbv	96%		70-130
MTBE	9.143	10.00	ppbv	91%		70-130
n-Hexane	9.648	10.00	ppbv	96%		70-130
1,1-Dichloroethane	9.531	10.00	ppbv	95%		70-130
Vinyl Acetate	9.394	10.00	ppbv	94%		70-130
cis-1,2-Dichloroethene	9.559	10.00	ppbv	96%		70-130
2-Butanone	9.756	10.00	ppbv	98%		70-130
Chloroform	9.364	10.00	ppbv	94%		70-130
1,1,1-Trichloroethane	9.398	10.00	ppbv	94%		70-130
Carbon Tetrachloride	9.446	10.00	ppbv	94%		70-130
Benzene	9.421	10.00	ppbv	94%		70-130
1,2-Dichloroethane	9.471	10.00	ppbv	95%		70-130
Trichloroethene	8.788	10.00	ppbv	88%	b	70-130
1,2-Dichloropropane	9.321	10.00	ppbv	93%		70-130
Bromodichloromethane	9.532	10.00	ppbv	95%		70-130
cis-1,3-Dichloropropene	9.490	10.00	ppbv	95%		70-130
4-Methyl-2-Pentanone	9.771	10.00	ppbv	98%		70-130
Toluene	9.557	10.00	ppbv	96%		70-130
trans-1,3-Dichloropropene	9.388	10.00	ppbv	94%		70-130
1,1,2-Trichloroethane	9.576	10.00	ppbv	96%		70-130
Tetrachloroethene	9.569	10.00	ppbv	96%		70-130
2-Hexanone	9.863	10.00	ppbv	99%		70-130
Dibromochloromethane	9.616	10.00	ppbv	96%		70-130
1,2-Dibromoethane	9.457	10.00	ppbv	95%		70-130
Chlorobenzene	9.198	10.00	ppbv	92%		70-130
Ethylbenzene	9.269	10.00	ppbv	93%		70-130
m,p-Xylenes	18.38	20.00	ppbv	92%		70-130
o-Xylene	9.230	10.00	ppbv	92%		70-130
Styrene	9.111	10.00	ppbv	91%		70-130

Batch QC

QC971224 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Bromoform	9.377	10.00	ppbv	94%		70-130
1,1,2,2-Tetrachloroethane	9.321	10.00	ppbv	93%		70-130
1,1,1,2-Tetrachloroethane	9.338	10.00	ppbv	93%		70-130
4-Ethyltoluene	9.242	10.00	ppbv	92%		70-130
1,3,5-Trimethylbenzene	9.178	10.00	ppbv	92%		70-130
1,2,4-Trimethylbenzene	9.271	10.00	ppbv	93%		70-130
1,3-Dichlorobenzene	8.950	10.00	ppbv	90%		70-130
1,4-Dichlorobenzene	8.902	10.00	ppbv	89%		70-130
Benzyl chloride	8.867	10.00	ppbv	89%		70-130
1,2-Dichlorobenzene	9.151	10.00	ppbv	92%		70-130
1,2,4-Trichlorobenzene	8.626	10.00	ppbv	86%		70-130
Hexachlorobutadiene	9.122	10.00	ppbv	91%		70-130
Surrogates						
Bromofluorobenzene	9.872	10.00	ppbv	99%		60-140

Batch QC

Type: Lab Control Sample Duplicate	Lab ID: QC971225	Batch: 283405
Matrix: Air	Method: EPA TO-15	Prep Method: METHOD

QC971225 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Freon 12	9.512	10.00	ppbv	95%		70-130	0	25
Freon 114	9.463	10.00	ppbv	95%		70-130	1	25
Chloromethane	10.08	10.00	ppbv	101%		70-130	1	25
Vinyl Chloride	9.587	10.00	ppbv	96%		70-130	1	25
Bromomethane	9.356	10.00	ppbv	94%		70-130	2	25
Chloroethane	9.536	10.00	ppbv	95%		70-130	1	25
Trichlorofluoromethane	9.497	10.00	ppbv	95%		70-130	1	25
1,1-Dichloroethene	9.700	10.00	ppbv	97%		70-130	1	25
Freon 113	9.460	10.00	ppbv	95%		70-130	1	25
Acetone	10.04	10.00	ppbv	100%		70-130	1	25
Carbon Disulfide	9.579	10.00	ppbv	96%		70-130	1	25
Isopropanol (IPA)	10.43	10.00	ppbv	104%		70-130	2	25
Methylene Chloride	9.031	10.00	ppbv	90%		70-130	0	25
trans-1,2-Dichloroethene	9.681	10.00	ppbv	97%		70-130	1	25
MTBE	9.263	10.00	ppbv	93%		70-130	1	25
n-Hexane	9.735	10.00	ppbv	97%		70-130	1	25
1,1-Dichloroethane	9.670	10.00	ppbv	97%		70-130	1	25
Vinyl Acetate	9.527	10.00	ppbv	95%		70-130	1	25
cis-1,2-Dichloroethene	9.694	10.00	ppbv	97%		70-130	1	25
2-Butanone	9.949	10.00	ppbv	99%		70-130	2	25
Chloroform	9.453	10.00	ppbv	95%		70-130	1	25
1,1,1-Trichloroethane	9.519	10.00	ppbv	95%		70-130	1	25
Carbon Tetrachloride	9.575	10.00	ppbv	96%		70-130	1	25
Benzene	9.566	10.00	ppbv	96%		70-130	2	25
1,2-Dichloroethane	9.534	10.00	ppbv	95%		70-130	1	25
Trichloroethene	8.858	10.00	ppbv	89%	b	70-130	1	25
1,2-Dichloropropane	9.433	10.00	ppbv	94%		70-130	1	25
Bromodichloromethane	9.636	10.00	ppbv	96%		70-130	1	25
cis-1,3-Dichloropropene	9.666	10.00	ppbv	97%		70-130	2	25
4-Methyl-2-Pentanone	9.907	10.00	ppbv	99%		70-130	1	25
Toluene	9.601	10.00	ppbv	96%		70-130	0	25
trans-1,3-Dichloropropene	9.517	10.00	ppbv	95%		70-130	1	25
1,1,2-Trichloroethane	9.643	10.00	ppbv	96%		70-130	1	25
Tetrachloroethene	9.624	10.00	ppbv	96%		70-130	1	25
2-Hexanone	10.03	10.00	ppbv	100%		70-130	2	25
Dibromochloromethane	9.707	10.00	ppbv	97%		70-130	1	25
1,2-Dibromoethane	9.574	10.00	ppbv	96%		70-130	1	25
Chlorobenzene	9.277	10.00	ppbv	93%		70-130	1	25
Ethylbenzene	9.363	10.00	ppbv	94%		70-130	1	25
m,p-Xylenes	18.51	20.00	ppbv	93%		70-130	1	25
o-Xylene	9.269	10.00	ppbv	93%		70-130	0	25

Batch QC

QC971225 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	
							RPD	Lim
Styrene	9.173	10.00	ppbv	92%		70-130	1	25
Bromoform	9.465	10.00	ppbv	95%		70-130	1	25
1,1,2,2-Tetrachloroethane	9.413	10.00	ppbv	94%		70-130	1	25
1,1,1,2-Tetrachloroethane	9.377	10.00	ppbv	94%		70-130	0	25
4-Ethyltoluene	9.335	10.00	ppbv	93%		70-130	1	25
1,3,5-Trimethylbenzene	9.354	10.00	ppbv	94%		70-130	2	25
1,2,4-Trimethylbenzene	9.347	10.00	ppbv	93%		70-130	1	25
1,3-Dichlorobenzene	9.092	10.00	ppbv	91%		70-130	2	25
1,4-Dichlorobenzene	9.068	10.00	ppbv	91%		70-130	2	25
Benzyl chloride	9.072	10.00	ppbv	91%		70-130	2	25
1,2-Dichlorobenzene	9.271	10.00	ppbv	93%		70-130	1	25
1,2,4-Trichlorobenzene	8.868	10.00	ppbv	89%		70-130	3	25
Hexachlorobutadiene	9.322	10.00	ppbv	93%		70-130	2	25
Surrogates								
Bromofluorobenzene	9.820	10.00	ppbv	98%		60-140		

Batch QC

Type: Blank	Lab ID: QC971226	Batch: 283405
Matrix: Air	Method: EPA TO-15	Prep Method: METHOD

QC971226 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Freon 12	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02
Freon 114	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02
Chloromethane	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02
Vinyl Chloride	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02
Bromomethane	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02
Chloroethane	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02
Trichlorofluoromethane	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02
1,1-Dichloroethene	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02
Freon 113	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02
Acetone	ND		ppbv	1.0	02/09/22 13:02	02/09/22 13:02
Carbon Disulfide	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02
Isopropanol (IPA)	ND		ppbv	1.0	02/09/22 13:02	02/09/22 13:02
Methylene Chloride	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02
trans-1,2-Dichloroethene	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02
MTBE	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02
n-Hexane	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02
1,1-Dichloroethane	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02
Vinyl Acetate	ND		ppbv	1.0	02/09/22 13:02	02/09/22 13:02
cis-1,2-Dichloroethene	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02
2-Butanone	ND		ppbv	1.0	02/09/22 13:02	02/09/22 13:02
Chloroform	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02
1,1,1-Trichloroethane	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02
Carbon Tetrachloride	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02
Benzene	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02
1,2-Dichloroethane	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02
Trichloroethene	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02
1,2-Dichloropropane	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02
Bromodichloromethane	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02
cis-1,3-Dichloropropene	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02
4-Methyl-2-Pentanone	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02
Toluene	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02
trans-1,3-Dichloropropene	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02
1,1,2-Trichloroethane	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02
Tetrachloroethene	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02
2-Hexanone	ND		ppbv	0.50	02/09/22 13:02	02/09/22 13:02
Dibromochloromethane	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02
1,2-Dibromoethane	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02
Chlorobenzene	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02
Ethylbenzene	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02
m,p-Xylenes	ND		ppbv	0.40	02/09/22 13:02	02/09/22 13:02
o-Xylene	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02
Styrene	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02

Batch QC

QC971226 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Bromoform	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02
1,1,2,2-Tetrachloroethane	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02
1,1,1,2-Tetrachloroethane	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02
4-Ethyltoluene	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02
1,3,5-Trimethylbenzene	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02
1,2,4-Trimethylbenzene	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02
1,3-Dichlorobenzene	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02
1,4-Dichlorobenzene	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02
Benzyl chloride	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02
1,2-Dichlorobenzene	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02
1,2,4-Trichlorobenzene	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02
Hexachlorobutadiene	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02
Xylene (total)	ND		ppbv	0.20	02/09/22 13:02	02/09/22 13:02
Surrogates				Limits		
Bromofluorobenzene	102%		%REC	60-140	02/09/22 13:02	02/09/22 13:02

Batch QC

Type: Lab Control Sample	Lab ID: QC971627	Batch: 283541
Matrix: Air	Method: EPA TO-15	Prep Method: METHOD

QC971627 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Freon 12	11.16	10.00	ppbv	112%		70-130
Freon 114	9.314	10.00	ppbv	93%		70-130
Chloromethane	8.649	10.00	ppbv	86%		70-130
Vinyl Chloride	9.295	10.00	ppbv	93%		70-130
Bromomethane	10.01	10.00	ppbv	100%		70-130
Chloroethane	9.310	10.00	ppbv	93%		70-130
Trichlorofluoromethane	10.68	10.00	ppbv	107%		70-130
1,1-Dichloroethene	10.09	10.00	ppbv	101%		70-130
Freon 113	10.30	10.00	ppbv	103%		70-130
Acetone	8.562	10.00	ppbv	86%		70-130
Carbon Disulfide	10.20	10.00	ppbv	102%		70-130
Isopropanol (IPA)	8.437	10.00	ppbv	84%		70-130
Methylene Chloride	9.037	10.00	ppbv	90%		70-130
trans-1,2-Dichloroethene	9.643	10.00	ppbv	96%		70-130
MTBE	10.07	10.00	ppbv	101%		70-130
n-Hexane	8.809	10.00	ppbv	88%		70-130
1,1-Dichloroethane	9.609	10.00	ppbv	96%		70-130
Vinyl Acetate	8.260	10.00	ppbv	83%		70-130
cis-1,2-Dichloroethene	9.586	10.00	ppbv	96%		70-130
2-Butanone	10.05	10.00	ppbv	101%		70-130
Chloroform	10.55	10.00	ppbv	106%		70-130
1,1,1-Trichloroethane	10.15	10.00	ppbv	102%		70-130
Carbon Tetrachloride	9.853	10.00	ppbv	99%		70-130
Benzene	9.888	10.00	ppbv	99%		70-130
1,2-Dichloroethane	10.54	10.00	ppbv	105%		70-130
Trichloroethene	9.673	10.00	ppbv	97%		70-130
1,2-Dichloropropane	9.078	10.00	ppbv	91%		70-130
Bromodichloromethane	10.64	10.00	ppbv	106%		70-130
cis-1,3-Dichloropropene	9.347	10.00	ppbv	93%		70-130
4-Methyl-2-Pentanone	8.878	10.00	ppbv	89%		70-130
Toluene	9.828	10.00	ppbv	98%		70-130
trans-1,3-Dichloropropene	9.463	10.00	ppbv	95%		70-130
1,1,2-Trichloroethane	9.871	10.00	ppbv	99%		70-130
Tetrachloroethene	10.47	10.00	ppbv	105%		70-130
2-Hexanone	9.352	10.00	ppbv	94%		70-130
Dibromochloromethane	9.613	10.00	ppbv	96%		70-130
1,2-Dibromoethane	10.04	10.00	ppbv	100%		70-130
Chlorobenzene	8.682	10.00	ppbv	87%		70-130
Ethylbenzene	9.004	10.00	ppbv	90%		70-130
m,p-Xylenes	18.18	20.00	ppbv	91%		70-130
o-Xylene	9.268	10.00	ppbv	93%		70-130
Styrene	8.886	10.00	ppbv	89%		70-130

Batch QC

QC971627 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Bromoform	9.722	10.00	ppbv	97%		70-130
1,1,2,2-Tetrachloroethane	9.396	10.00	ppbv	94%		70-130
1,1,1,2-Tetrachloroethane	8.438	10.00	ppbv	84%		70-130
4-Ethyltoluene	9.142	10.00	ppbv	91%		70-130
1,3,5-Trimethylbenzene	9.043	10.00	ppbv	90%		70-130
1,2,4-Trimethylbenzene	9.143	10.00	ppbv	91%		70-130
1,3-Dichlorobenzene	9.526	10.00	ppbv	95%		70-130
1,4-Dichlorobenzene	9.639	10.00	ppbv	96%		70-130
Benzyl chloride	9.092	10.00	ppbv	91%		70-130
1,2-Dichlorobenzene	9.329	10.00	ppbv	93%		70-130
1,2,4-Trichlorobenzene	11.27	10.00	ppbv	113%	b	70-130
Hexachlorobutadiene	10.40	10.00	ppbv	104%		70-130
Surrogates						
Bromofluorobenzene	11.01	10.00	ppbv	110%		60-140

Batch QC

Type: Lab Control Sample Duplicate	Lab ID: QC971628	Batch: 283541
Matrix: Air	Method: EPA TO-15	Prep Method: METHOD

QC971628 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Freon 12	11.01	10.00	ppbv	110%		70-130	1	25
Freon 114	9.230	10.00	ppbv	92%		70-130	1	25
Chloromethane	8.563	10.00	ppbv	86%		70-130	1	25
Vinyl Chloride	9.250	10.00	ppbv	93%		70-130	0	25
Bromomethane	9.855	10.00	ppbv	99%		70-130	2	25
Chloroethane	9.231	10.00	ppbv	92%		70-130	1	25
Trichlorofluoromethane	10.62	10.00	ppbv	106%		70-130	1	25
1,1-Dichloroethene	10.04	10.00	ppbv	100%		70-130	0	25
Freon 113	10.28	10.00	ppbv	103%		70-130	0	25
Acetone	8.645	10.00	ppbv	86%		70-130	1	25
Carbon Disulfide	10.15	10.00	ppbv	101%		70-130	1	25
Isopropanol (IPA)	8.407	10.00	ppbv	84%		70-130	0	25
Methylene Chloride	8.979	10.00	ppbv	90%		70-130	1	25
trans-1,2-Dichloroethene	9.601	10.00	ppbv	96%		70-130	0	25
MTBE	10.09	10.00	ppbv	101%		70-130	0	25
n-Hexane	8.734	10.00	ppbv	87%		70-130	1	25
1,1-Dichloroethane	9.627	10.00	ppbv	96%		70-130	0	25
Vinyl Acetate	8.083	10.00	ppbv	81%		70-130	2	25
cis-1,2-Dichloroethene	9.545	10.00	ppbv	95%		70-130	0	25
2-Butanone	10.10	10.00	ppbv	101%		70-130	0	25
Chloroform	10.43	10.00	ppbv	104%		70-130	1	25
1,1,1-Trichloroethane	10.21	10.00	ppbv	102%		70-130	1	25
Carbon Tetrachloride	9.947	10.00	ppbv	99%		70-130	1	25
Benzene	9.734	10.00	ppbv	97%		70-130	2	25
1,2-Dichloroethane	10.43	10.00	ppbv	104%		70-130	1	25
Trichloroethene	10.50	10.00	ppbv	105%		70-130	8	25
1,2-Dichloropropane	9.835	10.00	ppbv	98%		70-130	8	25
Bromodichloromethane	11.57	10.00	ppbv	116%		70-130	8	25
cis-1,3-Dichloropropene	10.45	10.00	ppbv	105%		70-130	11	25
4-Methyl-2-Pentanone	9.607	10.00	ppbv	96%		70-130	8	25
Toluene	10.62	10.00	ppbv	106%		70-130	8	25
trans-1,3-Dichloropropene	10.47	10.00	ppbv	105%		70-130	10	25
1,1,2-Trichloroethane	10.66	10.00	ppbv	107%		70-130	8	25
Tetrachloroethene	11.30	10.00	ppbv	113%		70-130	8	25
2-Hexanone	10.10	10.00	ppbv	101%		70-130	8	25
Dibromochloromethane	10.41	10.00	ppbv	104%		70-130	8	25
1,2-Dibromoethane	10.87	10.00	ppbv	109%		70-130	8	25
Chlorobenzene	8.744	10.00	ppbv	87%		70-130	1	25
Ethylbenzene	9.024	10.00	ppbv	90%		70-130	0	25
m,p-Xylenes	18.28	20.00	ppbv	91%		70-130	1	25
o-Xylene	9.089	10.00	ppbv	91%		70-130	2	25

Batch QC

QC971628 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	
							RPD	Lim
Styrene	8.878	10.00	ppbv	89%		70-130	0	25
Bromoform	9.780	10.00	ppbv	98%		70-130	1	25
1,1,2,2-Tetrachloroethane	9.370	10.00	ppbv	94%		70-130	0	25
1,1,1,2-Tetrachloroethane	8.395	10.00	ppbv	84%		70-130	1	25
4-Ethyltoluene	9.112	10.00	ppbv	91%		70-130	0	25
1,3,5-Trimethylbenzene	9.029	10.00	ppbv	90%		70-130	0	25
1,2,4-Trimethylbenzene	9.123	10.00	ppbv	91%		70-130	0	25
1,3-Dichlorobenzene	9.505	10.00	ppbv	95%		70-130	0	25
1,4-Dichlorobenzene	9.660	10.00	ppbv	97%		70-130	0	25
Benzyl chloride	9.244	10.00	ppbv	92%		70-130	2	25
1,2-Dichlorobenzene	9.403	10.00	ppbv	94%		70-130	1	25
1,2,4-Trichlorobenzene	11.34	10.00	ppbv	113%	b	70-130	1	25
Hexachlorobutadiene	10.14	10.00	ppbv	101%		70-130	2	25
Surrogates								
Bromofluorobenzene	10.99	10.00	ppbv	110%		60-140		

Batch QC

Type: Blank	Lab ID: QC971629	Batch: 283541
Matrix: Air	Method: EPA TO-15	Prep Method: METHOD

QC971629 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Freon 12	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02
Freon 114	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02
Chloromethane	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02
Vinyl Chloride	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02
Bromomethane	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02
Chloroethane	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02
Trichlorofluoromethane	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02
1,1-Dichloroethene	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02
Freon 113	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02
Acetone	ND		ppbv	1.0	02/10/22 19:02	02/10/22 19:02
Carbon Disulfide	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02
Isopropanol (IPA)	ND		ppbv	1.0	02/10/22 19:02	02/10/22 19:02
Methylene Chloride	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02
trans-1,2-Dichloroethene	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02
MTBE	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02
n-Hexane	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02
1,1-Dichloroethane	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02
Vinyl Acetate	ND		ppbv	1.0	02/10/22 19:02	02/10/22 19:02
cis-1,2-Dichloroethene	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02
2-Butanone	ND		ppbv	1.0	02/10/22 19:02	02/10/22 19:02
Chloroform	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02
1,1,1-Trichloroethane	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02
Carbon Tetrachloride	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02
Benzene	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02
1,2-Dichloroethane	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02
Trichloroethene	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02
1,2-Dichloropropane	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02
Bromodichloromethane	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02
cis-1,3-Dichloropropene	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02
4-Methyl-2-Pentanone	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02
Toluene	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02
trans-1,3-Dichloropropene	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02
1,1,2-Trichloroethane	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02
Tetrachloroethene	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02
2-Hexanone	ND		ppbv	0.50	02/10/22 19:02	02/10/22 19:02
Dibromochloromethane	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02
1,2-Dibromoethane	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02
Chlorobenzene	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02
Ethylbenzene	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02
m,p-Xylenes	ND		ppbv	0.40	02/10/22 19:02	02/10/22 19:02
o-Xylene	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02
Styrene	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02

Batch QC

QC971629 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Bromoform	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02
1,1,2,2-Tetrachloroethane	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02
1,1,1,2-Tetrachloroethane	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02
4-Ethyltoluene	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02
1,3,5-Trimethylbenzene	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02
1,2,4-Trimethylbenzene	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02
1,3-Dichlorobenzene	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02
1,4-Dichlorobenzene	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02
Benzyl chloride	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02
1,2-Dichlorobenzene	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02
1,2,4-Trichlorobenzene	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02
Hexachlorobutadiene	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02
Xylene (total)	ND		ppbv	0.20	02/10/22 19:02	02/10/22 19:02
Surrogates				Limits		
Bromofluorobenzene	111%		%REC	60-140	02/10/22 19:02	02/10/22 19:02

Batch QC

Type: Lab Control Sample	Lab ID: QC971956	Batch: 283642
Matrix: Air	Method: EPA TO-15	Prep Method: METHOD

QC971956 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Freon 12	11.39	10.00	ppbv	114%		70-130
Freon 114	9.287	10.00	ppbv	93%		70-130
Chloromethane	8.711	10.00	ppbv	87%		70-130
Vinyl Chloride	8.731	10.00	ppbv	87%		70-130
Bromomethane	9.434	10.00	ppbv	94%		70-130
Chloroethane	8.567	10.00	ppbv	86%		70-130
Trichlorofluoromethane	10.95	10.00	ppbv	109%		70-130
1,1-Dichloroethene	9.884	10.00	ppbv	99%		70-130
Freon 113	10.27	10.00	ppbv	103%		70-130
Acetone	8.657	10.00	ppbv	87%		70-130
Carbon Disulfide	10.04	10.00	ppbv	100%		70-130
Isopropanol (IPA)	7.981	10.00	ppbv	80%		70-130
Methylene Chloride	8.769	10.00	ppbv	88%		70-130
trans-1,2-Dichloroethene	9.515	10.00	ppbv	95%		70-130
MTBE	9.979	10.00	ppbv	100%		70-130
n-Hexane	8.539	10.00	ppbv	85%		70-130
1,1-Dichloroethane	9.491	10.00	ppbv	95%		70-130
Vinyl Acetate	8.020	10.00	ppbv	80%		70-130
cis-1,2-Dichloroethene	9.398	10.00	ppbv	94%		70-130
2-Butanone	9.887	10.00	ppbv	99%		70-130
Chloroform	10.33	10.00	ppbv	103%		70-130
1,1,1-Trichloroethane	10.18	10.00	ppbv	102%		70-130
Carbon Tetrachloride	9.961	10.00	ppbv	100%		70-130
Benzene	9.610	10.00	ppbv	96%		70-130
1,2-Dichloroethane	10.64	10.00	ppbv	106%		70-130
Trichloroethene	10.52	10.00	ppbv	105%		70-130
1,2-Dichloropropane	9.626	10.00	ppbv	96%		70-130
Bromodichloromethane	11.64	10.00	ppbv	116%		70-130
cis-1,3-Dichloropropene	10.28	10.00	ppbv	103%		70-130
4-Methyl-2-Pentanone	9.442	10.00	ppbv	94%		70-130
Toluene	10.70	10.00	ppbv	107%		70-130
trans-1,3-Dichloropropene	10.31	10.00	ppbv	103%		70-130
1,1,2-Trichloroethane	10.80	10.00	ppbv	108%		70-130
Tetrachloroethene	11.34	10.00	ppbv	113%		70-130
2-Hexanone	10.02	10.00	ppbv	100%		70-130
Dibromochloromethane	10.64	10.00	ppbv	106%		70-130
1,2-Dibromoethane	10.96	10.00	ppbv	110%		70-130
Chlorobenzene	8.643	10.00	ppbv	86%		70-130
Ethylbenzene	8.929	10.00	ppbv	89%		70-130
m,p-Xylenes	18.24	20.00	ppbv	91%		70-130
o-Xylene	9.261	10.00	ppbv	93%		70-130
Styrene	8.730	10.00	ppbv	87%		70-130

Batch QC

QC971956 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Bromoform	9.774	10.00	ppbv	98%		70-130
1,1,2,2-Tetrachloroethane	9.270	10.00	ppbv	93%		70-130
1,1,1,2-Tetrachloroethane	8.430	10.00	ppbv	84%		70-130
4-Ethyltoluene	9.130	10.00	ppbv	91%		70-130
1,3,5-Trimethylbenzene	9.095	10.00	ppbv	91%		70-130
1,2,4-Trimethylbenzene	9.224	10.00	ppbv	92%		70-130
1,3-Dichlorobenzene	9.522	10.00	ppbv	95%		70-130
1,4-Dichlorobenzene	9.665	10.00	ppbv	97%		70-130
Benzyl chloride	9.292	10.00	ppbv	93%		70-130
1,2-Dichlorobenzene	9.519	10.00	ppbv	95%		70-130
1,2,4-Trichlorobenzene	11.76	10.00	ppbv	118%	b	70-130
Hexachlorobutadiene	10.80	10.00	ppbv	108%		70-130
Surrogates						
Bromofluorobenzene	11.02	10.00	ppbv	110%		60-140

Batch QC

Type: Lab Control Sample Duplicate	Lab ID: QC971957	Batch: 283642
Matrix: Air	Method: EPA TO-15	Prep Method: METHOD

QC971957 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Freon 12	11.09	10.00	ppbv	111%		70-130	3	25
Freon 114	9.268	10.00	ppbv	93%		70-130	0	25
Chloromethane	8.707	10.00	ppbv	87%		70-130	0	25
Vinyl Chloride	8.791	10.00	ppbv	88%		70-130	1	25
Bromomethane	9.263	10.00	ppbv	93%		70-130	2	25
Chloroethane	8.684	10.00	ppbv	87%		70-130	1	25
Trichlorofluoromethane	10.94	10.00	ppbv	109%		70-130	0	25
1,1-Dichloroethene	9.919	10.00	ppbv	99%		70-130	0	25
Freon 113	10.18	10.00	ppbv	102%		70-130	1	25
Acetone	8.459	10.00	ppbv	85%		70-130	2	25
Carbon Disulfide	9.975	10.00	ppbv	100%		70-130	1	25
Isopropanol (IPA)	8.114	10.00	ppbv	81%		70-130	2	25
Methylene Chloride	8.614	10.00	ppbv	86%		70-130	2	25
trans-1,2-Dichloroethene	9.486	10.00	ppbv	95%		70-130	0	25
MTBE	10.03	10.00	ppbv	100%		70-130	1	25
n-Hexane	8.512	10.00	ppbv	85%		70-130	0	25
1,1-Dichloroethane	9.544	10.00	ppbv	95%		70-130	1	25
Vinyl Acetate	7.935	10.00	ppbv	79%		70-130	1	25
cis-1,2-Dichloroethene	9.425	10.00	ppbv	94%		70-130	0	25
2-Butanone	9.984	10.00	ppbv	100%		70-130	1	25
Chloroform	10.56	10.00	ppbv	106%		70-130	2	25
1,1,1-Trichloroethane	10.33	10.00	ppbv	103%		70-130	1	25
Carbon Tetrachloride	10.08	10.00	ppbv	101%		70-130	1	25
Benzene	9.614	10.00	ppbv	96%		70-130	0	25
1,2-Dichloroethane	10.64	10.00	ppbv	106%		70-130	0	25
Trichloroethene	9.732	10.00	ppbv	97%		70-130	8	25
1,2-Dichloropropane	8.902	10.00	ppbv	89%		70-130	8	25
Bromodichloromethane	10.77	10.00	ppbv	108%		70-130	8	25
cis-1,3-Dichloropropene	9.563	10.00	ppbv	96%		70-130	7	25
4-Methyl-2-Pentanone	8.739	10.00	ppbv	87%		70-130	8	25
Toluene	9.819	10.00	ppbv	98%		70-130	9	25
trans-1,3-Dichloropropene	9.615	10.00	ppbv	96%		70-130	7	25
1,1,2-Trichloroethane	9.953	10.00	ppbv	100%		70-130	8	25
Tetrachloroethene	10.53	10.00	ppbv	105%		70-130	7	25
2-Hexanone	9.303	10.00	ppbv	93%		70-130	7	25
Dibromochloromethane	9.870	10.00	ppbv	99%		70-130	7	25
1,2-Dibromoethane	10.02	10.00	ppbv	100%		70-130	9	25
Chlorobenzene	8.700	10.00	ppbv	87%		70-130	1	25
Ethylbenzene	8.972	10.00	ppbv	90%		70-130	0	25
m,p-Xylenes	18.08	20.00	ppbv	90%		70-130	1	25
o-Xylene	9.089	10.00	ppbv	91%		70-130	2	25

Batch QC

QC971957 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	
							RPD	Lim
Styrene	8.750	10.00	ppbv	88%		70-130	0	25
Bromoform	9.829	10.00	ppbv	98%		70-130	1	25
1,1,2,2-Tetrachloroethane	9.263	10.00	ppbv	93%		70-130	0	25
1,1,1,2-Tetrachloroethane	8.436	10.00	ppbv	84%		70-130	0	25
4-Ethyltoluene	9.114	10.00	ppbv	91%		70-130	0	25
1,3,5-Trimethylbenzene	9.058	10.00	ppbv	91%		70-130	0	25
1,2,4-Trimethylbenzene	9.211	10.00	ppbv	92%		70-130	0	25
1,3-Dichlorobenzene	9.531	10.00	ppbv	95%		70-130	0	25
1,4-Dichlorobenzene	9.614	10.00	ppbv	96%		70-130	1	25
Benzyl chloride	9.359	10.00	ppbv	94%		70-130	1	25
1,2-Dichlorobenzene	9.414	10.00	ppbv	94%		70-130	1	25
1,2,4-Trichlorobenzene	11.61	10.00	ppbv	116%	b	70-130	1	25
Hexachlorobutadiene	10.44	10.00	ppbv	104%		70-130	3	25
Surrogates								
Bromofluorobenzene	10.99	10.00	ppbv	110%		60-140		

Batch QC

Type: Blank	Lab ID: QC971958	Batch: 283642
Matrix: Air	Method: EPA TO-15	Prep Method: METHOD

QC971958 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Freon 12	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06
Freon 114	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06
Chloromethane	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06
Vinyl Chloride	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06
Bromomethane	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06
Chloroethane	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06
Trichlorofluoromethane	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06
1,1-Dichloroethene	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06
Freon 113	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06
Acetone	ND		ppbv	1.0	02/11/22 18:06	02/11/22 18:06
Carbon Disulfide	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06
Isopropanol (IPA)	ND		ppbv	1.0	02/11/22 18:06	02/11/22 18:06
Methylene Chloride	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06
trans-1,2-Dichloroethene	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06
MTBE	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06
n-Hexane	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06
1,1-Dichloroethane	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06
Vinyl Acetate	ND		ppbv	1.0	02/11/22 18:06	02/11/22 18:06
cis-1,2-Dichloroethene	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06
2-Butanone	ND		ppbv	1.0	02/11/22 18:06	02/11/22 18:06
Chloroform	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06
1,1,1-Trichloroethane	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06
Carbon Tetrachloride	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06
Benzene	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06
1,2-Dichloroethane	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06
Trichloroethene	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06
1,2-Dichloropropane	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06
Bromodichloromethane	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06
cis-1,3-Dichloropropene	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06
4-Methyl-2-Pentanone	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06
Toluene	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06
trans-1,3-Dichloropropene	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06
1,1,2-Trichloroethane	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06
Tetrachloroethene	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06
2-Hexanone	ND		ppbv	0.50	02/11/22 18:06	02/11/22 18:06
Dibromochloromethane	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06
1,2-Dibromoethane	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06
Chlorobenzene	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06
Ethylbenzene	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06
m,p-Xylenes	ND		ppbv	0.40	02/11/22 18:06	02/11/22 18:06
o-Xylene	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06
Styrene	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06

Batch QC

QC971958 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Bromoform	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06
1,1,2,2-Tetrachloroethane	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06
1,1,1,2-Tetrachloroethane	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06
4-Ethyltoluene	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06
1,3,5-Trimethylbenzene	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06
1,2,4-Trimethylbenzene	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06
1,3-Dichlorobenzene	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06
1,4-Dichlorobenzene	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06
Benzyl chloride	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06
1,2-Dichlorobenzene	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06
1,2,4-Trichlorobenzene	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06
Hexachlorobutadiene	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06
Xylene (total)	ND		ppbv	0.20	02/11/22 18:06	02/11/22 18:06
Surrogates				Limits		
Bromofluorobenzene	111%		%REC	60-140	02/11/22 18:06	02/11/22 18:06

Batch QC

Type: Lab Control Sample	Lab ID: QC972271	Batch: 283737
Matrix: Air	Method: EPA TO-15	Prep Method: METHOD

QC972271 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Freon 12	12.54	10.00	ppbv	125%		70-130
Freon 114	10.07	10.00	ppbv	101%		70-130
Chloromethane	8.116	10.00	ppbv	81%		70-130
Vinyl Chloride	9.093	10.00	ppbv	91%		70-130
Bromomethane	10.72	10.00	ppbv	107%		70-130
Chloroethane	9.632	10.00	ppbv	96%		70-130
Trichlorofluoromethane	12.12	10.00	ppbv	121%		70-130
1,1-Dichloroethene	10.20	10.00	ppbv	102%		70-130
Freon 113	10.61	10.00	ppbv	106%		70-130
Acetone	8.118	10.00	ppbv	81%		70-130
Carbon Disulfide	9.826	10.00	ppbv	98%		70-130
Isopropanol (IPA)	7.626	10.00	ppbv	76%		70-130
Methylene Chloride	8.492	10.00	ppbv	85%		70-130
trans-1,2-Dichloroethene	9.461	10.00	ppbv	95%		70-130
MTBE	10.42	10.00	ppbv	104%		70-130
n-Hexane	8.110	10.00	ppbv	81%		70-130
1,1-Dichloroethane	9.575	10.00	ppbv	96%		70-130
Vinyl Acetate	7.259	10.00	ppbv	73%		70-130
cis-1,2-Dichloroethene	9.537	10.00	ppbv	95%		70-130
2-Butanone	9.451	10.00	ppbv	95%		70-130
Chloroform	11.15	10.00	ppbv	112%		70-130
1,1,1-Trichloroethane	11.46	10.00	ppbv	115%		70-130
Carbon Tetrachloride	11.26	10.00	ppbv	113%		70-130
Benzene	9.398	10.00	ppbv	94%		70-130
1,2-Dichloroethane	11.75	10.00	ppbv	118%		70-130
Trichloroethene	9.940	10.00	ppbv	99%		70-130
1,2-Dichloropropane	8.500	10.00	ppbv	85%		70-130
Bromodichloromethane	11.42	10.00	ppbv	114%		70-130
cis-1,3-Dichloropropene	9.483	10.00	ppbv	95%		70-130
4-Methyl-2-Pentanone	8.359	10.00	ppbv	84%		70-130
Toluene	9.718	10.00	ppbv	97%		70-130
trans-1,3-Dichloropropene	9.462	10.00	ppbv	95%		70-130
1,1,2-Trichloroethane	9.909	10.00	ppbv	99%		70-130
Tetrachloroethene	10.52	10.00	ppbv	105%		70-130
2-Hexanone	8.614	10.00	ppbv	86%		70-130
Dibromochloromethane	10.46	10.00	ppbv	105%		70-130
1,2-Dibromoethane	10.15	10.00	ppbv	102%		70-130
Chlorobenzene	8.430	10.00	ppbv	84%		70-130
Ethylbenzene	8.779	10.00	ppbv	88%		70-130
m,p-Xylenes	18.10	20.00	ppbv	90%		70-130
o-Xylene	9.188	10.00	ppbv	92%		70-130
Styrene	8.521	10.00	ppbv	85%		70-130

Batch QC

QC972271 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Bromoform	9.913	10.00	ppbv	99%		70-130
1,1,2,2-Tetrachloroethane	8.927	10.00	ppbv	89%		70-130
1,1,1,2-Tetrachloroethane	8.656	10.00	ppbv	87%		70-130
4-Ethyltoluene	9.195	10.00	ppbv	92%		70-130
1,3,5-Trimethylbenzene	9.293	10.00	ppbv	93%		70-130
1,2,4-Trimethylbenzene	9.482	10.00	ppbv	95%		70-130
1,3-Dichlorobenzene	9.633	10.00	ppbv	96%		70-130
1,4-Dichlorobenzene	9.679	10.00	ppbv	97%		70-130
Benzyl chloride	9.390	10.00	ppbv	94%		70-130
1,2-Dichlorobenzene	9.581	10.00	ppbv	96%		70-130
1,2,4-Trichlorobenzene	11.49	10.00	ppbv	115%	b	70-130
Hexachlorobutadiene	11.00	10.00	ppbv	110%		70-130
Surrogates						
Bromofluorobenzene	10.85	10.00	ppbv	108%		60-140

Batch QC

Type: Lab Control Sample Duplicate	Lab ID: QC972272	Batch: 283737
Matrix: Air	Method: EPA TO-15	Prep Method: METHOD

QC972272 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Freon 12	12.42	10.00	ppbv	124%		70-130	1	25
Freon 114	10.10	10.00	ppbv	101%		70-130	0	25
Chloromethane	8.261	10.00	ppbv	83%		70-130	2	25
Vinyl Chloride	9.192	10.00	ppbv	92%		70-130	1	25
Bromomethane	10.15	10.00	ppbv	101%		70-130	5	25
Chloroethane	9.585	10.00	ppbv	96%		70-130	0	25
Trichlorofluoromethane	12.10	10.00	ppbv	121%		70-130	0	25
1,1-Dichloroethene	10.24	10.00	ppbv	102%		70-130	0	25
Freon 113	10.42	10.00	ppbv	104%		70-130	2	25
Acetone	8.131	10.00	ppbv	81%		70-130	0	25
Carbon Disulfide	9.678	10.00	ppbv	97%		70-130	2	25
Isopropanol (IPA)	7.936	10.00	ppbv	79%		70-130	4	25
Methylene Chloride	8.426	10.00	ppbv	84%		70-130	1	25
trans-1,2-Dichloroethene	9.398	10.00	ppbv	94%		70-130	1	25
MTBE	10.26	10.00	ppbv	103%		70-130	2	25
n-Hexane	7.956	10.00	ppbv	80%		70-130	2	25
1,1-Dichloroethane	9.450	10.00	ppbv	94%		70-130	1	25
Vinyl Acetate	7.507	10.00	ppbv	75%		70-130	3	25
cis-1,2-Dichloroethene	9.424	10.00	ppbv	94%		70-130	1	25
2-Butanone	9.451	10.00	ppbv	95%		70-130	0	25
Chloroform	10.95	10.00	ppbv	110%		70-130	2	25
1,1,1-Trichloroethane	11.34	10.00	ppbv	113%		70-130	1	25
Carbon Tetrachloride	11.25	10.00	ppbv	112%		70-130	0	25
Benzene	9.296	10.00	ppbv	93%		70-130	1	25
1,2-Dichloroethane	11.84	10.00	ppbv	118%		70-130	1	25
Trichloroethene	9.856	10.00	ppbv	99%		70-130	1	25
1,2-Dichloropropane	8.370	10.00	ppbv	84%		70-130	2	25
Bromodichloromethane	11.34	10.00	ppbv	113%		70-130	1	25
cis-1,3-Dichloropropene	9.489	10.00	ppbv	95%		70-130	0	25
4-Methyl-2-Pentanone	7.619	10.00	ppbv	76%		70-130	9	25
Toluene	9.571	10.00	ppbv	96%		70-130	2	25
trans-1,3-Dichloropropene	9.508	10.00	ppbv	95%		70-130	0	25
1,1,2-Trichloroethane	9.733	10.00	ppbv	97%		70-130	2	25
Tetrachloroethene	10.47	10.00	ppbv	105%		70-130	0	25
2-Hexanone	8.556	10.00	ppbv	86%		70-130	1	25
Dibromochloromethane	10.39	10.00	ppbv	104%		70-130	1	25
1,2-Dibromoethane	10.11	10.00	ppbv	101%		70-130	0	25
Chlorobenzene	8.479	10.00	ppbv	85%		70-130	1	25
Ethylbenzene	8.775	10.00	ppbv	88%		70-130	0	25
m,p-Xylenes	18.10	20.00	ppbv	91%		70-130	0	25
o-Xylene	9.057	10.00	ppbv	91%		70-130	1	25

Batch QC

QC972272 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	
							RPD	Lim
Styrene	8.493	10.00	ppbv	85%		70-130	0	25
Bromoform	10.00	10.00	ppbv	100%		70-130	1	25
1,1,2,2-Tetrachloroethane	8.895	10.00	ppbv	89%		70-130	0	25
1,1,1,2-Tetrachloroethane	8.778	10.00	ppbv	88%		70-130	1	25
4-Ethyltoluene	9.145	10.00	ppbv	91%		70-130	1	25
1,3,5-Trimethylbenzene	9.254	10.00	ppbv	93%		70-130	0	25
1,2,4-Trimethylbenzene	9.400	10.00	ppbv	94%		70-130	1	25
1,3-Dichlorobenzene	9.443	10.00	ppbv	94%		70-130	2	25
1,4-Dichlorobenzene	9.695	10.00	ppbv	97%		70-130	0	25
Benzyl chloride	9.492	10.00	ppbv	95%		70-130	1	25
1,2-Dichlorobenzene	9.562	10.00	ppbv	96%		70-130	0	25
1,2,4-Trichlorobenzene	11.42	10.00	ppbv	114%	b	70-130	1	25
Hexachlorobutadiene	10.71	10.00	ppbv	107%		70-130	3	25
Surrogates								
Bromofluorobenzene	10.97	10.00	ppbv	110%		60-140		

Batch QC

Type: Blank	Lab ID: QC972273	Batch: 283737
Matrix: Air	Method: EPA TO-15	Prep Method: METHOD

QC972273 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Freon 12	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37
Freon 114	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37
Chloromethane	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37
Vinyl Chloride	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37
Bromomethane	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37
Chloroethane	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37
Trichlorofluoromethane	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37
1,1-Dichloroethene	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37
Freon 113	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37
Acetone	ND		ppbv	1.0	02/14/22 17:37	02/14/22 17:37
Carbon Disulfide	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37
Isopropanol (IPA)	ND		ppbv	1.0	02/14/22 17:37	02/14/22 17:37
Methylene Chloride	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37
trans-1,2-Dichloroethene	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37
MTBE	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37
n-Hexane	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37
1,1-Dichloroethane	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37
Vinyl Acetate	ND		ppbv	1.0	02/14/22 17:37	02/14/22 17:37
cis-1,2-Dichloroethene	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37
2-Butanone	ND		ppbv	1.0	02/14/22 17:37	02/14/22 17:37
Chloroform	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37
1,1,1-Trichloroethane	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37
Carbon Tetrachloride	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37
Benzene	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37
1,2-Dichloroethane	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37
Trichloroethene	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37
1,2-Dichloropropane	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37
Bromodichloromethane	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37
cis-1,3-Dichloropropene	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37
4-Methyl-2-Pentanone	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37
Toluene	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37
trans-1,3-Dichloropropene	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37
1,1,2-Trichloroethane	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37
Tetrachloroethene	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37
2-Hexanone	ND		ppbv	0.50	02/14/22 17:37	02/14/22 17:37
Dibromochloromethane	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37
1,2-Dibromoethane	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37
Chlorobenzene	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37
Ethylbenzene	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37
m,p-Xylenes	ND		ppbv	0.40	02/14/22 17:37	02/14/22 17:37
o-Xylene	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37
Styrene	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37

Batch QC

QC972273 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Bromoform	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37
1,1,2,2-Tetrachloroethane	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37
1,1,1,2-Tetrachloroethane	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37
4-Ethyltoluene	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37
1,3,5-Trimethylbenzene	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37
1,2,4-Trimethylbenzene	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37
1,3-Dichlorobenzene	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37
1,4-Dichlorobenzene	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37
Benzyl chloride	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37
1,2-Dichlorobenzene	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37
1,2,4-Trichlorobenzene	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37
Hexachlorobutadiene	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37
Xylene (total)	ND		ppbv	0.20	02/14/22 17:37	02/14/22 17:37
Surrogates				Limits		
Bromofluorobenzene	107%		%REC	60-140	02/14/22 17:37	02/14/22 17:37

ND Not Detected
 b See narrative

APPENDIX B

05/14/2020

Gary Carlin
2522 Chambers Rd #100, Tustin, CA 92780, USA
gary@carlinenvironmental.com

Construction Site Well Review (CSWR) ID: 1011904

Assessor Parcel Number(s): 15928103, 15928101, 15928102, 15928104, 15928105

Property Owner(s): Ed Bonanni

Project Location Address: 19006 Holly Lane, Huntington Beach, California, 92648

Project Title: Bonanni Development is a residential developer located in Orange County, California.

Public Resources Code (PRC) § 3208.1 establishes well reabandonment responsibility when a previously plugged and abandoned well will be impacted by planned property development or construction activities. Local permitting agencies, property owners, and/or developers should be aware of, and fully understand, that significant and potentially dangerous issues may be associated with development near oil, gas, and geothermal wells.

The Division of Oil, Gas, and Geothermal Resources (Division) has received and reviewed the above referenced project dated 3/26/2020. To assist local permitting agencies, property owners, and developers in making wise land use decisions regarding potential development near oil, gas, or geothermal wells, the Division provides the following well evaluation.

The project is located in Orange County, within the boundaries of the following fields:

Huntington Beach

The proposed project consists of five parcels to be redeveloped as 45% buildings, 20% landscaping, and 35% parking. The Division's online mapping tool shows the following four oil wells within the parcel boundaries:

- Huntington Beach Company, Miley-Keck 37 (API 0405902444) is shown to be located in the northerly area of the project boundary and was plugged and abandoned in 6/16/1997.
- Victor B. and Lola W. Dobbins, Republic 4 (API 0405901698) is shown to be located in the northeasterly area of the project boundary and was plugged and abandoned in 10/8/1997.
- Estate of Chas A. Camp, No. 51 (API 0405901594) is shown to be located in the northwesterly area of the project boundary and was plugged and abandoned in 6/14/1961.
- Huntington Beach Company, Miley-Keck 7 (API 0405902396) is shown to be located in the southwesterly area of the project boundary and was plugged and abandoned in 6/16/1997.

These four wells are not abandoned to current Division's requirements as prescribed by law. There is a possibility that these wells may start to leak oil and/or gas and may pose a hazard in the future.

Our records indicate there are 4 known oil or gas wells located within the project boundary as identified in the application.

- Number of wells Not Abandoned to Current Division Requirements as Prescribed by Law and Projected to Be Built Over or Have Future Access Impeded by this project: 4
- Number of wells Not Abandoned to Current Division Requirements as Prescribed by Law and Not Projected to Be Built Over or Have Future Access Impeded by this project: 0
- Number of wells Abandoned to Current Division Requirements as Prescribed by Law and Projected to Be Built Over or Have Future Access Impeded by this project: 0
- Number of wells Abandoned to Current Division Requirements as Prescribed by Law and Not Projected to Be Built Over or Have Future Access Impeded by this project: 0

The Division categorically advises against building over, or in any way impeding access to, oil, gas, or geothermal wells. Impeding access to a well could result in the need to remove any structure or obstacle that prevents or impedes access including, but not limited to, buildings, housing, fencing, landscaping, trees, pools, patios, sidewalks, roadways, and decking. Maintaining sufficient access is considered the ability for a well servicing unit and associated necessary equipment to reach a well from a public street or access way, solely over the parcel on which the well is located. A well servicing unit, and any necessary equipment, should be able to pass unimpeded along and over the route, and should be able to access the well without disturbing the integrity of surrounding infrastructure.

There are no guarantees a well abandoned in compliance with current Division requirements as prescribed by law will not start leaking in the future. It always remains a possibility that any well may start to leak oil, gas, and/or water after abandonment, no matter how thoroughly the well was plugged and abandoned. The Division acknowledges wells plugged and abandoned to the most current Division requirements as prescribed by law have a lower probability of leaking in the future, however there is no guarantees that such abandonments will not leak.

The Division advises that all wells identified on the development parcel prior to, or during, development activities be tested for liquid and gas leakage. Surveyed locations should be provided to the Division in Latitude and Longitude, NAD 83 decimal format. The Division expects any wells found leaking to be reported to it immediately.

Failure to plug and reabandon the well may result in enforcement action, including an order to perform reabandonment well work, pursuant to PRC § 3208.1, and 3224.

PRC § 3208.1 give the Division the authority to order or permit the re-abandonment of any well where it has reason to question the integrity of the previous abandonment, or if the well is not accessible or visible. Responsibility for re-abandonment costs may be affected by the choices made by the local permitting agency, property owner, and/or developer in considering the general advice set forth in this

letter. The PRC continues to define the person or entity responsible for reabandonment as:

1. The property owner - If the well was plugged and abandoned in conformance with Division requirements at the time of abandonment, and in its current condition does not pose an immediate danger to life, health, and property, but requires additional work solely because the owner of the property on which the well is located proposes construction on the property that would prevent or impede access to the well for purposes of remedying a currently perceived future problem, then the owner of the property on which the well is located shall obtain all rights necessary to reabandon the well and be responsible for the reabandonment.
2. The person or entity causing construction over or near the well - If the well was plugged and abandoned in conformance with Division requirements at the time of plugging and abandonment, and the property owner, developer, or local agency permitting the construction failed either to obtain an opinion from the supervisor or district deputy as to whether the previously abandoned well is required to be reabandoned, or to follow the advice of the supervisor or district deputy not to undertake the construction, then the person or entity causing the construction over or near the well shall obtain all rights necessary to reabandon the well and be responsible for the reabandonment.
3. The party or parties responsible for disturbing the integrity of the abandonment - If the well was plugged and abandoned in conformance with Division requirements at the time of plugging and abandonment, and after that time someone other than the operator or an affiliate of the operator disturbed the integrity of the abandonment in the course of developing the property, then the party or parties responsible for disturbing the integrity of the abandonment shall be responsible for the reabandonment.

No well work may be performed on any oil, gas, or geothermal well without written approval from the Division. Well work requiring approval includes, but is not limited to, mitigating leaking gas or other fluids from abandoned wells, modifications to well casings, and/or any other re-abandonment work. The Division also regulates the top of a plugged and abandoned well's minimum and maximum depth below final grade. CCR §1723.5 states well casings shall be cut off at least 5 feet but no more than 10 feet below grade. If any well needs to be lowered or raised (i.e. casing cut down or casing riser added) to meet this regulation, a permit from the Division is required before work can start.

The Division makes the following additional recommendations to the local permitting agency, property owner, and developer:

1. To ensure that present and future property owners are aware of (a) the existence of all wells located on the property, and (b) potentially significant issues associated with any improvements near oil or gas wells, the Division recommends that information regarding the

above identified well(s), and any other pertinent information obtained after the issuance of this letter, be communicated to the appropriate county recorder for inclusion in the title information of the subject real property.

2. The Division recommends that any soil containing hydrocarbons be disposed of in accordance with local, state, and federal laws. Please notify the appropriate authorities if soil containing significant amounts of hydrocarbons is discovered during development.

As indicated in PRC § 3106, the Division has statutory authority over the drilling, operation, maintenance, and abandonment of oil, gas, and geothermal wells, and attendant facilities, to prevent, as far as possible, damage to life, health, property, and natural resources; damage to underground oil, gas, and geothermal deposits; and damage to underground and surface waters suitable for irrigation or domestic purposes. In addition to the Division's authority to order work on wells pursuant to PRC §§ 3208.1 and 3224, it has authority to issue civil and criminal penalties under PRC §§ 3236, 3236.5, and 3359 for violations within the Division's jurisdictional authority. The Division does not regulate grading, excavations, or other land use issues.

If during development activities, any wells are encountered that were not part of this review, the property owner is expected to immediately notify the Division's construction site well review engineer in the Southern district office, and file for Division review an amended site plan with well casing diagrams. The District office will send a follow-up well evaluation letter to the property owner and local permitting agency.

Should you have any questions, please contact me at (562) 637-4400 or via email at Grace.Brandt@conservation.ca.gov

Sincerely,

Grace Brandt
Associate Oil and Gas Engineer



Wells Not Abandoned to Current Division Requirements as Prescribed by Law & Projected to be Built Over or Have Future Access Impeded

The wells listed below are not abandoned to current Division requirements as prescribed by law, and based upon information provided, are projected to be built over or have future access impeded. **The Division expects these wells to be reabandoned in compliance with current California law, prior to development activities.**

API	Well Designation	Operator	Well Evaluations
04059024 44	Miley-Keck 37	Huntington Beach Company	<ol style="list-style-type: none"> 1. Base of freshwater isolation plug is inadequate (CCR § 1723.2). 2. Upper hydrocarbon isolation zone plug is inadequate (CCR § 1723.1). 3. All perforations are not plugged with cement. (CCR § 1723.1). 4. Mud is not present across all intervals not plugged with cement (CCR § 1723). Note: Well leak test reported in 4/24/1997. No leaks detected.
04059016 98	Republic 4	Victor B. and Lola W. Dobbins	<ol style="list-style-type: none"> 1. Base of freshwater isolation plug is inadequate (CCR § 1723.2). 2. Upper hydrocarbon isolation zone plug is inadequate (CCR § 1723.1). 3. Hydrocarbon isolation zone plugs are not present (CCR § 1723.1). Note: Well leak test reported in 4/23/1997. No leaks detected.
04059015 94	51	Estate of Chas. W. Camp	<ol style="list-style-type: none"> 1. Base of freshwater isolation plug is not present (CCR § 1723.2). 2. Upper hydrocarbon isolation zone plug is not present (CCR § 1723.1). 3. All perforations are not plugged with cement. (CCR § 1723.1). 4. Mud is not present across all intervals not plugged with cement (CCR § 1723). 5. Hydrocarbon isolation zone plugs is not present (CCR § 1723.1). Note: No well leak tests reported.
04059023 96	Miley-Keck 7	Huntington Beach Company	<ol style="list-style-type: none"> 1. Base of freshwater isolation plug is inadequate (CCR § 1723.2). 2. Upper hydrocarbon isolation zone plug is inadequate (CCR § 1723.1). 3. All perforations are not plugged with cement. (CCR § 1723.1). 4. Hydrocarbon isolation zone plugs are not present. Note: Well leak test reported in 3/19/1997. No leaks detected.

EDR REPORTS



Bonanni - 19006 Holly Lane, HB

19006 Holly Lane

Huntington Beach, CA 92648

Inquiry Number: 6864927.11

February 17, 2022

The EDR Aerial Photo Decade Package



6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

EDR Aerial Photo Decade Package

02/17/22

Site Name:

Bonanni - 19006 Holly Lane, H
19006 Holly Lane
Huntington Beach, CA 92648
EDR Inquiry # 6864927.11

Client Name:

Carlin Environmental
2522 Chambers Road suite 100
Tustin, CA 92780
Contact: Sandi Twist



Environmental Data Resources, Inc. (EDR) Aerial Photo Decade Package is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's professional researchers provide digitally reproduced historical aerial photographs, and when available, provide one photo per decade.

Search Results:

<u>Year</u>	<u>Scale</u>	<u>Details</u>	<u>Source</u>
2016	1"=500'	Flight Year: 2016	USDA/NAIP
2012	1"=500'	Flight Year: 2012	USDA/NAIP
2009	1"=500'	Flight Year: 2009	USDA/NAIP
2005	1"=500'	Flight Year: 2005	USDA/NAIP
2002	1"=500'	Acquisition Date: January 01, 2002	USGS/DOQQ
1994	1"=500'	Acquisition Date: June 01, 1994	USGS/DOQQ
1990	1"=500'	Flight Date: September 06, 1990	USDA
1987	1"=500'	Flight Date: March 29, 1987	USDA
1977	1"=500'	Flight Date: January 18, 1977	EDR Proprietary Brewster Pacific
1972	1"=500'	Flight Date: October 30, 1972	USGS
1963	1"=500'	Flight Date: February 28, 1963	USGS
1952	1"=500'	Flight Date: November 18, 1952	USDA
1947	1"=500'	Flight Date: June 07, 1947	FAIR
1938	1"=500'	Flight Date: June 21, 1938	USDA

When delivered electronically by EDR, the aerial photo images included with this report are for ONE TIME USE ONLY. Further reproduction of these aerial photo images is prohibited without permission from EDR. For more information contact your EDR Account Executive.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2022 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.



INQUIRY #: 6864927.11

YEAR: 2016

— = 500'





INQUIRY #: 6864927.11

YEAR: 2012

— = 500'






INQUIRY #: 6864927.11

YEAR: 2009

— = 500'





INQUIRY #: 6864927.11

YEAR: 2005

— = 500'





INQUIRY #: 6864927.11

YEAR: 2002

— = 500'





INQUIRY #: 6864927.11

YEAR: 1994

— = 500'





INQUIRY #: 6864927.11

YEAR: 1990

— = 500'





INQUIRY #: 6864927.11

YEAR: 1987

— = 500'





INQUIRY #: 6864927.11

YEAR: 1977

— = 500'





INQUIRY #: 6864927.11

YEAR: 1972

— = 500'





INQUIRY #: 6864927.11

YEAR: 1963

— = 500'





INQUIRY #: 6864927.11

YEAR: 1952

— = 500'





INQUIRY #: 6864927.11

YEAR: 1947

— = 500'





INQUIRY #: 6864927.11

YEAR: 1938

— = 500'



Bonanni - 19006 Holly Lane, HB

19006 Holly Lane
Huntington Beach, CA 92648

Inquiry Number: 6864927.8

February 17, 2022

EDR Building Permit Report

Target Property and Adjoining Properties

TABLE OF CONTENTS

SECTION

About This Report

Executive Summary

Findings

Glossary

Thank you for your business.

Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2020 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EDR BUILDING PERMIT REPORT

About This Report

The EDR Building Permit Report provides a practical and efficient method to search building department records for indications of environmental conditions. Generated via a search of municipal building permit records gathered from more than 1,600 cities nationwide, this report will assist you in meeting the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-13), or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

Building permit data can be used to identify current and/or former operations and structures/features of environmental concern. The data can provide information on a target property and adjoining properties such as the presence of underground storage tanks, pump islands, sumps, drywells, etc., as well as information regarding water, sewer, natural gas, electrical connection dates, and current/former septic tanks.

ASTM and EPA Requirements

ASTM E 1527-13 lists building department records as a "standard historical source," as detailed in § 8.3.4.7: "Building Department Records - The term building department records means those records of the local government in which the property is located indicating permission of the local government to construct, alter, or demolish improvements on the property." ASTM also states that "Uses in the area surrounding the property shall be identified in the report, but this task is required only to the extent that this information is revealed in the course of researching the property itself."

EPA's Standards and Practices for All Appropriate Inquiries (AAI) states: "§312.24: Reviews of historical sources of information. (a) Historical documents and records must be reviewed for the purposes of achieving the objectives and performance factors of §312.20(e) and (f). Historical documents and records may include, but are not limited to, aerial photographs, fire insurance maps, building department records, chain of title documents, and land use records."

Methodology

EDR has developed the EDR Building Permit Report through our partnership with BuildFax, the nation's largest repository of building department records. BuildFax collects, updates, and manages building department records from local municipal governments. The database now includes 30 million permits, on more than 10 million properties across 1,600 cities in the United States.

The EDR Building Permit Report comprises local municipal building permit records, gathered directly from local jurisdictions, including both target property and adjoining properties. Years of coverage vary by municipality. Data reported includes (where available): date of permit, permit type, permit number, status, valuation, contractor company, contractor name, and description.

Incoming permit data is checked at seven stages in a regimented quality control process, from initial data source interview, to data preparation, through final auditing. To ensure the building department is accurate, each of the seven quality control stages contains, on average, 15 additional quality checks, resulting in a process of approximately 105 quality control "touch points."

For more information about the EDR Building Permit Report, please contact your EDR Account Executive at (800) 352-0050.



EXECUTIVE SUMMARY: SEARCH DOCUMENTATION

A search of building department records was conducted by Environmental Data Resources, Inc (EDR) on behalf of Carlin Environmental on Feb 17, 2022.

TARGET PROPERTY

19006 Holly Lane
Huntington Beach, CA 92648

SEARCH METHODS

EDR searches available lists for both the Target Property and Surrounding Properties.

RESEARCH SUMMARY

Building permits identified: **YES**

The following research sources were consulted in the preparation of this report. An "X" indicates where information was identified in the source and provided in this report.

Huntington Beach

<u>Year</u>	<u>Source</u>	<u>TP</u>	<u>Adjoining</u>
2022	Huntington Beach, Dept. of Building and Safety		
2021	Huntington Beach, Dept. of Building and Safety		X
2020	Huntington Beach, Dept. of Building and Safety		X
2019	Huntington Beach, Dept. of Building and Safety		X
2018	Huntington Beach, Dept. of Building and Safety		X
2017	Huntington Beach, Dept. of Building and Safety		X
2016	Huntington Beach, Dept. of Building and Safety		X
2015	Huntington Beach, Dept. of Building and Safety		X
2014	Huntington Beach, Dept. of Building and Safety		X
2013	Huntington Beach, Dept. of Building and Safety		X
2012	Huntington Beach, Dept. of Building and Safety		X
	Huntington Beach, Dept. of Building and Safety	X	
2011	Huntington Beach, Dept. of Building and Safety		X
	Huntington Beach, Dept. of Building and Safety	X	
2010	Huntington Beach, Dept. of Building and Safety		X
2009	Huntington Beach, Dept. of Building and Safety		X
2008	Huntington Beach, Dept. of Building and Safety		X
2007	Huntington Beach, Dept. of Building and Safety		X
2006	Huntington Beach, Dept. of Building and Safety		X
2005	Huntington Beach, Dept. of Building and Safety		X
2004	Huntington Beach, Dept. of Building and Safety		X
	Huntington Beach, Dept. of Building and Safety	X	
2003	Huntington Beach, Dept. of Building and Safety		X
2002	Huntington Beach, Dept. of Building and Safety		X
2001	Huntington Beach, Dept. of Building and Safety		X
2000	Huntington Beach, Dept. of Building and Safety		X
1999	Huntington Beach, Dept. of Building and Safety		X
1998	Huntington Beach, Dept. of Building and Safety		X

EXECUTIVE SUMMARY: SEARCH DOCUMENTATION

<u>Year</u>	<u>Source</u>	<u>TP</u>	<u>Adjoining</u>
1997	Huntington Beach, Dept. of Building and Safety		X
1996	Huntington Beach, Dept. of Building and Safety		X
1995	Huntington Beach, Dept. of Building and Safety		
1994	Huntington Beach, Dept. of Building and Safety		
1993	Huntington Beach, Dept. of Building and Safety		
1992	Huntington Beach, Dept. of Building and Safety		
1991	Huntington Beach, Dept. of Building and Safety		
1990	Huntington Beach, Dept. of Building and Safety		
1989	Huntington Beach, Dept. of Building and Safety		
1988	Huntington Beach, Dept. of Building and Safety		
1987	Huntington Beach, Dept. of Building and Safety		
1986	Huntington Beach, Dept. of Building and Safety		
1985	Huntington Beach, Dept. of Building and Safety		
1984	Huntington Beach, Dept. of Building and Safety		
1983	Huntington Beach, Dept. of Building and Safety		
1982	Huntington Beach, Dept. of Building and Safety		
1981	Huntington Beach, Dept. of Building and Safety		
1980	Huntington Beach, Dept. of Building and Safety		
1979	Huntington Beach, Dept. of Building and Safety		
1978	Huntington Beach, Dept. of Building and Safety		
1977	Huntington Beach, Dept. of Building and Safety		
1976	Huntington Beach, Dept. of Building and Safety		
1975	Huntington Beach, Dept. of Building and Safety		
1974	Huntington Beach, Dept. of Building and Safety		
1973	Huntington Beach, Dept. of Building and Safety		
1972	Huntington Beach, Dept. of Building and Safety		
1971	Huntington Beach, Dept. of Building and Safety		
1970	Huntington Beach, Dept. of Building and Safety		
1969	Huntington Beach, Dept. of Building and Safety		
1968	Huntington Beach, Dept. of Building and Safety		
1967	Huntington Beach, Dept. of Building and Safety		
1966	Huntington Beach, Dept. of Building and Safety		
1965	Huntington Beach, Dept. of Building and Safety		
1964	Huntington Beach, Dept. of Building and Safety		

Name: JurisdictionName
 Years: Years
 Source: Source
 Phone: Phone

BUILDING DEPARTMENT RECORDS SEARCHED

Name: Huntington Beach
Years: 1964-2022
Source: Huntington Beach, Dept. of Building and Safety, HUNTINGTON BEACH, CA
Phone: (714) 536-5241

Name: Fresno County Unincorporated Area
Years: 1967-2021
Source: Fresno County, Public Works and Planning, SELMA, CA
Phone: (559) 600-4078

Name: Irvine
Years: 1982-2022
Source: City of Irvine, Building and Safety, Irvine, CA
Phone: (949) 724-6470

Name: Orange County
Years: 1909-2021
Source: Orange County, Planning and Development Services, SAN JUAN CAPISTRANO, CA
Phone: (714) 834-5238

TARGET PROPERTY FINDINGS

TARGET PROPERTY DETAIL

**19006 Holly Lane
Huntington Beach, CA 92648**

19006 HOLLY LN

Date: **7/18/2012**
Permit Type:
Description: **RELOCATE SUB PANEL & INSTALL SWITCHES & OUTLETS. ALL LIGHTING CONTROLS TO COMPLY WITH TITLE 24 PART 6.**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E2012-004346
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **7/5/2012**
Permit Type:
Description: **INSTALLING DEMISING WALLS TO SEPARATE WAREHOUSE FROM SHOWROOM. ***2/15/13. AZ. PLANS SEN TO SCANNING.*****

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B2012-003851
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

TARGET PROPERTY FINDINGS

Date: **10/27/2011**
Permit Type:
Description: **FUSE UP**
Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E2011-006228
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **3/31/2004**
Permit Type:
Description: **NO EXTERIOR MODIFICATION **DINGBATZ** COFO IN FILE ROOF REPAIR, ADD
ROOF RAFTER, RESHTH 3/8 CDX, INSTL BUR 375 SF.**
Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B096655
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **3/31/2004**
Permit Type:
Description: **NO EXTERIOR MODIFICATION **DINGBATZ** REPAIR & INSTALL
SWITCHES/FIXTURES & PANEL**
Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E043850
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

ADJOINING PROPERTY DETAIL

The following Adjoining Property addresses were researched for this report. Detailed findings are provided for each address.

BERRY

7336 BERRY

Date: 4/15/2003
Permit Type:
Description: ELEC.FOR NEW MFD (CONDOS) 2-PLEX INCLDS ATTACHED GAR.& PATIO CVRS**
INCLDS 7338 & 7334 BERRY **

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E041329
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: 4/11/2003
Permit Type:
Description: MECH.FOR NEW MFD (CONDOS) 2-PLEX INCLDS ATTACHED GAR.& PATIO
CVRS** INCLDS 7338 & 7334 BERRY **

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M029422
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

BERRY CT

7330 BERRY CT

Date: 1/8/2004
Permit Type:
Description: **NEW MFD (APARTMENTS) 3-PLEX INCLUDES ATTACHED GARAGE & PATIO
CVRS** INCLDS 7330, 7326, & 7322 BERRY ** ***FIRE ALARM TO MONITOR
SPRINKLER SYSTEM***ELECT FOR**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E043080
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: 12/9/2003
Permit Type:
Description: **NEW MFD (APARTMENTS) 3-PLEX INCLUDES ATTACHED GARAGE & PATIO
CVRS** INCLDS 7330, 7326, & 7322 BERRY ** ***FIRE ALARM TO MONITOR
SPRINKLER SYSTEM*****

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M030477
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **4/15/2003**
Permit Type:
Description: **ELEC.FOR NEW MFD (CONDOS) 2-PLEX INCLDS ATTACHED GAR.& PATIO CVRS**
INCLDS 7330, 7326, & 7322 BERRY ****

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E041330
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **4/11/2003**
Permit Type:
Description: **NEW MFD (APARTMENTS) 3-PLEX INCLUDES ATTACHED GARAGE & PATIO
CVRS** INCLDS 7330, 7326, & 7322 BERRY ****

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B090050
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **4/11/2003**
Permit Type:
Description: **MECH.FOR NEW MFD (CONDOS) 3-PLEX INCLDS ATTACHED GAR.& PATIO
CVRS** INCLDS 7330, 7326, & 7322 BERRY ****

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: **M029423**
Status: **Finaled**
Valuation: **\$0.00**
Contractor Company:
Contractor Name:

7344 BERRY CT

Date: **12/16/2013**
Permit Type:
Description: **REPLACE 50 GAL. WATER HEATER
BRING JOB CARD**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: **P2013-007958**
Status: **Finaled**
Valuation: **\$0.00**
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

7348 BERRY CT

Date: **9/16/2003**
Permit Type:
Description: **NEW MFD (APARTMENTS) 2-PLEX INCLUDES ATTACHED GARAGE & PATIO
CVRS** INCLDS 7348 & 7344 BERRY ** FIRE SPRINKLER SYSTEM**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M030075
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **4/15/2003**
Permit Type:
Description: **ELEC.FOR NEW MFD (CONDOS) 2-PLEX INCLDS ATTACHED GAR.& PATIO CVRS**
INCLDS 7348 & 7344 BERRY ****

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E041328
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: 4/11/2003
Permit Type:
Description: **NEW MFD (APARTMENTS) 2-PLEX INCLUDES ATTACHED GARAGE & PATIO
CVRS** INCLDS 7348 & 7344 BERRY ****

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B090047
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: 4/11/2003
Permit Type:
Description: **MECH.FOR NEW MFD (CONDOS) 2-PLEX INCLDS ATTACHED GAR.& PATIO
CVRS** INCLDS 7348 & 7344 BERRY ****

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M029421
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

BREEZY LN

18862 BREEZY LN

Date: 2/11/2009
Permit Type:
Description: ***CITY JOB** INCLUSIONARY HOUSING PROJECT*** INSTALL DRYWALL IN GARAGE (ON WALLS & CEILING ONLY) REMOVE (E) WATER HEATER & REINSTALL (LOCATED IN GARAGE)
CITY CONTACT **DENISE BAZANT/ADMIN AIDE**ECO DEV**

Permit Description: **Combination**
Work Class:
Proposed Use:
Permit Number: C2009-000713
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: 7/13/2000
Permit Type:
Description: 45 L.F. OF 5'6" SITE WALL-CITY STAND. ON PRIV. PROP.

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B074447
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **1/13/2000**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3L B**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B067937
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **1/13/2000**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E033365
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **1/13/2000**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M023887
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **1/13/2000**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P025312
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **8/18/1998**
Permit Type:
Description: **SALES TRAILER-FOUNDATION, DISABLED ACCESS RAMPS & HOOKUP (SALES TRAILER TO BE STATE CERTIFIED)**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B063398
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

18865 BREEZY LN

Date: 11/13/2013
Permit Type:
Description: PLUMB.FOR WTR HTR CHNG OUT

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P2013-007253
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: 8/17/1998
Permit Type:
Description: NEW SFD W/ ATTACHED GARAGE - PLAN 2

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E028648
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: 7/10/1998
Permit Type:
Description: NEW SFD W/ ATTACHED GARAGE - PLAN 2 MODEL

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B060343
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **7/10/1998**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 2**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M020878
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **7/10/1998**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 2**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P022096
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

18866 BREEZY LN

Date: **1/13/2000**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 2L-B**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B067938
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **1/13/2000**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 2**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E033366
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **1/13/2000**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 2**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M023888
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **1/13/2000**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 2**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P025313
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

18870 BREEZY LN

Date: 1/13/2000
Permit Type:
Description: NEW SFD W/ ATTACHED GARAGE - PLAN 3R-A

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B067939
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: 1/13/2000
Permit Type:
Description: NEW SFD W/ ATTACHED GARAGE - PLAN 3

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E033367
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: 1/13/2000
Permit Type:
Description: NEW SFD W/ ATTACHED GARAGE - PLAN 3

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M023889
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **1/13/2000**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P025314
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

18881 BREEZY LN

Date: **3/30/2000**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3R B**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B067940
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **3/30/2000**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E033805
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **3/30/2000**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M024218
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **3/30/2000**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P025666
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

18887 BREEZY LN

Date: **3/30/2000**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3L-A**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B067941
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **3/30/2000**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E033808
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **3/30/2000**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M024219
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **3/30/2000**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P025667
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

18891 BREEZY LN

Date: **3/30/2000**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1L-B**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B067942
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **3/30/2000**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1LB**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E033809
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **3/30/2000**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1LB**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M024220
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **3/30/2000**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1LB**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P025668
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

18895 BREEZY LN

Date: **3/30/2000**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3R B**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B067943
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **3/30/2000**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E033810
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **3/30/2000**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M024221
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **3/30/2000**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P025669
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

18900 BREEZY LN

Date: 1/25/2013
Permit Type:
Description: R/R (5) FREESTANDING PERGOLAS & (1) PORTE COCHERE (ATT. TO EXSTG. POOL HOUSE BLDG) ***SEE ENGINEERING***
6/6/13. AZ. PLANS SENT TO SCANNING

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B2013-000548
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: 8/17/1998
Permit Type:
Description: **CABANA (RESTROOM BLDG)**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E028652
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **7/10/1998**
Permit Type:
Description: **CABANA (RESTROOM BLDG)**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B060347
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **7/10/1998**
Permit Type:
Description: **CABANA (RESTROOM BLDG)**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M020881
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **7/10/1998**
Permit Type:
Description: **CABANA (RESTROOM BLDG)**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P022099
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

18916 BREEZY LN

Date: **3/26/2013**
Permit Type:
Description: **ELEC FOR: R/R (5) FREESTANDING PERGOLAS & (1) PORTE COCHERE (ATT. TO EXSTG. POOL HOUSE BLDG) ***SEE ENGINEERING*****

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E2013-001778
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **8/17/1998**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3B**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B063087
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **8/17/1998**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3B**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E030002
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **8/17/1998**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3B**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M021565
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **8/17/1998**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3B**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P022901
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

BRET CT

7302 BRET CT

Date: **6/2/2005**
Permit Type:
Description: **336 LF 5' H COURTYARD BLOCKWALL - 7302 THRU 7322 COLE **SEACLIFF PALMS****

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B003754
Status: Expired
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **3/21/2005**
Permit Type:
Description: **NEW TOWNHOMES: PLAN TYPE 1; 4 UNITS, 3 BDRM/2-1/2 BTH, EA W/ 1320 SF LVG SPACE, 495 SF GAR, 52 SF DECK, INCLDS 7302,7308,7316,7322 BRET (LOTS 14,15,16,17)**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E043651
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **11/10/2004**
Permit Type:
Description: **FIRE SPRNKLRS: PLAN TYPE 1; 4 UNITS, 3 BDRM/2-1/2 BTH, EA W/ 1320 SF LVG SPACE, 495 SF GAR, 52 SF DECK, INCLDS 7302,7308,7316,7322 BRET (LOTS 14,15,16,17)**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M032218
Status: Cancelled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **11/2/2004**
Permit Type:
Description: **NEW TOWNHOMES: PLAN TYPE 1; 4 UNITS, 3 BDRM/2-1/2 BTH, EA W/ 1320 SF LVG SPACE, 495 SF GAR, 52 SF DECK, INCLDS 7302,7308,7316,7322 BRET (LOTS 14,15,16,17)**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M030905
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **10/14/2004**
Permit Type:
Description: **NEW TOWNHOMES: PLAN TYPE 1; 4 UNITS, 3 BDRM/2-1/2 BTH, EA W/ 1320 SF
LVG SPACE, 495 SF GAR, 52 SF DECK, INCLDS 7302,7308,7316,7322 BRET (LOTS
14,15,16,17)**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P034876
Status: **Finald**
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **9/2/2004**
Permit Type:
Description: **NEW TOWNHOMES: PLAN TYPE 1; 4 UNITS, 3 BDRM/2-1/2 BTH, EA W/ 1320 SF
LVG SPACE, 495 SF GAR, 52 SF DECK, INCLDS 7302,7308,7316,7322 BRET (LOTS
14,15,16,17)**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B095099
Status: **Finald**
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **3/8/2004**
Permit Type:
Description: **NEW TOWNHOMES: PLAN TYPE 1; 4 UNITS, 3 BDRM/2-1/2 BTH, EA W/ 1320 SF
LVG SPACE, 495 SF GAR, 52 SF DECK, INCLDS 7302,7308,7316,7322 BRET (LOTS
14,15,16,17)**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P033410
Status: Cancelled
Valuation: \$0.00
Contractor Company:
Contractor Name:

7329 BRET CT

Date: **6/13/2005**
Permit Type:
Description: **50LF 6'H TRASH ENCLOSURE, CTYSTD, PRVTE PRPTY**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B004152
Status: Expired
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

7333 BRET CT

Date: **6/2/2005**
Permit Type:
Description: **252 LF 5' H COURTYARD BLOCKWALL - 7333 BRETTHRU 7349 BRETTHRU
SEACLIFF PALMS**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B003757
Status: Expired
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **3/21/2005**
Permit Type:
Description: **NEW TOWNHOMES: PLAN TYPE 2; 3 UNITS, 2 BDRM/2 BTH, EA W/1070 SF LVG
SPACE, 434 SF GAR, INCLDS 7333,7341,7349 BRET (LOTS 18,19,20)**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E043652
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **11/2/2004**
Permit Type:
Description: **NEW TOWNHOMES: PLAN TYPE 2; 3 UNITS, 2 BDRM/2 BTH, EA W/1070 SF LVG SPACE, 434 SF GAR, INCLDS 7333,7341,7349 BRET (LOTS 18,19,20)**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M030906
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **10/14/2004**
Permit Type:
Description: **NEW TOWNHOMES: PLAN TYPE 2; 3 UNITS, 2 BDRM/2 BTH, EA W/1070 SF LVG SPACE, 434 SF GAR, INCLDS 7333,7341,7349 BRET (LOTS 18,19,20)**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P034815
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **9/2/2004**
Permit Type:
Description: **NEW TOWNHOMES: PLAN TYPE 2; 3 UNITS, 2 BDRM/2 BTH, EA W/1070 SF LVG SPACE, 434 SF GAR, INCLDS 7333,7341,7349 BRET (LOTS 18,19,20)**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B095100
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **3/8/2004**
Permit Type:
Description: **NEW TOWNHOMES: PLAN TYPE 2; 3 UNITS, 2 BDRM/2 BTH, EA W/1070 SF LVG SPACE, 434 SF GAR, INCLDS 7333,7341,7349 BRET (LOTS 18,19,20)**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P033411
Status: Pending
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

COLE LN

19116 COLELN

Date: **6/2/2005**
Permit Type:
Description: **420 LF 5' H COURTYARD BLOCKWALL - 19116 THRU 19140 COLE **SEACLIFF PALMS****

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B003759
Status: Expired
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **3/21/2005**
Permit Type:
Description: **NEW TOWNHOMES: PLAN TYPE 1; 5 UNITS, 3 BDRM/2-1/2 BTH, EA W/ 1320 SF LVG SPACE, 495 SF GAR, 52 SF DECK; INCLDS 19116,19122,19128,19134,19140 COLE (LOTS 1,2,3,4,5)**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E043648
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **11/2/2004**
Permit Type:
Description: **NEW TOWNHOMES: PLAN TYPE 1; 5 UNITS, 3 BDRM/2-1/2 BTH, EA W/ 1320 SF LVG SPACE, 495 SF GAR, 52 SF DECK; INCLDS 19116,19122,19128,19134,19140 COLE (LOTS 1,2,3,4,5)**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M030902
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **10/14/2004**
Permit Type:
Description: **NEW TOWNHOMES: PLAN TYPE 1; 5 UNITS, 3 BDRM/2-1/2 BTH, EA W/ 1320 SF LVG SPACE, 495 SF GAR, 52 SF DECK; INCLDS 19116,19122,19128,19134,19140 COLE (LOTS 1,2,3,4,5)**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P034816
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **9/2/2004**
Permit Type:
Description: **PLAN TYPE 1; 5 UNITS, 3 BDRM/2-1/2 BTH,EA W/ 1320 SF LVGSPACE, 495 SF GAR, 52 SF DECK; INCLDS 19116,19122,19128,19134,19140 COLE (LOTS 1,2,3,4,5)**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B095087
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **3/8/2004**
Permit Type:
Description: **NEW TOWNHOMES: PLAN TYPE 1; 5 UNITS, 3 BDRM/2-1/2 BTH, EA W/ 1320 SF LVG SPACE, 495 SF GAR, 52 SF DECK; INCLDS 19116,19122,19128,19134,19140 COLE (LOTS 1,2,3,4,5)**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P033407
Status: Cancelled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

COOLWATER LN

18809 COOLWATER LN

Date: 11/18/1999
Permit Type:
Description: NEW SFD W/ ATTACHED GARAGE - PLAN 2R-B ALT

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B067920
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: 11/18/1999
Permit Type:
Description: NEW SFD W/ ATTACHED GARAGE - PLAN 2RB-ALT

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E032990
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **11/18/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 2RB-ALT**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M023607
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **11/18/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 2RB-ALT**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P025016
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

18813 COOLWATER LN

Date: 1/7/2019
Permit Type:
Description: ***BRING JOB CARD***
R/R WATER HEATER

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P2019-000089
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: 4/6/2001
Permit Type:
Description: **INSTALL WATER SOFTENING EQUIPMENT**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P027445
Status: Expired
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **11/18/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1L-B**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B067918
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **11/18/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1LB**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E033065
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **11/18/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1LB**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M023670
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **11/18/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1LB**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P025079
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

18817 COOLWATER LN

Date: **11/18/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3L-A**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B067917
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **11/18/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3LA**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E033064
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **11/18/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3L-A**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M023669
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **11/18/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3L-A**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P025078
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

18821 COOLWATER LN

Date: **11/18/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1R-B ALT**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B067885
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **11/18/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1-RB-ALT**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E032981
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **11/18/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1R-B-ALT**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M023601
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **11/18/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1R-B-ALT**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P025009
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

18825 COOLWATER LN

Date: 11/18/1999
Permit Type:
Description: NEW SFD W/ ATTACHED GARAGE - PLAN 2L-B

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B067884
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: 11/18/1999
Permit Type:
Description: NEW SFD W/ ATTACHED GARAGE - PLAN 2LB

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E032980
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: 11/18/1999
Permit Type:
Description: NEW SFD W/ ATTACHED GARAGE - PLAN 2LB

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M023600
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **11/18/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 2LB**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P025008
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

18829 COOLWATER LN

Date: **2/18/2020**
Permit Type:
Description: ***** BRING JOB CARD ***
R/R WATER HEATER**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P2020-001015
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **11/18/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3L B**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B067883
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **11/18/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3LB**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E032977
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **11/18/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3L-B**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M023597
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **11/18/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3L B**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P025007
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

18830 COOLWATER LN

Date: **11/18/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1L-B ALT**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B067905
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **11/18/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1-LB-ALT**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E033048
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **11/18/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1L-B-ALT**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M023660
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **11/18/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1L-B-ALT**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P025066
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

18834 COOLWATER LN

Date: **11/18/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 2L-B**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B067906
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **11/18/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 2LB**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E033055
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **11/18/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 2LB**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M023661
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **11/18/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 2LB**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P025071
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

18882 COOLWATER LN

Date: **6/18/1999**
Permit Type:
Description: **31 LIN.FT. OF 6' HIGH CITY STND BLOCK WALL. *PRIVATE***

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B068215
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **5/12/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3L-B**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B067383
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **5/12/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3L-B**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M022640
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **5/12/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3L-B**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P024097
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **5/12/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3L-B**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E031645
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

18886 COOLWATER LN

Date: **5/12/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 2R-A**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B067384
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **5/12/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 2R A**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E031646
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **5/12/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 2R-A**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M022641
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **5/12/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 2R-A**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P024098
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

18889 COOLWATER LN

Date: **5/12/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3R-A**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B067386
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **5/12/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3R A**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E031649
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **5/12/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3R-A**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P024100
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **5/12/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3R-A**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M022643
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

18890 COOLWATER LN

Date: **5/12/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1R-A ALT**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B067385
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **5/12/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1R A-ALT**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E031648
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **5/12/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1R A-ALT**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M022642
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **5/12/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1R A-ALT**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P024099
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

18893 COOLWATER LN

Date: **5/12/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 2L-A**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B067387
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **5/12/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 2L A**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E031650
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **5/12/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 2L-A**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P024101
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **5/12/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 2L-A**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M022644
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

18897 COOLWATER LN

Date: **5/12/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1L-B**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B067388
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **5/12/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1L-B**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M022645
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **5/12/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1L-B**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P024102
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **5/12/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1L-B**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E031651
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

18904 COOLWATER LN

Date: **5/12/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3L-B**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B067380
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **5/12/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3L-B**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E031641
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **5/12/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3L-B**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M022637
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **5/12/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3L-B**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P024093
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

18908 COOLWATER LN

Date: **5/12/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1R-B**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B067381
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **5/12/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1R-B**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E031643
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **5/12/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1R-B**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P024095
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **5/12/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1R-B**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M022638
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

18911 COOLWATER LN

Date: **5/12/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3L-B**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B067389
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **5/12/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3L-B**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E031652
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **5/12/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3L-B**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M022646
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **5/12/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3L-B**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P024103
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **1/15/1999**
Permit Type:
Description: **35 L.F. OF 2' HIGH RET. WALL-PRIVATE**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B065798
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

18912 COOLWATER LN

Date: **6/18/1999**
Permit Type:
Description: **28 LIN.FT. OF 6' HIGH CITY STND BLOCK WALL. *PRIVATE***

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B068214
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **5/12/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 2R-B**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B067382
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **5/12/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 2RB**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E031644
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **5/12/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 2R-B**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M022639
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **5/12/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 2R-B**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P024096
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

18916 COOLWATER LN

Date: **6/18/1999**
Permit Type:
Description: **29 LIN.FT. OF 6' HIGH CITY STND BLOCK WALL. *PRIVATE***

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B068213
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **4/21/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3LA**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E031446
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **4/21/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3L-A**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M022540
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **4/21/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3L-A**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P023993
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **4/21/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3L-A**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B066943
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

18920 COOLWATER LN

Date: **4/21/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 2R A**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E031447
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **4/21/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 2R-A**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M022539
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **4/21/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 2R-A**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P023994
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **4/21/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 2R-A**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B066944
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

18924 COOLWATER LN

Date: **4/21/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1-RA-ALT**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E031450
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **4/21/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1R A-ALT**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M022541
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **4/21/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1R A-ALT**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P023995
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **4/21/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1R-A ALT**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B066945
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

18925 COOLWATER LN

Date: **7/28/2004**
Permit Type:
Description: **ELEC FOR A/C CONDENSOR CHANGE OUT**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E044888
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **7/28/2004**
Permit Type:
Description: **A/C CONDENSOR CHANGE OUT**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M031624
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **5/25/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE -PLAN 3R A ***FIRE SPRINKLERSNOT
REQUIRED FOR THIS LOT, PERMIT CANCELLED BY WDK*****

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M022796
Status: Cancelled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **2/24/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3R A**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B065976
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **2/24/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3R-A**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E031140
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **2/24/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3R A**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M022333
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **2/24/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3R-A**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P023698
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

18928 COOLWATER LN

Date: **4/21/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3L-B**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E031442
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **4/21/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3L-B**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M022534
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **4/21/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3L-B**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P023990
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **4/21/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3L B**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B066940
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

18930 COOLWATER LN

Date: **4/21/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1R-A**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M022537
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **4/21/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1R-A**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P023991
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **4/21/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1R-A**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B066941
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **4/21/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1R-A**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E031443
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

18934 COOLWATER LN

Date: **6/18/1999**
Permit Type:
Description: **28 LIN.FT. OF 6' HIGH CITY STND BLOCK WALL. *PRIVATE***

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B068212
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **4/21/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 2L-B**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M022538
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **4/21/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 2L-B**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P023992
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **4/21/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 2LB**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E031445
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **4/21/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 2L-B**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B066942
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

18938 COOLWATER LN

Date: **6/18/1999**
Permit Type:
Description: **29 LIN.FT. OF 6' HIGH CITY STND BLOCK WALL. *PRIVATE***

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B068211
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **4/21/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3LA**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E031438
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **4/21/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3L-A**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M022531
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **4/21/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3L-A**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P023987
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **4/21/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3L-A**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B066937
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

18942 COOLWATER LN

Date: **4/21/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1L-B**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E031439
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **4/21/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1L-B**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M022532
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **4/21/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1L-B**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P023988
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **4/21/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1L-B**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B066938
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

18946 COOLWATER LN

Date: **4/21/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 2R-A ALT**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B066939
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **4/21/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 2R A-ALT**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E031440
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **4/21/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 2R-A-ALT**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: **M022533**
Status: **Finald**
Valuation: **\$0.00**
Contractor Company:
Contractor Name:

Date: **4/21/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 2R A-ALT**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: **P023989**
Status: **Finald**
Valuation: **\$0.00**
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

ERIC CT

19070 ERIC CT

Date: 12/15/2006
Permit Type:
Description: **CONSTRUCT NEW 4 UNIT TOWNHOME: PLAN 1 = 1322 SF LIVING & 495 SF ATTACHED GARAGE & 52 SF DECK; UNITS INCLUDE 19070, 19074, 19078, 19082 ERIC CT (BLDG D)***2/25/10 MD - PLANS SENT TO SCANNING*****

Permit Description: **Combination**
Work Class:
Proposed Use:
Permit Number: C2006-001201
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

19071 ERIC CT

Date: 12/15/2006
Permit Type:
Description: **CONSTRUCT NEW 4 UNIT TOWNHOME: PLAN 3 (2 UNITS) = 1325 SF LIVING & 458 SF ATTACHED GARAGE; PLAN 4 (2 UNITS) = 1070 SF LIVING & 434 SF GARAGE. UNITS INCLUDE 19071, 19075, 19079, 19083 MAX CT (BLDG C)***2/25/10 MD - PLANS SENT TO SCANNING*****

Permit Description: **Combination**
Work Class:
Proposed Use:
Permit Number: C2006-001202
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

19078 ERIC CT

Date: **8/31/2010**
Permit Type:
Description: **MECH.FOR INSTL NEW A/C UNIT****14.5 SEER****FEE WAIVER******

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M2010-004822
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **8/31/2010**
Permit Type:
Description: **ELEC.FOR INSTL NEW A/C UNIT****14.5 SEER****FEE WAIVER****PLEASE BRING
CARD**NOTE ON DOOR.****

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E2010-004823
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

GARFIELD

7262 GARFIELD

Date: 1/28/2020
Permit Type:
Description: **CONSTRUCT 252 LF OF 6' HIGH BLOCK WALL WITH PILASTERS (CITY STANDARD) - PRIVATE WALL -**

Permit Description: **Residential Combo**
Work Class:
Proposed Use:
Permit Number: B2020-000628
Status: Expired
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: 1/16/2020
Permit Type:
Description: **ELEC FOR TEMP POWER POLES FOR NEW CONSTRUCTION: (1) 200 AMP MAIN POLE, (3) 100 AMP SUB-POLES, & (7) BARE POLES**

Permit Description: **Residential Electrical**
Work Class:
Proposed Use:
Permit Number: E2020-000361
Status: Expired
Valuation: \$0.00
Contractor Company:
Contractor Name: TEMP POWER SYSTEMS

ADJOINING PROPERTY FINDINGS

Date: **12/19/2016**
Permit Type:
Description: **CONSTRUCT (N) 3-UNIT TOWNHOUSE; 1,060 SF W/ 400 SF GARAGE PER UNIT
TOTAL 3180 SF W/ 1200 SF GARAGE ***BLDG C*** ***VERIFY ADDRESS
BEFORE ISSUANCE*** ***VERIFY FINAL MAP APPROVAL BEFORE ISSUANCE,
DONT COLLECT PLOSF FEE, PLNG WILL COLLECT FEE*****

Permit Description: **Combination**
Work Class:
Proposed Use:
Permit Number: C2016-009074
Status: Pending
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **12/19/2016**
Permit Type:
Description: **CONSTRUCT (N) 3-UNIT TOWNHOUSE; 1565 SF W/ 400 SF GARAGE PER UNIT
TOTAL 4695 SF W/ 1200 SF GARAGE ***BLDG A ***VERIFY ADDRESS
BEFORE ISSUANCE*** ***VERIFY FINAL MAP APPROVAL BEFORE ISSUANCE,
DONT COLLECT PLOSF FEE, PLNG WILL COLLECT FEE*****

Permit Description: **Combination**
Work Class:
Proposed Use:
Permit Number: C2016-009079
Status: Pending
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **12/19/2016**
Permit Type:
Description: **CONSTRUCT (N) 4-UNIT TOWNHOUSE; 1565 SF W/ 400 SF GARAGE PER UNIT
TOTAL 6260 SF W/ 1600 SF GARAGE ***BLDG B ***VERIFY ADDRESS
BEFORE ISSUANCE*** ***VERIFY FINAL MAP APPROVAL BEFORE ISSUANCE,
DONT COLLECT PLOSF FEE, PLNG WILL COLLECT FEE*****

Permit Description: **Combination**
Work Class:
Proposed Use:
Permit Number: C2016-009080
Status: Pending
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **5/25/2004**
Permit Type:
Description: **INSTL (N)TEMP.SALES TRAILER FOR (N)TRACT 16490-BEL AIR **INCLDS
HANDICAP ACCESSIBILTY RAMP****

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B097659
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **5/6/2003**
Permit Type:
Description: **TEMPORARY OFFICE STRUCTURE (MODULAR BLDG) FOR YMCA COFO IN FILE**
****PERMITS/PLNS EXPIRED, PLNS OUT TO MICRO, 7/12/04****

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B089802
Status: Expired
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **5/27/1999**
Permit Type:
Description: **BLDG DEMOLITION AND SEWER CAP (2,000 SQ.FT.)**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B067821
Status: Expired
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

GARFIELD AVE

7262 GARFIELD AVE

Date: 1/28/2020
Permit Type:
Description: **CONSTRUCT 252 LF OF 6' HIGH BLOCK WALL WITH PILASTERS (CITY STANDARD) - PRIVATE WALL -**

Permit Description: **Residential Combo**
Work Class:
Proposed Use:
Permit Number: B2020-000628
Status: Expired
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: 1/16/2020
Permit Type:
Description: **ELEC FOR TEMP POWER POLES FOR NEW CONSTRUCTION: (1) 200 AMP MAIN POLE, (3) 100 AMP SUB-POLES, & (7) BARE POLES**

Permit Description: **Residential Electrical**
Work Class:
Proposed Use:
Permit Number: E2020-000361
Status: Expired
Valuation: \$0.00
Contractor Company:
Contractor Name: TEMP POWER SYSTEMS

ADJOINING PROPERTY FINDINGS

Date: **12/19/2016**
Permit Type:
Description: **CONSTRUCT (N) 3-UNIT TOWNHOUSE; 1,060 SF W/ 400 SF GARAGE PER UNIT
TOTAL 3180 SF W/ 1200 SF GARAGE ***BLDG C*** ***VERIFY ADDRESS
BEFORE ISSUANCE*** ***VERIFY FINAL MAP APPROVAL BEFORE ISSUANCE,
DONT COLLECT PLOSF FEE, PLNG WILL COLLECT FEE*****

Permit Description: **Combination**
Work Class:
Proposed Use:
Permit Number: C2016-009074
Status: Pending
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **12/19/2016**
Permit Type:
Description: **CONSTRUCT (N) 3-UNIT TOWNHOUSE; 1565 SF W/ 400 SF GARAGE PER UNIT
TOTAL 4695 SF W/ 1200 SF GARAGE ***BLDG A ***VERIFY ADDRESS
BEFORE ISSUANCE*** ***VERIFY FINAL MAP APPROVAL BEFORE ISSUANCE,
DONT COLLECT PLOSF FEE, PLNG WILL COLLECT FEE*****

Permit Description: **Combination**
Work Class:
Proposed Use:
Permit Number: C2016-009079
Status: Pending
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **12/19/2016**
Permit Type:
Description: **CONSTRUCT (N) 4-UNIT TOWNHOUSE; 1565 SF W/ 400 SF GARAGE PER UNIT
TOTAL 6260 SF W/ 1600 SF GARAGE ***BLDG B ***VERIFY ADDRESS
BEFORE ISSUANCE*** ***VERIFY FINAL MAP APPROVAL BEFORE ISSUANCE,
DONT COLLECT PLOSF FEE, PLNG WILL COLLECT FEE*****

Permit Description: **Combination**
Work Class:
Proposed Use:
Permit Number: C2016-009080
Status: Pending
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **5/25/2004**
Permit Type:
Description: **INSTL (N)TEMP.SALES TRAILER FOR (N)TRACT 16490-BEL AIR **INCLDS
HANDICAP ACCESSIBILTY RAMP****

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B097659
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **5/6/2003**
Permit Type:
Description: **TEMPORARY OFFICE STRUCTURE (MODULAR BLDG) FOR YMCA COFO IN FILE**
****PERMITS/PLNS EXPIRED, PLNS OUT TO MICRO, 7/12/04****

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B089802
Status: Expired
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **5/27/1999**
Permit Type:
Description: **BLDG DEMOLITION AND SEWER CAP (2,000 SQ.FT.)**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B067821
Status: Expired
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

7301 GARFIELD AVE

Date: 1/5/2011
Permit Type:
Description: REMOVE APPROX. 4' X 14' X 4' CLARIFIER APPROX. 12' BELOW EXISTING SURFACE. ****PC 1.5.11: FINAL COMPACTION REPORT PRIOR TO FINAL INSPECTION****
PLANS SENT TO SCANNING SM 02/22/12

Permit Description: Building
Work Class:
Proposed Use:
Permit Number: B2011-000105
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: 7/29/1997
Permit Type:
Description: HOOK UP 2 60 H.P. 480 V MOTORS FOR REMEDIATION, ONGOING WORK

Permit Description: Electrical
Work Class:
Proposed Use:
Permit Number: E027186
Status: Expired
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **7/3/1997**
Permit Type:
Description: **INSTALL (2) THERMAL OXIDIZERS FOR SOIL REMEDIATION SYSTEM.**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M019628
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **5/27/1997**
Permit Type:
Description: **INSTALL FENCE 72 X 35 AROUND SOIL REMEDIATION COMPOUND TO FOLLOW REQUIREMENTS OF HBFD AND WILL BE 8' HIGH 214 L.F. *****TEMPORARY*******

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B054463
Status: **Cancelled**
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **5/27/1997**
Permit Type:
Description: **INSTALL FENCE 72 X 35 AROUND SOIL REMEDIATION COMPOUND TO FOLLOW REQUIREMENTS OF HBFD AND WILL BE 8' HIGH 214 L.F. *****TEMPORARY*******

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B054464
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **2/21/1997**
Permit Type:
Description: **REPLACE PROPANE LINE W/ NATURAL GAS LINE. SOIL REMEDIATION
UNITS AGA APPROVED 2 YRS USE. NO PLANS REQ'D PER ED**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M018851
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **10/30/1996**
Permit Type:
Description: **REMEDATION SYSTEM**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E025385
Status: Expired
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **10/30/1996**
Permit Type:
Description: **REMEDATION SYSTEM**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E025386
Status: Expired
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **10/10/1996**
Permit Type:
Description: **ELECTRICAL ONLY** **NO PC CHARGE PER JAMES**
LAWRENCE

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E025297
Status: Expired
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **10/10/1996**
Permit Type:
Description: **THERMAL OX SOIL VAPOR SYSTEM, 1 YR USE** ***SUPPLEMENT TO**
INCLUDE GAS PIPING TO EXISTING FOR THERMAL OX. CD 305553 LEK
05/15/97 \$57.50 PAID*

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M018472
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **10/9/1996**
Permit Type:
Description: **PIPING FROM PROPANE TANKS TO THERMAL OXIDIZERS.**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P019477
Status: Cancelled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **10/9/1996**
Permit Type:
Description: **INSTALL A 35'X25'X8' HIGH CHAIN LINK FENCE TO HOUSE SOILREMEDICATION SYSTEM**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B051372
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **10/4/1996**
Permit Type:
Description: **TEMPORARY POWER FOR REMEDIATION.**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E025270
Status: Expired
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **3/11/1996**
Permit Type:
Description: **CONSTRUCTION POWER POLES**TOTAL OF (3), NOT (2)TPP****

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E024152
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

7312 GARFIELD AVE

Date: **10/2/2012**
Permit Type:
Description: **REPIPING POTABLE WATER IN UNITS A-D**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P2012-006002
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **2/12/2009**
Permit Type:
Description: **REPLACING MAIN DRAIN LINE FROM BACK OF BUILDING TO THE PROPERTY LINE**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P2009-000761
Status: Expired
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **3/6/2000**
Permit Type:
Description: **T/O EXSTG ROOF. INSTALL NEW ROCK ROOF, 28# FIBERGLASS FELT. 29 SQS**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B072158
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

7332 GARFIELD AVE

Date: 4/24/2002
Permit Type:
Description: REPLACE ROTTEN WOOD ON DECK, (LIKE FOR LIKE),ICBO #5432 REMOVE & REPLACE EXISTING GUARDRAIL (NEW NEW)

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B084925
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

7342 GARFIELD AVE

Date: 6/12/2012
Permit Type:
Description: R/R 23 LF OF 42" HIGH GUARDRAIL AND RESEALING DECK. *** DAMAGE IF ANYTO BE VERIFIED FOR DECK*** *****SUP: TO INCLD DECK JOIST UPGRADES PER PLAN - 6/12/12 JD*****
8/10/2012.AZ. PLANS SENT TO SCANNING.

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B2012-003417
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **1/14/2008**
Permit Type:
Description: **FURNACE CHANGE OUT**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M2008-000221
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **6/8/2006**
Permit Type:
Description: **C/O HOUSE METER SUB-PANEL FOR LAUNDRY ROOM OF FOUR-
PLEX*****SEE E2006-004071*******

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E2006-004274
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **6/5/2006**
Permit Type:
Description: **FUSE UP FOR LAUNDRY ROOM OF 4-PLEX ONLY**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E2006-004071
Status: **Expired**
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **1/4/2006**
Permit Type:
Description: **REMOVE UNPERMITTED WALLS IN EXSTG GARAGE----RETURN TO ORIGINAL CONDITIONS**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B2006-000040
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **12/30/2005**
Permit Type:
Description: **REMOVE & REPLACE WITH NEW (1) WINDOW LOCATED IN 2ND STORY MASTER BEDROOM & REMOVE & REPLACE (1) FRENCH DOOR IN UPSTAIRS LIVING ROOM
LIKE FOR LIKE*NO STRUCTURAL CHANGE**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B010071
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **8/2/2000**
Permit Type:
Description: **T/O EXSTG ROOF. INSTALL PLYWOOD, FELT, & 25-YR GAF COMP.INSTALL
FIBERGLASS BASE SHEET & TORCH APPLIED ON FLAT. 18 SQS COMP & 9 SQS
FLAT**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: **B074712**
Status: **Expired**
Valuation: **\$0.00**
Contractor Company:
Contractor Name:

7352 GARFIELD AVE

Date: **5/20/2010**
Permit Type:
Description: **REPLACE WATER HEATER**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: **P2010-002725**
Status: **Expired**
Valuation: **\$0.00**
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **9/14/2001**
Permit Type:
Description: **REPLACE SLIDER DOOR W/DBL HINGE FRENCH,REPLACE WINDOWS LIKE FOR LIKE, INSTALL TUBULAR SKYLIGHT**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B081229
Status: Expired
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **6/1/2001**
Permit Type:
Description: **REPLACE WATER LINE IN GARAGE**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P027794
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **7/18/2000**
Permit Type:
Description: **REMOVE SHAKE ROOF(ONLY) REROOF USING 1/2" CDX PLYWOOD 30 ASTM FELT &COMP SHINGLES 25YR GAF TIMBERLINE 18SQS**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B074499
Status: Expired
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **6/29/2000**
Permit Type:
Description: **PATCH STUCCO,REPLACE HANDRAIL DECK ON #B,C & D, LIKE FORLIKE**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B074210
Status: Expired
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **4/25/2000**
Permit Type:
Description: **PATCH STUCCO, HOT MOP & REPLACE TILE IN 1ST FLOOR SHOWER. 2ND NOTICE RESENT 05242001**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B072951
Status: Expired
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **4/25/2000**
Permit Type:
Description: **INSTALL WASHER & DRYER HOOKUP**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P025877
Status: Expired
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **4/3/2000**
Permit Type:
Description: **REPLACE EXISTING DECK COVER - 3/4" PLYWOOD AND DECK RAIL NO NEW AREA/ NO STRUCTURAL CHANGE - LIKE FOR LIKE**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: **B072634**
Status: **Expired**
Valuation: **\$0.00**
Contractor Company:
Contractor Name:

7491 GARFIELD AVE

Date: **2/23/2017**
Permit Type:
Description: **INSTALL UNDERGROUND CONDUIT TO SUPPLY 60A SUB FEED TO (N) 60A SUB PANEL WITH (2) CIRCUITS FOR EXISTING SEA GATE MONUMENT SIGN LOCATED AT THE CORNER OF GARFIELD AVE AND MAIN ST**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: **E2017-001197**
Status: **Finald**
Valuation: **\$0.00**
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **8/6/1997**
Permit Type:
Description: **(1) 7'X5' SUBDIVISION DIRECTIONAL SIGN FOR THE HOLLY- SEACLIFF SIGN PROGRAM #94-1 (FOR THE PENINSULA AND SEAGATE PROJECTS)**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B055531
Status: Expired
Valuation: \$0.00
Contractor Company:
Contractor Name:

7506 GARFIELD AVE

Date: **1/20/2010**
Permit Type:
Description: **NEW 11,096 SF DISTRIBUTION & METERS BUILDING ***CITY JOB*** TO INCLUDE INFILL OF PERIMETER WALL PER APPROVED PLAN***MC8/16/2010 ***3/1/13. AZ. PLANS SENT TO SCANNING*****

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B2009-001523
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **1/20/2010**
Permit Type:
Description: **PLUMB. FOR: NEW 11,096 SF DISTRIBUTION & METERS BUILDING ***CITY JOB*****

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P2009-001618
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **1/20/2010**
Permit Type:
Description: **MECH. FOR: NEW 11,096 SF DISTRIBUTION & METERS BUILDING ***CITY JOB*****

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M2009-001614
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **1/20/2010**
Permit Type:
Description: **ELEC. FOR: NEW 11,096 SF DISTRIBUTION & METERS BUILDING ***CITY JOB*****

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E2009-001617
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

7512 GARFIELD AVE

Date: **9/4/2009**
Permit Type:
Description: **RELOCATE HEALY TANK - PHASE II EVR UPGRADE ***CITY JOB*** ****PLANS SENT TO SCANNING - 11/12/09 JT******

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B2009-004216
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **4/8/2009**
Permit Type:
Description: **RE-ROOF OVER EXSTG. METAL ROOF W/ 1/2" PLYWOOD & INSTALL NEW 4-PLY BUILT-UP ROOF & ACRYLIC COATING (CRRC APPROVED), 100 SQS. - SEE ENGINEER'S REPORT**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B2009-001826
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **3/6/2009**
Permit Type:
Description: **INT. T.I. - ADD PRE-FAB WALLS TO CREATE NEW STORAGE RM WITHIN EXISTING WAREHOUSE AREA ***CITY JOB***
PLANS SENT TO SCANNING-TL 2/10**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B2009-001177
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **3/6/2009**
Permit Type:
Description: **ELEC. FOR: INT. T.I. - ADD PRE-FAB WALLS TO CREATE NEW STORAGE RM WITHIN EXISTING WAREHOUSE AREA ***CITY JOB*****

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E2009-001178
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **12/17/2008**
Permit Type:
Description: **CONCRETE PAD FOR EVR PHASE II HEALY TANK ***CITY JOB***
PLANS SENT TO SCANNING SM 02/02/12**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B2008-007198
Status: Expired
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **8/27/1998**
Permit Type:
Description: **INSTALL ON 50 AMP 220 VOLT OUTLET & 1 110 VOLT OUTLET**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E030126
Status: Expired
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **8/20/1998**
Permit Type:
Description: **ELECTRIC MOTORS FOR EXISTING ROLL UP DOORS**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E030068
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

GARFIELD AVE APT A

7302 GARFIELD AVE APT A

Date: 10/26/2006
Permit Type:
Description: T/O EXSTG ROCK ROOF, INSTALL NEW 1/2" PLYWOOD NEW ROCK/HOT MOP
ROOF, 30 SQS.
**11/6/2006 ADD T/O EXISTING TILE ROOF, INSTALL NEW 2 LYR 30# FELT,
REAPPLY EXISTING TILE ***7SQS**** JM

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B2006-008042
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: 12/17/1998
Permit Type:
Description: **FIXTURE REPLACEMENT IN EXISTING BATHROOM**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P023432
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

GOTHARD

19082 GOTHARD

Date: **12/27/2006**
Permit Type:
Description: **520 LF OF 6' HIGH BLOCK WALL, INCLDS RET. WALL RANGING FROM 0-48" THROUGHOUT WALL, PRIVATE, ENGINEERED, NO RETURNS**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B2006-009449
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **12/14/2006**
Permit Type:
Description: **INSTALL TEMP POWER POLES**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E2006-009188
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **12/8/2006**
Permit Type:
Description: **DEMO EXSTG 569 LF 6' H PERIMETER WALL BUILT 5' INTO EASEMENT & 2' ON PROPERTY...BOTH TO BE PLACED ON CORRECT P/L.**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B2006-009021
Status: **Finald**
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **4/18/2006**
Permit Type:
Description: ****PERMIT REVISED, 12/8/06, RO** 186 LF OF 6' HIGH BLOCK WALL, CITY STND, PRIVATE BACK WALL PERIMETER FENCING FOR 19-UNIT TOWNHOMES, NO RETURNS. ADD'L 569 LF ON ORIGINAL PERMIT WILL BE ON NEW PERMIT. *** PLANS SENT TO MICROFILM-TL 01/08*****

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B2006-002898
Status: **Finald**
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **4/17/2006**
Permit Type:
Description: **DEMO TIN BUILDING - 900 SF & MOBILE OFFICE - 500 SF; DEMO DONE BY BIG BULLDOZER; PERMIT INCLUDES TEMPORARY BARRIER FENCING & SEWER CAP**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B2006-002862
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **1/22/2002**
Permit Type:
Description: **DEMO/REMOVE PORTION OF BUILDING FOR STREET WIDENING APPROX 256 SF, REMOVE & REPLACE WOOD FENCE**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B083421
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **2/20/2001**
Permit Type:
Description: **INSTALL 3X5 ALUM WINDOW**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B077735
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

GOTHARD ST

19100 GOTHARD ST

Date: 6/19/2019
Permit Type:
Description: 325 LF OF 6 FT HIGH SPLIT FACE WALL, 188 LF OF 5'6" HIGH SPLIT FACE WALL,
323 LF OF 5'6" HIGH RETAINING WALL ***GOTHARD SITE***

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B2019-002227
Status: Issued
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: 7/30/2018
Permit Type:
Description: **CONSTRUCT (N) 3-STORY 5-UNIT TOWNHOUSE ***BLDG 2*** ***GOTHARD
SITE***
PLAN 1A UNIT 1 = 1,716 SF LIVING W/ 459 SF GARAGE & 77 SF DECK;
PLAN 2A UNIT 2 = 1,937 SF LIVING W/ 455 SF GARAGE & 81 SF DECK;
PLAN 2B UNIT 3 = 1,942 SF LIVING W/ 455 SF GARAGE & 91 SF DECK;
PLAN 3A UNIT 4 = 2,100 SF LIVING W/ 448 SF GARAGE & 81 SF DECK;
PLAN 3B UNIT 5 = 2,059 SF LIVING W/ 448 SF GARAGE & 81 SF DECK.**

Permit Description: **Combination**
Work Class:
Proposed Use:
Permit Number: C2018-004864
Status: Pending
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: 7/27/2018
Permit Type:
Description: **CONSTRUCT (N) 3-STORY 4-UNIT TOWNHOUSE ***BLDG 1*** ***GOTHARD SITE*****
PLAN 1A UNIT 1 = 1,716 SF LIVING W/ 459 SF GARAGE & 77 SF DECK;
PLAN 2A UNIT 2 = 1,937 SF LIVING W/ 455 SF GARAGE & 81 SF DECK;
PLAN 3A UNIT 3 = 2,100 SF LIVING W/ 448 SF GARAGE & 81 SF DECK;
PLAN 3B UNIT 4 = 2,059 SF LIVING W/ 448 SF GARAGE & 81 SF DECK.

Permit Description: **Combination**
Work Class:
Proposed Use:
Permit Number: C2018-004837
Status: Pending
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: 7/27/2018
Permit Type:
Description: **CONSTRUCT (N) 3-STORY 4-UNIT TOWNHOUSE ***BLDG 3*** ***GOTHARD SITE*****
PLAN 1A UNIT 1 = 1,716 SF LIVING W/ 459 SF GARAGE & 77 SF DECK;
PLAN 2A UNIT 2 = 1,937 SF LIVING W/ 455 SF GARAGE & 81 SF DECK;
PLAN 3A UNIT 3 = 2,100 SF LIVING W/ 448 SF GARAGE & 81 SF DECK;
PLAN 3B UNIT 4 = 2,059 SF LIVING W/ 448 SF GARAGE & 81 SF DECK.

Permit Description: **Combination**
Work Class:
Proposed Use:
Permit Number: C2018-004849
Status: Pending
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: 7/27/2018
Permit Type:
Description: **CONSTRUCT (N) 2-STORY 4-UNIT TOWNHOUSE ***BLDG 5*** ***GOTHARD SITE***
PLAN 4A UNIT 1 = 1,891 SF LIVING W/ 472 SF GARAGE;
PLAN 4B UNIT 2 = 1,902 SF LIVING W/ 472 SF GARAGE;
PLAN 5A UNIT 3 = 2,147 SF LIVING W/ 470 SF GARAGE & 26 SF UTILITY ROOM;
PLAN 5B UNIT 4 = 2,145 SF LIVING W/ 473 SF GARAGE.**

Permit Description: **Combination**
Work Class:
Proposed Use:
Permit Number: C2018-004856
Status: Pending
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: 7/18/2018
Permit Type:
Description: **CONSTRUCT (N) 3-STORY 4-UNIT TOWNHOUSE ***BLDG 4*** ****FEE QUOTE****
PLAN 1A UNIT 1 = 1,716 SF LIVING W/ 459 SF GARAGE & 77 SF DECK;
PLAN 2A UNIT 2 = 1,937 SF LIVING W/ 455 SF GARAGE & 81 SF DECK;
PLAN 3A UNIT 3 = 2,100 SF LIVING W/ 448 SF GARAGE & 81 SF DECK;
PLAN 3B UNIT 4 = 2,059 SF LIVING W/ 448 SF GARAGE & 81 SF DECK.**

Permit Description: **Combination**
Work Class:
Proposed Use:
Permit Number: C2018-004631
Status: Pending
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **1/13/2006**
Permit Type:
Description: *****FUSE UP*** ON EXISTING PEDISTAL PERMIT CANLD DUE TO INCORRECT ADDRESSING**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E2006-000355
Status: Cancelled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **12/12/2000**
Permit Type:
Description: **140 LF OF 5'6" TO 6' HIGH BLOCK WALL PER CITY STD, PRIVATE.**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B076867
Status: Expired
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **11/20/2000**
Permit Type:
Description: **RELOCATE (2) ELECTRIC SERVICES DUE TO WIDENING OF GOTHARD ST, (NO PLANS PER JL)**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E035639
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

HOLLY LN

19002 HOLLY LN

Date: **4/25/2011**
Permit Type:
Description: **NO TEAR OFF. NEW 1/2" OSB SHEATHING OVER OLD METAL ROOF. 1 LAYER OF SYNTHETIC UNDERLAYMENT (50 YEAR TITANIUM). REROOF WITH COMP SHINGLES. MALARKEY. 35 SQUARES**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B2011-002297
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

19012 HOLLY LN

Date: **10/27/2011**
Permit Type:
Description: **FUSE UP**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E2011-006229
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

19051 HOLLY LN

Date: **12/14/2011**
Permit Type:
Description: **ADDING NEW HANDRAIL TO EXISTING WOOD FRAME STAIR CASE TOTAL 5 ON THIS ADDRESS**
*****PLANS SENT TO SCANNING SM 2/29/12*****

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B2011-007125
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **11/6/2001**
Permit Type:
Description: **T/O SHAKE, RESHEAT W/ 1/2" PLYWOOD & INSTALL 25YR OWENS CORNING COMP SHAKE (49 SQS)**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B082362
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **8/1/1997**
Permit Type:
Description: **INSTALL GAS LINE FOR PATIO B-B-Q**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P021003
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

19071 HOLLY LN

Date: **12/14/2011**
Permit Type:
Description: **ADDING HANDRAIL TO EXISTING STAIRS TOTAL 6**
*****PLANS SENT TO SCANNING SM 2/29/12*****

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B2011-007126
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **11/6/2001**
Permit Type:
Description: **T/O SHAKE, INSTALL 1/2" PLYWOOD, 25YR OWENS CORNING COMPSHINGLE (39 SQS)**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B082361
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **4/28/1998**
Permit Type:
Description: **RE-ROUTE WATER LINE**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P022344
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

19081 HOLLY LN

Date: **8/18/2015**
Permit Type:
Description: **1ST FLOOR REMODEL; KITCHEN AND POWDER REMODEL. INSTALL NEW DIRECT VENT F/P. 2ND FLOOR; MASTER BATHROOM REMODEL. RELCOATE WASHER AND DRYER TO GARAGE **METHANE BARRIER TO BE VERIFIED BEFORE CUTTING SLAB** **REPAIR POST TENTION DUE TO PLUMB -- 1 CUT******

Permit Description: **Combination**
Work Class:
Proposed Use:
Permit Number: C2015-005906
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **1/8/2004**
Permit Type:
Description: **NEW MFD (APARTMENTS) 3-PLEX INCLUDES ATTACHED GARAGE & PATIO CVRS** INCLDS 19081, 19089, & 19097 HOLLY ** **INSTALL FIRE ALARM TO MONITOR SPRINKLER SYSTEM****

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E043081
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **12/9/2003**
Permit Type:
Description: **NEW MFD (APARTMENTS) 3-PLEX INCLUDES ATTACHED GARAGE & PATIO
CVRS** INCLDS 19081, 19089, & 19097 HOLLY ** **INSTALL FIRE ALARM TO
MONITOR SPRINKLER SYSTEM****

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M030479
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **9/16/2003**
Permit Type:
Description: **NEW MFD (APARTMENTS) 3-PLEX INCLUDES ATTACHED GARAGE & PATIO
CVRS** INCLDS 19081, 19089, & 19097 HOLLY ** FIRE SPRINKLER SYSTEM**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M030074
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **6/12/2003**
Permit Type:
Description: **94 LF 5'H BLK WALL, 387 LF 6'H BLK WALL, INCLUDS TRSH EN 18 LF 5' WOOD FENCE, 74 LF 5'6" HIGH WOOD SCREEN FENCE**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B084009
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **4/15/2003**
Permit Type:
Description: **ELEC.FOR NEW MFD (CONDOS) 3-PLEX INCLDS ATTACHED GAR.& PATIO CVRS** INCLDS 19081, 19089, & 19097 HOLLY ****

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E041327
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: 4/11/2003
Permit Type:
Description: **NEW MFD (APARTMENTS) 3-PLEX INCLUDES ATTACHED GARAGE & PATIO
CVRS** INCLDS 19081, 19089, & 19097 HOLLY ****

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B090046
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: 4/11/2003
Permit Type:
Description: **MECH.FOR NEW MFD (CONDOS) 3-PLEX INCLDS ATTACHED GAR.& PATIO
CVRS** INCLDS 19081, 19089, & 19097 HOLLY ****

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M029420
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **3/4/2003**
Permit Type:
Description: **NEW MFD (APARTMENTS) 3-PLEX INCLUDES ATTACHED GARAGE & PATIO
CVRS** INCLDS 19081, 19089, & 19097 HOLLY****

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B090041
Status: Cancelled
Valuation: \$0.00
Contractor Company:
Contractor Name:

JORDYN CT

7295 JORDYN CT

Date: **6/2/2005**
Permit Type:
Description: **252 LF 5' H COURTYARD BLOCKWALL - 7295 THRU 7307 JORDYN **SEACLIFF
PALMS****

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B003753
Status: Expired
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **3/21/2005**
Permit Type:
Description: **NEW TOWNHOMES: PLAN TYPE 1; 3 UNITS, 3 BDRM/2-12 BTH, EAW/ 1320 SF LVG SPACE, 495 SF GAR, 52 SF DECK; INCLDS 7295,7301,7307 JORDYN (LOTS 11,12,13)**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E043650
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **11/2/2004**
Permit Type:
Description: **NEW TOWNHOMES: PLAN TYPE 1; 3 UNITS, 3 BDRM/2-12 BTH, EAW/ 1320 SF LVG SPACE, 495 SF GAR, 52 SF DECK; INCLDS 7295,7301,7307 JORDYN (LOTS 11,12,13)**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M030904
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **10/14/2004**
Permit Type:
Description: **NEW TOWNHOMES: PLAN TYPE 1; 3 UNITS, 3 BDRM/2-12 BTH, EAW/ 1320 SF LVG SPACE, 495 SF GAR, 52 SF DECK; INCLDS 7295,7301,7397 JORDYN (LOTS 11,12,13)**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P034875
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **9/2/2004**
Permit Type:
Description: **NEW TOWNHOMES: PLAN TYPE 1; 3 UNITS, 3 BDRM/2-12 BTH, EAW/ 1320 SF LVG SPACE, 495 SF GAR, 52 SF DECK; INCLDS 7295,7301,7307 JORDYN (LOTS 11,12,13)**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B095090
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **3/8/2004**
Permit Type:
Description: **NEW TOWNHOMES: PLAN TYPE 1; 3 UNITS, 3 BDRM/2-12 BTH, EAW/ 1320 SF LVG SPACE, 495 SF GAR, 52 SF DECK; INCLDS 7295,7301,7397 JORDYN (LOTS 11,12,13)**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P033409
Status: Cancelled
Valuation: \$0.00
Contractor Company:
Contractor Name:

7316 JORDYN CT

Date: **6/2/2005**
Permit Type:
Description: **420 LF 5' H COURTYARD BLOCKWALL - 7316 THRU 7292 JORDYN **SEACLIFF PALMS****

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B003750
Status: Expired
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **3/21/2005**
Permit Type:
Description: **NEW TOWNHOMES: PLAN TYPE 1; 5 UNITS, 3 BDRM/2-1/2 BTH, EA W/ 1320 SF
LVG SPACE, 495 SF GAR, 52 SF DECK; INCLDS 7316,7310,7304,7298,7292 JORDYN
(LOTS 6,7,8,9,10)**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E043649
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **11/2/2004**
Permit Type:
Description: **NEW TOWNHOMES: PLAN TYPE 1; 5 UNITS, 3 BDRM/2-1/2 BTH, EA W/ 1320 SF
LVG SPACE, 495 SF GAR, 52 SF DECK; INCLDS 7316,7310,7304,7298,7292 JORDYN
(LOTS 6,7,8,9,10)**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M030903
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **10/14/2004**
Permit Type:
Description: **NEW TOWNHOMES: PLAN TYPE 1; 5 UNITS, 3 BDRM/2-1/2 BTH, EA W/ 1320 SF
LVG SPACE, 495 SF GAR, 52 SF DECK; INCLDS 7316,7310,7304,7298,7292 JORDYN
(LOTS 6,7,8,9,10)**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P034871
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **9/2/2004**
Permit Type:
Description: **NEW TOWNHOMES: PLAN TYPE 1; 5 UNITS, 3 BDRM/2-1/2 BTH, EA W/ 1320 SF
LVG SPACE, 495 SF GAR, 52 SF DECK; INCLDS 7316,7310,7304,7298,7292 JORDYN
(LOTS 6,7,8,9,10)**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B095089
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **3/8/2004**
Permit Type:
Description: **NEW TOWNHOMES: PLAN TYPE 1; 5 UNITS, 3 BDRM/2-1/2 BTH, EA W/ 1320 SF
LVG SPACE, 495 SF GAR, 52 SF DECK; INCLDS 7316,7310,7304,7298,7292 JORDYN
(LOTS 6,7,8,9,10)**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P033408
Status: Cancelled
Valuation: \$0.00
Contractor Company:
Contractor Name:

LISAMARIE CT

7285 LISAMARIE CT

Date: **10/6/2006**
Permit Type:
Description: **CONSTRUCT NEW 4-UNIT TOWNHOME (TRACT #16740) : PLAN 1=1541 SF LIVING
& 400 SF ATTACHED GARAGE; PLAN 2=1468 SF LIVING & 400 SF ATTACHED
GARAGE - WITH AREA SEPARATION WALL
PLANS SENT TO MICROFILM-TL 01/08
****BLDG.D****UNITS TO INCLUDE: 7285, 7275, 7265 & 7255 LISAMARIE CT******

Permit Description: **Combination**
Work Class:
Proposed Use:
Permit Number: C2006-000026
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

MAIN

19119 MAIN

Date: **1/4/2005**
Permit Type:
Description: **(1) 200AMP TEMP POWER POLE & (7) SUB-PANELS**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E045985
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **8/19/2004**
Permit Type:
Description: **MASONRY WALL. 2' X 100LF NORTH WALL(6'HIGH WALL ON TOP) 6'H X 135LF
WALL SOUTH SIDE. NO RETAINING**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B099447
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

19121 MAIN

Date: 2/7/2003
Permit Type:
Description: INSTL (N)NON-ILLUM.WD MONUMENT SIGN (TEMP.SIGN ONLY)

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B089697
Status: Expired
Valuation: \$0.00
Contractor Company:
Contractor Name:

MAX CT

19073 MAX CT

Date: 12/15/2006
Permit Type:
Description: CONSTRUCT NEW 2 UNIT TOWNHOME: PLAN 1 = 1322 SF LIVING & 495 SF ATTACHED GARAGE & 52 SF DECK; UNITS INCLUDE 19073 & 19077 MAX CT (BLDG B)***2/25/10 MD - PLANS SENT TO SCANNING***

Permit Description: **Combination**
Work Class:
Proposed Use:
Permit Number: C2006-001203
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

19085 MAX CT

Date: 12/15/2006
Permit Type:
Description: **CONSTRUCT NEW 3 UNIT TOWNHOME: PLAN 1 = 1322 SF LIVING & 495 SF ATTACHED GARAGE & 52 SF DECK; UNITS INCLUDE 19085, 19089, 19093 MAX CT (BLDG A)***2/25/10 MD - PLANS SENT TO SCANNING*****

Permit Description: **Combination**
Work Class:
Proposed Use:
Permit Number: C2006-001204
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

OCEANPORT LN

19015 OCEANPORT LN

Date: 5/20/2016
Permit Type:
Description: **REPLACE 192 LF , 6 FT HIGH POOL FENCE -- PER WOOD CITY STANDARD.**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B2016-003783
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **3/7/2013**
Permit Type:
Description: **REMOVE (E) TILE. INSTALL 2 LAYERS OF 40 LB FELT. RINSTALL SAME TILE. 12 SQ. REROOF 2 SQ OF CERTAINTEED BUR. 14 TOT SQ.***POOL HOUSE*****

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B2013-001383
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **5/21/1998**
Permit Type:
Description: **1/2 HOUR SPECIAL INSPECTION FOR GFCI PER SENATE BILL 873SEC. 11604.1 (A-F) TO THE CALIF HEALTH & SAFETY CODE FORPUBLIC POOLS**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E029244
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

19052 OCEANPORT LN

Date: 10/23/2018
Permit Type:
Description: R/R 76 LF OF 6 FT HIGH BLOCK WALL- PER CITY STANDARD ***HOA PRIVATE WALL AT CORNER OF GARFIELD & MAIN ***

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B2018-007114
Status: Issued
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: 4/27/2012
Permit Type:
Description: T/O EXISTING CLAY ROOF & FLAT ROOF. REMOVE WITH 2 LAYERS 40 # FELT. REPLACE WITH SAME REMOVED CLAY TILE. (50SQS) CRRC# 0906 & INCLDS 2 SQS NEW BUR SYSTEM

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B2012-002496
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **3/1/2012**
Permit Type:
Description: **REMOVE AND REPLACE DECKING, FACIA OR RIM, GUARDRAIL EXCLUDING
POSTS AND DOUBLING JOISTS W/ EQUAL SIZE**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B2012-001192
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **7/13/2006**
Permit Type:
Description: **COPPER REPIPE**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P2006-005109
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **7/13/2006**
Permit Type:
Description: **COPPER REPIPE**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P2006-005110
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **7/13/2006**
Permit Type:
Description: **COPPER REPIPE**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P2006-005111
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **7/13/2006**
Permit Type:
Description: **COPPER REPIPE**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P2006-005112
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **7/13/2006**
Permit Type:
Description: **COPPER REPIPE**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P2006-005113
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **7/13/2006**
Permit Type:
Description: **COPPER REPIPE**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P2006-005114
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **7/13/2006**
Permit Type:
Description: **COPPER REPIPE**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P2006-005115
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **7/13/2006**
Permit Type:
Description: **COPPER REPIPE**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P2006-005116
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

19072 OCEANPORT LN

Date: **6/4/2020**
Permit Type:
Description: **R/R FURNACE INCLOSET ***CHEERS # 420-A020056695A*****

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M2020-002804
Status: Issued
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **2/21/2020**
Permit Type:
Description: **CONVERT (E) LINEN CLOSET TO (N) LAUNDRY CLOSET (NO FLOOR PLAN CHANGES, INCLUDES ELEC. & PLMB.)**

Permit Description: **Combination**
Work Class:
Proposed Use:
Permit Number: C2020-001212
Status: Issued
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **2/24/2017**
Permit Type:
Description: **REPLACE TYPE B GAS FIREPLACE, INCLD R/R DRYWALL**

Permit Description: **Combination**
Work Class:
Proposed Use:
Permit Number: C2017-001238
Status: Expired
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **2/24/2017**
Permit Type:
Description: **REPLACE TYPE B GAS VENT FIREPLACE, INCLD R/R DRYWALL**

Permit Description: **Combination**
Work Class:
Proposed Use:
Permit Number: C2017-001237
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **4/27/2012**
Permit Type:
Description: **T/O EXISTING CLAY ROOF & FLAT ROOF. REMOVE FELT REPLACE WITH (2) LAYERS 40#FELT. REPLACE WITH SAME REMOVED U.S. CLAY TILE. CRRRC#0906-001. 50 SQS & 2 SQS NEW BUR SYSTEM**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B2012-002497
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

19112 OCEANPORT LN

Date: **10/5/2011**
Permit Type:
Description: **ADD NEW STACKABLE WASHER/DRYER IN (E) BATHROOM, INCLDS INSULATION, ELEC, PLUMB, & MECH ***NO STRUCTURAL CHANGES*****

Permit Description: **Combination**
Work Class:
Proposed Use:
Permit Number: C2011-005741
Status: **Finald**
Valuation: **\$0.00**
Contractor Company:
Contractor Name:

Date: **7/18/2011**
Permit Type:
Description: **T/O EXISTING "S" TILE & BUR, EXISTING SHEATHING, NEW 40# FELT, NEW TILE (SAME AS EXISTING "S" TILE), 49 SQS. TILE, 2 SQS. BUR, CERTAINTEED 5 PLY BUR ***INCLUDES 8 ATTACHED UNITS*****

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B2011-004132
Status: **Finald**
Valuation: **\$0.00**
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

OCEANPORT LN UNIT 1

19075 OCEANPORT LN UNIT 1

Date: 4/27/2012
Permit Type:
Description: T/O EXISTING CLAY ROOF & FLAT ROOF. REMOVE FELT REPLACE WITH (2) LAYERS 40#FELT. REPLACE WITH SAME REMOVED U.S. CLAY TILE. CRR#0906-001. 50 SQS & 2 SQS NEW BUR SYSTEM #6600

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B2012-002498
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: 8/16/2006
Permit Type:
Description: REPLACE COLD WATER SUPPLY, REPLACE HOT WATER SUPPLY & RETURN LINES IN THE CHASE LOCATED IN GARAGES

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P2006-005979
Status: Expired
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **8/16/2006**
Permit Type:
Description: **REPLACE COLD WATER SUPPLY, REPLACE HOT WATER SUPPLY & RETURN LINES IN THE CHASE LOCATED IN GARAGES**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P2006-005974
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **8/16/2006**
Permit Type:
Description: **REPLACE COLD WATER SUPPLY, REPLACE HOT WATER SUPPLY & RETURN LINES IN THE CHASE LOCATED IN GARAGES**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P2006-005972
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **8/16/2006**
Permit Type:
Description: **REPLACE COLD WATER SUPPLY, REPLACE HOT WATER SUPPLY & RETURN LINES IN THE CHASE LOCATED IN GARAGES**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P2006-005973
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **8/16/2006**
Permit Type:
Description: **REPLACE COLD WATER SUPPLY, REPLACE HOT WATER SUPPLY & RETURN LINES IN THE CHASE LOCATED IN GARAGES**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P2006-005976
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **8/16/2006**
Permit Type:
Description: **REPLACE COLD WATER SUPPLY, REPLACE HOT WATER SUPPLY & RETURN LINES IN THE CHASE LOCATED IN GARAGES**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P2006-005977
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **8/16/2006**
Permit Type:
Description: **REPLACE COLD WATER SUPPLY, REPLACE HOT WATER SUPPLY & RETURN LINES IN THE CHASE LOCATED IN GARAGES**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P2006-005978
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **8/16/2006**
Permit Type:
Description: **REPLACE COLD WATER SUPPLY, REPLACE HOT WATER SUPPLY & RETURN LINES IN THE CHASE LOCATED IN GARAGES**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P2006-005980
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **2/6/1998**
Permit Type:
Description: **GAS LINE FOR DRYER & WASHER HOOK-UP**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P021911
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **4/30/1996**
Permit Type:
Description: **SKYLIGHT INSTALLATIONS 22 X 22 & 22 X 34 - SOLAR INDUSTRIES ICBO#4063**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B049286
Status: Expired
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **3/26/1996**
Permit Type:
Description: **SKYLIGHT INSTALLATION W/A RAFTER CUT 2X6 16" O.C. ICBO#4063**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B048886
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **2/23/1996**
Permit Type:
Description: **INSTALLATION OF 2 SKYLIGHTS AND WINDOW INSTALLATION - 42 X 42**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B048576
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **1/8/1996**
Permit Type:
Description: **ELECTRICAL PLUG FOR LAUNDRY AREA OR WALL ADJACENT TO BATHROOM.
CONDO UNIT VACANT COMBO LOCKBOX W-E-L AT TOP OF STAIRS**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E023856
Status: **Expired**
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

ROSEMARIE LN

7224 ROSEMARIE LN

Date: 2/20/2007
Permit Type:
Description: **CONSTRUCT NEW 2 UNIT TOWNHOME: PLAN 2 = 1070 SF LIVING & 434 SF ATTACHED GARAGE; UNITS INCLUDE 7224 THRU 7234 ROSEMARIE LN (BLDG F) ****INCLDS 100A HOUSE MTR ON 19095 MAX CT*****2/25/10 MD - PLANS SENT TO SCANNING***
PLANS SENT TO SCANNING-TL 2/10
PLANS SENT TO SCANNING-TL 2/10**

Permit Description: **Combination**
Work Class:
Proposed Use:
Permit Number: C2006-001199
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

7254 ROSEMARIE LN

Date: 12/15/2006
Permit Type:
Description: **CONSTRUCT NEW 4 UNIT TOWNHOME: PLAN 1 = 1322 SF LIVING & 495 SF ATTACHED GARAGE & 52 SF DECK; UNITS INCLUDE 7254, 7264, 7274, 7284 ROSEMARIE LN (BLDG E)***2/25/10 MD - PLANS SENT TO SCANNING*****

Permit Description: **Combination**
Work Class:
Proposed Use:
Permit Number: C2006-001200
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

7274 ROSEMARIE LN

Date: **8/18/2016**
Permit Type:
Description: **INSTAL NEW 50 AMP EV CAR CHARGER IN GARAGE (TELSA)**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E2016-006183
Status: **Finald**
Valuation: **\$0.00**
Contractor Company:
Contractor Name:

SEASTAR DR

7402 SEASTAR DR

Date: **7/17/2014**
Permit Type:
Description: **REMODEL KITCHEN & BATHROOM: INCLDS REMOVE (E) DOOR & CONSTRUCT
NEW PARTITION WALL (SEE PLAN) gate code #2002**

Permit Description: **Combination**
Work Class:
Proposed Use:
Permit Number: C2014-004451
Status: **Finald**
Valuation: **\$0.00**
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **3/7/2013**
Permit Type:
Description: **REMOVE (E) TILE. INSTALL 2 LAYERS OF 40 LB FELT. RINSTALL SAME TILE. 50 SQ. REROOF 2 SQ OF CERTAINTED BUR. 52 TOT SQ.**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B2013-001380
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

7415 SEASTAR DR

Date: **1/7/2019**
Permit Type:
Description: **BATHROOM REMODEL; CONVERT (E) POWDER ROOM TO 3/4 BATHROOM (TOILET, SINK, & WALK IN SHOWER) - SEE PLANS**

Permit Description: **Combination**
Work Class:
Proposed Use:
Permit Number: C2019-000116
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **10/3/2014**
Permit Type:
Description: **R/R (E) BALCONY DECK PLYWOOD W/ NEW 3/4" CDX PLYWOOD, NEW PLI DECK WATERPROOFING (ICC - ESR #2097), & R/R STUCCO ON (E) STAIR HANDRAIL (HANDRAIL TO REMAIN)**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B2014-006300
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **3/15/2013**
Permit Type:
Description: **INSTALL 2 NEW VELUX SKYLIGHT (HALLMARK CERTIFIED), 1 RAFTER CUT PER SKYLIGHT.***3/22/13. DW. INCLUDES ELEC TO EACH UNIT*** #1221**

Permit Description: **Combination**
Work Class:
Proposed Use:
Permit Number: C2013-001533
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **3/7/2013**
Permit Type:
Description: **REMOVE (E) TILE. INSTALL 2 LAYERS OF 40 LB FELT. RINSTALL SAME TILE. 50 SQ. REROOF 2 SQ OF CERTAINTED BUR. 52 TOT SQ.**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B2013-001381
Status: **Finald**
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **9/22/2011**
Permit Type:
Description: **REMOVE EXISTING WINDOW, INSTALL NAIL-ON SLIDING DOOR IN ITS PLACE USING THE SAME HEADER. INCL. FOUR SWITCHES/OUTLETS AND ONE NEW LIGHT FIXTURE
WINDOW AND DOORS SHOULD BE INSTALLED IN ACCORDANCE WITH APPROVED MANUFACTURING INSTRUCTIONS. MANUFACTURING INSTRUCTIONS SHOULD BE ON SITE**

Permit Description: **Combination**
Work Class:
Proposed Use:
Permit Number: C2011-005489
Status: **Finald**
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **6/3/2010**
Permit Type:
Description: **INTERIOR REMODEL INCLUDES MEPS INCLUDES 90 MINUTE DOOR FROM GARAGE TO HOUSE SIZE 12"X12", ALSO INSTALL SINK IN GARAGE SEE PLANNING REQUIREMENTS ON PLAN**

Permit Description: **Combination**
Work Class:
Proposed Use:
Permit Number: C2010-003043
Status: **Finald**
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **1/20/2004**
Permit Type:
Description: **REPLACE FAU**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M030647
Status: **Expired**
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

7422 SEASTAR DR

Date: **4/11/2013**
Permit Type:
Description: **REPLACE STUCCO W/ PLI-DECK SIDING ICC #2097 - UNIT 5 & 6
STURCTURE/FRAMING/RAIL TO REMAIN*** STUCCO LIKE FOR LIKE AT
STAIRS*****

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B2013-002153
Status: **Finaled**
Valuation: **\$0.00**
Contractor Company:
Contractor Name:

Date: **5/2/2012**
Permit Type:
Description: **TAKE OFF EXSTG TILE, LAYER 2-G40 FELT, REUSE EXSTG TILE & CERTAINTEED 5
-PLY BUR, 49 SQRS TILE, 2 SQRS BUILT-UP**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B2012-002523
Status: **Finaled**
Valuation: **\$0.00**
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **3/9/2011**
Permit Type:
Description: **FURNACE CHANGEOUT SAME LOCATION - 80% AFUE - 70K BTUS**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M2011-001371
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **8/5/2004**
Permit Type:
Description: **BUILD STORAGE LOFT IN GARAGE (NO PULL-DOWN LADDER/ACCESSSTAIRWAY ALLOWED, STORAGE AREA TO REMAIN OPEN TO GARAGE BELOW)**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B099144
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **9/17/2001**
Permit Type:
Description: **RPLC EXSTG FIBEGLOSS TUB W/ A TILED SHWR STALL**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B081272
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **9/17/2001**
Permit Type:
Description: **RPLC EXSTG FIBEGLOSS TUB W/ A TILED SHWR STALL**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P028379
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

7445 SEASTAR DR

Date: **3/7/2013**
Permit Type:
Description: **REMOVE (E) TILE. INSTALL 2 LAYERS OF 40 LB FELT. RINSTALL SAME TILE. 50 SQ. REROOF 2 SQ OF CERTAINTEED BUR. 52 TOT SQ.*****GATE CODE #6600*******

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B2013-001382
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **3/15/2012**
Permit Type:
Description: **REMOVE AND REPLACE 90 SQ.FT. EXISTING STUCCO BOTH SIDES OF EXISTING FRONT ENTRY STAIRWELL INCL. WATERPROOFING AND REMOVE AND REPLACE 108 SQ.FT. WATERPROOF DECK COATING (ESR# 2097) ***STAIRWAY LOCATED NORTHEAST SIDE OF BUILDING*****SUP.4/2/2012. DW. ADD ADDITIONAL 96 SQ FT OF STUCCO*****

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B2012-001490
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **10/6/2011**
Permit Type:
Description: **R/R STUCCO & (6) DECK BOARDS AT (E) BALCONY (NO STRUCTURAL/GUARD CHANGES)**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B2011-005757
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **10/6/2011**
Permit Type:
Description: **R/R STUCCO & (6) DECK BOARDS, LIKE/LIKE (NO STRUCTURAL/GUARD CHANGES)**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B2011-005758
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **3/11/2009**
Permit Type:
Description: ****PIERPOINT TOWNHOUSES** UNITS 1 THRU 8 WATER REPIPE**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P2009-001271
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

SHELTER COVE CIR

7453 SHELTER COVE CIR

Date: 11/18/1999
Permit Type:
Description: NEW SFD W/ ATTACHED GARAGE - PLAN 3R B

Permit Description: Building
Work Class:
Proposed Use:
Permit Number: B067912
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: 11/18/1999
Permit Type:
Description: NEW SFD W/ ATTACHED GARAGE - PLAN 3RB

Permit Description: Electrical
Work Class:
Proposed Use:
Permit Number: E033063
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **11/18/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3R-B**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M023668
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **11/18/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3R B**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P025077
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

7457 SHELTER COVE CIR

Date: **11/18/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 2R-B**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B067911
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **11/18/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 2RB**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E033062
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **11/18/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 2RB**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M023667
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **11/18/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 2RB**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P025076
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

7461 SHELTER COVE CIR

Date: **11/18/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1R-A**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B067910
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **11/18/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1RA**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E033061
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **11/18/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1RA**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M023666
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **11/18/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1RA**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P025075
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

7465 SHELTER COVE CIR

Date: **11/18/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 2R-A**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B067909
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **11/18/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 2RA**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E033060
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **11/18/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 2RA**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M023665
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **11/18/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 2RA**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P025074
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

7469 SHELTER COVE CIR

Date: **5/8/2000**
Permit Type:
Description: **40 L.F. OF 5'6" HGH BLOCK WALL-PRIVATE PROP. /CITY STAND.TO MATCH EXISTING-SAME SIZE, COLOR & MATERIALS**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B073191
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **11/18/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3L-A**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B067908
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **11/18/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3LA**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E033059
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **11/18/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3L-A**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M023664
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **11/18/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3L-A**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P025073
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

UPPER BAY DR

7406 UPPER BAY DR

Date: **5/9/2012**
Permit Type:
Description: **REMOVE/REPLACE GAS WATER HEATER**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P2012-002726
Status: **Final**
Valuation: **\$0.00**
Contractor Company:
Contractor Name:

Date: **8/17/1998**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1B**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B063076
Status: **Final**
Valuation: **\$0.00**
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **8/17/1998**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1B**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E029994
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **8/17/1998**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1B**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M021557
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **8/17/1998**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1B**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P022892
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

7412 UPPER BAY DR

Date: **11/28/2016**
Permit Type:
Description: **C/O FURNACE & A/C - CAL CERT REG. # 416-A0009408A**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M2016-008560
Status: Expired
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **5/25/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1R-B ALT SYSTEM******* ******FIRE SPKLR**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M022788
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **2/24/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1R-B ALT**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B065958
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **2/24/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1-RB-ALT**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E031148
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **2/24/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1R-B-ALT**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P023706
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **2/24/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1R-B-ALT**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M022342
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

7416 UPPER BAY DR

Date: **1/20/2021**
Permit Type:
Description: **R/R HEAT PUMP & (N) 2 AIR HANDLING UNITS - AFIP**

Permit Description: **Residential Mechanical**
Work Class:
Proposed Use:
Permit Number: M2021-000356
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name: BELLE AIR SERVICES

Date: **10/2/2014**
Permit Type:
Description: **PLUMB.FOR INSTL (N) STEAM UNIT**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P2014-006283
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **9/24/2014**
Permit Type:
Description: **ELEC.FOR INSTL (N) STEAM UNIT**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E2014-006022
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **2/24/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1R-A**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B065956
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **2/24/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1R-A**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P023704
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **2/24/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1-RA**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E031146
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **2/24/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1R-A**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M022340
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

7418 UPPER BAY DR

Date: **8/14/2017**
Permit Type:
Description: **ELEC. FOR FURNANCE C/O & A/C CONDENSER W/ COIL & ELEC. DISCONNECT
C/O (SAME LOCATION)
CALCERTS:217-A020275605A**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E2017-005323
Status: **Finaled**
Valuation: **\$0.00**
Contractor Company:
Contractor Name:

Date: **8/14/2017**
Permit Type:
Description: **FURNANCE C/O & A/C CONDENSER W/ COIL & ELEC. DISCONNECT C/O (SAME
LOCATION)
CALCERTS:217-A020275605A**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M2017-005322
Status: **Finaled**
Valuation: **\$0.00**
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **6/2/2015**
Permit Type:
Description: **CHANGE OUT WATER HEATER ***BRING JOB CARD*****

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P2015-003764
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **2/24/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3L-B ALT**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B065955
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **2/24/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3L B-ALT**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P023703
Status: **Final**
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **2/24/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3LB-ALT**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E031145
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **2/24/1999**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3L-B-ALT**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M022338
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

7419 UPPER BAY DR

Date: **1/3/2011**
Permit Type:
Description: **CHANGE OUT FURNACE 80K BTU, 95% 3TON**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M2011-000011
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **8/17/1998**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3A**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B063079
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **8/17/1998**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3A**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E029997
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **8/17/1998**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3A**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M021560
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **8/17/1998**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 3A**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P022895
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

7423 UPPER BAY DR

Date: **2/14/2006**
Permit Type:
Description: **REPLACE/CHANGE OUT (5) TONE A/C UNIT*** SAME LOCATION*****

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M2006-001178
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **8/17/1998**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1A**

Permit Description: **Building**
Work Class:
Proposed Use:
Permit Number: B063081
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **8/17/1998**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1A**

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: E029999
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **8/17/1998**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1A**

Permit Description: **Mechanical**
Work Class:
Proposed Use:
Permit Number: M021562
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name:

Date: **8/17/1998**
Permit Type:
Description: **NEW SFD W/ ATTACHED GARAGE - PLAN 1A**

Permit Description: **Plumbing**
Work Class:
Proposed Use:
Permit Number: P022898
Status: Finaled
Valuation: \$0.00
Contractor Company:
Contractor Name: