

## NOTICE OF DETERMINATION

**TO:** Governor's Office of Planning & Research  
State Clearinghouse  
1400 Tenth Street, Room 113  
Sacramento, CA 95812

**FROM:** State Water Resources Control Board  
Division of Financial Assistance  
1001 I Street 16<sup>th</sup> Floor  
Sacramento, CA 95814

**SUBJECT:** Notice of Determination in compliance with Public Resources Code, Division 13, Section 21108

**PROJECT TITLE:** Chloride Compliance – UV Disinfection Facilities Project (Project);  
Clean Water State Revolving Fund (CWSRF) NO. C-06-8035-110

SCH# 2012011010	Cedric Irving	(916) 341-6983
<b>State Clearing House Number</b>	<b>Contact Person</b>	<b>Area Code/Telephone Number</b>

**LEAD AGENCY AND ENTITY CARRYING OUT PROJECT:** Santa Clarita Valley Sanitation District (District)

**RESPONSIBLE AGENCY APPROVING PROJECT:** State Water Resources Control Board (State Water Board)


**PROJECT LOCATION:** The Project will occur within Los Angeles County, California, near the Santa Clara River, in the City of Santa Clarita.

**PROJECT DESCRIPTION:** The Project will replace the chlorine contact tanks with a UV disinfection system at the Valencia Water Reclamation Plant (WRP) and Saugus WRP. The Project includes installation of low pressure closed-vessel reactors with high intensity lamps, automatic sleeve wiping systems, power distribution control cabinets, and system control cabinets at both WRP's. Installation of four UV reactors and one standby with 144 lamps per reactor will occur at Valencia WRP. Installation of three UV reactors and one standby with 72 lamps per reactor will occur at the Saugus WRP.

This is to advise that the State Water Board made the following California Environmental Quality Act (CEQA) determinations and approved CWSRF financing on July 16, 2019 for the Project:

1. Determinations were made pursuant to the CEQA.
2. The State Water Board considered the Environmental Impact Report (EIR) as prepared by the District for this Project.
3. A Mitigation Monitoring and Reporting Program was adopted by the District for this Project.
4. Mitigation measures were made a condition of the District's approval of the Project.
5. A Statement of Overriding Considerations was not adopted by the District for this Project.
6. The Project will not have any adverse significant water quality effects.

This is to certify that the EIR with comments and responses and record of funding approval for the Project are available to the general public at the State Water Board, Division of Financial Assistance at the above address.

	Environmental Scientist	July 17, 2019
Signature (Public Agency)	Title	Date

Governor's Office of Planning & Research

DATE RECEIVED FOR FILING AND POSTING AT OPR: JUL 17 2019

STATE CLEARINGHOUSE