

Notice of Determination

Appendix D

To: [X] Office of Planning and Research
U.S. Mail: P.O. Box 3044 Sacramento, CA 95812-3044
Street Address: 1400 Tenth St., Rm 113 Sacramento, CA 95814

[] County Clerk
County of:
Address:

From: Public Agency: Calif. RWQCB, San Diego Region
Address: 2375 Northside Drive, Suite100 San Diego, CA 92108
Contact: Ben Neill
Phone: 619-521-3376

Lead Agency (if different from above): San Diego County Water Authority
Address: 4677 Overland Avenue San Diego, CA 92123
Contact: Mark Tegio
Phone: 858-522-6753

SUBJECT: Filing of Notice of Determination in compliance with Section 21108 or 21152 of the Public Resources Code.

State Clearinghouse Number (if submitted to State Clearinghouse): 2004041081 and 2015091060

Project Title: Carlsbad Desalination Plant Precise Development Plan and Desalination Plant Project

Project Applicant: Poseidon Resources (Channelside) LP

Project Location (include county): San Diego County

Project Description: As part of the overall Project for which an EIR was prepared, the California Regional Water Quality Control Board, San Diego Region (San Diego Water Board), approved the California Water Code section 13142.5, subdivision (b), conditional determination that the Project Applicant's Carlsbad Desalination Plant will use the best available site, design, technology and mitigation feasible to minimize the intake and mortality of all forms of marine life for stand-alone operation of the facility.

This is to advise that the San Diego Water Board has approved the above ([] Lead Agency or [X] Responsible Agency)

described project on May 8, 2019 and has made the following determinations regarding the above (date) described project.

- 1. The project [X] will [] will not have a significant effect on the environment.
2. [X] An Environmental Impact Report was prepared for this project pursuant to the provisions of CEQA. [] A Negative Declaration was prepared for this project pursuant to the provisions of CEQA.
3. Mitigation measures [X] were [] were not made a condition of the approval of the project.
4. A mitigation reporting or monitoring plan [X] was [] was not adopted for this project.
5. A statement of Overriding Considerations [X] was [] was not adopted for this project.
6. Findings [X] were [] were not made pursuant to the provisions of CEQA.

This is to certify that the final EIR with comments and responses and record of project approval, or the negative Declaration, is available to the General Public at: San Diego Water Board, 2375 Northside Dr., Ste 100, San Diego, 92108 and SDCWA, 4677 Overland Dr. SD 92123

Signature (Public Agency): [Signature] Title: AEO for the Executive Officer

Date: 05/29/2019 Date Received for filing at OPP: Premier's Office of Planning & Research