

**NOTICE OF INTENT TO ADOPT SECOND ADDENDUM TO
MITIGATED NEGATIVE DECLARATION**

<p>Notice is hereby given that the public agency named below has completed a Second Addendum to the Mitigated Negative Declaration (MND) for the following described project at the following location:</p>		
Public Agency:	Elsinore Valley Municipal Water District	
Project Name:	Regional Water Reclamation Facility (RWRF) Upgrade and Expansion Project	
Project Description:	<p>The proposed project component addressed in the Second Addendum to the MND consists of the temporary installation and use of construction trailers at a site adjacent to the RWRF, including minor site grading, installation of the trailers, utility and communications lines connections, and chain link fencing. Following construction of the RWRF expansion, the trailers, utility and communications connections, and fencing would be removed. The MND being addended addressed EVMWD's proposal to expand its RWRF from an existing capacity of 8 million gallons per day (MGD) to 12 MGD. An NOD for the proposed project was filed with the State Clearinghouse on July 31, 2018. The first Addendum to the MND addressed additional construction staging and laydown areas; an NOD for that first Addendum was filed with the State Clearinghouse on April 5, 2022.</p>	
Project Location – Identify street address and cross streets or attach a map showing project site (preferably a USGS 15' or 7 1/2' topographical map identified by quadrangle name):	<p>EVMWD's RWRF is located at 31315 Chaney Street in the City of Lake Elsinore, approximately 0.5 mile northeast of Lake Elsinore. The proposed construction trailers site addressed in the Second Addendum to the MND is located between the RWRF and Strickland Avenue, encompassing Assessor's Parcel Numbers 375-291-007 through 375-291-015 (Coordinates 33.685472°N, 117.346197°W).</p>	
<p>This Addendum was completed in accordance with the Lead Agency's Guidelines for Implementing the California Environmental Quality Act. The Lead Agency's Staff has assessed the proposed project modifications in light of the requirements defined under Section 15162 of the CEQA Guidelines and determined that none of the conditions requiring preparation of a subsequent negative declaration under Section 15162 of the CEQA Guidelines are satisfied, and has therefore prepared the Second Addendum. The Second Addendum reflects the independent judgment of the Lead Agency.</p>		
<p><input type="checkbox"/> The Project site IS on a list compiled pursuant to Government Code section 65962.5.</p>		
<p><input checked="" type="checkbox"/> The Project site IS NOT on a list compiled pursuant to Government Code section 65962.5.</p>		
<p><input type="checkbox"/> The proposed project IS considered a project of statewide, regional or areawide significance.</p>		
<p><input checked="" type="checkbox"/> The proposed project IS NOT considered a project of statewide, regional or areawide significance.</p>		
<p><input type="checkbox"/> The proposed project WILL affect highways or other facilities under the jurisdiction of the State Department of Transportation.</p>		
<p><input checked="" type="checkbox"/> The proposed project WILL NOT affect highways or other facilities under the jurisdiction of the State Department of Transportation.</p>		
<p><input type="checkbox"/> A scoping meeting WILL be held by the Lead Agency.</p>		
<p><input checked="" type="checkbox"/> A scoping meeting WILL NOT be held by the Lead Agency.</p>		
<p>If the project meets the criteria requiring the scoping meeting, or if the agency voluntarily elects to hold such a meeting, the date, time and location of the scoping meeting are as follows:</p>		
Date:	Time:	Location:

Copies of the Second Addendum and the Mitigated Negative Declaration are on file and are available for public review at the Lead Agency's office, located at: Elsinore Valley Municipal Water District (EVMWD), 31315 Chaney Street, Lake Elsinore, CA 92530.

The proposed Second Addendum and the Mitigated Negative Declaration can be obtained in electronic format by the following method: <https://evmwd.com/ceqa-information/>

Lead Agency address: 31315 Chaney Street, Lake Elsinore, CA 92530

Pursuant to CEQA Guidelines Section 15164(c), the Second Addendum will not be circulated for public review. The Second Addendum will be considered with the MND at a publicly- noticed hearing held as part of the Elsinore Valley Municipal Water District's July 27, 2023 Board Meeting, prior to making a decision on the project.

Any person wishing to comment on this matter must submit such comments, in writing, to the Lead Agency prior to: Not Applicable. Comments of all Responsible Agencies are requested.

The Lead Agency will consider the project changes and the Addendum to the Mitigated Negative Declaration at its meeting on:

Date: July 27, 2023

Time: 4:00 P.M.

If the Lead Agency finds that the project will not require major revisions of the MND due to new significant environmental effects or a substantial increase in the severity of previously identified significant effects, it may adopt the Second Addendum to the MND. This means that the Lead Agency may proceed to consider the project without the preparation of a subsequent MND.

Date Received for Filing:

Staff: Nelson Nuezca
Nelson Nuezca, P.E.

(Clerk Stamp Here)

Title: Engineering Manager