

CALIFORNIA ENVIRONMENTAL QUALITY ACT
NOTICE OF DETERMINATION

To: Office of Planning and Research
State Clearinghouse
P.O. Box 3044, 1400 Tenth Street, Room 212
Sacramento, CA 95812-3044

From: Department of Toxic Substances Control
Permitting Division
9211 Oakdale Avenue
Chatsworth, CA 91311-6505

Subject: Filing of Notice of Determination in Compliance with Section 21108 of the Public Resources Code

Project Title: Class 2 Permit Modification for Installation and Operation of a Heat Exchanger for Veolia ES Technical Solutions Hazardous Waste Facility Permit

State Clearinghouse Number: 2010121001

Project Location: 1704 W. 1st St, Azusa, CA 91702

County: Los Angeles

Project Applicant: Md. Shafiqul Alam, Environmental Health & Safety Manager, Veolia ES Technical Solutions

Project Description: The California Department of Toxic Substances Control (DTSC), adopted an Addendum to the previous Negative Declaration and approved a Class 2 Permit Modification (Modification) for the Hazardous Waste Management Permit, pursuant to authority granted under California Health and Safety Code Chapter 6.5 and California Code of Regulations, Title 22, Division 4.5, Chapter 20. The Veolia Class 2 Permit Modification will authorize the incorporation of a heat exchanger as a new Unit (Unit AA24). Unit AA24 will be staged next to the Frac bay (Unit AA4) to facilitate the unloading of viscous materials by heating process material/waste until the heated process material/waste is easily flowable and is then transferred to a permitted waste storage tank for treatment. Unit AA24 will be located within the Unit AB21 secondary containment. There would be no excavation, grading and/or ground disturbing activities for this Permit Modification.

As Lead Agency under the California Environmental Quality Act (CEQA), DTSC approved the above-described project on April 11, 2022 and has made the following determinations:

1. The project will not have a significant effect on the environment.
2. A Negative Declaration was prepared for this project pursuant to the provisions of CEQA.
3. Mitigation measures were not made a condition of project approval.
4. A Statement of Overriding Considerations was not adopted for this project.
5. Findings were not made pursuant to the provisions of CEQA.

The administrative record for this project is available to the public by appointment at the following location:

Department of Toxic Substances Control
Permitting Division
9211 Oakdale Avenue
Chatsworth, CA 91311-6505

Contact Person	Contact Title	Phone Number
Armo Hayrabidian	Hazardous Substances Engineer	(747) 249-1230

Approver's Signature:

Date:

Muzhda Ferouz

April 11, 2022

Approver's Name	Approver's Title	Approver's Phone Number
Muzhda Ferouz, P.E.	Permitting Branch Chief	(916) 255-3749

TO BE COMPLETED BY OPR ONLY

Date Received for Filing and Posting at OPR: