

Notice of Determination

Appendix D

To:

Office of Planning and Research
 U.S. Mail: Street Address:
 P.O. Box 3044 1400 Tenth St., Rm 113
 Sacramento, CA 95812-3044 Sacramento, CA 95814

County Clerk
 County of: _____
 Address: _____

From:

Public Agency: Regional Water Quality Ctrl Board
 Address: 11020 Sun Center Drive, Suite 200
Rancho Cordova, CA 95670

Contact: Peter Minkel
 Phone: (916) 464-4684

Lead Agency (if different from above):
Cobb Area County Water District
 Address: P.O. Box 284
Cobb, CA 95426
 Contact: Ben Murphey
 Phone: (707) 928-5262

SUBJECT: Filing of Notice of Determination in compliance with Section 21108 or 21152 of the Public Resources Code.

State Clearinghouse Number (if submitted to State Clearinghouse): 2018042066

Project Title: Hill 9 & 10 and Branding Iron Consolidation Phase I Culvert Replacement Project

Project Applicant: Cobb Area County Water District

Project Location (include county): Latitude:38.902° and Longitude: -122.752° Lake County

Project Description:

The Central Valley Regional Water Quality Control Board is issuing a 401 Water Quality Certification for the subject Project. The Project consists of removing and relocating the existing 24-inch culvert approximately 7 feet upstream. Approximately 35 square feet (approximately 52.5 cubic feet) of Class II rock slope protection would be added and extended one foot beyond the removed culvert to stabilize the previous culvert location and the relocated location. No wet concrete will be placed into waters of the United States. No dewatering will occur within the Project area.

This is to advise that the Regional Water Quality Control Board has approved the above
 Lead Agency or Responsible Agency

described project on 7 August 2020 and has made the following determinations regarding the above
 (date)
 described project.

1. The project [will will not] have a significant effect on the environment.
2. An Environmental Impact Report was prepared for this project pursuant to the provisions of CEQA.
 A Negative Declaration was prepared for this project pursuant to the provisions of CEQA.
3. Mitigation measures [were were not] made a condition of the approval of the project.
4. A mitigation reporting or monitoring plan [was was not] adopted for this project.
5. A statement of Overriding Considerations [was was not] adopted for this project.
6. Findings [were were not] made pursuant to the provisions of CEQA.

This is to certify that the final EIR with comments and responses and record of project approval, or the negative Declaration, is available to the General Public at:

Cobb Area Water District, 16595 Higheay 175, Cobb, CA

Signature (Public Agency): *Peter Minkel* Title: Engineering Geologist

Date: 8/9/2020 Date Received for filing at OPR: Governor's Office of Planning & Research

Aug 11 2020