

Appendix 02

LADWP Concurrence of Water Supply Assessment
for Revised Buildout Year



Robert Keatinge <robert.keatinge@lacity.org>

WSA: 4th & Hewitt Project (ENV-2017-470-EIR)

Tcharssov, Andrei <Andrei.Tcharssov@ladwp.com>

Fri, Dec 10, 2021 at 7:09 AM

To: Robert Keatinge <robert.keatinge@lacity.org>

Cc: Courtney Shum <courtney.shum@lacity.org>, "Kim, Theresa" <Theresa.Kim@ladwp.com>

Robert,

I am confirming to you that based on your description below a revised Water Supply Assessment is not required. Thanks.

From: Robert Keatinge <robert.keatinge@lacity.org>

Sent: Thursday, December 2, 2021 5:32 PM

To: Tcharssov, Andrei <Andrei.Tcharssov@ladwp.com>

Cc: Courtney Shum <courtney.shum@lacity.org>

Subject: [EXTERNAL] WSA: 4th & Hewitt Project (ENV-2017-470-EIR)

EXTERNAL EMAIL! This email was generated from a non-LADWP address. If any links exist, do not click/open on them unless you are 100% certain of the associated site or source. ALWAYS hover over the link to preview the actual URL/site and confirm its legitimacy.

Hi Andrei,

I'm writing to request your confirmation that the revised buildout completion year of 2025 from 2023 for the 4th & Hewitt Project is within DWP's projections for water demand and therefore does not necessitate a revised Water Supply Assessment.

Thank you,

Robert

--

Robert Keatinge

Preferred Pronouns: He, His, Him

Planning Assistant

Los Angeles City Planning

221 N. Figueroa St., Room 1350

12/10/21, 8:23 AM

City of Los Angeles Mail - WSA: 4th & Hewitt Project (ENV-2017-470-EIR)

[Los Angeles, CA 90012](#)

T: (213) 847-3677 | [Planning4LA.org](#)

-----Confidentiality Notice-----

This electronic message transmission contains information from the Los Angeles Department of Water and Power, which may be confidential. If you are not the intended recipient, be aware that any disclosure, copying, distribution or use of the content of this information is prohibited. If you have received this communication in error, please notify us immediately by e-mail and delete the original message and any attachment without reading or saving in any manner.