

Notice of Determination

Appendix D

To:

Office of Planning and Research
U.S. Mail: _____ *Street Address:* _____
 P.O. Box 3044 1400 Tenth St., Rm 113
 Sacramento, CA 95812-3044 Sacramento, CA 95814

County Clerk
 County of: _____
 Address: _____

From:

Public Agency: RWQCB - San Diego Region
 Address: 2375 Northside Drive
 San Diego, CA 92108
 Contact: Jill Harris
 Phone: (619) 521-1990

Lead Agency (if different from above):
 City of San Diego
 Address: 9485 Aero Dr., MS 413
 San Diego, CA 92123
 Contact: M. Herrmann
 Phone: (619) 446-5372

SUBJECT: Filing of Notice of Determination in compliance with Section 21108 or 21152 of the Public Resources Code.

State Clearinghouse Number (if submitted to State Clearinghouse): 2017071022

Project Title: Municipal Waterways Maintenance Plan - Mission Bay Drive 1 Channel

Project Applicant: City of San Diego, Storm Water Department

Project Location (include county): 2702 N Mission Bay Dr., San Diego, San Diego County

Project Description:

The project will remove accumulated sediment and vegetation from the earthen-bottom channel in order to restore conveyance capacity, thereby reducing risk of flooding to adjacent and upstream infrastructure. Water will be temporarily diverted around the work area using temporary sandbag berms, a pump, hose, and filter bag. Vactor machines may be used to remove ponded water from the channel if necessary. A bulldozer or tracksteer will be lowered into the channel to push sediment and vegetation into piles. The resulting piles will be removed from the channel with an excavator stationed outside the channel and disposed of offsite at an authorized location.

This is to advise that the RWQCB - San Diego Region has approved the above
 (Lead Agency or Responsible Agency)

described project on October 19, 2020 and has made the following determinations regarding the above
 (date)
 described project.

1. The project will will not] have a significant effect on the environment.
2. An Environmental Impact Report was prepared for this project pursuant to the provisions of CEQA.
 A Negative Declaration was prepared for this project pursuant to the provisions of CEQA.
3. Mitigation measures were were not] made a condition of the approval of the project.
4. A mitigation reporting or monitoring plan was was not] adopted for this project.
5. A statement of Overriding Considerations was was not] adopted for this project.
6. Findings were were not] made pursuant to the provisions of CEQA.

This is to certify that the final EIR with comments and responses and record of project approval, or the negative Declaration, is available to the General Public at:

<https://www.sandiego.gov/ceqa/final>; for a copy of Certification R9-2020-0230, contact RWQCB at (619) 521-1990

Signature (Public Agency): _____ Title: Executive Officer

Governor's Office of Planning & Research

Date: October 20, 2020 Date Received for filing at OPR: _____

Oct 20 2020

Authority cited: Sections 21083, Public Resources Code.
 Reference Section 21000-21174, Public Resources Code.

STATE CLEARINGHOUSE

Revised 2011