

Notice of Determination

Appendix D

To:

Office of Planning and Research
 U.S. Mail: _____ Street Address: _____
 P.O. Box 3044 1400 Tenth St., Rm 113
 Sacramento, CA 95812-3044 Sacramento, CA 95814

County Clerk
 County of: _____
 Address: _____

From:

Public Agency: Central Valley Region. Water Board
 Address: 11020 Sun Center Drive # 200
 Rancho Cordova, CA 95670

Contact: Peter Minkel
 Phone: (916) 464-4684

Lead Agency (if different from above):

Caltrans
 Address: 855 M Street, Suite 200
 Fresno, CA 93721

Contact: Jennifer Lugo
 Phone: (559) 445-6172

SUBJECT: Filing of Notice of Determination in compliance with Section 21108 or 21152 of the Public Resources Code.

State Clearinghouse Number (if submitted to State Clearinghouse): 2010082078

Project Title: Claribel Road Extension Project

Project Applicant: Stanislaus County

Project Location (include county): Latitude: 37.711° and Longitude: -120.932°, Stanislaus County

Project Description:

The Central Valley Regional Water Quality Control Board is issuing a 401 Water Quality Certification for the subject Project. The Claribel Road Extension Project is Phase I of the North County Corridor, which is proposed to improve freight and vehicle movement by realigning Claribel Road from Oakdale Road to east of Claus Road. The project includes replacing the MID Main Canal Bridge with a Reinforced Double Cell Concrete Box (RBC) Culvert.

This is to advise that the Central Valley Regional Water Quality Control Board has approved the above
 Lead Agency or Responsible Agency

described project on 15 May 2023 and has made the following determinations regarding the above
 (date)
 described project.

1. The project will will not] have a significant effect on the environment.
2. An Environmental Impact Report was prepared for this project pursuant to the provisions of CEQA.
 A Negative Declaration was prepared for this project pursuant to the provisions of CEQA.
3. Mitigation measures were were not] made a condition of the approval of the project.
4. A mitigation reporting or monitoring plan was was not] adopted for this project.
5. A statement of Overriding Considerations was was not] adopted for this project.
6. Findings were were not] made pursuant to the provisions of CEQA.

This is to certify that the final EIR with comments and responses and record of project approval, or the negative Declaration, is available to the General Public at:

<http://www.stancounty.com/publicworks/projects.shtm>

Signature (Public Agency): Peter Minkel Title: Engineering Geologist

Date: 16 May 2023 Date Received for filing at OPR: _____