| Notice of Determin | ation | ĺ |
|---------------------------|-------|---|
|---------------------------|-------|---|

Appendix D

| To: | From: Public Agency: California Dept. of Transportation |
|--|---|
| U.S. Mail: Street Ac | Addison AGA West Fourth Street 6th Floor MS 927 |
| | San Bernardino, CA 92401 |
| Sacramento, CA 95812-3044 Sacrame | Contact-Shawn Oriaz |
| Sacramento, OA 93012-3044 Sacrame | Phone:(909) 388-7034 |
| County Clerk County of: | Lead Agency (if different from above): |
| Address: | Address: |
| | |
| | Contact:Phone: |
| SUBJECT: Filing of Notice of Determina Resources Code. | ation in compliance with Section 21108 or 21152 of the Public |
| State Clearinghouse Number (if submitted | to State Clearinghouse): 2019039163 |
| Project Title: State Route 74 Widen Lanes, Ad | dd Shoulders, & Rumble Strips Project (EA 08-1C8500) |
| Project Applicant: California Department of T | ransportation |
| Project Location (include county): Riverside | County |
| Highway), from Orange County Line [Post Mile | lder ground-in rumble strips on State Route 74 (SR-74, Ortega (PM) 0.0] to Monte Vista Street (PM 5.8), near Lake Elsinore in |
| Highway), from Orange County Line [Post Mile Riverside County. The total width of the paveme constructing retaining walls with concrete barrie. This is to advise that the California Department. | (PM) 0.0] to Monte Vista Street (PM 5.8), near Lake Elsinore in ent is proposed to be 34 feet. Widening the shoulders would require rs, cutting the rock slopes, and installing fill slopes. The proposed to be 34 feet. Widening the shoulders would require rs, cutting the rock slopes, and installing fill slopes. The proposed to be 34 feet. Widening the shoulders would require rs, cutting the rock slopes, and installing fill slopes. |
| Highway), from Orange County Line [Post Mile Riverside County. The total width of the paveme constructing retaining walls with concrete barrie. This is to advise that the California Department. | (PM) 0.0] to Monte Vista Street (PM 5.8), near Lake Elsinore in ent is proposed to be 34 feet. Widening the shoulders would require rs, cutting the rock slopes, and installing fill slopes. |
| Highway), from Orange County Line [Post Mile Riverside County. The total width of the pavement constructing retaining walls with concrete barries. This is to advise that the California Department (X Lead A | (PM) 0.0] to Monte Vista Street (PM 5.8), near Lake Elsinore in ent is proposed to be 34 feet. Widening the shoulders would require rs, cutting the rock slopes, and installing fill slopes. The proposed to be 34 feet. Widening the shoulders would require rs, cutting the rock slopes, and installing fill slopes. The proposed to be 34 feet. Widening the shoulders would require rs, cutting the rock slopes, and installing fill slopes. |
| Highway), from Orange County Line [Post Mile Riverside County. The total width of the paveme constructing retaining walls with concrete barrie This is to advise that the California Departm (X Lead A described project on 6/3/2019 | (PM) 0.0] to Monte Vista Street (PM 5.8), near Lake Elsinore in ent is proposed to be 34 feet. Widening the shoulders would require rs, cutting the rock slopes, and installing fill slopes. Nent of Transportation has approved the above agency or Responsible Agency) |
| Highway), from Orange County Line [Post Mile Riverside County. The total width of the paveme constructing retaining walls with concrete barrie. This is to advise that the California Departm (X Lead A described project on 6/3/2019 (date) described project. | (PM) 0.0] to Monte Vista Street (PM 5.8), near Lake Elsinore in ent is proposed to be 34 feet. Widening the shoulders would require rs, cutting the rock slopes, and installing fill slopes. The total Transportation approved the above regency or ☐ Responsible Agency) The total Responsible Agency approved the above regency or ☐ Responsible Agency approved the above regency approved th |
| Highway), from Orange County Line [Post Mile Riverside County. The total width of the paveme constructing retaining walls with concrete barries. This is to advise that the California Departm (X Lead A described project on 6/3/2019 and (date) described project. 1. The project [will will will not] have a second country will a will not] have a second country will will not]. | (PM) 0.0] to Monte Vista Street (PM 5.8), near Lake Elsinore in ent is proposed to be 34 feet. Widening the shoulders would require rs, cutting the rock slopes, and installing fill slopes. The total Transportation approved the above regency or ☐ Responsible Agency) The total Responsible Agency approved the above regency or ☐ Responsible Agency approved the above regency approved th |
| Highway), from Orange County Line [Post Mile Riverside County. The total width of the paveme constructing retaining walls with concrete barries. This is to advise that the California Departm (X Lead A described project on 6/3/2019 (date) described project. 1. The project [will will not] have a second country and control of the country and country an | (PM) 0.0] to Monte Vista Street (PM 5.8), near Lake Elsinore in ent is proposed to be 34 feet. Widening the shoulders would require its, cutting the rock slopes, and installing fill slopes. Ident of Transportation has approved the above agency or Responsible Agency) Indicate the following determinations regarding the above significant effect on the environment. |
| Highway), from Orange County Line [Post Mile Riverside County. The total width of the paveme constructing retaining walls with concrete barries. This is to advise that the California Departm (X Lead A described project on 6/3/2019 a (date) described project. 1. The project [will will not] have a second A negative Declaration was prepared. | (PM) 0.0] to Monte Vista Street (PM 5.8), near Lake Elsinore in ent is proposed to be 34 feet. Widening the shoulders would require rs, cutting the rock slopes, and installing fill slopes. Nent of Transportation has approved the above agency or ☐ Responsible Agency) Indicate the following determinations regarding the above assignificant effect on the environment. It is proposed to be 34 feet. Widening fill slopes. |
| Highway), from Orange County Line [Post Mile Riverside County. The total width of the paveme constructing retaining walls with concrete barries. This is to advise that the California Departm (X Lead A described project on 6/3/2019 (date) described project. 1. The project [will will not] have a second An Environmental Impact Report was A Negative Declaration was prepared Merce California Post Merce (A negative Declaration was prepared second country). | (PM) 0.0] to Monte Vista Street (PM 5.8), near Lake Elsinore in ent is proposed to be 34 feet. Widening the shoulders would require its, cutting the rock slopes, and installing fill slopes. The proposed to be 34 feet. Widening the shoulders would require its, cutting the rock slopes, and installing fill slopes. The proposed to be 34 feet. Widening the shoulders would require its proposed to be slopes. The proposed to be 34 feet. Widening fill slopes. The proposed to be 34 feet. Widening fill slopes. The proposed to be 34 feet. Widening fill slopes. The proposed to be 34 feet. Widening fill slopes. The proposed to be 34 feet. Widening fill slopes. The proposed to be 34 feet. Widening the shoulders would require its proposed to be approved the shoulders would require its proposed to be 34 feet. Widening fill slopes. The proposed to be 34 feet. Widening the shoulders would require its proposed to be 34 feet. Widening the shoulders would require its proposed to be 34 feet. Widening the shoulders would require its proposed to be 34 feet. Widening the shoulders would require its proposed to be 34 feet. Widening the shoulders would require its proposed to be 34 feet. Widening the shoulders would require its proposed to be 34 feet. Widening the shoulders would require its proposed to be 34 feet. Widening the shoulders would require its proposed to be 34 feet. Widening the shoulders would require its proposed to be 34 feet. Widening the shoulders would require its proposed to be 34 feet. Widening the shoulders would require its proposed to be 34 feet. Widening the shoulders would require its proposed to be 34 feet. Widening the shoulders would require its proposed to be 34 feet. Widening the shoulders would require its proposed to be 34 feet. Widening the shoulders would require its proposed to be 34 feet. Widening the shoulders would require its proposed to be 34 feet. Widening the shoulders would require its proposed to be 34 feet. Widening the shoulders would require its proposed to be 34 feet. Widening the |
| Highway), from Orange County Line [Post Mile Riverside County. The total width of the paveme constructing retaining walls with concrete barries. This is to advise that the California Departm (X Lead A described project on 6/3/2019 (date) described project. 1. The project [will will not] have a second A negative Declaration was prepared A Negative Declaration was prepared A mitigation reporting or monitoring plants. | (PM) 0.0] to Monte Vista Street (PM 5.8), near Lake Elsinore in ent is proposed to be 34 feet. Widening the shoulders would require rs, cutting the rock slopes, and installing fill slopes. thent of Transportation has approved the above approved or □ Responsible Agency) and has made the following determinations regarding the above assignificant effect on the environment. Is prepared for this project pursuant to the provisions of CEQA. The determination of the approval of the project. If □ was ☒ was not] adopted for this project. |
| Highway), from Orange County Line [Post Mile Riverside County. The total width of the paveme constructing retaining walls with concrete barries. This is to advise that the California Departm (X Lead A described project on 6/3/2019 a (date) described project. 1. The project [will will not] have a second A Negative Declaration was prepared A Negative Declaration was prepared A. A mitigation reporting or monitoring plants. | (PM) 0.0] to Monte Vista Street (PM 5.8), near Lake Elsinore in ent is proposed to be 34 feet. Widening the shoulders would require rs, cutting the rock slopes, and installing fill slopes. The ent of Transportation has approved the above agency or ☐ Responsible Agency) The ent of Transportation has approved the above agency or ☐ Responsible Agency) The ent of Transportation has approved the above agency or ☐ Responsible Agency) The ent of Transportation has approved the above agency or ☐ Responsible Agency) The ent of Transportation has approved the above agency or ☐ Responsible Agency) The ent of Transportation has approved the above agency or ☐ Responsible Agency) The ent of Transportation has approved the above agency or ☐ Responsible Agency) The ent of Transportation has approved the above agency or ☐ Responsible Agency) The ent of Transportation has approved the above agency or ☐ Responsible Agency) The ent of Transportation has approved the above agency or ☐ Responsible Agency) The ent of Transportation has approved the above agency or ☐ Responsible Agency) The ent of Transportation has approved the above agency or ☐ Responsible Agency) The ent of Transportation has approved the above agency or ☐ Responsible Agency) The ent of Transportation has approved the above agency or ☐ Responsible Agency) The ent of Transportation has approved the above agency or ☐ Responsible Agency) The ent of Transportation has approved the above agency or ☐ Responsible Agency) The ent of Transportation has approved the above agency or ☐ Responsible Agency) The ent of Transportation has approved the above agency or ☐ Responsible Agency) The ent of Transportation has approved the above agency or ☐ Responsible Agency) The ent of Transportation has approved the above agency or ☐ Responsible Agency The ent of Transportation has approved the above agency or ☐ Responsible Agency The ent of Transportation has approved the above agency or ☐ Responsible Agency The ent of Transportation has approved the above agenc |
| Highway), from Orange County Line [Post Mile Riverside County. The total width of the paveme constructing retaining walls with concrete barries. This is to advise that the California Departm (X Lead A described project on 6/3/2019 a (date) described project. 1. The project [will will not] have a second A Negative Declaration was prepared A Negative Declaration was prepared A A mitigation reporting or monitoring plants. A statement of Overriding Consideration | (PM) 0.0] to Monte Vista Street (PM 5.8), near Lake Elsinore in ent is proposed to be 34 feet. Widening the shoulders would require rs, cutting the rock slopes, and installing fill slopes. The ent of Transportation has approved the above agency or ☐ Responsible Agency) The ent of Transportation has approved the above agency or ☐ Responsible Agency) The ent of Transportation has approved the above agency or ☐ Responsible Agency) The ent of Transportation has approved the above agency or ☐ Responsible Agency) The ent of Transportation has approved the above agency or ☐ Responsible Agency) The ent of Transportation has approved the above agency or ☐ Responsible Agency) The ent of Transportation has approved the above agency or ☐ Responsible Agency) The ent of Transportation has approved the above agency or ☐ Responsible Agency) The ent of Transportation has approved the above agency or ☐ Responsible Agency) The ent of Transportation has approved the above agency or ☐ Responsible Agency) The ent of Transportation has approved the above agency or ☐ Responsible Agency) The ent of Transportation has approved the above agency or ☐ Responsible Agency) The ent of Transportation has approved the above agency or ☐ Responsible Agency) The ent of Transportation has approved the above agency or ☐ Responsible Agency) The ent of Transportation has approved the above agency or ☐ Responsible Agency) The ent of Transportation has approved the above agency or ☐ Responsible Agency) The ent of Transportation has approved the above agency or ☐ Responsible Agency) The ent of Transportation has approved the above agency or ☐ Responsible Agency) The ent of Transportation has approved the above agency or ☐ Responsible Agency) The ent of Transportation has approved the above agency or ☐ Responsible Agency The ent of Transportation has approved the above agency or ☐ Responsible Agency The ent of Transportation has approved the above agency or ☐ Responsible Agency The ent of Transportation has approved the above agenc |
| Highway), from Orange County Line [Post Mile Riverside County. The total width of the paveme constructing retaining walls with concrete barries. This is to advise that the California Departm (X Lead A described project on 6/3/2019 (date) described project. 1. The project [will will not] have a second A negative Declaration was prepared A Negative Declaration was prepared A mitigation measures [were were were a were were a second A statement of Overriding Consideration 6. Findings [were were not] made part of the pavement of the pavement were not] made part of the pavement was prepared the part of the pavement | (PM) 0.0] to Monte Vista Street (PM 5.8), near Lake Elsinore in ent is proposed to be 34 feet. Widening the shoulders would require its, cutting the rock slopes, and installing fill slopes. Nent of Transportation |
| Highway), from Orange County Line [Post Mile Riverside County. The total width of the paveme constructing retaining walls with concrete barries. This is to advise that the California Departm (X Lead A described project on 6/3/2019 (date) described project. 1. The project [will will not] have a second A negative Declaration was prepared A negative Declaration was prepared A mitigation measures [were were were were not] were found for the final second and project was a second A statement of Overriding Consideration A statement of Overriding Consideration and project were were not] were project is to certify that the final EIR with cominegative Declaration, is available to the Geometric construction of the second and the pavement of the second and the project is a second and the project is a second and the pavement of the t | (PM) 0.0] to Monte Vista Street (PM 5.8), near Lake Elsinore in ent is proposed to be 34 feet. Widening the shoulders would require its, cutting the rock slopes, and installing fill slopes. Nent of Transportation |
| Highway), from Orange County Line [Post Mile Riverside County. The total width of the paveme constructing retaining walls with concrete barries. This is to advise that the California Departm (X Lead A described project on 6/3/2019 and (date) described project. 1. The project [will will not] have a second A negative Declaration was prepared A. A mitigation measures [were were and were and the second and th | (PM) 0.0] to Monte Vista Street (PM 5.8), near Lake Elsinore in ent is proposed to be 34 feet. Widening the shoulders would require its, cutting the rock slopes, and installing fill slopes. lent of Transportation has approved the above agency or ☐ Responsible Agency) Indicate the following determinations regarding the above asignificant effect on the environment. It is prepared for this project pursuant to the provisions of CEQA. Indicate the following determinations of CEQA. Indicate the project pursuant to the provisions of CEQA. Indicate the project pursuant to the project. It is was is was not adopted for this project. It is was is was not adopted for this project. Indicate the provisions of CEQA. Indicate the provisions of CEQA. |
| Highway), from Orange County Line [Post Mile Riverside County. The total width of the paveme constructing retaining walls with concrete barries. This is to advise that the California Departm (X Lead A described project on 6/3/2019 (date) described project. 1. The project [will will not] have a second A negative Declaration was prepared A negative Declaration was prepared A mitigation measures [were were were were not] were found for the final second and project was a second A statement of Overriding Consideration A statement of Overriding Consideration and project were were not] were project is to certify that the final EIR with cominegative Declaration, is available to the Geometric construction of the second and the pavement of the second and the project is a second and the project is a second and the pavement of the t | (PM) 0.0] to Monte Vista Street (PM 5.8), near Lake Elsinore in ent is proposed to be 34 feet. Widening the shoulders would require rs, cutting the rock slopes, and installing fill slopes. thent of Transportation |

Authority cited: Sections 21083, Public Resources Code. Reference Section 21000-21174, Public Resources Code.

JUN 1.9 2019
Revised 2011
STATE CLEARINGHOUSE