# Appendix A Air Quality/GHG Data

# Appendix

*This page intentionally left blank.*

# Air Quality and Greenhouse Gas Background and Modeling Data

## AIR QUALITY

### Climate/Meteorology

#### SOUTH COAST AIR BASIN

The project site lies in the South Coast Air Basin (SoCAB), which includes all of Orange County and the non-desert portions of Los Angeles, Riverside, and San Bernardino Counties. The SoCAB is in a coastal plain with connecting broad valleys and low hills and is bounded by the Pacific Ocean in the southwest quadrant, with high mountains forming the remainder of the perimeter. The general region lies in the semi-permanent high-pressure zone of the eastern Pacific. As a result, the climate is mild, tempered by cool sea breezes. This usually mild weather pattern is interrupted infrequently by periods of extremely hot weather, winter storms, and Santa Ana winds (SCAQMD 2005).

#### Temperature and Precipitation

The annual average temperature varies little throughout the SoCAB, ranging from the low to middle 60s, measured in degrees Fahrenheit (°F). With a more pronounced oceanic influence, coastal areas show less variability in annual minimum and maximum temperatures than inland areas. The climatological station nearest to the project site with temperature data is the Los Angeles International Airport Monitoring Station (ID No. 045114). The lowest average temperature is reported at 47.5°F in January, and the highest average temperature is 76.3°F in August (WRCC 2019).

In contrast to a very steady pattern of temperature, rainfall is seasonally and annually highly variable. Almost all rain falls from October through April. Summer rainfall is normally restricted to widely scattered thundershowers near the coast, with slightly heavier shower activity in the east and over the mountains. Rainfall historically averages 12.02 inches per year in the project area (WRCC 2019).

#### Humidity

Although the SoCAB has a semiarid climate, the air near the earth's surface is typically moist because of the presence of a shallow marine layer. Except for infrequent periods when dry, continental air is brought into the SoCAB by offshore winds, the "ocean effect" is dominant. Periods of heavy fog, especially along the coast, are frequent. Low clouds, often referred to as high fog, are a characteristic climatic feature. Annual average humidity is 70 percent at the coast and 57 percent in the eastern portions of the SoCAB (SCAQMD 2005).

### Wind

Wind patterns across the south coastal region are characterized by westerly or southwesterly onshore winds during the day and by easterly or northeasterly breezes at night. Wind speed is somewhat greater during the dry summer months than during the rainy winter season.

Between periods of wind, periods of air stagnation may occur, both in the morning and evening hours. Air stagnation is one of the critical determinants of air quality conditions on any given day. During the winter and fall months, surface high-pressure systems over the SoCAB, combined with other meteorological conditions, can result in very strong, downslope Santa Ana winds. These winds normally continue a few days before predominant meteorological conditions are reestablished.

The mountain ranges to the east affect the transport and diffusion of pollutants by inhibiting their eastward transport. Air quality in the SoCAB generally ranges from fair to poor and is similar to air quality in most of coastal southern California. The entire region experiences heavy concentrations of air pollutants during prolonged periods of stable atmospheric conditions (SCAQMD 2005).

### Inversions

In conjunction with the two characteristic wind patterns that affect the rate and orientation of horizontal pollutant transport, there are two similarly distinct types of temperature inversions that control the vertical depth through which pollutants are mixed. These are the marine/subsidence inversion and the radiation inversion. The combination of winds and inversions are critical determinants in leading to the highly degraded air quality in summer and the generally good air quality in the winter in the project area (SCAQMD 2005).

## Air Quality Regulations

The proposed project has the potential to release gaseous emissions of criteria pollutants and dust into the ambient air; therefore, it falls under the ambient air quality standards promulgated at the local, state, and federal levels. The project site is in the SoCAB and is subject to the rules and regulations imposed by the South Coast Air Quality Management District (SCAQMD). However, SCAQMD reports to California Air Resources board (CARB), and all criteria emissions are also governed by the California and national Ambient Air Quality Standards (AAQS). Federal, state, regional, and local laws, regulations, plans, or guidelines that are potentially applicable to the proposed project are summarized below.

### AMBIENT AIR QUALITY STANDARDS

The Clean Air Act (CAA) was passed in 1963 by the US Congress and has been amended several times. The 1970 Clean Air Act amendments strengthened previous legislation and laid the foundation for the regulatory scheme of the 1970s and 1980s. In 1977, Congress again added several provisions, including nonattainment requirements for areas not meeting National AAQS and the Prevention of Significant Deterioration program. The 1990 amendments represent the latest in a series of federal efforts to regulate the protection of air quality in the United States. The CAA allows states to adopt more stringent standards or to include other pollution species. The California Clean Air Act (CCAA), signed into law in 1988, requires all areas of the state

to achieve and maintain the California AAQS by the earliest practical date. The California AAQS tend to be more restrictive than the National AAQS, based on even greater health and welfare concerns.

These National AAQS and California AAQS are the levels of air quality considered to provide a margin of safety in the protection of the public health and welfare. They are designed to protect "sensitive receptors" most susceptible to further respiratory distress, such as asthmatics, the elderly, very young children, people already weakened by other disease or illness, and persons engaged in strenuous work or exercise. Healthy adults can tolerate occasional exposure to air pollutant concentrations considerably above these minimum standards before adverse effects are observed.

Both California and the federal government have established health-based AAQS for seven air pollutants. As shown in Table 1, these pollutants include ozone ($O_3$), nitrogen dioxide ($NO_2$), carbon monoxide (CO), sulfur dioxide ($SO_2$), coarse inhalable particulate matter ($PM_{10}$), fine inhalable particulate matter ($PM_{2.5}$), and lead (Pb). In addition, the state has set standards for sulfates, hydrogen sulfide, vinyl chloride, and visibility-reducing particles. These standards are designed to protect the health and welfare of the populace with a reasonable margin of safety.

**Table 1 Ambient Air Quality Standards for Criteria Pollutants**

| Pollutant | Averaging Time | California Standard[1] | Federal Primary Standard[2] | Major Pollutant Sources |
|---|---|---|---|---|
| Ozone ($O_3$)[3] | 1 hour | 0.09 ppm | * | Motor vehicles, paints, coatings, and solvents. |
| | 8 hours | 0.070 ppm | 0.070 ppm | |
| Carbon Monoxide (CO) | 1 hour | 20 ppm | 35 ppm | Internal combustion engines, primarily gasoline-powered motor vehicles. |
| | 8 hours | 9.0 ppm | 9 ppm | |
| Nitrogen Dioxide ($NO_2$) | Annual Arithmetic Mean | 0.030 ppm | 0.053 ppm | Motor vehicles, petroleum-refining operations, industrial sources, aircraft, ships, and railroads. |
| | 1 hour | 0.18 ppm | 0.100 ppm | |
| Sulfur Dioxide ($SO_2$) | Annual Arithmetic Mean | * | 0.030 ppm | Fuel combustion, chemical plants, sulfur recovery plants, and metal processing. |
| | 1 hour | 0.25 ppm | 0.075 ppm | |
| | 24 hours | 0.04 ppm | 0.14 ppm | |
| Respirable Coarse Particulate Matter ($PM_{10}$) | Annual Arithmetic Mean | 20 µg/m$^3$ | * | Dust and fume-producing construction, industrial, and agricultural operations, combustion, atmospheric photochemical reactions, and natural activities (e.g., wind-raised dust and ocean sprays). |
| | 24 hours | 50 µg/m$^3$ | 150 µg/m$^3$ | |
| Respirable Fine Particulate Matter | Annual Arithmetic Mean | 12 µg/m$^3$ | 12 µg/m$^3$ | Dust and fume-producing construction, industrial, and agricultural operations, combustion, atmospheric |

**Table 1 Ambient Air Quality Standards for Criteria Pollutants**

| Pollutant | Averaging Time | California Standard[1] | Federal Primary Standard[2] | Major Pollutant Sources |
|---|---|---|---|---|
| ($PM_{2.5}$)[4] | 24 hours | * | 35 µg/m$^3$ | photochemical reactions, and natural activities (e.g., wind-raised dust and ocean sprays). |
| Lead (Pb) | 30-Day Average | 1.5 µg/m$^3$ | * | Present source: lead smelters, battery manufacturing & recycling facilities. Past source: combustion of leaded gasoline. |
| | Calendar Quarter | * | 1.5 µg/m$^3$ | |
| | Rolling 3-Month Average | * | 0.15 µg/m$^3$ | |
| Sulfates ($SO_4$)[5] | 24 hours | 25 µg/m$^3$ | * | Industrial processes. |
| Visibility Reducing Particles | 8 hours | ExCo =0.23/km visibility of 10≥ miles | No Federal Standard | Visibility-reducing particles consist of suspended particulate matter, which is a complex mixture of tiny particles that consists of dry solid fragments, solid cores with liquid coatings, and small droplets of liquid. These particles vary greatly in shape, size and chemical composition, and can be made up of many different materials such as metals, soot, soil, dust, and salt. |
| Hydrogen Sulfide | 1 hour | 0.03 ppm | No Federal Standard | Hydrogen sulfide ($H_2S$) is a colorless gas with the odor of rotten eggs. It is formed during bacterial decomposition of sulfur-containing organic substances. Also, it can be present in sewer gas and some natural gas, and can be emitted as the result of geothermal energy exploitation. |
| Vinyl Chloride | 24 hour | 0.01 ppm | No Federal Standard | Vinyl chloride (chloroethene), a chlorinated hydrocarbon, is a colorless gas with a mild, sweet odor. Most vinyl chloride is used to make polyvinyl chloride (PVC) plastic and vinyl products. Vinyl chloride has been detected near landfills, sewage plants, and hazardous waste sites, due to microbial breakdown of chlorinated solvents. |

Source: CARB 2016.
Notes: ppm: parts per million; µg/m$^3$: micrograms per cubic meter
* Standard has not been established for this pollutant/duration by this entity.
1 California standards for $O_3$, CO (except 8-hour Lake Tahoe), $SO_2$ (1 and 24 hour), $NO_2$, and particulate matter ($PM_{10}$, $PM_{2.5}$, and visibility reducing particles), are values that are not to be exceeded. All others are not to be equaled or exceeded. California ambient air quality standards are listed in the Table of Standards in Section 70200 of Title 17 of the California Code of Regulations.
2 National standards (other than $O_3$, PM, and those based on annual arithmetic mean) are not to be exceeded more than once a year. The $O_3$ standard is attained when the fourth highest 8-hour concentration measured at each site in a year, averaged over three years, is equal to or less than the standard. For $PM_{10}$, the 24-hour standard is attained when the expected number of days per calendar year with a 24-hour average concentration above 150 µg/m$^3$ is equal to or less than one. For $PM_{2.5}$, the 24-hour standard is attained when 98 percent of the daily concentrations, averaged over three years, are equal to or less than the standard.
3 On October 1, 2015, the national 8-hour ozone primary and secondary standards were lowered from 0.075 to 0.070 ppm.
4 On December 14, 2012, the national annual $PM_{2.5}$ primary standard was lowered from 15 µg/m$^3$ to 12.0 µg/m$^3$. The existing national 24-hour $PM_{2.5}$ standards (primary and secondary) were retained at 35 µg/m$^3$, as was the annual secondary standard of 15 µg/m$^3$. The existing 24-hour $PM_{10}$ standards (primary and secondary) of 150 µg/m$^3$ also were retained. The form of the annual primary and secondary standards is the annual mean, averaged over 3 years.
5 On June 2, 2010, a new 1-hour $SO_2$ standard was established and the existing 24-hour and annual primary standards were revoked. The 1-hour national standard is in units of parts per billion (ppb). California standards are in units of parts per million (ppm). To directly compare the 1-hour national standard to the California standard the units can be converted to ppm. In this case, the national standard of 75 ppb is identical to 0.075 ppm.

California has also adopted a host of other regulations that reduce criteria pollutant emissions, including:

- AB 1493: Pavley Fuel Efficiency Standards
- Title 20 California Code of Regulations (CCR): Appliance Energy Efficiency Standards
- Title 24, Part 6, CCR: Building and Energy Efficiency Standards
- Title 24, Part 11, CCR: Green Building Standards Code

## CRITERIA AIR POLLUTANTS

The air pollutants emitted into the ambient air by stationary and mobile sources are regulated by federal and state law. Air pollutants are categorized as primary or secondary pollutants. Primary air pollutants are those that are emitted directly from sources. Carbon monoxide (CO), volatile organic compounds (VOC), nitrogen dioxide ($NO_2$), sulfur dioxide ($SO_2$), coarse inhalable particulate matter ($PM_{10}$), fine inhalable particulate matter ($PM_{2.5}$), and lead (Pb) are primary air pollutants. Of these, CO, $SO_2$, $NO_2$, $PM_{10}$, and $PM_{2.5}$ are "criteria air pollutants," which means that ambient air quality standards (AAQS) have been established for them. VOC and oxides of nitrogen ($NO_x$) are air pollutant precursors that form secondary criteria pollutants through chemical and photochemical reactions in the atmosphere. Ozone ($O_3$) and $NO_2$ are the principal secondary pollutants. A description of each of the primary and secondary criteria air pollutants and their known health effects is presented below.

**Carbon Monoxide (CO)** is a colorless, odorless, toxic gas produced by incomplete combustion of carbon substances, such as gasoline or diesel fuel. CO is a primary criteria air pollutant. CO concentrations tend to be the highest during winter mornings with little to no wind, when surface-based inversions trap the pollutant at ground levels. Because CO is emitted directly from internal combustion, engines and motor vehicles operating at slow speeds are the primary source of CO in the SoCAB. The highest ambient CO concentrations are generally found near traffic-congested corridors and intersections. The primary adverse health effect associated with CO is interference with normal oxygen transfer to the blood, which may result in tissue oxygen deprivation (SCAQMD 2005; USEPA 2019a). The SoCAB is designated under the California and National AAQS as being in attainment of CO criteria levels (CARB 2017a).

**Volatile Organic Compounds (VOC)** are compounds composed primarily of atoms of hydrogen and carbon. Internal combustion associated with motor vehicle usage is the major source of hydrocarbons. Other sources of VOCs include evaporative emissions associated with the use of paints and solvents, the application of asphalt paving, and the use of household consumer products such as aerosols. There are no ambient air quality standards established for VOCs. However, because they contribute to the formation of ozone ($O_3$), SCAQMD has established a significance threshold for this pollutant (SCAQMD 2005).

**Nitrogen Oxides ($NO_x$)** are a byproduct of fuel combustion and contribute to the formation of $O_3$, $PM_{10}$, and $PM_{2.5}$. The two major forms of $NO_x$ are nitric oxide (NO) and nitrogen dioxide ($NO_2$). The principal form of $NO_2$ produced by combustion is NO, but NO reacts with oxygen to form $NO_2$, creating the mixture of NO and $NO_2$ commonly called $NO_x$. $NO_2$ acts as an acute irritant and, in equal concentrations, is more injurious than NO. At atmospheric concentrations, however, $NO_2$ is only potentially irritating. There is some indication of a relationship between $NO_2$ and chronic pulmonary fibrosis. Some increase in bronchitis in children (two and three years old) has also been observed at concentrations below 0.3 part per million (ppm).

$NO_2$ absorbs blue light; the result is a brownish-red cast to the atmosphere and reduced visibility. NO is a colorless, odorless gas formed from atmospheric nitrogen and oxygen when combustion takes place under high temperature and/or high pressure (SCAQMD 2005; USEPA 2019a). The SoCAB is designated as an attainment area for $NO_2$ under the National AAQS California AAQS (CARB 2017a).

**Sulfur Dioxide ($SO_2$)** is a colorless, pungent, irritating gas formed by the combustion of sulfurous fossil fuels. It enters the atmosphere as a result of burning high-sulfur-content fuel oils and coal and from chemical processes at chemical plants and refineries. Gasoline and natural gas have very low sulfur content and do not release significant quantities of $SO_2$ (SCAQMD 2005; USEPA 2019a). When sulfur dioxide forms sulfates ($SO_4$) in the atmosphere, together these pollutants are referred to as sulfur oxides ($SO_X$). Thus, $SO_2$ is both a primary and secondary criteria air pollutant. At sufficiently high concentrations, $SO_2$ may irritate the upper respiratory tract. At lower concentrations and when combined with particulates, $SO_2$ may do greater harm by injuring lung tissue. The SoCAB is designated as attainment under the California and National AAQS (CARB 2017a).

**Suspended Particulate Matter ($PM_{10}$ and $PM_{2.5}$)** consists of finely divided solids or liquids such as soot, dust, aerosols, fumes, and mists. Two forms of fine particulates are now recognized and regulated. Inhalable coarse particles, or $PM_{10}$, include the particulate matter with an aerodynamic diameter of 10 microns (i.e., 10 millionths of a meter or 0.0004 inch) or less. Inhalable fine particles, or $PM_{2.5}$, have an aerodynamic diameter of 2.5 microns (i.e., 2.5 millionths of a meter or 0.0001 inch) or less. Particulate discharge into the atmosphere results primarily from industrial, agricultural, construction, and transportation activities. However, wind action on arid landscapes also contributes substantially to local particulate loading (i.e., fugitive dust). Both $PM_{10}$ and $PM_{2.5}$ may adversely affect the human respiratory system, especially in people who are naturally sensitive or susceptible to breathing problems (SCAQMD 2005).

The US Environmental Protection Agency's (EPA) scientific review concluded that $PM_{2.5}$, which penetrates deeply into the lungs, is more likely than $PM_{10}$ to contribute to health effects and at concentrations that extend well below those allowed by the current $PM_{10}$ standards. These health effects include premature death and increased hospital admissions and emergency room visits (primarily the elderly and individuals with cardiopulmonary disease); increased respiratory symptoms and disease (children and individuals with cardiopulmonary disease such as asthma); decreased lung functions (particularly in children and individuals with asthma); and alterations in lung tissue and structure and in respiratory tract defense mechanisms (SCAQMD 2005). There has been emerging evidence that even smaller particulates with an aerodynamic diameter of <0.1 microns or less (i.e., ≤0.1 millionths of a meter or <0.000004 inch), known as ultrafine particulates (UFPs), have human health implications, because UFPs toxic components may initiate or facilitate biological processes that may lead to adverse effects to the heart, lungs, and other organs (SCAQMD 2016). However, the EPA or CARB have yet to adopt AAQS to regulate these particulates. Diesel particulate matter (DPM) is classified by the CARB as a carcinogen (CARB 1998). Particulate matter can also cause environmental effects such as visibility impairment,[1] environmental damage,[2] and aesthetic damage[3]

[1] $PM_{2.5}$ is the main cause of reduced visibility (haze) in parts of the United States.
[2] Particulate matter can be carried over long distances by wind and then settle on ground or water, making lakes and streams acidic; changing the nutrient balance in coastal waters and large river basins; depleting the nutrients in soil; damaging sensitive forests and farm crops; and affecting the diversity of ecosystems.

(SCAQMD 2005; USEPA 2019a). The SoCAB is a nonattainment area for $PM_{2.5}$ under California and National AAQS and a nonattainment area for $PM_{10}$ under the California AAQS (CARB 2017a).[4]

**Ozone ($O_3$)** is commonly referred to as "smog" and is a gas that is formed when VOCs and $NO_x$, both by-products of internal combustion engine exhaust, undergo photochemical reactions in the presence of sunlight. $O_3$ is a secondary criteria air pollutant. $O_3$ concentrations are generally highest during the summer months when direct sunlight, light winds, and warm temperatures create favorable conditions for the formation of this pollutant. $O_3$ poses a health threat to those who already suffer from respiratory diseases as well as to healthy people. Breathing $O_3$ can trigger a variety of health problems, including chest pain, coughing, throat irritation, and congestion. It can worsen bronchitis, emphysema, and asthma. Ground-level $O_3$ also can reduce lung function and inflame the linings of the lungs. Repeated exposure may permanently scar lung tissue. $O_3$ also affects sensitive vegetation and ecosystems, including forests, parks, wildlife refuges, and wilderness areas. In particular, $O_3$ harms sensitive vegetation during the growing season (SCAQMD 2005; USEPA 2019a). The SoCAB is designated as extreme nonattainment under the California AAQS (1-hour and 8-hour) and National AAQS (8-hour) (CARB 2017a).

**Lead (Pb)** is a metal found naturally in the environment as well as in manufactured products. Once taken into the body, lead distributes throughout the body in the blood and accumulates in the bones. Depending on the level of exposure, lead can adversely affect the nervous system, kidney function, immune system, reproductive and developmental systems, and the cardiovascular system. Lead exposure also affects the oxygen-carrying capacity of the blood. The effects of lead most commonly encountered in current populations are neurological effects in children and cardiovascular effects in adults (e.g., high blood pressure and heart disease). Infants and young children are especially sensitive to even low levels of lead, which may contribute to behavioral problems, learning deficits, and lowered IQ (SCAQMD 2005; USEPA 2019a). The major sources of lead emissions have historically been mobile and industrial sources. As a result of the EPA's regulatory efforts to remove lead from gasoline, emissions of lead from the transportation sector dramatically declined by 95 percent between 1980 and 1999, and levels of lead in the air decreased by 94 percent between 1980 and 1999. Today, the highest levels of lead in air are usually found near lead smelters. The major sources of lead emissions today are ore and metals processing and piston-engine aircraft operating on leaded aviation gasoline. However, in 2008 the EPA and CARB adopted stricter lead standards, and special monitoring sites immediately downwind of lead sources recorded very localized violations of the new state and federal standards.[5] As a result of these violations, the Los Angeles County portion of the SoCAB is designated nonattainment under the National AAQS for lead (SCAQMD 2012; CARB 2017a). Because emissions of lead are found only in projects that are permitted by SCAQMD, lead is not a pollutant of concern for the project.

---

[3] Particulate matter can stain and damage stone and other materials, including culturally important objects such as statues and monuments.

[4] CARB approved the SCAQMD's request to redesignate the SoCAB from serious nonattainment for $PM_{10}$ to attainment for $PM_{10}$ under the National AAQS on March 25, 2010, because the SoCAB has not violated federal 24-hour $PM_{10}$ standards during the period from 2004 to 2007. In June 2013, the EPA approved the State of California's request to redesignate the $PM_{10}$ nonattainment area to attainment of the $PM_{10}$ National AAQS, effective on July 26, 2013.

[5] Source-oriented monitors record concentrations of lead at lead-related industrial facilities in the SoCAB, which include Exide Technologies in the City of Commerce; Quemetco, Inc., in the City of Industry; Trojan Battery Company in Santa Fe Springs; and Exide Technologies in Vernon. Monitoring conducted between 2004 through 2007 showed that the Trojan Battery Company and Exide Technologies exceed the federal standards (SCAQMD 2012).

## TOXIC AIR CONTAMINANTS

The public's exposure to air pollutants classified as toxic air contaminants (TACs) is a significant environmental health issue in California. In 1983, the California Legislature enacted a program to identify the health effects of TACs and to reduce exposure to these contaminants to protect the public health. The California Health and Safety Code defines a TAC as "an air pollutant which may cause or contribute to an increase in mortality or in serious illness, or which may pose a present or potential hazard to human health." A substance that is listed as a hazardous air pollutant (HAP) pursuant to Section 112(b) of the federal Clean Air Act (42 United States Code §7412[b]) is a toxic air contaminant. Under state law, the California Environmental Protection Agency (Cal/EPA), acting through CARB, is authorized to identify a substance as a TAC if it determines that the substance is an air pollutant that may cause or contribute to an increase in mortality or to an increase in serious illness, or may pose a present or potential hazard to human health.

California regulates TACs primarily through Assembly Bill (AB) 1807 (Tanner Air Toxics Act) and AB 2588 (Air Toxics "Hot Spot" Information and Assessment Act of 1987). The Tanner Air Toxics Act sets forth a formal procedure for CARB to designate substances as TACs. Once a TAC is identified, CARB adopts an "airborne toxics control measure" for sources that emit designated TACs. If there is a safe threshold for a substance (i.e., a point below which there is no toxic effect), the control measure must reduce exposure to below that threshold. If there is no safe threshold, the measure must incorporate toxics best available control technology to minimize emissions. To date, CARB has established formal control measures for 11 TACs, all of which are identified as having no safe threshold.

Air toxics from stationary sources are also regulated in California under the Air Toxics "Hot Spot" Information and Assessment Act of 1987. Under AB 2588, toxic air contaminant emissions from individual facilities are quantified and prioritized by the air quality management district or air pollution control district. High priority facilities are required to perform a health risk assessment and, if specific thresholds are exceeded, are required to communicate the results to the public in the form of notices and public meetings.

By the last update to the TAC list in December 1999, CARB had designated 244 compounds as TACs (CARB 1999). Additionally, CARB has implemented control measures for a number of compounds that pose high risks and show potential for effective control. The majority of the estimated health risks from TACs can be attributed to relatively few compounds, the most important being particulate matter from diesel-fueled engines.

### Diesel Particulate Matter

In 1998, CARB identified particulate emissions from diesel-fueled engines (diesel PM) as a TAC. Previously, the individual chemical compounds in diesel exhaust were considered TACs. Almost all diesel exhaust particle mass is 10 microns or less in diameter. Because of their extremely small size, these particles can be inhaled and eventually trapped in the bronchial and alveolar regions of the lung.

CARB has promulgated the following specific rules to limit TAC emissions:

- 13 CCR Chapter 10, Section 2485, Airborne Toxic Control Measure to Limit Diesel-Fueled Commercial Motor Vehicle Idling

- 13 CCR Chapter 10, Section 2480, Airborne Toxic Control Measure to Limit School Bus Idling and Idling at Schools
- 13 CCR Section 2477 and Article 8, Airborne Toxic Control Measure for In-Use Diesel-Fueled Transport Refrigeration Units (TRU) and TRU Generator Sets and Facilities Where TRUs Operate

### Community Risk

In addition, to reduce exposure to TACs, CARB developed and approved the *Air Quality and Land Use Handbook: A Community Health Perspective* (CARB 2005) to provide guidance regarding the siting of sensitive land uses in the vicinity of freeways, distribution centers, rail yards, ports, refineries, chrome-plating facilities, dry cleaners, and gasoline-dispensing facilities. This guidance document was developed to assess compatibility and associated health risks when placing sensitive receptors near existing pollution sources. CARB's recommendations on the siting of new sensitive land uses were based on a compilation of recent studies that evaluated data on the adverse health effects from proximity to air pollution sources. The key observation in these studies is that proximity to air pollution sources substantially increases exposure and the potential for adverse health effects. There are three carcinogenic toxic air contaminants that constitute the majority of the known health risks from motor vehicle traffic, DPM from trucks, and benzene and 1,3 butadiene from passenger vehicles. CARB recommendations are based on data that show that localized air pollution exposures can be reduced by as much as 80 percent by following CARB minimum distance separations.

### Multiple Airborne Toxics Exposure Study (MATES)

The Multiple Air Toxics Exposure Study (MATES) is a monitoring and evaluation study on ambient concentrations of TACs and estimated the potential health risks from air toxics in the SoCAB. In 2008, SCAQMD conducted its third update to the MATES study (MATES III). The results showed that the overall risk for excess cancer from a lifetime exposure to ambient levels of air toxics was about 1,200 in a million. The largest contributor to this risk was diesel exhaust, accounting for 84 percent of the cancer risk (SCAQMD 2008a).

SCAQMD recently released the fourth update (MATES IV). The results showed that the overall monitored risk for excess cancer from a lifetime exposure to ambient levels of air toxics decreased to approximately 418 in one million. Compared to the 2008 MATES III, monitored excess cancer risks decreased by approximately 65 percent. Approximately 90 percent of the risk is attributed to mobile sources while 10 percent is attributed to TACs from stationary sources, such as refineries, metal processing facilities, gas stations, and chrome plating facilities. The largest contributor to this risk was diesel exhaust, accounting for approximately 68 percent of the air toxics risk. Compared to MATES III, MATES IV found substantial improvement in air quality and associated decrease in air toxics exposure. As a result, the estimated basin-wide population-weighted risk decreased by approximately 57 percent compared to the analysis done for the MATES III time period (SCAQMD 2015a).

The Office of Environmental Health Hazard Assessment (OEHHA) updated the guidelines for estimating cancer risks on March 6, 2015. The new method utilizes higher estimates of cancer potency during early life exposures, which result in a higher calculation of risk. There are also differences in the assumptions on

breathing rates and length of residential exposures. When combined, SCAQMD estimates that risks for a given inhalation exposure level will be about 2.7 times higher using the proposed updated methods identified in MATES IV (e.g., 2.7 times higher than 418 in one million overall excess cancer risk) (SCAQMD 2015a).

## Air Quality Management Planning

SCAQMD is the agency responsible for preparing the air quality management plan (AQMP) for the SoCAB in coordination with the Southern California Association of Governments (SCAG). Since 1979, a number of AQMPs have been prepared.

### 2016 AQMP

On March 3, 2017, SCAQMD adopted the 2016 AQMP as an update to the 2012 AQMP. The 2016 AQMP addresses strategies and measures to attain the following National AAQS:

- 2008 National 8-hour ozone standard by 2031,
- 2012 National annual $PM_{2.5}$ standard by 2025[6],
- 2006 National 24-hour $PM_{2.5}$ standard by 2019,
- 1997 National 8-hour ozone standard by 2023, and the
- 1979 National 1-hour ozone standard by year 2022.

It is projected that total $NO_X$ emissions in the SoCAB would need to be reduced to 150 tons per day (tpd) by year 2023 and to 100 tpd in year 2031 to meet the 1997 and 2008 federal 8-hour ozone standards. The strategy to meet the 1997 federal 8-hour ozone standard would also lead to attaining the 1979 federal 1-hour ozone standard by year 2022 (SCAQMD 2017), which requires reducing $NO_X$ emissions in the SoCAB to 250 tpd. This is approximately 45 percent additional reductions above existing regulations for the 2023 ozone standard and 55 percent additional reductions above existing regulations to meet the 2031 ozone standard.

Reducing $NO_X$ emissions would also reduce $PM_{2.5}$ concentrations in the SoCAB. However, as the goal is to meet the 2012 federal annual $PM_{2.5}$ standard no later than year 2025, SCAQMD is seeking to reclassify the SoCAB from "moderate" to "serious" nonattainment under this federal standard. A "moderate" non-attainment would require meeting the 2012 federal standard by no later than 2021.

Overall, the 2016 AQMP is composed of stationary and mobile-source emission reductions from regulatory control measures, incentive-based programs, co-benefits from climate programs, mobile-source strategies, and reductions from federal sources such as aircrafts, locomotives, and ocean-going vessels. Strategies outlined in the 2016 AQMP would be implemented in collaboration between CARB and the EPA (SCAQMD 2017).

### LEAD STATE IMPLEMENTATION PLAN

In 2008 EPA designated the Los Angeles County portion of the SoCAB nonattainment under the federal lead (Pb) classification due to the addition of source-specific monitoring under the new federal regulation. This designation was based on two source-specific monitors in Vernon and the City of Industry exceeding

[6] The 2016 AQMP requests a reclassification from moderate to serious non-attainment for the 2012 National $PM_{2.5}$ standard.

the new standard. The rest of the SoCAB, outside the Los Angeles County nonattainment area remains in attainment of the new standard. On May 24, 2012, CARB approved the SIP revision for the federal lead standard, which the EPA revised in 2008. Lead concentrations in this nonattainment area have been below the level of the federal standard since December 2011. The SIP revision was submitted to EPA for approval.

## AREA DESIGNATIONS

The AQMP provides the framework for air quality basins to achieve attainment of the state and federal ambient air quality standards through the State Implementation Plan (SIP). Areas are classified as attainment or nonattainment areas for particular pollutants, depending on whether they meet ambient air quality standards. Severity classifications for ozone nonattainment range in magnitude from marginal, moderate, and serious to severe and extreme.

- **Unclassified:** a pollutant is designated unclassified if the data are incomplete and do not support a designation of attainment or nonattainment.
- **Attainment:** a pollutant is in attainment if the CAAQS for that pollutant was not violated at any site in the area during a three-year period.
- **Nonattainment:** a pollutant is in nonattainment if there was at least one violation of a state AAQS for that pollutant in the area.
- **Nonattainment/Transitional:** a subcategory of the nonattainment designation. An area is designated nonattainment/transitional to signify that the area is close to attaining the AAQS for that pollutant.

The attainment status for the SoCAB is shown in Table 2. The SoCAB is designated in attainment of the California AAQS for sulfates. The SoCAB is designated as nonattainment for lead (Los Angeles County only) under the National AAQS.

**Table 2 Attainment Status of Criteria Pollutants in the South Coast Air Basin**

| Pollutant | State | Federal |
|---|---|---|
| Ozone – 1-hour | Extreme Nonattainment | No Federal Standard |
| Ozone – 8-hour | Extreme Nonattainment | Extreme Nonattainment |
| $PM_{10}$ | Serious Nonattainment | Attainment/Maintenance |
| $PM_{2.5}$ | Nonattainment | Nonattainment[1] |
| CO | Attainment | Attainment |
| $NO_2$ | Attainment | Attainment/Maintenance |
| $SO_2$ | Attainment | Attainment |
| Lead | Attainment | Nonattainment (Los Angeles County only)[2] |
| All others | Attainment/Unclassified | Attainment/Unclassified |

Source: CARB 2017a.
[1] SCAQMD is seeking to reclassify the SoCAB from "moderate" to "serious" nonattainment under federal $PM_{2.5}$ standard.
[2] In 2010, the Los Angeles portion of the SoCAB was designated nonattainment for lead under the new federal and existing state AAQS as a result of large industrial emitters. Remaining areas in the SoCAB are unclassified.

## Existing Ambient Air Quality

Existing levels of ambient air quality and historical trends and projections in the vicinity of the project site are best documented by measurements taken by the SCAQMD. The project site is located within Source Receptor Area (SRA) 3 – Southwest Coastal Los Angeles County. The air quality monitoring station closest to the project site is the Los Angeles – Westchester Parkway Monitoring Station. This station monitors $O_3$, CO, $NO_2$, $SO_2$, and $PM_{10}$. Data for $PM_{2.5}$ is supplemented by the Compton – 700 Bullis Road Monitoring Station. The most current five years of data from these monitoring stations are included in Table 3. The data show regular violations of the state and federal $O_3$ and federal $PM_{2.5}$ standards in the last five years.

**Table 3 Ambient Air Quality Monitoring Summary**

| Pollutant/Standard | Number of Days Threshold Were Exceeded and Maximum Levels during Such Violations | | | | |
|---|---|---|---|---|---|
| | 2013 | 2014 | 2015 | 2016 | 2017 |
| **Ozone ($O_3$)[1]** | | | | | |
| State 1-Hour ≥ 0.09 ppm (days exceed threshold) | 1 | 1 | 1 | 0 | 0 |
| State 8-hour ≥ 0.07 ppm (days exceed threshold) | 1 | 6 | 3 | 2 | 0 |
| Federal 8-Hour > 0.075 ppm (days exceed threshold) | 1 | 3 | 1 | 1 | 0 |
| Max. 1-Hour Conc. (ppm) | 0.105 | 0.114 | 0.096 | 0.087 | 0.086 |
| Max. 8-Hour Conc. (ppm) | 0.081 | 0.080 | 0.077 | 0.080 | 0.070 |
| **Carbon Monoxide (CO)[1]** | | | | | |
| State 8-Hour > 9.0 ppm (days exceed threshold) | * | * | * | * | * |
| Federal 8-Hour ≥ 9.0 ppm (days exceed threshold) | * | * | * | * | * |
| Max. 8-Hour Conc. (ppm) | * | * | * | * | * |
| **Nitrogen Dioxide ($NO_2$)[1]** | | | | | |
| State 1-Hour ≥ 0.18 ppm (days exceed threshold) | 0 | 0 | 0 | 0 | 0 |
| Federal 1-Hour ≥ 0.100 ppm (days exceed threshold) | 0 | 0 | 0 | 0 | 0 |
| Max. 1-Hour Conc. (ppb) | 0.0778 | 0.0873 | 0.0870 | 0.0815 | 0.0722 |
| **Sulfur Dioxide ($SO_2$)[1]** | | | | | |
| State 24-Hour ≥ 0.04 ppm (days exceed threshold) | 0 | * | * | * | * |
| Federal 24-Hour ≥ 0.14 ppm (days exceed threshold) | 0 | * | * | * | * |
| Max 24-Hour Conc. (ppm) | 0.002 | * | * | * | * |
| **Coarse Particulates ($PM_{10}$)[1]** | | | | | |
| State 24-Hour > 50 µg/m$^3$ (days exceed threshold) | 0 | 0 | 0 | 0 | 0 |
| Federal 24-Hour > 150 µg/m$^3$ (days exceed threshold) | 0 | 0 | 0 | 0 | 0 |
| Max. 24-Hour Conc. (µg/m$^3$) | 38.0 | 46.0 | 42.0 | 43.0 | 46.5 |
| **Fine Particulates ($PM_{2.5}$)[2]** | | | | | |
| Federal 24-Hour > 35 µg/m$^3$ (days exceed threshold) | 1 | 1 | 3 | 1 | 5 |
| Max. 24-Hour Conc. (µg/m$^3$) | 52.1 | 35.8 | 41.3 | 36.3 | 66.7 |

Source: CARB 2019.
ppm: parts per million; parts per billion, µg/m$^3$: micrograms per cubic meter
Notes: * Data not available.
[1] Data obtained from the Los Angeles – Westchester Parkway Monitoring Station.
[2] Data obtained from the Compton – 700 Bullis Road Monitoring Station.

## Sensitive Receptors

Some land uses are considered more sensitive to air pollution than others due to the types of population groups or activities involved. Sensitive population groups include children, the elderly, the acutely ill, and the chronically ill, especially those with cardio-respiratory diseases.

Residential areas are also considered to be sensitive receptors to air pollution because residents (including children and the elderly) tend to be at home for extended periods of time, resulting in sustained exposure to any pollutants present. Schools are also considered sensitive receptors, as children are present for extended durations and engage in regular outdoor activities. Recreational land uses are considered moderately sensitive to air pollution. Although exposure periods are generally short, exercise places a high demand on respiratory functions, which can be impaired by air pollution. In addition, noticeable air pollution can detract from the enjoyment of recreation. Industrial and commercial areas are considered the least sensitive to air pollution. Exposure periods are relatively short and intermittent, as the majority of the workers tend to stay indoors most of the time. In addition, the working population is generally the healthiest segment of the public. The nearest sensitive receptors to the proposed project site are the adjacent residences to the south along 24th Place, to the west along Grandview Avenue, and to the east along Bell Avenue.

## Methodology

Projected construction-related air pollutant emissions are calculated using the California Emissions Estimator Model (CalEEMod), Version 2016.3.2. CalEEMod compiles an emissions inventory of construction (fugitive dust, off-gas emissions, on-road emissions, and off-road emissions), area sources, indirect emissions from energy use, mobile sources, indirect emissions from waste disposal (annual only), and indirect emissions from water/wastewater (annual only) use. The calculated emissions of the project are compared to thresholds of significance for individual projects using the SCAQMD's CEQA Air Quality Analysis Guidance Handbook.

## Thresholds of Significance

The analysis of the proposed project's air quality impacts follows the guidance and methodologies recommended in SCAQMD's *CEQA Air Quality Handbook* and the significance thresholds on SCAQMD's website (SCAQMD 1993).[7] CEQA allows the significance criteria established by the applicable air quality management or air pollution control district to be used to assess impacts of a project on air quality. SCAQMD has established thresholds of significance for regional air quality emissions for construction activities and project operation. In addition to the daily thresholds listed above, projects are also subject to the AAQS. These are addressed though an analysis of localized CO impacts and localized significance thresholds (LSTs).

### REGIONAL SIGNIFICANCE THRESHOLDS

SCAQMD has adopted regional construction and operational emissions thresholds to determine a project's cumulative impact on air quality in the SoCAB. Table 4 lists SCAQMD's regional significance thresholds that

[7] SCAQMD's Air Quality Significance Thresholds are current as of March 2015 and can be found here: http://www.aqmd.gov/ceqa/hdbk.html.

are applicable for all projects uniformly regardless of size or scope. There is growing evidence that although ultrafine particulates contribute a very small portion of the overall atmospheric mass concentration, they represent a greater proportion of the health risk from PM. However, the EPA or CARB have not yet adopted AAQS to regulate ultrafine particulates; therefore, SCAQMD has not developed thresholds for them.

**Table 4 SCAQMD Significance Thresholds**

| Air Pollutant | Construction Phase | Operational Phase |
|---|---|---|
| Reactive Organic Gases (ROGs)/ Volatile Organic Compounds (VOCs) | 75 lbs/day | 55 lbs/day |
| Nitrogen Oxides ($NO_X$) | 100 lbs/day | 55 lbs/day |
| Carbon Monoxide (CO) | 550 lbs/day | 550 lbs/day |
| Sulfur Oxides ($SO_X$) | 150 lbs/day | 150 lbs/day |
| Particulates ($PM_{10}$) | 150 lbs/day | 150 lbs/day |
| Particulates ($PM_{2.5}$) | 55 lbs/day | 55 lbs/day |

Source: SCAQMD 2015b.

Projects that exceed the regional significance threshold contribute to the nonattainment designation of the SoCAB. The attainment designations are based on the AAQS, which are set at levels of exposure that are determined to not result in adverse health. Exposure to fine particulate pollution and ozone causes myriad health impacts, particularly to the respiratory and cardiovascular systems:

- Linked to increased cancer risk ($PM_{2.5}$, TACs)
- Aggravates respiratory disease ($O_3$, $PM_{2.5}$)
- Increases bronchitis ($O_3$, $PM_{2.5}$)
- Causes chest discomfort, throat irritation, and increased effort to take a deep breath ($O_3$)
- Reduces resistance to infections and increases fatigue ($O_3$)
- Reduces lung growth in children ($PM_{2.5}$)
- Contributes to heart disease and heart attacks ($PM_{2.5}$)
- Contributes to premature death ($O_3$, $PM_{2.5}$)
- Linked to lower birth weight in newborns ($PM_{2.5}$) (SCAQMD 2015c)

Exposure to fine particulates and ozone aggravates asthma attacks and can amplify other lung ailments such as emphysema and chronic obstructive pulmonary disease. Exposure to current levels of $PM_{2.5}$ is responsible for an estimated 4,300 cardiopulmonary-related deaths per year in the SoCAB. In addition, University of Southern California scientists responsible for a landmark children's health study found that lung growth improved as air pollution declined for children aged 11 to 15 in five communities in the SoCAB (SCAQMD 2015d).

Mass emissions in Table 4 are not correlated with concentrations of air pollutants but contribute to the cumulative air quality impacts in the SoCAB. Therefore, regional emissions from a single project do not single-handedly trigger a regional health impact. SCAQMD is the primary agency responsible for ensuring the health and welfare of sensitive individuals to elevated concentrations of air quality in the SoCAB. To achieve

the health-based standards established by the EPA, SCAQMD prepares an AQMP that details regional programs to attain the AAQS.

## CO HOTSPOTS

Areas of vehicle congestion have the potential to create pockets of CO called hot spots. These pockets have the potential to exceed the state one-hour standard of 20 ppm or the eight-hour standard of 9 ppm. Because CO is produced in greatest quantities from vehicle combustion and does not readily disperse into the atmosphere, adherence to ambient air quality standards is typically demonstrated through an analysis of localized CO concentrations. Hot spots are typically produced at intersections, where traffic congestion is highest because vehicles queue for longer periods and are subject to reduced speeds. With the turnover of older vehicles, introduction of cleaner fuels, and implementation of control technology on industrial facilities, CO concentrations in the SoCAB and in the state have steadily declined.

In 2007, the SoCAB was designated in attainment for CO under both the California AAQS and National AAQS. The CO hot spot analysis conducted for the attainment by SCAQMD for busiest intersections in Los Angeles during the peak morning and afternoon periods plan did not predict a violation of CO standards. [8] As identified in SCAQMD's 2003 AQMP and the 1992 Federal Attainment Plan for Carbon Monoxide (1992 CO Plan), peak carbon monoxide concentrations in the SoCAB in previous years, prior to redesignation, were a result of unusual meteorological and topographical conditions and not a result of congestion at a particular intersection (SCAQMD 1992; 2003). Under existing and future vehicle emission rates, a project would have to increase traffic volumes at a single intersection by more than 44,000 vehicles per hour—or 24,000 vehicles per hour where vertical and/or horizontal air does not mix—in order to generate a significant CO impact (BAAQMD 2017).

## LOCALIZED SIGNIFICANCE THRESHOLDS

SCAQMD developed LSTs for emissions of $NO_2$, CO, $PM_{10}$, and $PM_{2.5}$ generated at the project site (offsite mobile-source emissions are not included in the LST analysis). LSTs represent the maximum emissions at a project site that are not expected to cause or contribute to an exceedance of the most stringent federal or state AAQS and are shown in Table 5.

[8] The four intersections were: Long Beach Boulevard and Imperial Highway; Wilshire Boulevard and Veteran Avenue; Sunset Boulevard and Highland Avenue; and La Cienega Boulevard and Century Boulevard. The busiest intersection evaluated (Wilshire and Veteran) had a daily traffic volume of approximately 100,000 vehicles per day with LOS E in the morning peak hour and LOS F in the evening peak hour.

**Table 5 SCAQMD Localized Significance Thresholds**

| Air Pollutant (Relevant AAQS) | Concentration |
|---|---|
| 1-Hour CO Standard (CAAQS) | 20 ppm |
| 8-Hour CO Standard (CAAQS) | 9.0 ppm |
| 1-Hour $NO_2$ Standard (CAAQS) | 0.18 ppm |
| Annual $NO_2$ Standard (CAAQS) | 0.03 ppm |
| 24-Hour $PM_{10}$ Standard – Construction (SCAQMD)[1] | 10.4 µg/m$^3$ |
| 24-Hour $PM_{2.5}$ Standard – Construction (SCAQMD)[1] | 10.4 µg/m$^3$ |
| 24-Hour $PM_{10}$ Standard – Operation (SCAQMD)[1] | 2.5 µg/m$^3$ |
| 24-Hour $PM_{2.5}$ Standard – Operation (SCAQMD)[1] | 2.5 µg/m$^3$ |

Source: SCAQMD 2015b.
ppm – parts per million; µg/m$^3$ – micrograms per cubic meter
[1] Threshold is based on SCAQMD Rule 403. Since the SoCAB is in nonattainment for $PM_{10}$ and $PM_{2.5}$, the threshold is established as an allowable change in concentration. Therefore, background concentration is irrelevant.

To assist lead agencies, SCAQMD developed screening-level LSTs to back-calculate the mass amount (lbs. per day) of emissions generated onsite that would trigger the levels shown in Table 5 for projects under 5-acres. These "screening-level" LSTs tables are the localized significance thresholds for all projects of five acres and less; however, it can be used as screening criteria for larger projects to determine whether or not dispersion modeling may be required to compare concentrations of air pollutants generated by the project to the localized concentrations shown in Table 5.

In accordance with SCAQMD's LST methodology, the screening-level construction LSTs are based on the acreage disturbed per day based on equipment use. The construction LSTs for the project site in SRA 3 are shown in Table 6 for receptors within 82 feet (25 meters).

**Table 6 SCAQMD Construction Localized Significance Thresholds**

| | Threshold (lbs/day)[1] | | | |
|---|---|---|---|---|
| Acreage Disturbed | Nitrogen Oxides ($NO_X$) | Carbon Monoxide (CO) | Coarse Particulates ($PM_{10}$) | Fine Particulates ($PM_{2.5}$) |
| ≤1.00 Acre Disturbed Per Day | 91 | 664 | 5 | 3 |
| 1.13 Acres Disturbed Per Day | 103 | 759 | 5.93 | 3.62 |
| 2.31 Acres Disturbed Per Day | 138 | 1,050 | 8.72 | 5.31 |
| 2.50 Acres Disturbed Per Day | 142 | 1,101 | 9.16 | 5.50 |
| 2.63 Acres Disturbed Per Day | 142 | 1,101 | 9.16 | 5.50 |
| 3.31 Acres Disturbed Per Day | 160 | 1,318 | 11.06 | 6.31 |
| 3.50 Acres Disturbed Per Day | 164 | 1,368 | 11.49 | 6.50 |
| 4.63 Acres Disturbed Per Day | 189 | 1,669 | 14.12 | 7.62 |
| 4.81 Acres Disturbed Per Day | 193 | 1,719 | 14.55 | 7.81 |

Source: SCAQMD 2008b and 2011.
[1] LSTs are based on receptors within 82 feet (25 meters) in SRA 3.

Because the project is not an industrial project that has the potential to emit substantial sources of stationary emissions, operational LSTs are not an air quality impact of concern associated with the project.

Whenever a project would require use of chemical compounds that have been identified in SCAQMD Rule 1401, placed on CARB's air toxics list pursuant to AB 1807, or placed on the EPA's National Emissions Standards for Hazardous Air Pollutants, a health risk assessment is required by the SCAQMD. Table 7 lists the TAC incremental risk thresholds for operation of a project. The purpose of this environmental evaluation is to identify the significant effects of the proposed project on the environment, not the significant effects of the environment on the proposed project. (*California Building Industry Association v. Bay Area Air Quality Management District (2015) 62 Cal.4th 369 (Case No. S213478)*). CEQA does not require CEQA-level environmental document to analyze the environmental effects of attracting development and people to an area. However, the environmental document must analyze the impacts of environmental hazards on future users, when a proposed project exacerbates an existing environmental hazard or condition. Residential, commercial, and office uses do not use substantial quantities of TACs and typically do not exacerbate existing hazards, so these thresholds are typically applied to new industrial projects.

**Table 7 SCAQMD Toxic Air Contaminants Incremental Risk Thresholds**

| | |
|---|---|
| Maximum Incremental Cancer Risk | ≥ 10 in 1 million |
| Hazard Index (project increment) | ≥ 1.0 |
| Cancer Burden in areas ≥ 1 in 1 million | > 0.5 excess cancer cases |

Source: SCAQMD 2015b.

# GREENHOUSE GAS EMISSIONS

Scientists have concluded that human activities are contributing to global climate change by adding large amounts of heat-trapping gases, known as GHG, to the atmosphere. Climate change is the variation of Earth's climate over time, whether due to natural variability or as a result of human activities. The primary source of these GHG is fossil fuel use. The Intergovernmental Panel on Climate Change (IPCC) has identified four major GHG—water vapor,[9] carbon ($CO_2$), methane ($CH_4$), and ozone ($O_3$)—that are the likely cause of an increase in global average temperatures observed within the 20th and 21st centuries. Other GHG identified by the IPCC that contribute to global warming to a lesser extent include nitrous oxide ($N_2O$), sulfur hexafluoride ($SF_6$), hydrofluorocarbons, perfluorocarbons, and chlorofluorocarbons (IPCC 2001).[10] The major GHG are briefly described below.

- **Carbon dioxide ($CO_2$)** enters the atmosphere through the burning of fossil fuels (oil, natural gas, and coal), solid waste, trees and wood products, and respiration, and also as a result of other chemical reactions (e.g. manufacture of cement). Carbon dioxide is removed from the atmosphere (sequestered) when it is absorbed by plants as part of the biological carbon cycle.

- **Methane ($CH_4$)** is emitted during the production and transport of coal, natural gas, and oil. Methane emissions also result from livestock and other agricultural practices and from the decay of organic waste in municipal landfills and water treatment facilities.

- **Nitrous oxide ($N_2O$)** is emitted during agricultural and industrial activities as well as during combustion of fossil fuels and solid waste.

- **Fluorinated gases** are synthetic, strong GHGs that are emitted from a variety of industrial processes. Fluorinated gases are sometimes used as substitutes for ozone-depleting substances. These gases are typically emitted in smaller quantities, but because they are potent GHGs, they are sometimes referred to as high global-warming-potential (GWP) gases.

    - *Chlorofluorocarbons (CFCs*) are GHGs covered under the 1987 Montreal Protocol and used for refrigeration, air conditioning, packaging, insulation, solvents, or aerosol propellants. Since they are not destroyed in the lower atmosphere (troposphere, stratosphere), CFCs drift into the upper atmosphere where, given suitable conditions, they break down ozone. These gases are also ozone-depleting gases and are therefore being replaced by other compounds that are GHGs covered under the Kyoto Protocol.

[9] Water vapor ($H_2O$) is the strongest GHG and the most variable in its phases (vapor, cloud droplets, ice crystals). However, water vapor is not considered a pollutant, but part of the feedback loop o rather than a primary cause of change.

[10] Black carbon contributes to climate change both directly, by absorbing sunlight, and indirectly, by depositing on snow (making it melt faster) and by interacting with clouds and affecting cloud formation. Black carbon is the most strongly light-absorbing component of particulate matter (PM) emitted from burning fuels such as coal, diesel, and biomass. Reducing black carbon emissions globally can have immediate economic, climate, and public health benefits. California has been an international leader in reducing emissions of black carbon, with close to 95 percent control expected by 2020 due to existing programs that target reducing PM from diesel engines and burning activities (CARB 2017b). However, state and national GHG inventories do not yet include black carbon due to ongoing work resolving the precise global warming potential of black carbon. Guidance for CEQA documents does not yet include black carbon.

- ***Perfluorocarbons (PFCs)*** are a group of human-made chemicals composed of carbon and fluorine only. These chemicals (predominantly perfluoromethane [$CF_4$] and perfluoroethane [$C_2F_6$]) were introduced as alternatives, along with HFCs, to the ozone-depleting substances. In addition, PFCs are emitted as by-products of industrial processes and are used in manufacturing. PFCs do not harm the stratospheric ozone layer, but they have a high global warming potential.

- ***Sulfur Hexafluoride ($SF_6$)*** is a colorless gas soluble in alcohol and ether, slightly soluble in water. $SF_6$ is a strong GHG used primarily in electrical transmission and distribution systems as an insulator.

- ***Hydrochlorofluorocarbons (HCFCs)*** contain hydrogen, fluorine, chlorine, and carbon atoms. Although ozone-depleting substances, they are less potent at destroying stratospheric ozone than CFCs. They have been introduced as temporary replacements for CFCs and are also GHGs.

- ***Hydrofluorocarbons (HFCs)*** contain only hydrogen, fluorine, and carbon atoms. They were introduced as alternatives to ozone-depleting substances to serve many industrial, commercial, and personal needs. HFCs are emitted as by-products of industrial processes and are also used in manufacturing. They do not significantly deplete the stratospheric ozone layer, but they are strong GHGs (IPCC 2001; USEPA 2019b).

GHGs are dependent on the lifetime or persistence of the gas molecule in the atmosphere. Some GHGs have stronger greenhouse effects than others. These are referred to as high GWP gases. The GWP of GHG emissions are shown in Table 8. The GWP is used to convert GHGs to $CO_2$-equivalence ($CO_2e$) to show the relative potential that different GHGs have to retain infrared radiation in the atmosphere and contribute to the greenhouse effect. For example, under IPCC's Fourth Assessment Report (AR4) GWP values for $CH_4$, a project that generates 10 metric tons (MT) of $CH_4$ would be equivalent to 250 MT of $CO_2$.[11]

**Table 8 GHG Emissions and Their Relative Global Warming Potential Compared to $CO_2$**

| GHGs | Second Assessment Report Atmospheric Lifetime (Years) | Fourth Assessment Report Atmospheric Lifetime (Years) | Second Assessment Report Global Warming Potential Relative to $CO_2$[1] | Fourth Assessment Report Global Warming Potential Relative to $CO_2$[1] |
|---|---|---|---|---|
| Carbon Dioxide ($CO_2$) | 50 to 200 | 50 to 200 | 1 | 1 |
| Methane[2] ($CH_4$) | 12 (±3) | 12 | 21 | 25 |
| Nitrous Oxide ($N_2O$) | 120 | 114 | 310 | 298 |
| Hydrofluorocarbons: | | | | |
| HFC-23 | 264 | 270 | 11,700 | 14,800 |
| HFC-32 | 5.6 | 4.9 | 650 | 675 |
| HFC-125 | 32.6 | 29 | 2,800 | 3,500 |
| HFC-134a | 14.6 | 14 | 1,300 | 1,430 |
| HFC-143a | 48.3 | 52 | 3,800 | 4,470 |
| HFC-152a | 1.5 | 1.4 | 140 | 124 |
| HFC-227ea | 36.5 | 34.2 | 2,900 | 3,220 |
| HFC-236fa | 209 | 240 | 6,300 | 9,810 |
| HFC-4310mee | 17.1 | 15.9 | 1,300 | 1,030 |
| Perfluoromethane: $CF_4$ | 50,000 | 50,000 | 6,500 | 7,390 |
| Perfluoroethane: $C_2F_6$ | 10,000 | 10,000 | 9,200 | 12,200 |
| Perfluorobutane: $C_4F_{10}$ | 2,600 | NA | 7,000 | 8,860 |
| Perfluoro-2-methylpentane: $C_6F_{14}$ | 3,200 | NA | 7,400 | 9,300 |
| Sulfur Hexafluoride ($SF_6$) | 3,200 | NA | 23,900 | 22,800 |

Source: IPCC 1995; IPCC 2007.
Notes: The GWP values in the IPCC's Fifth Assessment Report (2013) reflect new information on atmospheric lifetimes of GHGs and an improved calculation of the radiative forcing of $CO_2$. However, SCAQMD uses the AR4 GWP values to maintain consistency in statewide GHG emissions modeling. In addition, the 2017 Scoping Plan Update was based on the AR4 GWP values.
1 Based on 100-year time horizon of the GWP of the air pollutant relative to $CO_2$.
2 The methane GWP includes direct effects and indirect effects due to the production of tropospheric ozone and stratospheric water vapor. The indirect effect due to the production of $CO_2$ is not included.

## California's Greenhouse Gas Sources and Relative Contribution

In 2018, the statewide GHG emissions inventory was updated for 2000 to 2016 emissions using the GWPs in IPCC's AR4.[12] Based on these GWPs, California produced 429.4 $MMTCO_2e$ GHG emissions in 2016. California's transportation sector was the single largest generator of GHG emissions, producing 40.5 percent of the state's total emissions. Industrial sector emissions made up 23.4 percent, and electric power generation made up 16.1 percent of the state's emissions inventory. Other major sectors of GHG emissions include commercial and residential (12.0 percent), agriculture and forestry (7.9 percent) and other (solvents and chemicals at 0.2 percent), (CARB 2018b).

California's GHG emissions have followed a declining trend since 2007. In 2016, emissions from routine GHG emitting activities statewide were 429 $MMTCO_2e$, or 12 $MMTCO_2e$ lower than 2015 levels. This represents an overall decrease of 13 percent since peak levels in 2004 and 2 $MMTCO_2e$ below the 1990 level

[12] Methodology for determining the statewide GHG inventory is not the same as the methodology used to determine statewide GHG emissions under Assembly Bill 32 (2006).

and the state's 2020 GHG target. During the 2000 to 2016 period, per capita GHG emissions in California have continued to drop from a peak in 2001 of 14.0 $MTCO_2e$ per capita to 10.8 $MTCO_2e$ per capita in 2016, a 23 percent decrease. Overall trends in the inventory also demonstrate that the carbon intensity of California's economy (the amount of carbon pollution per million dollars of gross domestic product (GDP)) is declining, representing a 38 percent decline since the 2001 peak, while the state's GDP has grown 41 percent during this period (CARB 2018c).

## Regulatory Settings

### REGULATION OF GHG EMISSIONS ON A NATIONAL LEVEL

The U.S. Environmental Protection Agency (EPA) announced on December 7, 2009, that GHG emissions threaten the public health and welfare of the American people and that GHG emissions from on-road vehicles contribute to that threat. The EPA's final findings respond to the 2007 U.S. Supreme Court decision that GHG emissions fit within the Clean Air Act definition of air pollutants. The findings do not in and of themselves impose any emission reduction requirements, but they allow the EPA to finalize the GHG standards proposed in 2009 for new light-duty vehicles as part of the joint rulemaking with the Department of Transportation (USEPA 2009).

To regulate GHGs from passenger vehicles, EPA was required to issue an endangerment finding. The finding identifies emissions of six key GHGs—$CO_2$, $CH_4$, $N_2O$, hydrofluorocarbons, perfluorocarbons, and $SF_6$—that have been the subject of scrutiny and intense analysis for decades by scientists in the United States and around the world. The first three are applicable to the project's GHG emissions inventory because they constitute the majority of GHG emissions and, per South Coast Air Quality Management District guidance, are the GHG emissions that should be evaluated as part of a project's GHG emissions inventory.

#### US Mandatory Report Rule for GHGs (2009)

In response to the endangerment finding, the EPA issued the Mandatory Reporting of GHG Rule that requires substantial emitters of GHG emissions (large stationary sources, etc.) to report GHG emissions data. Facilities that emit 25,000 MT or more of $CO_2$ per year are required to submit an annual report.

#### Update to Corporate Average Fuel Economy Standards (2010/2012)

The current Corporate Average Fuel Economy standards (for model years 2011 to 2016) incorporate stricter fuel economy requirements promulgated by the federal government and California into one uniform standard. Additionally, automakers are required to cut GHG emissions in new vehicles by roughly 25 percent by 2016 (resulting in a fleet average of 35.5 miles per gallon by 2016). Rulemaking to adopt these new standards was completed in 2010. California agreed to allow automakers who show compliance with the national program to also be deemed in compliance with state requirements. The federal government issued new standards in 2012 for model years 2017–2025 that will require a fleet average of 54.5 miles per gallon in 2025. However, the EPA is reexamining the 2017-2025 emissions standards.

### EPA Regulation of Stationary Sources under the Clean Air Act (Ongoing)

Pursuant to its authority under the Clean Air Act, the EPA has been developing regulations for new stationary sources such as power plants, refineries, and other large sources of emissions. Pursuant to former President Obama's 2013 Climate Action Plan, the EPA was directed to develop regulations for existing stationary sources also. However, the EPA is reviewing the Clean Power Plan under President Trump's Energy Independence Executive Order.

## REGULATION OF GHG EMISSIONS ON A STATE LEVEL

Current State of California guidance and goals for reductions in GHG emissions are generally embodied in Executive Order S-3-05, Executive Order B-30-15, Assembly Bill 32 (AB 32), Senate Bill 32 (SB 32) and Senate Bill 375 (SB 375).

### Executive Order S-3-05

Executive Order S-3-05, signed June 1, 2005. Executive Order S-3-05 set the following GHG reduction targets for the State:

- 2000 levels by 2010
- 1990 levels by 2020
- 80 percent below 1990 levels by 2050

### Assembly Bill 32, the Global Warming Solutions Act (2006)

Current State of California guidance and goals for reductions in GHG emissions are generally embodied in AB 32. AB 32 was passed by the California state legislature on August 31, 2006, to place the state on a course toward reducing its contribution of GHG emissions. AB 32 follows the 2020 tier of emissions reduction targets established in Executive Order S-03-05.

#### *CARB 2008 Scoping Plan*

The final Scoping Plan was adopted by CARB on December 11, 2008. The *2008 Scoping Plan* identified that GHG emissions in California are anticipated to be approximately 596 $MMTCO_2e$ in 2020. In December 2007, CARB approved a 2020 emissions limit of 427 $MMTCO_2e$ (471 million tons) for the state (CARB 2008). In order to effectively implement the emissions cap, AB 32 directed CARB to establish a mandatory reporting system to track and monitor GHG emissions levels for large stationary sources that generate more than 25,000 $MTCO_2e$ per year, prepare a plan demonstrating how the 2020 deadline can be met, and develop appropriate regulations and programs to implement the plan by 2012.

#### *First Update to the Scoping Plan*

CARB completed a five-year update to the 2008 Scoping Plan, as required by AB 32. The First Update to the Scoping Plan was adopted at the May 22, 2014, board hearing. The update highlights California's progress toward meeting the near-term 2020 GHG emission reduction goals defined in the original 2008 Scoping Plan. As part of the update, CARB recalculated the 1990 GHG emission levels with the updated AR4 GWPs, and

the 427 $MMTCO_2e$ 1990 emissions level and 2020 GHG emissions limit, established in response to AB 32, is slightly higher at 431 $MMTCO_2e$ (CARB 2014).

As identified in the Update to the Scoping Plan, California is on track to meeting the goals of AB 32. However, the update also addresses the state's longer-term GHG goals within a post-2020 element. The post-2020 element provides a high level view of a long-term strategy for meeting the 2050 GHG goals, including a recommendation for the state to adopt a midterm target. According to the Update to the Scoping Plan, local government reduction targets should chart a reduction trajectory that is consistent with or exceeds the trajectory created by statewide goals (CARB 2014). CARB identified that reducing emissions to 80 percent below 1990 levels will require a fundamental shift to efficient, clean energy in every sector of the economy. Progressing toward California's 2050 climate targets will require significant acceleration of GHG reduction rates. Emissions from 2020 to 2050 will have to decline several times faster than the rate needed to reach the 2020 emissions limit (CARB 2014).

### Executive Order B-30-15

Executive Order B-30-15, signed April 29, 2015, sets a goal of reducing GHG emissions in the state to 40 percent of 1990 levels by year 2030. Executive Order B-30-15 also directs CARB to update the Scoping Plan to quantify the 2030 GHG reduction goal for the state and requires state agencies to implement measures to meet the interim 2030 goal as well as the long-term goal for 2050 in Executive Order S-03-05. It also requires the Natural Resources Agency to conduct triennial updates of the California adaption strategy, Safeguarding California, in order to ensure climate change is accounted for in state planning and investment decisions.

### Senate Bill 32 and Assembly Bill 197

In September 2016, Governor Brown signed SB 32 and AB 197 into law, making the Executive Order goal for year 2030 into a statewide mandated legislative target. AB 197 established a joint legislative committee on climate change policies and requires the CARB to prioritize direction emissions reductions rather than the market-based cap-and-trade program for large stationary, mobile, and other sources.

#### *2017 Climate Change Scoping Plan Update*

Executive Order B-30-15 and SB 32 required CARB to prepare another update to the Scoping Plan to address the 2030 target for the state. On December 24, 2017, CARB adopted the 2017 Climate Change Scoping Plan Update, which outlines potential regulations and programs, including strategies consistent with AB 197 requirements, to achieve the 2030 target. The 2017 Scoping Plan establishes a new emissions limit of 260 $MMTCO_2e$ for the year 2030, which corresponds to a 40 percent decrease in 1990 levels by 2030 (CARB 2017c).

California's climate strategy will require contributions from all sectors of the economy, including enhanced focus on zero- and near-zero emission (ZE/NZE) vehicle technologies; continued investment in renewables, such as solar roofs, wind, and other types of distributed generation; greater use of low carbon fuels; integrated land conservation and development strategies; coordinated efforts to reduce emissions of short-lived climate pollutants (methane, black carbon, and fluorinated gases); and an increased focus on integrated land use planning, to support livable, transit-connected communities and conservation of agricultural and

other lands. Requirements for GHG reductions at stationary sources complement local air pollution control efforts by the local air districts to tighten criteria air pollutants and TACs emissions limits on a broad spectrum of industrial sources. Major elements of the 2017 Scoping Plan framework include:

- Implementing and/or increasing the standards of the Mobile Source Strategy, which include increasing ZEV buses and trucks;
- Low Carbon Fuel Standard (LCFS), with an increased stringency (18 percent by 2030).
- Implementation of SB 350, which expands the Renewables Portfolio Standard (RPS) to 50 percent RPS and doubles energy efficiency savings by 2030.
- California Sustainable Freight Action Plan, which improves freight system efficiency, utilizes near-zero emissions technology, and deployment of ZEV trucks.
- Implementing the proposed Short-Lived Climate Pollutant Strategy (SLPS), which focuses on reducing methane and hydroflurocarbon emissions by 40 percent and anthropogenic black carbon emissions by 50 percent by year 2030.
- Post-2020 Cap-and-Trade Program that includes declining caps.
- Continued implementation of SB 375.
- Development of a Natural and Working Lands Action Plan to secure California's land base as a net carbon sink.

In addition to the statewide strategies listed above, the 2017 Climate Change Scoping Plan also identified local governments as essential partners in achieving the State's long-term GHG reduction goals and identified local actions to reduce GHG emissions. As part of the recommended actions, CARB recommends statewide targets of no more than 6 $MTCO_2e$ or less per capita by 2030 and 2 $MTCO_2e$ or less per capita by 2050. CARB recommends that local governments evaluate and adopt robust and quantitative locally-appropriate goals that align with the statewide per capita targets and the State's sustainable development objectives and develop plans to achieve the local goals. The statewide per capita goals were developed by applying the percent reductions necessary to reach the 2030 and 2050 climate goals (i.e., 40 percent and 80 percent, respectively) to the State's 1990 emissions limit established under AB 32. For CEQA projects, CARB states that lead agencies have discretion to develop evidenced-based numeric thresholds (mass emissions, per capita, or per service population)—consistent with the Scoping Plan and the state's long-term GHG goals. To the degree a project relies on GHG mitigation measures, CARB recommends that lead agencies prioritize on-site design features that reduce emissions, especially from VMT, and direct investments in GHG reductions within the project's region that contribute potential air quality, health, and economic co-benefits. Where further project design or regional investments are infeasible or not proven to be effective, CARB recommends mitigating potential GHG impacts through purchasing and retiring carbon credits.

The Scoping Plan scenario is set against what is called the business-as-usual (BAU) yardstick—that is, what would the GHG emissions look like if the State did nothing at all beyond the existing policies that are required and already in place to achieve the 2020 limit, as shown in Table 9. It includes the existing renewables requirements, advanced clean cars, the "10 percent" Low Carbon Fuel Standard (LCFS), and the SB 375 program for more vibrant communities, among others. However, it does not include a range of new policies or measures that have been developed or put into statute over the past two years. Also shown in the table, the known commitments are expected to result in emissions that are 60 $MMTCO_2e$ above the target in 2030. If the estimated GHG reductions from the known commitments are not realized due to delays in implementation or technology deployment, the post-2020 Cap-and-Trade Program would deliver the additional GHG reductions in the sectors it covers to ensure the 2030 target is achieved.

**Table 9 2017 Climate Change Scoping Plan Emissions Reductions Gap**

| Modeling Scenario | 2030 GHG Emissions $MMTCO_2e$ |
|---|---|
| Reference Scenario (Business-as-Usual) | 389 |
| With Known Commitments | 320 |
| 2030 GHG Target | **260** |
| Gap to 2030 Target | **60** |

Source: CARB 2017c.

Table 10 provides estimated GHG emissions by sector, compared to 1990 levels, and the range of GHG emissions for each sector estimated for 2030.

**Table 10 2017 Climate Change Scoping Plan Emissions Change by Sector**

| Scoping Plan Sector | 1990 $MMTCO_2e$ | 2030 Proposed Plan Ranges $MMTCO_2e$ | % Change from 1990 |
|---|---|---|---|
| Agricultural | 26 | 24-25 | -8% to -4% |
| Residential and Commercial | 44 | 38-40 | -14% to -9% |
| Electric Power | 108 | 30-53 | -72% to -51% |
| High GWP | 3 | 8-11 | 267% to 367% |
| Industrial | 98 | 83-90 | -15% to -8% |
| Recycling and Waste | 7 | 8-9 | 14% to 29% |
| Transportation (including TCU) | 152 | 103-111 | -32% to -27% |
| Net Sink[1] | -7 | TBD | TBD |
| Sub Total | 431 | 294-339 | -32% to -21% |
| Cap-and-Trade Program | NA | 24-79 | NA |
| **Total** | **431** | **260** | **-40%** |

Source: CARB 2017c.
Notes: TCU = Transportation, Communications, and Utilities; TBD: To Be Determined.
[1] Work is underway through 2017 to estimate the range of potential sequestration benefits from the natural and working lands sector.

### Senate Bill 1383

On September 19, 2016, the Governor signed SB 1383 to supplement the GHG reduction strategies in the Scoping Plan to consider short-lived climate pollutants, including black carbon and $CH_4$. Black carbon is the light-absorbing component of fine particulate matter produced during incomplete combustion of fuels. SB 1383 requires the state board, no later than January 1, 2018, to approve and begin implementing that comprehensive strategy to reduce emissions of short-lived climate pollutants to achieve a reduction in methane by 40 percent, hydrofluorocarbon gases by 40 percent, and anthropogenic black carbon by 50 percent below 2013 levels by 2030, as specified. The bill also establishes targets for reducing organic waste in landfill. On March 14, 2017, CARB adopted the "Final Proposed Short-Lived Climate Pollutant Reduction Strategy," which identifies the state's approach to reducing anthropogenic and biogenic sources of short-lived climate pollutants. Anthropogenic sources of black carbon include on- and off-road transportation, residential wood burning, fuel combustion (charbroiling), and industrial processes. According to CARB, ambient levels of black carbon in California are 90 percent lower than in the early 1960s despite the tripling of diesel fuel use (CARB 2017b). In-use on-road rules are expected to reduce black carbon emissions from on-road sources by 80 percent between 2000 and 2020. SCAQMD is one of the air districts that requires air pollution control technologies for chain-driven broilers, which reduces particulate emissions from these char broilers by over 80 percent (CARB 2017b). Additionally, SCAQMD Rule 445 limits installation of new fireplaces in the SoCAB.

### Senate Bill 375

In 2008, SB 375, the Sustainable Communities and Climate Protection Act, was adopted to connect the GHG emissions reductions targets established in the 2008 Scoping Plan for the transportation sector to local land use decisions that affect travel behavior. Its intent is to reduce GHG emissions from light-duty trucks and automobiles (excludes emissions associated with goods movement) by aligning regional long-range transportation plans, investments, and housing allocations to local land use planning to reduce VMT and vehicle trips. Specifically, SB 375 required CARB to establish GHG emissions reduction targets for each of the 18 metropolitan planning organizations (MPOs). The Southern California Association of Governments (SCAG) is the MPO for the Southern California region, which includes the counties of Los Angeles, Orange, San Bernardino, Riverside, Ventura, and Imperial.

Pursuant to the recommendations of the Regional Transportation Advisory Committee, CARB adopted per capita reduction targets for each of the MPOs rather than a total magnitude reduction target. SCAG's targets are an 8 percent per capita reduction from 2005 GHG emission levels by 2020 and a 13 percent per capita reduction from 2005 GHG emission levels by 2035 (CARB 2010). The 2020 targets are smaller than the 2035 targets because a significant portion of the built environment in 2020 has been defined by decisions that have already been made. In general, the 2020 scenarios reflect that more time is needed for large land use and transportation infrastructure changes. Most of the reductions in the interim are anticipated to come from improving the efficiency of the region's transportation network. The targets would result in 3 $MMTCO_2e$ of reductions by 2020 and 15 $MMTCO_2e$ of reductions by 2035. Based on these reductions, the passenger vehicle target in CARB's Scoping Plan (for AB 32) would be met (CARB 2010).

### *2017 Update to the SB 375 Targets*

CARB is required to update the targets for the MPOs every eight years. In June 2017, CARB released updated targets and technical methodology and recently released another update in February 2018. The updated targets consider the need to further reduce VMT, as identified in the 2017 Scoping Plan Update, while balancing the need for additional and more flexible revenue sources to incentivize positive planning and action toward sustainable communities. Like the 2010 targets, the updated SB 375 targets are in units of percent per capita reduction in GHG emissions from automobiles and light trucks relative to 2005. This excludes reductions anticipated from implementation of state technology and fuels strategies and any potential future state strategies such as statewide road user pricing. The proposed targets call for greater per capita GHG emission reductions from SB 375 than are currently in place, which for 2035, translate into proposed targets that either match or exceed the emission reduction levels in the MPOs' currently adopted SCSs. As proposed, CARB staff's targets would result in an additional reduction of over 8 $MMTCO_2e$ in 2035 compared to the current targets. For the next round of SCS updates, CARB's updated targets for the SCAG region are an 8 percent per capita GHG reduction in 2020 from 2005 levels (unchanged from the 2010 target) and a 19 percent per capita GHG reduction in 2035 from 2005 levels (compared to the 2010 target of 13 percent) (CARB 2018a). CARB adopted the updated targets and methodology on March 22, 2018. All SCSs adopted after October 1, 2018 are subject to these new targets.

### *SCAG's 2016-2040 RTP/SCS*

SB 375 requires each MPO to prepare an SCS in their regional transportation plan. For the SCAG region, the 2016-2040 Regional Transportation Plan/Sustainable Communities Strategy (RTP/SCS) was adopted on April 7, 2016, and is an update to the 2012 RTP/SCS (SCAG 2016). In general, the SCS outlines a development pattern for the region, which, when integrated with the transportation network and other transportation measures and policies, would reduce vehicle miles traveled from automobiles and light duty trucks and thereby reduce GHG emissions from these sources.

The 2016-2040 RTP/SCS projects that the SCAG region will meet or exceed the passenger per capita targets set in 2010 by CARB. It is projected that VMT per capita in the region for year 2040 would be reduced by 7.4 percent with implementation of the 2016-2040 RTP/SCS compared to a no-plan year 2040 scenario. Under the 2016-2040 RTP/SCS, SCAG anticipates lowering GHG emissions 8 percent below 2005 levels by 2020, 18 percent by 2035, and 21 percent by 2040. The 18 percent reduction by 2035 over 2005 levels represents a 2 percent increase in reduction compared to the 2012 RTP/SCS projection. Overall, the SCS is meant to provide growth strategies that will achieve the aforementioned regional GHG emissions reduction targets. Land use strategies to achieve the region's targets include planning for new growth around high quality transit areas and livable corridors, and creating neighborhood mobility areas to integrate land use and transportation and plan for more active lifestyles (SCAG 2016). However, the SCS does not require that local general plans, specific plans, or zoning be consistent with the SCS; instead, it provides incentives to governments and developers for consistency.

### Assembly Bill 1493

California vehicle GHG emission standards were enacted under AB 1493 (Pavley I). Pavley I is a clean-car standard that reduces GHG emissions from new passenger vehicles (light-duty auto to medium-duty vehicles) from 2009 through 2016 and was anticipated to reduce GHG emissions from new passenger vehicles by 30 percent in 2016. California implements the Pavley I standards through a waiver granted to California by the EPA. In 2012, the EPA issued a Final Rulemaking that sets even more stringent fuel economy and GHG emissions standards for model year 2017 through 2025 light-duty vehicles (see also the discussion on the update to the Corporate Average Fuel Economy standards under *Federal Laws*, above). In January 2012, CARB approved the Advanced Clean Cars program (formerly known as Pavley II) for model years 2017 through 2025. The program combines the control of smog, soot, and global warming gases and requirements for greater numbers of zero-emission vehicles into a single package of standards. Under California's Advanced Clean Car program, by 2025, new automobiles will emit 34 percent fewer global warming gases and 75 percent fewer smog-forming emissions.

### Executive Order S-01-07

On January 18, 2007, the state set a new LCFS for transportation fuels sold in the state. Executive Order S-01-07 sets a declining standard for GHG emissions measured in carbon dioxide equivalent gram per unit of fuel energy sold in California. The LCFS requires a reduction of 2.5 percent in the carbon intensity of California's transportation fuels by 2015 and a reduction of at least 10 percent by 2020. The standard applies to refiners, blenders, producers, and importers of transportation fuels, and would use market-based mechanisms to allow these providers to choose how they reduce emissions during the "fuel cycle" using the most economically feasible methods.

### Senate Bills 1078, 107, X1-2, and Executive Order S-14-08

A major component of California's Renewable Energy Program is the RPS established under Senate Bills 1078 (Sher) and 107 (Simitian). Under the RPS, certain retail sellers of electricity were required to increase the amount of renewable energy each year by at least 1 percent in order to reach at least 20 percent by December 30, 2010. Executive Order S-14-08 was signed in November 2008, which expanded the state's Renewable Energy Standard to 33 percent renewable power by 2020. This standard was adopted by the legislature in 2011 (SB X1-2). Renewable sources of electricity include wind, small hydropower, solar, geothermal, biomass, and biogas. The increase in renewable sources for electricity production will decrease indirect GHG emissions from development projects, because electricity production from renewable sources is generally considered carbon neutral.

### Senate Bill 350

Senate Bill 350 (de Leon), was signed into law in September 2015. SB 350 establishes tiered increases to the RPS of 40 percent by 2024, 45 percent by 2027, and 50 percent by 2030. SB 350 also set a new goal to double the energy efficiency savings in electricity and natural gas through energy efficiency and conservation measures.

### Senate Bill 100

On September 10, 2018, Governor Brown signed SB 100, which raises California's RPS requirements to 60 percent by 2030, with interim targets, and 100 percent by 2045. The bill also establishes a state policy that eligible renewable energy resources and zero-carbon resources supply 100 percent of all retail sales of electricity to California end-use customers and 100 percent of electricity procured to serve all state agencies by December 31, 2045. Under the bill, the state cannot increase carbon emissions elsewhere in the western grid or allow resource shuffling to achieve the 100 percent carbon-free electricity target.

### Executive Order B-55-18

Executive Order B-55-18, signed September 10, 2018, sets a goal "to achieve carbon neutrality as soon as possible, and no later than 2045, and achieve and maintain net negative emissions thereafter." Executive Order B-55-18 directs CARB to work with relevant state agencies to ensure future Scoping Plans identify and recommend measures to achieve the carbon neutrality goal. The goal of carbon neutrality by 2045 is in addition to other statewide goals, meaning not only should emissions be reduced to 80 percent below 1990 levels by 2050, but that, by no later than 2045, the remaining emissions be offset by equivalent net removals of $CO_2e$ from the atmosphere, including through sequestration in forests, soils, and other natural landscapes.

### Executive Order B-16-2012

On March 23, 2012, the state identified that CARB, the California Energy Commission (CEC), the Public Utilities Commission, and other relevant agencies worked with the Plug-in Electric Vehicle Collaborative and the California Fuel Cell Partnership to establish benchmarks to accommodate zero-emissions vehicles in major metropolitan areas, including infrastructure to support them (e.g., electric vehicle charging stations). The executive order also directs the number of zero-emission vehicles in California's state vehicle fleet to increase through the normal course of fleet replacement so that at least 10 percent of fleet purchases of light-duty vehicles are zero-emission by 2015 and at least 25 percent by 2020. The executive order also establishes a target for the transportation sector of reducing GHG emissions from the transportation sector 80 percent below 1990 levels.

### California Building Code: Building Energy Efficiency Standards

Energy conservation standards for new residential and non-residential buildings were adopted by the California Energy Resources Conservation and Development Commission (now the CEC) in June 1977 and most recently revised in 2016 (Title 24, Part 6, of the California Code of Regulations [CCR]). Title 24 requires the design of building shells and building components to conserve energy. The standards are updated periodically to allow for consideration and possible incorporation of new energy efficiency technologies and methods. On June 10, 2015, the CEC adopted the 2016 Building Energy Efficiency Standards, which went into effect on January 1, 2017.

The 2016 Standards continues to improve upon the previous 2013 Standards for new construction of, and additions and alterations to, residential and nonresidential buildings. Under the 2016 Standards, residential and nonresidential buildings are 28 and 5 percent more energy efficient than the 2013 Standards, respectively (CEC 2015a). Buildings that are constructed in accordance with the 2013 Building Energy Efficiency

Standards are 25 percent (residential) to 30 percent (nonresidential) more energy efficient than the prior 2008 standards as a result of better windows, insulation, lighting, ventilation systems, and other features. While the 2016 standards do not achieve zero net energy, they do get very close to the state's goal and make important steps toward changing residential building practices in California. The 2019 standards will take the final step to achieve zero net energy for newly constructed residential buildings throughout California (CEC 2015b).

The 2019 standards move towards cutting energy use in new homes by more than 50 percent and will require installation of solar photovoltaic systems for single-family homes and multi-family buildings of 3 stories and less. Four key areas the 2019 standards will focus on include 1) smart residential photovoltaic systems; 2) updated thermal envelope standards (preventing heat transfer from the interior to exterior and vice versa); 3) residential and nonresidential ventilation requirements; 4) and nonresidential lighting requirements (CEC 2018a). Under the 2019 standards, nonresidential buildings will be 30 percent more energy efficient compared to the 2016 standards while single-family homes will be 7 percent more energy efficient (CEC 2018b). When accounting for the electricity generated by the solar photovoltaic system, single-family homes would use 53 percent less energy compared to homes built to the 2016 standards (CEC 2018b).

### California Building Code: CALGreen

On July 17, 2008, the California Building Standards Commission adopted the nation's first green building standards. The California Green Building Standards Code (24 CCR, Part 11, known as "CALGreen") was adopted as part of the California Building Standards Code. CALGreen established planning and design standards for sustainable site development, energy efficiency (in excess of the California Energy Code requirements), water conservation, material conservation, and internal air contaminants.[13] The mandatory provisions of CALGreen became effective January 1, 2011, and were last updated in 2016. The 2016 CALGreen became effective on January 1, 2017.

### 2006 Appliance Efficiency Regulations

The 2006 Appliance Efficiency Regulations (20 CCR §§ 1601–1608) were adopted by the CEC on October 11, 2006, and approved by the California Office of Administrative Law on December 14, 2006. The regulations include standards for both federally regulated appliances and non–federally regulated appliances. Though these regulations are now often viewed as "business as usual," they exceed the standards imposed by all other states, and they reduce GHG emissions by reducing energy demand.

### Solid Waste Regulations

California's Integrated Waste Management Act of 1989 (AB 939; Public Resources Code §§ 40050 et seq.) set a requirement for cities and counties throughout the state to divert 50 percent of all solid waste from landfills by January 1, 2000, through source reduction, recycling, and composting. In 2008, the requirements were modified to reflect a per capita requirement rather than tonnage. To help achieve this, the act requires that each city and county prepare and submit a source reduction and recycling element. AB 939 also established the goal for all California counties to provide at least 15 years of ongoing landfill capacity.

[13] The green building standards became mandatory in the 2010 edition of the code.

AB 341 (Chapter 476, Statutes of 2011) increased the statewide goal for waste diversion to 75 percent by 2020 and requires recycling of waste from commercial and multifamily residential land uses.

The California Solid Waste Reuse and Recycling Access Act (AB 1327; Public Resources Code §§ 42900 et seq.) requires areas to be set aside for collecting and loading recyclable materials in development projects. The act required the California Integrated Waste Management Board to develop a model ordinance for adoption by any local agency requiring adequate areas for collection and loading of recyclable materials as part of development projects. Local agencies are required to adopt the model or an ordinance of their own.

Section 5.408 of the 2016 CALGreen also requires that at least 65 percent of the nonhazardous construction and demolition waste from nonresidential construction operations be recycled and/or salvaged for reuse.

In October of 2014 Governor Brown signed AB 1826, requiring businesses to recycle their organic waste on and after April 1, 2016, depending on the amount of waste they generate per week. This law also requires that on and after January 1, 2016, local jurisdictions across the state implement an organic waste recycling program to divert organic waste generated by businesses, including multifamily residential dwellings that consist of five or more units. Organic waste means food waste, green waste, landscape and pruning waste, nonhazardous wood waste, and food-soiled paper waste that is mixed in with food waste.

### Water Efficiency Regulations

The 20x2020 Water Conservation Plan was issued by the Department of Water Resources (DWR) in 2010 pursuant to Senate Bill 7, which was adopted during the 7th Extraordinary Session of 2009–2010 and therefore dubbed "SBX7-7." SBX7-7 mandated urban water conservation and authorized the DWR to prepare a plan implementing urban water conservation requirements (20x2020 Water Conservation Plan). In addition, it required agricultural water providers to prepare agricultural water management plans, measure water deliveries to customers, and implement other efficiency measures. SBX7-7 requires urban water providers to adopt a water conservation target of 20 percent reduction in urban per capita water use by 2020 compared to 2005 baseline use.

The Water Conservation in Landscaping Act of 2006 (AB 1881) requires local agencies to adopt the updated DWR model ordinance or equivalent. AB 1881 also requires the CEC to consult with the DWR to adopt, by regulation, performance standards and labeling requirements for landscape irrigation equipment, including irrigation controllers, moisture sensors, emission devices, and valves to reduce the wasteful, uneconomic, inefficient, or unnecessary consumption of energy or water.

## Thresholds of Significance

The CEQA Guidelines recommend that a lead agency consider the following when assessing the significance of impacts from GHG emissions on the environment:

1. The extent to which the project may increase (or reduce) GHG emissions as compared to the existing environmental setting;

2. Whether the project emissions exceed a threshold of significance that the lead agency determines applies to the project;

3. The extent to which the project complies with regulations or requirements adopted to implement an adopted statewide, regional, or local plan for the reduction or mitigation of GHG emissions.[14]

## SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

To provide guidance to local lead agencies on determining significance for GHG emissions in their CEQA documents, SCAQMD has convened a GHG CEQA Significance Threshold Working Group (Working Group). Based on the last Working Group meeting (Meeting No. 15) held in September 2010, SCAQMD is proposing to adopt a tiered approach for evaluating GHG emissions for development projects where SCAQMD is not the lead agency (SCAQMD 2010a):

- **Tier 1.** If a project is exempt from CEQA, project-level and cumulative GHG emissions are less than significant.

- **Tier 2.** If the project complies with a GHG emissions reduction plan or mitigation program that avoids or substantially reduces GHG emissions in the project's geographic area (i.e., city or county), project-level and cumulative GHG emissions are less than significant.

- **Tier 3.** If GHG emissions are less than the screening-level threshold, project-level and cumulative GHG emissions are less than significant.

  For projects that are not exempt or where no qualifying GHG reduction plans are directly applicable, SCAQMD requires an assessment of GHG emissions. Project-related GHG emissions include on-road transportation, energy use, water use, wastewater generation, solid waste disposal, area sources, off-road emissions, and construction activities. The SCAQMD Working Group identified that because construction activities would result in a "one-time" net increase in GHG emissions, construction activities should be amortized into the operational phase GHG emissions inventory based on the service life of a building. For buildings in general, it is reasonable to look at a 30-year time frame, since this is a typical interval before a new building requires the first major renovation. SCAQMD identified a screening-level threshold of 3,000 $MTCO_2e$ annually for all land use types or the following land-use-specific thresholds: 1,400 $MTCO_2e$ for commercial projects, 3,500 $MTCO_2e$ for residential projects, and 3,000 $MTCO_2e$ for mixed-use projects. These interim bright-line screening-level criteria are based on a review of the Governor's Office of Planning and Research database of CEQA projects. Based on their review of 711 CEQA projects, 90 percent of CEQA projects would exceed the bright-line thresholds. Therefore, projects that do not exceed the bright-line threshold would have a nominal, and therefore, less

[14] The Governor's Office of Planning and Research recommendations include a requirement that such a plan must be adopted through a public review process and include specific requirements that reduce or mitigate the project's incremental contribution of GHG emissions. If there is substantial evidence that the possible effects of a particular project are still cumulatively considerable, notwithstanding compliance with the adopted regulations or requirements, an EIR must be prepared for the project.

than cumulatively considerable impact on GHG emissions. SCAQMD recommends use of the 3,000 $MTCO_2e$ interim bright-line screening-level criterion for all project types (SCAQMD 2010b).

- **Tier 4.** If emissions exceed the screening threshold, a more detailed review of the project's GHG emissions is warranted.

  SCAQMD has identified an efficiency target for projects that exceed the bright-line threshold: a 2020 efficiency target of 4.8 $MTCO_2e$ per year per service population ($MTCO_2e$/year/SP) for project-level analyses and 6.6 $MTCO_2e$/year/SP for plan-level projects (e.g., general plans). Service population is generally defined as the sum of residential and employment population of a project. The per capita efficiency targets are based on the AB 32 GHG reduction target and 2020 GHG emissions inventory prepared for CARB's 2008 Scoping Plan.[15]

For purposes of this analysis, because the District has not developed its own numeric GHG significance threshold, the District utilizes the SCAQMD's interim bright-line screening-level criterion of 3,000 $MTCO_2e$ per year as the significance threshold for this project. If the project operation-phase emissions exceed this criterion, GHG emissions would be considered potentially significant in the absence of mitigation measures.

[15] SCAQMD took the 2020 statewide GHG reduction target for "land use only" GHG emissions sectors and divided it by the 2020 statewide employment for the land use sectors to derive a per capita GHG efficiency metric that coincides with the GHG reduction targets of AB 32 for year 2020.

# BIBLIOGRAPHY

Bay Area Air Quality Management District (BAAQMD). 2017, May. California Environmental Quality Act Air Quality Guidelines.

California Air Pollution Control Officers Association (CAPCOA). 2017. California Emissions Estimator Model (CalEEMod). Version 2016.3.2. Prepared by: BREEZE Software, A Division of Trinity Consultants in collaboration with South Coast Air Quality Management District and the California Air Districts.

California Air Resources Board (CARB). 1998, April 22. The Report on Diesel Exhaust. http://www.arb.ca.gov/toxics/dieseltac/de-fnds.htm.

———. 1999. California Air Resources Board (CARB). Final Staff Report: Update to the Toxic Air Contaminant List.

———. 2005, April. Air Quality and Land Use Handbook: A Community Health Perspective. https://www.arb.ca.gov/ch/handbook.pdf.

———. 2008, October. Climate Change Proposed Scoping Plan, a Framework for Change.

———. 2010, August. Staff Report Proposed Regional Greenhouse Gas Emission Reduction Targets for Automobiles and Light Trucks Pursuant to Senate Bill 375.

———. 2014, May 15. First Update to the Climate Change Scoping Plan: Building on the Framework, Pursuant to AB 32, The California Global Warming Solutions Act of 2006, http://www.arb.ca.gov/cc/scopingplan/document/updatedscopingplan2013.htm.

———. 2016, October 1. Ambient Air Quality Standards. http://www.arb.ca.gov/research/aaqs/aaqs2.pdf.

———. 2017a, May 5. Area Designations Maps/State and National. Accessed May 24, 2019. http://www.arb.ca.gov/desig/desig.htm.

———. 2017b, March 14. Final Proposed Short-Lived Climate Pollutant Reduction Strategy. https://www.arb.ca.gov/cc/shortlived/shortlived.htm.

———. 2017c, November. California's 2017 Climate Change Scoping Plan: The Strategy for Achieving California's 2030 Greenhouse Gas Target. https://www.arb.ca.gov/cc/scopingplan/scoping_plan_2017.pdf.

———. 2018a, February. Proposed Update to the SB 375 Greenhouse Gas Emission Reduction Targets. https://www.arb.ca.gov/cc/sb375/sb375_target_update_final_staff_report_feb2018.pdf.

———. 2018b, July 11. 2018 Edition California Greenhouse Gas Inventory for 2000-2016: By Category as Defined in the 2008 Scoping Plan. Accessed May 28, 2019. https://www.arb.ca.gov/cc/inventory/data/data.htm.

———. 2018c, July 11. California Greenhouse Emissions for 2000 to 2016: Trends of Emissions and Other Indicators. Accessed March 5, 2019. https://www.arb.ca.gov/cc/inventory/data/data.htm.

———. 2019. Air Pollution Data Monitoring Cards (2013, 2014, 2015, 2016, and 2017). Accessed May 24, 2019. http://www.arb.ca.gov/adam/topfour/topfour1.php.

California Energy Commission (CEC). 2015a, June 10. 2016 Building Energy Efficiency Standards, Adoption Hearing Presentation. http://www.energy.ca.gov/title24/2016standards/rulemaking/documents.

———.2015b. 2016 Building Energy and Efficiency Standards Frequently Asked Questions. http://www.energy.ca.gov/title24/2016standards/rulemaking/documents/2016_Building_Energy_Efficiency_Standards_FAQ.pdf.

———.2018a. News Release: Energy Commission Adopts Standards Requiring Solar Systems for New Homes, First in Nation. http://www.energy.ca.gov/releases/2018_releases/2018-05-09_building_standards_adopted_nr.html.

———. 2018b. 2019 Building Energy and Efficiency Standards Frequently Asked Questions. http://www.energy.ca.gov/title24/2019standards/documents/2018_Title_24_2019_Building_Standards_FAQ.pdf.

Intergovernmental Panel on Climate Change (IPCC). 1995. Second Assessment Report: Climate Change 1995.

———. 2001. Third Assessment Report: Climate Change 2001. New York: Cambridge University Press.

———. 2007. Fourth Assessment Report: Climate Change 2007. New York: Cambridge University Press.

———. 2013. Fifth Assessment Report: Climate Change 2013. New York: Cambridge University Press.

South Coast Air Quality Management District (SCAQMD). 1992. Federal Attainment Plan for Carbon Monoxide.

———. 1993. California Environmental Quality Act Air Quality Handbook.

———. 2003 Air Quality Management Plan. Appendix V, available at https://www.aqmd.gov/home/air-quality/clean-air-plans/air-quality-mgt-plan/2003-aqmp.

———. 2005, May. Guidance Document for Addressing Air Quality Issues in General Plans and Local Planning. http://www.aqmd.gov/home/library/documents-support-material/planning-guidance/guidance-document.

———. 2008a, September. Multiple Air Toxics Exposure Study in the South Coast Air Basin (MATES III). http://www.aqmd.gov/home/library/air-quality-data-studies/health-studies/mates-iii.

———. 2008b, July. Final Localized Significance Threshold Methodology. http://www.aqmd.gov/docs/default-source/ceqa/handbook/localized-significance-thresholds/final-lst-methodology-document.pdf.

———. 2010a, September 28. Greenhouse Gases (GHG) CEQA Significance Thresholds Working Group Meeting 15. http://www.aqmd.gov/docs/default-source/ceqa/handbook/greenhouse-gases-(ghg)-ceqa-significance-thresholds/year-2008-2009/ghg-meeting-15/ghg-meeting-15-main-presentation.pdf.

———. 2010b, September 28. Minutes for the GHG CEQA Significance Threshold Stakeholder Working Group #15. http://www.aqmd.gov/docs/default-source/ceqa/handbook/greenhouse-gases-(ghg)-ceqa-significance-thresholds/year-2008-2009/ghg-meeting-15/ghg-meeting-15-minutes.pdf.

———. 2011. Fact Sheet for Applying CalEEMod to Localized Significance Thresholds. http://www.aqmd.gov/docs/default-source/ceqa/handbook/localized-significance-thresholds/caleemod-guidance.pdf?sfvrsn=2.

———. 2012, May 4. Final 2012 Lead State Implementation Plan: Los Angeles County. http://www3.aqmd.gov/hb/attachments/2011-2015/2012May/2012-May4-030.pdf.

———. 2015a, October 3. Final Report Multiple Air Toxics Exposure Study in the South Coast Air Basin (MATES IV). http://www.aqmd.gov/home/library/air-quality-data-studies/health-studies/mates-iv.

———. 2015b, March (revised). SCAQMD Air Quality Significance Thresholds. http://www.aqmd.gov/docs/default-source/ceqa/handbook/scaqmd-air-quality-significance-thresholds.pdf?sfvrsn=2.

———. 2015c. Health Effects of Air Pollution. http://www.aqmd.gov/home/library/public-information/publications.

———. 2015d, October. "Blueprint for Clean Air: 2016 AQMP White Paper." 2016 AQMP White Papers Web Page. http://www.aqmd.gov/home/about/groups-committees/aqmp-advisory-group/2016-aqmp-white-papers.

———. 2016, February. 2016 Air Quality Management Plan National Ambient Air Quality Standards (NAAQS) and California Ambient Air Quality Standards (CAAQS) Attainment Status for South Coast Air Basin. http://www.aqmd.gov/docs/default-source/clean-air-plans/air-quality-management-plans/naaqs-caaqs-feb2016.pdf.

———. 2017, March 4. Final 2016 Air Quality Management Plan. http://www.aqmd.gov/home/library/clean-air-plans/air-quality-mgt-plan/final-2016-aqmp.

Southern California Association of Governments (SCAG). 2016, April. The 2016-2040 Regional Transportation Plan/Sustainable Communities Strategy (RTP/SCS): A Plan for Mobility,

Accessibility, Sustainability, and a High Quality of Life. http://scagrtpscs.net/Documents/2016/final/f2016RTPSCS.pdf.

US Environmental Protection Agency (USEPA). 2009, December. EPA: Greenhouse Gases Threaten Public Health and the Environment. Science overwhelmingly shows greenhouse gas concentrations at unprecedented levels due to human activity. https://archive.epa.gov/epapages/newsroom_archive/newsreleases/08d11a451131bca585257685005bf252.html.

———. 2019a. Criteria Air Pollutants. Accessed May 24, 2019. https://www.epa.gov/criteria-air-pollutants.

———. 2019b. Overview of Greenhouse Gases. Accessed May 24, 2019. http://www3.epa.gov/climatechange/ghgemissions/gases.html.

Western Regional Climate Center (WRCC). 2019. Western U.S. Climate Summaries – Los Angeles International Airport Monitoring Station (Station ID No. 045114). Accessed May 24, 2019, https://wrcc.dri.edu/cgi-bin/cliMAIN.pl?ca5114.

## Regional Construction Emissions Worksheet:

**Asphalt Demolition - Mid Playfields**

| | | ROG | NOx | CO | SO2 | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|---|
| Onsite | **2020 Summer** | | | | | | |
| | Fugitive Dust | | | | | 0.0314 | 4.75E-03 |
| | Off-Road | 3.3121 | 33.201 | 21.7532 | 0.0388 | 1.6587 | 1.5419 |
| | Total | **3.3121** | **33.201** | **21.7532** | **0.0388** | **1.6901** | **1.5466** |
| Offsite | | | | | | | |
| | Hauling | 3.00E-03 | 0.0987 | 0.0219 | 2.70E-04 | 5.91E-03 | 1.85E-03 |
| | Vendor | 7.11E-03 | 0.2127 | 0.0557 | 5.20E-04 | 0.013 | 4.44E-03 |
| | Worker | 0.069 | 0.0491 | 0.6568 | 1.77E-03 | 0.156 | 0.0425 |
| | Total | **0.0791** | **0.3606** | **0.7344** | **2.56E-03** | **0.1748** | **0.0488** |
| ***TOTAL*** | | ***3.3912*** | ***33.5616*** | ***22.4876*** | ***0.0414*** | ***1.8649*** | ***1.5954*** |
| Onsite | **2020 Winter** | | | | | | |
| | Fugitive Dust | | | | | 0.0314 | 4.75E-03 |
| | Off-Road | 3.3121 | 33.201 | 21.7532 | 0.0388 | 1.6587 | 1.5419 |
| | Total | **3.3121** | **33.201** | **21.7532** | **0.0388** | **1.6901** | **1.5466** |
| Offsite | | | | | | | |
| | Hauling | 3.07E-03 | 0.1 | 0.0233 | 2.70E-04 | 5.91E-03 | 1.85E-03 |
| | Vendor | 7.44E-03 | 0.2127 | 0.0615 | 5.00E-04 | 0.013 | 4.46E-03 |
| | Worker | 0.0767 | 0.0544 | 0.6015 | 1.67E-03 | 0.156 | 0.0425 |
| | Total | **0.0872** | **0.3671** | **0.6863** | **2.44E-03** | **0.1749** | **0.0489** |
| ***TOTAL*** | | ***3.3993*** | ***33.5681*** | ***22.4395*** | ***0.0412*** | ***1.8650*** | ***1.5955*** |
| Onsite | **2020** | | | | | | |
| | Fugitive Dust | 0 | 0 | 0 | 0 | 0.0314 | 0.00475 |
| | Off-Road | 3.3121 | 33.201 | 21.7532 | 0.0388 | 1.6587 | 1.5419 |
| | Total | **3.3121** | **33.201** | **21.7532** | **0.0388** | **1.6901** | **1.5466** |
| Offsite | | | | | | | |
| | Hauling | 0.00307 | 0.1 | 0.0233 | 0.00027 | 0.00591 | 0.00185 |
| | Vendor | 0.00744 | 0.2127 | 0.0615 | 0.00052 | 0.013 | 0.00446 |
| | Worker | 0.0767 | 0.0544 | 0.6568 | 0.00177 | 0.156 | 0.0425 |
| | Total | **0.0872** | **0.3671** | **0.7344** | **0.00256** | **0.1749** | **0.0489** |
| ***TOTAL*** | | ***3.3993*** | ***33.5681*** | ***22.4876*** | ***0.0414*** | ***1.8650*** | ***1.5955*** |

## Grading - Site

| | | ROG | NOx | CO | SO2 | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|---|
| Onsite | **2020** Summer | | | | | | |
| | Fugitive Dust | | | | | 2.8011 | 1.4396 |
| | Off-Road | 2.4288 | 26.3859 | 16.053 | 0.0297 | 1.2734 | 1.1716 |
| | Total | **2.4288** | **26.3859** | **16.053** | **0.0297** | **4.0746** | **2.6112** |
| Offsite | | | | | | | |
| | Hauling | 0 | 0 | 0 | 0 | 0 | 0 |
| | Vendor | 7.11E-03 | 0.2127 | 0.0557 | 5.20E-04 | 0.013 | 4.44E-03 |
| | Worker | 0.069 | 0.0491 | 0.6568 | 1.77E-03 | 0.156 | 0.0425 |
| | Total | **0.0761** | **0.2619** | **0.7125** | **2.29E-03** | **0.1689** | **0.047** |
| ***TOTAL*** | | ***2.5049*** | ***26.6478*** | ***16.7655*** | ***0.0320*** | ***4.2435*** | ***2.6582*** |
| Onsite | **2020 Winter** | | | | | | |
| | Fugitive Dust | | | | | 2.8011 | 1.4396 |
| | Off-Road | 2.4288 | 26.3859 | 16.053 | 0.0297 | 1.2734 | 1.1716 |
| | Total | **2.4288** | **26.3859** | **16.053** | **0.0297** | **4.0746** | **2.6112** |
| Offsite | | | | | | | |
| | Hauling | 0 | 0 | 0 | 0 | 0 | 0 |
| | Vendor | 7.44E-03 | 0.2127 | 0.0615 | 5.00E-04 | 0.013 | 4.46E-03 |
| | Worker | 0.0767 | 0.0544 | 0.6015 | 1.67E-03 | 0.156 | 0.0425 |
| | Total | **0.0841** | **0.2671** | **0.663** | **2.17E-03** | **0.169** | **0.047** |
| ***TOTAL*** | | ***2.5129*** | ***26.6530*** | ***16.7160*** | ***0.0319*** | ***4.2436*** | ***2.6582*** |
| Onsite | **2020** | | | | | | |
| | Fugitive Dust | 0 | 0 | 0 | 0 | 2.8011 | 1.4396 |
| | Off-Road | 2.4288 | 26.3859 | 16.053 | 0.0297 | 1.2734 | 1.1716 |
| | Total | **2.4288** | **26.3859** | **16.053** | **0.0297** | **4.0746** | **2.6112** |
| Offsite | | | | | | | |
| | Hauling | 0 | 0 | 0 | 0 | 0 | 0 |
| | Vendor | 0.00744 | 0.2127 | 0.0615 | 0.00052 | 0.013 | 0.00446 |
| | Worker | 0.0767 | 0.0544 | 0.6568 | 0.00177 | 0.156 | 0.0425 |
| | Total | **0.0841** | **0.2671** | **0.7125** | **0.00229** | **0.169** | **0.047** |
| ***TOTAL*** | | ***2.5129*** | ***26.6530*** | ***16.7655*** | ***0.0320*** | ***4.2436*** | ***2.6582*** |

## Grading - Site Soil Haul

| | | ROG | NOx | CO | SO2 | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|---|
| Onsite | **2020** Summer | | | | | | |
| | Fugitive Dust | | | | | 0.0161 | 2.44E-03 |
| | Off-Road | 0 | 0 | 0 | 0 | 0 | 0 |
| | Total | **0** | **0** | **0** | **0** | **0.0161** | **2.44E-03** |
| Offsite | | | | | | | |
| | Hauling | 0.6464 | 21.278 | 4.715 | 0.0585 | 1.2737 | 0.398 |
| | Vendor | 0 | 0 | 0 | 0 | 0 | 0 |
| | Worker | 0 | 0 | 0 | 0 | 0 | 0 |
| | Total | **0.6464** | **21.278** | **4.715** | **0.0585** | **1.2737** | **0.398** |
| ***TOTAL*** | | ***0.6464*** | ***21.2780*** | ***4.7150*** | ***0.0585*** | ***1.2898*** | ***0.4004*** |
| Onsite | **2020 Winter** | | | | | | |
| | Fugitive Dust | | | | | 0.0161 | 2.44E-03 |
| | Off-Road | 0 | 0 | 0 | 0 | 0 | 0 |
| | Total | **0** | **0** | **0** | **0** | **0.0161** | **2.44E-03** |
| Offsite | | | | | | | |
| | Hauling | 0.6621 | 21.5534 | 5.0109 | 0.0574 | 1.2748 | 0.399 |
| | Vendor | 0 | 0 | 0 | 0 | 0 | 0 |
| | Worker | 0 | 0 | 0 | 0 | 0 | 0 |
| | Total | **0.6621** | **21.5534** | **5.0109** | **0.0574** | **1.2748** | **0.399** |
| ***TOTAL*** | | ***0.6621*** | ***21.5534*** | ***5.0109*** | ***0.0574*** | ***1.2909*** | ***0.4014*** |
| Onsite | **2020** | | | | | | |
| | Fugitive Dust | 0 | 0 | 0 | 0 | 0.0161 | 0.00244 |
| | Off-Road | 0 | 0 | 0 | 0 | 0 | 0 |
| | Total | **0** | **0** | **0** | **0** | **0.0161** | **0.00244** |
| Offsite | | | | | | | |
| | Hauling | 0.6621 | 21.5534 | 5.0109 | 0.0585 | 1.2748 | 0.399 |
| | Vendor | 0 | 0 | 0 | 0 | 0 | 0 |
| | Worker | 0 | 0 | 0 | 0 | 0 | 0 |
| | Total | **0.6621** | **21.5534** | **5.0109** | **0.0585** | **1.2748** | **0.399** |
| ***TOTAL*** | | ***0.6621*** | ***21.5534*** | ***5.0109*** | ***0.0585*** | ***1.2909*** | ***0.4014*** |

| Modernization - Existing Buildings | | ROG | NOx | CO | SO2 | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|---|
| Onsite | **2020** Summer | | | | | | |
| Off-Road | | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | | **0** | **0** | **0** | **0** | **0** | **0** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0.032 | 0.9574 | 0.2508 | 2.33E-03 | 0.0584 | 0.02 |
| Worker | | 0.1105 | 0.0786 | 1.0508 | 2.83E-03 | 0.2495 | 0.0681 |
| Total | | **0.1425** | **1.0359** | **1.3017** | **5.16E-03** | **0.308** | **0.0881** |
| ***TOTAL*** | | ***0.1425*** | ***1.0359*** | ***1.3017*** | ***0.0052*** | ***0.3080*** | ***0.0881*** |
| Onsite | **2020** Winter | | | | | | |
| Off-Road | | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | | **0** | **0** | **0** | **0** | **0** | **0** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0.0335 | 0.9572 | 0.2767 | 2.27E-03 | 0.0585 | 0.0201 |
| Worker | | 0.1227 | 0.087 | 0.9624 | 2.67E-03 | 0.2495 | 0.0681 |
| Total | | **0.1561** | **1.0441** | **1.2391** | **4.94E-03** | **0.308** | **0.0881** |
| ***TOTAL*** | | ***0.1561*** | ***1.0441*** | ***1.2391*** | ***0.0049*** | ***0.3080*** | ***0.0881*** |
| Onsite | **2020** | | | | | | |
| Off-Road | | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | | **0** | **0** | **0** | **0** | **0** | **0** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0.0335 | 0.9574 | 0.2767 | 0.00233 | 0.0585 | 0.0201 |
| Worker | | 0.1227 | 0.087 | 1.0508 | 0.00283 | 0.2495 | 0.0681 |
| Total | | **0.1561** | **1.0441** | **1.3017** | **0.00516** | **0.308** | **0.0881** |
| ***TOTAL*** | | ***0.1561*** | ***1.0441*** | ***1.3017*** | ***0.0052*** | ***0.3080*** | ***0.0881*** |
| ***Asphalt Demolition - Mid Playfields, Grading - Site, Grading - Site Soil Haul, & Modernization - Existing Buildings*** | | ***6.7304*** | ***82.8186*** | ***45.5657*** | ***0.1370*** | ***7.7075*** | ***4.7432*** |
| ***Asphalt Demolition - Mid Playfields, Grading - Site, & Modernization - Existing Buildings*** | | ***6.0683*** | ***61.2652*** | ***40.5548*** | ***0.0785*** | ***6.4166*** | ***4.3418*** |

## Architectural Coating - Existing Buildings

| | | ROG | NOx | CO | SO2 | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|---|
| Onsite | **2020** Summer | | | | | | |
| Archit. Coating | | 178.9852 | | | | 0 | 0 |
| Off-Road | | 0.2422 | 1.6838 | 1.8314 | 2.97E-03 | 0.1109 | 0.1109 |
| Total | | **179.2273** | **1.6838** | **1.8314** | **2.97E-03** | **0.1109** | **0.1109** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0 | 0 | 0 | 0 | 0 | 0 |
| Worker | | 0.023 | 0.0164 | 0.2189 | 5.90E-04 | 0.052 | 0.0142 |
| Total | | **0.023** | **0.0164** | **0.2189** | **5.90E-04** | **0.052** | **0.0142** |
| ***TOTAL*** | | ***179.2503*** | ***1.7002*** | ***2.0503*** | ***0.0036*** | ***0.1629*** | ***0.1251*** |
| Onsite | **2020** Winter | | | | | | |
| Archit. Coating | | 178.9852 | | | | 0 | 0 |
| Off-Road | | 0.2422 | 1.6838 | 1.8314 | 2.97E-03 | 0.1109 | 0.1109 |
| Total | | **179.2273** | **1.6838** | **1.8314** | **2.97E-03** | **0.1109** | **0.1109** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0 | 0 | 0 | 0 | 0 | 0 |
| Worker | | 0.0256 | 0.0181 | 0.2005 | 5.60E-04 | 0.052 | 0.0142 |
| Total | | **0.0256** | **0.0181** | **0.2005** | **5.60E-04** | **0.052** | **0.0142** |
| ***TOTAL*** | | ***179.2529*** | ***1.7019*** | ***2.0319*** | ***0.0035*** | ***0.1629*** | ***0.1251*** |
| Onsite | **2020** | | | | | | |
| Archit. Coating | | 178.9852 | 0 | 0 | 0 | 0 | 0 |
| Off-Road | | 0.2422 | 1.6838 | 1.8314 | 0.00297 | 0.1109 | 0.1109 |
| Total | | **179.2273** | **1.6838** | **1.8314** | **0.00297** | **0.1109** | **0.1109** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0 | 0 | 0 | 0 | 0 | 0 |
| Worker | | 0.0256 | 0.0181 | 0.2189 | 0.00059 | 0.052 | 0.0142 |
| Total | | **0.0256** | **0.0181** | **0.2189** | **0.00059** | **0.052** | **0.0142** |
| ***TOTAL*** | | ***179.2529*** | ***1.7019*** | ***2.0503*** | ***0.0036*** | ***0.1629*** | ***0.1251*** |
| ***Asphalt Demolition - Mid Playfields, Grading - Site, Modernization - Existing Buildings, & Architectural Coating Existing Buildings*** | | ***185.3212*** | ***62.9671*** | ***42.6051*** | ***0.0821*** | ***6.5795*** | ***4.4669*** |

## Grading - Two Story

| | | ROG | NOx | CO | SO2 | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|---|
| Onsite | **2020** Summer | | | | | | |
| | Fugitive Dust | | | | | 2.8011 | 1.4396 |
| | Off-Road | 2.4288 | 26.3859 | 16.053 | 0.0297 | 1.2734 | 1.1716 |
| | Total | **2.4288** | **26.3859** | **16.053** | **0.0297** | **4.0746** | **2.6112** |
| Offsite | | | | | | | |
| | Hauling | 0 | 0 | 0 | 0 | 0 | 0 |
| | Vendor | 7.11E-03 | 0.2127 | 0.0557 | 5.20E-04 | 0.013 | 4.44E-03 |
| | Worker | 0.069 | 0.0491 | 0.6568 | 1.77E-03 | 0.156 | 0.0425 |
| | Total | **0.0761** | **0.2619** | **0.7125** | **2.29E-03** | **0.1689** | **0.047** |
| ***TOTAL*** | | ***2.5049*** | ***26.6478*** | ***16.7655*** | ***0.0320*** | ***4.2435*** | ***2.6582*** |
| Onsite | **2020 Winter** | | | | | | |
| | Fugitive Dust | | | | | 2.8011 | 1.4396 |
| | Off-Road | 2.4288 | 26.3859 | 16.053 | 0.0297 | 1.2734 | 1.1716 |
| | Total | **2.4288** | **26.3859** | **16.053** | **0.0297** | **4.0746** | **2.6112** |
| Offsite | | | | | | | |
| | Hauling | 0 | 0 | 0 | 0 | 0 | 0 |
| | Vendor | 7.44E-03 | 0.2127 | 0.0615 | 5.00E-04 | 0.013 | 4.46E-03 |
| | Worker | 0.0767 | 0.0544 | 0.6015 | 1.67E-03 | 0.156 | 0.0425 |
| | Total | **0.0841** | **0.2671** | **0.663** | **2.17E-03** | **0.169** | **0.047** |
| ***TOTAL*** | | ***2.5129*** | ***26.6530*** | ***16.7160*** | ***0.0319*** | ***4.2436*** | ***2.6582*** |
| Onsite | **2020** | | | | | | |
| | Fugitive Dust | 0 | 0 | 0 | 0 | 2.8011 | 1.4396 |
| | Off-Road | 2.4288 | 26.3859 | 16.053 | 0.0297 | 1.2734 | 1.1716 |
| | Total | **2.4288** | **26.3859** | **16.053** | **0.0297** | **4.0746** | **2.6112** |
| Offsite | | | | | | | |
| | Hauling | 0 | 0 | 0 | 0 | 0 | 0 |
| | Vendor | 0.00744 | 0.2127 | 0.0615 | 0.00052 | 0.013 | 0.00446 |
| | Worker | 0.0767 | 0.0544 | 0.6568 | 0.00177 | 0.156 | 0.0425 |
| | Total | **0.0841** | **0.2671** | **0.7125** | **0.00229** | **0.169** | **0.047** |
| ***TOTAL*** | | ***2.5129*** | ***26.6530*** | ***16.7655*** | ***0.0320*** | ***4.2436*** | ***2.6582*** |

## Grading - Export Haul

| | | ROG | NOx | CO | SO2 | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|---|
| Onsite | **2020** Summer | | | | | | |
| | Fugitive Dust | | | | | 0.0161 | 2.44E-03 |
| | Off-Road | 0 | 0 | 0 | 0 | 0 | 0 |
| | Total | **0** | **0** | **0** | **0** | **0.0161** | **2.44E-03** |
| Offsite | | | | | | | |
| | Hauling | 0.6471 | 21.302 | 4.7203 | 0.0585 | 1.2752 | 0.3985 |
| | Vendor | 0 | 0 | 0 | 0 | 0 | 0 |
| | Worker | 0 | 0 | 0 | 0 | 0 | 0 |
| | Total | **0.6471** | **21.302** | **4.7203** | **0.0585** | **1.2752** | **0.3985** |
| ***TOTAL*** | | ***0.6471*** | ***21.3020*** | ***4.7203*** | ***0.0585*** | ***1.2913*** | ***0.4009*** |
| Onsite | **2020 Winter** | | | | | | |
| | Fugitive Dust | | | | | 0.0161 | 2.44E-03 |
| | Off-Road | 0 | 0 | 0 | 0 | 0 | 0 |
| | Total | **0** | **0** | **0** | **0** | **0.0161** | **2.44E-03** |
| Offsite | | | | | | | |
| | Hauling | 0.6628 | 21.5777 | 5.0166 | 0.0575 | 1.2762 | 0.3995 |
| | Vendor | 0 | 0 | 0 | 0 | 0 | 0 |
| | Worker | 0 | 0 | 0 | 0 | 0 | 0 |
| | Total | **0.6628** | **21.5777** | **5.0166** | **0.0575** | **1.2762** | **0.3995** |
| ***TOTAL*** | | ***0.6628*** | ***21.5777*** | ***5.0166*** | ***0.0575*** | ***1.2923*** | ***0.4019*** |
| Onsite | **2020** | | | | | | |
| | Fugitive Dust | 0 | 0 | 0 | 0 | 0.0161 | 0.00244 |
| | Off-Road | 0 | 0 | 0 | 0 | 0 | 0 |
| | Total | **0** | **0** | **0** | **0** | **0.0161** | **0.00244** |
| Offsite | | | | | | | |
| | Hauling | 0.6628 | 21.5777 | 5.0166 | 0.0585 | 1.2762 | 0.3995 |
| | Vendor | 0 | 0 | 0 | 0 | 0 | 0 |
| | Worker | 0 | 0 | 0 | 0 | 0 | 0 |
| | Total | **0.6628** | **21.5777** | **5.0166** | **0.0585** | **1.2762** | **0.3995** |
| ***TOTAL*** | | ***0.6628*** | ***21.5777*** | ***5.0166*** | ***0.0585*** | ***1.2923*** | ***0.4019*** |

## Grading - Import Haul

| | | ROG | NOx | CO | SO2 | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|---|
| Onsite | **2020** Summer | | | | | | |
| | Fugitive Dust | | | | | 0.0161 | 2.44E-03 |
| | Off-Road | 0 | 0 | 0 | 0 | 0 | 0 |
| | Total | **0** | **0** | **0** | **0** | **0.0161** | **2.44E-03** |
| Offsite | | | | | | | |
| | Hauling | 0.6464 | 21.278 | 4.715 | 0.0585 | 1.2737 | 0.398 |
| | Vendor | 0 | 0 | 0 | 0 | 0 | 0 |
| | Worker | 0 | 0 | 0 | 0 | 0 | 0 |
| | Total | **0.6464** | **21.278** | **4.715** | **0.0585** | **1.2737** | **0.398** |
| ***TOTAL*** | | ***0.6464*** | ***21.2780*** | ***4.7150*** | ***0.0585*** | ***1.2898*** | ***0.4004*** |
| Onsite | **2020 Winter** | | | | | | |
| | Fugitive Dust | | | | | 0.0161 | 2.44E-03 |
| | Off-Road | 0 | 0 | 0 | 0 | 0 | 0 |
| | Total | **0** | **0** | **0** | **0** | **0.0161** | **2.44E-03** |
| Offsite | | | | | | | |
| | Hauling | 0.6621 | 21.5534 | 5.0109 | 0.0574 | 1.2748 | 0.399 |
| | Vendor | 0 | 0 | 0 | 0 | 0 | 0 |
| | Worker | 0 | 0 | 0 | 0 | 0 | 0 |
| | Total | **0.6621** | **21.5534** | **5.0109** | **0.0574** | **1.2748** | **0.399** |
| ***TOTAL*** | | ***0.6621*** | ***21.5534*** | ***5.0109*** | ***0.0574*** | ***1.2909*** | ***0.4014*** |
| Onsite | **2020** | | | | | | |
| | Fugitive Dust | 0 | 0 | 0 | 0 | 0.0161 | 0.00244 |
| | Off-Road | 0 | 0 | 0 | 0 | 0 | 0 |
| | Total | **0** | **0** | **0** | **0** | **0.0161** | **0.00244** |
| Offsite | | | | | | | |
| | Hauling | 0.6621 | 21.5534 | 5.0109 | 0.0585 | 1.2748 | 0.399 |
| | Vendor | 0 | 0 | 0 | 0 | 0 | 0 |
| | Worker | 0 | 0 | 0 | 0 | 0 | 0 |
| | Total | **0.6621** | **21.5534** | **5.0109** | **0.0585** | **1.2748** | **0.399** |
| ***TOTAL*** | | ***0.6621*** | ***21.5534*** | ***5.0109*** | ***0.0585*** | ***1.2909*** | ***0.4014*** |

| Utility Trenching - Two Story | | ROG | NOx | CO | SO2 | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|---|
| Onsite | **2020 Summer** | | | | | | |
| Off-Road | | 0.245 | 2.4126 | 3.2678 | 5.17E-03 | 0.1169 | 0.1075 |
| Total | | **0.245** | **2.4126** | **3.2678** | **5.17E-03** | **0.1169** | **0.1075** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0 | 0 | 0 | 0 | 0 | 0 |
| Worker | | 0.0138 | 9.82E-03 | 0.1314 | 3.50E-04 | 0.0312 | 8.51E-03 |
| Total | | **0.0138** | **9.82E-03** | **0.1314** | **3.50E-04** | **0.0312** | **8.51E-03** |
| ***TOTAL*** | | ***0.2588*** | ***2.4224*** | ***3.3992*** | ***0.0055*** | ***0.1481*** | ***0.1160*** |
| Onsite | **2020 Winter** | | | | | | |
| Off-Road | | 0.245 | 2.4126 | 3.2678 | 5.17E-03 | 0.1169 | 0.1075 |
| Total | | **0.245** | **2.4126** | **3.2678** | **5.17E-03** | **0.1169** | **0.1075** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0 | 0 | 0 | 0 | 0 | 0 |
| Worker | | 0.0153 | 0.0109 | 0.1203 | 3.30E-04 | 0.0312 | 8.51E-03 |
| Total | | **0.0153** | **0.0109** | **0.1203** | **3.30E-04** | **0.0312** | **8.51E-03** |
| ***TOTAL*** | | ***0.2603*** | ***2.4235*** | ***3.3881*** | ***0.0055*** | ***0.1481*** | ***0.1160*** |
| Onsite | **2020** | | | | | | |
| Off-Road | | 0.245 | 2.4126 | 3.2678 | 0.00517 | 0.1169 | 0.1075 |
| Total | | **0.245** | **2.4126** | **3.2678** | **0.00517** | **0.1169** | **0.1075** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0 | 0 | 0 | 0 | 0 | 0 |
| Worker | | 0.0153 | 0.0109 | 0.1314 | 0.00035 | 0.0312 | 0.00851 |
| Total | | **0.0153** | **0.0109** | **0.1314** | **0.00035** | **0.0312** | **0.00851** |
| ***TOTAL*** | | ***0.2603*** | ***2.4235*** | ***3.3992*** | ***0.0055*** | ***0.1481*** | ***0.1160*** |
| ***Grading - Two Story Building, Grading - Export Haul, & Utility Trenching Two Story Building*** | | ***3.4360*** | ***50.6542*** | ***25.1813*** | ***0.0960*** | ***5.6840*** | ***3.1762*** |
| ***Grading - Two Story Building, Grading - Import Haul, & Utility Trenching Two Story Building*** | | ***3.4353*** | ***50.6299*** | ***25.1756*** | ***0.0960*** | ***5.6826*** | ***3.1757*** |
| ***Grading - Two Story Building & Utility Trenching Two Story Building*** | | ***2.7732*** | ***29.0765*** | ***20.1647*** | ***0.0375*** | ***4.3917*** | ***2.7742*** |

**Building Construction - Multi-Purpose Building**

| | | ROG | NOx | CO | SO2 | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|---|
| Onsite | **2020** Summer | | | | | | |
| Off-Road | | 2.1198 | 19.186 | 16.8485 | 0.0269 | 1.1171 | 1.0503 |
| Total | | **2.1198** | **19.186** | **16.8485** | **0.0269** | **1.1171** | **1.0503** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0.0107 | 0.3191 | 0.0836 | 7.80E-04 | 0.0195 | 6.66E-03 |
| Worker | | 0.0322 | 0.0229 | 0.3065 | 8.30E-04 | 0.0728 | 0.0199 |
| Total | | **0.0429** | **0.342** | **0.3901** | **1.61E-03** | **0.0923** | **0.0265** |
| ***TOTAL*** | | ***2.1627*** | ***19.5280*** | ***17.2386*** | ***0.0285*** | ***1.2094*** | ***1.0768*** |
| Onsite | **2020** Winter | | | | | | |
| Off-Road | | 2.1198 | 19.186 | 16.8485 | 0.0269 | 1.1171 | 1.0503 |
| Total | | **2.1198** | **19.186** | **16.8485** | **0.0269** | **1.1171** | **1.0503** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0.0112 | 0.3191 | 0.0922 | 7.60E-04 | 0.0195 | 6.69E-03 |
| Worker | | 0.0358 | 0.0254 | 0.2807 | 7.80E-04 | 0.0728 | 0.0199 |
| Total | | **0.0469** | **0.3444** | **0.3729** | **1.54E-03** | **0.0923** | **0.0265** |
| ***TOTAL*** | | ***2.1667*** | ***19.5304*** | ***17.2214*** | ***0.0284*** | ***1.2094*** | ***1.0768*** |
| Onsite | **2020** | | | | | | |
| Off-Road | | 2.1198 | 19.186 | 16.8485 | 0.0269 | 1.1171 | 1.0503 |
| Total | | **2.1198** | **19.186** | **16.8485** | **0.0269** | **1.1171** | **1.0503** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0.0112 | 0.3191 | 0.0922 | 0.00078 | 0.0195 | 0.00669 |
| Worker | | 0.0358 | 0.0254 | 0.3065 | 0.00083 | 0.0728 | 0.0199 |
| Total | | **0.0469** | **0.3444** | **0.3901** | **0.00161** | **0.0923** | **0.0265** |
| ***TOTAL*** | | ***2.1667*** | ***19.5304*** | ***17.2386*** | ***0.0285*** | ***1.2094*** | ***1.0768*** |

| | | ROG | NOx | CO | SO2 | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|---|
| Onsite | **2021** Summer | | | | | | |
| Off-Road | | 1.9009 | 17.4321 | 16.5752 | 0.0269 | 0.9586 | 0.9013 |
| Total | | **1.9009** | **17.4321** | **16.5752** | **0.0269** | **0.9586** | **0.9013** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 9.12E-03 | 0.2913 | 0.0762 | 7.70E-04 | 0.0186 | 5.80E-03 |
| Worker | | 0.03 | 0.0206 | 0.2819 | 8.00E-04 | 0.0728 | 0.0198 |
| Total | | **0.0391** | **0.3119** | **0.3581** | **1.57E-03** | **0.0913** | **0.0256** |
| ***TOTAL*** | | ***1.9400*** | ***17.7440*** | ***16.9333*** | ***0.0285*** | ***1.0499*** | ***0.9269*** |
| Onsite | **2021** Winter | | | | | | |
| Off-Road | | 1.9009 | 17.4321 | 16.5752 | 0.0269 | 0.9586 | 0.9013 |
| Total | | **1.9009** | **17.4321** | **16.5752** | **0.0269** | **0.9586** | **0.9013** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 9.57E-03 | 0.2907 | 0.0842 | 7.50E-04 | 0.0186 | 5.82E-03 |
| Worker | | 0.0334 | 0.0228 | 0.2578 | 7.50E-04 | 0.0728 | 0.0198 |
| Total | | **0.043** | **0.3135** | **0.342** | **1.50E-03** | **0.0913** | **0.0257** |
| ***TOTAL*** | | ***1.9439*** | ***17.7456*** | ***16.9172*** | ***0.0284*** | ***1.0499*** | ***0.9270*** |
| Onsite | **2021** | | | | | | |
| Off-Road | | 1.9009 | 17.4321 | 16.5752 | 0.0269 | 0.9586 | 0.9013 |
| Total | | **1.9009** | **17.4321** | **16.5752** | **0.0269** | **0.9586** | **0.9013** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0.00957 | 0.2913 | 0.0842 | 0.00077 | 0.0186 | 0.00582 |
| Worker | | 0.0334 | 0.0228 | 0.2819 | 0.0008 | 0.0728 | 0.0198 |
| Total | | **0.043** | **0.3135** | **0.3581** | **0.00157** | **0.0913** | **0.0257** |
| ***TOTAL*** | | ***1.9439*** | ***17.7456*** | ***16.9333*** | ***0.0285*** | ***1.0499*** | ***0.9270*** |

| | | ROG | NOx | CO | SO2 | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|---|
| Onsite | **2022** Summer | | | | | | |
| Off-Road | | 1.7062 | 15.6156 | 16.3634 | 0.0269 | 0.809 | 0.7612 |
| Total | | **1.7062** | **15.6156** | **16.3634** | **0.0269** | **0.809** | **0.7612** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 8.56E-03 | 0.277 | 0.072 | 7.60E-04 | 0.0185 | 5.73E-03 |
| Worker | | 0.0281 | 0.0186 | 0.2601 | 7.70E-04 | 0.0727 | 0.0198 |
| Total | | **0.0367** | **0.2956** | **0.3322** | **1.53E-03** | **0.0912** | **0.0255** |
| ***TOTAL*** | | ***1.7429*** | ***15.9112*** | ***16.6956*** | ***0.0284*** | ***0.9002*** | ***0.7867*** |
| Onsite | **2022** Winter | | | | | | |
| Off-Road | | 1.7062 | 15.6156 | 16.3634 | 0.0269 | 0.809 | 0.7612 |
| Total | | **1.7062** | **15.6156** | **16.3634** | **0.0269** | **0.809** | **0.7612** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 8.99E-03 | 0.2762 | 0.0797 | 7.40E-04 | 0.0185 | 5.74E-03 |
| Worker | | 0.0314 | 0.0206 | 0.2374 | 7.30E-04 | 0.0727 | 0.0198 |
| Total | | **0.0403** | **0.2969** | **0.3172** | **1.47E-03** | **0.0912** | **0.0256** |
| ***TOTAL*** | | ***1.7465*** | ***15.9125*** | ***16.6806*** | ***0.0284*** | ***0.9002*** | ***0.7868*** |
| Onsite | **2022** | | | | | | |
| Off-Road | | 1.7062 | 15.6156 | 16.3634 | 0.0269 | 0.809 | 0.7612 |
| Total | | **1.7062** | **15.6156** | **16.3634** | **0.0269** | **0.809** | **0.7612** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0.00899 | 0.277 | 0.0797 | 0.00076 | 0.0185 | 0.00574 |
| Worker | | 0.0314 | 0.0206 | 0.2601 | 0.00077 | 0.0727 | 0.0198 |
| Total | | **0.0403** | **0.2969** | **0.3322** | **0.00153** | **0.0912** | **0.0256** |
| ***TOTAL*** | | ***1.7465*** | ***15.9125*** | ***16.6956*** | ***0.0284*** | ***0.9002*** | ***0.7868*** |

| Building Construction - Classroom Buildings | | ROG | NOx | CO | SO2 | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|---|
| Onsite | **2020** Summer | | | | | | |
| Off-Road | | 2.1198 | 19.186 | 16.8485 | 0.0269 | 1.1171 | 1.0503 |
| Total | | **2.1198** | **19.186** | **16.8485** | **0.0269** | **1.1171** | **1.0503** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 7.11E-03 | 0.2127 | 0.0557 | 5.20E-04 | 0.013 | 4.44E-03 |
| Worker | | 0.0276 | 0.0196 | 0.2627 | 7.10E-04 | 0.0624 | 0.017 |
| Total | | **0.0347** | **0.2324** | **0.3185** | **1.23E-03** | **0.0754** | **0.0215** |
| ***TOTAL*** | | ***2.1545*** | ***19.4184*** | ***17.1670*** | ***0.0281*** | ***1.1925*** | ***1.0718*** |
| Onsite | **2020** Winter | | | | | | |
| Off-Road | | 2.1198 | 19.186 | 16.8485 | 0.0269 | 1.1171 | 1.0503 |
| Total | | **2.1198** | **19.186** | **16.8485** | **0.0269** | **1.1171** | **1.0503** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 7.44E-03 | 0.2127 | 0.0615 | 5.00E-04 | 0.013 | 4.46E-03 |
| Worker | | 0.0307 | 0.0218 | 0.2406 | 6.70E-04 | 0.0624 | 0.017 |
| Total | | **0.0381** | **0.2345** | **0.3021** | **1.17E-03** | **0.0754** | **0.0215** |
| ***TOTAL*** | | ***2.1579*** | ***19.4205*** | ***17.1506*** | ***0.0281*** | ***1.1925*** | ***1.0718*** |
| Onsite | **2020** | | | | | | |
| Off-Road | | 2.1198 | 19.186 | 16.8485 | 0.0269 | 1.1171 | 1.0503 |
| Total | | **2.1198** | **19.186** | **16.8485** | **0.0269** | **1.1171** | **1.0503** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0.00744 | 0.2127 | 0.0615 | 0.00052 | 0.013 | 0.00446 |
| Worker | | 0.0307 | 0.0218 | 0.2627 | 0.00071 | 0.0624 | 0.017 |
| Total | | **0.0381** | **0.2345** | **0.3185** | **0.00123** | **0.0754** | **0.0215** |
| ***TOTAL*** | | ***2.1579*** | ***19.4205*** | ***17.1670*** | ***0.0281*** | ***1.1925*** | ***1.0718*** |
| ***Building Construction - Multi-Purpose Building & Building Construction - Classroom Building*** | | ***4.3246*** | ***38.9509*** | ***34.4056*** | ***0.0566*** | ***2.4019*** | ***2.1486*** |

| | | ROG | NOx | CO | SO2 | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|---|
| Onsite | **2021** Summer | | | | | | |
| Off-Road | | 1.9009 | 17.4321 | 16.5752 | 0.0269 | 0.9586 | 0.9013 |
| Total | | **1.9009** | **17.4321** | **16.5752** | **0.0269** | **0.9586** | **0.9013** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 6.08E-03 | 0.1942 | 0.0508 | 5.10E-04 | 0.0124 | 3.86E-03 |
| Worker | | 0.0257 | 0.0177 | 0.2417 | 6.90E-04 | 0.0624 | 0.017 |
| Total | | **0.0318** | **0.2119** | **0.2924** | **1.20E-03** | **0.0747** | **0.0209** |
| ***TOTAL*** | | ***1.9327*** | ***17.6440*** | ***16.8676*** | ***0.0281*** | ***1.0333*** | ***0.9222*** |
| Onsite | **2021** Winter | | | | | | |
| Off-Road | | 1.9009 | 17.4321 | 16.5752 | 0.0269 | 0.9586 | 0.9013 |
| Total | | **1.9009** | **17.4321** | **16.5752** | **0.0269** | **0.9586** | **0.9013** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 6.38E-03 | 0.1938 | 0.0562 | 5.00E-04 | 0.0124 | 3.88E-03 |
| Worker | | 0.0286 | 0.0196 | 0.221 | 6.50E-04 | 0.0624 | 0.017 |
| Total | | **0.035** | **0.2134** | **0.2771** | **1.15E-03** | **0.0748** | **0.0209** |
| ***TOTAL*** | | ***1.9359*** | ***17.6455*** | ***16.8523*** | ***0.0281*** | ***1.0334*** | ***0.9222*** |
| Onsite | **2021** | | | | | | |
| Off-Road | | 1.9009 | 17.4321 | 16.5752 | 0.0269 | 0.9586 | 0.9013 |
| Total | | **1.9009** | **17.4321** | **16.5752** | **0.0269** | **0.9586** | **0.9013** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0.00638 | 0.1942 | 0.0562 | 0.00051 | 0.0124 | 0.00388 |
| Worker | | 0.0286 | 0.0196 | 0.2417 | 0.00069 | 0.0624 | 0.017 |
| Total | | **0.035** | **0.2134** | **0.2924** | **0.0012** | **0.0748** | **0.0209** |
| ***TOTAL*** | | ***1.9359*** | ***17.6455*** | ***16.8676*** | ***0.0281*** | ***1.0334*** | ***0.9222*** |
| ***Building Construction - Multi-Purpose Building & Building Construction - Classroom Building*** | | ***3.8798*** | ***35.3911*** | ***33.8009*** | ***0.0566*** | ***2.0833*** | ***1.8492*** |

**Building Demolition - Ladera and Multi-Purpose Buildings**

| | | ROG | NOx | CO | SO2 | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|---|
| Onsite | **2021 Summer** | | | | | | |
| | Fugitive Dust | | | | | 0.2497 | 0.0378 |
| | Off-Road | 6.3302 | 62.8814 | 43.1301 | 0.0776 | 3.1027 | 2.8822 |
| | Total | **6.3302** | **62.8814** | **43.1301** | **0.0776** | **3.3524** | **2.92** |
| Offsite | | | | | | | |
| | Hauling | 0.0227 | 0.7316 | 0.1715 | 2.13E-03 | 0.0467 | 0.0144 |
| | Vendor | 0.0122 | 0.3884 | 0.1015 | 1.03E-03 | 0.0248 | 7.73E-03 |
| | Worker | 0.1286 | 0.0884 | 1.2083 | 3.43E-03 | 0.3118 | 0.085 |
| | Total | **0.1635** | **1.2083** | **1.4814** | **6.59E-03** | **0.3833** | **0.1071** |
| ***TOTAL*** | | ***6.4937*** | ***64.0897*** | ***44.6115*** | ***0.0842*** | ***3.7357*** | ***3.0271*** |
| Onsite | **2021 Winter** | | | | | | |
| | Fugitive Dust | | | | | 0.2497 | 0.0378 |
| | Off-Road | 6.3302 | 62.8814 | 43.1301 | 0.0776 | 3.1027 | 2.8822 |
| | Total | **6.3302** | **62.8814** | **43.1301** | **0.0776** | **3.3524** | **2.92** |
| Offsite | | | | | | | |
| | Hauling | 0.0233 | 0.7405 | 0.1819 | 2.09E-03 | 0.0467 | 0.0145 |
| | Vendor | 0.0128 | 0.3876 | 0.1123 | 1.00E-03 | 0.0248 | 7.75E-03 |
| | Worker | 0.1431 | 0.0978 | 1.1048 | 3.23E-03 | 0.3118 | 0.085 |
| | Total | **0.1791** | **1.2259** | **1.399** | **6.32E-03** | **0.3833** | **0.1072** |
| ***TOTAL*** | | ***6.5093*** | ***64.1073*** | ***44.5291*** | ***0.0839*** | ***3.7357*** | ***3.0272*** |
| Onsite | **2021** | | | | | | |
| | Fugitive Dust | 0 | 0 | 0 | 0 | 0.2497 | 0.0378 |
| | Off-Road | 6.3302 | 62.8814 | 43.1301 | 0.0776 | 3.1027 | 2.8822 |
| | Total | **6.3302** | **62.8814** | **43.1301** | **0.0776** | **3.3524** | **2.92** |
| Offsite | | | | | | | |
| | Hauling | 0.0233 | 0.7405 | 0.1819 | 0.00213 | 0.0467 | 0.0145 |
| | Vendor | 0.0128 | 0.3884 | 0.1123 | 0.00103 | 0.0248 | 0.00775 |
| | Worker | 0.1431 | 0.0978 | 1.2083 | 0.00343 | 0.3118 | 0.085 |
| | Total | **0.1791** | **1.2259** | **1.4814** | **0.00659** | **0.3833** | **0.1072** |
| ***TOTAL*** | | ***6.5093*** | ***64.1073*** | ***44.6115*** | ***0.0842*** | ***3.7357*** | ***3.0272*** |

**Modernization - Kindergarten Buildings**

| | | ROG | NOx | CO | SO2 | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|---|
| Onsite | **2021** Summer | | | | | | |
| Off-Road | | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | | **0** | **0** | **0** | **0** | **0** | **0** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 3.04E-03 | 0.0971 | 0.0254 | 2.60E-04 | 6.19E-03 | 1.93E-03 |
| Worker | | 0.0172 | 0.0118 | 0.1611 | 4.60E-04 | 0.0416 | 0.0113 |
| Total | | **0.0202** | **0.1089** | **0.1865** | **7.20E-04** | **0.0478** | **0.0133** |
| ***TOTAL*** | | ***0.0202*** | ***0.1089*** | ***0.1865*** | ***0.0007*** | ***0.0478*** | ***0.0133*** |
| Onsite | **2021** Winter | | | | | | |
| Off-Road | | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | | **0** | **0** | **0** | **0** | **0** | **0** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 3.19E-03 | 0.0969 | 0.0281 | 2.50E-04 | 6.20E-03 | 1.94E-03 |
| Worker | | 0.0191 | 0.0131 | 0.1473 | 4.30E-04 | 0.0416 | 0.0113 |
| Total | | **0.0223** | **0.1099** | **0.1754** | **6.80E-04** | **0.0478** | **0.0133** |
| ***TOTAL*** | | ***0.0223*** | ***0.1099*** | ***0.1754*** | ***0.0007*** | ***0.0478*** | ***0.0133*** |
| Onsite | **2021** | | | | | | |
| Off-Road | | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | | **0** | **0** | **0** | **0** | **0** | **0** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0.00319 | 0.0971 | 0.0281 | 0.00026 | 0.0062 | 0.00194 |
| Worker | | 0.0191 | 0.0131 | 0.1611 | 0.00046 | 0.0416 | 0.0113 |
| Total | | **0.0223** | **0.1099** | **0.1865** | **0.00072** | **0.0478** | **0.0133** |
| ***TOTAL*** | | ***0.0223*** | ***0.1099*** | ***0.1865*** | ***0.0007*** | ***0.0478*** | ***0.0133*** |
| ***Building Construction - Multi-Purpose Building, Building Construction - Classroom Building, Building Demolition - Ladera and Multi-Purpose Buildings, & Modernization - Kindergarten Building*** | | ***10.4114*** | ***99.6083*** | ***78.5989*** | ***0.1415*** | ***5.8668*** | ***4.8897*** |
| ***Building Construction - Multi-Purpose Building, Building Demolition - Ladera and Multi-Purpose Buildings, & Modernization - Kindergarten Building*** | | ***8.4755*** | ***81.9628*** | ***61.7313*** | ***0.1134*** | ***4.8334*** | ***3.9675*** |

## Architectural Coating - Classroom Buildings

| | | ROG | NOx | CO | SO2 | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|---|
| Onsite | **2021** Summer | | | | | | |
| Archit. Coating | | 12.3821 | | | | 0 | 0 |
| Off-Road | | 0.2189 | 1.5268 | 1.8176 | 2.97E-03 | 0.0941 | 0.0941 |
| Total | | **12.601** | **1.5268** | **1.8176** | **2.97E-03** | **0.0941** | **0.0941** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0 | 0 | 0 | 0 | 0 | 0 |
| Worker | | 4.29E-03 | 2.95E-03 | 0.0403 | 1.10E-04 | 0.0104 | 2.83E-03 |
| Total | | **4.29E-03** | **2.95E-03** | **0.0403** | **1.10E-04** | **0.0104** | **2.83E-03** |
| ***TOTAL*** | | ***12.6053*** | ***1.5298*** | ***1.8579*** | ***0.0031*** | ***0.1045*** | ***0.0969*** |
| Onsite | **2021** Winter | | | | | | |
| Archit. Coating | | 12.3821 | | | | 0 | 0 |
| Off-Road | | 0.2189 | 1.5268 | 1.8176 | 2.97E-03 | 0.0941 | 0.0941 |
| Total | | **12.601** | **1.5268** | **1.8176** | **2.97E-03** | **0.0941** | **0.0941** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0 | 0 | 0 | 0 | 0 | 0 |
| Worker | | 4.77E-03 | 3.26E-03 | 0.0368 | 1.10E-04 | 0.0104 | 2.83E-03 |
| Total | | **4.77E-03** | **3.26E-03** | **0.0368** | **1.10E-04** | **0.0104** | **2.83E-03** |
| ***TOTAL*** | | ***12.6058*** | ***1.5301*** | ***1.8544*** | ***0.0031*** | ***0.1045*** | ***0.0969*** |
| Onsite | **2021** | | | | | | |
| Archit. Coating | | 12.3821 | 0 | 0 | 0 | 0 | 0 |
| Off-Road | | 0.2189 | 1.5268 | 1.8176 | 0.00297 | 0.0941 | 0.0941 |
| Total | | **12.601** | **1.5268** | **1.8176** | **0.00297** | **0.0941** | **0.0941** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0 | 0 | 0 | 0 | 0 | 0 |
| Worker | | 0.00477 | 0.00326 | 0.0403 | 0.00011 | 0.0104 | 0.00283 |
| Total | | **0.00477** | **0.00326** | **0.0403** | **0.00011** | **0.0104** | **0.00283** |
| ***TOTAL*** | | ***12.6058*** | ***1.5301*** | ***1.8579*** | ***0.0031*** | ***0.1045*** | ***0.0969*** |
| ***Building Construction - Multi-Purpose Building, Building Construction - Classroom Building, Building Demolition - Ladera and Multi-Purpose Buildings, Modernization - Kindergarten Building, & Architectural Coating - Classroom Buildings*** | | ***23.0172*** | ***101.1384*** | ***80.4568*** | ***0.1446*** | ***5.9713*** | ***4.9866*** |

## Asphalt Demolition - Dog Park

| | | ROG | NOx | CO | SO2 | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|---|
| Onsite | **2021 Summer** | | | | | | |
| | Fugitive Dust | | | | | 0.0468 | 7.08E-03 |
| | Off-Road | 3.1651 | 31.4407 | 21.565 | 0.0388 | 1.5513 | 1.4411 |
| | Total | **3.1651** | **31.4407** | **21.565** | **0.0388** | **1.5981** | **1.4482** |
| Offsite | | | | | | | |
| | Hauling | 4.26E-03 | 0.1371 | 0.0322 | 4.00E-04 | 8.75E-03 | 2.70E-03 |
| | Vendor | 6.08E-03 | 0.1942 | 0.0508 | 5.10E-04 | 0.0124 | 3.86E-03 |
| | Worker | 0.0643 | 0.0442 | 0.6042 | 1.71E-03 | 0.1559 | 0.0425 |
| | Total | **0.0746** | **0.3755** | **0.6871** | **2.62E-03** | **0.177** | **0.0491** |
| ***TOTAL*** | | ***3.2397*** | ***31.8162*** | ***22.2521*** | ***0.0414*** | ***1.7751*** | ***1.4973*** |
| Onsite | **2021 Winter** | | | | | | |
| | Fugitive Dust | | | | | 0.0468 | 7.08E-03 |
| | Off-Road | 3.1651 | 31.4407 | 21.565 | 0.0388 | 1.5513 | 1.4411 |
| | Total | **3.1651** | **31.4407** | **21.565** | **0.0388** | **1.5981** | **1.4482** |
| Offsite | | | | | | | |
| | Hauling | 4.36E-03 | 0.1388 | 0.0341 | 3.90E-04 | 8.76E-03 | 2.71E-03 |
| | Vendor | 6.38E-03 | 0.1938 | 0.0562 | 5.00E-04 | 0.0124 | 3.88E-03 |
| | Worker | 0.0715 | 0.0489 | 0.5524 | 1.61E-03 | 0.1559 | 0.0425 |
| | Total | **0.0823** | **0.3815** | **0.6426** | **2.50E-03** | **0.1771** | **0.0491** |
| ***TOTAL*** | | ***3.2474*** | ***31.8222*** | ***22.2076*** | ***0.0413*** | ***1.7752*** | ***1.4973*** |
| Onsite | **2021** | | | | | | |
| | Fugitive Dust | 0 | 0 | 0 | 0 | 0.0468 | 0.00708 |
| | Off-Road | 3.1651 | 31.4407 | 21.565 | 0.0388 | 1.5513 | 1.4411 |
| | Total | **3.1651** | **31.4407** | **21.565** | **0.0388** | **1.5981** | **1.4482** |
| Offsite | | | | | | | |
| | Hauling | 0.00436 | 0.1388 | 0.0341 | 0.0004 | 0.00876 | 0.00271 |
| | Vendor | 0.00638 | 0.1942 | 0.0562 | 0.00051 | 0.0124 | 0.00388 |
| | Worker | 0.0715 | 0.0489 | 0.6042 | 0.00171 | 0.1559 | 0.0425 |
| | Total | **0.0823** | **0.3815** | **0.6871** | **0.00262** | **0.1771** | **0.0491** |
| ***TOTAL*** | | ***3.2474*** | ***31.8222*** | ***22.2521*** | ***0.0414*** | ***1.7752*** | ***1.4973*** |

## Grading - MPR & Dog Park

| | | ROG | NOx | CO | SO2 | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|---|
| Onsite | **2021** Summer | | | | | | |
| | Fugitive Dust | | | | | 2.8011 | 1.4396 |
| | Off-Road | 2.2903 | 24.7367 | 15.8575 | 0.0296 | 1.1599 | 1.0671 |
| | Total | **2.2903** | **24.7367** | **15.8575** | **0.0296** | **3.961** | **2.5067** |
| Offsite | | | | | | | |
| | Hauling | 0 | 0 | 0 | 0 | 0 | 0 |
| | Vendor | 6.08E-03 | 0.1942 | 0.0508 | 5.10E-04 | 0.0124 | 3.86E-03 |
| | Worker | 0.0643 | 0.0442 | 0.6042 | 1.71E-03 | 0.1559 | 0.0425 |
| | Total | **0.0704** | **0.2384** | **0.6549** | **2.22E-03** | **0.1683** | **0.0464** |
| ***TOTAL*** | | ***2.3607*** | ***24.9751*** | ***16.5124*** | ***0.0318*** | ***4.1293*** | ***2.5531*** |
| Onsite | **2021 Winter** | | | | | | |
| | Fugitive Dust | | | | | 2.8011 | 1.4396 |
| | Off-Road | 2.2903 | 24.7367 | 15.8575 | 0.0296 | 1.1599 | 1.0671 |
| | Total | **2.2903** | **24.7367** | **15.8575** | **0.0296** | **3.961** | **2.5067** |
| Offsite | | | | | | | |
| | Hauling | 0 | 0 | 0 | 0 | 0 | 0 |
| | Vendor | 6.38E-03 | 0.1938 | 0.0562 | 5.00E-04 | 0.0124 | 3.88E-03 |
| | Worker | 0.0715 | 0.0489 | 0.5524 | 1.61E-03 | 0.1559 | 0.0425 |
| | Total | **0.0779** | **0.2427** | **0.6085** | **2.11E-03** | **0.1683** | **0.0464** |
| ***TOTAL*** | | ***2.3682*** | ***24.9794*** | ***16.4660*** | ***0.0317*** | ***4.1293*** | ***2.5531*** |
| Onsite | **2021** | | | | | | |
| | Fugitive Dust | 0 | 0 | 0 | 0 | 2.8011 | 1.4396 |
| | Off-Road | 2.2903 | 24.7367 | 15.8575 | 0.0296 | 1.1599 | 1.0671 |
| | Total | **2.2903** | **24.7367** | **15.8575** | **0.0296** | **3.961** | **2.5067** |
| Offsite | | | | | | | |
| | Hauling | 0 | 0 | 0 | 0 | 0 | 0 |
| | Vendor | 0.00638 | 0.1942 | 0.0562 | 0.00051 | 0.0124 | 0.00388 |
| | Worker | 0.0715 | 0.0489 | 0.6042 | 0.00171 | 0.1559 | 0.0425 |
| | Total | **0.0779** | **0.2427** | **0.6549** | **0.00222** | **0.1683** | **0.0464** |
| ***TOTAL*** | | ***2.3682*** | ***24.9794*** | ***16.5124*** | ***0.0318*** | ***4.1293*** | ***2.5531*** |

**Utility Trenching - MPR**

| | | ROG | NOx | CO | SO2 | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|---|
| Onsite | **2021 Summer** | | | | | | |
| Off-Road | | 0.2292 | 2.1534 | 3.2718 | 5.17E-03 | 0.1044 | 0.0961 |
| Total | | **0.2292** | **2.1534** | **3.2718** | **5.17E-03** | **0.1044** | **0.0961** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0 | 0 | 0 | 0 | 0 | 0 |
| Worker | | 0.0129 | 8.84E-03 | 0.1208 | 3.40E-04 | 0.0312 | 8.50E-03 |
| Total | | **0.0129** | **8.84E-03** | **0.1208** | **3.40E-04** | **0.0312** | **8.50E-03** |
| ***TOTAL*** | | ***0.2421*** | ***2.1622*** | ***3.3926*** | ***0.0055*** | ***0.1356*** | ***0.1046*** |
| Onsite | **2021 Winter** | | | | | | |
| Off-Road | | 0.2292 | 2.1534 | 3.2718 | 5.17E-03 | 0.1044 | 0.0961 |
| Total | | **0.2292** | **2.1534** | **3.2718** | **5.17E-03** | **0.1044** | **0.0961** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0 | 0 | 0 | 0 | 0 | 0 |
| Worker | | 0.0143 | 9.78E-03 | 0.1105 | 3.20E-04 | 0.0312 | 8.50E-03 |
| Total | | **0.0143** | **9.78E-03** | **0.1105** | **3.20E-04** | **0.0312** | **8.50E-03** |
| ***TOTAL*** | | ***0.2435*** | ***2.1632*** | ***3.3823*** | ***0.0055*** | ***0.1356*** | ***0.1046*** |
| Onsite | **2021** | | | | | | |
| Off-Road | | 0.2292 | 2.1534 | 3.2718 | 0.00517 | 0.1044 | 0.0961 |
| Total | | **0.2292** | **2.1534** | **3.2718** | **0.00517** | **0.1044** | **0.0961** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0 | 0 | 0 | 0 | 0 | 0 |
| Worker | | 0.0143 | 0.00978 | 0.1208 | 0.00034 | 0.0312 | 0.0085 |
| Total | | **0.0143** | **0.00978** | **0.1208** | **0.00034** | **0.0312** | **0.0085** |
| ***TOTAL*** | | ***0.2435*** | ***2.1632*** | ***3.3926*** | ***0.0055*** | ***0.1356*** | ***0.1046*** |
| ***Building Construction - Multi-Purpose Building, Modernization - Kindergarten Building, Asphalt Demolition - Dog Park, Grading - MPR, & Utility Trenching - MPR*** | | ***7.8253*** | ***76.8203*** | ***59.2769*** | ***0.1079*** | ***7.1378*** | ***5.0953*** |
| ***Building Construction - Multi-Purpose Building, Asphalt Demolition - Dog Park, Grading - MPR, & Utility Trenching - MPR*** | | ***7.8030*** | ***76.7104*** | ***59.0904*** | ***0.1072*** | ***7.0900*** | ***5.0820*** |

## Architectural Coating - Kindergarten

| | | ROG | NOx | CO | SO2 | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|---|
| Onsite | **2021** Summer | | | | | | |
| Archit. Coating | | 16.377 | | | | 0 | 0 |
| Off-Road | | 0.2189 | 1.5268 | 1.8176 | 2.97E-03 | 0.0941 | 0.0941 |
| Total | | **16.5959** | **1.5268** | **1.8176** | **2.97E-03** | **0.0941** | **0.0941** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0 | 0 | 0 | 0 | 0 | 0 |
| Worker | | 4.29E-03 | 2.95E-03 | 0.0403 | 1.10E-04 | 0.0104 | 2.83E-03 |
| Total | | **4.29E-03** | **2.95E-03** | **0.0403** | **1.10E-04** | **0.0104** | **2.83E-03** |
| ***TOTAL*** | | ***16.6002*** | ***1.5298*** | ***1.8579*** | ***0.0031*** | ***0.1045*** | ***0.0969*** |
| Onsite | **2021** Winter | | | | | | |
| Archit. Coating | | 16.377 | | | | 0 | 0 |
| Off-Road | | 0.2189 | 1.5268 | 1.8176 | 2.97E-03 | 0.0941 | 0.0941 |
| Total | | **16.5959** | **1.5268** | **1.8176** | **2.97E-03** | **0.0941** | **0.0941** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0 | 0 | 0 | 0 | 0 | 0 |
| Worker | | 4.77E-03 | 3.26E-03 | 0.0368 | 1.10E-04 | 0.0104 | 2.83E-03 |
| Total | | **4.77E-03** | **3.26E-03** | **0.0368** | **1.10E-04** | **0.0104** | **2.83E-03** |
| ***TOTAL*** | | ***16.6007*** | ***1.5301*** | ***1.8544*** | ***0.0031*** | ***0.1045*** | ***0.0969*** |
| Onsite | **2021** | | | | | | |
| Archit. Coating | | 16.377 | 0 | 0 | 0 | 0 | 0 |
| Off-Road | | 0.2189 | 1.5268 | 1.8176 | 0.00297 | 0.0941 | 0.0941 |
| Total | | **16.5959** | **1.5268** | **1.8176** | **0.00297** | **0.0941** | **0.0941** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0 | 0 | 0 | 0 | 0 | 0 |
| Worker | | 0.00477 | 0.00326 | 0.0403 | 0.00011 | 0.0104 | 0.00283 |
| Total | | **0.00477** | **0.00326** | **0.0403** | **0.00011** | **0.0104** | **0.00283** |
| ***TOTAL*** | | ***16.6007*** | ***1.5301*** | ***1.8579*** | ***0.0031*** | ***0.1045*** | ***0.0969*** |
| ***Building Construction - Multi-Purpose Building, Modernization - Kindergarten Building, Asphalt Demolition - Dog Park, Grading - MPR, Utility Trenching - MPR, & Architectural Coating - Kindergarten*** | | ***24.4260*** | ***78.3503*** | ***61.1348*** | ***0.1110*** | ***7.2423*** | ***5.1922*** |

## Portable Buildings Removal

| | | ROG | NOx | CO | SO2 | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|---|
| Onsite | **2022 Summer** | | | | | | |
| | Fugitive Dust | | | | | 0.0451 | 6.83E-03 |
| | Off-Road | 2.6392 | 25.7194 | 20.5941 | 0.0388 | 1.2427 | 1.1553 |
| | Total | **2.6392** | **25.7194** | **20.5941** | **0.0388** | **1.2878** | **1.1621** |
| Offsite | | | | | | | |
| | Hauling | 3.97E-03 | 0.1246 | 0.0311 | 3.80E-04 | 8.51E-03 | 2.59E-03 |
| | Vendor | 0 | 0 | 0 | 0 | 0 | 0 |
| | Worker | 0.0602 | 0.0399 | 0.5574 | 1.65E-03 | 0.1559 | 0.0425 |
| | Total | **0.0642** | **0.1645** | **0.5885** | **2.03E-03** | **0.1644** | **0.045** |
| ***TOTAL*** | | ***2.7034*** | ***25.8839*** | ***21.1826*** | ***0.0408*** | ***1.4522*** | ***1.2071*** |
| Onsite | **2022 Winter** | | | | | | |
| | Fugitive Dust | | | | | 0.0451 | 6.83E-03 |
| | Off-Road | 2.6392 | 25.7194 | 20.5941 | 0.0388 | 1.2427 | 1.1553 |
| | Total | **2.6392** | **25.7194** | **20.5941** | **0.0388** | **1.2878** | **1.1621** |
| Offsite | | | | | | | |
| | Hauling | 4.06E-03 | 0.126 | 0.0329 | 3.80E-04 | 8.51E-03 | 2.60E-03 |
| | Vendor | 0 | 0 | 0 | 0 | 0 | 0 |
| | Worker | 0.0672 | 0.0442 | 0.5088 | 1.56E-03 | 0.1559 | 0.0425 |
| | Total | **0.0712** | **0.1702** | **0.5417** | **1.94E-03** | **0.1644** | **0.0451** |
| ***TOTAL*** | | ***2.7104*** | ***25.8896*** | ***21.1358*** | ***0.0407*** | ***1.4522*** | ***1.2072*** |
| Onsite | **2022** | | | | | | |
| | Fugitive Dust | 0 | 0 | 0 | 0 | 0.0451 | 0.00683 |
| | Off-Road | 2.6392 | 25.7194 | 20.5941 | 0.0388 | 1.2427 | 1.1553 |
| | Total | **2.6392** | **25.7194** | **20.5941** | **0.0388** | **1.2878** | **1.1621** |
| Offsite | | | | | | | |
| | Hauling | 0.00406 | 0.126 | 0.0329 | 0.00038 | 0.00851 | 0.0026 |
| | Vendor | 0 | 0 | 0 | 0 | 0 | 0 |
| | Worker | 0.0672 | 0.0442 | 0.5574 | 0.00165 | 0.1559 | 0.0425 |
| | Total | **0.0712** | **0.1702** | **0.5885** | **0.00203** | **0.1644** | **0.0451** |
| ***TOTAL*** | | ***2.7104*** | ***25.8896*** | ***21.1826*** | ***0.0408*** | ***1.4522*** | ***1.2072*** |

| Paving, Dog Park Renovation, & Intallation of Playfields and Hardcourts | | | | | | | |
|---|---|---|---|---|---|---|---|
| | | ROG | NOx | CO | SO2 | PM10 Total | PM2.5 Total |
| Onsite | **2022** Summer | | | | | | |
| | Off-Road | 2.2056 | 22.2498 | 29.161 | 0.0456 | 1.1358 | 1.0449 |
| | Paving | 0.0461 | | | | 0 | 0 |
| | Total | **2.2518** | **22.2498** | **29.161** | **0.0456** | **1.1358** | **1.0449** |
| Offsite | | | | | | | |
| | Hauling | 0 | 0 | 0 | 0 | 0 | 0 |
| | Vendor | 0 | 0 | 0 | 0 | 0 | 0 |
| | Worker | 0.1205 | 0.0798 | 1.1148 | 3.31E-03 | 0.3117 | 0.0849 |
| | Total | **0.1205** | **0.0798** | **1.1148** | **3.31E-03** | **0.3117** | **0.0849** |
| ***TOTAL*** | | ***2.3723*** | ***22.3296*** | ***30.2758*** | ***0.0489*** | ***1.4475*** | ***1.1298*** |
| Onsite | **2022** Winter | | | | | | |
| | Off-Road | 2.2056 | 22.2498 | 29.161 | 0.0456 | 1.1358 | 1.0449 |
| | Paving | 0.0461 | | | | 0 | 0 |
| | Total | **2.2518** | **22.2498** | **29.161** | **0.0456** | **1.1358** | **1.0449** |
| Offsite | | | | | | | |
| | Hauling | 0 | 0 | 0 | 0 | 0 | 0 |
| | Vendor | 0 | 0 | 0 | 0 | 0 | 0 |
| | Worker | 0.1344 | 0.0884 | 1.0175 | 3.11E-03 | 0.3117 | 0.0849 |
| | Total | **0.1344** | **0.0884** | **1.0175** | **3.11E-03** | **0.3117** | **0.0849** |
| ***TOTAL*** | | ***2.3862*** | ***22.3382*** | ***30.1785*** | ***0.0487*** | ***1.4475*** | ***1.1298*** |
| Onsite | **2022** | | | | | | |
| | Off-Road | 2.2056 | 22.2498 | 29.161 | 0.0456 | 1.1358 | 1.0449 |
| | Paving | 0.0461 | 0 | 0 | 0 | 0 | 0 |
| | Total | **2.2518** | **22.2498** | **29.161** | **0.0456** | **1.1358** | **1.0449** |
| Offsite | | | | | | | |
| | Hauling | 0 | 0 | 0 | 0 | 0 | 0 |
| | Vendor | 0 | 0 | 0 | 0 | 0 | 0 |
| | Worker | 0.1344 | 0.0884 | 1.1148 | 0.00331 | 0.3117 | 0.0849 |
| | Total | **0.1344** | **0.0884** | **1.1148** | **0.00331** | **0.3117** | **0.0849** |
| ***TOTAL*** | | ***2.3862*** | ***22.3382*** | ***30.2758*** | ***0.0489*** | ***1.4475*** | ***1.1298*** |
| | ***Building Construction - Multi-Purpose Building, Portable Buildings Removal, & Paving*** | ***6.8431*** | ***64.1403*** | ***68.1540*** | ***0.1182*** | ***3.7999*** | ***3.1238*** |
| | ***Building Construction - Multi-Purpose Building & Paving*** | ***4.1327*** | ***38.2507*** | ***46.9714*** | ***0.0773*** | ***2.3477*** | ***1.9166*** |

| Architectural Coating - Multi-Purpose Building | | ROG | NOx | CO | SO2 | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|---|
| Onsite | **2022** Summer | | | | | | |
| | Archit. Coating | 4.0671 | | | | 0 | 0 |
| | Off-Road | 0.2045 | 1.4085 | 1.8136 | 2.97E-03 | 0.0817 | 0.0817 |
| | Total | **4.2716** | **1.4085** | **1.8136** | **2.97E-03** | **0.0817** | **0.0817** |
| Offsite | | | | | | | |
| | Hauling | 0 | 0 | 0 | 0 | 0 | 0 |
| | Vendor | 0 | 0 | 0 | 0 | 0 | 0 |
| | Worker | 4.02E-03 | 2.66E-03 | 0.0372 | 1.10E-04 | 0.0104 | 2.83E-03 |
| | Total | **4.02E-03** | **2.66E-03** | **0.0372** | **1.10E-04** | **0.0104** | **2.83E-03** |
| ***TOTAL*** | | ***4.2756*** | ***1.4112*** | ***1.8508*** | ***0.0031*** | ***0.0921*** | ***0.0845*** |
| Onsite | **2022** Winter | | | | | | |
| | Archit. Coating | 4.0671 | | | | 0 | 0 |
| | Off-Road | 0.2045 | 1.4085 | 1.8136 | 2.97E-03 | 0.0817 | 0.0817 |
| | Total | **4.2716** | **1.4085** | **1.8136** | **2.97E-03** | **0.0817** | **0.0817** |
| Offsite | | | | | | | |
| | Hauling | 0 | 0 | 0 | 0 | 0 | 0 |
| | Vendor | 0 | 0 | 0 | 0 | 0 | 0 |
| | Worker | 4.48E-03 | 2.95E-03 | 0.0339 | 1.00E-04 | 0.0104 | 2.83E-03 |
| | Total | **4.48E-03** | **2.95E-03** | **0.0339** | **1.00E-04** | **0.0104** | **2.83E-03** |
| ***TOTAL*** | | ***4.2761*** | ***1.4115*** | ***1.8475*** | ***0.0031*** | ***0.0921*** | ***0.0845*** |
| Onsite | **2022** | | | | | | |
| | Archit. Coating | 4.0671 | 0 | 0 | 0 | 0 | 0 |
| | Off-Road | 0.2045 | 1.4085 | 1.8136 | 0.00297 | 0.0817 | 0.0817 |
| | Total | **4.2716** | **1.4085** | **1.8136** | **0.00297** | **0.0817** | **0.0817** |
| Offsite | | | | | | | |
| | Hauling | 0 | 0 | 0 | 0 | 0 | 0 |
| | Vendor | 0 | 0 | 0 | 0 | 0 | 0 |
| | Worker | 0.00448 | 0.00295 | 0.0372 | 0.00011 | 0.0104 | 0.00283 |
| | Total | **0.00448** | **0.00295** | **0.0372** | **0.00011** | **0.0104** | **0.00283** |
| ***TOTAL*** | | ***4.2761*** | ***1.4115*** | ***1.8508*** | ***0.0031*** | ***0.0921*** | ***0.0845*** |
| ***Building Construction - Multi-Purpose Building & Architectural Coating - Multi-Purpose Building*** | | ***6.0226*** | ***17.3240*** | ***18.5464*** | ***0.0315*** | ***0.9923*** | ***0.8713*** |
| **MAX DAILY** | | **185.32** | **101.14** | **80.46** | **0.14** | **7.71** | **5.19** |
| **Regional Thresholds** | | **75** | **100** | **550** | **150** | **150** | **55** |
| Exceeds Thresholds? | | Yes | Yes | No | No | No | No |

## Regional Construction Emissions Worksheet:

**Asphalt Demolition - Mid Playfields**

| | | ROG | NOx | CO | SO2 | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|---|
| Onsite | **2020 Summer** | | | | | | |
| | Fugitive Dust | | | | | 0.0314 | 4.75E-03 |
| | Off-Road | 3.3121 | 33.201 | 21.7532 | 0.0388 | 1.6587 | 1.5419 |
| | Total | **3.3121** | **33.201** | **21.7532** | **0.0388** | **1.6901** | **1.5466** |
| Offsite | | | | | | | |
| | Hauling | 3.00E-03 | 0.0987 | 0.0219 | 2.70E-04 | 5.91E-03 | 1.85E-03 |
| | Vendor | 7.11E-03 | 0.2127 | 0.0557 | 5.20E-04 | 0.013 | 4.44E-03 |
| | Worker | 0.069 | 0.0491 | 0.6568 | 1.77E-03 | 0.156 | 0.0425 |
| | Total | **0.0791** | **0.3606** | **0.7344** | **2.56E-03** | **0.1748** | **0.0488** |
| ***TOTAL*** | | ***3.3912*** | ***33.5616*** | ***22.4876*** | ***0.0414*** | ***1.8649*** | ***1.5954*** |
| Onsite | **2020 Winter** | | | | | | |
| | Fugitive Dust | | | | | 0.0314 | 4.75E-03 |
| | Off-Road | 3.3121 | 33.201 | 21.7532 | 0.0388 | 1.6587 | 1.5419 |
| | Total | **3.3121** | **33.201** | **21.7532** | **0.0388** | **1.6901** | **1.5466** |
| Offsite | | | | | | | |
| | Hauling | 3.07E-03 | 0.1 | 0.0233 | 2.70E-04 | 5.91E-03 | 1.85E-03 |
| | Vendor | 7.44E-03 | 0.2127 | 0.0615 | 5.00E-04 | 0.013 | 4.46E-03 |
| | Worker | 0.0767 | 0.0544 | 0.6015 | 1.67E-03 | 0.156 | 0.0425 |
| | Total | **0.0872** | **0.3671** | **0.6863** | **2.44E-03** | **0.1749** | **0.0489** |
| ***TOTAL*** | | ***3.3993*** | ***33.5681*** | ***22.4395*** | ***0.0412*** | ***1.8650*** | ***1.5955*** |
| Onsite | **2020** | | | | | | |
| | Fugitive Dust | 0 | 0 | 0 | 0 | 0.0314 | 0.00475 |
| | Off-Road | 3.3121 | 33.201 | 21.7532 | 0.0388 | 1.6587 | 1.5419 |
| | Total | **3.3121** | **33.201** | **21.7532** | **0.0388** | **1.6901** | **1.5466** |
| Offsite | | | | | | | |
| | Hauling | 0.00307 | 0.1 | 0.0233 | 0.00027 | 0.00591 | 0.00185 |
| | Vendor | 0.00744 | 0.2127 | 0.0615 | 0.00052 | 0.013 | 0.00446 |
| | Worker | 0.0767 | 0.0544 | 0.6568 | 0.00177 | 0.156 | 0.0425 |
| | Total | **0.0872** | **0.3671** | **0.7344** | **0.00256** | **0.1749** | **0.0489** |
| ***TOTAL*** | | ***3.3993*** | ***33.5681*** | ***22.4876*** | ***0.0414*** | ***1.8650*** | ***1.5955*** |

## Grading - Site

| | | ROG | NOx | CO | SO2 | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|---|
| Onsite | **2020** Summer | | | | | | |
| | Fugitive Dust | | | | | 2.8011 | 1.4396 |
| | Off-Road | 2.4288 | 26.3859 | 16.053 | 0.0297 | 1.2734 | 1.1716 |
| | Total | **2.4288** | **26.3859** | **16.053** | **0.0297** | **4.0746** | **2.6112** |
| Offsite | | | | | | | |
| | Hauling | 0 | 0 | 0 | 0 | 0 | 0 |
| | Vendor | 7.11E-03 | 0.2127 | 0.0557 | 5.20E-04 | 0.013 | 4.44E-03 |
| | Worker | 0.069 | 0.0491 | 0.6568 | 1.77E-03 | 0.156 | 0.0425 |
| | Total | **0.0761** | **0.2619** | **0.7125** | **2.29E-03** | **0.1689** | **0.047** |
| ***TOTAL*** | | ***2.5049*** | ***26.6478*** | ***16.7655*** | ***0.0320*** | ***4.2435*** | ***2.6582*** |
| Onsite | **2020 Winter** | | | | | | |
| | Fugitive Dust | | | | | 2.8011 | 1.4396 |
| | Off-Road | 2.4288 | 26.3859 | 16.053 | 0.0297 | 1.2734 | 1.1716 |
| | Total | **2.4288** | **26.3859** | **16.053** | **0.0297** | **4.0746** | **2.6112** |
| Offsite | | | | | | | |
| | Hauling | 0 | 0 | 0 | 0 | 0 | 0 |
| | Vendor | 7.44E-03 | 0.2127 | 0.0615 | 5.00E-04 | 0.013 | 4.46E-03 |
| | Worker | 0.0767 | 0.0544 | 0.6015 | 1.67E-03 | 0.156 | 0.0425 |
| | Total | **0.0841** | **0.2671** | **0.663** | **2.17E-03** | **0.169** | **0.047** |
| ***TOTAL*** | | ***2.5129*** | ***26.6530*** | ***16.7160*** | ***0.0319*** | ***4.2436*** | ***2.6582*** |
| Onsite | **2020** | | | | | | |
| | Fugitive Dust | 0 | 0 | 0 | 0 | 2.8011 | 1.4396 |
| | Off-Road | 2.4288 | 26.3859 | 16.053 | 0.0297 | 1.2734 | 1.1716 |
| | Total | **2.4288** | **26.3859** | **16.053** | **0.0297** | **4.0746** | **2.6112** |
| Offsite | | | | | | | |
| | Hauling | 0 | 0 | 0 | 0 | 0 | 0 |
| | Vendor | 0.00744 | 0.2127 | 0.0615 | 0.00052 | 0.013 | 0.00446 |
| | Worker | 0.0767 | 0.0544 | 0.6568 | 0.00177 | 0.156 | 0.0425 |
| | Total | **0.0841** | **0.2671** | **0.7125** | **0.00229** | **0.169** | **0.047** |
| ***TOTAL*** | | ***2.5129*** | ***26.6530*** | ***16.7655*** | ***0.0320*** | ***4.2436*** | ***2.6582*** |

## Grading - Site Soil Haul

| | | ROG | NOx | CO | SO2 | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|---|
| Onsite | **2020** Summer | | | | | | |
| | Fugitive Dust | | | | | 0.0161 | 2.44E-03 |
| | Off-Road | 0 | 0 | 0 | 0 | 0 | 0 |
| | Total | **0** | **0** | **0** | **0** | **0.0161** | **2.44E-03** |
| Offsite | | | | | | | |
| | Hauling | 0.6464 | 21.278 | 4.715 | 0.0585 | 1.2737 | 0.398 |
| | Vendor | 0 | 0 | 0 | 0 | 0 | 0 |
| | Worker | 0 | 0 | 0 | 0 | 0 | 0 |
| | Total | **0.6464** | **21.278** | **4.715** | **0.0585** | **1.2737** | **0.398** |
| ***TOTAL*** | | ***0.6464*** | ***21.2780*** | ***4.7150*** | ***0.0585*** | ***1.2898*** | ***0.4004*** |
| Onsite | **2020 Winter** | | | | | | |
| | Fugitive Dust | | | | | 0.0161 | 2.44E-03 |
| | Off-Road | 0 | 0 | 0 | 0 | 0 | 0 |
| | Total | **0** | **0** | **0** | **0** | **0.0161** | **2.44E-03** |
| Offsite | | | | | | | |
| | Hauling | 0.6621 | 21.5534 | 5.0109 | 0.0574 | 1.2748 | 0.399 |
| | Vendor | 0 | 0 | 0 | 0 | 0 | 0 |
| | Worker | 0 | 0 | 0 | 0 | 0 | 0 |
| | Total | **0.6621** | **21.5534** | **5.0109** | **0.0574** | **1.2748** | **0.399** |
| ***TOTAL*** | | ***0.6621*** | ***21.5534*** | ***5.0109*** | ***0.0574*** | ***1.2909*** | ***0.4014*** |
| Onsite | **2020** | | | | | | |
| | Fugitive Dust | 0 | 0 | 0 | 0 | 0.0161 | 0.00244 |
| | Off-Road | 0 | 0 | 0 | 0 | 0 | 0 |
| | Total | **0** | **0** | **0** | **0** | **0.0161** | **0.00244** |
| Offsite | | | | | | | |
| | Hauling | 0.6621 | 21.5534 | 5.0109 | 0.0585 | 1.2748 | 0.399 |
| | Vendor | 0 | 0 | 0 | 0 | 0 | 0 |
| | Worker | 0 | 0 | 0 | 0 | 0 | 0 |
| | Total | **0.6621** | **21.5534** | **5.0109** | **0.0585** | **1.2748** | **0.399** |
| ***TOTAL*** | | ***0.6621*** | ***21.5534*** | ***5.0109*** | ***0.0585*** | ***1.2909*** | ***0.4014*** |

| Modernization - Existing Buildings | | ROG | NOx | CO | SO2 | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|---|
| Onsite | **2020** Summer | | | | | | |
| Off-Road | | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | | **0** | **0** | **0** | **0** | **0** | **0** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0.032 | 0.9574 | 0.2508 | 2.33E-03 | 0.0584 | 0.02 |
| Worker | | 0.1105 | 0.0786 | 1.0508 | 2.83E-03 | 0.2495 | 0.0681 |
| Total | | **0.1425** | **1.0359** | **1.3017** | **5.16E-03** | **0.308** | **0.0881** |
| ***TOTAL*** | | ***0.1425*** | ***1.0359*** | ***1.3017*** | ***0.0052*** | ***0.3080*** | ***0.0881*** |
| Onsite | **2020** Winter | | | | | | |
| Off-Road | | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | | **0** | **0** | **0** | **0** | **0** | **0** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0.0335 | 0.9572 | 0.2767 | 2.27E-03 | 0.0585 | 0.0201 |
| Worker | | 0.1227 | 0.087 | 0.9624 | 2.67E-03 | 0.2495 | 0.0681 |
| Total | | **0.1561** | **1.0441** | **1.2391** | **4.94E-03** | **0.308** | **0.0881** |
| ***TOTAL*** | | ***0.1561*** | ***1.0441*** | ***1.2391*** | ***0.0049*** | ***0.3080*** | ***0.0881*** |
| Onsite | **2020** | | | | | | |
| Off-Road | | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | | **0** | **0** | **0** | **0** | **0** | **0** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0.0335 | 0.9574 | 0.2767 | 0.00233 | 0.0585 | 0.0201 |
| Worker | | 0.1227 | 0.087 | 1.0508 | 0.00283 | 0.2495 | 0.0681 |
| Total | | **0.1561** | **1.0441** | **1.3017** | **0.00516** | **0.308** | **0.0881** |
| ***TOTAL*** | | ***0.1561*** | ***1.0441*** | ***1.3017*** | ***0.0052*** | ***0.3080*** | ***0.0881*** |
| ***Asphalt Demolition - Mid Playfields, Grading - Site, Grading - Site Soil Haul, & Modernization - Existing Buildings*** | | ***6.7304*** | ***82.8186*** | ***45.5657*** | ***0.1370*** | ***7.7075*** | ***4.7432*** |
| ***Asphalt Demolition - Mid Playfields, Grading - Site, & Modernization - Existing Buildings*** | | ***6.0683*** | ***61.2652*** | ***40.5548*** | ***0.0785*** | ***6.4166*** | ***4.3418*** |

## Architectural Coating - Existing Buildings

| | | ROG | NOx | CO | SO2 | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|---|
| Onsite | **2020** Summer | | | | | | |
| Archit. Coating | | 44.7463 | | | | 0 | 0 |
| Off-Road | | 0.2422 | 1.6838 | 1.8314 | 2.97E-03 | 0.1109 | 0.1109 |
| Total | | **44.9885** | **1.6838** | **1.8314** | **2.97E-03** | **0.1109** | **0.1109** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0 | 0 | 0 | 0 | 0 | 0 |
| Worker | | 0.023 | 0.0164 | 0.2189 | 5.90E-04 | 0.052 | 0.0142 |
| Total | | **0.023** | **0.0164** | **0.2189** | **5.90E-04** | **0.052** | **0.0142** |
| ***TOTAL*** | | ***45.0115*** | ***1.7002*** | ***2.0503*** | ***0.0036*** | ***0.1629*** | ***0.1251*** |
| Onsite | **2020** Winter | | | | | | |
| Archit. Coating | | 44.7463 | | | | 0 | 0 |
| Off-Road | | 0.2422 | 1.6838 | 1.8314 | 2.97E-03 | 0.1109 | 0.1109 |
| Total | | **44.9885** | **1.6838** | **1.8314** | **2.97E-03** | **0.1109** | **0.1109** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0 | 0 | 0 | 0 | 0 | 0 |
| Worker | | 0.0256 | 0.0181 | 0.2005 | 5.60E-04 | 0.052 | 0.0142 |
| Total | | **0.0256** | **0.0181** | **0.2005** | **5.60E-04** | **0.052** | **0.0142** |
| ***TOTAL*** | | ***45.0141*** | ***1.7019*** | ***2.0319*** | ***0.0035*** | ***0.1629*** | ***0.1251*** |
| Onsite | **2020** | | | | | | |
| Archit. Coating | | 44.7463 | 0 | 0 | 0 | 0 | 0 |
| Off-Road | | 0.2422 | 1.6838 | 1.8314 | 0.00297 | 0.1109 | 0.1109 |
| Total | | **44.9885** | **1.6838** | **1.8314** | **0.00297** | **0.1109** | **0.1109** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0 | 0 | 0 | 0 | 0 | 0 |
| Worker | | 0.0256 | 0.0181 | 0.2189 | 0.00059 | 0.052 | 0.0142 |
| Total | | **0.0256** | **0.0181** | **0.2189** | **0.00059** | **0.052** | **0.0142** |
| ***TOTAL*** | | ***45.0141*** | ***1.7019*** | ***2.0503*** | ***0.0036*** | ***0.1629*** | ***0.1251*** |
| ***Asphalt Demolition - Mid Playfields, Grading - Site, Modernization - Existing Buildings, & Architectural Coating Existing Buildings*** | | ***51.0824*** | ***62.9671*** | ***42.6051*** | ***0.0821*** | ***6.5795*** | ***4.4669*** |

## Grading - Two Story

| | | ROG | NOx | CO | SO2 | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|---|
| Onsite | **2020** Summer | | | | | | |
| | Fugitive Dust | | | | | 2.8011 | 1.4396 |
| | Off-Road | 2.4288 | 26.3859 | 16.053 | 0.0297 | 1.2734 | 1.1716 |
| | Total | **2.4288** | **26.3859** | **16.053** | **0.0297** | **4.0746** | **2.6112** |
| Offsite | | | | | | | |
| | Hauling | 0 | 0 | 0 | 0 | 0 | 0 |
| | Vendor | 7.11E-03 | 0.2127 | 0.0557 | 5.20E-04 | 0.013 | 4.44E-03 |
| | Worker | 0.069 | 0.0491 | 0.6568 | 1.77E-03 | 0.156 | 0.0425 |
| | Total | **0.0761** | **0.2619** | **0.7125** | **2.29E-03** | **0.1689** | **0.047** |
| ***TOTAL*** | | ***2.5049*** | ***26.6478*** | ***16.7655*** | ***0.0320*** | ***4.2435*** | ***2.6582*** |
| Onsite | **2020 Winter** | | | | | | |
| | Fugitive Dust | | | | | 2.8011 | 1.4396 |
| | Off-Road | 2.4288 | 26.3859 | 16.053 | 0.0297 | 1.2734 | 1.1716 |
| | Total | **2.4288** | **26.3859** | **16.053** | **0.0297** | **4.0746** | **2.6112** |
| Offsite | | | | | | | |
| | Hauling | 0 | 0 | 0 | 0 | 0 | 0 |
| | Vendor | 7.44E-03 | 0.2127 | 0.0615 | 5.00E-04 | 0.013 | 4.46E-03 |
| | Worker | 0.0767 | 0.0544 | 0.6015 | 1.67E-03 | 0.156 | 0.0425 |
| | Total | **0.0841** | **0.2671** | **0.663** | **2.17E-03** | **0.169** | **0.047** |
| ***TOTAL*** | | ***2.5129*** | ***26.6530*** | ***16.7160*** | ***0.0319*** | ***4.2436*** | ***2.6582*** |
| Onsite | **2020** | | | | | | |
| | Fugitive Dust | 0 | 0 | 0 | 0 | 2.8011 | 1.4396 |
| | Off-Road | 2.4288 | 26.3859 | 16.053 | 0.0297 | 1.2734 | 1.1716 |
| | Total | **2.4288** | **26.3859** | **16.053** | **0.0297** | **4.0746** | **2.6112** |
| Offsite | | | | | | | |
| | Hauling | 0 | 0 | 0 | 0 | 0 | 0 |
| | Vendor | 0.00744 | 0.2127 | 0.0615 | 0.00052 | 0.013 | 0.00446 |
| | Worker | 0.0767 | 0.0544 | 0.6568 | 0.00177 | 0.156 | 0.0425 |
| | Total | **0.0841** | **0.2671** | **0.7125** | **0.00229** | **0.169** | **0.047** |
| ***TOTAL*** | | ***2.5129*** | ***26.6530*** | ***16.7655*** | ***0.0320*** | ***4.2436*** | ***2.6582*** |

## Grading - Export Haul

| | | ROG | NOx | CO | SO2 | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|---|
| Onsite | **2020** Summer | | | | | | |
| | Fugitive Dust | | | | | 0.0161 | 2.44E-03 |
| | Off-Road | 0 | 0 | 0 | 0 | 0 | 0 |
| | Total | **0** | **0** | **0** | **0** | **0.0161** | **2.44E-03** |
| Offsite | | | | | | | |
| | Hauling | 0.6471 | 21.302 | 4.7203 | 0.0585 | 1.2752 | 0.3985 |
| | Vendor | 0 | 0 | 0 | 0 | 0 | 0 |
| | Worker | 0 | 0 | 0 | 0 | 0 | 0 |
| | Total | **0.6471** | **21.302** | **4.7203** | **0.0585** | **1.2752** | **0.3985** |
| ***TOTAL*** | | ***0.6471*** | ***21.3020*** | ***4.7203*** | ***0.0585*** | ***1.2913*** | ***0.4009*** |
| Onsite | **2020 Winter** | | | | | | |
| | Fugitive Dust | | | | | 0.0161 | 2.44E-03 |
| | Off-Road | 0 | 0 | 0 | 0 | 0 | 0 |
| | Total | **0** | **0** | **0** | **0** | **0.0161** | **2.44E-03** |
| Offsite | | | | | | | |
| | Hauling | 0.6628 | 21.5777 | 5.0166 | 0.0575 | 1.2762 | 0.3995 |
| | Vendor | 0 | 0 | 0 | 0 | 0 | 0 |
| | Worker | 0 | 0 | 0 | 0 | 0 | 0 |
| | Total | **0.6628** | **21.5777** | **5.0166** | **0.0575** | **1.2762** | **0.3995** |
| ***TOTAL*** | | ***0.6628*** | ***21.5777*** | ***5.0166*** | ***0.0575*** | ***1.2923*** | ***0.4019*** |
| Onsite | **2020** | | | | | | |
| | Fugitive Dust | 0 | 0 | 0 | 0 | 0.0161 | 0.00244 |
| | Off-Road | 0 | 0 | 0 | 0 | 0 | 0 |
| | Total | **0** | **0** | **0** | **0** | **0.0161** | **0.00244** |
| Offsite | | | | | | | |
| | Hauling | 0.6628 | 21.5777 | 5.0166 | 0.0585 | 1.2762 | 0.3995 |
| | Vendor | 0 | 0 | 0 | 0 | 0 | 0 |
| | Worker | 0 | 0 | 0 | 0 | 0 | 0 |
| | Total | **0.6628** | **21.5777** | **5.0166** | **0.0585** | **1.2762** | **0.3995** |
| ***TOTAL*** | | ***0.6628*** | ***21.5777*** | ***5.0166*** | ***0.0585*** | ***1.2923*** | ***0.4019*** |

## Grading - Import Haul

| | | ROG | NOx | CO | SO2 | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|---|
| Onsite | **2020** Summer | | | | | | |
| | Fugitive Dust | | | | | 0.0161 | 2.44E-03 |
| | Off-Road | 0 | 0 | 0 | 0 | 0 | 0 |
| | Total | **0** | **0** | **0** | **0** | **0.0161** | **2.44E-03** |
| Offsite | | | | | | | |
| | Hauling | 0.6464 | 21.278 | 4.715 | 0.0585 | 1.2737 | 0.398 |
| | Vendor | 0 | 0 | 0 | 0 | 0 | 0 |
| | Worker | 0 | 0 | 0 | 0 | 0 | 0 |
| | Total | **0.6464** | **21.278** | **4.715** | **0.0585** | **1.2737** | **0.398** |
| ***TOTAL*** | | ***0.6464*** | ***21.2780*** | ***4.7150*** | ***0.0585*** | ***1.2898*** | ***0.4004*** |
| Onsite | **2020 Winter** | | | | | | |
| | Fugitive Dust | | | | | 0.0161 | 2.44E-03 |
| | Off-Road | 0 | 0 | 0 | 0 | 0 | 0 |
| | Total | **0** | **0** | **0** | **0** | **0.0161** | **2.44E-03** |
| Offsite | | | | | | | |
| | Hauling | 0.6621 | 21.5534 | 5.0109 | 0.0574 | 1.2748 | 0.399 |
| | Vendor | 0 | 0 | 0 | 0 | 0 | 0 |
| | Worker | 0 | 0 | 0 | 0 | 0 | 0 |
| | Total | **0.6621** | **21.5534** | **5.0109** | **0.0574** | **1.2748** | **0.399** |
| ***TOTAL*** | | ***0.6621*** | ***21.5534*** | ***5.0109*** | ***0.0574*** | ***1.2909*** | ***0.4014*** |
| Onsite | **2020** | | | | | | |
| | Fugitive Dust | 0 | 0 | 0 | 0 | 0.0161 | 0.00244 |
| | Off-Road | 0 | 0 | 0 | 0 | 0 | 0 |
| | Total | **0** | **0** | **0** | **0** | **0.0161** | **0.00244** |
| Offsite | | | | | | | |
| | Hauling | 0.6621 | 21.5534 | 5.0109 | 0.0585 | 1.2748 | 0.399 |
| | Vendor | 0 | 0 | 0 | 0 | 0 | 0 |
| | Worker | 0 | 0 | 0 | 0 | 0 | 0 |
| | Total | **0.6621** | **21.5534** | **5.0109** | **0.0585** | **1.2748** | **0.399** |
| ***TOTAL*** | | ***0.6621*** | ***21.5534*** | ***5.0109*** | ***0.0585*** | ***1.2909*** | ***0.4014*** |

**Utility Trenching - Two Story**

| | | ROG | NOx | CO | SO2 | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|---|
| Onsite | **2020 Summer** | | | | | | |
| Off-Road | | 0.245 | 2.4126 | 3.2678 | 5.17E-03 | 0.1169 | 0.1075 |
| Total | | **0.245** | **2.4126** | **3.2678** | **5.17E-03** | **0.1169** | **0.1075** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0 | 0 | 0 | 0 | 0 | 0 |
| Worker | | 0.0138 | 9.82E-03 | 0.1314 | 3.50E-04 | 0.0312 | 8.51E-03 |
| Total | | **0.0138** | **9.82E-03** | **0.1314** | **3.50E-04** | **0.0312** | **8.51E-03** |
| ***TOTAL*** | | ***0.2588*** | ***2.4224*** | ***3.3992*** | ***0.0055*** | ***0.1481*** | ***0.1160*** |
| Onsite | **2020 Winter** | | | | | | |
| Off-Road | | 0.245 | 2.4126 | 3.2678 | 5.17E-03 | 0.1169 | 0.1075 |
| Total | | **0.245** | **2.4126** | **3.2678** | **5.17E-03** | **0.1169** | **0.1075** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0 | 0 | 0 | 0 | 0 | 0 |
| Worker | | 0.0153 | 0.0109 | 0.1203 | 3.30E-04 | 0.0312 | 8.51E-03 |
| Total | | **0.0153** | **0.0109** | **0.1203** | **3.30E-04** | **0.0312** | **8.51E-03** |
| ***TOTAL*** | | ***0.2603*** | ***2.4235*** | ***3.3881*** | ***0.0055*** | ***0.1481*** | ***0.1160*** |
| Onsite | **2020** | | | | | | |
| Off-Road | | 0.245 | 2.4126 | 3.2678 | 0.00517 | 0.1169 | 0.1075 |
| Total | | **0.245** | **2.4126** | **3.2678** | **0.00517** | **0.1169** | **0.1075** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0 | 0 | 0 | 0 | 0 | 0 |
| Worker | | 0.0153 | 0.0109 | 0.1314 | 0.00035 | 0.0312 | 0.00851 |
| Total | | **0.0153** | **0.0109** | **0.1314** | **0.00035** | **0.0312** | **0.00851** |
| ***TOTAL*** | | ***0.2603*** | ***2.4235*** | ***3.3992*** | ***0.0055*** | ***0.1481*** | ***0.1160*** |
| ***Grading - Two Story Building, Grading - Export Haul, & Utility Trenching Two Story Building*** | | ***3.4360*** | ***50.6542*** | ***25.1813*** | ***0.0960*** | ***5.6840*** | ***3.1762*** |
| ***Grading - Two Story Building, Grading - Import Haul, & Utility Trenching Two Story Building*** | | ***3.4353*** | ***50.6299*** | ***25.1756*** | ***0.0960*** | ***5.6826*** | ***3.1757*** |
| ***Grading - Two Story Building & Utility Trenching Two Story Building*** | | ***2.7732*** | ***29.0765*** | ***20.1647*** | ***0.0375*** | ***4.3917*** | ***2.7742*** |

**Building Construction - Multi-Purpose Building**

| | | ROG | NOx | CO | SO2 | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|---|
| Onsite | **2020** Summer | | | | | | |
| Off-Road | | 2.1198 | 19.186 | 16.8485 | 0.0269 | 1.1171 | 1.0503 |
| Total | | **2.1198** | **19.186** | **16.8485** | **0.0269** | **1.1171** | **1.0503** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0.0107 | 0.3191 | 0.0836 | 7.80E-04 | 0.0195 | 6.66E-03 |
| Worker | | 0.0322 | 0.0229 | 0.3065 | 8.30E-04 | 0.0728 | 0.0199 |
| Total | | **0.0429** | **0.342** | **0.3901** | **1.61E-03** | **0.0923** | **0.0265** |
| ***TOTAL*** | | ***2.1627*** | ***19.5280*** | ***17.2386*** | ***0.0285*** | ***1.2094*** | ***1.0768*** |
| Onsite | **2020** Winter | | | | | | |
| Off-Road | | 2.1198 | 19.186 | 16.8485 | 0.0269 | 1.1171 | 1.0503 |
| Total | | **2.1198** | **19.186** | **16.8485** | **0.0269** | **1.1171** | **1.0503** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0.0112 | 0.3191 | 0.0922 | 7.60E-04 | 0.0195 | 6.69E-03 |
| Worker | | 0.0358 | 0.0254 | 0.2807 | 7.80E-04 | 0.0728 | 0.0199 |
| Total | | **0.0469** | **0.3444** | **0.3729** | **1.54E-03** | **0.0923** | **0.0265** |
| ***TOTAL*** | | ***2.1667*** | ***19.5304*** | ***17.2214*** | ***0.0284*** | ***1.2094*** | ***1.0768*** |
| Onsite | **2020** | | | | | | |
| Off-Road | | 2.1198 | 19.186 | 16.8485 | 0.0269 | 1.1171 | 1.0503 |
| Total | | **2.1198** | **19.186** | **16.8485** | **0.0269** | **1.1171** | **1.0503** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0.0112 | 0.3191 | 0.0922 | 0.00078 | 0.0195 | 0.00669 |
| Worker | | 0.0358 | 0.0254 | 0.3065 | 0.00083 | 0.0728 | 0.0199 |
| Total | | **0.0469** | **0.3444** | **0.3901** | **0.00161** | **0.0923** | **0.0265** |
| ***TOTAL*** | | ***2.1667*** | ***19.5304*** | ***17.2386*** | ***0.0285*** | ***1.2094*** | ***1.0768*** |

| | | ROG | NOx | CO | SO2 | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|---|
| Onsite | **2021** Summer | | | | | | |
| Off-Road | | 1.9009 | 17.4321 | 16.5752 | 0.0269 | 0.9586 | 0.9013 |
| Total | | **1.9009** | **17.4321** | **16.5752** | **0.0269** | **0.9586** | **0.9013** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 9.12E-03 | 0.2913 | 0.0762 | 7.70E-04 | 0.0186 | 5.80E-03 |
| Worker | | 0.03 | 0.0206 | 0.2819 | 8.00E-04 | 0.0728 | 0.0198 |
| Total | | **0.0391** | **0.3119** | **0.3581** | **1.57E-03** | **0.0913** | **0.0256** |
| ***TOTAL*** | | ***1.9400*** | ***17.7440*** | ***16.9333*** | ***0.0285*** | ***1.0499*** | ***0.9269*** |
| Onsite | **2021** Winter | | | | | | |
| Off-Road | | 1.9009 | 17.4321 | 16.5752 | 0.0269 | 0.9586 | 0.9013 |
| Total | | **1.9009** | **17.4321** | **16.5752** | **0.0269** | **0.9586** | **0.9013** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 9.57E-03 | 0.2907 | 0.0842 | 7.50E-04 | 0.0186 | 5.82E-03 |
| Worker | | 0.0334 | 0.0228 | 0.2578 | 7.50E-04 | 0.0728 | 0.0198 |
| Total | | **0.043** | **0.3135** | **0.342** | **1.50E-03** | **0.0913** | **0.0257** |
| ***TOTAL*** | | ***1.9439*** | ***17.7456*** | ***16.9172*** | ***0.0284*** | ***1.0499*** | ***0.9270*** |
| Onsite | **2021** | | | | | | |
| Off-Road | | 1.9009 | 17.4321 | 16.5752 | 0.0269 | 0.9586 | 0.9013 |
| Total | | **1.9009** | **17.4321** | **16.5752** | **0.0269** | **0.9586** | **0.9013** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0.00957 | 0.2913 | 0.0842 | 0.00077 | 0.0186 | 0.00582 |
| Worker | | 0.0334 | 0.0228 | 0.2819 | 0.0008 | 0.0728 | 0.0198 |
| Total | | **0.043** | **0.3135** | **0.3581** | **0.00157** | **0.0913** | **0.0257** |
| ***TOTAL*** | | ***1.9439*** | ***17.7456*** | ***16.9333*** | ***0.0285*** | ***1.0499*** | ***0.9270*** |

| | | ROG | NOx | CO | SO2 | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|---|
| Onsite | **2022** Summer | | | | | | |
| Off-Road | | 1.7062 | 15.6156 | 16.3634 | 0.0269 | 0.809 | 0.7612 |
| Total | | **1.7062** | **15.6156** | **16.3634** | **0.0269** | **0.809** | **0.7612** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 8.56E-03 | 0.277 | 0.072 | 7.60E-04 | 0.0185 | 5.73E-03 |
| Worker | | 0.0281 | 0.0186 | 0.2601 | 7.70E-04 | 0.0727 | 0.0198 |
| Total | | **0.0367** | **0.2956** | **0.3322** | **1.53E-03** | **0.0912** | **0.0255** |
| ***TOTAL*** | | ***1.7429*** | ***15.9112*** | ***16.6956*** | ***0.0284*** | ***0.9002*** | ***0.7867*** |
| Onsite | **2022** Winter | | | | | | |
| Off-Road | | 1.7062 | 15.6156 | 16.3634 | 0.0269 | 0.809 | 0.7612 |
| Total | | **1.7062** | **15.6156** | **16.3634** | **0.0269** | **0.809** | **0.7612** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 8.99E-03 | 0.2762 | 0.0797 | 7.40E-04 | 0.0185 | 5.74E-03 |
| Worker | | 0.0314 | 0.0206 | 0.2374 | 7.30E-04 | 0.0727 | 0.0198 |
| Total | | **0.0403** | **0.2969** | **0.3172** | **1.47E-03** | **0.0912** | **0.0256** |
| ***TOTAL*** | | ***1.7465*** | ***15.9125*** | ***16.6806*** | ***0.0284*** | ***0.9002*** | ***0.7868*** |
| Onsite | **2022** | | | | | | |
| Off-Road | | 1.7062 | 15.6156 | 16.3634 | 0.0269 | 0.809 | 0.7612 |
| Total | | **1.7062** | **15.6156** | **16.3634** | **0.0269** | **0.809** | **0.7612** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0.00899 | 0.277 | 0.0797 | 0.00076 | 0.0185 | 0.00574 |
| Worker | | 0.0314 | 0.0206 | 0.2601 | 0.00077 | 0.0727 | 0.0198 |
| Total | | **0.0403** | **0.2969** | **0.3322** | **0.00153** | **0.0912** | **0.0256** |
| ***TOTAL*** | | ***1.7465*** | ***15.9125*** | ***16.6956*** | ***0.0284*** | ***0.9002*** | ***0.7868*** |

**Building Construction - Classroom Buildings**

| | | ROG | NOx | CO | SO2 | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|---|
| Onsite | **2020** Summer | | | | | | |
| Off-Road | | 2.1198 | 19.186 | 16.8485 | 0.0269 | 1.1171 | 1.0503 |
| Total | | **2.1198** | **19.186** | **16.8485** | **0.0269** | **1.1171** | **1.0503** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 7.11E-03 | 0.2127 | 0.0557 | 5.20E-04 | 0.013 | 4.44E-03 |
| Worker | | 0.0276 | 0.0196 | 0.2627 | 7.10E-04 | 0.0624 | 0.017 |
| Total | | **0.0347** | **0.2324** | **0.3185** | **1.23E-03** | **0.0754** | **0.0215** |
| ***TOTAL*** | | ***2.1545*** | ***19.4184*** | ***17.1670*** | ***0.0281*** | ***1.1925*** | ***1.0718*** |
| Onsite | **2020** Winter | | | | | | |
| Off-Road | | 2.1198 | 19.186 | 16.8485 | 0.0269 | 1.1171 | 1.0503 |
| Total | | **2.1198** | **19.186** | **16.8485** | **0.0269** | **1.1171** | **1.0503** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 7.44E-03 | 0.2127 | 0.0615 | 5.00E-04 | 0.013 | 4.46E-03 |
| Worker | | 0.0307 | 0.0218 | 0.2406 | 6.70E-04 | 0.0624 | 0.017 |
| Total | | **0.0381** | **0.2345** | **0.3021** | **1.17E-03** | **0.0754** | **0.0215** |
| ***TOTAL*** | | ***2.1579*** | ***19.4205*** | ***17.1506*** | ***0.0281*** | ***1.1925*** | ***1.0718*** |
| Onsite | **2020** | | | | | | |
| Off-Road | | 2.1198 | 19.186 | 16.8485 | 0.0269 | 1.1171 | 1.0503 |
| Total | | **2.1198** | **19.186** | **16.8485** | **0.0269** | **1.1171** | **1.0503** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0.00744 | 0.2127 | 0.0615 | 0.00052 | 0.013 | 0.00446 |
| Worker | | 0.0307 | 0.0218 | 0.2627 | 0.00071 | 0.0624 | 0.017 |
| Total | | **0.0381** | **0.2345** | **0.3185** | **0.00123** | **0.0754** | **0.0215** |
| ***TOTAL*** | | ***2.1579*** | ***19.4205*** | ***17.1670*** | ***0.0281*** | ***1.1925*** | ***1.0718*** |
| ***Building Construction - Multi-Purpose Building & Building Construction - Classroom Building*** | | ***4.3246*** | ***38.9509*** | ***34.4056*** | ***0.0566*** | ***2.4019*** | ***2.1486*** |

| | | ROG | NOx | CO | SO2 | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|---|
| Onsite | **2021** Summer | | | | | | |
| Off-Road | | 1.9009 | 17.4321 | 16.5752 | 0.0269 | 0.9586 | 0.9013 |
| Total | | **1.9009** | **17.4321** | **16.5752** | **0.0269** | **0.9586** | **0.9013** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 6.08E-03 | 0.1942 | 0.0508 | 5.10E-04 | 0.0124 | 3.86E-03 |
| Worker | | 0.0257 | 0.0177 | 0.2417 | 6.90E-04 | 0.0624 | 0.017 |
| Total | | **0.0318** | **0.2119** | **0.2924** | **1.20E-03** | **0.0747** | **0.0209** |
| ***TOTAL*** | | ***1.9327*** | ***17.6440*** | ***16.8676*** | ***0.0281*** | ***1.0333*** | ***0.9222*** |
| Onsite | **2021** Winter | | | | | | |
| Off-Road | | 1.9009 | 17.4321 | 16.5752 | 0.0269 | 0.9586 | 0.9013 |
| Total | | **1.9009** | **17.4321** | **16.5752** | **0.0269** | **0.9586** | **0.9013** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 6.38E-03 | 0.1938 | 0.0562 | 5.00E-04 | 0.0124 | 3.88E-03 |
| Worker | | 0.0286 | 0.0196 | 0.221 | 6.50E-04 | 0.0624 | 0.017 |
| Total | | **0.035** | **0.2134** | **0.2771** | **1.15E-03** | **0.0748** | **0.0209** |
| ***TOTAL*** | | ***1.9359*** | ***17.6455*** | ***16.8523*** | ***0.0281*** | ***1.0334*** | ***0.9222*** |
| Onsite | **2021** | | | | | | |
| Off-Road | | 1.9009 | 17.4321 | 16.5752 | 0.0269 | 0.9586 | 0.9013 |
| Total | | **1.9009** | **17.4321** | **16.5752** | **0.0269** | **0.9586** | **0.9013** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0.00638 | 0.1942 | 0.0562 | 0.00051 | 0.0124 | 0.00388 |
| Worker | | 0.0286 | 0.0196 | 0.2417 | 0.00069 | 0.0624 | 0.017 |
| Total | | **0.035** | **0.2134** | **0.2924** | **0.0012** | **0.0748** | **0.0209** |
| ***TOTAL*** | | ***1.9359*** | ***17.6455*** | ***16.8676*** | ***0.0281*** | ***1.0334*** | ***0.9222*** |
| ***Building Construction - Multi-Purpose Building & Building Construction - Classroom Building*** | | ***3.8798*** | ***35.3911*** | ***33.8009*** | ***0.0566*** | ***2.0833*** | ***1.8492*** |

**Building Demolition - Ladera and Multi-Purpose Buildings**

| | | ROG | NOx | CO | SO2 | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|---|
| Onsite | **2021 Summer** | | | | | | |
| | Fugitive Dust | | | | | 0.2497 | 0.0378 |
| | Off-Road | 2.3685 | 36.9867 | 48.9786 | 0.0776 | 1.6712 | 1.6712 |
| | Total | **2.3685** | **36.9867** | **48.9786** | **0.0776** | **1.9209** | **1.709** |
| Offsite | | | | | | | |
| | Hauling | 0.0227 | 0.7316 | 0.1715 | 2.13E-03 | 0.0467 | 0.0144 |
| | Vendor | 0.0122 | 0.3884 | 0.1015 | 1.03E-03 | 0.0248 | 7.73E-03 |
| | Worker | 0.1286 | 0.0884 | 1.2083 | 3.43E-03 | 0.3118 | 0.085 |
| | Total | **0.1635** | **1.2083** | **1.4814** | **6.59E-03** | **0.3833** | **0.1071** |
| ***TOTAL*** | | ***2.5320*** | ***38.1950*** | ***50.4600*** | ***0.0842*** | ***2.3042*** | ***1.8161*** |
| Onsite | **2021 Winter** | | | | | | |
| | Fugitive Dust | | | | | 0.2497 | 0.0378 |
| | Off-Road | 2.3685 | 36.9867 | 48.9786 | 0.0776 | 1.6712 | 1.6712 |
| | Total | **2.3685** | **36.9867** | **48.9786** | **0.0776** | **1.9209** | **1.709** |
| Offsite | | | | | | | |
| | Hauling | 0.0233 | 0.7405 | 0.1819 | 2.09E-03 | 0.0467 | 0.0145 |
| | Vendor | 0.0128 | 0.3876 | 0.1123 | 1.00E-03 | 0.0248 | 7.75E-03 |
| | Worker | 0.1431 | 0.0978 | 1.1048 | 3.23E-03 | 0.3118 | 0.085 |
| | Total | **0.1791** | **1.2259** | **1.399** | **6.32E-03** | **0.3833** | **0.1072** |
| ***TOTAL*** | | ***2.5476*** | ***38.2126*** | ***50.3776*** | ***0.0839*** | ***2.3042*** | ***1.8162*** |
| Onsite | **2021** | | | | | | |
| | Fugitive Dust | 0 | 0 | 0 | 0 | 0.2497 | 0.0378 |
| | Off-Road | 2.3685 | 36.9867 | 48.9786 | 0.0776 | 1.6712 | 1.6712 |
| | Total | **2.3685** | **36.9867** | **48.9786** | **0.0776** | **1.9209** | **1.709** |
| Offsite | | | | | | | |
| | Hauling | 0.0233 | 0.7405 | 0.1819 | 0.00213 | 0.0467 | 0.0145 |
| | Vendor | 0.0128 | 0.3884 | 0.1123 | 0.00103 | 0.0248 | 0.00775 |
| | Worker | 0.1431 | 0.0978 | 1.2083 | 0.00343 | 0.3118 | 0.085 |
| | Total | **0.1791** | **1.2259** | **1.4814** | **0.00659** | **0.3833** | **0.1072** |
| ***TOTAL*** | | ***2.5476*** | ***38.2126*** | ***50.4600*** | ***0.0842*** | ***2.3042*** | ***1.8162*** |

| Modernization - Kindergarten Buildings | | ROG | NOx | CO | SO2 | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|---|
| Onsite | **2021** Summer | | | | | | |
| Off-Road | | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | | **0** | **0** | **0** | **0** | **0** | **0** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 3.04E-03 | 0.0971 | 0.0254 | 2.60E-04 | 6.19E-03 | 1.93E-03 |
| Worker | | 0.0172 | 0.0118 | 0.1611 | 4.60E-04 | 0.0416 | 0.0113 |
| Total | | **0.0202** | **0.1089** | **0.1865** | **7.20E-04** | **0.0478** | **0.0133** |
| ***TOTAL*** | | ***0.0202*** | ***0.1089*** | ***0.1865*** | ***0.0007*** | ***0.0478*** | ***0.0133*** |
| Onsite | **2021** Winter | | | | | | |
| Off-Road | | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | | **0** | **0** | **0** | **0** | **0** | **0** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 3.19E-03 | 0.0969 | 0.0281 | 2.50E-04 | 6.20E-03 | 1.94E-03 |
| Worker | | 0.0191 | 0.0131 | 0.1473 | 4.30E-04 | 0.0416 | 0.0113 |
| Total | | **0.0223** | **0.1099** | **0.1754** | **6.80E-04** | **0.0478** | **0.0133** |
| ***TOTAL*** | | ***0.0223*** | ***0.1099*** | ***0.1754*** | ***0.0007*** | ***0.0478*** | ***0.0133*** |
| Onsite | **2021** | | | | | | |
| Off-Road | | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | | **0** | **0** | **0** | **0** | **0** | **0** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0.00319 | 0.0971 | 0.0281 | 0.00026 | 0.0062 | 0.00194 |
| Worker | | 0.0191 | 0.0131 | 0.1611 | 0.00046 | 0.0416 | 0.0113 |
| Total | | **0.0223** | **0.1099** | **0.1865** | **0.00072** | **0.0478** | **0.0133** |
| ***TOTAL*** | | ***0.0223*** | ***0.1099*** | ***0.1865*** | ***0.0007*** | ***0.0478*** | ***0.0133*** |
| ***Building Construction - Multi-Purpose Building, Building Construction - Classroom Building, Building Demolition - Ladera and Multi-Purpose Buildings, & Modernization - Kindergarten Building*** | | ***6.4497*** | ***73.7136*** | ***84.4474*** | ***0.1415*** | ***4.4353*** | ***3.6787*** |
| ***Building Construction - Multi-Purpose Building, Building Demolition - Ladera and Multi-Purpose Buildings, & Modernization - Kindergarten Building*** | | ***4.5138*** | ***56.0681*** | ***67.5798*** | ***0.1134*** | ***3.4019*** | ***2.7565*** |

## Architectural Coating - Classroom Buildings

| | | ROG | NOx | CO | SO2 | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|---|
| Onsite | **2021** Summer | | | | | | |
| Archit. Coating | | 12.3821 | | | | 0 | 0 |
| Off-Road | | 0.2189 | 1.5268 | 1.8176 | 2.97E-03 | 0.0941 | 0.0941 |
| Total | | **12.601** | **1.5268** | **1.8176** | **2.97E-03** | **0.0941** | **0.0941** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0 | 0 | 0 | 0 | 0 | 0 |
| Worker | | 4.29E-03 | 2.95E-03 | 0.0403 | 1.10E-04 | 0.0104 | 2.83E-03 |
| Total | | **4.29E-03** | **2.95E-03** | **0.0403** | **1.10E-04** | **0.0104** | **2.83E-03** |
| ***TOTAL*** | | ***12.6053*** | ***1.5298*** | ***1.8579*** | ***0.0031*** | ***0.1045*** | ***0.0969*** |
| Onsite | **2021** Winter | | | | | | |
| Archit. Coating | | 12.3821 | | | | 0 | 0 |
| Off-Road | | 0.2189 | 1.5268 | 1.8176 | 2.97E-03 | 0.0941 | 0.0941 |
| Total | | **12.601** | **1.5268** | **1.8176** | **2.97E-03** | **0.0941** | **0.0941** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0 | 0 | 0 | 0 | 0 | 0 |
| Worker | | 4.77E-03 | 3.26E-03 | 0.0368 | 1.10E-04 | 0.0104 | 2.83E-03 |
| Total | | **4.77E-03** | **3.26E-03** | **0.0368** | **1.10E-04** | **0.0104** | **2.83E-03** |
| ***TOTAL*** | | ***12.6058*** | ***1.5301*** | ***1.8544*** | ***0.0031*** | ***0.1045*** | ***0.0969*** |
| Onsite | **2021** | | | | | | |
| Archit. Coating | | 12.3821 | 0 | 0 | 0 | 0 | 0 |
| Off-Road | | 0.2189 | 1.5268 | 1.8176 | 0.00297 | 0.0941 | 0.0941 |
| Total | | **12.601** | **1.5268** | **1.8176** | **0.00297** | **0.0941** | **0.0941** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0 | 0 | 0 | 0 | 0 | 0 |
| Worker | | 0.00477 | 0.00326 | 0.0403 | 0.00011 | 0.0104 | 0.00283 |
| Total | | **0.00477** | **0.00326** | **0.0403** | **0.00011** | **0.0104** | **0.00283** |
| ***TOTAL*** | | ***12.6058*** | ***1.5301*** | ***1.8579*** | ***0.0031*** | ***0.1045*** | ***0.0969*** |
| ***Building Construction - Multi-Purpose Building, Building Construction - Classroom Building, Building Demolition - Ladera and Multi-Purpose Buildings, Modernization - Kindergarten Building, & Architectural Coating - Classroom Buildings*** | | ***19.0555*** | ***75.2437*** | ***86.3053*** | ***0.1446*** | ***4.5398*** | ***3.7756*** |

## Asphalt Demolition - Dog Park

| | | ROG | NOx | CO | SO2 | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|---|
| Onsite | **2021 Summer** | | | | | | |
| | Fugitive Dust | | | | | 0.0468 | 7.08E-03 |
| | Off-Road | 3.1651 | 31.4407 | 21.565 | 0.0388 | 1.5513 | 1.4411 |
| | Total | **3.1651** | **31.4407** | **21.565** | **0.0388** | **1.5981** | **1.4482** |
| Offsite | | | | | | | |
| | Hauling | 4.26E-03 | 0.1371 | 0.0322 | 4.00E-04 | 8.75E-03 | 2.70E-03 |
| | Vendor | 6.08E-03 | 0.1942 | 0.0508 | 5.10E-04 | 0.0124 | 3.86E-03 |
| | Worker | 0.0643 | 0.0442 | 0.6042 | 1.71E-03 | 0.1559 | 0.0425 |
| | Total | **0.0746** | **0.3755** | **0.6871** | **2.62E-03** | **0.177** | **0.0491** |
| ***TOTAL*** | | ***3.2397*** | ***31.8162*** | ***22.2521*** | ***0.0414*** | ***1.7751*** | ***1.4973*** |
| Onsite | **2021 Winter** | | | | | | |
| | Fugitive Dust | | | | | 0.0468 | 7.08E-03 |
| | Off-Road | 3.1651 | 31.4407 | 21.565 | 0.0388 | 1.5513 | 1.4411 |
| | Total | **3.1651** | **31.4407** | **21.565** | **0.0388** | **1.5981** | **1.4482** |
| Offsite | | | | | | | |
| | Hauling | 4.36E-03 | 0.1388 | 0.0341 | 3.90E-04 | 8.76E-03 | 2.71E-03 |
| | Vendor | 6.38E-03 | 0.1938 | 0.0562 | 5.00E-04 | 0.0124 | 3.88E-03 |
| | Worker | 0.0715 | 0.0489 | 0.5524 | 1.61E-03 | 0.1559 | 0.0425 |
| | Total | **0.0823** | **0.3815** | **0.6426** | **2.50E-03** | **0.1771** | **0.0491** |
| ***TOTAL*** | | ***3.2474*** | ***31.8222*** | ***22.2076*** | ***0.0413*** | ***1.7752*** | ***1.4973*** |
| Onsite | **2021** | | | | | | |
| | Fugitive Dust | 0 | 0 | 0 | 0 | 0.0468 | 0.00708 |
| | Off-Road | 3.1651 | 31.4407 | 21.565 | 0.0388 | 1.5513 | 1.4411 |
| | Total | **3.1651** | **31.4407** | **21.565** | **0.0388** | **1.5981** | **1.4482** |
| Offsite | | | | | | | |
| | Hauling | 0.00436 | 0.1388 | 0.0341 | 0.0004 | 0.00876 | 0.00271 |
| | Vendor | 0.00638 | 0.1942 | 0.0562 | 0.00051 | 0.0124 | 0.00388 |
| | Worker | 0.0715 | 0.0489 | 0.6042 | 0.00171 | 0.1559 | 0.0425 |
| | Total | **0.0823** | **0.3815** | **0.6871** | **0.00262** | **0.1771** | **0.0491** |
| ***TOTAL*** | | ***3.2474*** | ***31.8222*** | ***22.2521*** | ***0.0414*** | ***1.7752*** | ***1.4973*** |

## Grading - MPR & Dog Park

| | | ROG | NOx | CO | SO2 | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|---|
| Onsite | **2021** Summer | | | | | | |
| | Fugitive Dust | | | | | 2.8011 | 1.4396 |
| | Off-Road | 2.2903 | 24.7367 | 15.8575 | 0.0296 | 1.1599 | 1.0671 |
| | Total | **2.2903** | **24.7367** | **15.8575** | **0.0296** | **3.961** | **2.5067** |
| Offsite | | | | | | | |
| | Hauling | 0 | 0 | 0 | 0 | 0 | 0 |
| | Vendor | 6.08E-03 | 0.1942 | 0.0508 | 5.10E-04 | 0.0124 | 3.86E-03 |
| | Worker | 0.0643 | 0.0442 | 0.6042 | 1.71E-03 | 0.1559 | 0.0425 |
| | Total | **0.0704** | **0.2384** | **0.6549** | **2.22E-03** | **0.1683** | **0.0464** |
| ***TOTAL*** | | ***2.3607*** | ***24.9751*** | ***16.5124*** | ***0.0318*** | ***4.1293*** | ***2.5531*** |
| Onsite | **2021 Winter** | | | | | | |
| | Fugitive Dust | | | | | 2.8011 | 1.4396 |
| | Off-Road | 2.2903 | 24.7367 | 15.8575 | 0.0296 | 1.1599 | 1.0671 |
| | Total | **2.2903** | **24.7367** | **15.8575** | **0.0296** | **3.961** | **2.5067** |
| Offsite | | | | | | | |
| | Hauling | 0 | 0 | 0 | 0 | 0 | 0 |
| | Vendor | 6.38E-03 | 0.1938 | 0.0562 | 5.00E-04 | 0.0124 | 3.88E-03 |
| | Worker | 0.0715 | 0.0489 | 0.5524 | 1.61E-03 | 0.1559 | 0.0425 |
| | Total | **0.0779** | **0.2427** | **0.6085** | **2.11E-03** | **0.1683** | **0.0464** |
| ***TOTAL*** | | ***2.3682*** | ***24.9794*** | ***16.4660*** | ***0.0317*** | ***4.1293*** | ***2.5531*** |
| Onsite | **2021** | | | | | | |
| | Fugitive Dust | 0 | 0 | 0 | 0 | 2.8011 | 1.4396 |
| | Off-Road | 2.2903 | 24.7367 | 15.8575 | 0.0296 | 1.1599 | 1.0671 |
| | Total | **2.2903** | **24.7367** | **15.8575** | **0.0296** | **3.961** | **2.5067** |
| Offsite | | | | | | | |
| | Hauling | 0 | 0 | 0 | 0 | 0 | 0 |
| | Vendor | 0.00638 | 0.1942 | 0.0562 | 0.00051 | 0.0124 | 0.00388 |
| | Worker | 0.0715 | 0.0489 | 0.6042 | 0.00171 | 0.1559 | 0.0425 |
| | Total | **0.0779** | **0.2427** | **0.6549** | **0.00222** | **0.1683** | **0.0464** |
| ***TOTAL*** | | ***2.3682*** | ***24.9794*** | ***16.5124*** | ***0.0318*** | ***4.1293*** | ***2.5531*** |

**Utility Trenching - MPR**

| | | ROG | NOx | CO | SO2 | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|---|
| Onsite | **2021 Summer** | | | | | | |
| Off-Road | | 0.2292 | 2.1534 | 3.2718 | 5.17E-03 | 0.1044 | 0.0961 |
| Total | | **0.2292** | **2.1534** | **3.2718** | **5.17E-03** | **0.1044** | **0.0961** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0 | 0 | 0 | 0 | 0 | 0 |
| Worker | | 0.0129 | 8.84E-03 | 0.1208 | 3.40E-04 | 0.0312 | 8.50E-03 |
| Total | | **0.0129** | **8.84E-03** | **0.1208** | **3.40E-04** | **0.0312** | **8.50E-03** |
| ***TOTAL*** | | ***0.2421*** | ***2.1622*** | ***3.3926*** | ***0.0055*** | ***0.1356*** | ***0.1046*** |
| Onsite | **2021 Winter** | | | | | | |
| Off-Road | | 0.2292 | 2.1534 | 3.2718 | 5.17E-03 | 0.1044 | 0.0961 |
| Total | | **0.2292** | **2.1534** | **3.2718** | **5.17E-03** | **0.1044** | **0.0961** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0 | 0 | 0 | 0 | 0 | 0 |
| Worker | | 0.0143 | 9.78E-03 | 0.1105 | 3.20E-04 | 0.0312 | 8.50E-03 |
| Total | | **0.0143** | **9.78E-03** | **0.1105** | **3.20E-04** | **0.0312** | **8.50E-03** |
| ***TOTAL*** | | ***0.2435*** | ***2.1632*** | ***3.3823*** | ***0.0055*** | ***0.1356*** | ***0.1046*** |
| Onsite | **2021** | | | | | | |
| Off-Road | | 0.2292 | 2.1534 | 3.2718 | 0.00517 | 0.1044 | 0.0961 |
| Total | | **0.2292** | **2.1534** | **3.2718** | **0.00517** | **0.1044** | **0.0961** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0 | 0 | 0 | 0 | 0 | 0 |
| Worker | | 0.0143 | 0.00978 | 0.1208 | 0.00034 | 0.0312 | 0.0085 |
| Total | | **0.0143** | **0.00978** | **0.1208** | **0.00034** | **0.0312** | **0.0085** |
| ***TOTAL*** | | ***0.2435*** | ***2.1632*** | ***3.3926*** | ***0.0055*** | ***0.1356*** | ***0.1046*** |
| ***Building Construction - Multi-Purpose Building, Modernization - Kindergarten Building, Asphalt Demolition - Dog Park, Grading - MPR, & Utility Trenching - MPR*** | | ***7.8253*** | ***76.8203*** | ***59.2769*** | ***0.1079*** | ***7.1378*** | ***5.0953*** |
| ***Building Construction - Multi-Purpose Building, Asphalt Demolition - Dog Park, Grading - MPR, & Utility Trenching - MPR*** | | ***7.8030*** | ***76.7104*** | ***59.0904*** | ***0.1072*** | ***7.0900*** | ***5.0820*** |

## Architectural Coating - Kindergarten

| | | ROG | NOx | CO | SO2 | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|---|
| Onsite | **2021** Summer | | | | | | |
| Archit. Coating | | 16.377 | | | | 0 | 0 |
| Off-Road | | 0.2189 | 1.5268 | 1.8176 | 2.97E-03 | 0.0941 | 0.0941 |
| Total | | **16.5959** | **1.5268** | **1.8176** | **2.97E-03** | **0.0941** | **0.0941** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0 | 0 | 0 | 0 | 0 | 0 |
| Worker | | 4.29E-03 | 2.95E-03 | 0.0403 | 1.10E-04 | 0.0104 | 2.83E-03 |
| Total | | **4.29E-03** | **2.95E-03** | **0.0403** | **1.10E-04** | **0.0104** | **2.83E-03** |
| ***TOTAL*** | | ***16.6002*** | ***1.5298*** | ***1.8579*** | ***0.0031*** | ***0.1045*** | ***0.0969*** |
| Onsite | **2021** Winter | | | | | | |
| Archit. Coating | | 16.377 | | | | 0 | 0 |
| Off-Road | | 0.2189 | 1.5268 | 1.8176 | 2.97E-03 | 0.0941 | 0.0941 |
| Total | | **16.5959** | **1.5268** | **1.8176** | **2.97E-03** | **0.0941** | **0.0941** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0 | 0 | 0 | 0 | 0 | 0 |
| Worker | | 4.77E-03 | 3.26E-03 | 0.0368 | 1.10E-04 | 0.0104 | 2.83E-03 |
| Total | | **4.77E-03** | **3.26E-03** | **0.0368** | **1.10E-04** | **0.0104** | **2.83E-03** |
| ***TOTAL*** | | ***16.6007*** | ***1.5301*** | ***1.8544*** | ***0.0031*** | ***0.1045*** | ***0.0969*** |
| Onsite | **2021** | | | | | | |
| Archit. Coating | | 16.377 | 0 | 0 | 0 | 0 | 0 |
| Off-Road | | 0.2189 | 1.5268 | 1.8176 | 0.00297 | 0.0941 | 0.0941 |
| Total | | **16.5959** | **1.5268** | **1.8176** | **0.00297** | **0.0941** | **0.0941** |
| Offsite | | | | | | | |
| Hauling | | 0 | 0 | 0 | 0 | 0 | 0 |
| Vendor | | 0 | 0 | 0 | 0 | 0 | 0 |
| Worker | | 0.00477 | 0.00326 | 0.0403 | 0.00011 | 0.0104 | 0.00283 |
| Total | | **0.00477** | **0.00326** | **0.0403** | **0.00011** | **0.0104** | **0.00283** |
| ***TOTAL*** | | ***16.6007*** | ***1.5301*** | ***1.8579*** | ***0.0031*** | ***0.1045*** | ***0.0969*** |
| ***Building Construction - Multi-Purpose Building, Modernization - Kindergarten Building, Asphalt Demolition - Dog Park, Grading - MPR, Utility Trenching - MPR, & Architectural Coating - Kindergarten*** | | ***24.4260*** | ***78.3503*** | ***61.1348*** | ***0.1110*** | ***7.2423*** | ***5.1922*** |

## Portable Buildings Removal

| | | ROG | NOx | CO | SO2 | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|---|
| Onsite | **2022 Summer** | | | | | | |
| | Fugitive Dust | | | | | 0.0451 | 6.83E-03 |
| | Off-Road | 2.6392 | 25.7194 | 20.5941 | 0.0388 | 1.2427 | 1.1553 |
| | Total | **2.6392** | **25.7194** | **20.5941** | **0.0388** | **1.2878** | **1.1621** |
| Offsite | | | | | | | |
| | Hauling | 3.97E-03 | 0.1246 | 0.0311 | 3.80E-04 | 8.51E-03 | 2.59E-03 |
| | Vendor | 0 | 0 | 0 | 0 | 0 | 0 |
| | Worker | 0.0602 | 0.0399 | 0.5574 | 1.65E-03 | 0.1559 | 0.0425 |
| | Total | **0.0642** | **0.1645** | **0.5885** | **2.03E-03** | **0.1644** | **0.045** |
| ***TOTAL*** | | ***2.7034*** | ***25.8839*** | ***21.1826*** | ***0.0408*** | ***1.4522*** | ***1.2071*** |
| Onsite | **2022 Winter** | | | | | | |
| | Fugitive Dust | | | | | 0.0451 | 6.83E-03 |
| | Off-Road | 2.6392 | 25.7194 | 20.5941 | 0.0388 | 1.2427 | 1.1553 |
| | Total | **2.6392** | **25.7194** | **20.5941** | **0.0388** | **1.2878** | **1.1621** |
| Offsite | | | | | | | |
| | Hauling | 4.06E-03 | 0.126 | 0.0329 | 3.80E-04 | 8.51E-03 | 2.60E-03 |
| | Vendor | 0 | 0 | 0 | 0 | 0 | 0 |
| | Worker | 0.0672 | 0.0442 | 0.5088 | 1.56E-03 | 0.1559 | 0.0425 |
| | Total | **0.0712** | **0.1702** | **0.5417** | **1.94E-03** | **0.1644** | **0.0451** |
| ***TOTAL*** | | ***2.7104*** | ***25.8896*** | ***21.1358*** | ***0.0407*** | ***1.4522*** | ***1.2072*** |
| Onsite | **2022** | | | | | | |
| | Fugitive Dust | 0 | 0 | 0 | 0 | 0.0451 | 0.00683 |
| | Off-Road | 2.6392 | 25.7194 | 20.5941 | 0.0388 | 1.2427 | 1.1553 |
| | Total | **2.6392** | **25.7194** | **20.5941** | **0.0388** | **1.2878** | **1.1621** |
| Offsite | | | | | | | |
| | Hauling | 0.00406 | 0.126 | 0.0329 | 0.00038 | 0.00851 | 0.0026 |
| | Vendor | 0 | 0 | 0 | 0 | 0 | 0 |
| | Worker | 0.0672 | 0.0442 | 0.5574 | 0.00165 | 0.1559 | 0.0425 |
| | Total | **0.0712** | **0.1702** | **0.5885** | **0.00203** | **0.1644** | **0.0451** |
| ***TOTAL*** | | ***2.7104*** | ***25.8896*** | ***21.1826*** | ***0.0408*** | ***1.4522*** | ***1.2072*** |

| Paving, Dog Park Renovation, & Intallation of Playfields and Hardcourts | | | | | | | |
|---|---|---|---|---|---|---|---|
| | | ROG | NOx | CO | SO2 | PM10 Total | PM2.5 Total |
| Onsite | **2022** Summer | | | | | | |
| | Off-Road | 2.2056 | 22.2498 | 29.161 | 0.0456 | 1.1358 | 1.0449 |
| | Paving | 0.0461 | | | | 0 | 0 |
| | Total | **2.2518** | **22.2498** | **29.161** | **0.0456** | **1.1358** | **1.0449** |
| Offsite | | | | | | | |
| | Hauling | 0 | 0 | 0 | 0 | 0 | 0 |
| | Vendor | 0 | 0 | 0 | 0 | 0 | 0 |
| | Worker | 0.1205 | 0.0798 | 1.1148 | 3.31E-03 | 0.3117 | 0.0849 |
| | Total | **0.1205** | **0.0798** | **1.1148** | **3.31E-03** | **0.3117** | **0.0849** |
| ***TOTAL*** | | ***2.3723*** | ***22.3296*** | ***30.2758*** | ***0.0489*** | ***1.4475*** | ***1.1298*** |
| Onsite | **2022** Winter | | | | | | |
| | Off-Road | 2.2056 | 22.2498 | 29.161 | 0.0456 | 1.1358 | 1.0449 |
| | Paving | 0.0461 | | | | 0 | 0 |
| | Total | **2.2518** | **22.2498** | **29.161** | **0.0456** | **1.1358** | **1.0449** |
| Offsite | | | | | | | |
| | Hauling | 0 | 0 | 0 | 0 | 0 | 0 |
| | Vendor | 0 | 0 | 0 | 0 | 0 | 0 |
| | Worker | 0.1344 | 0.0884 | 1.0175 | 3.11E-03 | 0.3117 | 0.0849 |
| | Total | **0.1344** | **0.0884** | **1.0175** | **3.11E-03** | **0.3117** | **0.0849** |
| ***TOTAL*** | | ***2.3862*** | ***22.3382*** | ***30.1785*** | ***0.0487*** | ***1.4475*** | ***1.1298*** |
| Onsite | **2022** | | | | | | |
| | Off-Road | 2.2056 | 22.2498 | 29.161 | 0.0456 | 1.1358 | 1.0449 |
| | Paving | 0.0461 | 0 | 0 | 0 | 0 | 0 |
| | Total | **2.2518** | **22.2498** | **29.161** | **0.0456** | **1.1358** | **1.0449** |
| Offsite | | | | | | | |
| | Hauling | 0 | 0 | 0 | 0 | 0 | 0 |
| | Vendor | 0 | 0 | 0 | 0 | 0 | 0 |
| | Worker | 0.1344 | 0.0884 | 1.1148 | 0.00331 | 0.3117 | 0.0849 |
| | Total | **0.1344** | **0.0884** | **1.1148** | **0.00331** | **0.3117** | **0.0849** |
| ***TOTAL*** | | ***2.3862*** | ***22.3382*** | ***30.2758*** | ***0.0489*** | ***1.4475*** | ***1.1298*** |
| ***Building Construction - Multi-Purpose Building, Portable Buildings Removal, & Paving*** | | ***6.8431*** | ***64.1403*** | ***68.1540*** | ***0.1182*** | ***3.7999*** | ***3.1238*** |
| ***Building Construction - Multi-Purpose Building & Paving*** | | ***4.1327*** | ***38.2507*** | ***46.9714*** | ***0.0773*** | ***2.3477*** | ***1.9166*** |

| Architectural Coating - Multi-Purpose Building | | ROG | NOx | CO | SO2 | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|---|
| Onsite | **2022** Summer | | | | | | |
| | Archit. Coating | 4.0671 | | | | 0 | 0 |
| | Off-Road | 0.2045 | 1.4085 | 1.8136 | 2.97E-03 | 0.0817 | 0.0817 |
| | Total | **4.2716** | **1.4085** | **1.8136** | **2.97E-03** | **0.0817** | **0.0817** |
| Offsite | | | | | | | |
| | Hauling | 0 | 0 | 0 | 0 | 0 | 0 |
| | Vendor | 0 | 0 | 0 | 0 | 0 | 0 |
| | Worker | 4.02E-03 | 2.66E-03 | 0.0372 | 1.10E-04 | 0.0104 | 2.83E-03 |
| | Total | **4.02E-03** | **2.66E-03** | **0.0372** | **1.10E-04** | **0.0104** | **2.83E-03** |
| ***TOTAL*** | | ***4.2756*** | ***1.4112*** | ***1.8508*** | ***0.0031*** | ***0.0921*** | ***0.0845*** |
| Onsite | **2022** Winter | | | | | | |
| | Archit. Coating | 4.0671 | | | | 0 | 0 |
| | Off-Road | 0.2045 | 1.4085 | 1.8136 | 2.97E-03 | 0.0817 | 0.0817 |
| | Total | **4.2716** | **1.4085** | **1.8136** | **2.97E-03** | **0.0817** | **0.0817** |
| Offsite | | | | | | | |
| | Hauling | 0 | 0 | 0 | 0 | 0 | 0 |
| | Vendor | 0 | 0 | 0 | 0 | 0 | 0 |
| | Worker | 4.48E-03 | 2.95E-03 | 0.0339 | 1.00E-04 | 0.0104 | 2.83E-03 |
| | Total | **4.48E-03** | **2.95E-03** | **0.0339** | **1.00E-04** | **0.0104** | **2.83E-03** |
| ***TOTAL*** | | ***4.2761*** | ***1.4115*** | ***1.8475*** | ***0.0031*** | ***0.0921*** | ***0.0845*** |
| Onsite | **2022** | | | | | | |
| | Archit. Coating | 4.0671 | 0 | 0 | 0 | 0 | 0 |
| | Off-Road | 0.2045 | 1.4085 | 1.8136 | 0.00297 | 0.0817 | 0.0817 |
| | Total | **4.2716** | **1.4085** | **1.8136** | **0.00297** | **0.0817** | **0.0817** |
| Offsite | | | | | | | |
| | Hauling | 0 | 0 | 0 | 0 | 0 | 0 |
| | Vendor | 0 | 0 | 0 | 0 | 0 | 0 |
| | Worker | 0.00448 | 0.00295 | 0.0372 | 0.00011 | 0.0104 | 0.00283 |
| | Total | **0.00448** | **0.00295** | **0.0372** | **0.00011** | **0.0104** | **0.00283** |
| ***TOTAL*** | | ***4.2761*** | ***1.4115*** | ***1.8508*** | ***0.0031*** | ***0.0921*** | ***0.0845*** |
| ***Building Construction - Multi-Purpose Building & Architectural Coating - Multi-Purpose Building*** | | ***6.0226*** | ***17.3240*** | ***18.5464*** | ***0.0315*** | ***0.9923*** | ***0.8713*** |
| **MAX DAILY** | | **51.08** | **82.82** | **86.31** | **0.14** | **7.71** | **5.19** |
| **Regional Thresholds** | | **75** | **100** | **550** | **150** | **150** | **55** |
| Exceeds Thresholds? | | No | No | No | No | No | No |

| Construction Scenario | Start Date | End Date |
|---|---|---|
| Asphalt Demo, Grade-Site,Grade-Site Haul, Modern | 6/1/2020 | 6/3/2020 |
| Asphalt Demo, Grade-Site,&Modern | 6/4/2020 | 8/27/2020 |
| Asphalt Demo, Grade-Site,Modern,&CoatEx Bldgs | 8/28/2020 | 9/1/2020 |
| Grade2Story,GradeExHaul,&Trench2Story | 9/1/2020 | 9/16/2020 |
| Grade2Story,GradeImHaul,Trench2Story | 9/17/2020 | 9/21/2020 |
| Grade2Story&Trench2Story | 9/22/2020 | 11/1/2020 |
| BCMulti | 11/1/2020 | 11/30/2020 |
| BCMulti, BCClass | 12/1/2020 | 5/31/2021 |
| BCMulti,BCClass,DemoLaderaMulti,&ModernKinder | 6/1/2021 | 6/22/2021 |
| BCMulti,BCClass,DemoLaderaMulti,ModernKinder,&CoatClass | 6/23/2021 | 7/1/2020 |
| BCMulti,DemoLaderaMulti,ModernKinder | 7/2/2021 | 8/1/2021 |
| BCMulti,ModernKinder,DemoDog,GradeMPR,TrenchMPR | 8/2/2021 | 8/27/2021 |
| BCMulti,ModernKinder,DemoDog,GradeMPR,TrenchMPR,CoatKinde | 8/28/2021 | 9/1/2021 |
| BCMulti,DemoDog,GradeMPR,TrenchMPR | 9/2/2021 | 10/1/2021 |
| BCMulti | 10/2/2021 | 5/31/2022 |
| BCMulti,PortRemove,Pave | 6/1/2022 | 8/1/2022 |
| BCMulti,Pave | 8/2/2022 | 9/1/2022 |
| BCMulti | 9/2/2022 | 10/25/2022 |
| BCMulti,CoatMulti | 10/26/2022 | 12/1/2022 |

**Notes:**
BC=Building Construction
Coat=Architectural Coating
Pave=Asphalt Paving
Modern=Modernization
Trench=Utility Trenching
Demo=Demolition
Grade=Grading
Install=Installation

## Localized Construction Emissions Worksheet

### Asphalt Demolition - Mid Playfields

| | | | NOx | CO | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|
| Onsite | | **2020** | | | | |
| | Fugitive Dust | | | | 0.0314 | 4.75E-03 |
| | Off-Road | | 33.201 | 21.7532 | 1.6587 | 1.5419 |
| | Total | | **33.201** | **21.7532** | **1.6901** | **1.5466** |
| Offsite | | | | | | |
| | Hauling | | | | | |
| | Vendor | | | | | |
| | Worker | | | | | |
| | Total | | | | | |
| ***TOTAL*** | | | ***33.2010*** | ***21.7532*** | ***1.6901*** | ***1.5466*** |

| | | | | | | |
|---|---|---|---|---|---|---|
| Onsite | | **2020** | | | | |
| | Fugitive Dust | | | | 0.0314 | 4.75E-03 |
| | Off-Road | | 33.201 | 21.7532 | 1.6587 | 1.5419 |
| | Total | | **33.201** | **21.7532** | **1.6901** | **1.5466** |
| Offsite | | | | | | |
| | Hauling | | | | | |
| | Vendor | | | | | |
| | Worker | | | | | |
| | Total | | | | | |
| ***TOTAL*** | | | ***33.2010*** | ***21.7532*** | ***1.6901*** | ***1.5466*** |

| | | | | | | |
|---|---|---|---|---|---|---|
| Onsite | | **2020** | | | | |
| | Fugitive Dust | | 0 | 0 | 0.0314 | 0.00475 |
| | Off-Road | | 33.201 | 21.7532 | 1.6587 | 1.5419 |
| | Total | | **33.201** | **21.7532** | **1.6901** | **1.5466** |
| Offsite | | | | | | |
| | Hauling | | 0 | 0 | 0 | 0 |
| | Vendor | | 0 | 0 | 0 | 0 |
| | Worker | | 0 | 0 | 0 | 0 |
| | Total | | **0** | **0** | **0** | **0** |
| ***TOTAL*** | | | ***33.2010*** | ***21.7532*** | ***1.6901*** | ***1.5466*** |

## Grading - Site

| | | NOx | CO | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|
| Onsite | **2020** | | | | |
| Fugitive Dust | | | | 2.8011 | 1.4396 |
| Off-Road | | 26.3859 | 16.053 | 1.2734 | 1.1716 |
| Total | | **26.3859** | **16.053** | **4.0746** | **2.6112** |
| Offsite | | | | | |
| Hauling | | | | | |
| Vendor | | | | | |
| Worker | | | | | |
| Total | | | | | |
| ***TOTAL*** | | ***26.3859*** | ***16.0530*** | ***4.0746*** | ***2.6112*** |

| | | | | | |
|---|---|---|---|---|---|
| Onsite | **2020** | | | | |
| Fugitive Dust | | | | 2.8011 | 1.4396 |
| Off-Road | | 26.3859 | 16.053 | 1.2734 | 1.1716 |
| Total | | **26.3859** | **16.053** | **4.0746** | **2.6112** |
| Offsite | | | | | |
| Hauling | | | | | |
| Vendor | | | | | |
| Worker | | | | | |
| Total | | | | | |
| ***TOTAL*** | | ***26.3859*** | ***16.0530*** | ***4.0746*** | ***2.6112*** |

| | | | | | |
|---|---|---|---|---|---|
| Onsite | **2020** | | | | |
| Fugitive Dust | | 0 | 0 | 2.8011 | 1.4396 |
| Off-Road | | 26.3859 | 16.053 | 1.2734 | 1.1716 |
| Total | | **26.3859** | **16.053** | **4.0746** | **2.6112** |
| Offsite | | | | | |
| Hauling | | 0 | 0 | 0 | 0 |
| Vendor | | 0 | 0 | 0 | 0 |
| Worker | | 0 | 0 | 0 | 0 |
| Total | | **0** | **0** | **0** | **0** |
| ***TOTAL*** | | ***26.3859*** | ***16.0530*** | ***4.0746*** | ***2.6112*** |

## Grading - Site Soil Haul

| | | NOx | CO | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|
| Onsite | **2020** | | | | |
| | Fugitive Dust | | | 0.0161 | 2.44E-03 |
| | Off-Road | 0 | 0 | 0 | 0 |
| | Total | **0** | **0** | **0.0161** | **2.44E-03** |
| Offsite | | | | | |
| | Hauling | | | | |
| | Vendor | | | | |
| | Worker | | | | |
| | Total | | | | |
| ***TOTAL*** | | ***0.0000*** | ***0.0000*** | ***0.0161*** | ***0.0024*** |

| | | | | | |
|---|---|---|---|---|---|
| Onsite | **2020** | | | | |
| | Fugitive Dust | | | 0.0161 | 2.44E-03 |
| | Off-Road | 0 | 0 | 0 | 0 |
| | Total | **0** | **0** | **0.0161** | **2.44E-03** |
| Offsite | | | | | |
| | Hauling | | | | |
| | Vendor | | | | |
| | Worker | | | | |
| | Total | | | | |
| ***TOTAL*** | | ***0.0000*** | ***0.0000*** | ***0.0161*** | ***0.0024*** |

| | | | | | |
|---|---|---|---|---|---|
| Onsite | **2020** | | | | |
| | Fugitive Dust | 0 | 0 | 0.0161 | 0.00244 |
| | Off-Road | 0 | 0 | 0 | 0 |
| | Total | **0** | **0** | **0.0161** | **0.00244** |
| Offsite | | | | | |
| | Hauling | 0 | 0 | 0 | 0 |
| | Vendor | 0 | 0 | 0 | 0 |
| | Worker | 0 | 0 | 0 | 0 |
| | Total | **0** | **0** | **0** | **0** |
| ***TOTAL*** | | ***0.0000*** | ***0.0000*** | ***0.0161*** | ***0.0024*** |

| Modernization - Existing Buildings | | | | | |
|---|---|---|---|---|---|
| | | NOx | CO | PM10 Total | PM2.5 Total |
| Onsite | **2020** | | | | |
| | Off-Road | 0 | 0 | 0 | 0 |
| | Total | **0** | **0** | **0** | **0** |
| Offsite | | | | | |
| | Hauling | | | | |
| | Vendor | | | | |
| | Worker | | | | |
| | Total | | | | |
| ***TOTAL*** | | ***0.0000*** | ***0.0000*** | ***0.0000*** | ***0.0000*** |
| Onsite | **2020** | | | | |
| | Off-Road | 0 | 0 | 0 | 0 |
| | Total | **0** | **0** | **0** | **0** |
| Offsite | | | | | |
| | Hauling | | | | |
| | Vendor | | | | |
| | Worker | | | | |
| | Total | | | | |
| ***TOTAL*** | | ***0.0000*** | ***0.0000*** | ***0.0000*** | ***0.0000*** |
| Onsite | **2020** | | | | |
| | Off-Road | 0 | 0 | 0 | 0 |
| | Total | **0** | **0** | **0** | **0** |
| ***TOTAL*** | | ***0.0000*** | ***0.0000*** | ***0.0000*** | ***0.0000*** |
| ***Asphalt Demolition - Mid Playfields, Grading - Site, Grading - Site Soil Haul, & Modernization - Existing Buildings*** | | ***59.5869*** | ***37.8062*** | ***5.7808*** | ***4.1602*** |
| | ***3.50 Acre LST*** | ***164*** | ***1,368*** | ***11.49*** | ***6.50*** |
| | ***Exceeds LST?*** | ***no*** | ***no*** | ***no*** | ***no*** |
| ***Asphalt Demolition - Mid Playfields, Grading - Site, & Modernization - Existing Buildings*** | | ***59.5869*** | ***37.8062*** | ***5.7647*** | ***4.1578*** |
| | ***3.50 Acre LST*** | ***164*** | ***1,368*** | ***11.49*** | ***6.50*** |
| | ***Exceeds LST?*** | ***no*** | ***no*** | ***no*** | ***no*** |

## Architectural Coating - Existing Buildings

| | | NOx | CO | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|
| Onsite | **2020** | | | | |
| Archit. Coating | | | | 0 | 0 |
| Off-Road | | 1.6838 | 1.8314 | 0.1109 | 0.1109 |
| Total | | **1.6838** | **1.8314** | **0.1109** | **0.1109** |
| Offsite | | | | | |
| Hauling | | | | | |
| Vendor | | | | | |
| Worker | | | | | |
| Total | | | | | |
| ***TOTAL*** | | ***1.6838*** | ***1.8314*** | ***0.1109*** | ***0.1109*** |
| Onsite | **2020** | | | | |
| Archit. Coating | | | | 0 | 0 |
| Off-Road | | 1.6838 | 1.8314 | 0.1109 | 0.1109 |
| Total | | **1.6838** | **1.8314** | **0.1109** | **0.1109** |
| Offsite | | | | | |
| Hauling | | | | | |
| Vendor | | | | | |
| Worker | | | | | |
| Total | | | | | |
| ***TOTAL*** | | ***1.6838*** | ***1.8314*** | ***0.1109*** | ***0.1109*** |
| Onsite | **2020** | | | | |
| Archit. Coating | | 0 | 0 | 0 | 0 |
| Off-Road | | 1.6838 | 1.8314 | 0.1109 | 0.1109 |
| Total | | **1.6838** | **1.8314** | **0.1109** | **0.1109** |
| Offsite | | | | | |
| Hauling | | | | | |
| Vendor | | | | | |
| Worker | | | | | |
| Total | | | | | |
| ***TOTAL*** | | ***1.6838*** | ***1.8314*** | ***0.1109*** | ***0.1109*** |
| ***Asphalt Demolition - Mid Playfields, Grading - Site, Modernization - Existing Buildings, & Architectural Coating Existing Buildings*** | | ***61.2707*** | ***39.6376*** | ***5.8756*** | ***4.2687*** |
| ***3.50 Acre LST*** | | ***164*** | ***1,368*** | ***11.49*** | ***6.50*** |
| ***Exceeds LST?*** | | ***no*** | ***no*** | ***no*** | ***no*** |

## Grading - Two Story

| | | NOx | CO | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|
| Onsite | **2020** | | | | |
| Fugitive Dust | | | | 2.8011 | 1.4396 |
| Off-Road | | 26.3859 | 16.053 | 1.2734 | 1.1716 |
| Total | | **26.3859** | **16.053** | **4.0746** | **2.6112** |
| Offsite | | | | | |
| Hauling | | | | | |
| Vendor | | | | | |
| Worker | | | | | |
| Total | | | | | |
| ***TOTAL*** | | ***26.3859*** | ***16.0530*** | ***4.0746*** | ***2.6112*** |

| | | | | | |
|---|---|---|---|---|---|
| Onsite | **2020** | | | | |
| Fugitive Dust | | | | 2.8011 | 1.4396 |
| Off-Road | | 26.3859 | 16.053 | 1.2734 | 1.1716 |
| Total | | **26.3859** | **16.053** | **4.0746** | **2.6112** |
| Offsite | | | | | |
| Hauling | | | | | |
| Vendor | | | | | |
| Worker | | | | | |
| Total | | | | | |
| ***TOTAL*** | | ***26.3859*** | ***16.0530*** | ***4.0746*** | ***2.6112*** |

| | | | | | |
|---|---|---|---|---|---|
| Onsite | **2020** | | | | |
| Fugitive Dust | | 0 | 0 | 2.8011 | 1.4396 |
| Off-Road | | 26.3859 | 16.053 | 1.2734 | 1.1716 |
| Total | | **26.3859** | **16.053** | **4.0746** | **2.6112** |
| Offsite | | | | | |
| Hauling | | 0 | 0 | 0 | 0 |
| Vendor | | 0 | 0 | 0 | 0 |
| Worker | | 0 | 0 | 0 | 0 |
| Total | | **0** | **0** | **0** | **0** |
| ***TOTAL*** | | ***26.3859*** | ***16.0530*** | ***4.0746*** | ***2.6112*** |

## Grading - Export Haul

| | | NOx | CO | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|
| Onsite | **2020** | | | | |
| | Fugitive Dust | | | 0.0161 | 2.44E-03 |
| | Off-Road | 0 | 0 | 0 | 0 |
| | Total | **0** | **0** | **0.0161** | **2.44E-03** |
| Offsite | | | | | |
| | Hauling | | | | |
| | Vendor | | | | |
| | Worker | | | | |
| | Total | | | | |
| ***TOTAL*** | | ***0.0000*** | ***0.0000*** | ***0.0161*** | ***0.0024*** |

| | | | | | |
|---|---|---|---|---|---|
| Onsite | **2020** | | | | |
| | Fugitive Dust | | | 0.0161 | 2.44E-03 |
| | Off-Road | 0 | 0 | 0 | 0 |
| | Total | **0** | **0** | **0.0161** | **2.44E-03** |
| Offsite | | | | | |
| | Hauling | | | | |
| | Vendor | | | | |
| | Worker | | | | |
| | Total | | | | |
| ***TOTAL*** | | ***0.0000*** | ***0.0000*** | ***0.0161*** | ***0.0024*** |

| | | | | | |
|---|---|---|---|---|---|
| Onsite | **2020** | | | | |
| | Fugitive Dust | 0 | 0 | 0.0161 | 0.00244 |
| | Off-Road | 0 | 0 | 0 | 0 |
| | Total | **0** | **0** | **0.0161** | **0.00244** |
| Offsite | | | | | |
| | Hauling | 0 | 0 | 0 | 0 |
| | Vendor | 0 | 0 | 0 | 0 |
| | Worker | 0 | 0 | 0 | 0 |
| | Total | **0** | **0** | **0** | **0** |
| ***TOTAL*** | | ***0.0000*** | ***0.0000*** | ***0.0161*** | ***0.0024*** |

## Grading - Import Haul

| | | NOx | CO | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|
| Onsite | **2020** | | | | |
| | Fugitive Dust | | | 0.0161 | 2.44E-03 |
| | Off-Road | 0 | 0 | 0 | 0 |
| | Total | **0** | **0** | **0.0161** | **2.44E-03** |
| Offsite | | | | | |
| | Hauling | | | | |
| | Vendor | | | | |
| | Worker | | | | |
| | Total | | | | |
| ***TOTAL*** | | ***0.0000*** | ***0.0000*** | ***0.0161*** | ***0.0024*** |

| | | | | | |
|---|---|---|---|---|---|
| Onsite | **2020** | | | | |
| | Fugitive Dust | | | 0.0161 | 2.44E-03 |
| | Off-Road | 0 | 0 | 0 | 0 |
| | Total | **0** | **0** | **0.0161** | **2.44E-03** |
| Offsite | | | | | |
| | Hauling | | | | |
| | Vendor | | | | |
| | Worker | | | | |
| | Total | | | | |
| ***TOTAL*** | | ***0.0000*** | ***0.0000*** | ***0.0161*** | ***0.0024*** |

| | | | | | |
|---|---|---|---|---|---|
| Onsite | **2020** | | | | |
| | Fugitive Dust | 0 | 0 | 0.0161 | 0.00244 |
| | Off-Road | 0 | 0 | 0 | 0 |
| | Total | **0** | **0** | **0.0161** | **0.00244** |
| Offsite | | | | | |
| | Hauling | 0 | 0 | 0 | 0 |
| | Vendor | 0 | 0 | 0 | 0 |
| | Worker | 0 | 0 | 0 | 0 |
| | Total | **0** | **0** | **0** | **0** |
| ***TOTAL*** | | ***0.0000*** | ***0.0000*** | ***0.0161*** | ***0.0024*** |

## Utility Trenching - Two Story

| | | NOx | CO | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|
| Onsite | **2020** | | | | |
| Off-Road | | 2.4126 | 3.2678 | 0.1169 | 0.1075 |
| Total | | **2.4126** | **3.2678** | **0.1169** | **0.1075** |
| Offsite | | | | | |
| Hauling | | | | | |
| Vendor | | | | | |
| Worker | | | | | |
| Total | | | | | |
| ***TOTAL*** | | ***2.4126*** | ***3.2678*** | ***0.1169*** | ***0.1075*** |
| Onsite | **2020** | | | | |
| Off-Road | | 2.4126 | 3.2678 | 0.1169 | 0.1075 |
| Total | | **2.4126** | **3.2678** | **0.1169** | **0.1075** |
| Offsite | | | | | |
| Hauling | | | | | |
| Vendor | | | | | |
| Worker | | | | | |
| Total | | | | | |
| ***TOTAL*** | | ***2.4126*** | ***3.2678*** | ***0.1169*** | ***0.1075*** |
| Onsite | **2020** | | | | |
| Off-Road | | 2.4126 | 3.2678 | 0.1169 | 0.1075 |
| Total | | **2.4126** | **3.2678** | **0.1169** | **0.1075** |
| Offsite | | | | | |
| Hauling | | 0 | 0 | 0 | 0 |
| Vendor | | 0 | 0 | 0 | 0 |
| Worker | | 0 | 0 | 0 | 0 |
| Total | | **0** | **0** | **0** | **0** |
| ***TOTAL*** | | ***2.4126*** | ***3.2678*** | ***0.1169*** | ***0.1075*** |
| ***Grading - Two Story Building, Grading - Export Haul, & Utility Trenching Two Story Building*** | | ***28.7985*** | ***19.3208*** | ***4.2076*** | ***2.7211*** |
| ***2.50 Acre LST*** | | ***142*** | ***1,101*** | ***9.16*** | ***5.50*** |
| ***Exceeds LST?*** | | ***no*** | ***no*** | ***no*** | ***no*** |
| ***Grading - Two Story Building, Grading - Import Haul, & Utility Trenching Two Story Building*** | | ***28.7985*** | ***19.3208*** | ***4.2076*** | ***2.7211*** |
| ***2.50 Acre LST*** | | ***142*** | ***1,101*** | ***9.16*** | ***5.50*** |
| ***Exceeds LST?*** | | ***no*** | ***no*** | ***no*** | ***no*** |
| ***Grading - Two Story Building & Utility Trenching Two Story Building*** | | ***28.7985*** | ***19.3208*** | ***4.1915*** | ***2.7187*** |

| | | | | | |
|---|---|---|---|---|---|
| | ***2.50 Acre LST*** | ***142*** | ***1,101*** | ***9.16*** | ***5.50*** |
| | ***Exceeds LST?*** | ***no*** | ***no*** | ***no*** | ***no*** |

**Building Construction - Multi-Purpose Building**

| | | | NOx | CO | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|
| Onsite | | **2020** | | | | |
| | Off-Road | | 19.186 | 16.8485 | 1.1171 | 1.0503 |
| | Total | | **19.186** | **16.8485** | **1.1171** | **1.0503** |
| Offsite | | | | | | |
| | Hauling | | | | | |
| | Vendor | | | | | |
| | Worker | | | | | |
| | Total | | | | | |
| ***TOTAL*** | | | ***19.1860*** | ***16.8485*** | ***1.1171*** | ***1.0503*** |
| Onsite | | **2020** | | | | |
| | Off-Road | | 19.186 | 16.8485 | 1.1171 | 1.0503 |
| | Total | | **19.186** | **16.8485** | **1.1171** | **1.0503** |
| Offsite | | | | | | |
| | Hauling | | | | | |
| | Vendor | | | | | |
| | Worker | | | | | |
| | Total | | | | | |
| ***TOTAL*** | | | ***19.1860*** | ***16.8485*** | ***1.1171*** | ***1.0503*** |
| Onsite | | **2020** | | | | |
| | Off-Road | | 19.186 | 16.8485 | 1.1171 | 1.0503 |
| | Total | | **19.186** | **16.8485** | **1.1171** | **1.0503** |
| Offsite | | | | | | |
| | Hauling | | 0 | 0 | 0 | 0 |
| | Vendor | | 0 | 0 | 0 | 0 |
| | Worker | | 0 | 0 | 0 | 0 |
| | Total | | **0** | **0** | **0** | **0** |
| ***TOTAL*** | | | ***19.1860*** | ***16.8485*** | ***1.1171*** | ***1.0503*** |

| | | | | | |
|---|---|---|---|---|---|
| | ***1.31 Acre LST*** | ***103*** | ***759*** | ***5.93*** | ***3.62*** |
| | ***Exceeds LST?*** | ***no*** | ***no*** | ***no*** | ***no*** |

| | | | NOx | CO | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|
| Onsite | | **2021** | | | | |
| | Off-Road | | 17.4321 | 16.5752 | 0.9586 | 0.9013 |
| | Total | | **17.4321** | **16.5752** | **0.9586** | **0.9013** |
| Offsite | | | | | | |
| | Hauling | | | | | |
| | Vendor | | | | | |
| | Worker | | | | | |
| | Total | | | | | |
| ***TOTAL*** | | | ***17.4321*** | ***16.5752*** | ***0.9586*** | ***0.9013*** |
| Onsite | | **2021** | | | | |
| | Off-Road | | 17.4321 | 16.5752 | 0.9586 | 0.9013 |
| | Total | | **17.4321** | **16.5752** | **0.9586** | **0.9013** |
| Offsite | | | | | | |
| | Hauling | | | | | |
| | Vendor | | | | | |
| | Worker | | | | | |
| | Total | | | | | |
| ***TOTAL*** | | | ***17.4321*** | ***16.5752*** | ***0.9586*** | ***0.9013*** |
| Onsite | | **2021** | | | | |
| | Off-Road | | 17.4321 | 16.5752 | 0.9586 | 0.9013 |
| | Total | | **17.4321** | **16.5752** | **0.9586** | **0.9013** |
| Offsite | | | | | | |
| | Hauling | | 0 | 0 | 0 | 0 |
| | Vendor | | 0 | 0 | 0 | 0 |
| | Worker | | 0 | 0 | 0 | 0 |
| | Total | | **0** | **0** | **0** | **0** |
| ***TOTAL*** | | | ***17.4321*** | ***16.5752*** | ***0.9586*** | ***0.9013*** |
| | ***1.31 Acre LST*** | | ***103*** | ***759*** | ***5.93*** | ***3.62*** |
| | ***Exceeds LST?*** | | ***no*** | ***no*** | ***no*** | ***no*** |

| | | | NOx | CO | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|
| Onsite | | **2022** | | | | |
| | Off-Road | | 15.6156 | 16.3634 | 0.809 | 0.7612 |
| | Total | | **15.6156** | **16.3634** | **0.809** | **0.7612** |
| Offsite | | | | | | |
| | Hauling | | | | | |
| | Vendor | | | | | |
| | Worker | | | | | |
| | Total | | | | | |
| ***TOTAL*** | | | ***15.6156*** | ***16.3634*** | ***0.8090*** | ***0.7612*** |
| Onsite | | **2022** | | | | |
| | Off-Road | | 15.6156 | 16.3634 | 0.809 | 0.7612 |
| | Total | | **15.6156** | **16.3634** | **0.809** | **0.7612** |
| Offsite | | | | | | |
| | Hauling | | | | | |
| | Vendor | | | | | |
| | Worker | | | | | |
| | Total | | | | | |
| ***TOTAL*** | | | ***15.6156*** | ***16.3634*** | ***0.8090*** | ***0.7612*** |
| Onsite | | **2022** | | | | |
| | Off-Road | | 15.6156 | 16.3634 | 0.809 | 0.7612 |
| | Total | | **15.6156** | **16.3634** | **0.809** | **0.7612** |
| Offsite | | | | | | |
| | Hauling | | 0 | 0 | 0 | 0 |
| | Vendor | | 0 | 0 | 0 | 0 |
| | Worker | | 0 | 0 | 0 | 0 |
| | Total | | **0** | **0** | **0** | **0** |
| ***TOTAL*** | | | ***15.6156*** | ***16.3634*** | ***0.8090*** | ***0.7612*** |
| | ***1.31 Acre LST*** | | ***103*** | ***759*** | ***5.93*** | ***3.62*** |
| | ***Exceeds LST?*** | | ***no*** | ***no*** | ***no*** | ***no*** |

| Building Construction - Classroom Buildings | | | | | |
|---|---|---|---|---|---|
| | | NOx | CO | PM10 Total | PM2.5 Total |
| Onsite | **2020** | | | | |
| Off-Road | | 19.186 | 16.8485 | 1.1171 | 1.0503 |
| Total | | **19.186** | **16.8485** | **1.1171** | **1.0503** |
| Offsite | | | | | |
| Hauling | | | | | |
| Vendor | | | | | |
| Worker | | | | | |
| Total | | | | | |
| ***TOTAL*** | | ***19.1860*** | ***16.8485*** | ***1.1171*** | ***1.0503*** |
| Onsite | **2020** | | | | |
| Off-Road | | 19.186 | 16.8485 | 1.1171 | 1.0503 |
| Total | | **19.186** | **16.8485** | **1.1171** | **1.0503** |
| Offsite | | | | | |
| Hauling | | | | | |
| Vendor | | | | | |
| Worker | | | | | |
| Total | | | | | |
| ***TOTAL*** | | ***19.1860*** | ***16.8485*** | ***1.1171*** | ***1.0503*** |
| Onsite | **2020** | | | | |
| Off-Road | | 19.186 | 16.8485 | 1.1171 | 1.0503 |
| Total | | **19.186** | **16.8485** | **1.1171** | **1.0503** |
| Offsite | | | | | |
| Hauling | | 0 | 0 | 0 | 0 |
| Vendor | | 0 | 0 | 0 | 0 |
| Worker | | 0 | 0 | 0 | 0 |
| Total | | **0** | **0** | **0** | **0** |
| ***TOTAL*** | | ***19.1860*** | ***16.8485*** | ***1.1171*** | ***1.0503*** |
| ***Building Construction - Multi-Purpose Building & Building Construction - Classroom Building*** | | ***38.3720*** | ***33.6970*** | ***2.2342*** | ***2.1006*** |
| ***2.63 Acre LST*** | | ***145*** | ***1,134*** | ***9.45*** | ***5.62*** |
| ***Exceeds LST?*** | | ***no*** | ***no*** | ***no*** | ***no*** |

| | | | NOx | CO | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|
| Onsite | | **2021** | | | | |
| | Off-Road | | 17.4321 | 16.5752 | 0.9586 | 0.9013 |
| | Total | | **17.4321** | **16.5752** | **0.9586** | **0.9013** |
| Offsite | | | | | | |
| | Hauling | | | | | |
| | Vendor | | | | | |
| | Worker | | | | | |
| | Total | | | | | |
| ***TOTAL*** | | | ***17.4321*** | ***16.5752*** | ***0.9586*** | ***0.9013*** |
| Onsite | | **2021** | | | | |
| | Off-Road | | 17.4321 | 16.5752 | 0.9586 | 0.9013 |
| | Total | | **17.4321** | **16.5752** | **0.9586** | **0.9013** |
| Offsite | | | | | | |
| | Hauling | | | | | |
| | Vendor | | | | | |
| | Worker | | | | | |
| | Total | | | | | |
| ***TOTAL*** | | | ***17.4321*** | ***16.5752*** | ***0.9586*** | ***0.9013*** |
| Onsite | | **2021** | | | | |
| | Off-Road | | 17.4321 | 16.5752 | 0.9586 | 0.9013 |
| | Total | | **17.4321** | **16.5752** | **0.9586** | **0.9013** |
| Offsite | | | | | | |
| | Hauling | | 0 | 0 | 0 | 0 |
| | Vendor | | 0 | 0 | 0 | 0 |
| | Worker | | 0 | 0 | 0 | 0 |
| | Total | | **0** | **0** | **0** | **0** |
| ***TOTAL*** | | | ***17.4321*** | ***16.5752*** | ***0.9586*** | ***0.9013*** |
| | ***Building Construction - Multi-Purpose Building & Building Construction - Classroom Building*** | | ***34.8642*** | ***33.1504*** | ***1.9172*** | ***1.8026*** |
| | ***2.63 Acre LST*** | | ***145*** | ***1,134*** | ***9.45*** | ***5.62*** |
| | ***Exceeds LST?*** | | ***no*** | ***no*** | ***no*** | ***no*** |

## Building Demolition - Ladera and Multi-Purpose Buildings

| | | | NOx | CO | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|
| Onsite | | **2021** | | | | |
| | Fugitive Dust | | | | 0.2497 | 0.0378 |
| | Off-Road | | 62.8814 | 43.1301 | 3.1027 | 2.8822 |
| | Total | | **62.8814** | **43.1301** | **3.3524** | **2.92** |
| Offsite | | | | | | |
| | Hauling | | | | | |
| | Vendor | | | | | |
| | Worker | | | | | |
| | Total | | | | | |
| ***TOTAL*** | | | ***62.8814*** | ***43.1301*** | ***3.3524*** | ***2.9200*** |

| | | | | | | |
|---|---|---|---|---|---|---|
| Onsite | | **2021** | | | | |
| | Fugitive Dust | | | | 0.2497 | 0.0378 |
| | Off-Road | | 62.8814 | 43.1301 | 3.1027 | 2.8822 |
| | Total | | **62.8814** | **43.1301** | **3.3524** | **2.92** |
| Offsite | | | | | | |
| | Hauling | | | | | |
| | Vendor | | | | | |
| | Worker | | | | | |
| | Total | | | | | |
| ***TOTAL*** | | | ***62.8814*** | ***43.1301*** | ***3.3524*** | ***2.9200*** |

| | | | | | | |
|---|---|---|---|---|---|---|
| Onsite | | **2021** | | | | |
| | Fugitive Dust | | 0 | 0 | 0.2497 | 0.0378 |
| | Off-Road | | 62.8814 | 43.1301 | 3.1027 | 2.8822 |
| | Total | | **62.8814** | **43.1301** | **3.3524** | **2.92** |
| Offsite | | | | | | |
| | Hauling | | 0 | 0 | 0 | 0 |
| | Vendor | | 0 | 0 | 0 | 0 |
| | Worker | | 0 | 0 | 0 | 0 |
| | Total | | **0** | **0** | **0** | **0** |
| ***TOTAL*** | | | ***62.8814*** | ***43.1301*** | ***3.3524*** | ***2.9200*** |

## Modernization - Kindergarten Buildings

| | | NOx | CO | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|
| Onsite | **2021** | | | | |
| Off-Road | | 0 | 0 | 0 | 0 |
| Total | | **0** | **0** | **0** | **0** |
| Offsite | | | | | |
| Hauling | | | | | |
| Vendor | | | | | |
| Worker | | | | | |
| Total | | | | | |
| ***TOTAL*** | | ***0.0000*** | ***0.0000*** | ***0.0000*** | ***0.0000*** |
| Onsite | **2021** | | | | |
| Off-Road | | 0 | 0 | 0 | 0 |
| Total | | **0** | **0** | **0** | **0** |
| Offsite | | | | | |
| Hauling | | | | | |
| Vendor | | | | | |
| Worker | | | | | |
| Total | | | | | |
| ***TOTAL*** | | ***0.0000*** | ***0.0000*** | ***0.0000*** | ***0.0000*** |
| Onsite | **2021** | | | | |
| Off-Road | | 0 | 0 | 0 | 0 |
| Total | | **0** | **0** | **0** | **0** |
| Offsite | | | | | |
| Hauling | | 0 | 0 | 0 | 0 |
| Vendor | | 0 | 0 | 0 | 0 |
| Worker | | 0 | 0 | 0 | 0 |
| Total | | **0** | **0** | **0** | **0** |
| ***TOTAL*** | | ***0.0000*** | ***0.0000*** | ***0.0000*** | ***0.0000*** |
| ***Building Construction - Multi-Purpose Building, Building Construction - Classroom Building, Building Demolition - Ladera and Multi-Purpose Buildings, & Modernization - Kindergarten Building*** | | ***97.7456*** | ***76.2805*** | ***5.2696*** | ***4.7226*** |
| ***4.63 Acre LST*** | | ***189*** | ***1,669*** | ***14.12*** | ***7.62*** |
| ***Exceeds LST?*** | | ***no*** | ***no*** | ***no*** | ***no*** |
| ***Building Construction - Multi-Purpose Building, Building Demolition - Ladera and Multi-Purpose Buildings, & Modernization - Kindergarten Building*** | | ***80.3135*** | ***59.7053*** | ***4.3110*** | ***3.8213*** |
| ***3.31 Acre LST*** | | ***160*** | ***1,318*** | ***11.06*** | ***6.31*** |
| ***Exceeds LST?*** | | ***no*** | ***no*** | ***no*** | ***no*** |

## Architectural Coating - Classroom Buildings

| | | NOx | CO | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|
| Onsite | **2021** | | | | |
| Archit. Coating | | | | 0 | 0 |
| Off-Road | | 1.5268 | 1.8176 | 0.0941 | 0.0941 |
| Total | | **1.5268** | **1.8176** | **0.0941** | **0.0941** |
| Offsite | | | | | |
| Hauling | | | | | |
| Vendor | | | | | |
| Worker | | | | | |
| Total | | | | | |
| ***TOTAL*** | | ***1.5268*** | ***1.8176*** | ***0.0941*** | ***0.0941*** |

| | | | | | |
|---|---|---|---|---|---|
| Onsite | **2021** | | | | |
| Archit. Coating | | | | 0 | 0 |
| Off-Road | | 1.5268 | 1.8176 | 0.0941 | 0.0941 |
| Total | | **1.5268** | **1.8176** | **0.0941** | **0.0941** |
| Offsite | | | | | |
| Hauling | | | | | |
| Vendor | | | | | |
| Worker | | | | | |
| Total | | | | | |
| ***TOTAL*** | | ***1.5268*** | ***1.8176*** | ***0.0941*** | ***0.0941*** |

| | | | | | |
|---|---|---|---|---|---|
| Onsite | **2021** | | | | |
| Archit. Coating | | 0 | 0 | 0 | 0 |
| Off-Road | | 1.5268 | 1.8176 | 0.0941 | 0.0941 |
| Total | | **1.5268** | **1.8176** | **0.0941** | **0.0941** |
| Offsite | | | | | |
| Hauling | | 0 | 0 | 0 | 0 |
| Vendor | | 0 | 0 | 0 | 0 |
| Worker | | 0 | 0 | 0 | 0 |
| Total | | **0** | **0** | **0** | **0** |
| ***TOTAL*** | | ***1.5268*** | ***1.8176*** | ***0.0941*** | ***0.0941*** |

| | | | | |
|---|---|---|---|---|
| ***Building Construction - Multi-Purpose Building, Building Construction - Classroom Building, Building Demolition - Ladera and Multi-Purpose Buildings, Modernization - Kindergarten Building, & Architectural Coating - Classroom Buildings*** | ***99.2724*** | ***78.0981*** | ***5.3637*** | ***4.8167*** |
| ***4.63 Acre LST*** | ***189*** | ***1,669*** | ***14.12*** | ***7.62*** |
| ***Exceeds LST?*** | ***no*** | ***no*** | ***no*** | ***no*** |

## Asphalt Demolition - Dog Park

| | | | NOx | CO | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|
| Onsite | | **2021** | | | | |
| | Fugitive Dust | | | | 0.0468 | 7.08E-03 |
| | Off-Road | | 31.4407 | 21.565 | 1.5513 | 1.4411 |
| | Total | | **31.4407** | **21.565** | **1.5981** | **1.4482** |
| Offsite | | | | | | |
| | Hauling | | | | | |
| | Vendor | | | | | |
| | Worker | | | | | |
| | Total | | | | | |
| ***TOTAL*** | | | ***31.4407*** | ***21.5650*** | ***1.5981*** | ***1.4482*** |

| | | | | | | |
|---|---|---|---|---|---|---|
| Onsite | | **2021** | | | | |
| | Fugitive Dust | | | | 0.0468 | 7.08E-03 |
| | Off-Road | | 31.4407 | 21.565 | 1.5513 | 1.4411 |
| | Total | | **31.4407** | **21.565** | **1.5981** | **1.4482** |
| Offsite | | | | | | |
| | Hauling | | | | | |
| | Vendor | | | | | |
| | Worker | | | | | |
| | Total | | | | | |
| ***TOTAL*** | | | ***31.4407*** | ***21.5650*** | ***1.5981*** | ***1.4482*** |

| | | | | | | |
|---|---|---|---|---|---|---|
| Onsite | | **2021** | | | | |
| | Fugitive Dust | | 0 | 0 | 0.0468 | 0.00708 |
| | Off-Road | | 31.4407 | 21.565 | 1.5513 | 1.4411 |
| | Total | | **31.4407** | **21.565** | **1.5981** | **1.4482** |
| Offsite | | | | | | |
| | Hauling | | 0 | 0 | 0 | 0 |
| | Vendor | | 0 | 0 | 0 | 0 |
| | Worker | | 0 | 0 | 0 | 0 |
| | Total | | **0** | **0** | **0** | **0** |
| ***TOTAL*** | | | ***31.4407*** | ***21.5650*** | ***1.5981*** | ***1.4482*** |

## Grading - MPR & Dog Park

| | | | NOx | CO | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|---|
| Onsite | | **2021** | | | | |
| | Fugitive Dust | | | | 2.8011 | 1.4396 |
| | Off-Road | | 24.7367 | 15.8575 | 1.1599 | 1.0671 |
| | Total | | **24.7367** | **15.8575** | **3.961** | **2.5067** |
| Offsite | | | | | | |
| | Hauling | | | | | |
| | Vendor | | | | | |
| | Worker | | | | | |
| | Total | | | | | |
| ***TOTAL*** | | | ***24.7367*** | ***15.8575*** | ***3.9610*** | ***2.5067*** |

| | | | | | | |
|---|---|---|---|---|---|---|
| Onsite | | **2021** | | | | |
| | Fugitive Dust | | | | 2.8011 | 1.4396 |
| | Off-Road | | 24.7367 | 15.8575 | 1.1599 | 1.0671 |
| | Total | | **24.7367** | **15.8575** | **3.961** | **2.5067** |
| Offsite | | | | | | |
| | Hauling | | | | | |
| | Vendor | | | | | |
| | Worker | | | | | |
| | Total | | | | | |
| ***TOTAL*** | | | ***24.7367*** | ***15.8575*** | ***3.9610*** | ***2.5067*** |

| | | | | | | |
|---|---|---|---|---|---|---|
| Onsite | | **2021** | | | | |
| | Fugitive Dust | | 0 | 0 | 2.8011 | 1.4396 |
| | Off-Road | | 24.7367 | 15.8575 | 1.1599 | 1.0671 |
| | Total | | **24.7367** | **15.8575** | **3.961** | **2.5067** |
| Offsite | | | | | | |
| | Hauling | | 0 | 0 | 0 | 0 |
| | Vendor | | 0 | 0 | 0 | 0 |
| | Worker | | 0 | 0 | 0 | 0 |
| | Total | | **0** | **0** | **0** | **0** |
| ***TOTAL*** | | | ***24.7367*** | ***15.8575*** | ***3.9610*** | ***2.5067*** |

| Utility Trenching - MPR | | | | | |
|---|---|---|---|---|---|
| | | NOx | CO | PM10 Total | PM2.5 Total |
| Onsite | **2021** | | | | |
| Off-Road | | 2.1534 | 3.2718 | 0.1044 | 0.0961 |
| Total | | **2.1534** | **3.2718** | **0.1044** | **0.0961** |
| Offsite | | | | | |
| Hauling | | | | | |
| Vendor | | | | | |
| Worker | | | | | |
| Total | | | | | |
| ***TOTAL*** | | ***2.1534*** | ***3.2718*** | ***0.1044*** | ***0.0961*** |
| Onsite | **2021** | | | | |
| Off-Road | | 2.1534 | 3.2718 | 0.1044 | 0.0961 |
| Total | | **2.1534** | **3.2718** | **0.1044** | **0.0961** |
| Offsite | | | | | |
| Hauling | | | | | |
| Vendor | | | | | |
| Worker | | | | | |
| Total | | | | | |
| ***TOTAL*** | | ***2.1534*** | ***3.2718*** | ***0.1044*** | ***0.0961*** |
| Onsite | **2021** | | | | |
| Off-Road | | 2.1534 | 3.2718 | 0.1044 | 0.0961 |
| Total | | **2.1534** | **3.2718** | **0.1044** | **0.0961** |
| Offsite | | | | | |
| Hauling | | 0 | 0 | 0 | 0 |
| Vendor | | 0 | 0 | 0 | 0 |
| Worker | | 0 | 0 | 0 | 0 |
| Total | | **0** | **0** | **0** | **0** |
| ***TOTAL*** | | ***2.1534*** | ***3.2718*** | ***0.1044*** | ***0.0961*** |
| ***Building Construction - Multi-Purpose Building, Modernization - Kindergarten Building, Asphalt Demolition - Dog Park, Grading - MPR, & Utility Trenching - MPR*** | | ***75.7629*** | ***57.2695*** | ***6.6221*** | ***4.9523*** |
| ***4.81 Acre LST*** | | ***193*** | ***1,719*** | ***14.55*** | ***7.81*** |
| ***Exceeds LST?*** | | ***no*** | ***no*** | ***no*** | ***no*** |
| ***Building Construction - Multi-Purpose Building, Asphalt Demolition - Dog Park, Grading - MPR, & Utility Trenching - MPR*** | | ***75.7629*** | ***57.2695*** | ***6.6221*** | ***4.9523*** |
| ***4.81 Acre LST*** | | ***193*** | ***1,719*** | ***14.55*** | ***7.81*** |
| ***Exceeds LST?*** | | ***no*** | ***no*** | ***no*** | ***no*** |

## Architectural Coating - Kindergarten

| | | NOx | CO | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|
| Onsite | **2021** | | | | |
| Archit. Coating | | | | 0 | 0 |
| Off-Road | | 1.5268 | 1.8176 | 0.0941 | 0.0941 |
| Total | | **1.5268** | **1.8176** | **0.0941** | **0.0941** |
| Offsite | | | | | |
| Hauling | | | | | |
| Vendor | | | | | |
| Worker | | | | | |
| Total | | | | | |
| ***TOTAL*** | | ***1.5268*** | ***1.8176*** | ***0.0941*** | ***0.0941*** |

| | | | | | |
|---|---|---|---|---|---|
| Onsite | **2021** | | | | |
| Archit. Coating | | | | 0 | 0 |
| Off-Road | | 1.5268 | 1.8176 | 0.0941 | 0.0941 |
| Total | | **1.5268** | **1.8176** | **0.0941** | **0.0941** |
| Offsite | | | | | |
| Hauling | | | | | |
| Vendor | | | | | |
| Worker | | | | | |
| Total | | | | | |
| ***TOTAL*** | | ***1.5268*** | ***1.8176*** | ***0.0941*** | ***0.0941*** |

| | | | | | |
|---|---|---|---|---|---|
| Onsite | **2021** | | | | |
| Archit. Coating | | 0 | 0 | 0 | 0 |
| Off-Road | | 1.5268 | 1.8176 | 0.0941 | 0.0941 |
| Total | | **1.5268** | **1.8176** | **0.0941** | **0.0941** |
| Offsite | | | | | |
| Hauling | | 0 | 0 | 0 | 0 |
| Vendor | | 0 | 0 | 0 | 0 |
| Worker | | 0 | 0 | 0 | 0 |
| Total | | **0** | **0** | **0** | **0** |
| ***TOTAL*** | | ***1.5268*** | ***1.8176*** | ***0.0941*** | ***0.0941*** |

| | | | | |
|---|---|---|---|---|
| ***Building Construction - Multi-Purpose Building, Modernization - Kindergarten Building, Asphalt Demolition - Dog Park, Grading - MPR, Utility Trenching - MPR, & Architectural Coating - Kindergarten*** | ***77.2897*** | ***59.0871*** | ***6.7162*** | ***5.0464*** |
| ***4.81 Acre LST*** | ***193*** | ***1,719*** | ***14.55*** | ***7.81*** |
| ***Exceeds LST?*** | ***no*** | ***no*** | ***no*** | ***no*** |

## Portable Buildings Removal

| | | NOx | CO | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|
| Onsite | **2022** | | | | |
| | Fugitive Dust | | | 0.0451 | 6.83E-03 |
| | Off-Road | 25.7194 | 20.5941 | 1.2427 | 1.1553 |
| | Total | **25.7194** | **20.5941** | **1.2878** | **1.1621** |
| Offsite | | | | | |
| | Hauling | | | | |
| | Vendor | | | | |
| | Worker | | | | |
| | Total | | | | |
| ***TOTAL*** | | ***25.7194*** | ***20.5941*** | ***1.2878*** | ***1.1621*** |

| | | | | | |
|---|---|---|---|---|---|
| Onsite | **2022** | | | | |
| | Fugitive Dust | | | 0.0451 | 6.83E-03 |
| | Off-Road | 25.7194 | 20.5941 | 1.2427 | 1.1553 |
| | Total | **25.7194** | **20.5941** | **1.2878** | **1.1621** |
| Offsite | | | | | |
| | Hauling | | | | |
| | Vendor | | | | |
| | Worker | | | | |
| | Total | | | | |
| ***TOTAL*** | | ***25.7194*** | ***20.5941*** | ***1.2878*** | ***1.1621*** |

| | | | | | |
|---|---|---|---|---|---|
| Onsite | **2022** | | | | |
| | Fugitive Dust | 0 | 0 | 0.0451 | 0.00683 |
| | Off-Road | 25.7194 | 20.5941 | 1.2427 | 1.1553 |
| | Total | **25.7194** | **20.5941** | **1.2878** | **1.1621** |
| Offsite | | | | | |
| | Hauling | 0 | 0 | 0 | 0 |
| | Vendor | 0 | 0 | 0 | 0 |
| | Worker | 0 | 0 | 0 | 0 |
| | Total | **0** | **0** | **0** | **0** |
| ***TOTAL*** | | ***25.7194*** | ***20.5941*** | ***1.2878*** | ***1.1621*** |

| Paving, Dog Park Renovation, & Intallation of Playfields and Hardcourts | | | | | |
|---|---|---|---|---|---|
| | | NOx | CO | PM10 Total | PM2.5 Total |
| Onsite | **2022** | | | | |
| | Off-Road | 22.2498 | 29.161 | 1.1358 | 1.0449 |
| | Paving | | | 0 | 0 |
| | Total | **22.2498** | **29.161** | **1.1358** | **1.0449** |
| Offsite | | | | | |
| | Hauling | | | | |
| | Vendor | | | | |
| | Worker | | | | |
| | Total | | | | |
| ***TOTAL*** | | ***22.2498*** | ***29.1610*** | ***1.1358*** | ***1.0449*** |
| Onsite | **2022** | | | | |
| | Off-Road | 22.2498 | 29.161 | 1.1358 | 1.0449 |
| | Paving | | | 0 | 0 |
| | Total | **22.2498** | **29.161** | **1.1358** | **1.0449** |
| Offsite | | | | | |
| | Hauling | | | | |
| | Vendor | | | | |
| | Worker | | | | |
| | Total | | | | |
| ***TOTAL*** | | ***22.2498*** | ***29.1610*** | ***1.1358*** | ***1.0449*** |
| Onsite | **2022** | | | | |
| | Off-Road | 22.2498 | 29.161 | 1.1358 | 1.0449 |
| | Paving | 0 | 0 | 0 | 0 |
| | Total | **22.2498** | **29.161** | **1.1358** | **1.0449** |
| Offsite | | | | | |
| | Hauling | 0 | 0 | 0 | 0 |
| | Vendor | 0 | 0 | 0 | 0 |
| | Worker | 0 | 0 | 0 | 0 |
| | Total | **0** | **0** | **0** | **0** |
| ***TOTAL*** | | ***22.2498*** | ***29.1610*** | ***1.1358*** | ***1.0449*** |
| ***Building Construction - Multi-Purpose Building, Portable Buildings Removal, & Paving*** | | ***63.5848*** | ***66.1185*** | ***3.2326*** | ***2.9682*** |
| | ***2.31 Acre LST*** | ***138*** | ***1,050*** | ***8.72*** | ***5.31*** |
| | ***Exceeds LST?*** | ***no*** | ***no*** | ***no*** | ***no*** |
| ***Building Construction - Multi-Purpose Building & Paving*** | | ***38.3720*** | ***33.6970*** | ***2.2342*** | ***2.1006*** |
| | ***1.31 Acre LST*** | ***103*** | ***759*** | ***5.93*** | ***3.62*** |
| | ***Exceeds LST?*** | ***no*** | ***no*** | ***no*** | ***no*** |

## Architectural Coating - Multi-Purpose Building

| | | NOx | CO | PM10 Total | PM2.5 Total |
|---|---|---|---|---|---|
| Onsite | **2022** | | | | |
| Archit. Coating | | | | 0 | 0 |
| Off-Road | | 1.4085 | 1.8136 | 0.0817 | 0.0817 |
| Total | | **1.4085** | **1.8136** | **0.0817** | **0.0817** |
| Offsite | | | | | |
| Hauling | | | | | |
| Vendor | | | | | |
| Worker | | | | | |
| Total | | | | | |
| ***TOTAL*** | | ***1.4085*** | ***1.8136*** | ***0.0817*** | ***0.0817*** |

| | | | | | |
|---|---|---|---|---|---|
| Onsite | **2022** | | | | |
| Archit. Coating | | | | 0 | 0 |
| Off-Road | | 1.4085 | 1.8136 | 0.0817 | 0.0817 |
| Total | | **1.4085** | **1.8136** | **0.0817** | **0.0817** |
| Offsite | | | | | |
| Hauling | | | | | |
| Vendor | | | | | |
| Worker | | | | | |
| Total | | | | | |
| ***TOTAL*** | | ***1.4085*** | ***1.8136*** | ***0.0817*** | ***0.0817*** |

| | | | | | |
|---|---|---|---|---|---|
| Onsite | **2022** | | | | |
| Archit. Coating | | 0 | 0 | 0 | 0 |
| Off-Road | | 1.4085 | 1.8136 | 0.0817 | 0.0817 |
| Total | | **1.4085** | **1.8136** | **0.0817** | **0.0817** |
| Offsite | | | | | |
| Hauling | | 0 | 0 | 0 | 0 |
| Vendor | | 0 | 0 | 0 | 0 |
| Worker | | 0 | 0 | 0 | 0 |
| Total | | **0** | **0** | **0** | **0** |
| ***TOTAL*** | | ***1.4085*** | ***1.8136*** | ***0.0817*** | ***0.0817*** |

| | | | | |
|---|---|---|---|---|
| ***Building Construction - Multi-Purpose Building & Architectural Coating - Multi-Purpose Building*** | ***17.0241*** | ***18.1770*** | ***0.8907*** | ***0.8429*** |
| ***1.31 Acre LST*** | ***103*** | ***759*** | ***5.93*** | ***3.62*** |
| ***Exceeds LST?*** | ***no*** | ***no*** | ***no*** | ***no*** |

## GHG Emissions Inventory:

## Proposed Project Buildout

| Year | MTons Total |
|---|---|
| 2020 | 440 |
| 2021 | 806 |
| 2022 | 523 |
| **Total Construction** | **1,769** |
| | |
| **Amortized Construction Emissions*** | **59** |
| SCAQMD Bright-Line Screening Threshold | 3,000 |
| **Exceed Threshold?** | **No** |

*Total construction emissions are amortized over 30 years per SCAQMD methodology; SCAQMD. 2010, September 28. Greenhouse Gases (GHG) CEQA Significance Thresholds Working Group Meeting 15. http://www.aqmd.gov/ceqa/handbook/GHG/2010/sept28mtg/sept29.html.

# STATEWIDE TRAJECTORY FOR INTERIM GHG TARGET

## 2035 CALIFORNIA SERVICE POPULATION (ESTIMATE)

| Employment | |
|---|---|
| | Total Employment |
| 2020 | 17,511,810 |
| 2030 | 19,210,760 |
| 2035 | 20,027,660 |
| 2038 | 20,515,420 |
| 2040 | 20,848,900 |
| 2050 | 22,595,640 |

California Department of Transportation. Long-Term Socio-Economic Forecasts by County. http://www.dot.ca.gov/hq/tpp/offices/eab/index_files/2016/CaliforniaForecastData2016.xls

| Population | |
|---|---|
| 2020 | 40,619,346 |
| 2030 | 44,085,600 |
| 2035 | 44,085,600 |
| 2038 | 46,657,547 |
| 2040 | 47,233,240 |
| 2050 | 49,779,362 |

California Department of Finance. 2016. Report P-2: State and County Population Projections by Race/Ethnicity and Age (5-year groups).
http://www.dof.ca.gov/Forecasting/Demographics/projections/documents/P-2_Age5yr_CAProj_2010-2060.xls

| Service Population (SP) | |
|---|---|
| 2020 SP | 58,131,156 |
| 2030 SP | 63,296,360 |
| 2035 SP | 64,113,260 |
| 2038 SP | 67,172,967 |
| 2040 SP | 68,082,140 |
| 2050 SP | 72,375,002 |

## FORECASTING THE POST-2020 GHG REDUCTION TARGETS - EFFICIENCY METRIC

| | Source | MTCO2e (SAR) | MTCO2e/SP | |
|---|---|---|---|---|
| | BAAQMD & SCAQMD: Land Use Sector Inventory | | | |
| 2020 | 2008 Scoping Plan | 295,530,000 | 5.1 | |
| 2030 | 40% Below 1990 Levels | 177,318,000 | 2.8 | |
| 2050 | 80% Below 1990 Levels | 59,106,000 | 0.8 | |
| 2035 | Forecast (2030-2050) | 147,765,000 | 2.3 | 50% |
| 2038 | Forecast (2030-2050) | 130,033,200 | 1.9 | 56% |
| 2040 | Forecast (2030-2050) | 118,212,000 | 1.7 | 60% |

## 1990 Inventory - Land Use Only (IPCC Fourth Assessment Report GWPs)

| Sector | Notes | MTCOe2 |
|---|---|---|
| Electricity | Removed Industrial | 95,964,000 |
| Transportation | On-Road Only | 140,906,000 |
| Landfills | Landfill Extracted from Industrial | 7,448,000 |
| Wastewater | Wastewater Treatment Extracted from Industrial | 3,581,000 |
| Commercial | Removed National Security | 13,873,000 |
| Residential | Includes all | 29,740,000 |
| Other | Not Specified | 1,269,000 |
| Construction | | 673,000 |
| **TOTAL LAND USE** | | **293,454,000** |

| | Source | MTCO2e (SAR) | MTCO2e/SP |
|---|---|---|---|
| 2020 | 1990 Land Use Sector Inventory | 293,454,000 | 5.0 |
| 2030 | 40% Below 1990 Levels | 176,072,400 | 2.8 |
| 2050 | 80% Below 1990 Levels | 58,690,800 | 0.8 |
| 2035 | Forecast (2030-2050) | 146,727,000 | 2.3 |
| 2038 | Forecast (2030-2050) | 129,119,760 | 1.9 |
| 2040 | Forecast (2030-2050) | 117,381,600 | 1.7 |

California Air Resources Board. 2016. Greenhouse Gas Emission Inventory - Query Tool for years 1990 (1st Edition)

**CalEEMod Inputs (Construction Run)**

| | |
|---|---|
| **Name:** | Grand View Elementary |
| **Project Number:** | MBUS-03 |
| **Project Location:** | 455 24th Street, Manhattan Beach, Los Angeles 90266 |
| **County/Air Basin:** | Los Angeles |
| **Climate Zone:** | 8 |
| **Land Use Setting:** | Urban |
| **Operational Year:** | 2023 |
| **Utility Company:** | Southern California Edison |
| **Air Basin:** | South Coast Air Basin |
| **Air District:** | SCAQMD |
| **SRA:** | 3 |

| | |
|---|---|
| **Project Site Acreage** | 14.55 |
| **Disturbed Site Acreage** | 6.20 |

| Project Components | SQFT | Acres | Notes |
|---|---|---|---|
| ***Demolition*** | | | |
| 4 Portable Buildings + 2 Restrooms | 4,709.00 | | |
| Ladera building | 21,726.50 | | |
| 4-story Multi-purpose Building | 4,400.00 | | |
| ***Modernization*** [2] | | | For all buildings: low voltage upgrades, exterior paint/signage/building branding |
| J and K Buildings | 8,480.00 | | Standard HVAC |
| A, F, and G Buildings | 27,001.00 | | Standard HVAC |
| B, C, D, and E Buildings | 30,923.00 | | Low Cost HVAC |
| ***New Construction*** | | | |
| 3-story Multi-purpose Building | 17,100.00 | | Stories do not stack like a tradional building |
| 2-story Classroom Building | 13,600.00 | | |
| ***Site Upgrades*** | | | **accounted for in:** |
| Drop-off and parking lot | | | parking |
| Outdoor basketball couts | | | non-parking asphalt |
| Soccer playfield | | | non-asphalt surfaces |
| Gaga ball courts | | | non-parking asphalt |
| Two play apparatus areas | | | non-asphalt surfaces |
| Fire access road | | | non-parking asphalt |

| Land Use | Land Use Type | Land Use Subtype | Unit Amount | Size Metric | Lot Acreage | Land Use Square Feet |
|---|---|---|---|---|---|---|
| Two-Story Classroom Building | Education | Elementary School | 13,600 | sqft | 0.16 | |
| Three-Story Multipurpose Building | Education | Elementary School | 17,100 | sqft | 0.13 | |
| Total Surface Parking Lot Stalls | Parking Lot | Parking Lot | 30 | stalls | 0.40 | 17,600 |
| Non-Parking Asphalt | Parking Lot | Other Asphalt Surfaces | 33,970 | sqft | 0.78 | |
| Hardscape | Parking Lot | Other Non-asphalt | 32,113 | sqft | 0.74 | |
| Landscaping | Parking Lot | Other Non-asphalt surfaces | 50,000 | sqft | 1.15 | |
| Additional Area | | | | | 2.84 | |
| **Total** | | | | | 6.20 | |

| Land Use Summary | Land Use Type | Land Use Subtype | Unit Amount | Size Metric | Lot Acreage | Land Use Square Feet |
|---|---|---|---|---|---|---|
| | Education | Elementary School | 30.700 | 1000 sqft | 3.13 | 30,700.000 |
| | Parking Lot | Parking Lot | 17.600 | 1000 sqft | 0.40 | 17,600.000 |
| | Parking Lot | Other Asphalt Surfaces | 0.78 | acre | 0.78 | 0 |
| | Parking Lot | Other Non-Asphalt Surfaces | 1.89 | acre | 1.89 | 0 |
| | | | | | 6.20 | |

**Demolition**

| Component | Amount to be Demolished (Tons) | Haul Truck Capacity (tons) | Haul Distance (miles) | Total Trip Ends | Trip Ends/ day | Duration (days) |
|---|---|---|---|---|---|---|
| Mid Play Field Asphalt Demo[1] | 230 | 20 | 20 | 23 | 2 | 67 |
| Dog Park Asphalt Demo | 230 | 20 | 20 | 23 | 2 | 45 |
| Ladera | 999 | 20 | 20 | 99 | 4 | 45 |
| Multipurpose | 202 | 20 | 20 | 21 | 2 | 45 |
| Portable Buildings Demo[1] | 217 | 20 | 20 | 22 | 2 | 45 |
| **Total** | 1,878 | | | 188 | | |

[1] *Based on information provided by the applicant*

**Soil Haul [1]**

| Construction Activities | Haul Truck Capacity (cy) | Import Volume (CY) | No. of total one-way import haul (trip ends) | No. of total one-way haul (trip ends/day) | Export Volume (CY) | No. of total one-way export haul (trip ends) | No. of total one-way haul (trip ends/day) | Total Days |
|---|---|---|---|---|---|---|---|---|
| Site Prepration | 9 | 0 | 0 | | 1000 | 222 | 74 | 3 |
| Rough Grading | 9 | 0 | 0 | | 4000 | 889 | 74 | 12 |
| Fine Grading | 9 | 1,000 | 222 | 74 | | 0 | | 3 |

[1] *Based on information provided by school district*

**Architectural Coating**

| | | |
|---|---|---|
| *Percentage of Proposed Buildings' Interior Painted:* | 75% | |
| *Percentage of Proposed Buildings' Exterior Painted:* | 50% | |
| ***SCAQMD Rule 1113*** | | |
| *Interior Paint VOC content:* | 100 | grams per litter |
| *Exterior Paing VOC content:* | 100 | grams per litter |

| Non-Residential Structures | Land Use Square Feet | CalEEMod Factor[2] | Total Paintable Surface Area | Paintable Interior Area[1] | Paintable Exterior Area[1] |
|---|---|---|---|---|---|
| Two Story New Classroom | 13,600 | 2 | 27,200 | 15,300 | 3,400 |
| Three Story New Multipurpose | 17,100 | 2 | 34,200 | 19,238 | 4,275 |
| Kindergarten Buildings | 8,480 | 2 | 16,960 | 6,360 | 4,240 |
| Other Modernization | 57,924 | 2 | 115,848 | 86,886 | 28,962 |
| | | | 194,208 | 127,784 | 40,877 |
| Parking Lot | 17,600 | 6% | 1,056 | - | 1,056 |
| | | | 1,056 | - | 1,056 |

[1] *CalEEMod methodology calculates the paintable interior and exterior areas by multiplying the total paintable surface area by 75 and 25 percent, respectively.*

[2] *The program assumes the total surface for painting equals 2.7 times the floor square footage for residential and 2 times that for nonresidential square footage defined by the user. Architectural coatings for the parking lot is based on CalEEMod methodology applied to a surface parking lot (i.e., striping), in which 6% of surface area is painted.*

[3] *We assume 100% of the interior and exterior of buildings to be modernized will be painted*

**Construction Mitigation**

*SCAQMD Rule 403*

| | | | |
|---|---|---|---|
| Replace Ground Cover | PM10: | 5 | % Reduction |
| | PM25: | 5 | % Reduction |
| Water Exposed Area | Frequency: | 2 | per day |
| | PM10: | 55 | % Reduction |
| | PM25: | 55 | % Reduction |
| Unpaved Roads | Vehicle Speed: | 15 | mph |

*SCAQMD Rule 1186*

| | | | |
|---|---|---|---|
| | Clean Paved Road | 9 | % PM Reduction |

**CalEEMod Construction Off-Road Equipment Inputs**

*Based on CalEEMod defaults*

General Construction Hours: 8 hours btwn 7:00 AM to 4:00 PM (with 1 hr break), Mon-Fri

| | | Construction Equipment Details | | | | | |
|---|---|---|---|---|---|---|---|
| | Equipment | # of Equipment | Model | hp | load factor | hrs/ day | total trips |
| Asphalt Demolition (Mid Play Fields) | | | | | | | |
| | Concrete/Industrial Saws | 1 | | 81 | 0.73 | 8 | |
| | Excavators | 3 | | 158 | 0.38 | 8 | |
| | Rubber Tired Dozers | 2 | | 247 | 0.4 | 8 | |
| | Water Truck | 1 | | | | | 2 |
| | Worker Trips | | | | | | |
| | Vendor Trips | | | | | | |
| | Hauling Trips | | | | | | |
| Grading (site) | | | | | | | |
| | Excavators | 1 | | 158 | 0.38 | 8 | |
| | Graders | 1 | | 187 | 0.41 | 8 | |
| | Rubber Tired Dozers | 1 | | 247 | 0.4 | 8 | |
| | Tractors/Loaders/Backhoes | 3 | | 97 | 0.37 | 8 | |
| | Water Truck | 1 | | | | | 2 |
| | Worker Trips | | | | | | |
| | Vendor Trips | | | | | | |
| | Hauling Trips | | | | | | |
| Grading (site) Soil Haul | | | | | | | |
| | No additional equipment from Grading (site) equipment mix | | | | | | |
| | No additional Worker Trips from Grading (site) activity. | | | | | | |
| | No additional Vendor Trips from Grading (site) activity. | | | | | | |
| | Hauling Trips | | | | | | 222 |
| Modernization - Existing Buildings | | | | | | | |
| | Worker Trips | | | | | | 24 |
| | Vendor Trips | | | | | | 9 |
| | Hauling Trips | | | | | | |
| Architectural Coating- Existing Buildings | | | | | | | |
| | Air Compressors | 1 | | 78 | 0.48 | 6 | |
| | Worker Trips | | | | | | 5 |
| | Vendor Trips | | | | | | |
| | Hauling Trips | | | | | | |
| Grading (Two Story) | | | | | | | |
| | Excavators | 1 | | 158 | 0.38 | 8 | |
| | Graders | 1 | | 187 | 0.41 | 8 | |
| | Rubber Tired Dozers | 1 | | 247 | 0.4 | 8 | |
| | Tractors/Loaders/Backhoes | 3 | | 97 | 0.37 | 8 | |
| | Water Truck | 1 | | | | | 2 |
| | Worker Trips | | | | | | |
| | Vendor Trips | | | | | | |
| | Hauling Trips | | | | | | |
| Grading (Two Story) Export Soil Haul (Rough Grading) | | | | | | | |
| | No additional equipment from Grading (site) equipment mix | | | | | | |
| | No additional Worker Trips from Grading (site) activity. | | | | | | |
| | No additional Vendor Trips from Grading (site) activity. | | | | | | |
| | Hauling Trips | | | | | | 889 |
| Grading (Two Story) Import Soil Haul (Fine Grading) | | | | | | | |
| | No additional equipment from Grading (site) equipment mix | | | | | | |
| | No additional Worker Trips from Grading (site) activity. | | | | | | |
| | No additional Vendor Trips from Grading (site) activity. | | | | | | |
| | Hauling Trips | | | | | | 222 |
| Utility Trenching (Two Story) | | | | | | | |
| | Excavators | 1 | | 158 | 0.38 | 8 | |
| | Worker Trips | | | | | | |
| | Vendor Trips | | | | | | |
| | Hauling Trips | | | | | | |
| Building Construction (Multipurpose) | | | | | | | |
| | Cranes | 1 | | 231 | 0.29 | 7 | |
| | Forklifts | 3 | | 89 | 0.2 | 8 | |
| | Generator Sets | 1 | | 84 | 0.74 | 8 | |
| | Tractors/Loaders/Backhoes | 3 | | 97 | 0.37 | 7 | |
| | Welders | 1 | | 46 | 0.45 | 8 | |
| | Worker Trips | | | | | | |
| | Vendor Trips | | | | | | |
| | Hauling Trips | | | | | | |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| Architectural Coating- new multipurpose | | | | | | | |
| | Air Compressors | 1 | | 78 | 0.48 | 6 | |
| | Worker Trips | | | | | | 1 |
| | Vendor Trips | | | | | | |
| | Hauling Trips | | | | | | |
| Building Construction (Classroom Buildings) | | | | | | | |
| | Cranes | 1 | | 231 | 0.29 | 7 | |
| | Forklifts | 3 | | 89 | 0.2 | 8 | |
| | Generator Sets | 1 | | 84 | 0.74 | 8 | |
| | Tractors/Loaders/Backhoes | 3 | | 97 | 0.37 | 7 | |
| | Welders | 1 | | 46 | 0.45 | 8 | |
| | Worker Trips | | | | | | |
| | Vendor Trips | | | | | | |
| | Hauling Trips | | | | | | |
| Architectural Coating- Classroom | | | | | | | |
| | Air Compressors | 1 | | 78 | 0.48 | 6 | |
| | Worker Trips | | | | | | 1 |
| | Vendor Trips | | | | | | |
| | Hauling Trips | | | | | | |
| Building Demolition (Ladera Classroom) | | | | | | | |
| | Concrete/Industrial Saws | 1 | | 81 | 0.73 | 8 | |
| | Excavators | 3 | | 158 | 0.38 | 8 | |
| | Rubber Tired Dozers | 2 | | 247 | 0.4 | 8 | |
| | Water Truck | 1 | | | | | 2 |
| | Worker Trips | | | | | | |
| | Vendor Trips | | | | | | |
| | Hauling Trips | | | | | | 99 |
| Building Demolition (PAC Multipurpose Building) | | | | | | | |
| | Concrete/Industrial Saws | 1 | | 81 | 0.73 | 8 | |
| | Excavators | 3 | | 158 | 0.38 | 8 | |
| | Rubber Tired Dozers | 2 | | 247 | 0.4 | 8 | |
| | Water Truck | 1 | | | | | 2 |
| | Worker Trips | | | | | | |
| | Vendor Trips | | | | | | |
| | Hauling Trips | | | | | | 21 |
| Modernization - Kindergarten | | | | | | | |
| | Worker Trips | | | | | | 4 |
| | Vendor Trips | | | | | | 1 |
| | Hauling Trips | | | | | | |
| Architectural Coating- Kindergarten | | | | | | | |
| | Air Compressors | 1 | | 78 | 0.48 | 6 | |
| | Worker Trips | | | | | | 1 |
| | Vendor Trips | | | | | | |
| | Hauling Trips | | | | | | |
| Asphalt Demolition (Dog Park) | | | | | | | |
| | Concrete/Industrial Saws | 1 | | 81 | 0.73 | 8 | |
| | Excavators | 3 | | 158 | 0.38 | 8 | |
| | Rubber Tired Dozers | 2 | | 247 | 0.4 | 8 | |
| | Water Truck | 1 | | | | | 2 |
| | Worker Trips | | | | | | |
| | Vendor Trips | | | | | | |
| | Hauling Trips | | | | | | |
| Grading (MPR and Dog Park) | | | | | | | |
| | Excavators | 1 | | 158 | 0.38 | 8 | |
| | Graders | 1 | | 187 | 0.41 | 8 | |
| | Rubber Tired Dozers | 1 | | 247 | 0.4 | 8 | |
| | Tractors/Loaders/Backhoes | 3 | | 97 | 0.37 | 8 | |
| | Water Truck | 1 | | | | | 2 |
| | Worker Trips | | | | | | |
| | Vendor Trips | | | | | | |
| | Hauling Trips | | | | | | |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| Utility Trenching (MPR) | | | | | | | |
| | Excavators | 1 | | 158 | 0.38 | 8 | |
| | Worker Trips | | | | | | |
| | Vendor Trips | | | | | | |
| | Hauling Trips | | | | | | |
| Renovation (dog park) | | | | | | | |
| | Worker Trips | | | | | | |
| | Vendor Trips | | | | | | |
| | Hauling Trips | | | | | | |
| Portable Building Removal | | | | | | | |
| | Concrete/Industrial Saws | 1 | | 81 | 0.73 | 8 | |
| | Excavators | 3 | | 158 | 0.38 | 8 | |
| | Rubber Tired Dozers | 2 | | 247 | 0.4 | 8 | |
| | Worker Trips | | | | | | |
| | Vendor Trips | | | | | | |
| | Hauling Trips | | | | | | 22 |
| Installation - Playfields and hardcourts | | | | | | | |
| | Pavers | 2 | | 130 | 0.42 | 8 | |
| | Paving Equipment | 2 | | 132 | 0.36 | 8 | |
| | Rollers | 2 | | 80 | 0.38 | 8 | |
| | Worker Trips | | | | | | |
| | Vendor Trips | | | | | | |
| | Hauling Trips | | | | | | |
| Asphalt Paving | | | | | | | |
| | Pavers | 2 | | 130 | 0.42 | 8 | |
| | Paving Equipment | 2 | | 132 | 0.36 | 8 | |
| | Rollers | 2 | | 80 | 0.38 | 8 | |
| | Worker Trips | | | | | | |
| | Vendor Trips | | | | | | |
| | Hauling Trips | | | | | | |

**Construction Activities and Schedule Assumptions: (92nd Street LAUSD) Grand View USD Renovation**

* As provided by applicant

| | Construction Activities | | Construction Schedule | | |
|---|---|---|---|---|---|
| | | Phase Type | Start Date | End Date | Duration (Workday) |
| 1 | Asphalt Demolition - mid play fields | Demolition | 6/1/2020 | 9/1/2020 | 67 |
| 2 | Grading - site | Grading | 6/1/2020 | 9/1/2020 | 67 |
| 3 | Grading - site soil haul | Grading | 6/1/2020 | 6/3/2020 | 3 |
| 4 | Modernization - Existing Buildings | Building Construction | 6/1/2020 | 9/1/2020 | 67 |
| 5 | Architectural Coating- Existing Buildings | Architectural Coating | 8/28/2020 | 9/1/2020 | 4 |
| 6 | Grading - Two story | Grading | 9/1/2020 | 11/1/2020 | 45 |
| 7 | Grading - Export Haul | Grading | 9/1/2020 | 9/16/2020 | 12 |
| 8 | Utility Trenching - Two story | Trenching | 9/1/2020 | 11/1/2020 | 45 |
| 9 | Grading - Import Haul | Grading | 9/17/2020 | 9/21/2020 | 3 |
| 10 | Building Construction - Multi-purpose building | Building Construction | 11/1/2020 | 12/1/2022 | 544 |
| 11 | Building Construction - Classroom buildings | Building Construction | 12/1/2020 | 7/1/2021 | 154 |
| 12 | Building Demolition - Ladera Classroom Building | Demolition | 6/1/2021 | 8/1/2021 | 45 |
| 13 | Building Demolition - Multi-purpose Building (PAC) | Demolition | 6/1/2021 | 8/1/2021 | 45 |
| 14 | Modernization - kindergarten buildings | Building Construction | 6/1/2021 | 9/1/2021 | 68 |
| 15 | Architectural Coating - classroom buildings | Architectural Coating | 6/23/2021 | 7/1/2021 | 8 |
| 16 | Asphalt Demolition - dog park | Demolition | 8/1/2021 | 10/1/2021 | 45 |
| 17 | Grading - MPR and dog park | Grading | 8/1/2021 | 10/1/2021 | 45 |
| 18 | Utility Trenching - MPR | Trenching | 8/1/2021 | 10/1/2021 | 45 |
| 19 | Architectural Coating- Kindergarten Buildings | Architectural Coating | 8/28/2021 | 9/1/2021 | 4 |
| 20 | Portable Building Removal | Demolition | 6/1/2022 | 8/1/2022 | 45 |
| 21 | Renovation - 'dog park' | Paving | 6/1/2022 | 9/1/2022 | 68 |
| 22 | Installation - Playfields and hardcourts | Paving | 6/1/2022 | 9/1/2022 | 68 |
| 23 | Asphalt Paving | Paving | 6/1/2022 | 9/1/2022 | 68 |
| 24 | Architectural Coating - multipurpose buildings | Architectural Coating | 10/26/2022 | 12/1/2022 | 28 |

**Schedule for CalEEMod Model**

| | Construction Scenario | Start Date | End Date |
|---|---|---|---|
| 1 | Asphalt Demolition, Grading (Site), Grading (Site Haul), Modernization (Existing Buildings) | 6/1/2020 | 6/3/2020 |
| 2 | Asphalt Demolition, Grading (Site), Modernization (Existing Buildings) | 6/4/2020 | 8/27/2020 |
| 3 | Asphalt Demolition, Grading (Site), Modernization (Existing Buildings), Architectural Coating (Building Exterior) | 8/28/2020 | 9/1/2020 |
| 4 | Grading (Two-Story Classroom), Grading (Export Haul), Utility Trenching (Classroom) | 9/1/2020 | 9/16/2020 |
| 5 | Grading (Classroom), Grading (Import Haul), Utility Trenching (Classroom) | 9/17/2020 | 9/21/2020 |
| 6 | Grading (Classroom), Utility Trenching (Classroom) | 9/22/2020 | 11/1/2020 |
| 7 | Building Construction (Three-Story Multipurpose) | 11/1/2020 | 11/30/2020 |
| 8 | Building Construction (Multipurpose and Classroom) | 12/1/2020 | 5/31/2021 |
| 9 | Building Construction (Multipurpose and Classroom), Building Demolition (Ladera Classrooms and PAC Multipurpose), Modernization (Kindergarten) | 6/1/2021 | 6/22/2021 |
| 10 | Building Construction (Multipurpose and Classroom), Building Demolition (Ladera Classrooms and PAC Multipurpose), Modernization (Kindergarten), Architectural Coating (Classroom) | 6/23/2021 | 7/1/2020 |
| 11 | Building Construction (Multipurpose), Building Demolition (Ladera and PAC), Modernization (Kindergarten) | 7/2/2021 | 8/1/2021 |
| 12 | Building Construction (Multipurpose), Asphalt Demolition (Dog Park), Modernization (Kindergarten), Grading (Multipurpose), Utility Trenching (Multipurpose) | 8/2/2021 | 8/27/2021 |
| 13 | Building Construction (Multipurpose), Asphalt Demolition (Dog Park), Modernization (Kindergarten), Grading (Multipurpose), Utility Trenching (Multipurpose), Architectural Coating (Kindergarten) | 8/28/2021 | 9/1/2021 |
| 14 | Building Construction (Multipurpose), Asphalt Demolition (Dog Park), Grading (Multipurpose), Utility Trenching (Multipurpose) | 9/2/2021 | 10/1/2021 |
| 15 | Building Construction (Three-Story Multipurpose) | 10/2/2021 | 5/31/2022 |
| 16 | Building Construction (Three-Story Multipurpose), Portable Buildings Removal, Asphalt Paving | 6/1/2022 | 8/1/2022 |
| 17 | Building Construction (Three-Story Multipurpose), Asphalt Paving | 8/2/2022 | 9/1/2022 |
| 18 | Building Construction (Three-Story Multipurpose) | 9/2/2022 | 10/25/2022 |
| 19 | Building Construction (Three-Story Multipurpose), Architectural Coating (Multipurpose) | 10/26/2022 | 12/1/2022 |

**Pavement Volume to Weight Conversion**

| Component | Total SF of Area[1] | Assumed Thickness (foot)[2] | Debris Volume (cu. ft) | Weight of Crushed Asphalt (lbs/cf)[3] | AC Mass (lbs) | AC Mass (tons) |
|---|---|---|---|---|---|---|
| Asphalt (mid playfield and dog park) | | | | | | 460.00 |

[1] Based on construction information provided by the Applicant.

[2] Pavements and Surface Materials. Nonpoint Education for Municipal Officials, Technical Paper Number 8. University of Conneticut Cooperative Extension System, 1999.

[3] http://www.reade.com/Particle_Briefings/spec_gra2.html

## Demo Haul Trip Calculation

*Conversion factors**

| | |
|---|---|
| 0.046 | ton/SF |
| 1.2641662 | tons/cy |
| 20 | tons |
| 15.82070459 | CY |
| 0.791035229 | CY/ton |

**Building Demoltion Haul Trips (BSF and Haul Truck (CY) given)**

| Building | BSF Demo | Tons/SF | Tons | Haul Truck (CY) | Haul Truck (Ton) | Round Trips | Total Trip Ends |
|---|---|---|---|---|---|---|---|
| **Ladera** | 21,727 | 0.046 | 999.419 | 16 | 20.23 | 49 | 99 |
| **Multipurpose** | 4,400 | 0.046 | 202.40 | 16 | 20.23 | 10 | 20 |
| **Portables** | 4,709 | 0.046 | 216.59744 | 16 | 20.23 | 11 | 21 |
| | 30,835 | | | | | | |

*CalEEMod User's Guide Version 2011.1, Appendix A

## Energy Net Change

| | Total Electricity (kWh/yr) | Total Natural Gas (kBTU/yr) |
|---|---|---|
| Existing | 224,170 | 413,189 |
| Proposed | 176,153 | 265,088 |
| Net Change | -48,017 | -148,101 |

## Proposed Building Water/Wastewater Use

| Land Use | Wastewater (Mgal) | Outdoor Water (Mgal) | Total Water Use (Mgal) |
|---|---|---|---|
| Elementary School | 0.0465454 | 0.140484 | 0.1870294 |
| Parking Lot | 0 | 0 | 0 |
| Total | 0.0465454 | 0.140484 | 0.1870294 |

# MBUS-3.0 Grand View Run Construction 1

**Los Angeles-South Coast County, Summer**

## 1.0 Project Characteristics

### 1.1 Land Usage

| Land Uses | Size | Metric | Lot Acreage | Floor Surface Area | Population |
|---|---|---|---|---|---|
| Elementary School | 30.70 | 1000sqft | 3.13 | 30,700.00 | 0 |
| Other Asphalt Surfaces | 0.78 | Acre | 0.78 | 33,976.80 | 0 |
| Other Non-Asphalt Surfaces | 1.89 | Acre | 1.89 | 82,328.40 | 0 |
| Parking Lot | 17.60 | 1000sqft | 0.40 | 17,600.00 | 0 |

### 1.2 Other Project Characteristics

| | | | | | |
|---|---|---|---|---|---|
| **Urbanization** | Urban | **Wind Speed (m/s)** | 2.2 | **Precipitation Freq (Days)** | 33 |
| **Climate Zone** | 8 | | | **Operational Year** | 2023 |
| **Utility Company** | Southern California Edison | | | | |
| **CO2 Intensity (lb/MWhr)** | 702.44 | **CH4 Intensity (lb/MWhr)** | 0.029 | **N2O Intensity (lb/MWhr)** | 0.006 |

### 1.3 User Entered Comments & Non-Default Data

Project Characteristics -

Land Use - see assumptions file

Construction Phase - based on data from applicant, see assumptions file

Off-road Equipment -

Off-road Equipment -

Off-road Equipment -

Off-road Equipment -

Off-road Equipment -

Off-road Equipment - No additional equipment from Grading (two story) equipment mix

Off-road Equipment - No additional equipment from Grading (twostory) equipment mix

Off-road Equipment - No additional equipment from Grading (site) equipment mix

Off-road Equipment - no additional equipment needed for modernization

Off-road Equipment - see assumptions file

Trips and VMT - see assumptions

Demolition -

Grading -

Architectural Coating - see assumptions file

Construction Off-road Equipment Mitigation - Per SCAQMD Rules 403 and 1186.

| Table Name | Column Name | Default Value | New Value |
|---|---|---|---|
| tblArchitecturalCoating | ConstArea_Nonresidential_Exterior | 15,350.00 | 28,962.00 |
| tblArchitecturalCoating | ConstArea_Nonresidential_Exterior | 15,350.00 | 3,400.00 |
| tblArchitecturalCoating | ConstArea_Nonresidential_Exterior | 15,350.00 | 4,275.00 |
| tblArchitecturalCoating | ConstArea_Nonresidential_Interior | 46,050.00 | 86,886.00 |
| tblArchitecturalCoating | ConstArea_Nonresidential_Interior | 46,050.00 | 15,300.00 |
| tblArchitecturalCoating | ConstArea_Nonresidential_Interior | 46,050.00 | 19,238.00 |
| tblArchitecturalCoating | ConstArea_Parking | 8,034.00 | 0.00 |

| | | | |
|---|---|---|---|
| tblArchitecturalCoating | ConstArea_Parking | 8,034.00 | 0.00 |
| tblArchitecturalCoating | ConstArea_Parking | 8,034.00 | 1,056.00 |
| tblConstDustMitigation | CleanPavedRoadPercentReduction | 0 | 9 |
| tblConstDustMitigation | WaterUnpavedRoadVehicleSpeed | 0 | 15 |
| tblConstructionPhase | NumDays | 20.00 | 7.00 |
| tblConstructionPhase | NumDays | 20.00 | 28.00 |
| tblConstructionPhase | NumDays | 20.00 | 3.00 |
| tblConstructionPhase | NumDays | 230.00 | 544.00 |
| tblConstructionPhase | NumDays | 230.00 | 153.00 |
| tblConstructionPhase | NumDays | 230.00 | 67.00 |
| tblConstructionPhase | NumDays | 20.00 | 67.00 |
| tblConstructionPhase | NumDays | 20.00 | 67.00 |
| tblConstructionPhase | NumDays | 20.00 | 3.00 |
| tblConstructionPhase | NumDays | 20.00 | 44.00 |
| tblConstructionPhase | NumDays | 20.00 | 12.00 |
| tblConstructionPhase | NumDays | 20.00 | 3.00 |
| tblGrading | MaterialExported | 0.00 | 1,000.00 |
| tblGrading | MaterialExported | 0.00 | 4,000.00 |
| tblGrading | MaterialImported | 0.00 | 1,000.00 |
| tblLandUse | LotAcreage | 0.70 | 3.13 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 3.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00 | 0.00 |

| | | | |
|---|---|---|---|
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 3.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 3.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 3.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 3.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00 | 0.00 |
| tblTripsAndVMT | HaulingTripNumber | 125.00 | 222.00 |
| tblTripsAndVMT | HaulingTripNumber | 500.00 | 889.00 |
| tblTripsAndVMT | HaulingTripNumber | 125.00 | 222.00 |
| tblTripsAndVMT | VendorTripNumber | 0.00 | 2.00 |
| tblTripsAndVMT | VendorTripNumber | 27.00 | 3.00 |
| tblTripsAndVMT | VendorTripNumber | 27.00 | 2.00 |
| tblTripsAndVMT | VendorTripNumber | 0.00 | 2.00 |
| tblTripsAndVMT | VendorTripNumber | 27.00 | 9.00 |
| tblTripsAndVMT | VendorTripNumber | 0.00 | 2.00 |
| tblTripsAndVMT | WorkerTripNumber | 69.00 | 7.00 |
| tblTripsAndVMT | WorkerTripNumber | 69.00 | 6.00 |
| tblTripsAndVMT | WorkerTripNumber | 14.00 | 1.00 |
| tblTripsAndVMT | WorkerTripNumber | 14.00 | 1.00 |
| tblTripsAndVMT | WorkerTripNumber | 69.00 | 24.00 |
| tblTripsAndVMT | WorkerTripNumber | 14.00 | 5.00 |

## 2.0 Emissions Summary

## 2.1 Overall Construction (Maximum Daily Emission)

**Unmitigated Construction**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Year | lb/day | | | | | | | | | | lb/day | | | | | |
| 2020 | 188.6999 | 113.3176 | 67.4900 | 0.1780 | 15.4738 | 4.5164 | 19.9903 | 7.3644 | 4.1826 | 11.5470 | 0.0000 | 17,965.0523 | 17,965.0523 | 3.5870 | 0.0000 | 18,054.7271 |
| 2021 | 16.4780 | 36.9177 | 35.6587 | 0.0597 | 0.1885 | 2.0136 | 2.2021 | 0.0507 | 1.8988 | 1.9495 | 0.0000 | 5,685.0440 | 5,685.0440 | 1.2641 | 0.0000 | 5,716.6474 |
| 2022 | 6.0185 | 17.3224 | 18.5463 | 0.0315 | 0.1086 | 0.8920 | 1.0006 | 0.0292 | 0.8440 | 0.8733 | 0.0000 | 3,005.4244 | 3,005.4244 | 0.6374 | 0.0000 | 3,021.3590 |
| **Maximum** | **188.6999** | **113.3176** | **67.4900** | **0.1780** | **15.4738** | **4.5164** | **19.9903** | **7.3644** | **4.1826** | **11.5470** | **0.0000** | **17,965.0523** | **17,965.0523** | **3.5870** | **0.0000** | **18,054.7271** |

**Mitigated Construction**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Year | lb/day | | | | | | | | | | lb/day | | | | | |
| 2020 | 188.6999 | 113.3176 | 67.4900 | 0.1780 | 7.7457 | 4.5164 | 12.2621 | 3.4592 | 4.1826 | 7.6418 | 0.0000 | 17,965.0523 | 17,965.0523 | 3.5870 | 0.0000 | 18,054.7271 |
| 2021 | 16.4780 | 36.9177 | 35.6587 | 0.0597 | 0.1742 | 2.0136 | 2.1878 | 0.0472 | 1.8988 | 1.9460 | 0.0000 | 5,685.0440 | 5,685.0440 | 1.2641 | 0.0000 | 5,716.6474 |
| 2022 | 6.0185 | 17.3224 | 18.5463 | 0.0315 | 0.1004 | 0.8920 | 0.9924 | 0.0272 | 0.8440 | 0.8713 | 0.0000 | 3,005.4244 | 3,005.4244 | 0.6374 | 0.0000 | 3,021.3590 |
| **Maximum** | **188.6999** | **113.3176** | **67.4900** | **0.1780** | **7.7457** | **4.5164** | **12.2621** | **3.4592** | **4.1826** | **7.6418** | **0.0000** | **17,965.0523** | **17,965.0523** | **3.5870** | **0.0000** | **18,054.7271** |

MBUS-3.0 Grand View Run Construction 1 - Los Angeles-South Coast County, Summer

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio-CO2 | Total CO2 | CH4 | N20 | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Percent Reduction** | **0.00** | **0.00** | **0.00** | **0.00** | **49.15** | **0.00** | **33.42** | **52.53** | **0.00** | **27.21** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** |

## 2.2 Overall Operational

### Unmitigated Operational

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Area | 0.7439 | 5.0000e-005 | 5.2000e-003 | 0.0000 | | 2.0000e-005 | 2.0000e-005 | | 2.0000e-005 | 2.0000e-005 | | 0.0112 | 0.0112 | 3.0000e-005 | | 0.0119 |
| Energy | 0.0107 | 0.0976 | 0.0820 | 5.9000e-004 | | 7.4200e-003 | 7.4200e-003 | | 7.4200e-003 | 7.4200e-003 | | 117.1597 | 117.1597 | 2.2500e-003 | 2.1500e-003 | 117.8559 |
| Mobile | 0.7842 | 3.2507 | 10.8730 | 0.0413 | 3.4715 | 0.0301 | 3.5016 | 0.9290 | 0.0280 | 0.9570 | | 4,200.6197 | 4,200.6197 | 0.1996 | | 4,205.6087 |
| **Total** | **1.5389** | **3.3483** | **10.9602** | **0.0418** | **3.4715** | **0.0375** | **3.5090** | **0.9290** | **0.0354** | **0.9644** | | **4,317.7906** | **4,317.7906** | **0.2018** | **2.1500e-003** | **4,323.4765** |

### Mitigated Operational

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Area | 0.7439 | 5.0000e-005 | 5.2000e-003 | 0.0000 | | 2.0000e-005 | 2.0000e-005 | | 2.0000e-005 | 2.0000e-005 | | 0.0112 | 0.0112 | 3.0000e-005 | | 0.0119 |
| Energy | 0.0107 | 0.0976 | 0.0820 | 5.9000e-004 | | 7.4200e-003 | 7.4200e-003 | | 7.4200e-003 | 7.4200e-003 | | 117.1597 | 117.1597 | 2.2500e-003 | 2.1500e-003 | 117.8559 |
| Mobile | 0.7842 | 3.2507 | 10.8730 | 0.0413 | 3.4715 | 0.0301 | 3.5016 | 0.9290 | 0.0280 | 0.9570 | | 4,200.6197 | 4,200.6197 | 0.1996 | | 4,205.6087 |
| **Total** | **1.5389** | **3.3483** | **10.9602** | **0.0418** | **3.4715** | **0.0375** | **3.5090** | **0.9290** | **0.0354** | **0.9644** | | **4,317.7906** | **4,317.7906** | **0.2018** | **2.1500e-003** | **4,323.4765** |

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio-CO2 | Total CO2 | CH4 | N20 | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Percent Reduction** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** |

## 3.0 Construction Detail

**Construction Phase**

| Phase Number | Phase Name | Phase Type | Start Date | End Date | Num Days Week | Num Days | Phase Description |
|---|---|---|---|---|---|---|---|
| 1 | Asphalt Demolition - mid play fields | Demolition | 6/1/2020 | 9/1/2020 | 5 | 67 | |
| 2 | Grading - site | Grading | 6/1/2020 | 9/1/2020 | 5 | 67 | |
| 3 | Grading - site soil haul | Grading | 6/1/2020 | 6/3/2020 | 5 | 3 | |
| 4 | Modernization - Existing Buildings | Building Construction | 6/1/2020 | 9/1/2020 | 5 | 67 | |
| 5 | Architectural Coating- Existing Buildings | Architectural Coating | 8/28/2020 | 9/1/2020 | 5 | 3 | |
| 6 | Grading - Two story | Grading | 9/1/2020 | 11/1/2020 | 5 | 44 | |
| 7 | Grading - Export Haul | Grading | 9/1/2020 | 9/16/2020 | 5 | 12 | |
| 8 | Utility Trenching - Two story | Trenching | 9/1/2020 | 11/1/2020 | 5 | 44 | |
| 9 | Grading - Import Haul | Grading | 9/17/2020 | 9/21/2020 | 5 | 3 | |
| 10 | Building Construction - Multi-purpose building | Building Construction | 11/1/2020 | 12/1/2022 | 5 | 544 | |
| 11 | Building Construction - Classroom buildings | Building Construction | 12/1/2020 | 7/1/2021 | 5 | 153 | |
| 12 | Architectural Coating - classroom buildings | Architectural Coating | 6/23/2021 | 7/1/2021 | 5 | 7 | |
| 13 | Architectural Coating - multipurpose buildings | Architectural Coating | 10/26/2022 | 12/2/2022 | 5 | 28 | |

**Acres of Grading (Site Preparation Phase): 0**

**Acres of Grading (Grading Phase): 0**

**Acres of Paving: 3.07**

**Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 86,886; Non-Residential Outdoor: 28,962; Striped Parking Area: 0 (Architectural Coating – sqft)**

## OffRoad Equipment

| Phase Name | Offroad Equipment Type | Amount | Usage Hours | Horse Power | Load Factor |
|---|---|---|---|---|---|
| Asphalt Demolition - mid play fields | Concrete/Industrial Saws | 1 | 8.00 | 81 | 0.73 |
| Asphalt Demolition - mid play fields | Excavators | 3 | 8.00 | 158 | 0.38 |
| Asphalt Demolition - mid play fields | Rubber Tired Dozers | 2 | 8.00 | 247 | 0.40 |
| Grading - site | Excavators | 1 | 8.00 | 158 | 0.38 |
| Grading - site | Graders | 1 | 8.00 | 187 | 0.41 |
| Grading - site | Rubber Tired Dozers | 1 | 8.00 | 247 | 0.40 |
| Grading - site | Tractors/Loaders/Backhoes | 3 | 8.00 | 97 | 0.37 |
| Grading - site soil haul | Excavators | 0 | 8.00 | 158 | 0.38 |
| Grading - site soil haul | Graders | 0 | 8.00 | 187 | 0.41 |
| Grading - site soil haul | Rubber Tired Dozers | 0 | 8.00 | 247 | 0.40 |
| Grading - site soil haul | Tractors/Loaders/Backhoes | 0 | 8.00 | 97 | 0.37 |
| Modernization - Existing Buildings | Cranes | 0 | 7.00 | 231 | 0.29 |
| Modernization - Existing Buildings | Forklifts | 0 | 8.00 | 89 | 0.20 |
| Modernization - Existing Buildings | Generator Sets | 0 | 8.00 | 84 | 0.74 |
| Modernization - Existing Buildings | Tractors/Loaders/Backhoes | 0 | 7.00 | 97 | 0.37 |
| Modernization - Existing Buildings | Welders | 0 | 8.00 | 46 | 0.45 |
| Architectural Coating- Existing Buildings | Air Compressors | 1 | 6.00 | 78 | 0.48 |
| Grading - Two story | Excavators | 1 | 8.00 | 158 | 0.38 |
| Grading - Two story | Graders | 1 | 8.00 | 187 | 0.41 |
| Grading - Two story | Rubber Tired Dozers | 1 | 8.00 | 247 | 0.40 |
| Grading - Two story | Tractors/Loaders/Backhoes | 3 | 8.00 | 97 | 0.37 |
| Grading - Export Haul | Excavators | 0 | 8.00 | 158 | 0.38 |
| Grading - Export Haul | Graders | 0 | 8.00 | 187 | 0.41 |

| | | | | | |
|---|---|---|---|---|---|
| Grading - Export Haul | Rubber Tired Dozers | 0 | 8.00 | 247 | 0.40 |
| Grading - Export Haul | Tractors/Loaders/Backhoes | 0 | 8.00 | 97 | 0.37 |
| Utility Trenching - Two story | Excavators | 1 | 8.00 | 158 | 0.38 |
| Grading - Import Haul | Excavators | 0 | 8.00 | 158 | 0.38 |
| Grading - Import Haul | Graders | 0 | 8.00 | 187 | 0.41 |
| Grading - Import Haul | Rubber Tired Dozers | 0 | 8.00 | 247 | 0.40 |
| Grading - Import Haul | Tractors/Loaders/Backhoes | 0 | 8.00 | 97 | 0.37 |
| Building Construction - Multi-purpose building | Cranes | 1 | 7.00 | 231 | 0.29 |
| Building Construction - Multi-purpose building | Forklifts | 3 | 8.00 | 89 | 0.20 |
| Building Construction - Multi-purpose building | Generator Sets | 1 | 8.00 | 84 | 0.74 |
| Building Construction - Multi-purpose building | Tractors/Loaders/Backhoes | 3 | 7.00 | 97 | 0.37 |
| Building Construction - Multi-purpose building | Welders | 1 | 8.00 | 46 | 0.45 |
| Building Construction - Classroom buildings | Cranes | 1 | 7.00 | 231 | 0.29 |
| Building Construction - Classroom buildings | Forklifts | 3 | 8.00 | 89 | 0.20 |
| Building Construction - Classroom buildings | Generator Sets | 1 | 8.00 | 84 | 0.74 |
| Building Construction - Classroom buildings | Tractors/Loaders/Backhoes | 3 | 7.00 | 97 | 0.37 |
| Building Construction - Classroom buildings | Welders | 1 | 8.00 | 46 | 0.45 |
| Architectural Coating - classroom buildings | Air Compressors | 1 | 6.00 | 78 | 0.48 |
| Architectural Coating - multipurpose buildings | Air Compressors | 1 | 6.00 | 78 | 0.48 |

**Trips and VMT**

| Phase Name | Offroad Equipment Count | Worker Trip Number | Vendor Trip Number | Hauling Trip Number | Worker Trip Length | Vendor Trip Length | Hauling Trip Length | Worker Vehicle Class | Vendor Vehicle Class | Hauling Vehicle Class |
|---|---|---|---|---|---|---|---|---|---|---|
| Asphalt Demolition - mid-play fields | 6 | 15.00 | 2.00 | 23.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Grading - site | 6 | 15.00 | 2.00 | 0.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Grading - site soil haul | 0 | 0.00 | 0.00 | 222.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Modernization - Existing Buildings | 0 | 24.00 | 9.00 | 0.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Architectural Coating- Existing Buildings | 1 | 5.00 | 0.00 | 0.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Grading - Two story | 6 | 15.00 | 2.00 | 0.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Grading - Export Haul | 0 | 0.00 | 0.00 | 889.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Utility Trenching - Two story | 1 | 3.00 | 0.00 | 0.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Grading - Import Haul | 0 | 0.00 | 0.00 | 222.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Building Construction - Multi-purpose building | 9 | 7.00 | 3.00 | 0.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Building Construction - Classroom buildings | 9 | 6.00 | 2.00 | 0.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Architectural Coating - classroom buildings | 1 | 1.00 | 0.00 | 0.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Architectural Coating - multipurpose buildings | 1 | 1.00 | 0.00 | 0.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |

## 3.1 Mitigation Measures Construction

Replace Ground Cover

Water Exposed Area

Reduce Vehicle Speed on Unpaved Roads

Clean Paved Roads

## 3.2 Asphalt Demolition - mid play fields - 2020

### Unmitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Fugitive Dust | | | | | 0.0735 | 0.0000 | 0.0735 | 0.0111 | 0.0000 | 0.0111 | | | 0.0000 | | | 0.0000 |
| Off-Road | 3.3121 | 33.2010 | 21.7532 | 0.0388 | | 1.6587 | 1.6587 | | 1.5419 | 1.5419 | | 3,747.7049 | 3,747.7049 | 1.0580 | | 3,774.1536 |
| **Total** | **3.3121** | **33.2010** | **21.7532** | **0.0388** | **0.0735** | **1.6587** | **1.7322** | **0.0111** | **1.5419** | **1.5530** | | **3,747.7049** | **3,747.7049** | **1.0580** | | **3,774.1536** |

### Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 3.0000e-003 | 0.0987 | 0.0219 | 2.7000e-004 | 6.0000e-003 | 3.2000e-004 | 6.3200e-003 | 1.6500e-003 | 3.0000e-004 | 1.9500e-003 | | 29.3793 | 29.3793 | 2.0000e-003 | | 29.4293 |
| Vendor | 7.1100e-003 | 0.2127 | 0.0557 | 5.2000e-004 | 0.0128 | 1.0000e-003 | 0.0138 | 3.6900e-003 | 9.6000e-004 | 4.6400e-003 | | 55.4049 | 55.4049 | 3.3800e-003 | | 55.4895 |
| Worker | 0.0690 | 0.0491 | 0.6568 | 1.7700e-003 | 0.1677 | 1.4000e-003 | 0.1691 | 0.0445 | 1.2900e-003 | 0.0458 | | 176.4169 | 176.4169 | 5.5600e-003 | | 176.5560 |
| **Total** | **0.0791** | **0.3606** | **0.7344** | **2.5600e-003** | **0.1865** | **2.7200e-003** | **0.1892** | **0.0498** | **2.5500e-003** | **0.0524** | | **261.2012** | **261.2012** | **0.0109** | | **261.4747** |

## 3.2 Asphalt Demolition - mid play fields - 2020

### Mitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Fugitive Dust | | | | | 0.0314 | 0.0000 | 0.0314 | 4.7500e-003 | 0.0000 | 4.7500e-003 | | | 0.0000 | | | 0.0000 |
| Off-Road | 3.3121 | 33.2010 | 21.7532 | 0.0388 | | 1.6587 | 1.6587 | | 1.5419 | 1.5419 | 0.0000 | 3,747.7049 | 3,747.7049 | 1.0580 | | 3,774.1536 |
| **Total** | **3.3121** | **33.2010** | **21.7532** | **0.0388** | **0.0314** | **1.6587** | **1.6901** | **4.7500e-003** | **1.5419** | **1.5466** | **0.0000** | **3,747.7049** | **3,747.7049** | **1.0580** | | **3,774.1536** |

### Mitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 3.0000e-003 | 0.0987 | 0.0219 | 2.7000e-004 | 5.5900e-003 | 3.2000e-004 | 5.9100e-003 | 1.5500e-003 | 3.0000e-004 | 1.8500e-003 | | 29.3793 | 29.3793 | 2.0000e-003 | | 29.4293 |
| Vendor | 7.1100e-003 | 0.2127 | 0.0557 | 5.2000e-004 | 0.0120 | 1.0000e-003 | 0.0130 | 3.4800e-003 | 9.6000e-004 | 4.4400e-003 | | 55.4049 | 55.4049 | 3.3800e-003 | | 55.4895 |
| Worker | 0.0690 | 0.0491 | 0.6568 | 1.7700e-003 | 0.1546 | 1.4000e-003 | 0.1560 | 0.0413 | 1.2900e-003 | 0.0425 | | 176.4169 | 176.4169 | 5.5600e-003 | | 176.5560 |
| **Total** | **0.0791** | **0.3606** | **0.7344** | **2.5600e-003** | **0.1721** | **2.7200e-003** | **0.1748** | **0.0463** | **2.5500e-003** | **0.0488** | | **261.2012** | **261.2012** | **0.0109** | | **261.4747** |

## 3.3 Grading - site - 2020

### Unmitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Fugitive Dust | | | | | 6.5523 | 0.0000 | 6.5523 | 3.3675 | 0.0000 | 3.3675 | | | 0.0000 | | | 0.0000 |
| Off-Road | 2.4288 | 26.3859 | 16.0530 | 0.0297 | | 1.2734 | 1.2734 | | 1.1716 | 1.1716 | | 2,872.4851 | 2,872.4851 | 0.9290 | | 2,895.7106 |
| **Total** | **2.4288** | **26.3859** | **16.0530** | **0.0297** | **6.5523** | **1.2734** | **7.8258** | **3.3675** | **1.1716** | **4.5390** | | **2,872.4851** | **2,872.4851** | **0.9290** | | **2,895.7106** |

### Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 7.1100e-003 | 0.2127 | 0.0557 | 5.2000e-004 | 0.0128 | 1.0000e-003 | 0.0138 | 3.6900e-003 | 9.6000e-004 | 4.6400e-003 | | 55.4049 | 55.4049 | 3.3800e-003 | | 55.4895 |
| Worker | 0.0690 | 0.0491 | 0.6568 | 1.7700e-003 | 0.1677 | 1.4000e-003 | 0.1691 | 0.0445 | 1.2900e-003 | 0.0458 | | 176.4169 | 176.4169 | 5.5600e-003 | | 176.5560 |
| **Total** | **0.0761** | **0.2619** | **0.7125** | **2.2900e-003** | **0.1805** | **2.4000e-003** | **0.1829** | **0.0482** | **2.2500e-003** | **0.0504** | | **231.8219** | **231.8219** | **8.9400e-003** | | **232.0454** |

## 3.3 Grading - site - 2020

### Mitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Fugitive Dust | | | | | 2.8011 | 0.0000 | 2.8011 | 1.4396 | 0.0000 | 1.4396 | | | 0.0000 | | | 0.0000 |
| Off-Road | 2.4288 | 26.3859 | 16.0530 | 0.0297 | | 1.2734 | 1.2734 | | 1.1716 | 1.1716 | 0.0000 | 2,872.4851 | 2,872.4851 | 0.9290 | | 2,895.7106 |
| **Total** | **2.4288** | **26.3859** | **16.0530** | **0.0297** | **2.8011** | **1.2734** | **4.0746** | **1.4396** | **1.1716** | **2.6112** | **0.0000** | **2,872.4851** | **2,872.4851** | **0.9290** | | **2,895.7106** |

### Mitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 7.1100e-003 | 0.2127 | 0.0557 | 5.2000e-004 | 0.0120 | 1.0000e-003 | 0.0130 | 3.4800e-003 | 9.6000e-004 | 4.4400e-003 | | 55.4049 | 55.4049 | 3.3800e-003 | | 55.4895 |
| Worker | 0.0690 | 0.0491 | 0.6568 | 1.7700e-003 | 0.1546 | 1.4000e-003 | 0.1560 | 0.0413 | 1.2900e-003 | 0.0425 | | 176.4169 | 176.4169 | 5.5600e-003 | | 176.5560 |
| **Total** | **0.0761** | **0.2619** | **0.7125** | **2.2900e-003** | **0.1665** | **2.4000e-003** | **0.1689** | **0.0447** | **2.2500e-003** | **0.0470** | | **231.8219** | **231.8219** | **8.9400e-003** | | **232.0454** |

## 3.4 Grading - site soil haul - 2020

### Unmitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Fugitive Dust | | | | | 0.0377 | 0.0000 | 0.0377 | 5.7100e-003 | 0.0000 | 5.7100e-003 | | | 0.0000 | | | 0.0000 |
| Off-Road | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| **Total** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0377** | **0.0000** | **0.0377** | **5.7100e-003** | **0.0000** | **5.7100e-003** | | **0.0000** | **0.0000** | **0.0000** | | **0.0000** |

### Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.6464 | 21.2780 | 4.7150 | 0.0585 | 1.2939 | 0.0679 | 1.3618 | 0.3547 | 0.0650 | 0.4196 | | 6,333.1554 | 6,333.1554 | 0.4311 | | 6,343.9323 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Worker | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| **Total** | **0.6464** | **21.2780** | **4.7150** | **0.0585** | **1.2939** | **0.0679** | **1.3618** | **0.3547** | **0.0650** | **0.4196** | | **6,333.1554** | **6,333.1554** | **0.4311** | | **6,343.9323** |

## 3.4 Grading - site soil haul - 2020

**Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Fugitive Dust | | | | | 0.0161 | 0.0000 | 0.0161 | 2.4400e-003 | 0.0000 | 2.4400e-003 | | | 0.0000 | | | 0.0000 |
| Off-Road | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| **Total** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0161** | **0.0000** | **0.0161** | **2.4400e-003** | **0.0000** | **2.4400e-003** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | | **0.0000** |

**Mitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.6464 | 21.2780 | 4.7150 | 0.0585 | 1.2058 | 0.0679 | 1.2737 | 0.3331 | 0.0650 | 0.3980 | | 6,333.1554 | 6,333.1554 | 0.4311 | | 6,343.9323 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Worker | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| **Total** | **0.6464** | **21.2780** | **4.7150** | **0.0585** | **1.2058** | **0.0679** | **1.2737** | **0.3331** | **0.0650** | **0.3980** | | **6,333.1554** | **6,333.1554** | **0.4311** | | **6,343.9323** |

## 3.5 Modernization - Existing Buildings - 2020

**Unmitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Off-Road | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| **Total** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | | **0.0000** | **0.0000** | | **0.0000** | **0.0000** | | **0.0000** | **0.0000** | **0.0000** | | **0.0000** |

**Unmitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 0.0320 | 0.9574 | 0.2508 | 2.3300e-003 | 0.0576 | 4.5100e-003 | 0.0621 | 0.0166 | 4.3100e-003 | 0.0209 | | 249.3222 | 249.3222 | 0.0152 | | 249.7026 |
| Worker | 0.1105 | 0.0786 | 1.0508 | 2.8300e-003 | 0.2683 | 2.2400e-003 | 0.2705 | 0.0711 | 2.0700e-003 | 0.0732 | | 282.2671 | 282.2671 | 8.9000e-003 | | 282.4896 |
| **Total** | **0.1425** | **1.0359** | **1.3017** | **5.1600e-003** | **0.3259** | **6.7500e-003** | **0.3326** | **0.0877** | **6.3800e-003** | **0.0941** | | **531.5893** | **531.5893** | **0.0241** | | **532.1922** |

## 3.5 Modernization - Existing Buildings - 2020

**Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Off-Road | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| **Total** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | | **0.0000** | **0.0000** | | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | | **0.0000** |

**Mitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 0.0320 | 0.9574 | 0.2508 | 2.3300e-003 | 0.0539 | 4.5100e-003 | 0.0584 | 0.0157 | 4.3100e-003 | 0.0200 | | 249.3222 | 249.3222 | 0.0152 | | 249.7026 |
| Worker | 0.1105 | 0.0786 | 1.0508 | 2.8300e-003 | 0.2473 | 2.2400e-003 | 0.2495 | 0.0660 | 2.0700e-003 | 0.0681 | | 282.2671 | 282.2671 | 8.9000e-003 | | 282.4896 |
| **Total** | **0.1425** | **1.0359** | **1.3017** | **5.1600e-003** | **0.3012** | **6.7500e-003** | **0.3080** | **0.0817** | **6.3800e-003** | **0.0881** | | **531.5893** | **531.5893** | **0.0241** | | **532.1922** |

## 3.6 Architectural Coating- Existing Buildings - 2020

**Unmitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Archit. Coating | 178.9852 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | | 0.0000 | | | 0.0000 |
| Off-Road | 0.2422 | 1.6838 | 1.8314 | 2.9700e-003 | | 0.1109 | 0.1109 | | 0.1109 | 0.1109 | | 281.4481 | 281.4481 | 0.0218 | | 281.9928 |
| **Total** | **179.2273** | **1.6838** | **1.8314** | **2.9700e-003** | | **0.1109** | **0.1109** | | **0.1109** | **0.1109** | | **281.4481** | **281.4481** | **0.0218** | | **281.9928** |

**Unmitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Worker | 0.0230 | 0.0164 | 0.2189 | 5.9000e-004 | 0.0559 | 4.7000e-004 | 0.0564 | 0.0148 | 4.3000e-004 | 0.0153 | | 58.8056 | 58.8056 | 1.8500e-003 | | 58.8520 |
| **Total** | **0.0230** | **0.0164** | **0.2189** | **5.9000e-004** | **0.0559** | **4.7000e-004** | **0.0564** | **0.0148** | **4.3000e-004** | **0.0153** | | **58.8056** | **58.8056** | **1.8500e-003** | | **58.8520** |

## 3.6 Architectural Coating- Existing Buildings - 2020

**Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Archit. Coating | 178.9852 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | | 0.0000 | | | 0.0000 |
| Off-Road | 0.2422 | 1.6838 | 1.8314 | 2.9700e-003 | | 0.1109 | 0.1109 | | 0.1109 | 0.1109 | 0.0000 | 281.4481 | 281.4481 | 0.0218 | | 281.9928 |
| **Total** | **179.2273** | **1.6838** | **1.8314** | **2.9700e-003** | | **0.1109** | **0.1109** | | **0.1109** | **0.1109** | **0.0000** | **281.4481** | **281.4481** | **0.0218** | | **281.9928** |

**Mitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Worker | 0.0230 | 0.0164 | 0.2189 | 5.9000e-004 | 0.0515 | 4.7000e-004 | 0.0520 | 0.0138 | 4.3000e-004 | 0.0142 | | 58.8056 | 58.8056 | 1.8500e-003 | | 58.8520 |
| **Total** | **0.0230** | **0.0164** | **0.2189** | **5.9000e-004** | **0.0515** | **4.7000e-004** | **0.0520** | **0.0138** | **4.3000e-004** | **0.0142** | | **58.8056** | **58.8056** | **1.8500e-003** | | **58.8520** |

## 3.7 Grading - Two story - 2020

### Unmitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Fugitive Dust | | | | | 6.5523 | 0.0000 | 6.5523 | 3.3675 | 0.0000 | 3.3675 | | | 0.0000 | | | 0.0000 |
| Off-Road | 2.4288 | 26.3859 | 16.0530 | 0.0297 | | 1.2734 | 1.2734 | | 1.1716 | 1.1716 | | 2,872.4851 | 2,872.4851 | 0.9290 | | 2,895.7106 |
| **Total** | **2.4288** | **26.3859** | **16.0530** | **0.0297** | **6.5523** | **1.2734** | **7.8258** | **3.3675** | **1.1716** | **4.5390** | | **2,872.4851** | **2,872.4851** | **0.9290** | | **2,895.7106** |

### Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 7.1100e-003 | 0.2127 | 0.0557 | 5.2000e-004 | 0.0128 | 1.0000e-003 | 0.0138 | 3.6900e-003 | 9.6000e-004 | 4.6400e-003 | | 55.4049 | 55.4049 | 3.3800e-003 | | 55.4895 |
| Worker | 0.0690 | 0.0491 | 0.6568 | 1.7700e-003 | 0.1677 | 1.4000e-003 | 0.1691 | 0.0445 | 1.2900e-003 | 0.0458 | | 176.4169 | 176.4169 | 5.5600e-003 | | 176.5560 |
| **Total** | **0.0761** | **0.2619** | **0.7125** | **2.2900e-003** | **0.1805** | **2.4000e-003** | **0.1829** | **0.0482** | **2.2500e-003** | **0.0504** | | **231.8219** | **231.8219** | **8.9400e-003** | | **232.0454** |

## 3.7 Grading - Two story - 2020

### Mitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Fugitive Dust | | | | | 2.8011 | 0.0000 | 2.8011 | 1.4396 | 0.0000 | 1.4396 | | | 0.0000 | | | 0.0000 |
| Off-Road | 2.4288 | 26.3859 | 16.0530 | 0.0297 | | 1.2734 | 1.2734 | | 1.1716 | 1.1716 | 0.0000 | 2,872.4851 | 2,872.4851 | 0.9290 | | 2,895.7106 |
| **Total** | **2.4288** | **26.3859** | **16.0530** | **0.0297** | **2.8011** | **1.2734** | **4.0746** | **1.4396** | **1.1716** | **2.6112** | **0.0000** | **2,872.4851** | **2,872.4851** | **0.9290** | | **2,895.7106** |

### Mitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 7.1100e-003 | 0.2127 | 0.0557 | 5.2000e-004 | 0.0120 | 1.0000e-003 | 0.0130 | 3.4800e-003 | 9.6000e-004 | 4.4400e-003 | | 55.4049 | 55.4049 | 3.3800e-003 | | 55.4895 |
| Worker | 0.0690 | 0.0491 | 0.6568 | 1.7700e-003 | 0.1546 | 1.4000e-003 | 0.1560 | 0.0413 | 1.2900e-003 | 0.0425 | | 176.4169 | 176.4169 | 5.5600e-003 | | 176.5560 |
| **Total** | **0.0761** | **0.2619** | **0.7125** | **2.2900e-003** | **0.1665** | **2.4000e-003** | **0.1689** | **0.0447** | **2.2500e-003** | **0.0470** | | **231.8219** | **231.8219** | **8.9400e-003** | | **232.0454** |

## 3.8 Grading - Export Haul - 2020

### Unmitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Fugitive Dust | | | | | 0.0377 | 0.0000 | 0.0377 | 5.7100e-003 | 0.0000 | 5.7100e-003 | | | 0.0000 | | | 0.0000 |
| Off-Road | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| **Total** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0377** | **0.0000** | **0.0377** | **5.7100e-003** | **0.0000** | **5.7100e-003** | | **0.0000** | **0.0000** | **0.0000** | | **0.0000** |

### Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.6471 | 21.3020 | 4.7203 | 0.0585 | 1.2953 | 0.0680 | 1.3633 | 0.3551 | 0.0651 | 0.4201 | | 6,340.2874 | 6,340.2874 | 0.4316 | | 6,351.0764 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Worker | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| **Total** | **0.6471** | **21.3020** | **4.7203** | **0.0585** | **1.2953** | **0.0680** | **1.3633** | **0.3551** | **0.0651** | **0.4201** | | **6,340.2874** | **6,340.2874** | **0.4316** | | **6,351.0764** |

## 3.8 Grading - Export Haul - 2020

### Mitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Fugitive Dust | | | | | 0.0161 | 0.0000 | 0.0161 | 2.4400e-003 | 0.0000 | 2.4400e-003 | | | 0.0000 | | | 0.0000 |
| Off-Road | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| **Total** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0161** | **0.0000** | **0.0161** | **2.4400e-003** | **0.0000** | **2.4400e-003** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | | **0.0000** |

### Mitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.6471 | 21.3020 | 4.7203 | 0.0585 | 1.2072 | 0.0680 | 1.2752 | 0.3334 | 0.0651 | 0.3985 | | 6,340.2874 | 6,340.2874 | 0.4316 | | 6,351.0764 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Worker | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| **Total** | **0.6471** | **21.3020** | **4.7203** | **0.0585** | **1.2072** | **0.0680** | **1.2752** | **0.3334** | **0.0651** | **0.3985** | | **6,340.2874** | **6,340.2874** | **0.4316** | | **6,351.0764** |

## 3.9 Utility Trenching - Two story - 2020

### Unmitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Off-Road | 0.2450 | 2.4126 | 3.2678 | 5.1700e-003 | | 0.1169 | 0.1169 | | 0.1075 | 0.1075 | | 500.1184 | 500.1184 | 0.1618 | | 504.1621 |
| **Total** | **0.2450** | **2.4126** | **3.2678** | **5.1700e-003** | | **0.1169** | **0.1169** | | **0.1075** | **0.1075** | | **500.1184** | **500.1184** | **0.1618** | | **504.1621** |

### Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Worker | 0.0138 | 9.8200e-003 | 0.1314 | 3.5000e-004 | 0.0335 | 2.8000e-004 | 0.0338 | 8.8900e-003 | 2.6000e-004 | 9.1500e-003 | | 35.2834 | 35.2834 | 1.1100e-003 | | 35.3112 |
| **Total** | **0.0138** | **9.8200e-003** | **0.1314** | **3.5000e-004** | **0.0335** | **2.8000e-004** | **0.0338** | **8.8900e-003** | **2.6000e-004** | **9.1500e-003** | | **35.2834** | **35.2834** | **1.1100e-003** | | **35.3112** |

## 3.9 Utility Trenching - Two story - 2020

### Mitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Off-Road | 0.2450 | 2.4126 | 3.2678 | 5.1700e-003 | | 0.1169 | 0.1169 | | 0.1075 | 0.1075 | 0.0000 | 500.1184 | 500.1184 | 0.1618 | | 504.1621 |
| **Total** | **0.2450** | **2.4126** | **3.2678** | **5.1700e-003** | | **0.1169** | **0.1169** | | **0.1075** | **0.1075** | **0.0000** | **500.1184** | **500.1184** | **0.1618** | | **504.1621** |

### Mitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Worker | 0.0138 | 9.8200e-003 | 0.1314 | 3.5000e-004 | 0.0309 | 2.8000e-004 | 0.0312 | 8.2500e-003 | 2.6000e-004 | 8.5100e-003 | | 35.2834 | 35.2834 | 1.1100e-003 | | 35.3112 |
| **Total** | **0.0138** | **9.8200e-003** | **0.1314** | **3.5000e-004** | **0.0309** | **2.8000e-004** | **0.0312** | **8.2500e-003** | **2.6000e-004** | **8.5100e-003** | | **35.2834** | **35.2834** | **1.1100e-003** | | **35.3112** |

## 3.10 Grading - Import Haul - 2020

### Unmitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Fugitive Dust | | | | | 0.0377 | 0.0000 | 0.0377 | 5.7100e-003 | 0.0000 | 5.7100e-003 | | | 0.0000 | | | 0.0000 |
| Off-Road | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| **Total** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0377** | **0.0000** | **0.0377** | **5.7100e-003** | **0.0000** | **5.7100e-003** | | **0.0000** | **0.0000** | **0.0000** | | **0.0000** |

### Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.6464 | 21.2780 | 4.7150 | 0.0585 | 1.2939 | 0.0679 | 1.3618 | 0.3547 | 0.0650 | 0.4196 | | 6,333.1554 | 6,333.1554 | 0.4311 | | 6,343.9323 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Worker | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| **Total** | **0.6464** | **21.2780** | **4.7150** | **0.0585** | **1.2939** | **0.0679** | **1.3618** | **0.3547** | **0.0650** | **0.4196** | | **6,333.1554** | **6,333.1554** | **0.4311** | | **6,343.9323** |

## 3.10 Grading - Import Haul - 2020

### Mitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Fugitive Dust | | | | | 0.0161 | 0.0000 | 0.0161 | 2.4400e-003 | 0.0000 | 2.4400e-003 | | | 0.0000 | | | 0.0000 |
| Off-Road | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| **Total** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0161** | **0.0000** | **0.0161** | **2.4400e-003** | **0.0000** | **2.4400e-003** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | | **0.0000** |

### Mitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.6464 | 21.2780 | 4.7150 | 0.0585 | 1.2058 | 0.0679 | 1.2737 | 0.3331 | 0.0650 | 0.3980 | | 6,333.1554 | 6,333.1554 | 0.4311 | | 6,343.9323 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Worker | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| **Total** | **0.6464** | **21.2780** | **4.7150** | **0.0585** | **1.2058** | **0.0679** | **1.2737** | **0.3331** | **0.0650** | **0.3980** | | **6,333.1554** | **6,333.1554** | **0.4311** | | **6,343.9323** |

## 3.11 Building Construction - Multi-purpose building - 2020

### Unmitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Off-Road | 2.1198 | 19.1860 | 16.8485 | 0.0269 | | 1.1171 | 1.1171 | | 1.0503 | 1.0503 | | 2,553.0631 | 2,553.0631 | 0.6229 | | 2,568.6345 |
| **Total** | **2.1198** | **19.1860** | **16.8485** | **0.0269** | | **1.1171** | **1.1171** | | **1.0503** | **1.0503** | | **2,553.0631** | **2,553.0631** | **0.6229** | | **2,568.6345** |

### Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 0.0107 | 0.3191 | 0.0836 | 7.8000e-004 | 0.0192 | 1.5000e-003 | 0.0207 | 5.5300e-003 | 1.4400e-003 | 6.9700e-003 | | 83.1074 | 83.1074 | 5.0700e-003 | | 83.2342 |
| Worker | 0.0322 | 0.0229 | 0.3065 | 8.3000e-004 | 0.0782 | 6.5000e-004 | 0.0789 | 0.0208 | 6.0000e-004 | 0.0214 | | 82.3279 | 82.3279 | 2.6000e-003 | | 82.3928 |
| **Total** | **0.0429** | **0.3420** | **0.3901** | **1.6100e-003** | **0.0975** | **2.1500e-003** | **0.0996** | **0.0263** | **2.0400e-003** | **0.0283** | | **165.4353** | **165.4353** | **7.6700e-003** | | **165.6270** |

## 3.11 Building Construction - Multi-purpose building - 2020

**Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Off-Road | 2.1198 | 19.1860 | 16.8485 | 0.0269 | | 1.1171 | 1.1171 | | 1.0503 | 1.0503 | 0.0000 | 2,553.0631 | 2,553.0631 | 0.6229 | | 2,568.6345 |
| **Total** | **2.1198** | **19.1860** | **16.8485** | **0.0269** | | **1.1171** | **1.1171** | | **1.0503** | **1.0503** | **0.0000** | **2,553.0631** | **2,553.0631** | **0.6229** | | **2,568.6345** |

**Mitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 0.0107 | 0.3191 | 0.0836 | 7.8000e-004 | 0.0180 | 1.5000e-003 | 0.0195 | 5.2300e-003 | 1.4400e-003 | 6.6600e-003 | | 83.1074 | 83.1074 | 5.0700e-003 | | 83.2342 |
| Worker | 0.0322 | 0.0229 | 0.3065 | 8.3000e-004 | 0.0721 | 6.5000e-004 | 0.0728 | 0.0193 | 6.0000e-004 | 0.0199 | | 82.3279 | 82.3279 | 2.6000e-003 | | 82.3928 |
| **Total** | **0.0429** | **0.3420** | **0.3901** | **1.6100e-003** | **0.0901** | **2.1500e-003** | **0.0923** | **0.0245** | **2.0400e-003** | **0.0265** | | **165.4353** | **165.4353** | **7.6700e-003** | | **165.6270** |

## 3.11 Building Construction - Multi-purpose building - 2021

**Unmitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Off-Road | 1.9009 | 17.4321 | 16.5752 | 0.0269 | | 0.9586 | 0.9586 | | 0.9013 | 0.9013 | | 2,553.3639 | 2,553.3639 | 0.6160 | | 2,568.7643 |
| **Total** | **1.9009** | **17.4321** | **16.5752** | **0.0269** | | **0.9586** | **0.9586** | | **0.9013** | **0.9013** | | **2,553.3639** | **2,553.3639** | **0.6160** | | **2,568.7643** |

**Unmitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 9.1200e-003 | 0.2913 | 0.0762 | 7.7000e-004 | 0.0192 | 6.0000e-004 | 0.0198 | 5.5300e-003 | 5.7000e-004 | 6.1000e-003 | | 82.4642 | 82.4642 | 4.8600e-003 | | 82.5856 |
| Worker | 0.0300 | 0.0206 | 0.2819 | 8.0000e-004 | 0.0782 | 6.3000e-004 | 0.0789 | 0.0208 | 5.8000e-004 | 0.0213 | | 79.7139 | 79.7139 | 2.3500e-003 | | 79.7726 |
| **Total** | **0.0391** | **0.3119** | **0.3581** | **1.5700e-003** | **0.0975** | **1.2300e-003** | **0.0987** | **0.0263** | **1.1500e-003** | **0.0274** | | **162.1781** | **162.1781** | **7.2100e-003** | | **162.3583** |

## 3.11 Building Construction - Multi-purpose building - 2021

**Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Off-Road | 1.9009 | 17.4321 | 16.5752 | 0.0269 | | 0.9586 | 0.9586 | | 0.9013 | 0.9013 | 0.0000 | 2,553.3639 | 2,553.3639 | 0.6160 | | 2,568.7643 |
| **Total** | **1.9009** | **17.4321** | **16.5752** | **0.0269** | | **0.9586** | **0.9586** | | **0.9013** | **0.9013** | **0.0000** | **2,553.3639** | **2,553.3639** | **0.6160** | | **2,568.7643** |

**Mitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 9.1200e-003 | 0.2913 | 0.0762 | 7.7000e-004 | 0.0180 | 6.0000e-004 | 0.0186 | 5.2300e-003 | 5.7000e-004 | 5.8000e-003 | | 82.4642 | 82.4642 | 4.8600e-003 | | 82.5856 |
| Worker | 0.0300 | 0.0206 | 0.2819 | 8.0000e-004 | 0.0721 | 6.3000e-004 | 0.0728 | 0.0193 | 5.8000e-004 | 0.0198 | | 79.7139 | 79.7139 | 2.3500e-003 | | 79.7726 |
| **Total** | **0.0391** | **0.3119** | **0.3581** | **1.5700e-003** | **0.0901** | **1.2300e-003** | **0.0913** | **0.0245** | **1.1500e-003** | **0.0256** | | **162.1781** | **162.1781** | **7.2100e-003** | | **162.3583** |

## 3.11 Building Construction - Multi-purpose building - 2022

**Unmitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Off-Road | 1.7062 | 15.6156 | 16.3634 | 0.0269 | | 0.8090 | 0.8090 | | 0.7612 | 0.7612 | | 2,554.3336 | 2,554.3336 | 0.6120 | | 2,569.6322 |
| **Total** | **1.7062** | **15.6156** | **16.3634** | **0.0269** | | **0.8090** | **0.8090** | | **0.7612** | **0.7612** | | **2,554.3336** | **2,554.3336** | **0.6120** | | **2,569.6322** |

**Unmitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 8.5600e-003 | 0.2770 | 0.0720 | 7.6000e-004 | 0.0192 | 5.2000e-004 | 0.0197 | 5.5300e-003 | 5.0000e-004 | 6.0300e-003 | | 81.7458 | 81.7458 | 4.6900e-003 | | 81.8630 |
| Worker | 0.0281 | 0.0186 | 0.2601 | 7.7000e-004 | 0.0782 | 6.1000e-004 | 0.0789 | 0.0208 | 5.6000e-004 | 0.0213 | | 76.9099 | 76.9099 | 2.1200e-003 | | 76.9629 |
| **Total** | **0.0367** | **0.2956** | **0.3322** | **1.5300e-003** | **0.0975** | **1.1300e-003** | **0.0986** | **0.0263** | **1.0600e-003** | **0.0273** | | **158.6556** | **158.6556** | **6.8100e-003** | | **158.8260** |

## 3.11 Building Construction - Multi-purpose building - 2022

**Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Off-Road | 1.7062 | 15.6156 | 16.3634 | 0.0269 | | 0.8090 | 0.8090 | | 0.7612 | 0.7612 | 0.0000 | 2,554.3336 | 2,554.3336 | 0.6120 | | 2,569.6322 |
| **Total** | **1.7062** | **15.6156** | **16.3634** | **0.0269** | | **0.8090** | **0.8090** | | **0.7612** | **0.7612** | **0.0000** | **2,554.3336** | **2,554.3336** | **0.6120** | | **2,569.6322** |

**Mitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 8.5600e-003 | 0.2770 | 0.0720 | 7.6000e-004 | 0.0180 | 5.2000e-004 | 0.0185 | 5.2300e-003 | 5.0000e-004 | 5.7300e-003 | | 81.7458 | 81.7458 | 4.6900e-003 | | 81.8630 |
| Worker | 0.0281 | 0.0186 | 0.2601 | 7.7000e-004 | 0.0721 | 6.1000e-004 | 0.0727 | 0.0193 | 5.6000e-004 | 0.0198 | | 76.9099 | 76.9099 | 2.1200e-003 | | 76.9629 |
| **Total** | **0.0367** | **0.2956** | **0.3322** | **1.5300e-003** | **0.0901** | **1.1300e-003** | **0.0912** | **0.0245** | **1.0600e-003** | **0.0255** | | **158.6556** | **158.6556** | **6.8100e-003** | | **158.8260** |

## 3.12 Building Construction - Classroom buildings - 2020

**Unmitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Off-Road | 2.1198 | 19.1860 | 16.8485 | 0.0269 | | 1.1171 | 1.1171 | | 1.0503 | 1.0503 | | 2,553.0631 | 2,553.0631 | 0.6229 | | 2,568.6345 |
| **Total** | **2.1198** | **19.1860** | **16.8485** | **0.0269** | | **1.1171** | **1.1171** | | **1.0503** | **1.0503** | | **2,553.0631** | **2,553.0631** | **0.6229** | | **2,568.6345** |

**Unmitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 7.1100e-003 | 0.2127 | 0.0557 | 5.2000e-004 | 0.0128 | 1.0000e-003 | 0.0138 | 3.6900e-003 | 9.6000e-004 | 4.6400e-003 | | 55.4049 | 55.4049 | 3.3800e-003 | | 55.4895 |
| Worker | 0.0276 | 0.0196 | 0.2627 | 7.1000e-004 | 0.0671 | 5.6000e-004 | 0.0676 | 0.0178 | 5.2000e-004 | 0.0183 | | 70.5668 | 70.5668 | 2.2200e-003 | | 70.6224 |
| **Total** | **0.0347** | **0.2324** | **0.3185** | **1.2300e-003** | **0.0799** | **1.5600e-003** | **0.0814** | **0.0215** | **1.4800e-003** | **0.0229** | | **125.9717** | **125.9717** | **5.6000e-003** | | **126.1119** |

## 3.12 Building Construction - Classroom buildings - 2020

**Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Off-Road | 2.1198 | 19.1860 | 16.8485 | 0.0269 | | 1.1171 | 1.1171 | | 1.0503 | 1.0503 | 0.0000 | 2,553.0631 | 2,553.0631 | 0.6229 | | 2,568.6345 |
| **Total** | **2.1198** | **19.1860** | **16.8485** | **0.0269** | | **1.1171** | **1.1171** | | **1.0503** | **1.0503** | **0.0000** | **2,553.0631** | **2,553.0631** | **0.6229** | | **2,568.6345** |

**Mitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 7.1100e-003 | 0.2127 | 0.0557 | 5.2000e-004 | 0.0120 | 1.0000e-003 | 0.0130 | 3.4800e-003 | 9.6000e-004 | 4.4400e-003 | | 55.4049 | 55.4049 | 3.3800e-003 | | 55.4895 |
| Worker | 0.0276 | 0.0196 | 0.2627 | 7.1000e-004 | 0.0618 | 5.6000e-004 | 0.0624 | 0.0165 | 5.2000e-004 | 0.0170 | | 70.5668 | 70.5668 | 2.2200e-003 | | 70.6224 |
| **Total** | **0.0347** | **0.2324** | **0.3185** | **1.2300e-003** | **0.0738** | **1.5600e-003** | **0.0754** | **0.0200** | **1.4800e-003** | **0.0215** | | **125.9717** | **125.9717** | **5.6000e-003** | | **126.1119** |

## 3.12 Building Construction - Classroom buildings - 2021

**Unmitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Off-Road | 1.9009 | 17.4321 | 16.5752 | 0.0269 | | 0.9586 | 0.9586 | | 0.9013 | 0.9013 | | 2,553.3639 | 2,553.3639 | 0.6160 | | 2,568.7643 |
| **Total** | **1.9009** | **17.4321** | **16.5752** | **0.0269** | | **0.9586** | **0.9586** | | **0.9013** | **0.9013** | | **2,553.3639** | **2,553.3639** | **0.6160** | | **2,568.7643** |

**Unmitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 6.0800e-003 | 0.1942 | 0.0508 | 5.1000e-004 | 0.0128 | 4.0000e-004 | 0.0132 | 3.6900e-003 | 3.8000e-004 | 4.0700e-003 | | 54.9761 | 54.9761 | 3.2400e-003 | | 55.0571 |
| Worker | 0.0257 | 0.0177 | 0.2417 | 6.9000e-004 | 0.0671 | 5.4000e-004 | 0.0676 | 0.0178 | 5.0000e-004 | 0.0183 | | 68.3262 | 68.3262 | 2.0100e-003 | | 68.3765 |
| **Total** | **0.0318** | **0.2119** | **0.2924** | **1.2000e-003** | **0.0799** | **9.4000e-004** | **0.0808** | **0.0215** | **8.8000e-004** | **0.0224** | | **123.3023** | **123.3023** | **5.2500e-003** | | **123.4336** |

## 3.12 Building Construction - Classroom buildings - 2021

**Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Off-Road | 1.9009 | 17.4321 | 16.5752 | 0.0269 | | 0.9586 | 0.9586 | | 0.9013 | 0.9013 | 0.0000 | 2,553.3639 | 2,553.3639 | 0.6160 | | 2,568.7643 |
| **Total** | **1.9009** | **17.4321** | **16.5752** | **0.0269** | | **0.9586** | **0.9586** | | **0.9013** | **0.9013** | **0.0000** | **2,553.3639** | **2,553.3639** | **0.6160** | | **2,568.7643** |

**Mitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 6.0800e-003 | 0.1942 | 0.0508 | 5.1000e-004 | 0.0120 | 4.0000e-004 | 0.0124 | 3.4900e-003 | 3.8000e-004 | 3.8600e-003 | | 54.9761 | 54.9761 | 3.2400e-003 | | 55.0571 |
| Worker | 0.0257 | 0.0177 | 0.2417 | 6.9000e-004 | 0.0618 | 5.4000e-004 | 0.0624 | 0.0165 | 5.0000e-004 | 0.0170 | | 68.3262 | 68.3262 | 2.0100e-003 | | 68.3765 |
| **Total** | **0.0318** | **0.2119** | **0.2924** | **1.2000e-003** | **0.0738** | **9.4000e-004** | **0.0747** | **0.0200** | **8.8000e-004** | **0.0209** | | **123.3023** | **123.3023** | **5.2500e-003** | | **123.4336** |

## 3.13 Architectural Coating - classroom buildings - 2021

**Unmitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Archit. Coating | 12.3821 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | | 0.0000 | | | 0.0000 |
| Off-Road | 0.2189 | 1.5268 | 1.8176 | 2.9700e-003 | | 0.0941 | 0.0941 | | 0.0941 | 0.0941 | | 281.4481 | 281.4481 | 0.0193 | | 281.9309 |
| **Total** | **12.6010** | **1.5268** | **1.8176** | **2.9700e-003** | | **0.0941** | **0.0941** | | **0.0941** | **0.0941** | | **281.4481** | **281.4481** | **0.0193** | | **281.9309** |

**Unmitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Worker | 4.2900e-003 | 2.9500e-003 | 0.0403 | 1.1000e-004 | 0.0112 | 9.0000e-005 | 0.0113 | 2.9600e-003 | 8.0000e-005 | 3.0500e-003 | | 11.3877 | 11.3877 | 3.4000e-004 | | 11.3961 |
| **Total** | **4.2900e-003** | **2.9500e-003** | **0.0403** | **1.1000e-004** | **0.0112** | **9.0000e-005** | **0.0113** | **2.9600e-003** | **8.0000e-005** | **3.0500e-003** | | **11.3877** | **11.3877** | **3.4000e-004** | | **11.3961** |

## 3.13 Architectural Coating - classroom buildings - 2021

**Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Archit. Coating | 12.3821 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | | 0.0000 | | | 0.0000 |
| Off-Road | 0.2189 | 1.5268 | 1.8176 | 2.9700e-003 | | 0.0941 | 0.0941 | | 0.0941 | 0.0941 | 0.0000 | 281.4481 | 281.4481 | 0.0193 | | 281.9309 |
| **Total** | **12.6010** | **1.5268** | **1.8176** | **2.9700e-003** | | **0.0941** | **0.0941** | | **0.0941** | **0.0941** | **0.0000** | **281.4481** | **281.4481** | **0.0193** | | **281.9309** |

**Mitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Worker | 4.2900e-003 | 2.9500e-003 | 0.0403 | 1.1000e-004 | 0.0103 | 9.0000e-005 | 0.0104 | 2.7500e-003 | 8.0000e-005 | 2.8300e-003 | | 11.3877 | 11.3877 | 3.4000e-004 | | 11.3961 |
| **Total** | **4.2900e-003** | **2.9500e-003** | **0.0403** | **1.1000e-004** | **0.0103** | **9.0000e-005** | **0.0104** | **2.7500e-003** | **8.0000e-005** | **2.8300e-003** | | **11.3877** | **11.3877** | **3.4000e-004** | | **11.3961** |

## 3.14 Architectural Coating - multipurpose buildings - 2022

**Unmitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Archit. Coating | 4.0671 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | | 0.0000 | | | 0.0000 |
| Off-Road | 0.2045 | 1.4085 | 1.8136 | 2.9700e-003 | | 0.0817 | 0.0817 | | 0.0817 | 0.0817 | | 281.4481 | 281.4481 | 0.0183 | | 281.9062 |
| **Total** | **4.2716** | **1.4085** | **1.8136** | **2.9700e-003** | | **0.0817** | **0.0817** | | **0.0817** | **0.0817** | | **281.4481** | **281.4481** | **0.0183** | | **281.9062** |

**Unmitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Worker | 4.0200e-003 | 2.6600e-003 | 0.0372 | 1.1000e-004 | 0.0112 | 9.0000e-005 | 0.0113 | 2.9600e-003 | 8.0000e-005 | 3.0400e-003 | | 10.9871 | 10.9871 | 3.0000e-004 | | 10.9947 |
| **Total** | **4.0200e-003** | **2.6600e-003** | **0.0372** | **1.1000e-004** | **0.0112** | **9.0000e-005** | **0.0113** | **2.9600e-003** | **8.0000e-005** | **3.0400e-003** | | **10.9871** | **10.9871** | **3.0000e-004** | | **10.9947** |

## 3.14 Architectural Coating - multipurpose buildings - 2022

**Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Archit. Coating | 4.0671 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | | 0.0000 | | | 0.0000 |
| Off-Road | 0.2045 | 1.4085 | 1.8136 | 2.9700e-003 | | 0.0817 | 0.0817 | | 0.0817 | 0.0817 | 0.0000 | 281.4481 | 281.4481 | 0.0183 | | 281.9062 |
| **Total** | **4.2716** | **1.4085** | **1.8136** | **2.9700e-003** | | **0.0817** | **0.0817** | | **0.0817** | **0.0817** | **0.0000** | **281.4481** | **281.4481** | **0.0183** | | **281.9062** |

**Mitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Worker | 4.0200e-003 | 2.6600e-003 | 0.0372 | 1.1000e-004 | 0.0103 | 9.0000e-005 | 0.0104 | 2.7500e-003 | 8.0000e-005 | 2.8300e-003 | | 10.9871 | 10.9871 | 3.0000e-004 | | 10.9947 |
| **Total** | **4.0200e-003** | **2.6600e-003** | **0.0372** | **1.1000e-004** | **0.0103** | **9.0000e-005** | **0.0104** | **2.7500e-003** | **8.0000e-005** | **2.8300e-003** | | **10.9871** | **10.9871** | **3.0000e-004** | | **10.9947** |

## 4.0 Operational Detail - Mobile

## 4.1 Mitigation Measures Mobile

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Mitigated | 0.7842 | 3.2507 | 10.8730 | 0.0413 | 3.4715 | 0.0301 | 3.5016 | 0.9290 | 0.0280 | 0.9570 | | 4,200.6197 | 4,200.6197 | 0.1996 | | 4,205.6087 |
| Unmitigated | 0.7842 | 3.2507 | 10.8730 | 0.0413 | 3.4715 | 0.0301 | 3.5016 | 0.9290 | 0.0280 | 0.9570 | | 4,200.6197 | 4,200.6197 | 0.1996 | | 4,205.6087 |

## 4.2 Trip Summary Information

| | Average Daily Trip Rate | | | Unmitigated | Mitigated |
|---|---|---|---|---|---|
| Land Use | Weekday | Saturday | Sunday | Annual VMT | Annual VMT |
| Elementary School | 473.70 | 0.00 | 0.00 | 1,166,111 | 1,166,111 |
| Other Asphalt Surfaces | 0.00 | 0.00 | 0.00 | | |
| Other Non-Asphalt Surfaces | 0.00 | 0.00 | 0.00 | | |
| Parking Lot | 0.00 | 0.00 | 0.00 | | |
| Total | 473.70 | 0.00 | 0.00 | 1,166,111 | 1,166,111 |

## 4.3 Trip Type Information

| | Miles | | | Trip % | | | Trip Purpose % | | |
|---|---|---|---|---|---|---|---|---|---|
| Land Use | H-W or C-W | H-S or C-C | H-O or C-NW | H-W or C-W | H-S or C-C | H-O or C-NW | Primary | Diverted | Pass-by |
| Elementary School | 16.60 | 8.40 | 6.90 | 65.00 | 30.00 | 5.00 | 63 | 25 | 12 |
| Other Asphalt Surfaces | 16.60 | 8.40 | 6.90 | 0.00 | 0.00 | 0.00 | 0 | 0 | 0 |
| Other Non-Asphalt Surfaces | 16.60 | 8.40 | 6.90 | 0.00 | 0.00 | 0.00 | 0 | 0 | 0 |
| Parking Lot | 16.60 | 8.40 | 6.90 | 0.00 | 0.00 | 0.00 | 0 | 0 | 0 |

### 4.4 Fleet Mix

| Land Use | LDA | LDT1 | LDT2 | MDV | LHD1 | LHD2 | MHD | HHD | OBUS | UBUS | MCY | SBUS | MH |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Elementary School | 0.545842 | 0.044768 | 0.205288 | 0.119317 | 0.015350 | 0.006227 | 0.020460 | 0.031333 | 0.002546 | 0.002133 | 0.005184 | 0.000692 | 0.000862 |
| Other Asphalt Surfaces | 0.545842 | 0.044768 | 0.205288 | 0.119317 | 0.015350 | 0.006227 | 0.020460 | 0.031333 | 0.002546 | 0.002133 | 0.005184 | 0.000692 | 0.000862 |
| Other Non-Asphalt Surfaces | 0.545842 | 0.044768 | 0.205288 | 0.119317 | 0.015350 | 0.006227 | 0.020460 | 0.031333 | 0.002546 | 0.002133 | 0.005184 | 0.000692 | 0.000862 |
| Parking Lot | 0.545842 | 0.044768 | 0.205288 | 0.119317 | 0.015350 | 0.006227 | 0.020460 | 0.031333 | 0.002546 | 0.002133 | 0.005184 | 0.000692 | 0.000862 |

## 5.0 Energy Detail

Historical Energy Use: N

### 5.1 Mitigation Measures Energy

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| NaturalGas Mitigated | 0.0107 | 0.0976 | 0.0820 | 5.9000e-004 | | 7.4200e-003 | 7.4200e-003 | | 7.4200e-003 | 7.4200e-003 | | 117.1597 | 117.1597 | 2.2500e-003 | 2.1500e-003 | 117.8559 |
| NaturalGas Unmitigated | 0.0107 | 0.0976 | 0.0820 | 5.9000e-004 | | 7.4200e-003 | 7.4200e-003 | | 7.4200e-003 | 7.4200e-003 | | 117.1597 | 117.1597 | 2.2500e-003 | 2.1500e-003 | 117.8559 |

## 5.2 Energy by Land Use - NaturalGas

**Unmitigated**

| | NaturalGas Use | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Land Use | kBTU/yr | lb/day | | | | | | | | | | lb/day | | | | | |
| Elementary School | 995.858 | 0.0107 | 0.0976 | 0.0820 | 5.9000e-004 | | 7.4200e-003 | 7.4200e-003 | | 7.4200e-003 | 7.4200e-003 | | 117.1597 | 117.1597 | 2.2500e-003 | 2.1500e-003 | 117.8559 |
| Other Asphalt Surfaces | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Other Non-Asphalt Surfaces | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Parking Lot | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| **Total** | | **0.0107** | **0.0976** | **0.0820** | **5.9000e-004** | | **7.4200e-003** | **7.4200e-003** | | **7.4200e-003** | **7.4200e-003** | | **117.1597** | **117.1597** | **2.2500e-003** | **2.1500e-003** | **117.8559** |

## 5.2 Energy by Land Use - NaturalGas

**Mitigated**

| | NaturalGas Use | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Land Use | kBTU/yr | lb/day | | | | | | | | | | lb/day | | | | | |
| Elementary School | 0.995858 | 0.0107 | 0.0976 | 0.0820 | 5.9000e-004 | | 7.4200e-003 | 7.4200e-003 | | 7.4200e-003 | 7.4200e-003 | | 117.1597 | 117.1597 | 2.2500e-003 | 2.1500e-003 | 117.8559 |
| Other Asphalt Surfaces | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Other Non-Asphalt Surfaces | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Parking Lot | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| **Total** | | **0.0107** | **0.0976** | **0.0820** | **5.9000e-004** | | **7.4200e-003** | **7.4200e-003** | | **7.4200e-003** | **7.4200e-003** | | **117.1597** | **117.1597** | **2.2500e-003** | **2.1500e-003** | **117.8559** |

# 6.0 Area Detail

## 6.1 Mitigation Measures Area

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Mitigated | 0.7439 | 5.0000e-005 | 5.2000e-003 | 0.0000 | | 2.0000e-005 | 2.0000e-005 | | 2.0000e-005 | 2.0000e-005 | | 0.0112 | 0.0112 | 3.0000e-005 | | 0.0119 |
| Unmitigated | 0.7439 | 5.0000e-005 | 5.2000e-003 | 0.0000 | | 2.0000e-005 | 2.0000e-005 | | 2.0000e-005 | 2.0000e-005 | | 0.0112 | 0.0112 | 3.0000e-005 | | 0.0119 |

## 6.2 Area by SubCategory

**Unmitigated**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SubCategory | lb/day | | | | | | | | | | lb/day | | | | | |
| Architectural Coating | 0.0882 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | | 0.0000 | | | 0.0000 |
| Consumer Products | 0.6553 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | | 0.0000 | | | 0.0000 |
| Landscaping | 4.8000e-004 | 5.0000e-005 | 5.2000e-003 | 0.0000 | | 2.0000e-005 | 2.0000e-005 | | 2.0000e-005 | 2.0000e-005 | | 0.0112 | 0.0112 | 3.0000e-005 | | 0.0119 |
| **Total** | **0.7439** | **5.0000e-005** | **5.2000e-003** | **0.0000** | | **2.0000e-005** | **2.0000e-005** | | **2.0000e-005** | **2.0000e-005** | | **0.0112** | **0.0112** | **3.0000e-005** | | **0.0119** |

### 6.2 Area by SubCategory

**Mitigated**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SubCategory | lb/day | | | | | | | | | | lb/day | | | | | |
| Architectural Coating | 0.0882 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | | 0.0000 | | | 0.0000 |
| Consumer Products | 0.6553 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | | 0.0000 | | | 0.0000 |
| Landscaping | 4.8000e-004 | 5.0000e-005 | 5.2000e-003 | 0.0000 | | 2.0000e-005 | 2.0000e-005 | | 2.0000e-005 | 2.0000e-005 | | 0.0112 | 0.0112 | 3.0000e-005 | | 0.0119 |
| **Total** | **0.7439** | **5.0000e-005** | **5.2000e-003** | **0.0000** | | **2.0000e-005** | **2.0000e-005** | | **2.0000e-005** | **2.0000e-005** | | **0.0112** | **0.0112** | **3.0000e-005** | | **0.0119** |

## 7.0 Water Detail

### 7.1 Mitigation Measures Water

## 8.0 Waste Detail

### 8.1 Mitigation Measures Waste

## 9.0 Operational Offroad

| Equipment Type | Number | Hours/Day | Days/Year | Horse Power | Load Factor | Fuel Type |
|---|---|---|---|---|---|---|

## 10.0 Stationary Equipment

**Fire Pumps and Emergency Generators**

| Equipment Type | Number | Hours/Day | Hours/Year | Horse Power | Load Factor | Fuel Type |
|---|---|---|---|---|---|---|

**Boilers**

| Equipment Type | Number | Heat Input/Day | Heat Input/Year | Boiler Rating | Fuel Type |
|---|---|---|---|---|---|

**User Defined Equipment**

| Equipment Type | Number |
|---|---|

## 11.0 Vegetation

# MBUS-3.0 Construction Run 2

**Los Angeles-South Coast County, Summer**

## 1.0 Project Characteristics

### 1.1 Land Usage

| Land Uses | Size | Metric | Lot Acreage | Floor Surface Area | Population |
|---|---|---|---|---|---|
| Elementary School | 30.70 | 1000sqft | 3.13 | 30,700.00 | 0 |
| Other Asphalt Surfaces | 0.78 | Acre | 0.78 | 33,976.80 | 0 |
| Other Non-Asphalt Surfaces | 1.89 | Acre | 1.89 | 82,328.40 | 0 |
| Parking Lot | 17.60 | 1000sqft | 0.40 | 17,600.00 | 0 |

### 1.2 Other Project Characteristics

| | | | | | |
|---|---|---|---|---|---|
| **Urbanization** | Urban | **Wind Speed (m/s)** | 2.2 | **Precipitation Freq (Days)** | 33 |
| **Climate Zone** | 8 | | | **Operational Year** | 2023 |
| **Utility Company** | Southern California Edison | | | | |
| **CO2 Intensity (lb/MWhr)** | 702.44 | **CH4 Intensity (lb/MWhr)** | 0.029 | **N2O Intensity (lb/MWhr)** | 0.006 |

### 1.3 User Entered Comments & Non-Default Data

Project Characteristics -

Land Use - data provided by applicant

Construction Phase - see assumptions file

Off-road Equipment - see assumptions file

Off-road Equipment - see assumptions file

Off-road Equipment - dog park reno equiment included with asphalt paving, double equipment assuming installation of playfield separate equipment

Off-road Equipment - assuming ladera and mp don't share equipment

Off-road Equipment - see assumptions file

Off-road Equipment - see assumptions

Off-road Equipment - no additional equipment needed for modernization

Off-road Equipment -

Off-road Equipment - see assumptions file

Trips and VMT - see assumptions

Demolition -

Grading - accounted for in grading-site soil haul

Architectural Coating - see assumptions

Construction Off-road Equipment Mitigation - see assumptions file

| Table Name | Column Name | Default Value | New Value |
|---|---|---|---|
| tblArchitecturalCoating | ConstArea_Nonresidential_Exterior | 15,350.00 | 4,240.00 |
| tblArchitecturalCoating | ConstArea_Nonresidential_Interior | 46,050.00 | 6,360.00 |
| tblArchitecturalCoating | ConstArea_Parking | 8,034.00 | 0.00 |
| tblConstDustMitigation | CleanPavedRoadPercentReduction | 0 | 9 |
| tblConstDustMitigation | WaterUnpavedRoadVehicleSpeed | 0 | 15 |
| tblConstructionPhase | NumDays | 20.00 | 44.00 |
| tblConstructionPhase | NumDays | 230.00 | 67.00 |
| tblConstructionPhase | NumDays | 20.00 | 45.00 |

| | | | |
|---|---|---|---|
| tblConstructionPhase | NumDays | 20.00 | 45.00 |
| tblConstructionPhase | NumDays | 20.00 | 3.00 |
| tblConstructionPhase | NumDays | 20.00 | 44.00 |
| tblConstructionPhase | NumDays | 20.00 | 67.00 |
| tblLandUse | LotAcreage | 0.70 | 3.13 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00 | 2.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 3.00 | 6.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 3.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 2.00 | 4.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 2.00 | 4.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 2.00 | 4.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 2.00 | 4.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 3.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00 | 0.00 |
| tblOffRoadEquipment | UsageHours | 7.00 | 8.00 |
| tblTripsAndVMT | HaulingTripNumber | 119.00 | 120.00 |
| tblTripsAndVMT | HaulingTripNumber | 21.00 | 22.00 |
| tblTripsAndVMT | VendorTripNumber | 0.00 | 4.00 |
| tblTripsAndVMT | VendorTripNumber | 27.00 | 1.00 |
| tblTripsAndVMT | VendorTripNumber | 0.00 | 2.00 |
| tblTripsAndVMT | VendorTripNumber | 0.00 | 2.00 |
| tblTripsAndVMT | WorkerTripNumber | 69.00 | 4.00 |
| tblTripsAndVMT | WorkerTripNumber | 14.00 | 1.00 |

## 2.0 Emissions Summary

## 2.1 Overall Construction (Maximum Daily Emission)

### Unmitigated Construction

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Year | lb/day | | | | | | | | | | lb/day | | | | | |
| 2021 | 22.4629 | 123.1520 | 86.9551 | 0.1638 | 8.1089 | 5.9289 | 14.0378 | 3.7032 | 5.4963 | 9.1995 | 0.0000 | 15,900.4355 | 15,900.4355 | 4.3110 | 0.0000 | 16,008.2095 |
| 2022 | 5.0756 | 48.2135 | 51.4584 | 0.0898 | 0.6173 | 2.3828 | 3.0000 | 0.1518 | 2.2042 | 2.3559 | 0.0000 | 8,698.3441 | 8,698.3441 | 2.4969 | 0.0000 | 8,760.7669 |
| **Maximum** | **22.4629** | **123.1520** | **86.9551** | **0.1638** | **8.1089** | **5.9289** | **14.0378** | **3.7032** | **5.4963** | **9.1995** | **0.0000** | **15,900.4355** | **15,900.4355** | **4.3110** | **0.0000** | **16,008.2095** |

### Mitigated Construction

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Year | lb/day | | | | | | | | | | lb/day | | | | | |
| 2021 | 22.4629 | 123.1520 | 86.9551 | 0.1638 | 3.8946 | 5.9289 | 9.8235 | 1.6990 | 5.4963 | 7.1953 | 0.0000 | 15,900.4355 | 15,900.4355 | 4.3110 | 0.0000 | 16,008.2094 |
| 2022 | 5.0756 | 48.2135 | 51.4584 | 0.0898 | 0.5169 | 2.3828 | 2.8997 | 0.1328 | 2.2042 | 2.3370 | 0.0000 | 8,698.3441 | 8,698.3441 | 2.4969 | 0.0000 | 8,760.7669 |
| **Maximum** | **22.4629** | **123.1520** | **86.9551** | **0.1638** | **3.8946** | **5.9289** | **9.8235** | **1.6990** | **5.4963** | **7.1953** | **0.0000** | **15,900.4355** | **15,900.4355** | **4.3110** | **0.0000** | **16,008.2094** |

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio-CO2 | Total CO2 | CH4 | N20 | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Percent Reduction** | **0.00** | **0.00** | **0.00** | **0.00** | **49.45** | **0.00** | **25.32** | **52.48** | **0.00** | **17.51** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** |

## 2.2 Overall Operational

### Unmitigated Operational

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Area | 0.7439 | 5.0000e-005 | 5.2000e-003 | 0.0000 | | 2.0000e-005 | 2.0000e-005 | | 2.0000e-005 | 2.0000e-005 | | 0.0112 | 0.0112 | 3.0000e-005 | | 0.0119 |
| Energy | 0.0107 | 0.0976 | 0.0820 | 5.9000e-004 | | 7.4200e-003 | 7.4200e-003 | | 7.4200e-003 | 7.4200e-003 | | 117.1597 | 117.1597 | 2.2500e-003 | 2.1500e-003 | 117.8559 |
| Mobile | 0.7842 | 3.2507 | 10.8730 | 0.0413 | 3.4715 | 0.0301 | 3.5016 | 0.9290 | 0.0280 | 0.9570 | | 4,200.6197 | 4,200.6197 | 0.1996 | | 4,205.6087 |
| **Total** | **1.5389** | **3.3483** | **10.9602** | **0.0418** | **3.4715** | **0.0375** | **3.5090** | **0.9290** | **0.0354** | **0.9644** | | **4,317.7906** | **4,317.7906** | **0.2018** | **2.1500e-003** | **4,323.4765** |

### Mitigated Operational

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Area | 0.7439 | 5.0000e-005 | 5.2000e-003 | 0.0000 | | 2.0000e-005 | 2.0000e-005 | | 2.0000e-005 | 2.0000e-005 | | 0.0112 | 0.0112 | 3.0000e-005 | | 0.0119 |
| Energy | 0.0107 | 0.0976 | 0.0820 | 5.9000e-004 | | 7.4200e-003 | 7.4200e-003 | | 7.4200e-003 | 7.4200e-003 | | 117.1597 | 117.1597 | 2.2500e-003 | 2.1500e-003 | 117.8559 |
| Mobile | 0.7842 | 3.2507 | 10.8730 | 0.0413 | 3.4715 | 0.0301 | 3.5016 | 0.9290 | 0.0280 | 0.9570 | | 4,200.6197 | 4,200.6197 | 0.1996 | | 4,205.6087 |
| **Total** | **1.5389** | **3.3483** | **10.9602** | **0.0418** | **3.4715** | **0.0375** | **3.5090** | **0.9290** | **0.0354** | **0.9644** | | **4,317.7906** | **4,317.7906** | **0.2018** | **2.1500e-003** | **4,323.4765** |

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio-CO2 | Total CO2 | CH4 | N20 | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Percent Reduction** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** |

## 3.0 Construction Detail

### Construction Phase

| Phase Number | Phase Name | Phase Type | Start Date | End Date | Num Days Week | Num Days | Phase Description |
|---|---|---|---|---|---|---|---|
| 1 | Demolition - Ladera/Multipurpose | Demolition | 6/1/2021 | 8/1/2021 | 5 | 44 | |
| 2 | Modernization - kindergarten buildings | Building Construction | 6/1/2021 | 9/1/2021 | 5 | 67 | |
| 3 | Asphalt Demolition - dog park | Demolition | 8/1/2021 | 10/1/2021 | 5 | 45 | |
| 4 | Grading - MPR and dog park | Grading | 8/1/2021 | 10/1/2021 | 5 | 45 | |
| 5 | Utility Trenching - MPR | Trenching | 8/1/2021 | 10/1/2021 | 5 | 45 | |
| 6 | Architectural Coating-Kindergarten Buildings | Architectural Coating | 8/28/2021 | 9/1/2021 | 5 | 3 | |
| 7 | Portable Building Removal | Demolition | 6/1/2022 | 8/1/2022 | 5 | 44 | |
| 8 | Asphalt Paving | Paving | 6/1/2022 | 9/1/2022 | 5 | 67 | |

**Acres of Grading (Site Preparation Phase): 0**

**Acres of Grading (Grading Phase): 0**

**Acres of Paving: 3.07**

**Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 6,360; Non-Residential Outdoor: 4,240; Striped Parking Area: 0 (Architectural Coating – sqft)**

### OffRoad Equipment

| Phase Name | Offroad Equipment Type | Amount | Usage Hours | Horse Power | Load Factor |
|---|---|---|---|---|---|
| Demolition - Ladera/Multipurpose | Concrete/Industrial Saws | 2 | 8.00 | 81 | 0.73 |
| Demolition - Ladera/Multipurpose | Excavators | 6 | 8.00 | 158 | 0.38 |

| | | | | | |
|---|---|---|---|---|---|
| Demolition - Ladera/Multipurpose | Rubber Tired Dozers | 4 | 8.00 | 247 | 0.40 |
| Modernization - kindergarten buildings | Cranes | 0 | 7.00 | 231 | 0.29 |
| Modernization - kindergarten buildings | Forklifts | 0 | 8.00 | 89 | 0.20 |
| Modernization - kindergarten buildings | Generator Sets | 0 | 8.00 | 84 | 0.74 |
| Modernization - kindergarten buildings | Rubber Tired Dozers | 0 | 8.00 | 247 | 0.40 |
| Modernization - kindergarten buildings | Tractors/Loaders/Backhoes | 0 | 8.00 | 97 | 0.37 |
| Modernization - kindergarten buildings | Welders | 0 | 8.00 | 46 | 0.45 |
| Asphalt Demolition - dog park | Concrete/Industrial Saws | 1 | 8.00 | 81 | 0.73 |
| Asphalt Demolition - dog park | Cranes | 0 | 7.00 | 231 | 0.29 |
| Asphalt Demolition - dog park | Excavators | 3 | 8.00 | 158 | 0.38 |
| Asphalt Demolition - dog park | Forklifts | 0 | 8.00 | 89 | 0.20 |
| Asphalt Demolition - dog park | Generator Sets | 0 | 8.00 | 84 | 0.74 |
| Asphalt Demolition - dog park | Rubber Tired Dozers | 2 | 8.00 | 247 | 0.40 |
| Asphalt Demolition - dog park | Tractors/Loaders/Backhoes | 0 | 7.00 | 97 | 0.37 |
| Asphalt Demolition - dog park | Welders | 0 | 8.00 | 46 | 0.45 |
| Grading - MPR and dog park | Air Compressors | 0 | 6.00 | 78 | 0.48 |
| Grading - MPR and dog park | Excavators | 1 | 8.00 | 158 | 0.38 |
| Grading - MPR and dog park | Graders | 1 | 8.00 | 187 | 0.41 |
| Grading - MPR and dog park | Rubber Tired Dozers | 1 | 8.00 | 247 | 0.40 |
| Grading - MPR and dog park | Tractors/Loaders/Backhoes | 3 | 8.00 | 97 | 0.37 |
| Utility Trenching - MPR | Excavators | 1 | 8.00 | 158 | 0.38 |
| Architectural Coating- Kindergarten Buildings | Air Compressors | 1 | 6.00 | 78 | 0.48 |
| Architectural Coating- Kindergarten Buildings | Excavators | 0 | 8.00 | 158 | 0.38 |
| Architectural Coating- Kindergarten Buildings | Graders | 0 | 8.00 | 187 | 0.41 |
| Architectural Coating- Kindergarten Buildings | Rubber Tired Dozers | 0 | 8.00 | 247 | 0.40 |
| Architectural Coating- Kindergarten Buildings | Tractors/Loaders/Backhoes | 0 | 8.00 | 97 | 0.37 |

| | | | | | |
|---|---|---|---|---|---|
| Portable Building Removal | Concrete/Industrial Saws | 1 | 8.00 | 81 | 0.73 |
| Portable Building Removal | Excavators | 3 | 8.00 | 158 | 0.38 |
| Portable Building Removal | Rubber Tired Dozers | 2 | 8.00 | 247 | 0.40 |
| Asphalt Paving | Pavers | 4 | 8.00 | 130 | 0.42 |
| Asphalt Paving | Paving Equipment | 4 | 8.00 | 132 | 0.36 |
| Asphalt Paving | Rollers | 4 | 8.00 | 80 | 0.38 |

**Trips and VMT**

| Phase Name | Offroad Equipment Count | Worker Trip Number | Vendor Trip Number | Hauling Trip Number | Worker Trip Length | Vendor Trip Length | Hauling Trip Length | Worker Vehicle Class | Vendor Vehicle Class | Hauling Vehicle Class |
|---|---|---|---|---|---|---|---|---|---|---|
| Demolition - Ladera/Multipurpose | 12 | 30.00 | 4.00 | 120.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Modernization - kindergarten buildings | 0 | 4.00 | 1.00 | 0.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Asphalt Demolition - dog park | 6 | 15.00 | 2.00 | 23.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Grading - MPR and dog park | 6 | 15.00 | 2.00 | 0.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Utility Trenching - MPR | 1 | 3.00 | 0.00 | 0.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Architectural Coating- Kindergarten Buildings | 1 | 1.00 | 0.00 | 0.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Portable Building Removal | 6 | 15.00 | 0.00 | 22.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Asphalt Paving | 12 | 30.00 | 0.00 | 0.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |

## 3.1 Mitigation Measures Construction

Replace Ground Cover

Water Exposed Area

Reduce Vehicle Speed on Unpaved Roads

Clean Paved Roads

## 3.2 Demolition - Ladera/Multipurpose - 2021

### Unmitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Fugitive Dust | | | | | 0.5841 | 0.0000 | 0.5841 | 0.0884 | 0.0000 | 0.0884 | | | 0.0000 | | | 0.0000 |
| Off-Road | 6.3302 | 62.8814 | 43.1301 | 0.0776 | | 3.1027 | 3.1027 | | 2.8822 | 2.8822 | | 7,495.8899 | 7,495.8899 | 2.1098 | | 7,548.6347 |
| **Total** | **6.3302** | **62.8814** | **43.1301** | **0.0776** | **0.5841** | **3.1027** | **3.6868** | **0.0884** | **2.8822** | **2.9706** | | **7,495.8899** | **7,495.8899** | **2.1098** | | **7,548.6347** |

### Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0227 | 0.7316 | 0.1715 | 2.1300e-003 | 0.0477 | 2.2500e-003 | 0.0499 | 0.0131 | 2.1500e-003 | 0.0152 | | 230.8490 | 230.8490 | 0.0157 | | 231.2406 |
| Vendor | 0.0122 | 0.3884 | 0.1015 | 1.0300e-003 | 0.0256 | 7.9000e-004 | 0.0264 | 7.3700e-003 | 7.6000e-004 | 8.1300e-003 | | 109.9523 | 109.9523 | 6.4800e-003 | | 110.1142 |
| Worker | 0.1286 | 0.0884 | 1.2083 | 3.4300e-003 | 0.3353 | 2.7100e-003 | 0.3380 | 0.0889 | 2.5000e-003 | 0.0914 | | 341.6310 | 341.6310 | 0.0101 | | 341.8826 |
| **Total** | **0.1635** | **1.2083** | **1.4814** | **6.5900e-003** | **0.4086** | **5.7500e-003** | **0.4144** | **0.1094** | **5.4100e-003** | **0.1148** | | **682.4322** | **682.4322** | **0.0322** | | **683.2374** |

## 3.2 Demolition - Ladera/Multipurpose - 2021

### Mitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Fugitive Dust | | | | | 0.2497 | 0.0000 | 0.2497 | 0.0378 | 0.0000 | 0.0378 | | | 0.0000 | | | 0.0000 |
| Off-Road | 6.3302 | 62.8814 | 43.1301 | 0.0776 | | 3.1027 | 3.1027 | | 2.8822 | 2.8822 | 0.0000 | 7,495.8899 | 7,495.8899 | 2.1098 | | 7,548.6347 |
| **Total** | **6.3302** | **62.8814** | **43.1301** | **0.0776** | **0.2497** | **3.1027** | **3.3524** | **0.0378** | **2.8822** | **2.9200** | **0.0000** | **7,495.8899** | **7,495.8899** | **2.1098** | | **7,548.6347** |

### Mitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0227 | 0.7316 | 0.1715 | 2.1300e-003 | 0.0444 | 2.2500e-003 | 0.0467 | 0.0123 | 2.1500e-003 | 0.0144 | | 230.8490 | 230.8490 | 0.0157 | | 231.2406 |
| Vendor | 0.0122 | 0.3884 | 0.1015 | 1.0300e-003 | 0.0240 | 7.9000e-004 | 0.0248 | 6.9700e-003 | 7.6000e-004 | 7.7300e-003 | | 109.9523 | 109.9523 | 6.4800e-003 | | 110.1142 |
| Worker | 0.1286 | 0.0884 | 1.2083 | 3.4300e-003 | 0.3091 | 2.7100e-003 | 0.3118 | 0.0825 | 2.5000e-003 | 0.0850 | | 341.6310 | 341.6310 | 0.0101 | | 341.8826 |
| **Total** | **0.1635** | **1.2083** | **1.4814** | **6.5900e-003** | **0.3775** | **5.7500e-003** | **0.3833** | **0.1017** | **5.4100e-003** | **0.1071** | | **682.4322** | **682.4322** | **0.0322** | | **683.2374** |

## 3.3 Modernization - kindergarten buildings - 2021

**Unmitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Off-Road | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| **Total** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | | **0.0000** | **0.0000** | | **0.0000** | **0.0000** | | **0.0000** | **0.0000** | **0.0000** | | **0.0000** |

**Unmitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 3.0400e-003 | 0.0971 | 0.0254 | 2.6000e-004 | 6.4000e-003 | 2.0000e-004 | 6.6000e-003 | 1.8400e-003 | 1.9000e-004 | 2.0300e-003 | | 27.4881 | 27.4881 | 1.6200e-003 | | 27.5286 |
| Worker | 0.0172 | 0.0118 | 0.1611 | 4.6000e-004 | 0.0447 | 3.6000e-004 | 0.0451 | 0.0119 | 3.3000e-004 | 0.0122 | | 45.5508 | 45.5508 | 1.3400e-003 | | 45.5844 |
| **Total** | **0.0202** | **0.1089** | **0.1865** | **7.2000e-004** | **0.0511** | **5.6000e-004** | **0.0517** | **0.0137** | **5.2000e-004** | **0.0142** | | **73.0389** | **73.0389** | **2.9600e-003** | | **73.1129** |

## 3.3 Modernization - kindergarten buildings - 2021

**Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Off-Road | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| **Total** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | | **0.0000** | **0.0000** | | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | | **0.0000** |

**Mitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 3.0400e-003 | 0.0971 | 0.0254 | 2.6000e-004 | 5.9900e-003 | 2.0000e-004 | 6.1900e-003 | 1.7400e-003 | 1.9000e-004 | 1.9300e-003 | | 27.4881 | 27.4881 | 1.6200e-003 | | 27.5286 |
| Worker | 0.0172 | 0.0118 | 0.1611 | 4.6000e-004 | 0.0412 | 3.6000e-004 | 0.0416 | 0.0110 | 3.3000e-004 | 0.0113 | | 45.5508 | 45.5508 | 1.3400e-003 | | 45.5844 |
| **Total** | **0.0202** | **0.1089** | **0.1865** | **7.2000e-004** | **0.0472** | **5.6000e-004** | **0.0478** | **0.0127** | **5.2000e-004** | **0.0133** | | **73.0389** | **73.0389** | **2.9600e-003** | | **73.1129** |

## 3.4 Asphalt Demolition - dog park - 2021

**Unmitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Fugitive Dust | | | | | 0.1094 | 0.0000 | 0.1094 | 0.0166 | 0.0000 | 0.0166 | | | 0.0000 | | | 0.0000 |
| Off-Road | 3.1651 | 31.4407 | 21.5650 | 0.0388 | | 1.5513 | 1.5513 | | 1.4411 | 1.4411 | | 3,747.9449 | 3,747.9449 | 1.0549 | | 3,774.3174 |
| **Total** | **3.1651** | **31.4407** | **21.5650** | **0.0388** | **0.1094** | **1.5513** | **1.6607** | **0.0166** | **1.4411** | **1.4577** | | **3,747.9449** | **3,747.9449** | **1.0549** | | **3,774.3174** |

**Unmitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 4.2600e-003 | 0.1371 | 0.0322 | 4.0000e-004 | 8.9400e-003 | 4.2000e-004 | 9.3600e-003 | 2.4500e-003 | 4.0000e-004 | 2.8500e-003 | | 43.2628 | 43.2628 | 2.9400e-003 | | 43.3362 |
| Vendor | 6.0800e-003 | 0.1942 | 0.0508 | 5.1000e-004 | 0.0128 | 4.0000e-004 | 0.0132 | 3.6900e-003 | 3.8000e-004 | 4.0700e-003 | | 54.9761 | 54.9761 | 3.2400e-003 | | 55.0571 |
| Worker | 0.0643 | 0.0442 | 0.6042 | 1.7100e-003 | 0.1677 | 1.3500e-003 | 0.1690 | 0.0445 | 1.2500e-003 | 0.0457 | | 170.8155 | 170.8155 | 5.0300e-003 | | 170.9413 |
| **Total** | **0.0746** | **0.3755** | **0.6871** | **2.6200e-003** | **0.1894** | **2.1700e-003** | **0.1916** | **0.0506** | **2.0300e-003** | **0.0526** | | **269.0544** | **269.0544** | **0.0112** | | **269.3346** |

## 3.4 Asphalt Demolition - dog park - 2021

**Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Fugitive Dust | | | | | 0.0468 | 0.0000 | 0.0468 | 7.0800e-003 | 0.0000 | 7.0800e-003 | | | 0.0000 | | | 0.0000 |
| Off-Road | 3.1651 | 31.4407 | 21.5650 | 0.0388 | | 1.5513 | 1.5513 | | 1.4411 | 1.4411 | 0.0000 | 3,747.9449 | 3,747.9449 | 1.0549 | | 3,774.3174 |
| **Total** | **3.1651** | **31.4407** | **21.5650** | **0.0388** | **0.0468** | **1.5513** | **1.5981** | **7.0800e-003** | **1.4411** | **1.4482** | **0.0000** | **3,747.9449** | **3,747.9449** | **1.0549** | | **3,774.3174** |

**Mitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 4.2600e-003 | 0.1371 | 0.0322 | 4.0000e-004 | 8.3300e-003 | 4.2000e-004 | 8.7500e-003 | 2.3000e-003 | 4.0000e-004 | 2.7000e-003 | | 43.2628 | 43.2628 | 2.9400e-003 | | 43.3362 |
| Vendor | 6.0800e-003 | 0.1942 | 0.0508 | 5.1000e-004 | 0.0120 | 4.0000e-004 | 0.0124 | 3.4900e-003 | 3.8000e-004 | 3.8600e-003 | | 54.9761 | 54.9761 | 3.2400e-003 | | 55.0571 |
| Worker | 0.0643 | 0.0442 | 0.6042 | 1.7100e-003 | 0.1546 | 1.3500e-003 | 0.1559 | 0.0413 | 1.2500e-003 | 0.0425 | | 170.8155 | 170.8155 | 5.0300e-003 | | 170.9413 |
| **Total** | **0.0746** | **0.3755** | **0.6871** | **2.6200e-003** | **0.1749** | **2.1700e-003** | **0.1770** | **0.0470** | **2.0300e-003** | **0.0491** | | **269.0544** | **269.0544** | **0.0112** | | **269.3346** |

## 3.5 Grading - MPR and dog park - 2021

### Unmitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Fugitive Dust | | | | | 6.5523 | 0.0000 | 6.5523 | 3.3675 | 0.0000 | 3.3675 | | | 0.0000 | | | 0.0000 |
| Off-Road | 2.2903 | 24.7367 | 15.8575 | 0.0296 | | 1.1599 | 1.1599 | | 1.0671 | 1.0671 | | 2,871.9285 | 2,871.9285 | 0.9288 | | 2,895.1495 |
| **Total** | **2.2903** | **24.7367** | **15.8575** | **0.0296** | **6.5523** | **1.1599** | **7.7123** | **3.3675** | **1.0671** | **4.4346** | | **2,871.9285** | **2,871.9285** | **0.9288** | | **2,895.1495** |

### Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 6.0800e-003 | 0.1942 | 0.0508 | 5.1000e-004 | 0.0128 | 4.0000e-004 | 0.0132 | 3.6900e-003 | 3.8000e-004 | 4.0700e-003 | | 54.9761 | 54.9761 | 3.2400e-003 | | 55.0571 |
| Worker | 0.0643 | 0.0442 | 0.6042 | 1.7100e-003 | 0.1677 | 1.3500e-003 | 0.1690 | 0.0445 | 1.2500e-003 | 0.0457 | | 170.8155 | 170.8155 | 5.0300e-003 | | 170.9413 |
| **Total** | **0.0704** | **0.2384** | **0.6549** | **2.2200e-003** | **0.1805** | **1.7500e-003** | **0.1822** | **0.0482** | **1.6300e-003** | **0.0498** | | **225.7916** | **225.7916** | **8.2700e-003** | | **225.9984** |

## 3.5 Grading - MPR and dog park - 2021

### Mitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Fugitive Dust | | | | | 2.8011 | 0.0000 | 2.8011 | 1.4396 | 0.0000 | 1.4396 | | | 0.0000 | | | 0.0000 |
| Off-Road | 2.2903 | 24.7367 | 15.8575 | 0.0296 | | 1.1599 | 1.1599 | | 1.0671 | 1.0671 | 0.0000 | 2,871.9285 | 2,871.9285 | 0.9288 | | 2,895.1495 |
| **Total** | **2.2903** | **24.7367** | **15.8575** | **0.0296** | **2.8011** | **1.1599** | **3.9610** | **1.4396** | **1.0671** | **2.5067** | **0.0000** | **2,871.9285** | **2,871.9285** | **0.9288** | | **2,895.1495** |

### Mitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 6.0800e-003 | 0.1942 | 0.0508 | 5.1000e-004 | 0.0120 | 4.0000e-004 | 0.0124 | 3.4900e-003 | 3.8000e-004 | 3.8600e-003 | | 54.9761 | 54.9761 | 3.2400e-003 | | 55.0571 |
| Worker | 0.0643 | 0.0442 | 0.6042 | 1.7100e-003 | 0.1546 | 1.3500e-003 | 0.1559 | 0.0413 | 1.2500e-003 | 0.0425 | | 170.8155 | 170.8155 | 5.0300e-003 | | 170.9413 |
| **Total** | **0.0704** | **0.2384** | **0.6549** | **2.2200e-003** | **0.1665** | **1.7500e-003** | **0.1683** | **0.0447** | **1.6300e-003** | **0.0464** | | **225.7916** | **225.7916** | **8.2700e-003** | | **225.9984** |

## 3.6 Utility Trenching - MPR - 2021

### Unmitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Off-Road | 0.2292 | 2.1534 | 3.2718 | 5.1700e-003 | | 0.1044 | 0.1044 | | 0.0961 | 0.0961 | | 500.1920 | 500.1920 | 0.1618 | | 504.2363 |
| **Total** | **0.2292** | **2.1534** | **3.2718** | **5.1700e-003** | | **0.1044** | **0.1044** | | **0.0961** | **0.0961** | | **500.1920** | **500.1920** | **0.1618** | | **504.2363** |

### Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Worker | 0.0129 | 8.8400e-003 | 0.1208 | 3.4000e-004 | 0.0335 | 2.7000e-004 | 0.0338 | 8.8900e-003 | 2.5000e-004 | 9.1400e-003 | | 34.1631 | 34.1631 | 1.0100e-003 | | 34.1883 |
| **Total** | **0.0129** | **8.8400e-003** | **0.1208** | **3.4000e-004** | **0.0335** | **2.7000e-004** | **0.0338** | **8.8900e-003** | **2.5000e-004** | **9.1400e-003** | | **34.1631** | **34.1631** | **1.0100e-003** | | **34.1883** |

## 3.6 Utility Trenching - MPR - 2021

**Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Off-Road | 0.2292 | 2.1534 | 3.2718 | 5.1700e-003 | | 0.1044 | 0.1044 | | 0.0961 | 0.0961 | 0.0000 | 500.1920 | 500.1920 | 0.1618 | | 504.2363 |
| **Total** | **0.2292** | **2.1534** | **3.2718** | **5.1700e-003** | | **0.1044** | **0.1044** | | **0.0961** | **0.0961** | **0.0000** | **500.1920** | **500.1920** | **0.1618** | | **504.2363** |

**Mitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Worker | 0.0129 | 8.8400e-003 | 0.1208 | 3.4000e-004 | 0.0309 | 2.7000e-004 | 0.0312 | 8.2500e-003 | 2.5000e-004 | 8.5000e-003 | | 34.1631 | 34.1631 | 1.0100e-003 | | 34.1883 |
| **Total** | **0.0129** | **8.8400e-003** | **0.1208** | **3.4000e-004** | **0.0309** | **2.7000e-004** | **0.0312** | **8.2500e-003** | **2.5000e-004** | **8.5000e-003** | | **34.1631** | **34.1631** | **1.0100e-003** | | **34.1883** |

## 3.7 Architectural Coating- Kindergarten Buildings - 2021

**Unmitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Archit. Coating | 16.3770 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | | 0.0000 | | | 0.0000 |
| Off-Road | 0.2189 | 1.5268 | 1.8176 | 2.9700e-003 | | 0.0941 | 0.0941 | | 0.0941 | 0.0941 | | 281.4481 | 281.4481 | 0.0193 | | 281.9309 |
| **Total** | **16.5959** | **1.5268** | **1.8176** | **2.9700e-003** | | **0.0941** | **0.0941** | | **0.0941** | **0.0941** | | **281.4481** | **281.4481** | **0.0193** | | **281.9309** |

**Unmitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Worker | 4.2900e-003 | 2.9500e-003 | 0.0403 | 1.1000e-004 | 0.0112 | 9.0000e-005 | 0.0113 | 2.9600e-003 | 8.0000e-005 | 3.0500e-003 | | 11.3877 | 11.3877 | 3.4000e-004 | | 11.3961 |
| **Total** | **4.2900e-003** | **2.9500e-003** | **0.0403** | **1.1000e-004** | **0.0112** | **9.0000e-005** | **0.0113** | **2.9600e-003** | **8.0000e-005** | **3.0500e-003** | | **11.3877** | **11.3877** | **3.4000e-004** | | **11.3961** |

## 3.7 Architectural Coating- Kindergarten Buildings - 2021

**Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Archit. Coating | 16.3770 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | | 0.0000 | | | 0.0000 |
| Off-Road | 0.2189 | 1.5268 | 1.8176 | 2.9700e-003 | | 0.0941 | 0.0941 | | 0.0941 | 0.0941 | 0.0000 | 281.4481 | 281.4481 | 0.0193 | | 281.9309 |
| **Total** | **16.5959** | **1.5268** | **1.8176** | **2.9700e-003** | | **0.0941** | **0.0941** | | **0.0941** | **0.0941** | **0.0000** | **281.4481** | **281.4481** | **0.0193** | | **281.9309** |

**Mitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Worker | 4.2900e-003 | 2.9500e-003 | 0.0403 | 1.1000e-004 | 0.0103 | 9.0000e-005 | 0.0104 | 2.7500e-003 | 8.0000e-005 | 2.8300e-003 | | 11.3877 | 11.3877 | 3.4000e-004 | | 11.3961 |
| **Total** | **4.2900e-003** | **2.9500e-003** | **0.0403** | **1.1000e-004** | **0.0103** | **9.0000e-005** | **0.0104** | **2.7500e-003** | **8.0000e-005** | **2.8300e-003** | | **11.3877** | **11.3877** | **3.4000e-004** | | **11.3961** |

## 3.8 Portable Building Removal - 2022

### Unmitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Fugitive Dust | | | | | 0.1055 | 0.0000 | 0.1055 | 0.0160 | 0.0000 | 0.0160 | | | 0.0000 | | | 0.0000 |
| Off-Road | 2.6392 | 25.7194 | 20.5941 | 0.0388 | | 1.2427 | 1.2427 | | 1.1553 | 1.1553 | | 3,746.7812 | 3,746.7812 | 1.0524 | | 3,773.0920 |
| **Total** | **2.6392** | **25.7194** | **20.5941** | **0.0388** | **0.1055** | **1.2427** | **1.3482** | **0.0160** | **1.1553** | **1.1712** | | **3,746.7812** | **3,746.7812** | **1.0524** | | **3,773.0920** |

### Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 3.9700e-003 | 0.1246 | 0.0311 | 3.8000e-004 | 8.7400e-003 | 3.6000e-004 | 9.1000e-003 | 2.4000e-003 | 3.4000e-004 | 2.7400e-003 | | 41.8218 | 41.8218 | 2.8300e-003 | | 41.8925 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Worker | 0.0602 | 0.0399 | 0.5574 | 1.6500e-003 | 0.1677 | 1.3100e-003 | 0.1690 | 0.0445 | 1.2100e-003 | 0.0457 | | 164.8069 | 164.8069 | 4.5500e-003 | | 164.9206 |
| **Total** | **0.0642** | **0.1645** | **0.5885** | **2.0300e-003** | **0.1764** | **1.6700e-003** | **0.1781** | **0.0469** | **1.5500e-003** | **0.0484** | | **206.6286** | **206.6286** | **7.3800e-003** | | **206.8130** |

## 3.8 Portable Building Removal - 2022

### Mitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Fugitive Dust | | | | | 0.0451 | 0.0000 | 0.0451 | 6.8300e-003 | 0.0000 | 6.8300e-003 | | | 0.0000 | | | 0.0000 |
| Off-Road | 2.6392 | 25.7194 | 20.5941 | 0.0388 | | 1.2427 | 1.2427 | | 1.1553 | 1.1553 | 0.0000 | 3,746.7812 | 3,746.7812 | 1.0524 | | 3,773.0920 |
| **Total** | **2.6392** | **25.7194** | **20.5941** | **0.0388** | **0.0451** | **1.2427** | **1.2878** | **6.8300e-003** | **1.1553** | **1.1621** | **0.0000** | **3,746.7812** | **3,746.7812** | **1.0524** | | **3,773.0920** |

### Mitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 3.9700e-003 | 0.1246 | 0.0311 | 3.8000e-004 | 8.1500e-003 | 3.6000e-004 | 8.5100e-003 | 2.2500e-003 | 3.4000e-004 | 2.5900e-003 | | 41.8218 | 41.8218 | 2.8300e-003 | | 41.8925 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Worker | 0.0602 | 0.0399 | 0.5574 | 1.6500e-003 | 0.1546 | 1.3100e-003 | 0.1559 | 0.0413 | 1.2100e-003 | 0.0425 | | 164.8069 | 164.8069 | 4.5500e-003 | | 164.9206 |
| **Total** | **0.0642** | **0.1645** | **0.5885** | **2.0300e-003** | **0.1627** | **1.6700e-003** | **0.1644** | **0.0435** | **1.5500e-003** | **0.0450** | | **206.6286** | **206.6286** | **7.3800e-003** | | **206.8130** |

## 3.9 Asphalt Paving - 2022

### Unmitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Off-Road | 2.2056 | 22.2498 | 29.1610 | 0.0456 | | 1.1358 | 1.1358 | | 1.0449 | 1.0449 | | 4,415.3206 | 4,415.3206 | 1.4280 | | 4,451.0207 |
| Paving | 0.0461 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | | 0.0000 | | | 0.0000 |
| **Total** | **2.2518** | **22.2498** | **29.1610** | **0.0456** | | **1.1358** | **1.1358** | | **1.0449** | **1.0449** | | **4,415.3206** | **4,415.3206** | **1.4280** | | **4,451.0207** |

### Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Worker | 0.1205 | 0.0798 | 1.1148 | 3.3100e-003 | 0.3353 | 2.6200e-003 | 0.3380 | 0.0889 | 2.4200e-003 | 0.0914 | | 329.6137 | 329.6137 | 9.1000e-003 | | 329.8411 |
| **Total** | **0.1205** | **0.0798** | **1.1148** | **3.3100e-003** | **0.3353** | **2.6200e-003** | **0.3380** | **0.0889** | **2.4200e-003** | **0.0914** | | **329.6137** | **329.6137** | **9.1000e-003** | | **329.8411** |

## 3.9 Asphalt Paving - 2022

**Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Off-Road | 2.2056 | 22.2498 | 29.1610 | 0.0456 | | 1.1358 | 1.1358 | | 1.0449 | 1.0449 | 0.0000 | 4,415.3206 | 4,415.3206 | 1.4280 | | 4,451.0207 |
| Paving | 0.0461 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | | 0.0000 | | | 0.0000 |
| **Total** | **2.2518** | **22.2498** | **29.1610** | **0.0456** | | **1.1358** | **1.1358** | | **1.0449** | **1.0449** | **0.0000** | **4,415.3206** | **4,415.3206** | **1.4280** | | **4,451.0207** |

**Mitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Worker | 0.1205 | 0.0798 | 1.1148 | 3.3100e-003 | 0.3091 | 2.6200e-003 | 0.3117 | 0.0825 | 2.4200e-003 | 0.0849 | | 329.6137 | 329.6137 | 9.1000e-003 | | 329.8411 |
| **Total** | **0.1205** | **0.0798** | **1.1148** | **3.3100e-003** | **0.3091** | **2.6200e-003** | **0.3117** | **0.0825** | **2.4200e-003** | **0.0849** | | **329.6137** | **329.6137** | **9.1000e-003** | | **329.8411** |

## 4.0 Operational Detail - Mobile

## 4.1 Mitigation Measures Mobile

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Mitigated | 0.7842 | 3.2507 | 10.8730 | 0.0413 | 3.4715 | 0.0301 | 3.5016 | 0.9290 | 0.0280 | 0.9570 | | 4,200.6197 | 4,200.6197 | 0.1996 | | 4,205.6087 |
| Unmitigated | 0.7842 | 3.2507 | 10.8730 | 0.0413 | 3.4715 | 0.0301 | 3.5016 | 0.9290 | 0.0280 | 0.9570 | | 4,200.6197 | 4,200.6197 | 0.1996 | | 4,205.6087 |

## 4.2 Trip Summary Information

| | Average Daily Trip Rate | | | Unmitigated | Mitigated |
|---|---|---|---|---|---|
| Land Use | Weekday | Saturday | Sunday | Annual VMT | Annual VMT |
| Elementary School | 473.70 | 0.00 | 0.00 | 1,166,111 | 1,166,111 |
| Other Asphalt Surfaces | 0.00 | 0.00 | 0.00 | | |
| Other Non-Asphalt Surfaces | 0.00 | 0.00 | 0.00 | | |
| Parking Lot | 0.00 | 0.00 | 0.00 | | |
| Total | 473.70 | 0.00 | 0.00 | 1,166,111 | 1,166,111 |

## 4.3 Trip Type Information

| | Miles | | | Trip % | | | Trip Purpose % | | |
|---|---|---|---|---|---|---|---|---|---|
| Land Use | H-W or C-W | H-S or C-C | H-O or C-NW | H-W or C-W | H-S or C-C | H-O or C-NW | Primary | Diverted | Pass-by |
| Elementary School | 16.60 | 8.40 | 6.90 | 65.00 | 30.00 | 5.00 | 63 | 25 | 12 |
| Other Asphalt Surfaces | 16.60 | 8.40 | 6.90 | 0.00 | 0.00 | 0.00 | 0 | 0 | 0 |
| Other Non-Asphalt Surfaces | 16.60 | 8.40 | 6.90 | 0.00 | 0.00 | 0.00 | 0 | 0 | 0 |
| Parking Lot | 16.60 | 8.40 | 6.90 | 0.00 | 0.00 | 0.00 | 0 | 0 | 0 |

### 4.4 Fleet Mix

| Land Use | LDA | LDT1 | LDT2 | MDV | LHD1 | LHD2 | MHD | HHD | OBUS | UBUS | MCY | SBUS | MH |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Elementary School | 0.545842 | 0.044768 | 0.205288 | 0.119317 | 0.015350 | 0.006227 | 0.020460 | 0.031333 | 0.002546 | 0.002133 | 0.005184 | 0.000692 | 0.000862 |
| Other Asphalt Surfaces | 0.545842 | 0.044768 | 0.205288 | 0.119317 | 0.015350 | 0.006227 | 0.020460 | 0.031333 | 0.002546 | 0.002133 | 0.005184 | 0.000692 | 0.000862 |
| Other Non-Asphalt Surfaces | 0.545842 | 0.044768 | 0.205288 | 0.119317 | 0.015350 | 0.006227 | 0.020460 | 0.031333 | 0.002546 | 0.002133 | 0.005184 | 0.000692 | 0.000862 |
| Parking Lot | 0.545842 | 0.044768 | 0.205288 | 0.119317 | 0.015350 | 0.006227 | 0.020460 | 0.031333 | 0.002546 | 0.002133 | 0.005184 | 0.000692 | 0.000862 |

## 5.0 Energy Detail

Historical Energy Use: N

### 5.1 Mitigation Measures Energy

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| NaturalGas Mitigated | 0.0107 | 0.0976 | 0.0820 | 5.9000e-004 | | 7.4200e-003 | 7.4200e-003 | | 7.4200e-003 | 7.4200e-003 | | 117.1597 | 117.1597 | 2.2500e-003 | 2.1500e-003 | 117.8559 |
| NaturalGas Unmitigated | 0.0107 | 0.0976 | 0.0820 | 5.9000e-004 | | 7.4200e-003 | 7.4200e-003 | | 7.4200e-003 | 7.4200e-003 | | 117.1597 | 117.1597 | 2.2500e-003 | 2.1500e-003 | 117.8559 |

## 5.2 Energy by Land Use - NaturalGas

**Unmitigated**

| | NaturalGas Use | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Land Use | kBTU/yr | lb/day | | | | | | | | | | lb/day | | | | | |
| Elementary School | 995.858 | 0.0107 | 0.0976 | 0.0820 | 5.9000e-004 | | 7.4200e-003 | 7.4200e-003 | | 7.4200e-003 | 7.4200e-003 | | 117.1597 | 117.1597 | 2.2500e-003 | 2.1500e-003 | 117.8559 |
| Other Asphalt Surfaces | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Other Non-Asphalt Surfaces | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Parking Lot | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| **Total** | | **0.0107** | **0.0976** | **0.0820** | **5.9000e-004** | | **7.4200e-003** | **7.4200e-003** | | **7.4200e-003** | **7.4200e-003** | | **117.1597** | **117.1597** | **2.2500e-003** | **2.1500e-003** | **117.8559** |

## 5.2 Energy by Land Use - NaturalGas

**Mitigated**

| | NaturalGas Use | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Land Use | kBTU/yr | lb/day | | | | | | | | | | lb/day | | | | | |
| Elementary School | 0.995858 | 0.0107 | 0.0976 | 0.0820 | 5.9000e-004 | | 7.4200e-003 | 7.4200e-003 | | 7.4200e-003 | 7.4200e-003 | | 117.1597 | 117.1597 | 2.2500e-003 | 2.1500e-003 | 117.8559 |
| Other Asphalt Surfaces | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Other Non-Asphalt Surfaces | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Parking Lot | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| **Total** | | **0.0107** | **0.0976** | **0.0820** | **5.9000e-004** | | **7.4200e-003** | **7.4200e-003** | | **7.4200e-003** | **7.4200e-003** | | **117.1597** | **117.1597** | **2.2500e-003** | **2.1500e-003** | **117.8559** |

# 6.0 Area Detail

## 6.1 Mitigation Measures Area

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Mitigated | 0.7439 | 5.0000e-005 | 5.2000e-003 | 0.0000 | | 2.0000e-005 | 2.0000e-005 | | 2.0000e-005 | 2.0000e-005 | | 0.0112 | 0.0112 | 3.0000e-005 | | 0.0119 |
| Unmitigated | 0.7439 | 5.0000e-005 | 5.2000e-003 | 0.0000 | | 2.0000e-005 | 2.0000e-005 | | 2.0000e-005 | 2.0000e-005 | | 0.0112 | 0.0112 | 3.0000e-005 | | 0.0119 |

## 6.2 Area by SubCategory

**Unmitigated**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SubCategory | lb/day | | | | | | | | | | lb/day | | | | | |
| Architectural Coating | 0.0882 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | | 0.0000 | | | 0.0000 |
| Consumer Products | 0.6553 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | | 0.0000 | | | 0.0000 |
| Landscaping | 4.8000e-004 | 5.0000e-005 | 5.2000e-003 | 0.0000 | | 2.0000e-005 | 2.0000e-005 | | 2.0000e-005 | 2.0000e-005 | | 0.0112 | 0.0112 | 3.0000e-005 | | 0.0119 |
| **Total** | **0.7439** | **5.0000e-005** | **5.2000e-003** | **0.0000** | | **2.0000e-005** | **2.0000e-005** | | **2.0000e-005** | **2.0000e-005** | | **0.0112** | **0.0112** | **3.0000e-005** | | **0.0119** |

## 6.2 Area by SubCategory

**Mitigated**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SubCategory | lb/day | | | | | | | | | | lb/day | | | | | |
| Architectural Coating | 0.0882 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | | 0.0000 | | | 0.0000 |
| Consumer Products | 0.6553 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | | 0.0000 | | | 0.0000 |
| Landscaping | 4.8000e-004 | 5.0000e-005 | 5.2000e-003 | 0.0000 | | 2.0000e-005 | 2.0000e-005 | | 2.0000e-005 | 2.0000e-005 | | 0.0112 | 0.0112 | 3.0000e-005 | | 0.0119 |
| **Total** | **0.7439** | **5.0000e-005** | **5.2000e-003** | **0.0000** | | **2.0000e-005** | **2.0000e-005** | | **2.0000e-005** | **2.0000e-005** | | **0.0112** | **0.0112** | **3.0000e-005** | | **0.0119** |

# 7.0 Water Detail

## 7.1 Mitigation Measures Water

# 8.0 Waste Detail

## 8.1 Mitigation Measures Waste

# 9.0 Operational Offroad

| Equipment Type | Number | Hours/Day | Days/Year | Horse Power | Load Factor | Fuel Type |
|---|---|---|---|---|---|---|

# 10.0 Stationary Equipment

**Fire Pumps and Emergency Generators**

| Equipment Type | Number | Hours/Day | Hours/Year | Horse Power | Load Factor | Fuel Type |
|---|---|---|---|---|---|---|

**Boilers**

| Equipment Type | Number | Heat Input/Day | Heat Input/Year | Boiler Rating | Fuel Type |
|---|---|---|---|---|---|

**User Defined Equipment**

| Equipment Type | Number |
|---|---|

## 11.0 Vegetation

# MBUS-3.0 Grand View Run Construction 1

**Los Angeles-South Coast County, Winter**

## 1.0 Project Characteristics

### 1.1 Land Usage

| Land Uses | Size | Metric | Lot Acreage | Floor Surface Area | Population |
|---|---|---|---|---|---|
| Elementary School | 30.70 | 1000sqft | 3.13 | 30,700.00 | 0 |
| Other Asphalt Surfaces | 0.78 | Acre | 0.78 | 33,976.80 | 0 |
| Other Non-Asphalt Surfaces | 1.89 | Acre | 1.89 | 82,328.40 | 0 |
| Parking Lot | 17.60 | 1000sqft | 0.40 | 17,600.00 | 0 |

### 1.2 Other Project Characteristics

| | | | | | |
|---|---|---|---|---|---|
| **Urbanization** | Urban | **Wind Speed (m/s)** | 2.2 | **Precipitation Freq (Days)** | 33 |
| **Climate Zone** | 8 | | | **Operational Year** | 2023 |
| **Utility Company** | Southern California Edison | | | | |
| **CO2 Intensity (lb/MWhr)** | 702.44 | **CH4 Intensity (lb/MWhr)** | 0.029 | **N2O Intensity (lb/MWhr)** | 0.006 |

### 1.3 User Entered Comments & Non-Default Data

Project Characteristics -

Land Use - see assumptions file

Construction Phase - based on data from applicant, see assumptions file

Off-road Equipment -

Off-road Equipment -

Off-road Equipment -

Off-road Equipment -

Off-road Equipment -

Off-road Equipment - No additional equipment from Grading (two story) equipment mix

Off-road Equipment - No additional equipment from Grading (twostory) equipment mix

Off-road Equipment - No additional equipment from Grading (site) equipment mix

Off-road Equipment - no additional equipment needed for modernization

Off-road Equipment - see assumptions file

Trips and VMT - see assumptions

Demolition -

Grading -

Architectural Coating - see assumptions file

Construction Off-road Equipment Mitigation - Per SCAQMD Rules 403 and 1186.

| Table Name | Column Name | Default Value | New Value |
|---|---|---|---|
| tblArchitecturalCoating | ConstArea_Nonresidential_Exterior | 15,350.00 | 28,962.00 |
| tblArchitecturalCoating | ConstArea_Nonresidential_Exterior | 15,350.00 | 3,400.00 |
| tblArchitecturalCoating | ConstArea_Nonresidential_Exterior | 15,350.00 | 4,275.00 |
| tblArchitecturalCoating | ConstArea_Nonresidential_Interior | 46,050.00 | 86,886.00 |
| tblArchitecturalCoating | ConstArea_Nonresidential_Interior | 46,050.00 | 15,300.00 |
| tblArchitecturalCoating | ConstArea_Nonresidential_Interior | 46,050.00 | 19,238.00 |
| tblArchitecturalCoating | ConstArea_Parking | 8,034.00 | 0.00 |

| | | | |
|---|---|---|---|
| tblArchitecturalCoating | ConstArea_Parking | 8,034.00 | 0.00 |
| tblArchitecturalCoating | ConstArea_Parking | 8,034.00 | 1,056.00 |
| tblConstDustMitigation | CleanPavedRoadPercentReduction | 0 | 9 |
| tblConstDustMitigation | WaterUnpavedRoadVehicleSpeed | 0 | 15 |
| tblConstructionPhase | NumDays | 20.00 | 7.00 |
| tblConstructionPhase | NumDays | 20.00 | 28.00 |
| tblConstructionPhase | NumDays | 20.00 | 3.00 |
| tblConstructionPhase | NumDays | 230.00 | 544.00 |
| tblConstructionPhase | NumDays | 230.00 | 153.00 |
| tblConstructionPhase | NumDays | 230.00 | 67.00 |
| tblConstructionPhase | NumDays | 20.00 | 67.00 |
| tblConstructionPhase | NumDays | 20.00 | 67.00 |
| tblConstructionPhase | NumDays | 20.00 | 3.00 |
| tblConstructionPhase | NumDays | 20.00 | 44.00 |
| tblConstructionPhase | NumDays | 20.00 | 12.00 |
| tblConstructionPhase | NumDays | 20.00 | 3.00 |
| tblGrading | MaterialExported | 0.00 | 1,000.00 |
| tblGrading | MaterialExported | 0.00 | 4,000.00 |
| tblGrading | MaterialImported | 0.00 | 1,000.00 |
| tblLandUse | LotAcreage | 0.70 | 3.13 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 3.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00 | 0.00 |

| | | | |
|---|---|---|---|
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 3.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 3.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 3.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 3.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00 | 0.00 |
| tblTripsAndVMT | HaulingTripNumber | 125.00 | 222.00 |
| tblTripsAndVMT | HaulingTripNumber | 500.00 | 889.00 |
| tblTripsAndVMT | HaulingTripNumber | 125.00 | 222.00 |
| tblTripsAndVMT | VendorTripNumber | 0.00 | 2.00 |
| tblTripsAndVMT | VendorTripNumber | 27.00 | 3.00 |
| tblTripsAndVMT | VendorTripNumber | 27.00 | 2.00 |
| tblTripsAndVMT | VendorTripNumber | 0.00 | 2.00 |
| tblTripsAndVMT | VendorTripNumber | 27.00 | 9.00 |
| tblTripsAndVMT | VendorTripNumber | 0.00 | 2.00 |
| tblTripsAndVMT | WorkerTripNumber | 69.00 | 7.00 |
| tblTripsAndVMT | WorkerTripNumber | 69.00 | 6.00 |
| tblTripsAndVMT | WorkerTripNumber | 14.00 | 1.00 |
| tblTripsAndVMT | WorkerTripNumber | 14.00 | 1.00 |
| tblTripsAndVMT | WorkerTripNumber | 69.00 | 24.00 |
| tblTripsAndVMT | WorkerTripNumber | 14.00 | 5.00 |

## 2.0 Emissions Summary

## 2.1 Overall Construction (Maximum Daily Emission)

**Unmitigated Construction**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Year | lb/day | | | | | | | | | | lb/day | | | | | |
| 2020 | 188.7572 | 113.6213 | 67.5471 | 0.1764 | 15.4738 | 4.5175 | 19.9914 | 7.3644 | 4.1837 | 11.5481 | 0.0000 | 17,791.1075 | 17,791.1075 | 3.6028 | 0.0000 | 17,881.1764 |
| 2021 | 16.4855 | 36.9212 | 35.6239 | 0.0596 | 0.1885 | 2.0136 | 2.2021 | 0.0507 | 1.8988 | 1.9495 | 0.0000 | 5,671.9638 | 5,671.9638 | 1.2644 | 0.0000 | 5,703.5735 |
| 2022 | 6.0227 | 17.3239 | 18.5281 | 0.0315 | 0.1086 | 0.8920 | 1.0006 | 0.0292 | 0.8440 | 0.8733 | 0.0000 | 2,998.0383 | 2,998.0383 | 0.6375 | 0.0000 | 3,013.9769 |
| **Maximum** | **188.7572** | **113.6213** | **67.5471** | **0.1764** | **15.4738** | **4.5175** | **19.9914** | **7.3644** | **4.1837** | **11.5481** | **0.0000** | **17,791.1075** | **17,791.1075** | **3.6028** | **0.0000** | **17,881.1764** |

**Mitigated Construction**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Year | lb/day | | | | | | | | | | lb/day | | | | | |
| 2020 | 188.7572 | 113.6213 | 67.5471 | 0.1764 | 7.7457 | 4.5175 | 12.2633 | 3.4592 | 4.1837 | 7.6429 | 0.0000 | 17,791.1075 | 17,791.1075 | 3.6028 | 0.0000 | 17,881.1764 |
| 2021 | 16.4855 | 36.9212 | 35.6239 | 0.0596 | 0.1742 | 2.0136 | 2.1878 | 0.0472 | 1.8988 | 1.9460 | 0.0000 | 5,671.9638 | 5,671.9638 | 1.2644 | 0.0000 | 5,703.5735 |
| 2022 | 6.0227 | 17.3239 | 18.5281 | 0.0315 | 0.1004 | 0.8920 | 0.9924 | 0.0272 | 0.8440 | 0.8713 | 0.0000 | 2,998.0383 | 2,998.0383 | 0.6375 | 0.0000 | 3,013.9769 |
| **Maximum** | **188.7572** | **113.6213** | **67.5471** | **0.1764** | **7.7457** | **4.5175** | **12.2633** | **3.4592** | **4.1837** | **7.6429** | **0.0000** | **17,791.1075** | **17,791.1075** | **3.6028** | **0.0000** | **17,881.1764** |

MBUS-3.0 Grand View Run Construction 1 - Los Angeles-South Coast County, Winter

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio-CO2 | Total CO2 | CH4 | N20 | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Percent Reduction** | **0.00** | **0.00** | **0.00** | **0.00** | **49.15** | **0.00** | **33.42** | **52.53** | **0.00** | **27.21** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** |

## 2.2 Overall Operational

### Unmitigated Operational

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Area | 0.7439 | 5.0000e-005 | 5.2000e-003 | 0.0000 | | 2.0000e-005 | 2.0000e-005 | | 2.0000e-005 | 2.0000e-005 | | 0.0112 | 0.0112 | 3.0000e-005 | | 0.0119 |
| Energy | 0.0107 | 0.0976 | 0.0820 | 5.9000e-004 | | 7.4200e-003 | 7.4200e-003 | | 7.4200e-003 | 7.4200e-003 | | 117.1597 | 117.1597 | 2.2500e-003 | 2.1500e-003 | 117.8559 |
| Mobile | 0.7596 | 3.3355 | 10.2772 | 0.0393 | 3.4715 | 0.0302 | 3.5017 | 0.9290 | 0.0281 | 0.9571 | | 3,999.7522 | 3,999.7522 | 0.1986 | | 4,004.7164 |
| **Total** | **1.5143** | **3.4332** | **10.3644** | **0.0398** | **3.4715** | **0.0377** | **3.5092** | **0.9290** | **0.0356** | **0.9645** | | **4,116.9231** | **4,116.9231** | **0.2009** | **2.1500e-003** | **4,122.5843** |

### Mitigated Operational

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Area | 0.7439 | 5.0000e-005 | 5.2000e-003 | 0.0000 | | 2.0000e-005 | 2.0000e-005 | | 2.0000e-005 | 2.0000e-005 | | 0.0112 | 0.0112 | 3.0000e-005 | | 0.0119 |
| Energy | 0.0107 | 0.0976 | 0.0820 | 5.9000e-004 | | 7.4200e-003 | 7.4200e-003 | | 7.4200e-003 | 7.4200e-003 | | 117.1597 | 117.1597 | 2.2500e-003 | 2.1500e-003 | 117.8559 |
| Mobile | 0.7596 | 3.3355 | 10.2772 | 0.0393 | 3.4715 | 0.0302 | 3.5017 | 0.9290 | 0.0281 | 0.9571 | | 3,999.7522 | 3,999.7522 | 0.1986 | | 4,004.7164 |
| **Total** | **1.5143** | **3.4332** | **10.3644** | **0.0398** | **3.4715** | **0.0377** | **3.5092** | **0.9290** | **0.0356** | **0.9645** | | **4,116.9231** | **4,116.9231** | **0.2009** | **2.1500e-003** | **4,122.5843** |

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio-CO2 | Total CO2 | CH4 | N20 | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Percent Reduction** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** |

## 3.0 Construction Detail

**Construction Phase**

| Phase Number | Phase Name | Phase Type | Start Date | End Date | Num Days Week | Num Days | Phase Description |
|---|---|---|---|---|---|---|---|
| 1 | Asphalt Demolition - mid play fields | Demolition | 6/1/2020 | 9/1/2020 | 5 | 67 | |
| 2 | Grading - site | Grading | 6/1/2020 | 9/1/2020 | 5 | 67 | |
| 3 | Grading - site soil haul | Grading | 6/1/2020 | 6/3/2020 | 5 | 3 | |
| 4 | Modernization - Existing Buildings | Building Construction | 6/1/2020 | 9/1/2020 | 5 | 67 | |
| 5 | Architectural Coating- Existing Buildings | Architectural Coating | 8/28/2020 | 9/1/2020 | 5 | 3 | |
| 6 | Grading - Two story | Grading | 9/1/2020 | 11/1/2020 | 5 | 44 | |
| 7 | Grading - Export Haul | Grading | 9/1/2020 | 9/16/2020 | 5 | 12 | |
| 8 | Utility Trenching - Two story | Trenching | 9/1/2020 | 11/1/2020 | 5 | 44 | |
| 9 | Grading - Import Haul | Grading | 9/17/2020 | 9/21/2020 | 5 | 3 | |
| 10 | Building Construction - Multi-purpose building | Building Construction | 11/1/2020 | 12/1/2022 | 5 | 544 | |
| 11 | Building Construction - Classroom buildings | Building Construction | 12/1/2020 | 7/1/2021 | 5 | 153 | |
| 12 | Architectural Coating - classroom buildings | Architectural Coating | 6/23/2021 | 7/1/2021 | 5 | 7 | |
| 13 | Architectural Coating - multipurpose buildings | Architectural Coating | 10/26/2022 | 12/2/2022 | 5 | 28 | |

**Acres of Grading (Site Preparation Phase): 0**

**Acres of Grading (Grading Phase): 0**

**Acres of Paving: 3.07**

**Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 86,886; Non-Residential Outdoor: 28,962; Striped Parking Area: 0 (Architectural Coating – sqft)**

## OffRoad Equipment

| Phase Name | Offroad Equipment Type | Amount | Usage Hours | Horse Power | Load Factor |
|---|---|---|---|---|---|
| Asphalt Demolition - mid play fields | Concrete/Industrial Saws | 1 | 8.00 | 81 | 0.73 |
| Asphalt Demolition - mid play fields | Excavators | 3 | 8.00 | 158 | 0.38 |
| Asphalt Demolition - mid play fields | Rubber Tired Dozers | 2 | 8.00 | 247 | 0.40 |
| Grading - site | Excavators | 1 | 8.00 | 158 | 0.38 |
| Grading - site | Graders | 1 | 8.00 | 187 | 0.41 |
| Grading - site | Rubber Tired Dozers | 1 | 8.00 | 247 | 0.40 |
| Grading - site | Tractors/Loaders/Backhoes | 3 | 8.00 | 97 | 0.37 |
| Grading - site soil haul | Excavators | 0 | 8.00 | 158 | 0.38 |
| Grading - site soil haul | Graders | 0 | 8.00 | 187 | 0.41 |
| Grading - site soil haul | Rubber Tired Dozers | 0 | 8.00 | 247 | 0.40 |
| Grading - site soil haul | Tractors/Loaders/Backhoes | 0 | 8.00 | 97 | 0.37 |
| Modernization - Existing Buildings | Cranes | 0 | 7.00 | 231 | 0.29 |
| Modernization - Existing Buildings | Forklifts | 0 | 8.00 | 89 | 0.20 |
| Modernization - Existing Buildings | Generator Sets | 0 | 8.00 | 84 | 0.74 |
| Modernization - Existing Buildings | Tractors/Loaders/Backhoes | 0 | 7.00 | 97 | 0.37 |
| Modernization - Existing Buildings | Welders | 0 | 8.00 | 46 | 0.45 |
| Architectural Coating- Existing Buildings | Air Compressors | 1 | 6.00 | 78 | 0.48 |
| Grading - Two story | Excavators | 1 | 8.00 | 158 | 0.38 |
| Grading - Two story | Graders | 1 | 8.00 | 187 | 0.41 |
| Grading - Two story | Rubber Tired Dozers | 1 | 8.00 | 247 | 0.40 |
| Grading - Two story | Tractors/Loaders/Backhoes | 3 | 8.00 | 97 | 0.37 |
| Grading - Export Haul | Excavators | 0 | 8.00 | 158 | 0.38 |
| Grading - Export Haul | Graders | 0 | 8.00 | 187 | 0.41 |

| | | | | | |
|---|---|---|---|---|---|
| Grading - Export Haul | Rubber Tired Dozers | 0 | 8.00 | 247 | 0.40 |
| Grading - Export Haul | Tractors/Loaders/Backhoes | 0 | 8.00 | 97 | 0.37 |
| Utility Trenching - Two story | Excavators | 1 | 8.00 | 158 | 0.38 |
| Grading - Import Haul | Excavators | 0 | 8.00 | 158 | 0.38 |
| Grading - Import Haul | Graders | 0 | 8.00 | 187 | 0.41 |
| Grading - Import Haul | Rubber Tired Dozers | 0 | 8.00 | 247 | 0.40 |
| Grading - Import Haul | Tractors/Loaders/Backhoes | 0 | 8.00 | 97 | 0.37 |
| Building Construction - Multi-purpose building | Cranes | 1 | 7.00 | 231 | 0.29 |
| Building Construction - Multi-purpose building | Forklifts | 3 | 8.00 | 89 | 0.20 |
| Building Construction - Multi-purpose building | Generator Sets | 1 | 8.00 | 84 | 0.74 |
| Building Construction - Multi-purpose building | Tractors/Loaders/Backhoes | 3 | 7.00 | 97 | 0.37 |
| Building Construction - Multi-purpose building | Welders | 1 | 8.00 | 46 | 0.45 |
| Building Construction - Classroom buildings | Cranes | 1 | 7.00 | 231 | 0.29 |
| Building Construction - Classroom buildings | Forklifts | 3 | 8.00 | 89 | 0.20 |
| Building Construction - Classroom buildings | Generator Sets | 1 | 8.00 | 84 | 0.74 |
| Building Construction - Classroom buildings | Tractors/Loaders/Backhoes | 3 | 7.00 | 97 | 0.37 |
| Building Construction - Classroom buildings | Welders | 1 | 8.00 | 46 | 0.45 |
| Architectural Coating - classroom buildings | Air Compressors | 1 | 6.00 | 78 | 0.48 |
| Architectural Coating - multipurpose buildings | Air Compressors | 1 | 6.00 | 78 | 0.48 |

**Trips and VMT**

| Phase Name | Offroad Equipment Count | Worker Trip Number | Vendor Trip Number | Hauling Trip Number | Worker Trip Length | Vendor Trip Length | Hauling Trip Length | Worker Vehicle Class | Vendor Vehicle Class | Hauling Vehicle Class |
|---|---|---|---|---|---|---|---|---|---|---|
| Asphalt Demolition - mid-play fields | 6 | 15.00 | 2.00 | 23.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Grading - site | 6 | 15.00 | 2.00 | 0.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Grading - site soil haul | 0 | 0.00 | 0.00 | 222.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Modernization - Existing Buildings | 0 | 24.00 | 9.00 | 0.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Architectural Coating- Existing Buildings | 1 | 5.00 | 0.00 | 0.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Grading - Two story | 6 | 15.00 | 2.00 | 0.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Grading - Export Haul | 0 | 0.00 | 0.00 | 889.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Utility Trenching - Two story | 1 | 3.00 | 0.00 | 0.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Grading - Import Haul | 0 | 0.00 | 0.00 | 222.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Building Construction - Multi-purpose building | 9 | 7.00 | 3.00 | 0.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Building Construction - Classroom buildings | 9 | 6.00 | 2.00 | 0.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Architectural Coating - classroom buildings | 1 | 1.00 | 0.00 | 0.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Architectural Coating - multipurpose buildings | 1 | 1.00 | 0.00 | 0.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |

## 3.1 Mitigation Measures Construction

Replace Ground Cover

Water Exposed Area

Reduce Vehicle Speed on Unpaved Roads

Clean Paved Roads

## 3.2 Asphalt Demolition - mid play fields - 2020

### Unmitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Fugitive Dust | | | | | 0.0735 | 0.0000 | 0.0735 | 0.0111 | 0.0000 | 0.0111 | | | 0.0000 | | | 0.0000 |
| Off-Road | 3.3121 | 33.2010 | 21.7532 | 0.0388 | | 1.6587 | 1.6587 | | 1.5419 | 1.5419 | | 3,747.7049 | 3,747.7049 | 1.0580 | | 3,774.1536 |
| **Total** | **3.3121** | **33.2010** | **21.7532** | **0.0388** | **0.0735** | **1.6587** | **1.7322** | **0.0111** | **1.5419** | **1.5530** | | **3,747.7049** | **3,747.7049** | **1.0580** | | **3,774.1536** |

### Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 3.0700e-003 | 0.1000 | 0.0233 | 2.7000e-004 | 6.0000e-003 | 3.2000e-004 | 6.3200e-003 | 1.6500e-003 | 3.1000e-004 | 1.9500e-003 | | 28.8734 | 28.8734 | 2.0700e-003 | | 28.9252 |
| Vendor | 7.4400e-003 | 0.2127 | 0.0615 | 5.0000e-004 | 0.0128 | 1.0200e-003 | 0.0138 | 3.6900e-003 | 9.7000e-004 | 4.6600e-003 | | 53.8898 | 53.8898 | 3.6000e-003 | | 53.9799 |
| Worker | 0.0767 | 0.0544 | 0.6015 | 1.6700e-003 | 0.1677 | 1.4000e-003 | 0.1691 | 0.0445 | 1.2900e-003 | 0.0458 | | 166.1131 | 166.1131 | 5.2400e-003 | | 166.2440 |
| **Total** | **0.0872** | **0.3671** | **0.6863** | **2.4400e-003** | **0.1865** | **2.7400e-003** | **0.1892** | **0.0498** | **2.5700e-003** | **0.0524** | | **248.8763** | **248.8763** | **0.0109** | | **249.1490** |

## 3.2 Asphalt Demolition - mid play fields - 2020

### Mitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Fugitive Dust | | | | | 0.0314 | 0.0000 | 0.0314 | 4.7500e-003 | 0.0000 | 4.7500e-003 | | | 0.0000 | | | 0.0000 |
| Off-Road | 3.3121 | 33.2010 | 21.7532 | 0.0388 | | 1.6587 | 1.6587 | | 1.5419 | 1.5419 | 0.0000 | 3,747.7049 | 3,747.7049 | 1.0580 | | 3,774.1536 |
| **Total** | **3.3121** | **33.2010** | **21.7532** | **0.0388** | **0.0314** | **1.6587** | **1.6901** | **4.7500e-003** | **1.5419** | **1.5466** | **0.0000** | **3,747.7049** | **3,747.7049** | **1.0580** | | **3,774.1536** |

### Mitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 3.0700e-003 | 0.1000 | 0.0233 | 2.7000e-004 | 5.5900e-003 | 3.2000e-004 | 5.9100e-003 | 1.5500e-003 | 3.1000e-004 | 1.8500e-003 | | 28.8734 | 28.8734 | 2.0700e-003 | | 28.9252 |
| Vendor | 7.4400e-003 | 0.2127 | 0.0615 | 5.0000e-004 | 0.0120 | 1.0200e-003 | 0.0130 | 3.4800e-003 | 9.7000e-004 | 4.4600e-003 | | 53.8898 | 53.8898 | 3.6000e-003 | | 53.9799 |
| Worker | 0.0767 | 0.0544 | 0.6015 | 1.6700e-003 | 0.1546 | 1.4000e-003 | 0.1560 | 0.0413 | 1.2900e-003 | 0.0425 | | 166.1131 | 166.1131 | 5.2400e-003 | | 166.2440 |
| **Total** | **0.0872** | **0.3671** | **0.6863** | **2.4400e-003** | **0.1721** | **2.7400e-003** | **0.1749** | **0.0463** | **2.5700e-003** | **0.0489** | | **248.8763** | **248.8763** | **0.0109** | | **249.1490** |

## 3.3 Grading - site - 2020

### Unmitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Fugitive Dust | | | | | 6.5523 | 0.0000 | 6.5523 | 3.3675 | 0.0000 | 3.3675 | | | 0.0000 | | | 0.0000 |
| Off-Road | 2.4288 | 26.3859 | 16.0530 | 0.0297 | | 1.2734 | 1.2734 | | 1.1716 | 1.1716 | | 2,872.4851 | 2,872.4851 | 0.9290 | | 2,895.7106 |
| **Total** | **2.4288** | **26.3859** | **16.0530** | **0.0297** | **6.5523** | **1.2734** | **7.8258** | **3.3675** | **1.1716** | **4.5390** | | **2,872.4851** | **2,872.4851** | **0.9290** | | **2,895.7106** |

### Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 7.4400e-003 | 0.2127 | 0.0615 | 5.0000e-004 | 0.0128 | 1.0200e-003 | 0.0138 | 3.6900e-003 | 9.7000e-004 | 4.6600e-003 | | 53.8898 | 53.8898 | 3.6000e-003 | | 53.9799 |
| Worker | 0.0767 | 0.0544 | 0.6015 | 1.6700e-003 | 0.1677 | 1.4000e-003 | 0.1691 | 0.0445 | 1.2900e-003 | 0.0458 | | 166.1131 | 166.1131 | 5.2400e-003 | | 166.2440 |
| **Total** | **0.0841** | **0.2671** | **0.6630** | **2.1700e-003** | **0.1805** | **2.4200e-003** | **0.1829** | **0.0482** | **2.2600e-003** | **0.0504** | | **220.0029** | **220.0029** | **8.8400e-003** | | **220.2239** |

## 3.3 Grading - site - 2020

### Mitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Fugitive Dust | | | | | 2.8011 | 0.0000 | 2.8011 | 1.4396 | 0.0000 | 1.4396 | | | 0.0000 | | | 0.0000 |
| Off-Road | 2.4288 | 26.3859 | 16.0530 | 0.0297 | | 1.2734 | 1.2734 | | 1.1716 | 1.1716 | 0.0000 | 2,872.4851 | 2,872.4851 | 0.9290 | | 2,895.7106 |
| **Total** | **2.4288** | **26.3859** | **16.0530** | **0.0297** | **2.8011** | **1.2734** | **4.0746** | **1.4396** | **1.1716** | **2.6112** | **0.0000** | **2,872.4851** | **2,872.4851** | **0.9290** | | **2,895.7106** |

### Mitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 7.4400e-003 | 0.2127 | 0.0615 | 5.0000e-004 | 0.0120 | 1.0200e-003 | 0.0130 | 3.4800e-003 | 9.7000e-004 | 4.4600e-003 | | 53.8898 | 53.8898 | 3.6000e-003 | | 53.9799 |
| Worker | 0.0767 | 0.0544 | 0.6015 | 1.6700e-003 | 0.1546 | 1.4000e-003 | 0.1560 | 0.0413 | 1.2900e-003 | 0.0425 | | 166.1131 | 166.1131 | 5.2400e-003 | | 166.2440 |
| **Total** | **0.0841** | **0.2671** | **0.6630** | **2.1700e-003** | **0.1665** | **2.4200e-003** | **0.1690** | **0.0447** | **2.2600e-003** | **0.0470** | | **220.0029** | **220.0029** | **8.8400e-003** | | **220.2239** |

## 3.4 Grading - site soil haul - 2020

### Unmitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Fugitive Dust | | | | | 0.0377 | 0.0000 | 0.0377 | 5.7100e-003 | 0.0000 | 5.7100e-003 | | | 0.0000 | | | 0.0000 |
| Off-Road | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| **Total** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0377** | **0.0000** | **0.0377** | **5.7100e-003** | **0.0000** | **5.7100e-003** | | **0.0000** | **0.0000** | **0.0000** | | **0.0000** |

### Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.6621 | 21.5534 | 5.0109 | 0.0574 | 1.2939 | 0.0690 | 1.3628 | 0.3547 | 0.0660 | 0.4206 | | 6,224.0961 | 6,224.0961 | 0.4468 | | 6,235.2648 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Worker | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| **Total** | **0.6621** | **21.5534** | **5.0109** | **0.0574** | **1.2939** | **0.0690** | **1.3628** | **0.3547** | **0.0660** | **0.4206** | | **6,224.0961** | **6,224.0961** | **0.4468** | | **6,235.2648** |

## 3.4 Grading - site soil haul - 2020

### Mitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Fugitive Dust | | | | | 0.0161 | 0.0000 | 0.0161 | 2.4400e-003 | 0.0000 | 2.4400e-003 | | | 0.0000 | | | 0.0000 |
| Off-Road | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| **Total** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0161** | **0.0000** | **0.0161** | **2.4400e-003** | **0.0000** | **2.4400e-003** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | | **0.0000** |

### Mitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.6621 | 21.5534 | 5.0109 | 0.0574 | 1.2058 | 0.0690 | 1.2748 | 0.3331 | 0.0660 | 0.3990 | | 6,224.0961 | 6,224.0961 | 0.4468 | | 6,235.2648 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Worker | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| **Total** | **0.6621** | **21.5534** | **5.0109** | **0.0574** | **1.2058** | **0.0690** | **1.2748** | **0.3331** | **0.0660** | **0.3990** | | **6,224.0961** | **6,224.0961** | **0.4468** | | **6,235.2648** |

## 3.5 Modernization - Existing Buildings - 2020

### Unmitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Off-Road | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| **Total** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | | **0.0000** | **0.0000** | | **0.0000** | **0.0000** | | **0.0000** | **0.0000** | **0.0000** | | **0.0000** |

### Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 0.0335 | 0.9572 | 0.2767 | 2.2700e-003 | 0.0576 | 4.5800e-003 | 0.0622 | 0.0166 | 4.3800e-003 | 0.0210 | | 242.5042 | 242.5042 | 0.0162 | | 242.9096 |
| Worker | 0.1227 | 0.0870 | 0.9624 | 2.6700e-003 | 0.2683 | 2.2400e-003 | 0.2705 | 0.0711 | 2.0700e-003 | 0.0732 | | 265.7809 | 265.7809 | 8.3800e-003 | | 265.9903 |
| **Total** | **0.1561** | **1.0441** | **1.2391** | **4.9400e-003** | **0.3259** | **6.8200e-003** | **0.3327** | **0.0877** | **6.4500e-003** | **0.0942** | | **508.2851** | **508.2851** | **0.0246** | | **508.8999** |

## 3.5 Modernization - Existing Buildings - 2020

**Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Off-Road | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| **Total** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | | **0.0000** | **0.0000** | | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | | **0.0000** |

**Mitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 0.0335 | 0.9572 | 0.2767 | 2.2700e-003 | 0.0539 | 4.5800e-003 | 0.0585 | 0.0157 | 4.3800e-003 | 0.0201 | | 242.5042 | 242.5042 | 0.0162 | | 242.9096 |
| Worker | 0.1227 | 0.0870 | 0.9624 | 2.6700e-003 | 0.2473 | 2.2400e-003 | 0.2495 | 0.0660 | 2.0700e-003 | 0.0681 | | 265.7809 | 265.7809 | 8.3800e-003 | | 265.9903 |
| **Total** | **0.1561** | **1.0441** | **1.2391** | **4.9400e-003** | **0.3012** | **6.8200e-003** | **0.3080** | **0.0817** | **6.4500e-003** | **0.0881** | | **508.2851** | **508.2851** | **0.0246** | | **508.8999** |

## 3.6 Architectural Coating- Existing Buildings - 2020

**Unmitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Archit. Coating | 178.9852 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | | 0.0000 | | | 0.0000 |
| Off-Road | 0.2422 | 1.6838 | 1.8314 | 2.9700e-003 | | 0.1109 | 0.1109 | | 0.1109 | 0.1109 | | 281.4481 | 281.4481 | 0.0218 | | 281.9928 |
| **Total** | **179.2273** | **1.6838** | **1.8314** | **2.9700e-003** | | **0.1109** | **0.1109** | | **0.1109** | **0.1109** | | **281.4481** | **281.4481** | **0.0218** | | **281.9928** |

**Unmitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Worker | 0.0256 | 0.0181 | 0.2005 | 5.6000e-004 | 0.0559 | 4.7000e-004 | 0.0564 | 0.0148 | 4.3000e-004 | 0.0153 | | 55.3710 | 55.3710 | 1.7500e-003 | | 55.4147 |
| **Total** | **0.0256** | **0.0181** | **0.2005** | **5.6000e-004** | **0.0559** | **4.7000e-004** | **0.0564** | **0.0148** | **4.3000e-004** | **0.0153** | | **55.3710** | **55.3710** | **1.7500e-003** | | **55.4147** |

## 3.6 Architectural Coating- Existing Buildings - 2020

**Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Archit. Coating | 178.9852 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | | 0.0000 | | | 0.0000 |
| Off-Road | 0.2422 | 1.6838 | 1.8314 | 2.9700e-003 | | 0.1109 | 0.1109 | | 0.1109 | 0.1109 | 0.0000 | 281.4481 | 281.4481 | 0.0218 | | 281.9928 |
| **Total** | **179.2273** | **1.6838** | **1.8314** | **2.9700e-003** | | **0.1109** | **0.1109** | | **0.1109** | **0.1109** | **0.0000** | **281.4481** | **281.4481** | **0.0218** | | **281.9928** |

**Mitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Worker | 0.0256 | 0.0181 | 0.2005 | 5.6000e-004 | 0.0515 | 4.7000e-004 | 0.0520 | 0.0138 | 4.3000e-004 | 0.0142 | | 55.3710 | 55.3710 | 1.7500e-003 | | 55.4147 |
| **Total** | **0.0256** | **0.0181** | **0.2005** | **5.6000e-004** | **0.0515** | **4.7000e-004** | **0.0520** | **0.0138** | **4.3000e-004** | **0.0142** | | **55.3710** | **55.3710** | **1.7500e-003** | | **55.4147** |

## 3.7 Grading - Two story - 2020

### Unmitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Fugitive Dust | | | | | 6.5523 | 0.0000 | 6.5523 | 3.3675 | 0.0000 | 3.3675 | | | 0.0000 | | | 0.0000 |
| Off-Road | 2.4288 | 26.3859 | 16.0530 | 0.0297 | | 1.2734 | 1.2734 | | 1.1716 | 1.1716 | | 2,872.4851 | 2,872.4851 | 0.9290 | | 2,895.7106 |
| **Total** | **2.4288** | **26.3859** | **16.0530** | **0.0297** | **6.5523** | **1.2734** | **7.8258** | **3.3675** | **1.1716** | **4.5390** | | **2,872.4851** | **2,872.4851** | **0.9290** | | **2,895.7106** |

### Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 7.4400e-003 | 0.2127 | 0.0615 | 5.0000e-004 | 0.0128 | 1.0200e-003 | 0.0138 | 3.6900e-003 | 9.7000e-004 | 4.6600e-003 | | 53.8898 | 53.8898 | 3.6000e-003 | | 53.9799 |
| Worker | 0.0767 | 0.0544 | 0.6015 | 1.6700e-003 | 0.1677 | 1.4000e-003 | 0.1691 | 0.0445 | 1.2900e-003 | 0.0458 | | 166.1131 | 166.1131 | 5.2400e-003 | | 166.2440 |
| **Total** | **0.0841** | **0.2671** | **0.6630** | **2.1700e-003** | **0.1805** | **2.4200e-003** | **0.1829** | **0.0482** | **2.2600e-003** | **0.0504** | | **220.0029** | **220.0029** | **8.8400e-003** | | **220.2239** |

## 3.7 Grading - Two story - 2020

### Mitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Fugitive Dust | | | | | 2.8011 | 0.0000 | 2.8011 | 1.4396 | 0.0000 | 1.4396 | | | 0.0000 | | | 0.0000 |
| Off-Road | 2.4288 | 26.3859 | 16.0530 | 0.0297 | | 1.2734 | 1.2734 | | 1.1716 | 1.1716 | 0.0000 | 2,872.4851 | 2,872.4851 | 0.9290 | | 2,895.7106 |
| **Total** | **2.4288** | **26.3859** | **16.0530** | **0.0297** | **2.8011** | **1.2734** | **4.0746** | **1.4396** | **1.1716** | **2.6112** | **0.0000** | **2,872.4851** | **2,872.4851** | **0.9290** | | **2,895.7106** |

### Mitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 7.4400e-003 | 0.2127 | 0.0615 | 5.0000e-004 | 0.0120 | 1.0200e-003 | 0.0130 | 3.4800e-003 | 9.7000e-004 | 4.4600e-003 | | 53.8898 | 53.8898 | 3.6000e-003 | | 53.9799 |
| Worker | 0.0767 | 0.0544 | 0.6015 | 1.6700e-003 | 0.1546 | 1.4000e-003 | 0.1560 | 0.0413 | 1.2900e-003 | 0.0425 | | 166.1131 | 166.1131 | 5.2400e-003 | | 166.2440 |
| **Total** | **0.0841** | **0.2671** | **0.6630** | **2.1700e-003** | **0.1665** | **2.4200e-003** | **0.1690** | **0.0447** | **2.2600e-003** | **0.0470** | | **220.0029** | **220.0029** | **8.8400e-003** | | **220.2239** |

## 3.8 Grading - Export Haul - 2020

### Unmitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Fugitive Dust | | | | | 0.0377 | 0.0000 | 0.0377 | 5.7100e-003 | 0.0000 | 5.7100e-003 | | | 0.0000 | | | 0.0000 |
| Off-Road | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| **Total** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0377** | **0.0000** | **0.0377** | **5.7100e-003** | **0.0000** | **5.7100e-003** | | **0.0000** | **0.0000** | **0.0000** | | **0.0000** |

### Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.6628 | 21.5777 | 5.0166 | 0.0575 | 1.2953 | 0.0690 | 1.3643 | 0.3551 | 0.0660 | 0.4211 | | 6,231.1052 | 6,231.1052 | 0.4473 | | 6,242.2865 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Worker | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| **Total** | **0.6628** | **21.5777** | **5.0166** | **0.0575** | **1.2953** | **0.0690** | **1.3643** | **0.3551** | **0.0660** | **0.4211** | | **6,231.1052** | **6,231.1052** | **0.4473** | | **6,242.2865** |

## 3.8 Grading - Export Haul - 2020

### Mitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Fugitive Dust | | | | | 0.0161 | 0.0000 | 0.0161 | 2.4400e-003 | 0.0000 | 2.4400e-003 | | | 0.0000 | | | 0.0000 |
| Off-Road | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| **Total** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0161** | **0.0000** | **0.0161** | **2.4400e-003** | **0.0000** | **2.4400e-003** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | | **0.0000** |

### Mitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.6628 | 21.5777 | 5.0166 | 0.0575 | 1.2072 | 0.0690 | 1.2762 | 0.3334 | 0.0660 | 0.3995 | | 6,231.1052 | 6,231.1052 | 0.4473 | | 6,242.2865 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Worker | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| **Total** | **0.6628** | **21.5777** | **5.0166** | **0.0575** | **1.2072** | **0.0690** | **1.2762** | **0.3334** | **0.0660** | **0.3995** | | **6,231.1052** | **6,231.1052** | **0.4473** | | **6,242.2865** |

## 3.9 Utility Trenching - Two story - 2020

### Unmitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Off-Road | 0.2450 | 2.4126 | 3.2678 | 5.1700e-003 | | 0.1169 | 0.1169 | | 0.1075 | 0.1075 | | 500.1184 | 500.1184 | 0.1618 | | 504.1621 |
| **Total** | **0.2450** | **2.4126** | **3.2678** | **5.1700e-003** | | **0.1169** | **0.1169** | | **0.1075** | **0.1075** | | **500.1184** | **500.1184** | **0.1618** | | **504.1621** |

### Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Worker | 0.0153 | 0.0109 | 0.1203 | 3.3000e-004 | 0.0335 | 2.8000e-004 | 0.0338 | 8.8900e-003 | 2.6000e-004 | 9.1500e-003 | | 33.2226 | 33.2226 | 1.0500e-003 | | 33.2488 |
| **Total** | **0.0153** | **0.0109** | **0.1203** | **3.3000e-004** | **0.0335** | **2.8000e-004** | **0.0338** | **8.8900e-003** | **2.6000e-004** | **9.1500e-003** | | **33.2226** | **33.2226** | **1.0500e-003** | | **33.2488** |

## 3.9 Utility Trenching - Two story - 2020

**Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Off-Road | 0.2450 | 2.4126 | 3.2678 | 5.1700e-003 | | 0.1169 | 0.1169 | | 0.1075 | 0.1075 | 0.0000 | 500.1184 | 500.1184 | 0.1618 | | 504.1621 |
| **Total** | **0.2450** | **2.4126** | **3.2678** | **5.1700e-003** | | **0.1169** | **0.1169** | | **0.1075** | **0.1075** | **0.0000** | **500.1184** | **500.1184** | **0.1618** | | **504.1621** |

**Mitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Worker | 0.0153 | 0.0109 | 0.1203 | 3.3000e-004 | 0.0309 | 2.8000e-004 | 0.0312 | 8.2500e-003 | 2.6000e-004 | 8.5100e-003 | | 33.2226 | 33.2226 | 1.0500e-003 | | 33.2488 |
| **Total** | **0.0153** | **0.0109** | **0.1203** | **3.3000e-004** | **0.0309** | **2.8000e-004** | **0.0312** | **8.2500e-003** | **2.6000e-004** | **8.5100e-003** | | **33.2226** | **33.2226** | **1.0500e-003** | | **33.2488** |

## 3.10 Grading - Import Haul - 2020

### Unmitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Fugitive Dust | | | | | 0.0377 | 0.0000 | 0.0377 | 5.7100e-003 | 0.0000 | 5.7100e-003 | | | 0.0000 | | | 0.0000 |
| Off-Road | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| **Total** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0377** | **0.0000** | **0.0377** | **5.7100e-003** | **0.0000** | **5.7100e-003** | | **0.0000** | **0.0000** | **0.0000** | | **0.0000** |

### Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.6621 | 21.5534 | 5.0109 | 0.0574 | 1.2939 | 0.0690 | 1.3628 | 0.3547 | 0.0660 | 0.4206 | | 6,224.0961 | 6,224.0961 | 0.4468 | | 6,235.2648 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Worker | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| **Total** | **0.6621** | **21.5534** | **5.0109** | **0.0574** | **1.2939** | **0.0690** | **1.3628** | **0.3547** | **0.0660** | **0.4206** | | **6,224.0961** | **6,224.0961** | **0.4468** | | **6,235.2648** |

## 3.10 Grading - Import Haul - 2020

### Mitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Fugitive Dust | | | | | 0.0161 | 0.0000 | 0.0161 | 2.4400e-003 | 0.0000 | 2.4400e-003 | | | 0.0000 | | | 0.0000 |
| Off-Road | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| **Total** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0161** | **0.0000** | **0.0161** | **2.4400e-003** | **0.0000** | **2.4400e-003** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | | **0.0000** |

### Mitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.6621 | 21.5534 | 5.0109 | 0.0574 | 1.2058 | 0.0690 | 1.2748 | 0.3331 | 0.0660 | 0.3990 | | 6,224.0961 | 6,224.0961 | 0.4468 | | 6,235.2648 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Worker | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| **Total** | **0.6621** | **21.5534** | **5.0109** | **0.0574** | **1.2058** | **0.0690** | **1.2748** | **0.3331** | **0.0660** | **0.3990** | | **6,224.0961** | **6,224.0961** | **0.4468** | | **6,235.2648** |

## 3.11 Building Construction - Multi-purpose building - 2020

**Unmitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Off-Road | 2.1198 | 19.1860 | 16.8485 | 0.0269 | | 1.1171 | 1.1171 | | 1.0503 | 1.0503 | | 2,553.0631 | 2,553.0631 | 0.6229 | | 2,568.6345 |
| **Total** | **2.1198** | **19.1860** | **16.8485** | **0.0269** | | **1.1171** | **1.1171** | | **1.0503** | **1.0503** | | **2,553.0631** | **2,553.0631** | **0.6229** | | **2,568.6345** |

**Unmitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 0.0112 | 0.3191 | 0.0922 | 7.6000e-004 | 0.0192 | 1.5300e-003 | 0.0207 | 5.5300e-003 | 1.4600e-003 | 6.9900e-003 | | 80.8347 | 80.8347 | 5.4100e-003 | | 80.9699 |
| Worker | 0.0358 | 0.0254 | 0.2807 | 7.8000e-004 | 0.0782 | 6.5000e-004 | 0.0789 | 0.0208 | 6.0000e-004 | 0.0214 | | 77.5194 | 77.5194 | 2.4400e-003 | | 77.5805 |
| **Total** | **0.0469** | **0.3444** | **0.3729** | **1.5400e-003** | **0.0975** | **2.1800e-003** | **0.0996** | **0.0263** | **2.0600e-003** | **0.0283** | | **158.3542** | **158.3542** | **7.8500e-003** | | **158.5504** |

## 3.11 Building Construction - Multi-purpose building - 2020

**Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Off-Road | 2.1198 | 19.1860 | 16.8485 | 0.0269 | | 1.1171 | 1.1171 | | 1.0503 | 1.0503 | 0.0000 | 2,553.0631 | 2,553.0631 | 0.6229 | | 2,568.6345 |
| **Total** | **2.1198** | **19.1860** | **16.8485** | **0.0269** | | **1.1171** | **1.1171** | | **1.0503** | **1.0503** | **0.0000** | **2,553.0631** | **2,553.0631** | **0.6229** | | **2,568.6345** |

**Mitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 0.0112 | 0.3191 | 0.0922 | 7.6000e-004 | 0.0180 | 1.5300e-003 | 0.0195 | 5.2300e-003 | 1.4600e-003 | 6.6900e-003 | | 80.8347 | 80.8347 | 5.4100e-003 | | 80.9699 |
| Worker | 0.0358 | 0.0254 | 0.2807 | 7.8000e-004 | 0.0721 | 6.5000e-004 | 0.0728 | 0.0193 | 6.0000e-004 | 0.0199 | | 77.5194 | 77.5194 | 2.4400e-003 | | 77.5805 |
| **Total** | **0.0469** | **0.3444** | **0.3729** | **1.5400e-003** | **0.0901** | **2.1800e-003** | **0.0923** | **0.0245** | **2.0600e-003** | **0.0265** | | **158.3542** | **158.3542** | **7.8500e-003** | | **158.5504** |

## 3.11 Building Construction - Multi-purpose building - 2021

**Unmitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Off-Road | 1.9009 | 17.4321 | 16.5752 | 0.0269 | | 0.9586 | 0.9586 | | 0.9013 | 0.9013 | | 2,553.3639 | 2,553.3639 | 0.6160 | | 2,568.7643 |
| **Total** | **1.9009** | **17.4321** | **16.5752** | **0.0269** | | **0.9586** | **0.9586** | | **0.9013** | **0.9013** | | **2,553.3639** | **2,553.3639** | **0.6160** | | **2,568.7643** |

**Unmitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 9.5700e-003 | 0.2907 | 0.0842 | 7.5000e-004 | 0.0192 | 6.1000e-004 | 0.0198 | 5.5300e-003 | 5.9000e-004 | 6.1200e-003 | | 80.2037 | 80.2037 | 5.1800e-003 | | 80.3331 |
| Worker | 0.0334 | 0.0228 | 0.2578 | 7.5000e-004 | 0.0782 | 6.3000e-004 | 0.0789 | 0.0208 | 5.8000e-004 | 0.0213 | | 75.0576 | 75.0576 | 2.2100e-003 | | 75.1128 |
| **Total** | **0.0430** | **0.3135** | **0.3420** | **1.5000e-003** | **0.0975** | **1.2400e-003** | **0.0987** | **0.0263** | **1.1700e-003** | **0.0275** | | **155.2612** | **155.2612** | **7.3900e-003** | | **155.4459** |

## 3.11 Building Construction - Multi-purpose building - 2021

**Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Off-Road | 1.9009 | 17.4321 | 16.5752 | 0.0269 | | 0.9586 | 0.9586 | | 0.9013 | 0.9013 | 0.0000 | 2,553.3639 | 2,553.3639 | 0.6160 | | 2,568.7643 |
| **Total** | **1.9009** | **17.4321** | **16.5752** | **0.0269** | | **0.9586** | **0.9586** | | **0.9013** | **0.9013** | **0.0000** | **2,553.3639** | **2,553.3639** | **0.6160** | | **2,568.7643** |

**Mitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 9.5700e-003 | 0.2907 | 0.0842 | 7.5000e-004 | 0.0180 | 6.1000e-004 | 0.0186 | 5.2300e-003 | 5.9000e-004 | 5.8200e-003 | | 80.2037 | 80.2037 | 5.1800e-003 | | 80.3331 |
| Worker | 0.0334 | 0.0228 | 0.2578 | 7.5000e-004 | 0.0721 | 6.3000e-004 | 0.0728 | 0.0193 | 5.8000e-004 | 0.0198 | | 75.0576 | 75.0576 | 2.2100e-003 | | 75.1128 |
| **Total** | **0.0430** | **0.3135** | **0.3420** | **1.5000e-003** | **0.0901** | **1.2400e-003** | **0.0913** | **0.0245** | **1.1700e-003** | **0.0257** | | **155.2612** | **155.2612** | **7.3900e-003** | | **155.4459** |

## 3.11 Building Construction - Multi-purpose building - 2022

**Unmitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Off-Road | 1.7062 | 15.6156 | 16.3634 | 0.0269 | | 0.8090 | 0.8090 | | 0.7612 | 0.7612 | | 2,554.3336 | 2,554.3336 | 0.6120 | | 2,569.6322 |
| **Total** | **1.7062** | **15.6156** | **16.3634** | **0.0269** | | **0.8090** | **0.8090** | | **0.7612** | **0.7612** | | **2,554.3336** | **2,554.3336** | **0.6120** | | **2,569.6322** |

**Unmitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 8.9900e-003 | 0.2762 | 0.0797 | 7.4000e-004 | 0.0192 | 5.4000e-004 | 0.0197 | 5.5300e-003 | 5.1000e-004 | 6.0400e-003 | | 79.4911 | 79.4911 | 5.0000e-003 | | 79.6160 |
| Worker | 0.0314 | 0.0206 | 0.2374 | 7.3000e-004 | 0.0782 | 6.1000e-004 | 0.0789 | 0.0208 | 5.6000e-004 | 0.0213 | | 72.4199 | 72.4199 | 1.9900e-003 | | 72.4697 |
| **Total** | **0.0403** | **0.2969** | **0.3172** | **1.4700e-003** | **0.0975** | **1.1500e-003** | **0.0986** | **0.0263** | **1.0700e-003** | **0.0274** | | **151.9109** | **151.9109** | **6.9900e-003** | | **152.0857** |

## 3.11 Building Construction - Multi-purpose building - 2022

**Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Off-Road | 1.7062 | 15.6156 | 16.3634 | 0.0269 | | 0.8090 | 0.8090 | | 0.7612 | 0.7612 | 0.0000 | 2,554.3336 | 2,554.3336 | 0.6120 | | 2,569.6322 |
| **Total** | **1.7062** | **15.6156** | **16.3634** | **0.0269** | | **0.8090** | **0.8090** | | **0.7612** | **0.7612** | **0.0000** | **2,554.3336** | **2,554.3336** | **0.6120** | | **2,569.6322** |

**Mitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 8.9900e-003 | 0.2762 | 0.0797 | 7.4000e-004 | 0.0180 | 5.4000e-004 | 0.0185 | 5.2300e-003 | 5.1000e-004 | 5.7400e-003 | | 79.4911 | 79.4911 | 5.0000e-003 | | 79.6160 |
| Worker | 0.0314 | 0.0206 | 0.2374 | 7.3000e-004 | 0.0721 | 6.1000e-004 | 0.0727 | 0.0193 | 5.6000e-004 | 0.0198 | | 72.4199 | 72.4199 | 1.9900e-003 | | 72.4697 |
| **Total** | **0.0403** | **0.2969** | **0.3172** | **1.4700e-003** | **0.0901** | **1.1500e-003** | **0.0912** | **0.0245** | **1.0700e-003** | **0.0256** | | **151.9109** | **151.9109** | **6.9900e-003** | | **152.0857** |

## 3.12 Building Construction - Classroom buildings - 2020

**Unmitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Off-Road | 2.1198 | 19.1860 | 16.8485 | 0.0269 | | 1.1171 | 1.1171 | | 1.0503 | 1.0503 | | 2,553.0631 | 2,553.0631 | 0.6229 | | 2,568.6345 |
| **Total** | **2.1198** | **19.1860** | **16.8485** | **0.0269** | | **1.1171** | **1.1171** | | **1.0503** | **1.0503** | | **2,553.0631** | **2,553.0631** | **0.6229** | | **2,568.6345** |

**Unmitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 7.4400e-003 | 0.2127 | 0.0615 | 5.0000e-004 | 0.0128 | 1.0200e-003 | 0.0138 | 3.6900e-003 | 9.7000e-004 | 4.6600e-003 | | 53.8898 | 53.8898 | 3.6000e-003 | | 53.9799 |
| Worker | 0.0307 | 0.0218 | 0.2406 | 6.7000e-004 | 0.0671 | 5.6000e-004 | 0.0676 | 0.0178 | 5.2000e-004 | 0.0183 | | 66.4452 | 66.4452 | 2.0900e-003 | | 66.4976 |
| **Total** | **0.0381** | **0.2345** | **0.3021** | **1.1700e-003** | **0.0799** | **1.5800e-003** | **0.0815** | **0.0215** | **1.4900e-003** | **0.0230** | | **120.3350** | **120.3350** | **5.6900e-003** | | **120.4775** |

## 3.12 Building Construction - Classroom buildings - 2020

**Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Off-Road | 2.1198 | 19.1860 | 16.8485 | 0.0269 | | 1.1171 | 1.1171 | | 1.0503 | 1.0503 | 0.0000 | 2,553.0631 | 2,553.0631 | 0.6229 | | 2,568.6345 |
| **Total** | **2.1198** | **19.1860** | **16.8485** | **0.0269** | | **1.1171** | **1.1171** | | **1.0503** | **1.0503** | **0.0000** | **2,553.0631** | **2,553.0631** | **0.6229** | | **2,568.6345** |

**Mitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 7.4400e-003 | 0.2127 | 0.0615 | 5.0000e-004 | 0.0120 | 1.0200e-003 | 0.0130 | 3.4800e-003 | 9.7000e-004 | 4.4600e-003 | | 53.8898 | 53.8898 | 3.6000e-003 | | 53.9799 |
| Worker | 0.0307 | 0.0218 | 0.2406 | 6.7000e-004 | 0.0618 | 5.6000e-004 | 0.0624 | 0.0165 | 5.2000e-004 | 0.0170 | | 66.4452 | 66.4452 | 2.0900e-003 | | 66.4976 |
| **Total** | **0.0381** | **0.2345** | **0.3021** | **1.1700e-003** | **0.0738** | **1.5800e-003** | **0.0754** | **0.0200** | **1.4900e-003** | **0.0215** | | **120.3350** | **120.3350** | **5.6900e-003** | | **120.4775** |

## 3.12 Building Construction - Classroom buildings - 2021

**Unmitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Off-Road | 1.9009 | 17.4321 | 16.5752 | 0.0269 | | 0.9586 | 0.9586 | | 0.9013 | 0.9013 | | 2,553.3639 | 2,553.3639 | 0.6160 | | 2,568.7643 |
| **Total** | **1.9009** | **17.4321** | **16.5752** | **0.0269** | | **0.9586** | **0.9586** | | **0.9013** | **0.9013** | | **2,553.3639** | **2,553.3639** | **0.6160** | | **2,568.7643** |

**Unmitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 6.3800e-003 | 0.1938 | 0.0562 | 5.0000e-004 | 0.0128 | 4.1000e-004 | 0.0132 | 3.6900e-003 | 3.9000e-004 | 4.0800e-003 | | 53.4691 | 53.4691 | 3.4500e-003 | | 53.5554 |
| Worker | 0.0286 | 0.0196 | 0.2210 | 6.5000e-004 | 0.0671 | 5.4000e-004 | 0.0676 | 0.0178 | 5.0000e-004 | 0.0183 | | 64.3351 | 64.3351 | 1.8900e-003 | | 64.3824 |
| **Total** | **0.0350** | **0.2134** | **0.2771** | **1.1500e-003** | **0.0799** | **9.5000e-004** | **0.0808** | **0.0215** | **8.9000e-004** | **0.0224** | | **117.8042** | **117.8042** | **5.3400e-003** | | **117.9378** |

## 3.12 Building Construction - Classroom buildings - 2021

**Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Off-Road | 1.9009 | 17.4321 | 16.5752 | 0.0269 | | 0.9586 | 0.9586 | | 0.9013 | 0.9013 | 0.0000 | 2,553.3639 | 2,553.3639 | 0.6160 | | 2,568.7643 |
| **Total** | **1.9009** | **17.4321** | **16.5752** | **0.0269** | | **0.9586** | **0.9586** | | **0.9013** | **0.9013** | **0.0000** | **2,553.3639** | **2,553.3639** | **0.6160** | | **2,568.7643** |

**Mitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 6.3800e-003 | 0.1938 | 0.0562 | 5.0000e-004 | 0.0120 | 4.1000e-004 | 0.0124 | 3.4900e-003 | 3.9000e-004 | 3.8800e-003 | | 53.4691 | 53.4691 | 3.4500e-003 | | 53.5554 |
| Worker | 0.0286 | 0.0196 | 0.2210 | 6.5000e-004 | 0.0618 | 5.4000e-004 | 0.0624 | 0.0165 | 5.0000e-004 | 0.0170 | | 64.3351 | 64.3351 | 1.8900e-003 | | 64.3824 |
| **Total** | **0.0350** | **0.2134** | **0.2771** | **1.1500e-003** | **0.0738** | **9.5000e-004** | **0.0748** | **0.0200** | **8.9000e-004** | **0.0209** | | **117.8042** | **117.8042** | **5.3400e-003** | | **117.9378** |

## 3.13 Architectural Coating - classroom buildings - 2021

### Unmitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Archit. Coating | 12.3821 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | | 0.0000 | | | 0.0000 |
| Off-Road | 0.2189 | 1.5268 | 1.8176 | 2.9700e-003 | | 0.0941 | 0.0941 | | 0.0941 | 0.0941 | | 281.4481 | 281.4481 | 0.0193 | | 281.9309 |
| **Total** | **12.6010** | **1.5268** | **1.8176** | **2.9700e-003** | | **0.0941** | **0.0941** | | **0.0941** | **0.0941** | | **281.4481** | **281.4481** | **0.0193** | | **281.9309** |

### Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Worker | 4.7700e-003 | 3.2600e-003 | 0.0368 | 1.1000e-004 | 0.0112 | 9.0000e-005 | 0.0113 | 2.9600e-003 | 8.0000e-005 | 3.0500e-003 | | 10.7225 | 10.7225 | 3.2000e-004 | | 10.7304 |
| **Total** | **4.7700e-003** | **3.2600e-003** | **0.0368** | **1.1000e-004** | **0.0112** | **9.0000e-005** | **0.0113** | **2.9600e-003** | **8.0000e-005** | **3.0500e-003** | | **10.7225** | **10.7225** | **3.2000e-004** | | **10.7304** |

## 3.13 Architectural Coating - classroom buildings - 2021

**Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Archit. Coating | 12.3821 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | | 0.0000 | | | 0.0000 |
| Off-Road | 0.2189 | 1.5268 | 1.8176 | 2.9700e-003 | | 0.0941 | 0.0941 | | 0.0941 | 0.0941 | 0.0000 | 281.4481 | 281.4481 | 0.0193 | | 281.9309 |
| **Total** | **12.6010** | **1.5268** | **1.8176** | **2.9700e-003** | | **0.0941** | **0.0941** | | **0.0941** | **0.0941** | **0.0000** | **281.4481** | **281.4481** | **0.0193** | | **281.9309** |

**Mitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Worker | 4.7700e-003 | 3.2600e-003 | 0.0368 | 1.1000e-004 | 0.0103 | 9.0000e-005 | 0.0104 | 2.7500e-003 | 8.0000e-005 | 2.8300e-003 | | 10.7225 | 10.7225 | 3.2000e-004 | | 10.7304 |
| **Total** | **4.7700e-003** | **3.2600e-003** | **0.0368** | **1.1000e-004** | **0.0103** | **9.0000e-005** | **0.0104** | **2.7500e-003** | **8.0000e-005** | **2.8300e-003** | | **10.7225** | **10.7225** | **3.2000e-004** | | **10.7304** |

## 3.14 Architectural Coating - multipurpose buildings - 2022

**Unmitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Archit. Coating | 4.0671 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | | 0.0000 | | | 0.0000 |
| Off-Road | 0.2045 | 1.4085 | 1.8136 | 2.9700e-003 | | 0.0817 | 0.0817 | | 0.0817 | 0.0817 | | 281.4481 | 281.4481 | 0.0183 | | 281.9062 |
| **Total** | **4.2716** | **1.4085** | **1.8136** | **2.9700e-003** | | **0.0817** | **0.0817** | | **0.0817** | **0.0817** | | **281.4481** | **281.4481** | **0.0183** | | **281.9062** |

**Unmitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Worker | 4.4800e-003 | 2.9500e-003 | 0.0339 | 1.0000e-004 | 0.0112 | 9.0000e-005 | 0.0113 | 2.9600e-003 | 8.0000e-005 | 3.0400e-003 | | 10.3457 | 10.3457 | 2.8000e-004 | | 10.3528 |
| **Total** | **4.4800e-003** | **2.9500e-003** | **0.0339** | **1.0000e-004** | **0.0112** | **9.0000e-005** | **0.0113** | **2.9600e-003** | **8.0000e-005** | **3.0400e-003** | | **10.3457** | **10.3457** | **2.8000e-004** | | **10.3528** |

## 3.14 Architectural Coating - multipurpose buildings - 2022

**Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Archit. Coating | 4.0671 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | | 0.0000 | | | 0.0000 |
| Off-Road | 0.2045 | 1.4085 | 1.8136 | 2.9700e-003 | | 0.0817 | 0.0817 | | 0.0817 | 0.0817 | 0.0000 | 281.4481 | 281.4481 | 0.0183 | | 281.9062 |
| **Total** | **4.2716** | **1.4085** | **1.8136** | **2.9700e-003** | | **0.0817** | **0.0817** | | **0.0817** | **0.0817** | **0.0000** | **281.4481** | **281.4481** | **0.0183** | | **281.9062** |

**Mitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Worker | 4.4800e-003 | 2.9500e-003 | 0.0339 | 1.0000e-004 | 0.0103 | 9.0000e-005 | 0.0104 | 2.7500e-003 | 8.0000e-005 | 2.8300e-003 | | 10.3457 | 10.3457 | 2.8000e-004 | | 10.3528 |
| **Total** | **4.4800e-003** | **2.9500e-003** | **0.0339** | **1.0000e-004** | **0.0103** | **9.0000e-005** | **0.0104** | **2.7500e-003** | **8.0000e-005** | **2.8300e-003** | | **10.3457** | **10.3457** | **2.8000e-004** | | **10.3528** |

## 4.0 Operational Detail - Mobile

## 4.1 Mitigation Measures Mobile

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Mitigated | 0.7596 | 3.3355 | 10.2772 | 0.0393 | 3.4715 | 0.0302 | 3.5017 | 0.9290 | 0.0281 | 0.9571 | | 3,999.7522 | 3,999.7522 | 0.1986 | | 4,004.7164 |
| Unmitigated | 0.7596 | 3.3355 | 10.2772 | 0.0393 | 3.4715 | 0.0302 | 3.5017 | 0.9290 | 0.0281 | 0.9571 | | 3,999.7522 | 3,999.7522 | 0.1986 | | 4,004.7164 |

## 4.2 Trip Summary Information

| | Average Daily Trip Rate | | | Unmitigated | Mitigated |
|---|---|---|---|---|---|
| Land Use | Weekday | Saturday | Sunday | Annual VMT | Annual VMT |
| Elementary School | 473.70 | 0.00 | 0.00 | 1,166,111 | 1,166,111 |
| Other Asphalt Surfaces | 0.00 | 0.00 | 0.00 | | |
| Other Non-Asphalt Surfaces | 0.00 | 0.00 | 0.00 | | |
| Parking Lot | 0.00 | 0.00 | 0.00 | | |
| Total | 473.70 | 0.00 | 0.00 | 1,166,111 | 1,166,111 |

## 4.3 Trip Type Information

| | Miles | | | Trip % | | | Trip Purpose % | | |
|---|---|---|---|---|---|---|---|---|---|
| Land Use | H-W or C-W | H-S or C-C | H-O or C-NW | H-W or C-W | H-S or C-C | H-O or C-NW | Primary | Diverted | Pass-by |
| Elementary School | 16.60 | 8.40 | 6.90 | 65.00 | 30.00 | 5.00 | 63 | 25 | 12 |
| Other Asphalt Surfaces | 16.60 | 8.40 | 6.90 | 0.00 | 0.00 | 0.00 | 0 | 0 | 0 |
| Other Non-Asphalt Surfaces | 16.60 | 8.40 | 6.90 | 0.00 | 0.00 | 0.00 | 0 | 0 | 0 |
| Parking Lot | 16.60 | 8.40 | 6.90 | 0.00 | 0.00 | 0.00 | 0 | 0 | 0 |

### 4.4 Fleet Mix

| Land Use | LDA | LDT1 | LDT2 | MDV | LHD1 | LHD2 | MHD | HHD | OBUS | UBUS | MCY | SBUS | MH |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Elementary School | 0.545842 | 0.044768 | 0.205288 | 0.119317 | 0.015350 | 0.006227 | 0.020460 | 0.031333 | 0.002546 | 0.002133 | 0.005184 | 0.000692 | 0.000862 |
| Other Asphalt Surfaces | 0.545842 | 0.044768 | 0.205288 | 0.119317 | 0.015350 | 0.006227 | 0.020460 | 0.031333 | 0.002546 | 0.002133 | 0.005184 | 0.000692 | 0.000862 |
| Other Non-Asphalt Surfaces | 0.545842 | 0.044768 | 0.205288 | 0.119317 | 0.015350 | 0.006227 | 0.020460 | 0.031333 | 0.002546 | 0.002133 | 0.005184 | 0.000692 | 0.000862 |
| Parking Lot | 0.545842 | 0.044768 | 0.205288 | 0.119317 | 0.015350 | 0.006227 | 0.020460 | 0.031333 | 0.002546 | 0.002133 | 0.005184 | 0.000692 | 0.000862 |

## 5.0 Energy Detail

Historical Energy Use: N

### 5.1 Mitigation Measures Energy

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| NaturalGas Mitigated | 0.0107 | 0.0976 | 0.0820 | 5.9000e-004 | | 7.4200e-003 | 7.4200e-003 | | 7.4200e-003 | 7.4200e-003 | | 117.1597 | 117.1597 | 2.2500e-003 | 2.1500e-003 | 117.8559 |
| NaturalGas Unmitigated | 0.0107 | 0.0976 | 0.0820 | 5.9000e-004 | | 7.4200e-003 | 7.4200e-003 | | 7.4200e-003 | 7.4200e-003 | | 117.1597 | 117.1597 | 2.2500e-003 | 2.1500e-003 | 117.8559 |

## 5.2 Energy by Land Use - NaturalGas

**Unmitigated**

| | NaturalGas Use | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Land Use | kBTU/yr | lb/day | | | | | | | | | | lb/day | | | | | |
| Elementary School | 995.858 | 0.0107 | 0.0976 | 0.0820 | 5.9000e-004 | | 7.4200e-003 | 7.4200e-003 | | 7.4200e-003 | 7.4200e-003 | | 117.1597 | 117.1597 | 2.2500e-003 | 2.1500e-003 | 117.8559 |
| Other Asphalt Surfaces | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Other Non-Asphalt Surfaces | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Parking Lot | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| **Total** | | **0.0107** | **0.0976** | **0.0820** | **5.9000e-004** | | **7.4200e-003** | **7.4200e-003** | | **7.4200e-003** | **7.4200e-003** | | **117.1597** | **117.1597** | **2.2500e-003** | **2.1500e-003** | **117.8559** |

## 5.2 Energy by Land Use - NaturalGas

**Mitigated**

| | NaturalGas Use | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Land Use | kBTU/yr | lb/day | | | | | | | | | | lb/day | | | | | |
| Elementary School | 0.995858 | 0.0107 | 0.0976 | 0.0820 | 5.9000e-004 | | 7.4200e-003 | 7.4200e-003 | | 7.4200e-003 | 7.4200e-003 | | 117.1597 | 117.1597 | 2.2500e-003 | 2.1500e-003 | 117.8559 |
| Other Asphalt Surfaces | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Other Non-Asphalt Surfaces | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Parking Lot | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| **Total** | | **0.0107** | **0.0976** | **0.0820** | **5.9000e-004** | | **7.4200e-003** | **7.4200e-003** | | **7.4200e-003** | **7.4200e-003** | | **117.1597** | **117.1597** | **2.2500e-003** | **2.1500e-003** | **117.8559** |

# 6.0 Area Detail

## 6.1 Mitigation Measures Area

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Mitigated | 0.7439 | 5.0000e-005 | 5.2000e-003 | 0.0000 | | 2.0000e-005 | 2.0000e-005 | | 2.0000e-005 | 2.0000e-005 | | 0.0112 | 0.0112 | 3.0000e-005 | | 0.0119 |
| Unmitigated | 0.7439 | 5.0000e-005 | 5.2000e-003 | 0.0000 | | 2.0000e-005 | 2.0000e-005 | | 2.0000e-005 | 2.0000e-005 | | 0.0112 | 0.0112 | 3.0000e-005 | | 0.0119 |

## 6.2 Area by SubCategory

**Unmitigated**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SubCategory | lb/day | | | | | | | | | | lb/day | | | | | |
| Architectural Coating | 0.0882 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | | 0.0000 | | | 0.0000 |
| Consumer Products | 0.6553 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | | 0.0000 | | | 0.0000 |
| Landscaping | 4.8000e-004 | 5.0000e-005 | 5.2000e-003 | 0.0000 | | 2.0000e-005 | 2.0000e-005 | | 2.0000e-005 | 2.0000e-005 | | 0.0112 | 0.0112 | 3.0000e-005 | | 0.0119 |
| **Total** | **0.7439** | **5.0000e-005** | **5.2000e-003** | **0.0000** | | **2.0000e-005** | **2.0000e-005** | | **2.0000e-005** | **2.0000e-005** | | **0.0112** | **0.0112** | **3.0000e-005** | | **0.0119** |

## 6.2 Area by SubCategory

**Mitigated**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SubCategory | lb/day | | | | | | | | | | lb/day | | | | | |
| Architectural Coating | 0.0882 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | | 0.0000 | | | 0.0000 |
| Consumer Products | 0.6553 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | | 0.0000 | | | 0.0000 |
| Landscaping | 4.8000e-004 | 5.0000e-005 | 5.2000e-003 | 0.0000 | | 2.0000e-005 | 2.0000e-005 | | 2.0000e-005 | 2.0000e-005 | | 0.0112 | 0.0112 | 3.0000e-005 | | 0.0119 |
| **Total** | **0.7439** | **5.0000e-005** | **5.2000e-003** | **0.0000** | | **2.0000e-005** | **2.0000e-005** | | **2.0000e-005** | **2.0000e-005** | | **0.0112** | **0.0112** | **3.0000e-005** | | **0.0119** |

# 7.0 Water Detail

## 7.1 Mitigation Measures Water

# 8.0 Waste Detail

## 8.1 Mitigation Measures Waste

# 9.0 Operational Offroad

| Equipment Type | Number | Hours/Day | Days/Year | Horse Power | Load Factor | Fuel Type |
|---|---|---|---|---|---|---|

# 10.0 Stationary Equipment

**Fire Pumps and Emergency Generators**

| Equipment Type | Number | Hours/Day | Hours/Year | Horse Power | Load Factor | Fuel Type |
|---|---|---|---|---|---|---|

**Boilers**

| Equipment Type | Number | Heat Input/Day | Heat Input/Year | Boiler Rating | Fuel Type |
|---|---|---|---|---|---|

**User Defined Equipment**

| Equipment Type | Number |
|---|---|

## 11.0 Vegetation

# MBUS-3.0 Construction Run 2

**Los Angeles-South Coast County, Winter**

## 1.0 Project Characteristics

### 1.1 Land Usage

| Land Uses | Size | Metric | Lot Acreage | Floor Surface Area | Population |
|---|---|---|---|---|---|
| Elementary School | 30.70 | 1000sqft | 3.13 | 30,700.00 | 0 |
| Other Asphalt Surfaces | 0.78 | Acre | 0.78 | 33,976.80 | 0 |
| Other Non-Asphalt Surfaces | 1.89 | Acre | 1.89 | 82,328.40 | 0 |
| Parking Lot | 17.60 | 1000sqft | 0.40 | 17,600.00 | 0 |

### 1.2 Other Project Characteristics

| | | | | | |
|---|---|---|---|---|---|
| **Urbanization** | Urban | **Wind Speed (m/s)** | 2.2 | **Precipitation Freq (Days)** | 33 |
| **Climate Zone** | 8 | | | **Operational Year** | 2023 |
| **Utility Company** | Southern California Edison | | | | |
| **CO2 Intensity (lb/MWhr)** | 702.44 | **CH4 Intensity (lb/MWhr)** | 0.029 | **N2O Intensity (lb/MWhr)** | 0.006 |

### 1.3 User Entered Comments & Non-Default Data

Project Characteristics -

Land Use - data provided by applicant

Construction Phase - see assumptions file

Off-road Equipment - see assumptions file

Off-road Equipment - see assumptions file

Off-road Equipment - dog park reno equiment included with asphalt paving, double equipment assuming installation of playfield separate equipment

Off-road Equipment - assuming ladera and mp don't share equipment

Off-road Equipment - see assumptions file

Off-road Equipment - see assumptions

Off-road Equipment - no additional equipment needed for modernization

Off-road Equipment -

Off-road Equipment - see assumptions file

Trips and VMT - see assumptions

Demolition -

Grading - accounted for in grading-site soil haul

Architectural Coating - see assumptions

Construction Off-road Equipment Mitigation - see assumptions file

| Table Name | Column Name | Default Value | New Value |
|---|---|---|---|
| tblArchitecturalCoating | ConstArea_Nonresidential_Exterior | 15,350.00 | 4,240.00 |
| tblArchitecturalCoating | ConstArea_Nonresidential_Interior | 46,050.00 | 6,360.00 |
| tblArchitecturalCoating | ConstArea_Parking | 8,034.00 | 0.00 |
| tblConstDustMitigation | CleanPavedRoadPercentReduction | 0 | 9 |
| tblConstDustMitigation | WaterUnpavedRoadVehicleSpeed | 0 | 15 |
| tblConstructionPhase | NumDays | 20.00 | 44.00 |
| tblConstructionPhase | NumDays | 230.00 | 67.00 |
| tblConstructionPhase | NumDays | 20.00 | 45.00 |

| | | | |
|---|---|---|---|
| tblConstructionPhase | NumDays | 20.00 | 45.00 |
| tblConstructionPhase | NumDays | 20.00 | 3.00 |
| tblConstructionPhase | NumDays | 20.00 | 44.00 |
| tblConstructionPhase | NumDays | 20.00 | 67.00 |
| tblLandUse | LotAcreage | 0.70 | 3.13 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00 | 2.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 3.00 | 6.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 3.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 2.00 | 4.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 2.00 | 4.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 2.00 | 4.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 2.00 | 4.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 3.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00 | 0.00 |
| tblOffRoadEquipment | UsageHours | 7.00 | 8.00 |
| tblTripsAndVMT | HaulingTripNumber | 119.00 | 120.00 |
| tblTripsAndVMT | HaulingTripNumber | 21.00 | 22.00 |
| tblTripsAndVMT | VendorTripNumber | 0.00 | 4.00 |
| tblTripsAndVMT | VendorTripNumber | 27.00 | 1.00 |
| tblTripsAndVMT | VendorTripNumber | 0.00 | 2.00 |
| tblTripsAndVMT | VendorTripNumber | 0.00 | 2.00 |
| tblTripsAndVMT | WorkerTripNumber | 69.00 | 4.00 |
| tblTripsAndVMT | WorkerTripNumber | 14.00 | 1.00 |

## 2.0 Emissions Summary

## 2.1 Overall Construction (Maximum Daily Emission)

**Unmitigated Construction**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Year | lb/day | | | | | | | | | | lb/day | | | | | |
| 2021 | 22.4820 | 123.1819 | 86.7603 | 0.1632 | 8.1089 | 5.9290 | 14.0379 | 3.7032 | 5.4964 | 9.1996 | 0.0000 | 15,844.3378 | 15,844.3378 | 4.3112 | 0.0000 | 15,952.1186 |
| 2022 | 5.0965 | 48.2277 | 51.3143 | 0.0895 | 0.6173 | 2.3828 | 3.0000 | 0.1518 | 2.2042 | 2.3559 | 0.0000 | 8,668.7489 | 8,668.7489 | 2.4962 | 0.0000 | 8,731.1534 |
| **Maximum** | **22.4820** | **123.1819** | **86.7603** | **0.1632** | **8.1089** | **5.9290** | **14.0379** | **3.7032** | **5.4964** | **9.1996** | **0.0000** | **15,844.3378** | **15,844.3378** | **4.3112** | **0.0000** | **15,952.1186** |

**Mitigated Construction**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Year | lb/day | | | | | | | | | | lb/day | | | | | |
| 2021 | 22.4820 | 123.1819 | 86.7603 | 0.1632 | 3.8946 | 5.9290 | 9.8236 | 1.6990 | 5.4964 | 7.1954 | 0.0000 | 15,844.3378 | 15,844.3378 | 4.3112 | 0.0000 | 15,952.1186 |
| 2022 | 5.0965 | 48.2277 | 51.3143 | 0.0895 | 0.5169 | 2.3828 | 2.8997 | 0.1328 | 2.2042 | 2.3370 | 0.0000 | 8,668.7489 | 8,668.7489 | 2.4962 | 0.0000 | 8,731.1534 |
| **Maximum** | **22.4820** | **123.1819** | **86.7603** | **0.1632** | **3.8946** | **5.9290** | **9.8236** | **1.6990** | **5.4964** | **7.1954** | **0.0000** | **15,844.3378** | **15,844.3378** | **4.3112** | **0.0000** | **15,952.1186** |

| | **ROG** | **NOx** | **CO** | **SO2** | **Fugitive PM10** | **Exhaust PM10** | **PM10 Total** | **Fugitive PM2.5** | **Exhaust PM2.5** | **PM2.5 Total** | **Bio- CO2** | **NBio-CO2** | **Total CO2** | **CH4** | **N20** | **CO2e** |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Percent Reduction** | **0.00** | **0.00** | **0.00** | **0.00** | **49.45** | **0.00** | **25.32** | **52.48** | **0.00** | **17.51** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** |

## 2.2 Overall Operational

### Unmitigated Operational

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Area | 0.7439 | 5.0000e-005 | 5.2000e-003 | 0.0000 | | 2.0000e-005 | 2.0000e-005 | | 2.0000e-005 | 2.0000e-005 | | 0.0112 | 0.0112 | 3.0000e-005 | | 0.0119 |
| Energy | 0.0107 | 0.0976 | 0.0820 | 5.9000e-004 | | 7.4200e-003 | 7.4200e-003 | | 7.4200e-003 | 7.4200e-003 | | 117.1597 | 117.1597 | 2.2500e-003 | 2.1500e-003 | 117.8559 |
| Mobile | 0.7596 | 3.3355 | 10.2772 | 0.0393 | 3.4715 | 0.0302 | 3.5017 | 0.9290 | 0.0281 | 0.9571 | | 3,999.7522 | 3,999.7522 | 0.1986 | | 4,004.7164 |
| **Total** | **1.5143** | **3.4332** | **10.3644** | **0.0398** | **3.4715** | **0.0377** | **3.5092** | **0.9290** | **0.0356** | **0.9645** | | **4,116.9231** | **4,116.9231** | **0.2009** | **2.1500e-003** | **4,122.5843** |

### Mitigated Operational

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Area | 0.7439 | 5.0000e-005 | 5.2000e-003 | 0.0000 | | 2.0000e-005 | 2.0000e-005 | | 2.0000e-005 | 2.0000e-005 | | 0.0112 | 0.0112 | 3.0000e-005 | | 0.0119 |
| Energy | 0.0107 | 0.0976 | 0.0820 | 5.9000e-004 | | 7.4200e-003 | 7.4200e-003 | | 7.4200e-003 | 7.4200e-003 | | 117.1597 | 117.1597 | 2.2500e-003 | 2.1500e-003 | 117.8559 |
| Mobile | 0.7596 | 3.3355 | 10.2772 | 0.0393 | 3.4715 | 0.0302 | 3.5017 | 0.9290 | 0.0281 | 0.9571 | | 3,999.7522 | 3,999.7522 | 0.1986 | | 4,004.7164 |
| **Total** | **1.5143** | **3.4332** | **10.3644** | **0.0398** | **3.4715** | **0.0377** | **3.5092** | **0.9290** | **0.0356** | **0.9645** | | **4,116.9231** | **4,116.9231** | **0.2009** | **2.1500e-003** | **4,122.5843** |

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio-CO2 | Total CO2 | CH4 | N20 | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Percent Reduction** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** |

## 3.0 Construction Detail

### Construction Phase

| Phase Number | Phase Name | Phase Type | Start Date | End Date | Num Days Week | Num Days | Phase Description |
|---|---|---|---|---|---|---|---|
| 1 | Demolition - Ladera/Multipurpose | Demolition | 6/1/2021 | 8/1/2021 | 5 | 44 | |
| 2 | Modernization - kindergarten buildings | Building Construction | 6/1/2021 | 9/1/2021 | 5 | 67 | |
| 3 | Asphalt Demolition - dog park | Demolition | 8/1/2021 | 10/1/2021 | 5 | 45 | |
| 4 | Grading - MPR and dog park | Grading | 8/1/2021 | 10/1/2021 | 5 | 45 | |
| 5 | Utility Trenching - MPR | Trenching | 8/1/2021 | 10/1/2021 | 5 | 45 | |
| 6 | Architectural Coating-Kindergarten Buildings | Architectural Coating | 8/28/2021 | 9/1/2021 | 5 | 3 | |
| 7 | Portable Building Removal | Demolition | 6/1/2022 | 8/1/2022 | 5 | 44 | |
| 8 | Asphalt Paving | Paving | 6/1/2022 | 9/1/2022 | 5 | 67 | |

**Acres of Grading (Site Preparation Phase): 0**

**Acres of Grading (Grading Phase): 0**

**Acres of Paving: 3.07**

**Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 6,360; Non-Residential Outdoor: 4,240; Striped Parking Area: 0 (Architectural Coating – sqft)**

### OffRoad Equipment

| Phase Name | Offroad Equipment Type | Amount | Usage Hours | Horse Power | Load Factor |
|---|---|---|---|---|---|
| Demolition - Ladera/Multipurpose | Concrete/Industrial Saws | 2 | 8.00 | 81 | 0.73 |
| Demolition - Ladera/Multipurpose | Excavators | 6 | 8.00 | 158 | 0.38 |

| | | | | | |
|---|---|---|---|---|---|
| Demolition - Ladera/Multipurpose | Rubber Tired Dozers | 4 | 8.00 | 247 | 0.40 |
| Modernization - kindergarten buildings | Cranes | 0 | 7.00 | 231 | 0.29 |
| Modernization - kindergarten buildings | Forklifts | 0 | 8.00 | 89 | 0.20 |
| Modernization - kindergarten buildings | Generator Sets | 0 | 8.00 | 84 | 0.74 |
| Modernization - kindergarten buildings | Rubber Tired Dozers | 0 | 8.00 | 247 | 0.40 |
| Modernization - kindergarten buildings | Tractors/Loaders/Backhoes | 0 | 8.00 | 97 | 0.37 |
| Modernization - kindergarten buildings | Welders | 0 | 8.00 | 46 | 0.45 |
| Asphalt Demolition - dog park | Concrete/Industrial Saws | 1 | 8.00 | 81 | 0.73 |
| Asphalt Demolition - dog park | Cranes | 0 | 7.00 | 231 | 0.29 |
| Asphalt Demolition - dog park | Excavators | 3 | 8.00 | 158 | 0.38 |
| Asphalt Demolition - dog park | Forklifts | 0 | 8.00 | 89 | 0.20 |
| Asphalt Demolition - dog park | Generator Sets | 0 | 8.00 | 84 | 0.74 |
| Asphalt Demolition - dog park | Rubber Tired Dozers | 2 | 8.00 | 247 | 0.40 |
| Asphalt Demolition - dog park | Tractors/Loaders/Backhoes | 0 | 7.00 | 97 | 0.37 |
| Asphalt Demolition - dog park | Welders | 0 | 8.00 | 46 | 0.45 |
| Grading - MPR and dog park | Air Compressors | 0 | 6.00 | 78 | 0.48 |
| Grading - MPR and dog park | Excavators | 1 | 8.00 | 158 | 0.38 |
| Grading - MPR and dog park | Graders | 1 | 8.00 | 187 | 0.41 |
| Grading - MPR and dog park | Rubber Tired Dozers | 1 | 8.00 | 247 | 0.40 |
| Grading - MPR and dog park | Tractors/Loaders/Backhoes | 3 | 8.00 | 97 | 0.37 |
| Utility Trenching - MPR | Excavators | 1 | 8.00 | 158 | 0.38 |
| Architectural Coating- Kindergarten Buildings | Air Compressors | 1 | 6.00 | 78 | 0.48 |
| Architectural Coating- Kindergarten Buildings | Excavators | 0 | 8.00 | 158 | 0.38 |
| Architectural Coating- Kindergarten Buildings | Graders | 0 | 8.00 | 187 | 0.41 |
| Architectural Coating- Kindergarten Buildings | Rubber Tired Dozers | 0 | 8.00 | 247 | 0.40 |
| Architectural Coating- Kindergarten Buildings | Tractors/Loaders/Backhoes | 0 | 8.00 | 97 | 0.37 |

| | | | | | |
|---|---|---|---|---|---|
| Portable Building Removal | Concrete/Industrial Saws | 1 | 8.00 | 81 | 0.73 |
| Portable Building Removal | Excavators | 3 | 8.00 | 158 | 0.38 |
| Portable Building Removal | Rubber Tired Dozers | 2 | 8.00 | 247 | 0.40 |
| Asphalt Paving | Pavers | 4 | 8.00 | 130 | 0.42 |
| Asphalt Paving | Paving Equipment | 4 | 8.00 | 132 | 0.36 |
| Asphalt Paving | Rollers | 4 | 8.00 | 80 | 0.38 |

**Trips and VMT**

| Phase Name | Offroad Equipment Count | Worker Trip Number | Vendor Trip Number | Hauling Trip Number | Worker Trip Length | Vendor Trip Length | Hauling Trip Length | Worker Vehicle Class | Vendor Vehicle Class | Hauling Vehicle Class |
|---|---|---|---|---|---|---|---|---|---|---|
| Demolition - Ladera/Multipurpose | 12 | 30.00 | 4.00 | 120.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Modernization - kindergarten buildings | 0 | 4.00 | 1.00 | 0.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Asphalt Demolition - dog park | 6 | 15.00 | 2.00 | 23.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Grading - MPR and dog park | 6 | 15.00 | 2.00 | 0.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Utility Trenching - MPR | 1 | 3.00 | 0.00 | 0.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Architectural Coating- Kindergarten Buildings | 1 | 1.00 | 0.00 | 0.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Portable Building Removal | 6 | 15.00 | 0.00 | 22.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Asphalt Paving | 12 | 30.00 | 0.00 | 0.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |

## 3.1 Mitigation Measures Construction

Replace Ground Cover

Water Exposed Area

Reduce Vehicle Speed on Unpaved Roads

Clean Paved Roads

## 3.2 Demolition - Ladera/Multipurpose - 2021

### Unmitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Fugitive Dust | | | | | 0.5841 | 0.0000 | 0.5841 | 0.0884 | 0.0000 | 0.0884 | | | 0.0000 | | | 0.0000 |
| Off-Road | 6.3302 | 62.8814 | 43.1301 | 0.0776 | | 3.1027 | 3.1027 | | 2.8822 | 2.8822 | | 7,495.8899 | 7,495.8899 | 2.1098 | | 7,548.6347 |
| **Total** | **6.3302** | **62.8814** | **43.1301** | **0.0776** | **0.5841** | **3.1027** | **3.6868** | **0.0884** | **2.8822** | **2.9706** | | **7,495.8899** | **7,495.8899** | **2.1098** | | **7,548.6347** |

### Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0233 | 0.7405 | 0.1819 | 2.0900e-003 | 0.0477 | 2.2800e-003 | 0.0500 | 0.0131 | 2.1800e-003 | 0.0153 | | 226.8499 | 226.8499 | 0.0162 | | 227.2554 |
| Vendor | 0.0128 | 0.3876 | 0.1123 | 1.0000e-003 | 0.0256 | 8.2000e-004 | 0.0264 | 7.3700e-003 | 7.8000e-004 | 8.1600e-003 | | 106.9382 | 106.9382 | 6.9000e-003 | | 107.1108 |
| Worker | 0.1431 | 0.0978 | 1.1048 | 3.2300e-003 | 0.3353 | 2.7100e-003 | 0.3380 | 0.0889 | 2.5000e-003 | 0.0914 | | 321.6753 | 321.6753 | 9.4700e-003 | | 321.9120 |
| **Total** | **0.1791** | **1.2259** | **1.3990** | **6.3200e-003** | **0.4086** | **5.8100e-003** | **0.4144** | **0.1094** | **5.4600e-003** | **0.1148** | | **655.4635** | **655.4635** | **0.0326** | | **656.2782** |

## 3.2 Demolition - Ladera/Multipurpose - 2021

### Mitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Fugitive Dust | | | | | 0.2497 | 0.0000 | 0.2497 | 0.0378 | 0.0000 | 0.0378 | | | 0.0000 | | | 0.0000 |
| Off-Road | 6.3302 | 62.8814 | 43.1301 | 0.0776 | | 3.1027 | 3.1027 | | 2.8822 | 2.8822 | 0.0000 | 7,495.8899 | 7,495.8899 | 2.1098 | | 7,548.6347 |
| **Total** | **6.3302** | **62.8814** | **43.1301** | **0.0776** | **0.2497** | **3.1027** | **3.3524** | **0.0378** | **2.8822** | **2.9200** | **0.0000** | **7,495.8899** | **7,495.8899** | **2.1098** | | **7,548.6347** |

### Mitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0233 | 0.7405 | 0.1819 | 2.0900e-003 | 0.0444 | 2.2800e-003 | 0.0467 | 0.0123 | 2.1800e-003 | 0.0145 | | 226.8499 | 226.8499 | 0.0162 | | 227.2554 |
| Vendor | 0.0128 | 0.3876 | 0.1123 | 1.0000e-003 | 0.0240 | 8.2000e-004 | 0.0248 | 6.9700e-003 | 7.8000e-004 | 7.7500e-003 | | 106.9382 | 106.9382 | 6.9000e-003 | | 107.1108 |
| Worker | 0.1431 | 0.0978 | 1.1048 | 3.2300e-003 | 0.3091 | 2.7100e-003 | 0.3118 | 0.0825 | 2.5000e-003 | 0.0850 | | 321.6753 | 321.6753 | 9.4700e-003 | | 321.9120 |
| **Total** | **0.1791** | **1.2259** | **1.3990** | **6.3200e-003** | **0.3775** | **5.8100e-003** | **0.3833** | **0.1017** | **5.4600e-003** | **0.1072** | | **655.4635** | **655.4635** | **0.0326** | | **656.2782** |

## 3.3 Modernization - kindergarten buildings - 2021

**Unmitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Off-Road | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| **Total** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | | **0.0000** | **0.0000** | | **0.0000** | **0.0000** | | **0.0000** | **0.0000** | **0.0000** | | **0.0000** |

**Unmitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 3.1900e-003 | 0.0969 | 0.0281 | 2.5000e-004 | 6.4000e-003 | 2.0000e-004 | 6.6100e-003 | 1.8400e-003 | 2.0000e-004 | 2.0400e-003 | | 26.7346 | 26.7346 | 1.7300e-003 | | 26.7777 |
| Worker | 0.0191 | 0.0131 | 0.1473 | 4.3000e-004 | 0.0447 | 3.6000e-004 | 0.0451 | 0.0119 | 3.3000e-004 | 0.0122 | | 42.8900 | 42.8900 | 1.2600e-003 | | 42.9216 |
| **Total** | **0.0223** | **0.1099** | **0.1754** | **6.8000e-004** | **0.0511** | **5.6000e-004** | **0.0517** | **0.0137** | **5.3000e-004** | **0.0142** | | **69.6246** | **69.6246** | **2.9900e-003** | | **69.6993** |

## 3.3 Modernization - kindergarten buildings - 2021

**Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Off-Road | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| **Total** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | | **0.0000** | **0.0000** | | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | | **0.0000** |

**Mitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 3.1900e-003 | 0.0969 | 0.0281 | 2.5000e-004 | 5.9900e-003 | 2.0000e-004 | 6.2000e-003 | 1.7400e-003 | 2.0000e-004 | 1.9400e-003 | | 26.7346 | 26.7346 | 1.7300e-003 | | 26.7777 |
| Worker | 0.0191 | 0.0131 | 0.1473 | 4.3000e-004 | 0.0412 | 3.6000e-004 | 0.0416 | 0.0110 | 3.3000e-004 | 0.0113 | | 42.8900 | 42.8900 | 1.2600e-003 | | 42.9216 |
| **Total** | **0.0223** | **0.1099** | **0.1754** | **6.8000e-004** | **0.0472** | **5.6000e-004** | **0.0478** | **0.0127** | **5.3000e-004** | **0.0133** | | **69.6246** | **69.6246** | **2.9900e-003** | | **69.6993** |

## 3.4 Asphalt Demolition - dog park - 2021

**Unmitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Fugitive Dust | | | | | 0.1094 | 0.0000 | 0.1094 | 0.0166 | 0.0000 | 0.0166 | | | 0.0000 | | | 0.0000 |
| Off-Road | 3.1651 | 31.4407 | 21.5650 | 0.0388 | | 1.5513 | 1.5513 | | 1.4411 | 1.4411 | | 3,747.9449 | 3,747.9449 | 1.0549 | | 3,774.3174 |
| **Total** | **3.1651** | **31.4407** | **21.5650** | **0.0388** | **0.1094** | **1.5513** | **1.6607** | **0.0166** | **1.4411** | **1.4577** | | **3,747.9449** | **3,747.9449** | **1.0549** | | **3,774.3174** |

**Unmitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 4.3600e-003 | 0.1388 | 0.0341 | 3.9000e-004 | 8.9400e-003 | 4.3000e-004 | 9.3600e-003 | 2.4500e-003 | 4.1000e-004 | 2.8600e-003 | | 42.5134 | 42.5134 | 3.0400e-003 | | 42.5894 |
| Vendor | 6.3800e-003 | 0.1938 | 0.0562 | 5.0000e-004 | 0.0128 | 4.1000e-004 | 0.0132 | 3.6900e-003 | 3.9000e-004 | 4.0800e-003 | | 53.4691 | 53.4691 | 3.4500e-003 | | 53.5554 |
| Worker | 0.0715 | 0.0489 | 0.5524 | 1.6100e-003 | 0.1677 | 1.3500e-003 | 0.1690 | 0.0445 | 1.2500e-003 | 0.0457 | | 160.8377 | 160.8377 | 4.7300e-003 | | 160.9560 |
| **Total** | **0.0823** | **0.3815** | **0.6426** | **2.5000e-003** | **0.1894** | **2.1900e-003** | **0.1916** | **0.0506** | **2.0500e-003** | **0.0527** | | **256.8201** | **256.8201** | **0.0112** | | **257.1007** |

## 3.4 Asphalt Demolition - dog park - 2021

**Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Fugitive Dust | | | | | 0.0468 | 0.0000 | 0.0468 | 7.0800e-003 | 0.0000 | 7.0800e-003 | | | 0.0000 | | | 0.0000 |
| Off-Road | 3.1651 | 31.4407 | 21.5650 | 0.0388 | | 1.5513 | 1.5513 | | 1.4411 | 1.4411 | 0.0000 | 3,747.9449 | 3,747.9449 | 1.0549 | | 3,774.3174 |
| **Total** | **3.1651** | **31.4407** | **21.5650** | **0.0388** | **0.0468** | **1.5513** | **1.5981** | **7.0800e-003** | **1.4411** | **1.4482** | **0.0000** | **3,747.9449** | **3,747.9449** | **1.0549** | | **3,774.3174** |

**Mitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 4.3600e-003 | 0.1388 | 0.0341 | 3.9000e-004 | 8.3300e-003 | 4.3000e-004 | 8.7600e-003 | 2.3000e-003 | 4.1000e-004 | 2.7100e-003 | | 42.5134 | 42.5134 | 3.0400e-003 | | 42.5894 |
| Vendor | 6.3800e-003 | 0.1938 | 0.0562 | 5.0000e-004 | 0.0120 | 4.1000e-004 | 0.0124 | 3.4900e-003 | 3.9000e-004 | 3.8800e-003 | | 53.4691 | 53.4691 | 3.4500e-003 | | 53.5554 |
| Worker | 0.0715 | 0.0489 | 0.5524 | 1.6100e-003 | 0.1546 | 1.3500e-003 | 0.1559 | 0.0413 | 1.2500e-003 | 0.0425 | | 160.8377 | 160.8377 | 4.7300e-003 | | 160.9560 |
| **Total** | **0.0823** | **0.3815** | **0.6426** | **2.5000e-003** | **0.1749** | **2.1900e-003** | **0.1771** | **0.0470** | **2.0500e-003** | **0.0491** | | **256.8201** | **256.8201** | **0.0112** | | **257.1007** |

## 3.5 Grading - MPR and dog park - 2021

### Unmitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Fugitive Dust | | | | | 6.5523 | 0.0000 | 6.5523 | 3.3675 | 0.0000 | 3.3675 | | | 0.0000 | | | 0.0000 |
| Off-Road | 2.2903 | 24.7367 | 15.8575 | 0.0296 | | 1.1599 | 1.1599 | | 1.0671 | 1.0671 | | 2,871.9285 | 2,871.9285 | 0.9288 | | 2,895.1495 |
| **Total** | **2.2903** | **24.7367** | **15.8575** | **0.0296** | **6.5523** | **1.1599** | **7.7123** | **3.3675** | **1.0671** | **4.4346** | | **2,871.9285** | **2,871.9285** | **0.9288** | | **2,895.1495** |

### Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 6.3800e-003 | 0.1938 | 0.0562 | 5.0000e-004 | 0.0128 | 4.1000e-004 | 0.0132 | 3.6900e-003 | 3.9000e-004 | 4.0800e-003 | | 53.4691 | 53.4691 | 3.4500e-003 | | 53.5554 |
| Worker | 0.0715 | 0.0489 | 0.5524 | 1.6100e-003 | 0.1677 | 1.3500e-003 | 0.1690 | 0.0445 | 1.2500e-003 | 0.0457 | | 160.8377 | 160.8377 | 4.7300e-003 | | 160.9560 |
| **Total** | **0.0779** | **0.2427** | **0.6085** | **2.1100e-003** | **0.1805** | **1.7600e-003** | **0.1822** | **0.0482** | **1.6400e-003** | **0.0498** | | **214.3068** | **214.3068** | **8.1800e-003** | | **214.5114** |

## 3.5 Grading - MPR and dog park - 2021

### Mitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Fugitive Dust | | | | | 2.8011 | 0.0000 | 2.8011 | 1.4396 | 0.0000 | 1.4396 | | | 0.0000 | | | 0.0000 |
| Off-Road | 2.2903 | 24.7367 | 15.8575 | 0.0296 | | 1.1599 | 1.1599 | | 1.0671 | 1.0671 | 0.0000 | 2,871.9285 | 2,871.9285 | 0.9288 | | 2,895.1495 |
| **Total** | **2.2903** | **24.7367** | **15.8575** | **0.0296** | **2.8011** | **1.1599** | **3.9610** | **1.4396** | **1.0671** | **2.5067** | **0.0000** | **2,871.9285** | **2,871.9285** | **0.9288** | | **2,895.1495** |

### Mitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 6.3800e-003 | 0.1938 | 0.0562 | 5.0000e-004 | 0.0120 | 4.1000e-004 | 0.0124 | 3.4900e-003 | 3.9000e-004 | 3.8800e-003 | | 53.4691 | 53.4691 | 3.4500e-003 | | 53.5554 |
| Worker | 0.0715 | 0.0489 | 0.5524 | 1.6100e-003 | 0.1546 | 1.3500e-003 | 0.1559 | 0.0413 | 1.2500e-003 | 0.0425 | | 160.8377 | 160.8377 | 4.7300e-003 | | 160.9560 |
| **Total** | **0.0779** | **0.2427** | **0.6085** | **2.1100e-003** | **0.1665** | **1.7600e-003** | **0.1683** | **0.0447** | **1.6400e-003** | **0.0464** | | **214.3068** | **214.3068** | **8.1800e-003** | | **214.5114** |

## 3.6 Utility Trenching - MPR - 2021

### Unmitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Off-Road | 0.2292 | 2.1534 | 3.2718 | 5.1700e-003 | | 0.1044 | 0.1044 | | 0.0961 | 0.0961 | | 500.1920 | 500.1920 | 0.1618 | | 504.2363 |
| **Total** | **0.2292** | **2.1534** | **3.2718** | **5.1700e-003** | | **0.1044** | **0.1044** | | **0.0961** | **0.0961** | | **500.1920** | **500.1920** | **0.1618** | | **504.2363** |

### Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Worker | 0.0143 | 9.7800e-003 | 0.1105 | 3.2000e-004 | 0.0335 | 2.7000e-004 | 0.0338 | 8.8900e-003 | 2.5000e-004 | 9.1400e-003 | | 32.1675 | 32.1675 | 9.5000e-004 | | 32.1912 |
| **Total** | **0.0143** | **9.7800e-003** | **0.1105** | **3.2000e-004** | **0.0335** | **2.7000e-004** | **0.0338** | **8.8900e-003** | **2.5000e-004** | **9.1400e-003** | | **32.1675** | **32.1675** | **9.5000e-004** | | **32.1912** |

## 3.6 Utility Trenching - MPR - 2021

**Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Off-Road | 0.2292 | 2.1534 | 3.2718 | 5.1700e-003 | | 0.1044 | 0.1044 | | 0.0961 | 0.0961 | 0.0000 | 500.1920 | 500.1920 | 0.1618 | | 504.2363 |
| **Total** | **0.2292** | **2.1534** | **3.2718** | **5.1700e-003** | | **0.1044** | **0.1044** | | **0.0961** | **0.0961** | **0.0000** | **500.1920** | **500.1920** | **0.1618** | | **504.2363** |

**Mitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Worker | 0.0143 | 9.7800e-003 | 0.1105 | 3.2000e-004 | 0.0309 | 2.7000e-004 | 0.0312 | 8.2500e-003 | 2.5000e-004 | 8.5000e-003 | | 32.1675 | 32.1675 | 9.5000e-004 | | 32.1912 |
| **Total** | **0.0143** | **9.7800e-003** | **0.1105** | **3.2000e-004** | **0.0309** | **2.7000e-004** | **0.0312** | **8.2500e-003** | **2.5000e-004** | **8.5000e-003** | | **32.1675** | **32.1675** | **9.5000e-004** | | **32.1912** |

## 3.7 Architectural Coating- Kindergarten Buildings - 2021

**Unmitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Archit. Coating | 16.3770 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | | 0.0000 | | | 0.0000 |
| Off-Road | 0.2189 | 1.5268 | 1.8176 | 2.9700e-003 | | 0.0941 | 0.0941 | | 0.0941 | 0.0941 | | 281.4481 | 281.4481 | 0.0193 | | 281.9309 |
| **Total** | **16.5959** | **1.5268** | **1.8176** | **2.9700e-003** | | **0.0941** | **0.0941** | | **0.0941** | **0.0941** | | **281.4481** | **281.4481** | **0.0193** | | **281.9309** |

**Unmitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Worker | 4.7700e-003 | 3.2600e-003 | 0.0368 | 1.1000e-004 | 0.0112 | 9.0000e-005 | 0.0113 | 2.9600e-003 | 8.0000e-005 | 3.0500e-003 | | 10.7225 | 10.7225 | 3.2000e-004 | | 10.7304 |
| **Total** | **4.7700e-003** | **3.2600e-003** | **0.0368** | **1.1000e-004** | **0.0112** | **9.0000e-005** | **0.0113** | **2.9600e-003** | **8.0000e-005** | **3.0500e-003** | | **10.7225** | **10.7225** | **3.2000e-004** | | **10.7304** |

## 3.7 Architectural Coating- Kindergarten Buildings - 2021

**Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Archit. Coating | 16.3770 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | | 0.0000 | | | 0.0000 |
| Off-Road | 0.2189 | 1.5268 | 1.8176 | 2.9700e-003 | | 0.0941 | 0.0941 | | 0.0941 | 0.0941 | 0.0000 | 281.4481 | 281.4481 | 0.0193 | | 281.9309 |
| **Total** | **16.5959** | **1.5268** | **1.8176** | **2.9700e-003** | | **0.0941** | **0.0941** | | **0.0941** | **0.0941** | **0.0000** | **281.4481** | **281.4481** | **0.0193** | | **281.9309** |

**Mitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Worker | 4.7700e-003 | 3.2600e-003 | 0.0368 | 1.1000e-004 | 0.0103 | 9.0000e-005 | 0.0104 | 2.7500e-003 | 8.0000e-005 | 2.8300e-003 | | 10.7225 | 10.7225 | 3.2000e-004 | | 10.7304 |
| **Total** | **4.7700e-003** | **3.2600e-003** | **0.0368** | **1.1000e-004** | **0.0103** | **9.0000e-005** | **0.0104** | **2.7500e-003** | **8.0000e-005** | **2.8300e-003** | | **10.7225** | **10.7225** | **3.2000e-004** | | **10.7304** |

## 3.8 Portable Building Removal - 2022

### Unmitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Fugitive Dust | | | | | 0.1055 | 0.0000 | 0.1055 | 0.0160 | 0.0000 | 0.0160 | | | 0.0000 | | | 0.0000 |
| Off-Road | 2.6392 | 25.7194 | 20.5941 | 0.0388 | | 1.2427 | 1.2427 | | 1.1553 | 1.1553 | | 3,746.7812 | 3,746.7812 | 1.0524 | | 3,773.0920 |
| **Total** | **2.6392** | **25.7194** | **20.5941** | **0.0388** | **0.1055** | **1.2427** | **1.3482** | **0.0160** | **1.1553** | **1.1712** | | **3,746.7812** | **3,746.7812** | **1.0524** | | **3,773.0920** |

### Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 4.0600e-003 | 0.1260 | 0.0329 | 3.8000e-004 | 8.7400e-003 | 3.6000e-004 | 9.1100e-003 | 2.4000e-003 | 3.5000e-004 | 2.7400e-003 | | 41.0908 | 41.0908 | 2.9300e-003 | | 41.1640 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Worker | 0.0672 | 0.0442 | 0.5088 | 1.5600e-003 | 0.1677 | 1.3100e-003 | 0.1690 | 0.0445 | 1.2100e-003 | 0.0457 | | 155.1854 | 155.1854 | 4.2700e-003 | | 155.2922 |
| **Total** | **0.0712** | **0.1702** | **0.5417** | **1.9400e-003** | **0.1764** | **1.6700e-003** | **0.1781** | **0.0469** | **1.5600e-003** | **0.0484** | | **196.2763** | **196.2763** | **7.2000e-003** | | **196.4562** |

## 3.8 Portable Building Removal - 2022

### Mitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Fugitive Dust | | | | | 0.0451 | 0.0000 | 0.0451 | 6.8300e-003 | 0.0000 | 6.8300e-003 | | | 0.0000 | | | 0.0000 |
| Off-Road | 2.6392 | 25.7194 | 20.5941 | 0.0388 | | 1.2427 | 1.2427 | | 1.1553 | 1.1553 | 0.0000 | 3,746.7812 | 3,746.7812 | 1.0524 | | 3,773.0920 |
| **Total** | **2.6392** | **25.7194** | **20.5941** | **0.0388** | **0.0451** | **1.2427** | **1.2878** | **6.8300e-003** | **1.1553** | **1.1621** | **0.0000** | **3,746.7812** | **3,746.7812** | **1.0524** | | **3,773.0920** |

### Mitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 4.0600e-003 | 0.1260 | 0.0329 | 3.8000e-004 | 8.1500e-003 | 3.6000e-004 | 8.5100e-003 | 2.2500e-003 | 3.5000e-004 | 2.6000e-003 | | 41.0908 | 41.0908 | 2.9300e-003 | | 41.1640 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Worker | 0.0672 | 0.0442 | 0.5088 | 1.5600e-003 | 0.1546 | 1.3100e-003 | 0.1559 | 0.0413 | 1.2100e-003 | 0.0425 | | 155.1854 | 155.1854 | 4.2700e-003 | | 155.2922 |
| **Total** | **0.0712** | **0.1702** | **0.5417** | **1.9400e-003** | **0.1627** | **1.6700e-003** | **0.1644** | **0.0435** | **1.5600e-003** | **0.0451** | | **196.2763** | **196.2763** | **7.2000e-003** | | **196.4562** |

## 3.9 Asphalt Paving - 2022

### Unmitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Off-Road | 2.2056 | 22.2498 | 29.1610 | 0.0456 | | 1.1358 | 1.1358 | | 1.0449 | 1.0449 | | 4,415.3206 | 4,415.3206 | 1.4280 | | 4,451.0207 |
| Paving | 0.0461 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | | 0.0000 | | | 0.0000 |
| **Total** | **2.2518** | **22.2498** | **29.1610** | **0.0456** | | **1.1358** | **1.1358** | | **1.0449** | **1.0449** | | **4,415.3206** | **4,415.3206** | **1.4280** | | **4,451.0207** |

### Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Worker | 0.1344 | 0.0884 | 1.0175 | 3.1100e-003 | 0.3353 | 2.6200e-003 | 0.3380 | 0.0889 | 2.4200e-003 | 0.0914 | | 310.3708 | 310.3708 | 8.5500e-003 | | 310.5845 |
| **Total** | **0.1344** | **0.0884** | **1.0175** | **3.1100e-003** | **0.3353** | **2.6200e-003** | **0.3380** | **0.0889** | **2.4200e-003** | **0.0914** | | **310.3708** | **310.3708** | **8.5500e-003** | | **310.5845** |

## 3.9 Asphalt Paving - 2022

**Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Off-Road | 2.2056 | 22.2498 | 29.1610 | 0.0456 | | 1.1358 | 1.1358 | | 1.0449 | 1.0449 | 0.0000 | 4,415.3206 | 4,415.3206 | 1.4280 | | 4,451.0207 |
| Paving | 0.0461 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | | 0.0000 | | | 0.0000 |
| **Total** | **2.2518** | **22.2498** | **29.1610** | **0.0456** | | **1.1358** | **1.1358** | | **1.0449** | **1.0449** | **0.0000** | **4,415.3206** | **4,415.3206** | **1.4280** | | **4,451.0207** |

**Mitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | | 0.0000 |
| Worker | 0.1344 | 0.0884 | 1.0175 | 3.1100e-003 | 0.3091 | 2.6200e-003 | 0.3117 | 0.0825 | 2.4200e-003 | 0.0849 | | 310.3708 | 310.3708 | 8.5500e-003 | | 310.5845 |
| **Total** | **0.1344** | **0.0884** | **1.0175** | **3.1100e-003** | **0.3091** | **2.6200e-003** | **0.3117** | **0.0825** | **2.4200e-003** | **0.0849** | | **310.3708** | **310.3708** | **8.5500e-003** | | **310.5845** |

## 4.0 Operational Detail - Mobile

## 4.1 Mitigation Measures Mobile

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Mitigated | 0.7596 | 3.3355 | 10.2772 | 0.0393 | 3.4715 | 0.0302 | 3.5017 | 0.9290 | 0.0281 | 0.9571 | | 3,999.7522 | 3,999.7522 | 0.1986 | | 4,004.7164 |
| Unmitigated | 0.7596 | 3.3355 | 10.2772 | 0.0393 | 3.4715 | 0.0302 | 3.5017 | 0.9290 | 0.0281 | 0.9571 | | 3,999.7522 | 3,999.7522 | 0.1986 | | 4,004.7164 |

## 4.2 Trip Summary Information

| | Average Daily Trip Rate | | | Unmitigated | Mitigated |
|---|---|---|---|---|---|
| Land Use | Weekday | Saturday | Sunday | Annual VMT | Annual VMT |
| Elementary School | 473.70 | 0.00 | 0.00 | 1,166,111 | 1,166,111 |
| Other Asphalt Surfaces | 0.00 | 0.00 | 0.00 | | |
| Other Non-Asphalt Surfaces | 0.00 | 0.00 | 0.00 | | |
| Parking Lot | 0.00 | 0.00 | 0.00 | | |
| Total | 473.70 | 0.00 | 0.00 | 1,166,111 | 1,166,111 |

## 4.3 Trip Type Information

| | Miles | | | Trip % | | | Trip Purpose % | | |
|---|---|---|---|---|---|---|---|---|---|
| Land Use | H-W or C-W | H-S or C-C | H-O or C-NW | H-W or C-W | H-S or C-C | H-O or C-NW | Primary | Diverted | Pass-by |
| Elementary School | 16.60 | 8.40 | 6.90 | 65.00 | 30.00 | 5.00 | 63 | 25 | 12 |
| Other Asphalt Surfaces | 16.60 | 8.40 | 6.90 | 0.00 | 0.00 | 0.00 | 0 | 0 | 0 |
| Other Non-Asphalt Surfaces | 16.60 | 8.40 | 6.90 | 0.00 | 0.00 | 0.00 | 0 | 0 | 0 |
| Parking Lot | 16.60 | 8.40 | 6.90 | 0.00 | 0.00 | 0.00 | 0 | 0 | 0 |

### 4.4 Fleet Mix

| Land Use | LDA | LDT1 | LDT2 | MDV | LHD1 | LHD2 | MHD | HHD | OBUS | UBUS | MCY | SBUS | MH |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Elementary School | 0.545842 | 0.044768 | 0.205288 | 0.119317 | 0.015350 | 0.006227 | 0.020460 | 0.031333 | 0.002546 | 0.002133 | 0.005184 | 0.000692 | 0.000862 |
| Other Asphalt Surfaces | 0.545842 | 0.044768 | 0.205288 | 0.119317 | 0.015350 | 0.006227 | 0.020460 | 0.031333 | 0.002546 | 0.002133 | 0.005184 | 0.000692 | 0.000862 |
| Other Non-Asphalt Surfaces | 0.545842 | 0.044768 | 0.205288 | 0.119317 | 0.015350 | 0.006227 | 0.020460 | 0.031333 | 0.002546 | 0.002133 | 0.005184 | 0.000692 | 0.000862 |
| Parking Lot | 0.545842 | 0.044768 | 0.205288 | 0.119317 | 0.015350 | 0.006227 | 0.020460 | 0.031333 | 0.002546 | 0.002133 | 0.005184 | 0.000692 | 0.000862 |

## 5.0 Energy Detail

Historical Energy Use: N

### 5.1 Mitigation Measures Energy

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| NaturalGas Mitigated | 0.0107 | 0.0976 | 0.0820 | 5.9000e-004 | | 7.4200e-003 | 7.4200e-003 | | 7.4200e-003 | 7.4200e-003 | | 117.1597 | 117.1597 | 2.2500e-003 | 2.1500e-003 | 117.8559 |
| NaturalGas Unmitigated | 0.0107 | 0.0976 | 0.0820 | 5.9000e-004 | | 7.4200e-003 | 7.4200e-003 | | 7.4200e-003 | 7.4200e-003 | | 117.1597 | 117.1597 | 2.2500e-003 | 2.1500e-003 | 117.8559 |

## 5.2 Energy by Land Use - NaturalGas

**Unmitigated**

| | NaturalGas Use | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Land Use | kBTU/yr | lb/day | | | | | | | | | | lb/day | | | | | |
| Elementary School | 995.858 | 0.0107 | 0.0976 | 0.0820 | 5.9000e-004 | | 7.4200e-003 | 7.4200e-003 | | 7.4200e-003 | 7.4200e-003 | | 117.1597 | 117.1597 | 2.2500e-003 | 2.1500e-003 | 117.8559 |
| Other Asphalt Surfaces | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Other Non-Asphalt Surfaces | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Parking Lot | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| **Total** | | **0.0107** | **0.0976** | **0.0820** | **5.9000e-004** | | **7.4200e-003** | **7.4200e-003** | | **7.4200e-003** | **7.4200e-003** | | **117.1597** | **117.1597** | **2.2500e-003** | **2.1500e-003** | **117.8559** |

## 5.2 Energy by Land Use - NaturalGas

**Mitigated**

| | NaturalGas Use | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Land Use | kBTU/yr | lb/day | | | | | | | | | | lb/day | | | | | |
| Elementary School | 0.995858 | 0.0107 | 0.0976 | 0.0820 | 5.9000e-004 | | 7.4200e-003 | 7.4200e-003 | | 7.4200e-003 | 7.4200e-003 | | 117.1597 | 117.1597 | 2.2500e-003 | 2.1500e-003 | 117.8559 |
| Other Asphalt Surfaces | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Other Non-Asphalt Surfaces | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Parking Lot | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| **Total** | | **0.0107** | **0.0976** | **0.0820** | **5.9000e-004** | | **7.4200e-003** | **7.4200e-003** | | **7.4200e-003** | **7.4200e-003** | | **117.1597** | **117.1597** | **2.2500e-003** | **2.1500e-003** | **117.8559** |

# 6.0 Area Detail

## 6.1 Mitigation Measures Area

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Mitigated | 0.7439 | 5.0000e-005 | 5.2000e-003 | 0.0000 | | 2.0000e-005 | 2.0000e-005 | | 2.0000e-005 | 2.0000e-005 | | 0.0112 | 0.0112 | 3.0000e-005 | | 0.0119 |
| Unmitigated | 0.7439 | 5.0000e-005 | 5.2000e-003 | 0.0000 | | 2.0000e-005 | 2.0000e-005 | | 2.0000e-005 | 2.0000e-005 | | 0.0112 | 0.0112 | 3.0000e-005 | | 0.0119 |

## 6.2 Area by SubCategory

**Unmitigated**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SubCategory | lb/day | | | | | | | | | | lb/day | | | | | |
| Architectural Coating | 0.0882 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | | 0.0000 | | | 0.0000 |
| Consumer Products | 0.6553 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | | 0.0000 | | | 0.0000 |
| Landscaping | 4.8000e-004 | 5.0000e-005 | 5.2000e-003 | 0.0000 | | 2.0000e-005 | 2.0000e-005 | | 2.0000e-005 | 2.0000e-005 | | 0.0112 | 0.0112 | 3.0000e-005 | | 0.0119 |
| **Total** | **0.7439** | **5.0000e-005** | **5.2000e-003** | **0.0000** | | **2.0000e-005** | **2.0000e-005** | | **2.0000e-005** | **2.0000e-005** | | **0.0112** | **0.0112** | **3.0000e-005** | | **0.0119** |

## 6.2 Area by SubCategory

**Mitigated**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SubCategory | lb/day | | | | | | | | | | lb/day | | | | | |
| Architectural Coating | 0.0882 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | | 0.0000 | | | 0.0000 |
| Consumer Products | 0.6553 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | | 0.0000 | | | 0.0000 |
| Landscaping | 4.8000e-004 | 5.0000e-005 | 5.2000e-003 | 0.0000 | | 2.0000e-005 | 2.0000e-005 | | 2.0000e-005 | 2.0000e-005 | | 0.0112 | 0.0112 | 3.0000e-005 | | 0.0119 |
| **Total** | **0.7439** | **5.0000e-005** | **5.2000e-003** | **0.0000** | | **2.0000e-005** | **2.0000e-005** | | **2.0000e-005** | **2.0000e-005** | | **0.0112** | **0.0112** | **3.0000e-005** | | **0.0119** |

# 7.0 Water Detail

## 7.1 Mitigation Measures Water

# 8.0 Waste Detail

## 8.1 Mitigation Measures Waste

# 9.0 Operational Offroad

| Equipment Type | Number | Hours/Day | Days/Year | Horse Power | Load Factor | Fuel Type |
|---|---|---|---|---|---|---|

# 10.0 Stationary Equipment

**Fire Pumps and Emergency Generators**

| Equipment Type | Number | Hours/Day | Hours/Year | Horse Power | Load Factor | Fuel Type |
|---|---|---|---|---|---|---|

**Boilers**

| Equipment Type | Number | Heat Input/Day | Heat Input/Year | Boiler Rating | Fuel Type |
|---|---|---|---|---|---|

**User Defined Equipment**

| Equipment Type | Number |
|---|---|

## 11.0 Vegetation

# MBUS-3.0 Grand View Run Construction 1

**Los Angeles-South Coast County, Annual**

## 1.0 Project Characteristics

### 1.1 Land Usage

| Land Uses | Size | Metric | Lot Acreage | Floor Surface Area | Population |
|---|---|---|---|---|---|
| Elementary School | 30.70 | 1000sqft | 3.13 | 30,700.00 | 0 |
| Other Asphalt Surfaces | 0.78 | Acre | 0.78 | 33,976.80 | 0 |
| Other Non-Asphalt Surfaces | 1.89 | Acre | 1.89 | 82,328.40 | 0 |
| Parking Lot | 17.60 | 1000sqft | 0.40 | 17,600.00 | 0 |

### 1.2 Other Project Characteristics

| | | | | | |
|---|---|---|---|---|---|
| **Urbanization** | Urban | **Wind Speed (m/s)** | 2.2 | **Precipitation Freq (Days)** | 33 |
| **Climate Zone** | 8 | | | **Operational Year** | 2023 |
| **Utility Company** | Southern California Edison | | | | |
| **CO2 Intensity (lb/MWhr)** | 702.44 | **CH4 Intensity (lb/MWhr)** | 0.029 | **N2O Intensity (lb/MWhr)** | 0.006 |

### 1.3 User Entered Comments & Non-Default Data

Project Characteristics -

Land Use - see assumptions file

Construction Phase - based on data from applicant, see assumptions file

Off-road Equipment -

Off-road Equipment -

Off-road Equipment -

Off-road Equipment -

Off-road Equipment -

Off-road Equipment - No additional equipment from Grading (two story) equipment mix

Off-road Equipment - No additional equipment from Grading (twostory) equipment mix

Off-road Equipment - No additional equipment from Grading (site) equipment mix

Off-road Equipment - no additional equipment needed for modernization

Off-road Equipment - see assumptions file

Trips and VMT - see assumptions

Demolition -

Grading -

Architectural Coating - see assumptions file

Construction Off-road Equipment Mitigation - Per SCAQMD Rules 403 and 1186.

| Table Name | Column Name | Default Value | New Value |
|---|---|---|---|
| tblArchitecturalCoating | ConstArea_Nonresidential_Exterior | 15,350.00 | 28,962.00 |
| tblArchitecturalCoating | ConstArea_Nonresidential_Exterior | 15,350.00 | 3,400.00 |
| tblArchitecturalCoating | ConstArea_Nonresidential_Exterior | 15,350.00 | 4,275.00 |
| tblArchitecturalCoating | ConstArea_Nonresidential_Interior | 46,050.00 | 86,886.00 |
| tblArchitecturalCoating | ConstArea_Nonresidential_Interior | 46,050.00 | 15,300.00 |
| tblArchitecturalCoating | ConstArea_Nonresidential_Interior | 46,050.00 | 19,238.00 |
| tblArchitecturalCoating | ConstArea_Parking | 8,034.00 | 0.00 |

| | | | |
|---|---|---|---|
| tblArchitecturalCoating | ConstArea_Parking | 8,034.00 | 0.00 |
| tblArchitecturalCoating | ConstArea_Parking | 8,034.00 | 1,056.00 |
| tblConstDustMitigation | CleanPavedRoadPercentReduction | 0 | 9 |
| tblConstDustMitigation | WaterUnpavedRoadVehicleSpeed | 0 | 15 |
| tblConstructionPhase | NumDays | 20.00 | 7.00 |
| tblConstructionPhase | NumDays | 20.00 | 28.00 |
| tblConstructionPhase | NumDays | 20.00 | 3.00 |
| tblConstructionPhase | NumDays | 230.00 | 544.00 |
| tblConstructionPhase | NumDays | 230.00 | 153.00 |
| tblConstructionPhase | NumDays | 230.00 | 67.00 |
| tblConstructionPhase | NumDays | 20.00 | 67.00 |
| tblConstructionPhase | NumDays | 20.00 | 67.00 |
| tblConstructionPhase | NumDays | 20.00 | 3.00 |
| tblConstructionPhase | NumDays | 20.00 | 44.00 |
| tblConstructionPhase | NumDays | 20.00 | 12.00 |
| tblConstructionPhase | NumDays | 20.00 | 3.00 |
| tblGrading | MaterialExported | 0.00 | 1,000.00 |
| tblGrading | MaterialExported | 0.00 | 4,000.00 |
| tblGrading | MaterialImported | 0.00 | 1,000.00 |
| tblLandUse | LotAcreage | 0.70 | 3.13 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 3.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00 | 0.00 |

| | | | |
|---|---|---|---|
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 3.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 3.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 3.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 3.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00 | 0.00 |
| tblTripsAndVMT | HaulingTripNumber | 125.00 | 222.00 |
| tblTripsAndVMT | HaulingTripNumber | 500.00 | 889.00 |
| tblTripsAndVMT | HaulingTripNumber | 125.00 | 222.00 |
| tblTripsAndVMT | VendorTripNumber | 0.00 | 2.00 |
| tblTripsAndVMT | VendorTripNumber | 27.00 | 3.00 |
| tblTripsAndVMT | VendorTripNumber | 27.00 | 2.00 |
| tblTripsAndVMT | VendorTripNumber | 0.00 | 2.00 |
| tblTripsAndVMT | VendorTripNumber | 27.00 | 9.00 |
| tblTripsAndVMT | VendorTripNumber | 0.00 | 2.00 |
| tblTripsAndVMT | WorkerTripNumber | 69.00 | 7.00 |
| tblTripsAndVMT | WorkerTripNumber | 69.00 | 6.00 |
| tblTripsAndVMT | WorkerTripNumber | 14.00 | 1.00 |
| tblTripsAndVMT | WorkerTripNumber | 14.00 | 1.00 |
| tblTripsAndVMT | WorkerTripNumber | 69.00 | 24.00 |
| tblTripsAndVMT | WorkerTripNumber | 14.00 | 5.00 |

## 2.0 Emissions Summary

## 2.1 Overall Construction

### Unmitigated Construction

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Year | tons/yr | | | | | | | | | | MT/yr | | | | | |
| 2020 | 0.6103 | 3.5470 | 2.4200 | 4.9200e-003 | 0.4084 | 0.1675 | 0.5759 | 0.1986 | 0.1555 | 0.3541 | 0.0000 | 437.7322 | 437.7322 | 0.1064 | 0.0000 | 440.3930 |
| 2021 | 0.4230 | 3.4692 | 3.3102 | 5.5500e-003 | 0.0176 | 0.1880 | 0.2056 | 4.7500e-003 | 0.1767 | 0.1815 | 0.0000 | 479.5245 | 479.5245 | 0.1105 | 0.0000 | 482.2865 |
| 2022 | 0.2682 | 1.9220 | 2.0195 | 3.4400e-003 | 0.0116 | 0.0980 | 0.1095 | 3.1300e-003 | 0.0922 | 0.0954 | 0.0000 | 297.3606 | 297.3606 | 0.0673 | 0.0000 | 299.0436 |
| **Maximum** | **0.6103** | **3.5470** | **3.3102** | **5.5500e-003** | **0.4084** | **0.1880** | **0.5759** | **0.1986** | **0.1767** | **0.3541** | **0.0000** | **479.5245** | **479.5245** | **0.1105** | **0.0000** | **482.2865** |

### Mitigated Construction

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Year | tons/yr | | | | | | | | | | MT/yr | | | | | |
| 2020 | 0.6103 | 3.5470 | 2.4200 | 4.9200e-003 | 0.1955 | 0.1675 | 0.3630 | 0.0906 | 0.1555 | 0.2461 | 0.0000 | 437.7318 | 437.7318 | 0.1064 | 0.0000 | 440.3926 |
| 2021 | 0.4230 | 3.4692 | 3.3102 | 5.5500e-003 | 0.0163 | 0.1880 | 0.2042 | 4.4300e-003 | 0.1767 | 0.1812 | 0.0000 | 479.5239 | 479.5239 | 0.1105 | 0.0000 | 482.2860 |
| 2022 | 0.2682 | 1.9220 | 2.0195 | 3.4400e-003 | 0.0107 | 0.0980 | 0.1087 | 2.9100e-003 | 0.0922 | 0.0951 | 0.0000 | 297.3603 | 297.3603 | 0.0673 | 0.0000 | 299.0433 |
| **Maximum** | **0.6103** | **3.5470** | **3.3102** | **5.5500e-003** | **0.1955** | **0.1880** | **0.3630** | **0.0906** | **0.1767** | **0.2461** | **0.0000** | **479.5239** | **479.5239** | **0.1105** | **0.0000** | **482.2860** |

MBUS-3.0 Grand View Run Construction 1 - Los Angeles-South Coast County, Annual

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio-CO2 | Total CO2 | CH4 | N20 | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Percent Reduction** | **0.00** | **0.00** | **0.00** | **0.00** | **49.16** | **0.00** | **24.14** | **52.56** | **0.00** | **17.20** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** |

| Quarter | Start Date | End Date | Maximum Unmitigated ROG + NOX (tons/quarter) | Maximum Mitigated ROG + NOX (tons/quarter) |
|---|---|---|---|---|
| **1** | **6-1-2020** | **8-31-2020** | 3.2131 | 3.2131 |
| **2** | **9-1-2020** | **11-30-2020** | 1.1986 | 1.1986 |
| **3** | **12-1-2020** | **2-28-2021** | 1.3066 | 1.3066 |
| **4** | **3-1-2021** | **5-31-2021** | 1.2901 | 1.2901 |
| **5** | **6-1-2021** | **8-31-2021** | 0.9089 | 0.9089 |
| **6** | **9-1-2021** | **11-30-2021** | 0.6398 | 0.6398 |
| **7** | **12-1-2021** | **2-28-2022** | 0.5901 | 0.5901 |
| **8** | **3-1-2022** | **5-31-2022** | 0.5801 | 0.5801 |
| **9** | **6-1-2022** | **8-31-2022** | 0.5801 | 0.5801 |
| **10** | **9-1-2022** | **9-30-2022** | 0.1892 | 0.1892 |
| | | **Highest** | 3.2131 | 3.2131 |

## 2.2 Overall Operational

**Unmitigated Operational**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Area | 0.1357 | 1.0000e-005 | 6.5000e-004 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 1.2600e-003 | 1.2600e-003 | 0.0000 | 0.0000 | 1.3500e-003 |
| Energy | 1.9600e-003 | 0.0178 | 0.0150 | 1.1000e-004 | | 1.3500e-003 | 1.3500e-003 | | 1.3500e-003 | 1.3500e-003 | 0.0000 | 80.8324 | 80.8324 | 2.9100e-003 | 8.8000e-004 | 81.1675 |
| Mobile | 0.0965 | 0.4412 | 1.3570 | 5.1700e-003 | 0.4426 | 3.9100e-003 | 0.4465 | 0.1186 | 3.6400e-003 | 0.1223 | 0.0000 | 478.2692 | 478.2692 | 0.0234 | 0.0000 | 478.8529 |
| Waste | | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 8.1014 | 0.0000 | 8.1014 | 0.4788 | 0.0000 | 20.0708 |
| Water | | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.2824 | 11.7964 | 12.0788 | 0.0295 | 7.9000e-004 | 13.0503 |
| **Total** | **0.2342** | **0.4590** | **1.3727** | **5.2800e-003** | **0.4426** | **5.2600e-003** | **0.4479** | **0.1186** | **4.9900e-003** | **0.1236** | **8.3838** | **570.8993** | **579.2831** | **0.5345** | **1.6700e-003** | **593.1429** |

## 2.2 Overall Operational

**Mitigated Operational**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Area | 0.1357 | 1.0000e-005 | 6.5000e-004 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 1.2600e-003 | 1.2600e-003 | 0.0000 | 0.0000 | 1.3500e-003 |
| Energy | 1.9600e-003 | 0.0178 | 0.0150 | 1.1000e-004 | | 1.3500e-003 | 1.3500e-003 | | 1.3500e-003 | 1.3500e-003 | 0.0000 | 80.8324 | 80.8324 | 2.9100e-003 | 8.8000e-004 | 81.1675 |
| Mobile | 0.0965 | 0.4412 | 1.3570 | 5.1700e-003 | 0.4426 | 3.9100e-003 | 0.4465 | 0.1186 | 3.6400e-003 | 0.1223 | 0.0000 | 478.2692 | 478.2692 | 0.0234 | 0.0000 | 478.8529 |
| Waste | | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 8.1014 | 0.0000 | 8.1014 | 0.4788 | 0.0000 | 20.0708 |
| Water | | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.2824 | 11.7964 | 12.0788 | 0.0295 | 7.9000e-004 | 13.0503 |
| **Total** | **0.2342** | **0.4590** | **1.3727** | **5.2800e-003** | **0.4426** | **5.2600e-003** | **0.4479** | **0.1186** | **4.9900e-003** | **0.1236** | **8.3838** | **570.8993** | **579.2831** | **0.5345** | **1.6700e-003** | **593.1429** |

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio-CO2 | Total CO2 | CH4 | N20 | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Percent Reduction** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** |

## 3.0 Construction Detail

**Construction Phase**

| Phase Number | Phase Name | Phase Type | Start Date | End Date | Num Days Week | Num Days | Phase Description |
|---|---|---|---|---|---|---|---|
| 1 | Asphalt Demolition - mid play fields | Demolition | 6/1/2020 | 9/1/2020 | 5 | 67 | |
| 2 | Grading - site | Grading | 6/1/2020 | 9/1/2020 | 5 | 67 | |
| 3 | Grading - site soil haul | Grading | 6/1/2020 | 6/3/2020 | 5 | 3 | |
| 4 | Modernization - Existing Buildings | Building Construction | 6/1/2020 | 9/1/2020 | 5 | 67 | |
| 5 | Architectural Coating- Existing Buildings | Architectural Coating | 8/28/2020 | 9/1/2020 | 5 | 3 | |
| 6 | Grading - Two story | Grading | 9/1/2020 | 11/1/2020 | 5 | 44 | |
| 7 | Grading - Export Haul | Grading | 9/1/2020 | 9/16/2020 | 5 | 12 | |
| 8 | Utility Trenching - Two story | Trenching | 9/1/2020 | 11/1/2020 | 5 | 44 | |
| 9 | Grading - Import Haul | Grading | 9/17/2020 | 9/21/2020 | 5 | 3 | |
| 10 | Building Construction - Multi-purpose building | Building Construction | 11/1/2020 | 12/1/2022 | 5 | 544 | |
| 11 | Building Construction - Classroom buildings | Building Construction | 12/1/2020 | 7/1/2021 | 5 | 153 | |
| 12 | Architectural Coating - classroom buildings | Architectural Coating | 6/23/2021 | 7/1/2021 | 5 | 7 | |
| 13 | Architectural Coating - multipurpose buildings | Architectural Coating | 10/26/2022 | 12/2/2022 | 5 | 28 | |

**Acres of Grading (Site Preparation Phase): 0**

**Acres of Grading (Grading Phase): 0**

**Acres of Paving: 3.07**

**Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 86,886; Non-Residential Outdoor: 28,962; Striped Parking Area: 0 (Architectural Coating – sqft)**

**OffRoad Equipment**

| Phase Name | Offroad Equipment Type | Amount | Usage Hours | Horse Power | Load Factor |
|---|---|---|---|---|---|
| Asphalt Demolition - mid play fields | Concrete/Industrial Saws | 1 | 8.00 | 81 | 0.73 |
| Asphalt Demolition - mid play fields | Excavators | 3 | 8.00 | 158 | 0.38 |

| | | | | | |
|---|---|---|---|---|---|
| Asphalt Demolition - mid play fields | Rubber Tired Dozers | 2 | 8.00 | 247 | 0.40 |
| Grading - site | Excavators | 1 | 8.00 | 158 | 0.38 |
| Grading - site | Graders | 1 | 8.00 | 187 | 0.41 |
| Grading - site | Rubber Tired Dozers | 1 | 8.00 | 247 | 0.40 |
| Grading - site | Tractors/Loaders/Backhoes | 3 | 8.00 | 97 | 0.37 |
| Grading - site soil haul | Excavators | 0 | 8.00 | 158 | 0.38 |
| Grading - site soil haul | Graders | 0 | 8.00 | 187 | 0.41 |
| Grading - site soil haul | Rubber Tired Dozers | 0 | 8.00 | 247 | 0.40 |
| Grading - site soil haul | Tractors/Loaders/Backhoes | 0 | 8.00 | 97 | 0.37 |
| Modernization - Existing Buildings | Cranes | 0 | 7.00 | 231 | 0.29 |
| Modernization - Existing Buildings | Forklifts | 0 | 8.00 | 89 | 0.20 |
| Modernization - Existing Buildings | Generator Sets | 0 | 8.00 | 84 | 0.74 |
| Modernization - Existing Buildings | Tractors/Loaders/Backhoes | 0 | 7.00 | 97 | 0.37 |
| Modernization - Existing Buildings | Welders | 0 | 8.00 | 46 | 0.45 |
| Architectural Coating- Existing Buildings | Air Compressors | 1 | 6.00 | 78 | 0.48 |
| Grading - Two story | Excavators | 1 | 8.00 | 158 | 0.38 |
| Grading - Two story | Graders | 1 | 8.00 | 187 | 0.41 |
| Grading - Two story | Rubber Tired Dozers | 1 | 8.00 | 247 | 0.40 |
| Grading - Two story | Tractors/Loaders/Backhoes | 3 | 8.00 | 97 | 0.37 |
| Grading - Export Haul | Excavators | 0 | 8.00 | 158 | 0.38 |
| Grading - Export Haul | Graders | 0 | 8.00 | 187 | 0.41 |
| Grading - Export Haul | Rubber Tired Dozers | 0 | 8.00 | 247 | 0.40 |
| Grading - Export Haul | Tractors/Loaders/Backhoes | 0 | 8.00 | 97 | 0.37 |
| Utility Trenching - Two story | Excavators | 1 | 8.00 | 158 | 0.38 |
| Grading - Import Haul | Excavators | 0 | 8.00 | 158 | 0.38 |
| Grading - Import Haul | Graders | 0 | 8.00 | 187 | 0.41 |
| Grading - Import Haul | Rubber Tired Dozers | 0 | 8.00 | 247 | 0.40 |

| | | | | | |
|---|---|---|---|---|---|
| Grading - Import Haul | Tractors/Loaders/Backhoes | 0 | 8.00 | 97 | 0.37 |
| Building Construction - Multi-purpose building | Cranes | 1 | 7.00 | 231 | 0.29 |
| Building Construction - Multi-purpose building | Forklifts | 3 | 8.00 | 89 | 0.20 |
| Building Construction - Multi-purpose building | Generator Sets | 1 | 8.00 | 84 | 0.74 |
| Building Construction - Multi-purpose building | Tractors/Loaders/Backhoes | 3 | 7.00 | 97 | 0.37 |
| Building Construction - Multi-purpose building | Welders | 1 | 8.00 | 46 | 0.45 |
| Building Construction - Classroom buildings | Cranes | 1 | 7.00 | 231 | 0.29 |
| Building Construction - Classroom buildings | Forklifts | 3 | 8.00 | 89 | 0.20 |
| Building Construction - Classroom buildings | Generator Sets | 1 | 8.00 | 84 | 0.74 |
| Building Construction - Classroom buildings | Tractors/Loaders/Backhoes | 3 | 7.00 | 97 | 0.37 |
| Building Construction - Classroom buildings | Welders | 1 | 8.00 | 46 | 0.45 |
| Architectural Coating - classroom buildings | Air Compressors | 1 | 6.00 | 78 | 0.48 |
| Architectural Coating - multipurpose buildings | Air Compressors | 1 | 6.00 | 78 | 0.48 |

**Trips and VMT**

| Phase Name | Offroad Equipment Count | Worker Trip Number | Vendor Trip Number | Hauling Trip Number | Worker Trip Length | Vendor Trip Length | Hauling Trip Length | Worker Vehicle Class | Vendor Vehicle Class | Hauling Vehicle Class |
|---|---|---|---|---|---|---|---|---|---|---|
| Asphalt Demolition - mid play fields | 6 | 15.00 | 2.00 | 23.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Grading - site | 6 | 15.00 | 2.00 | 0.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Grading - site soil haul | 0 | 0.00 | 0.00 | 222.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Modernization - Existing Buildings | 0 | 24.00 | 9.00 | 0.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Architectural Coating- Existing Buildings | 1 | 5.00 | 0.00 | 0.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Grading - Two story | 6 | 15.00 | 2.00 | 0.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Grading - Export Haul | 0 | 0.00 | 0.00 | 889.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Utility Trenching - Two story | 1 | 3.00 | 0.00 | 0.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Grading - Import Haul | 0 | 0.00 | 0.00 | 222.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Building Construction - Multi-purpose building | 9 | 7.00 | 3.00 | 0.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Building Construction - Classroom buildings | 9 | 6.00 | 2.00 | 0.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Architectural Coating - classroom buildings | 1 | 1.00 | 0.00 | 0.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Architectural Coating - multipurpose buildings | 1 | 1.00 | 0.00 | 0.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |

## 3.1 Mitigation Measures Construction

Replace Ground Cover

Water Exposed Area

Reduce Vehicle Speed on Unpaved Roads

Clean Paved Roads

## 3.2 Asphalt Demolition - mid play fields - 2020

### Unmitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Fugitive Dust | | | | | 2.4600e-003 | 0.0000 | 2.4600e-003 | 3.7000e-004 | 0.0000 | 3.7000e-004 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Off-Road | 0.1110 | 1.1122 | 0.7287 | 1.3000e-003 | | 0.0556 | 0.0556 | | 0.0517 | 0.0517 | 0.0000 | 113.8953 | 113.8953 | 0.0322 | 0.0000 | 114.6991 |
| **Total** | **0.1110** | **1.1122** | **0.7287** | **1.3000e-003** | **2.4600e-003** | **0.0556** | **0.0580** | **3.7000e-004** | **0.0517** | **0.0520** | **0.0000** | **113.8953** | **113.8953** | **0.0322** | **0.0000** | **114.6991** |

### Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 1.0000e-004 | 3.4200e-003 | 7.5000e-004 | 1.0000e-005 | 2.0000e-004 | 1.0000e-005 | 2.1000e-004 | 5.0000e-005 | 1.0000e-005 | 6.0000e-005 | 0.0000 | 0.8864 | 0.8864 | 6.0000e-005 | 0.0000 | 0.8879 |
| Vendor | 2.4000e-004 | 7.2600e-003 | 1.9700e-003 | 2.0000e-005 | 4.2000e-004 | 3.0000e-005 | 4.6000e-004 | 1.2000e-004 | 3.0000e-005 | 1.5000e-004 | 0.0000 | 1.6645 | 1.6645 | 1.1000e-004 | 0.0000 | 1.6671 |
| Worker | 2.3200e-003 | 1.8700e-003 | 0.0207 | 6.0000e-005 | 5.5100e-003 | 5.0000e-005 | 5.5500e-003 | 1.4600e-003 | 4.0000e-005 | 1.5100e-003 | 0.0000 | 5.1323 | 5.1323 | 1.6000e-004 | 0.0000 | 5.1363 |
| **Total** | **2.6600e-003** | **0.0126** | **0.0234** | **9.0000e-005** | **6.1300e-003** | **9.0000e-005** | **6.2200e-003** | **1.6300e-003** | **8.0000e-005** | **1.7200e-003** | **0.0000** | **7.6832** | **7.6832** | **3.3000e-004** | **0.0000** | **7.6914** |

## 3.2 Asphalt Demolition - mid play fields - 2020

**Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Fugitive Dust | | | | | 1.0500e-003 | 0.0000 | 1.0500e-003 | 1.6000e-004 | 0.0000 | 1.6000e-004 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Off-Road | 0.1110 | 1.1122 | 0.7287 | 1.3000e-003 | | 0.0556 | 0.0556 | | 0.0517 | 0.0517 | 0.0000 | 113.8952 | 113.8952 | 0.0322 | 0.0000 | 114.6990 |
| **Total** | **0.1110** | **1.1122** | **0.7287** | **1.3000e-003** | **1.0500e-003** | **0.0556** | **0.0566** | **1.6000e-004** | **0.0517** | **0.0518** | **0.0000** | **113.8952** | **113.8952** | **0.0322** | **0.0000** | **114.6990** |

**Mitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 1.0000e-004 | 3.4200e-003 | 7.5000e-004 | 1.0000e-005 | 1.8000e-004 | 1.0000e-005 | 1.9000e-004 | 5.0000e-005 | 1.0000e-005 | 6.0000e-005 | 0.0000 | 0.8864 | 0.8864 | 6.0000e-005 | 0.0000 | 0.8879 |
| Vendor | 2.4000e-004 | 7.2600e-003 | 1.9700e-003 | 2.0000e-005 | 4.0000e-004 | 3.0000e-005 | 4.3000e-004 | 1.2000e-004 | 3.0000e-005 | 1.5000e-004 | 0.0000 | 1.6645 | 1.6645 | 1.1000e-004 | 0.0000 | 1.6671 |
| Worker | 2.3200e-003 | 1.8700e-003 | 0.0207 | 6.0000e-005 | 5.0800e-003 | 5.0000e-005 | 5.1200e-003 | 1.3600e-003 | 4.0000e-005 | 1.4000e-003 | 0.0000 | 5.1323 | 5.1323 | 1.6000e-004 | 0.0000 | 5.1363 |
| **Total** | **2.6600e-003** | **0.0126** | **0.0234** | **9.0000e-005** | **5.6600e-003** | **9.0000e-005** | **5.7400e-003** | **1.5300e-003** | **8.0000e-005** | **1.6100e-003** | **0.0000** | **7.6832** | **7.6832** | **3.3000e-004** | **0.0000** | **7.6914** |

## 3.3 Grading - site - 2020

### Unmitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Fugitive Dust | | | | | 0.2195 | 0.0000 | 0.2195 | 0.1128 | 0.0000 | 0.1128 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Off-Road | 0.0814 | 0.8839 | 0.5378 | 9.9000e-004 | | 0.0427 | 0.0427 | | 0.0393 | 0.0393 | 0.0000 | 87.2968 | 87.2968 | 0.0282 | 0.0000 | 88.0026 |
| **Total** | **0.0814** | **0.8839** | **0.5378** | **9.9000e-004** | **0.2195** | **0.0427** | **0.2622** | **0.1128** | **0.0393** | **0.1521** | **0.0000** | **87.2968** | **87.2968** | **0.0282** | **0.0000** | **88.0026** |

### Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Vendor | 2.4000e-004 | 7.2600e-003 | 1.9700e-003 | 2.0000e-005 | 4.2000e-004 | 3.0000e-005 | 4.6000e-004 | 1.2000e-004 | 3.0000e-005 | 1.5000e-004 | 0.0000 | 1.6645 | 1.6645 | 1.1000e-004 | 0.0000 | 1.6671 |
| Worker | 2.3200e-003 | 1.8700e-003 | 0.0207 | 6.0000e-005 | 5.5100e-003 | 5.0000e-005 | 5.5500e-003 | 1.4600e-003 | 4.0000e-005 | 1.5100e-003 | 0.0000 | 5.1323 | 5.1323 | 1.6000e-004 | 0.0000 | 5.1363 |
| **Total** | **2.5600e-003** | **9.1300e-003** | **0.0227** | **8.0000e-005** | **5.9300e-003** | **8.0000e-005** | **6.0100e-003** | **1.5800e-003** | **7.0000e-005** | **1.6600e-003** | **0.0000** | **6.7968** | **6.7968** | **2.7000e-004** | **0.0000** | **6.8034** |

## 3.3 Grading - site - 2020

### Mitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Fugitive Dust | | | | | 0.0938 | 0.0000 | 0.0938 | 0.0482 | 0.0000 | 0.0482 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Off-Road | 0.0814 | 0.8839 | 0.5378 | 9.9000e-004 | | 0.0427 | 0.0427 | | 0.0393 | 0.0393 | 0.0000 | 87.2967 | 87.2967 | 0.0282 | 0.0000 | 88.0025 |
| **Total** | **0.0814** | **0.8839** | **0.5378** | **9.9000e-004** | **0.0938** | **0.0427** | **0.1365** | **0.0482** | **0.0393** | **0.0875** | **0.0000** | **87.2967** | **87.2967** | **0.0282** | **0.0000** | **88.0025** |

### Mitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Vendor | 2.4000e-004 | 7.2600e-003 | 1.9700e-003 | 2.0000e-005 | 4.0000e-004 | 3.0000e-005 | 4.3000e-004 | 1.2000e-004 | 3.0000e-005 | 1.5000e-004 | 0.0000 | 1.6645 | 1.6645 | 1.1000e-004 | 0.0000 | 1.6671 |
| Worker | 2.3200e-003 | 1.8700e-003 | 0.0207 | 6.0000e-005 | 5.0800e-003 | 5.0000e-005 | 5.1200e-003 | 1.3600e-003 | 4.0000e-005 | 1.4000e-003 | 0.0000 | 5.1323 | 5.1323 | 1.6000e-004 | 0.0000 | 5.1363 |
| **Total** | **2.5600e-003** | **9.1300e-003** | **0.0227** | **8.0000e-005** | **5.4800e-003** | **8.0000e-005** | **5.5500e-003** | **1.4800e-003** | **7.0000e-005** | **1.5500e-003** | **0.0000** | **6.7968** | **6.7968** | **2.7000e-004** | **0.0000** | **6.8034** |

## 3.4 Grading - site soil haul - 2020

### Unmitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Fugitive Dust | | | | | 6.0000e-005 | 0.0000 | 6.0000e-005 | 1.0000e-005 | 0.0000 | 1.0000e-005 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Off-Road | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| **Total** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **6.0000e-005** | **0.0000** | **6.0000e-005** | **1.0000e-005** | **0.0000** | **1.0000e-005** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0000** |

### Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 9.8000e-004 | 0.0330 | 7.2700e-003 | 9.0000e-005 | 1.9100e-003 | 1.0000e-004 | 2.0100e-003 | 5.2000e-004 | 1.0000e-004 | 6.2000e-004 | 0.0000 | 8.5557 | 8.5557 | 6.0000e-004 | 0.0000 | 8.5706 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Worker | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| **Total** | **9.8000e-004** | **0.0330** | **7.2700e-003** | **9.0000e-005** | **1.9100e-003** | **1.0000e-004** | **2.0100e-003** | **5.2000e-004** | **1.0000e-004** | **6.2000e-004** | **0.0000** | **8.5557** | **8.5557** | **6.0000e-004** | **0.0000** | **8.5706** |

## 3.4 Grading - site soil haul - 2020

### Mitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Fugitive Dust | | | | | 2.0000e-005 | 0.0000 | 2.0000e-005 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Off-Road | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| **Total** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **2.0000e-005** | **0.0000** | **2.0000e-005** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0000** |

### Mitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 9.8000e-004 | 0.0330 | 7.2700e-003 | 9.0000e-005 | 1.7800e-003 | 1.0000e-004 | 1.8800e-003 | 4.9000e-004 | 1.0000e-004 | 5.9000e-004 | 0.0000 | 8.5557 | 8.5557 | 6.0000e-004 | 0.0000 | 8.5706 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Worker | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| **Total** | **9.8000e-004** | **0.0330** | **7.2700e-003** | **9.0000e-005** | **1.7800e-003** | **1.0000e-004** | **1.8800e-003** | **4.9000e-004** | **1.0000e-004** | **5.9000e-004** | **0.0000** | **8.5557** | **8.5557** | **6.0000e-004** | **0.0000** | **8.5706** |

## 3.5 Modernization - Existing Buildings - 2020

**Unmitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Off-Road | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| **Total** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | | **0.0000** | **0.0000** | | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0000** |

**Unmitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Vendor | 1.0900e-003 | 0.0327 | 8.8400e-003 | 8.0000e-005 | 1.9000e-003 | 1.5000e-004 | 2.0500e-003 | 5.5000e-004 | 1.5000e-004 | 6.9000e-004 | 0.0000 | 7.4901 | 7.4901 | 4.8000e-004 | 0.0000 | 7.5020 |
| Worker | 3.7100e-003 | 2.9900e-003 | 0.0331 | 9.0000e-005 | 8.8100e-003 | 8.0000e-005 | 8.8900e-003 | 2.3400e-003 | 7.0000e-005 | 2.4100e-003 | 0.0000 | 8.2117 | 8.2117 | 2.6000e-004 | 0.0000 | 8.2181 |
| **Total** | **4.8000e-003** | **0.0357** | **0.0419** | **1.7000e-004** | **0.0107** | **2.3000e-004** | **0.0109** | **2.8900e-003** | **2.2000e-004** | **3.1000e-003** | **0.0000** | **15.7017** | **15.7017** | **7.4000e-004** | **0.0000** | **15.7201** |

## 3.5 Modernization - Existing Buildings - 2020

### Mitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Off-Road | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| **Total** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | | **0.0000** | **0.0000** | | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0000** |

### Mitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Vendor | 1.0900e-003 | 0.0327 | 8.8400e-003 | 8.0000e-005 | 1.7800e-003 | 1.5000e-004 | 1.9300e-003 | 5.2000e-004 | 1.5000e-004 | 6.6000e-004 | 0.0000 | 7.4901 | 7.4901 | 4.8000e-004 | 0.0000 | 7.5020 |
| Worker | 3.7100e-003 | 2.9900e-003 | 0.0331 | 9.0000e-005 | 8.1200e-003 | 8.0000e-005 | 8.2000e-003 | 2.1700e-003 | 7.0000e-005 | 2.2400e-003 | 0.0000 | 8.2117 | 8.2117 | 2.6000e-004 | 0.0000 | 8.2181 |
| **Total** | **4.8000e-003** | **0.0357** | **0.0419** | **1.7000e-004** | **9.9000e-003** | **2.3000e-004** | **0.0101** | **2.6900e-003** | **2.2000e-004** | **2.9000e-003** | **0.0000** | **15.7017** | **15.7017** | **7.4000e-004** | **0.0000** | **15.7201** |

## 3.6 Architectural Coating- Existing Buildings - 2020

**Unmitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Archit. Coating | 0.2685 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Off-Road | 3.6000e-004 | 2.5300e-003 | 2.7500e-003 | 0.0000 | | 1.7000e-004 | 1.7000e-004 | | 1.7000e-004 | 1.7000e-004 | 0.0000 | 0.3830 | 0.3830 | 3.0000e-005 | 0.0000 | 0.3837 |
| **Total** | **0.2688** | **2.5300e-003** | **2.7500e-003** | **0.0000** | | **1.7000e-004** | **1.7000e-004** | | **1.7000e-004** | **1.7000e-004** | **0.0000** | **0.3830** | **0.3830** | **3.0000e-005** | **0.0000** | **0.3837** |

**Unmitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Worker | 3.0000e-005 | 3.0000e-005 | 3.1000e-004 | 0.0000 | 8.0000e-005 | 0.0000 | 8.0000e-005 | 2.0000e-005 | 0.0000 | 2.0000e-005 | 0.0000 | 0.0766 | 0.0766 | 0.0000 | 0.0000 | 0.0767 |
| **Total** | **3.0000e-005** | **3.0000e-005** | **3.1000e-004** | **0.0000** | **8.0000e-005** | **0.0000** | **8.0000e-005** | **2.0000e-005** | **0.0000** | **2.0000e-005** | **0.0000** | **0.0766** | **0.0766** | **0.0000** | **0.0000** | **0.0767** |

## 3.6 Architectural Coating- Existing Buildings - 2020

**Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Archit. Coating | 0.2685 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Off-Road | 3.6000e-004 | 2.5300e-003 | 2.7500e-003 | 0.0000 | | 1.7000e-004 | 1.7000e-004 | | 1.7000e-004 | 1.7000e-004 | 0.0000 | 0.3830 | 0.3830 | 3.0000e-005 | 0.0000 | 0.3837 |
| **Total** | **0.2688** | **2.5300e-003** | **2.7500e-003** | **0.0000** | | **1.7000e-004** | **1.7000e-004** | | **1.7000e-004** | **1.7000e-004** | **0.0000** | **0.3830** | **0.3830** | **3.0000e-005** | **0.0000** | **0.3837** |

**Mitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Worker | 3.0000e-005 | 3.0000e-005 | 3.1000e-004 | 0.0000 | 8.0000e-005 | 0.0000 | 8.0000e-005 | 2.0000e-005 | 0.0000 | 2.0000e-005 | 0.0000 | 0.0766 | 0.0766 | 0.0000 | 0.0000 | 0.0767 |
| **Total** | **3.0000e-005** | **3.0000e-005** | **3.1000e-004** | **0.0000** | **8.0000e-005** | **0.0000** | **8.0000e-005** | **2.0000e-005** | **0.0000** | **2.0000e-005** | **0.0000** | **0.0766** | **0.0766** | **0.0000** | **0.0000** | **0.0767** |

## 3.7 Grading - Two story - 2020

### Unmitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Fugitive Dust | | | | | 0.1442 | 0.0000 | 0.1442 | 0.0741 | 0.0000 | 0.0741 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Off-Road | 0.0534 | 0.5805 | 0.3532 | 6.5000e-004 | | 0.0280 | 0.0280 | | 0.0258 | 0.0258 | 0.0000 | 57.3292 | 57.3292 | 0.0185 | 0.0000 | 57.7928 |
| **Total** | **0.0534** | **0.5805** | **0.3532** | **6.5000e-004** | **0.1442** | **0.0280** | **0.1722** | **0.0741** | **0.0258** | **0.0999** | **0.0000** | **57.3292** | **57.3292** | **0.0185** | **0.0000** | **57.7928** |

### Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Vendor | 1.6000e-004 | 4.7700e-003 | 1.2900e-003 | 1.0000e-005 | 2.8000e-004 | 2.0000e-005 | 3.0000e-004 | 8.0000e-005 | 2.0000e-005 | 1.0000e-004 | 0.0000 | 1.0931 | 1.0931 | 7.0000e-005 | 0.0000 | 1.0948 |
| Worker | 1.5200e-003 | 1.2300e-003 | 0.0136 | 4.0000e-005 | 3.6200e-003 | 3.0000e-005 | 3.6500e-003 | 9.6000e-004 | 3.0000e-005 | 9.9000e-004 | 0.0000 | 3.3705 | 3.3705 | 1.1000e-004 | 0.0000 | 3.3731 |
| **Total** | **1.6800e-003** | **6.0000e-003** | **0.0149** | **5.0000e-005** | **3.9000e-003** | **5.0000e-005** | **3.9500e-003** | **1.0400e-003** | **5.0000e-005** | **1.0900e-003** | **0.0000** | **4.4635** | **4.4635** | **1.8000e-004** | **0.0000** | **4.4679** |

## 3.7 Grading - Two story - 2020

### Mitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Fugitive Dust | | | | | 0.0616 | 0.0000 | 0.0616 | 0.0317 | 0.0000 | 0.0317 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Off-Road | 0.0534 | 0.5805 | 0.3532 | 6.5000e-004 | | 0.0280 | 0.0280 | | 0.0258 | 0.0258 | 0.0000 | 57.3292 | 57.3292 | 0.0185 | 0.0000 | 57.7927 |
| **Total** | **0.0534** | **0.5805** | **0.3532** | **6.5000e-004** | **0.0616** | **0.0280** | **0.0896** | **0.0317** | **0.0258** | **0.0574** | **0.0000** | **57.3292** | **57.3292** | **0.0185** | **0.0000** | **57.7927** |

### Mitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Vendor | 1.6000e-004 | 4.7700e-003 | 1.2900e-003 | 1.0000e-005 | 2.6000e-004 | 2.0000e-005 | 2.8000e-004 | 8.0000e-005 | 2.0000e-005 | 1.0000e-004 | 0.0000 | 1.0931 | 1.0931 | 7.0000e-005 | 0.0000 | 1.0948 |
| Worker | 1.5200e-003 | 1.2300e-003 | 0.0136 | 4.0000e-005 | 3.3300e-003 | 3.0000e-005 | 3.3600e-003 | 8.9000e-004 | 3.0000e-005 | 9.2000e-004 | 0.0000 | 3.3705 | 3.3705 | 1.1000e-004 | 0.0000 | 3.3731 |
| **Total** | **1.6800e-003** | **6.0000e-003** | **0.0149** | **5.0000e-005** | **3.5900e-003** | **5.0000e-005** | **3.6400e-003** | **9.7000e-004** | **5.0000e-005** | **1.0200e-003** | **0.0000** | **4.4635** | **4.4635** | **1.8000e-004** | **0.0000** | **4.4679** |

## 3.8 Grading - Export Haul - 2020

### Unmitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Fugitive Dust | | | | | 2.3000e-004 | 0.0000 | 2.3000e-004 | 3.0000e-005 | 0.0000 | 3.0000e-005 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Off-Road | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| **Total** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **2.3000e-004** | **0.0000** | **2.3000e-004** | **3.0000e-005** | **0.0000** | **3.0000e-005** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0000** |

### Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 3.9200e-003 | 0.1320 | 0.0291 | 3.5000e-004 | 7.6400e-003 | 4.1000e-004 | 8.0500e-003 | 2.1000e-003 | 3.9000e-004 | 2.4900e-003 | 0.0000 | 34.2613 | 34.2613 | 2.3900e-003 | 0.0000 | 34.3209 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Worker | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| **Total** | **3.9200e-003** | **0.1320** | **0.0291** | **3.5000e-004** | **7.6400e-003** | **4.1000e-004** | **8.0500e-003** | **2.1000e-003** | **3.9000e-004** | **2.4900e-003** | **0.0000** | **34.2613** | **34.2613** | **2.3900e-003** | **0.0000** | **34.3209** |

## 3.8 Grading - Export Haul - 2020

### Mitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Fugitive Dust | | | | | 1.0000e-004 | 0.0000 | 1.0000e-004 | 1.0000e-005 | 0.0000 | 1.0000e-005 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Off-Road | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| **Total** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **1.0000e-004** | **0.0000** | **1.0000e-004** | **1.0000e-005** | **0.0000** | **1.0000e-005** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0000** |

### Mitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 3.9200e-003 | 0.1320 | 0.0291 | 3.5000e-004 | 7.1200e-003 | 4.1000e-004 | 7.5300e-003 | 1.9700e-003 | 3.9000e-004 | 2.3600e-003 | 0.0000 | 34.2613 | 34.2613 | 2.3900e-003 | 0.0000 | 34.3209 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Worker | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| **Total** | **3.9200e-003** | **0.1320** | **0.0291** | **3.5000e-004** | **7.1200e-003** | **4.1000e-004** | **7.5300e-003** | **1.9700e-003** | **3.9000e-004** | **2.3600e-003** | **0.0000** | **34.2613** | **34.2613** | **2.3900e-003** | **0.0000** | **34.3209** |

## 3.9 Utility Trenching - Two story - 2020

**Unmitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Off-Road | 5.3900e-003 | 0.0531 | 0.0719 | 1.1000e-004 | | 2.5700e-003 | 2.5700e-003 | | 2.3700e-003 | 2.3700e-003 | 0.0000 | 9.9814 | 9.9814 | 3.2300e-003 | 0.0000 | 10.0621 |
| **Total** | **5.3900e-003** | **0.0531** | **0.0719** | **1.1000e-004** | | **2.5700e-003** | **2.5700e-003** | | **2.3700e-003** | **2.3700e-003** | **0.0000** | **9.9814** | **9.9814** | **3.2300e-003** | **0.0000** | **10.0621** |

**Unmitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Worker | 3.0000e-004 | 2.5000e-004 | 2.7200e-003 | 1.0000e-005 | 7.2000e-004 | 1.0000e-005 | 7.3000e-004 | 1.9000e-004 | 1.0000e-005 | 2.0000e-004 | 0.0000 | 0.6741 | 0.6741 | 2.0000e-005 | 0.0000 | 0.6746 |
| **Total** | **3.0000e-004** | **2.5000e-004** | **2.7200e-003** | **1.0000e-005** | **7.2000e-004** | **1.0000e-005** | **7.3000e-004** | **1.9000e-004** | **1.0000e-005** | **2.0000e-004** | **0.0000** | **0.6741** | **0.6741** | **2.0000e-005** | **0.0000** | **0.6746** |

## 3.9 Utility Trenching - Two story - 2020

### Mitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Off-Road | 5.3900e-003 | 0.0531 | 0.0719 | 1.1000e-004 | | 2.5700e-003 | 2.5700e-003 | | 2.3700e-003 | 2.3700e-003 | 0.0000 | 9.9814 | 9.9814 | 3.2300e-003 | 0.0000 | 10.0621 |
| **Total** | **5.3900e-003** | **0.0531** | **0.0719** | **1.1000e-004** | | **2.5700e-003** | **2.5700e-003** | | **2.3700e-003** | **2.3700e-003** | **0.0000** | **9.9814** | **9.9814** | **3.2300e-003** | **0.0000** | **10.0621** |

### Mitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Worker | 3.0000e-004 | 2.5000e-004 | 2.7200e-003 | 1.0000e-005 | 6.7000e-004 | 1.0000e-005 | 6.7000e-004 | 1.8000e-004 | 1.0000e-005 | 1.8000e-004 | 0.0000 | 0.6741 | 0.6741 | 2.0000e-005 | 0.0000 | 0.6746 |
| **Total** | **3.0000e-004** | **2.5000e-004** | **2.7200e-003** | **1.0000e-005** | **6.7000e-004** | **1.0000e-005** | **6.7000e-004** | **1.8000e-004** | **1.0000e-005** | **1.8000e-004** | **0.0000** | **0.6741** | **0.6741** | **2.0000e-005** | **0.0000** | **0.6746** |

## 3.10 Grading - Import Haul - 2020

### Unmitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Fugitive Dust | | | | | 6.0000e-005 | 0.0000 | 6.0000e-005 | 1.0000e-005 | 0.0000 | 1.0000e-005 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Off-Road | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| **Total** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **6.0000e-005** | **0.0000** | **6.0000e-005** | **1.0000e-005** | **0.0000** | **1.0000e-005** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0000** |

### Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 9.8000e-004 | 0.0330 | 7.2700e-003 | 9.0000e-005 | 1.9100e-003 | 1.0000e-004 | 2.0100e-003 | 5.2000e-004 | 1.0000e-004 | 6.2000e-004 | 0.0000 | 8.5557 | 8.5557 | 6.0000e-004 | 0.0000 | 8.5706 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Worker | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| **Total** | **9.8000e-004** | **0.0330** | **7.2700e-003** | **9.0000e-005** | **1.9100e-003** | **1.0000e-004** | **2.0100e-003** | **5.2000e-004** | **1.0000e-004** | **6.2000e-004** | **0.0000** | **8.5557** | **8.5557** | **6.0000e-004** | **0.0000** | **8.5706** |

## 3.10 Grading - Import Haul - 2020

### Mitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Fugitive Dust | | | | | 2.0000e-005 | 0.0000 | 2.0000e-005 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Off-Road | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| **Total** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **2.0000e-005** | **0.0000** | **2.0000e-005** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0000** |

### Mitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 9.8000e-004 | 0.0330 | 7.2700e-003 | 9.0000e-005 | 1.7800e-003 | 1.0000e-004 | 1.8800e-003 | 4.9000e-004 | 1.0000e-004 | 5.9000e-004 | 0.0000 | 8.5557 | 8.5557 | 6.0000e-004 | 0.0000 | 8.5706 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Worker | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| **Total** | **9.8000e-004** | **0.0330** | **7.2700e-003** | **9.0000e-005** | **1.7800e-003** | **1.0000e-004** | **1.8800e-003** | **4.9000e-004** | **1.0000e-004** | **5.9000e-004** | **0.0000** | **8.5557** | **8.5557** | **6.0000e-004** | **0.0000** | **8.5706** |

## 3.11 Building Construction - Multi-purpose building - 2020

### Unmitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Off-Road | 0.0466 | 0.4221 | 0.3707 | 5.9000e-004 | | 0.0246 | 0.0246 | | 0.0231 | 0.0231 | 0.0000 | 50.9542 | 50.9542 | 0.0124 | 0.0000 | 51.2650 |
| **Total** | **0.0466** | **0.4221** | **0.3707** | **5.9000e-004** | | **0.0246** | **0.0246** | | **0.0231** | **0.0231** | **0.0000** | **50.9542** | **50.9542** | **0.0124** | **0.0000** | **51.2650** |

### Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Vendor | 2.4000e-004 | 7.1500e-003 | 1.9400e-003 | 2.0000e-005 | 4.2000e-004 | 3.0000e-005 | 4.5000e-004 | 1.2000e-004 | 3.0000e-005 | 1.5000e-004 | 0.0000 | 1.6396 | 1.6396 | 1.0000e-004 | 0.0000 | 1.6422 |
| Worker | 7.1000e-004 | 5.7000e-004 | 6.3400e-003 | 2.0000e-005 | 1.6900e-003 | 1.0000e-005 | 1.7000e-003 | 4.5000e-004 | 1.0000e-005 | 4.6000e-004 | 0.0000 | 1.5729 | 1.5729 | 5.0000e-005 | 0.0000 | 1.5741 |
| **Total** | **9.5000e-004** | **7.7200e-003** | **8.2800e-003** | **4.0000e-005** | **2.1100e-003** | **4.0000e-005** | **2.1500e-003** | **5.7000e-004** | **4.0000e-005** | **6.1000e-004** | **0.0000** | **3.2125** | **3.2125** | **1.5000e-004** | **0.0000** | **3.2163** |

## 3.11 Building Construction - Multi-purpose building - 2020

**Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Off-Road | 0.0466 | 0.4221 | 0.3707 | 5.9000e-004 | | 0.0246 | 0.0246 | | 0.0231 | 0.0231 | 0.0000 | 50.9541 | 50.9541 | 0.0124 | 0.0000 | 51.2649 |
| **Total** | **0.0466** | **0.4221** | **0.3707** | **5.9000e-004** | | **0.0246** | **0.0246** | | **0.0231** | **0.0231** | **0.0000** | **50.9541** | **50.9541** | **0.0124** | **0.0000** | **51.2649** |

**Mitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Vendor | 2.4000e-004 | 7.1500e-003 | 1.9400e-003 | 2.0000e-005 | 3.9000e-004 | 3.0000e-005 | 4.2000e-004 | 1.1000e-004 | 3.0000e-005 | 1.5000e-004 | 0.0000 | 1.6396 | 1.6396 | 1.0000e-004 | 0.0000 | 1.6422 |
| Worker | 7.1000e-004 | 5.7000e-004 | 6.3400e-003 | 2.0000e-005 | 1.5600e-003 | 1.0000e-005 | 1.5700e-003 | 4.2000e-004 | 1.0000e-005 | 4.3000e-004 | 0.0000 | 1.5729 | 1.5729 | 5.0000e-005 | 0.0000 | 1.5741 |
| **Total** | **9.5000e-004** | **7.7200e-003** | **8.2800e-003** | **4.0000e-005** | **1.9500e-003** | **4.0000e-005** | **1.9900e-003** | **5.3000e-004** | **4.0000e-005** | **5.8000e-004** | **0.0000** | **3.2125** | **3.2125** | **1.5000e-004** | **0.0000** | **3.2163** |

## 3.11 Building Construction - Multi-purpose building - 2021

**Unmitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Off-Road | 0.2481 | 2.2749 | 2.1631 | 3.5100e-003 | | 0.1251 | 0.1251 | | 0.1176 | 0.1176 | 0.0000 | 302.2867 | 302.2867 | 0.0729 | 0.0000 | 304.1099 |
| **Total** | **0.2481** | **2.2749** | **2.1631** | **3.5100e-003** | | **0.1251** | **0.1251** | | **0.1176** | **0.1176** | **0.0000** | **302.2867** | **302.2867** | **0.0729** | **0.0000** | **304.1099** |

**Unmitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Vendor | 1.2200e-003 | 0.0386 | 0.0105 | 1.0000e-004 | 2.4700e-003 | 8.0000e-005 | 2.5400e-003 | 7.1000e-004 | 8.0000e-005 | 7.9000e-004 | 0.0000 | 9.6503 | 9.6503 | 5.9000e-004 | 0.0000 | 9.6651 |
| Worker | 3.9300e-003 | 3.0600e-003 | 0.0345 | 1.0000e-004 | 0.0100 | 8.0000e-005 | 0.0101 | 2.6600e-003 | 8.0000e-005 | 2.7300e-003 | 0.0000 | 9.0338 | 9.0338 | 2.7000e-004 | 0.0000 | 9.0404 |
| **Total** | **5.1500e-003** | **0.0417** | **0.0450** | **2.0000e-004** | **0.0125** | **1.6000e-004** | **0.0126** | **3.3700e-003** | **1.6000e-004** | **3.5200e-003** | **0.0000** | **18.6841** | **18.6841** | **8.6000e-004** | **0.0000** | **18.7055** |

## 3.11 Building Construction - Multi-purpose building - 2021

**Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Off-Road | 0.2481 | 2.2749 | 2.1631 | 3.5100e-003 | | 0.1251 | 0.1251 | | 0.1176 | 0.1176 | 0.0000 | 302.2863 | 302.2863 | 0.0729 | 0.0000 | 304.1095 |
| **Total** | **0.2481** | **2.2749** | **2.1631** | **3.5100e-003** | | **0.1251** | **0.1251** | | **0.1176** | **0.1176** | **0.0000** | **302.2863** | **302.2863** | **0.0729** | **0.0000** | **304.1095** |

**Mitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Vendor | 1.2200e-003 | 0.0386 | 0.0105 | 1.0000e-004 | 2.3100e-003 | 8.0000e-005 | 2.3900e-003 | 6.7000e-004 | 8.0000e-005 | 7.5000e-004 | 0.0000 | 9.6503 | 9.6503 | 5.9000e-004 | 0.0000 | 9.6651 |
| Worker | 3.9300e-003 | 3.0600e-003 | 0.0345 | 1.0000e-004 | 9.2300e-003 | 8.0000e-005 | 9.3100e-003 | 2.4700e-003 | 8.0000e-005 | 2.5400e-003 | 0.0000 | 9.0338 | 9.0338 | 2.7000e-004 | 0.0000 | 9.0404 |
| **Total** | **5.1500e-003** | **0.0417** | **0.0450** | **2.0000e-004** | **0.0115** | **1.6000e-004** | **0.0117** | **3.1400e-003** | **1.6000e-004** | **3.2900e-003** | **0.0000** | **18.6841** | **18.6841** | **8.6000e-004** | **0.0000** | **18.7055** |

## 3.11 Building Construction - Multi-purpose building - 2022

**Unmitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Off-Road | 0.2039 | 1.8661 | 1.9554 | 3.2200e-003 | | 0.0967 | 0.0967 | | 0.0910 | 0.0910 | 0.0000 | 276.9117 | 276.9117 | 0.0663 | 0.0000 | 278.5702 |
| **Total** | **0.2039** | **1.8661** | **1.9554** | **3.2200e-003** | | **0.0967** | **0.0967** | | **0.0910** | **0.0910** | **0.0000** | **276.9117** | **276.9117** | **0.0663** | **0.0000** | **278.5702** |

**Unmitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Vendor | 1.0400e-003 | 0.0336 | 9.0800e-003 | 9.0000e-005 | 2.2600e-003 | 6.0000e-005 | 2.3200e-003 | 6.5000e-004 | 6.0000e-005 | 7.1000e-004 | 0.0000 | 8.7593 | 8.7593 | 5.2000e-004 | 0.0000 | 8.7724 |
| Worker | 3.3800e-003 | 2.5300e-003 | 0.0292 | 9.0000e-005 | 9.1700e-003 | 7.0000e-005 | 9.2400e-003 | 2.4300e-003 | 7.0000e-005 | 2.5000e-003 | 0.0000 | 7.9815 | 7.9815 | 2.2000e-004 | 0.0000 | 7.9870 |
| **Total** | **4.4200e-003** | **0.0361** | **0.0382** | **1.8000e-004** | **0.0114** | **1.3000e-004** | **0.0116** | **3.0800e-003** | **1.3000e-004** | **3.2100e-003** | **0.0000** | **16.7408** | **16.7408** | **7.4000e-004** | **0.0000** | **16.7594** |

## 3.11 Building Construction - Multi-purpose building - 2022

**Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Off-Road | 0.2039 | 1.8661 | 1.9554 | 3.2200e-003 | | 0.0967 | 0.0967 | | 0.0910 | 0.0910 | 0.0000 | 276.9113 | 276.9113 | 0.0663 | 0.0000 | 278.5698 |
| **Total** | **0.2039** | **1.8661** | **1.9554** | **3.2200e-003** | | **0.0967** | **0.0967** | | **0.0910** | **0.0910** | **0.0000** | **276.9113** | **276.9113** | **0.0663** | **0.0000** | **278.5698** |

**Mitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Vendor | 1.0400e-003 | 0.0336 | 9.0800e-003 | 9.0000e-005 | 2.1100e-003 | 6.0000e-005 | 2.1800e-003 | 6.2000e-004 | 6.0000e-005 | 6.8000e-004 | 0.0000 | 8.7593 | 8.7593 | 5.2000e-004 | 0.0000 | 8.7724 |
| Worker | 3.3800e-003 | 2.5300e-003 | 0.0292 | 9.0000e-005 | 8.4500e-003 | 7.0000e-005 | 8.5200e-003 | 2.2600e-003 | 7.0000e-005 | 2.3300e-003 | 0.0000 | 7.9815 | 7.9815 | 2.2000e-004 | 0.0000 | 7.9870 |
| **Total** | **4.4200e-003** | **0.0361** | **0.0382** | **1.8000e-004** | **0.0106** | **1.3000e-004** | **0.0107** | **2.8800e-003** | **1.3000e-004** | **3.0100e-003** | **0.0000** | **16.7408** | **16.7408** | **7.4000e-004** | **0.0000** | **16.7594** |

## 3.12 Building Construction - Classroom buildings - 2020

**Unmitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Off-Road | 0.0244 | 0.2206 | 0.1938 | 3.1000e-004 | | 0.0129 | 0.0129 | | 0.0121 | 0.0121 | 0.0000 | 26.6352 | 26.6352 | 6.5000e-003 | 0.0000 | 26.7976 |
| **Total** | **0.0244** | **0.2206** | **0.1938** | **3.1000e-004** | | **0.0129** | **0.0129** | | **0.0121** | **0.0121** | **0.0000** | **26.6352** | **26.6352** | **6.5000e-003** | **0.0000** | **26.7976** |

**Unmitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Vendor | 8.0000e-005 | 2.4900e-003 | 6.7000e-004 | 1.0000e-005 | 1.4000e-004 | 1.0000e-005 | 1.6000e-004 | 4.0000e-005 | 1.0000e-005 | 5.0000e-005 | 0.0000 | 0.5714 | 0.5714 | 4.0000e-005 | 0.0000 | 0.5723 |
| Worker | 3.2000e-004 | 2.6000e-004 | 2.8400e-003 | 1.0000e-005 | 7.6000e-004 | 1.0000e-005 | 7.6000e-004 | 2.0000e-004 | 1.0000e-005 | 2.1000e-004 | 0.0000 | 0.7047 | 0.7047 | 2.0000e-005 | 0.0000 | 0.7053 |
| **Total** | **4.0000e-004** | **2.7500e-003** | **3.5100e-003** | **2.0000e-005** | **9.0000e-004** | **2.0000e-005** | **9.2000e-004** | **2.4000e-004** | **2.0000e-005** | **2.6000e-004** | **0.0000** | **1.2761** | **1.2761** | **6.0000e-005** | **0.0000** | **1.2776** |

## 3.12 Building Construction - Classroom buildings - 2020

**Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Off-Road | 0.0244 | 0.2206 | 0.1938 | 3.1000e-004 | | 0.0129 | 0.0129 | | 0.0121 | 0.0121 | 0.0000 | 26.6351 | 26.6351 | 6.5000e-003 | 0.0000 | 26.7976 |
| **Total** | **0.0244** | **0.2206** | **0.1938** | **3.1000e-004** | | **0.0129** | **0.0129** | | **0.0121** | **0.0121** | **0.0000** | **26.6351** | **26.6351** | **6.5000e-003** | **0.0000** | **26.7976** |

**Mitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Vendor | 8.0000e-005 | 2.4900e-003 | 6.7000e-004 | 1.0000e-005 | 1.4000e-004 | 1.0000e-005 | 1.5000e-004 | 4.0000e-005 | 1.0000e-005 | 5.0000e-005 | 0.0000 | 0.5714 | 0.5714 | 4.0000e-005 | 0.0000 | 0.5723 |
| Worker | 3.2000e-004 | 2.6000e-004 | 2.8400e-003 | 1.0000e-005 | 7.0000e-004 | 1.0000e-005 | 7.0000e-004 | 1.9000e-004 | 1.0000e-005 | 1.9000e-004 | 0.0000 | 0.7047 | 0.7047 | 2.0000e-005 | 0.0000 | 0.7053 |
| **Total** | **4.0000e-004** | **2.7500e-003** | **3.5100e-003** | **2.0000e-005** | **8.4000e-004** | **2.0000e-005** | **8.5000e-004** | **2.3000e-004** | **2.0000e-005** | **2.4000e-004** | **0.0000** | **1.2761** | **1.2761** | **6.0000e-005** | **0.0000** | **1.2776** |

## 3.12 Building Construction - Classroom buildings - 2021

**Unmitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Off-Road | 0.1236 | 1.1331 | 1.0774 | 1.7500e-003 | | 0.0623 | 0.0623 | | 0.0586 | 0.0586 | 0.0000 | 150.5642 | 150.5642 | 0.0363 | 0.0000 | 151.4723 |
| **Total** | **0.1236** | **1.1331** | **1.0774** | **1.7500e-003** | | **0.0623** | **0.0623** | | **0.0586** | **0.0586** | **0.0000** | **150.5642** | **150.5642** | **0.0363** | **0.0000** | **151.4723** |

**Unmitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Vendor | 4.0000e-004 | 0.0128 | 3.4800e-003 | 3.0000e-005 | 8.2000e-004 | 3.0000e-005 | 8.5000e-004 | 2.4000e-004 | 3.0000e-005 | 2.6000e-004 | 0.0000 | 3.2045 | 3.2045 | 2.0000e-004 | 0.0000 | 3.2094 |
| Worker | 1.6800e-003 | 1.3100e-003 | 0.0148 | 4.0000e-005 | 4.2700e-003 | 4.0000e-005 | 4.3100e-003 | 1.1400e-003 | 3.0000e-005 | 1.1700e-003 | 0.0000 | 3.8568 | 3.8568 | 1.1000e-004 | 0.0000 | 3.8596 |
| **Total** | **2.0800e-003** | **0.0141** | **0.0182** | **7.0000e-005** | **5.0900e-003** | **7.0000e-005** | **5.1600e-003** | **1.3800e-003** | **6.0000e-005** | **1.4300e-003** | **0.0000** | **7.0612** | **7.0612** | **3.1000e-004** | **0.0000** | **7.0690** |

## 3.12 Building Construction - Classroom buildings - 2021

**Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Off-Road | 0.1236 | 1.1331 | 1.0774 | 1.7500e-003 | | 0.0623 | 0.0623 | | 0.0586 | 0.0586 | 0.0000 | 150.5641 | 150.5641 | 0.0363 | 0.0000 | 151.4722 |
| **Total** | **0.1236** | **1.1331** | **1.0774** | **1.7500e-003** | | **0.0623** | **0.0623** | | **0.0586** | **0.0586** | **0.0000** | **150.5641** | **150.5641** | **0.0363** | **0.0000** | **151.4722** |

**Mitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Vendor | 4.0000e-004 | 0.0128 | 3.4800e-003 | 3.0000e-005 | 7.7000e-004 | 3.0000e-005 | 7.9000e-004 | 2.2000e-004 | 3.0000e-005 | 2.5000e-004 | 0.0000 | 3.2045 | 3.2045 | 2.0000e-004 | 0.0000 | 3.2094 |
| Worker | 1.6800e-003 | 1.3100e-003 | 0.0148 | 4.0000e-005 | 3.9400e-003 | 4.0000e-005 | 3.9800e-003 | 1.0500e-003 | 3.0000e-005 | 1.0900e-003 | 0.0000 | 3.8568 | 3.8568 | 1.1000e-004 | 0.0000 | 3.8596 |
| **Total** | **2.0800e-003** | **0.0141** | **0.0182** | **7.0000e-005** | **4.7100e-003** | **7.0000e-005** | **4.7700e-003** | **1.2700e-003** | **6.0000e-005** | **1.3400e-003** | **0.0000** | **7.0612** | **7.0612** | **3.1000e-004** | **0.0000** | **7.0690** |

## 3.13 Architectural Coating - classroom buildings - 2021

**Unmitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Archit. Coating | 0.0433 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Off-Road | 7.7000e-004 | 5.3400e-003 | 6.3600e-003 | 1.0000e-005 | | 3.3000e-004 | 3.3000e-004 | | 3.3000e-004 | 3.3000e-004 | 0.0000 | 0.8936 | 0.8936 | 6.0000e-005 | 0.0000 | 0.8952 |
| **Total** | **0.0441** | **5.3400e-003** | **6.3600e-003** | **1.0000e-005** | | **3.3000e-004** | **3.3000e-004** | | **3.3000e-004** | **3.3000e-004** | **0.0000** | **0.8936** | **0.8936** | **6.0000e-005** | **0.0000** | **0.8952** |

**Unmitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Worker | 2.0000e-005 | 1.0000e-005 | 1.3000e-004 | 0.0000 | 4.0000e-005 | 0.0000 | 4.0000e-005 | 1.0000e-005 | 0.0000 | 1.0000e-005 | 0.0000 | 0.0346 | 0.0346 | 0.0000 | 0.0000 | 0.0346 |
| **Total** | **2.0000e-005** | **1.0000e-005** | **1.3000e-004** | **0.0000** | **4.0000e-005** | **0.0000** | **4.0000e-005** | **1.0000e-005** | **0.0000** | **1.0000e-005** | **0.0000** | **0.0346** | **0.0346** | **0.0000** | **0.0000** | **0.0346** |

## 3.13 Architectural Coating - classroom buildings - 2021

**Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Archit. Coating | 0.0433 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Off-Road | 7.7000e-004 | 5.3400e-003 | 6.3600e-003 | 1.0000e-005 | | 3.3000e-004 | 3.3000e-004 | | 3.3000e-004 | 3.3000e-004 | 0.0000 | 0.8936 | 0.8936 | 6.0000e-005 | 0.0000 | 0.8952 |
| **Total** | **0.0441** | **5.3400e-003** | **6.3600e-003** | **1.0000e-005** | | **3.3000e-004** | **3.3000e-004** | | **3.3000e-004** | **3.3000e-004** | **0.0000** | **0.8936** | **0.8936** | **6.0000e-005** | **0.0000** | **0.8952** |

**Mitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Worker | 2.0000e-005 | 1.0000e-005 | 1.3000e-004 | 0.0000 | 4.0000e-005 | 0.0000 | 4.0000e-005 | 1.0000e-005 | 0.0000 | 1.0000e-005 | 0.0000 | 0.0346 | 0.0346 | 0.0000 | 0.0000 | 0.0346 |
| **Total** | **2.0000e-005** | **1.0000e-005** | **1.3000e-004** | **0.0000** | **4.0000e-005** | **0.0000** | **4.0000e-005** | **1.0000e-005** | **0.0000** | **1.0000e-005** | **0.0000** | **0.0346** | **0.0346** | **0.0000** | **0.0000** | **0.0346** |

## 3.14 Architectural Coating - multipurpose buildings - 2022

**Unmitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Archit. Coating | 0.0569 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Off-Road | 2.8600e-003 | 0.0197 | 0.0254 | 4.0000e-005 | | 1.1400e-003 | 1.1400e-003 | | 1.1400e-003 | 1.1400e-003 | 0.0000 | 3.5746 | 3.5746 | 2.3000e-004 | 0.0000 | 3.5804 |
| **Total** | **0.0598** | **0.0197** | **0.0254** | **4.0000e-005** | | **1.1400e-003** | **1.1400e-003** | | **1.1400e-003** | **1.1400e-003** | **0.0000** | **3.5746** | **3.5746** | **2.3000e-004** | **0.0000** | **3.5804** |

**Unmitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Worker | 6.0000e-005 | 4.0000e-005 | 4.9000e-004 | 0.0000 | 1.5000e-004 | 0.0000 | 1.5000e-004 | 4.0000e-005 | 0.0000 | 4.0000e-005 | 0.0000 | 0.1336 | 0.1336 | 0.0000 | 0.0000 | 0.1337 |
| **Total** | **6.0000e-005** | **4.0000e-005** | **4.9000e-004** | **0.0000** | **1.5000e-004** | **0.0000** | **1.5000e-004** | **4.0000e-005** | **0.0000** | **4.0000e-005** | **0.0000** | **0.1336** | **0.1336** | **0.0000** | **0.0000** | **0.1337** |

## 3.14 Architectural Coating - multipurpose buildings - 2022

**Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Archit. Coating | 0.0569 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Off-Road | 2.8600e-003 | 0.0197 | 0.0254 | 4.0000e-005 | | 1.1400e-003 | 1.1400e-003 | | 1.1400e-003 | 1.1400e-003 | 0.0000 | 3.5746 | 3.5746 | 2.3000e-004 | 0.0000 | 3.5804 |
| **Total** | **0.0598** | **0.0197** | **0.0254** | **4.0000e-005** | | **1.1400e-003** | **1.1400e-003** | | **1.1400e-003** | **1.1400e-003** | **0.0000** | **3.5746** | **3.5746** | **2.3000e-004** | **0.0000** | **3.5804** |

**Mitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Worker | 6.0000e-005 | 4.0000e-005 | 4.9000e-004 | 0.0000 | 1.4000e-004 | 0.0000 | 1.4000e-004 | 4.0000e-005 | 0.0000 | 4.0000e-005 | 0.0000 | 0.1336 | 0.1336 | 0.0000 | 0.0000 | 0.1337 |
| **Total** | **6.0000e-005** | **4.0000e-005** | **4.9000e-004** | **0.0000** | **1.4000e-004** | **0.0000** | **1.4000e-004** | **4.0000e-005** | **0.0000** | **4.0000e-005** | **0.0000** | **0.1336** | **0.1336** | **0.0000** | **0.0000** | **0.1337** |

## 4.0 Operational Detail - Mobile

## 4.1 Mitigation Measures Mobile

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Mitigated | 0.0965 | 0.4412 | 1.3570 | 5.1700e-003 | 0.4426 | 3.9100e-003 | 0.4465 | 0.1186 | 3.6400e-003 | 0.1223 | 0.0000 | 478.2692 | 478.2692 | 0.0234 | 0.0000 | 478.8529 |
| Unmitigated | 0.0965 | 0.4412 | 1.3570 | 5.1700e-003 | 0.4426 | 3.9100e-003 | 0.4465 | 0.1186 | 3.6400e-003 | 0.1223 | 0.0000 | 478.2692 | 478.2692 | 0.0234 | 0.0000 | 478.8529 |

## 4.2 Trip Summary Information

| | Average Daily Trip Rate | | | Unmitigated | Mitigated |
|---|---|---|---|---|---|
| Land Use | Weekday | Saturday | Sunday | Annual VMT | Annual VMT |
| Elementary School | 473.70 | 0.00 | 0.00 | 1,166,111 | 1,166,111 |
| Other Asphalt Surfaces | 0.00 | 0.00 | 0.00 | | |
| Other Non-Asphalt Surfaces | 0.00 | 0.00 | 0.00 | | |
| Parking Lot | 0.00 | 0.00 | 0.00 | | |
| Total | 473.70 | 0.00 | 0.00 | 1,166,111 | 1,166,111 |

## 4.3 Trip Type Information

| | Miles | | | Trip % | | | Trip Purpose % | | |
|---|---|---|---|---|---|---|---|---|---|
| Land Use | H-W or C-W | H-S or C-C | H-O or C-NW | H-W or C-W | H-S or C-C | H-O or C-NW | Primary | Diverted | Pass-by |
| Elementary School | 16.60 | 8.40 | 6.90 | 65.00 | 30.00 | 5.00 | 63 | 25 | 12 |
| Other Asphalt Surfaces | 16.60 | 8.40 | 6.90 | 0.00 | 0.00 | 0.00 | 0 | 0 | 0 |
| Other Non-Asphalt Surfaces | 16.60 | 8.40 | 6.90 | 0.00 | 0.00 | 0.00 | 0 | 0 | 0 |
| Parking Lot | 16.60 | 8.40 | 6.90 | 0.00 | 0.00 | 0.00 | 0 | 0 | 0 |

### 4.4 Fleet Mix

| Land Use | LDA | LDT1 | LDT2 | MDV | LHD1 | LHD2 | MHD | HHD | OBUS | UBUS | MCY | SBUS | MH |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Elementary School | 0.545842 | 0.044768 | 0.205288 | 0.119317 | 0.015350 | 0.006227 | 0.020460 | 0.031333 | 0.002546 | 0.002133 | 0.005184 | 0.000692 | 0.000862 |
| Other Asphalt Surfaces | 0.545842 | 0.044768 | 0.205288 | 0.119317 | 0.015350 | 0.006227 | 0.020460 | 0.031333 | 0.002546 | 0.002133 | 0.005184 | 0.000692 | 0.000862 |
| Other Non-Asphalt Surfaces | 0.545842 | 0.044768 | 0.205288 | 0.119317 | 0.015350 | 0.006227 | 0.020460 | 0.031333 | 0.002546 | 0.002133 | 0.005184 | 0.000692 | 0.000862 |
| Parking Lot | 0.545842 | 0.044768 | 0.205288 | 0.119317 | 0.015350 | 0.006227 | 0.020460 | 0.031333 | 0.002546 | 0.002133 | 0.005184 | 0.000692 | 0.000862 |

## 5.0 Energy Detail

Historical Energy Use: N

### 5.1 Mitigation Measures Energy

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Electricity Mitigated | | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 61.4353 | 61.4353 | 2.5400e-003 | 5.2000e-004 | 61.6551 |
| Electricity Unmitigated | | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 61.4353 | 61.4353 | 2.5400e-003 | 5.2000e-004 | 61.6551 |
| NaturalGas Mitigated | 1.9600e-003 | 0.0178 | 0.0150 | 1.1000e-004 | | 1.3500e-003 | 1.3500e-003 | | 1.3500e-003 | 1.3500e-003 | 0.0000 | 19.3971 | 19.3971 | 3.7000e-004 | 3.6000e-004 | 19.5124 |
| NaturalGas Unmitigated | 1.9600e-003 | 0.0178 | 0.0150 | 1.1000e-004 | | 1.3500e-003 | 1.3500e-003 | | 1.3500e-003 | 1.3500e-003 | 0.0000 | 19.3971 | 19.3971 | 3.7000e-004 | 3.6000e-004 | 19.5124 |

## 5.2 Energy by Land Use - NaturalGas

**Unmitigated**

| | NaturalGas Use | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Land Use | kBTU/yr | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Elementary School | 363488 | 1.9600e-003 | 0.0178 | 0.0150 | 1.1000e-004 | | 1.3500e-003 | 1.3500e-003 | | 1.3500e-003 | 1.3500e-003 | 0.0000 | 19.3971 | 19.3971 | 3.7000e-004 | 3.6000e-004 | 19.5124 |
| Other Asphalt Surfaces | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Other Non-Asphalt Surfaces | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Parking Lot | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| **Total** | | **1.9600e-003** | **0.0178** | **0.0150** | **1.1000e-004** | | **1.3500e-003** | **1.3500e-003** | | **1.3500e-003** | **1.3500e-003** | **0.0000** | **19.3971** | **19.3971** | **3.7000e-004** | **3.6000e-004** | **19.5124** |

## 5.2 Energy by Land Use - NaturalGas

**Mitigated**

| | NaturalGas Use | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Land Use | kBTU/yr | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Elementary School | 363488 | 1.9600e-003 | 0.0178 | 0.0150 | 1.1000e-004 | | 1.3500e-003 | 1.3500e-003 | | 1.3500e-003 | 1.3500e-003 | 0.0000 | 19.3971 | 19.3971 | 3.7000e-004 | 3.6000e-004 | 19.5124 |
| Other Asphalt Surfaces | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Other Non-Asphalt Surfaces | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Parking Lot | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| **Total** | | **1.9600e-003** | **0.0178** | **0.0150** | **1.1000e-004** | | **1.3500e-003** | **1.3500e-003** | | **1.3500e-003** | **1.3500e-003** | **0.0000** | **19.3971** | **19.3971** | **3.7000e-004** | **3.6000e-004** | **19.5124** |

## 5.3 Energy by Land Use - Electricity

**Unmitigated**

| | Electricity Use | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|
| Land Use | kWh/yr | MT/yr | | | |
| Elementary School | 186656 | 59.4726 | 2.4600e-003 | 5.1000e-004 | 59.6854 |
| Other Asphalt Surfaces | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Other Non-Asphalt Surfaces | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Parking Lot | 6160 | 1.9627 | 8.0000e-005 | 2.0000e-005 | 1.9697 |
| **Total** | | **61.4353** | **2.5400e-003** | **5.3000e-004** | **61.6551** |

## 5.3 Energy by Land Use - Electricity

**Mitigated**

| | Electricity Use | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|
| Land Use | kWh/yr | MT/yr | | | |
| Elementary School | 186656 | 59.4726 | 2.4600e-003 | 5.1000e-004 | 59.6854 |
| Other Asphalt Surfaces | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Other Non-Asphalt Surfaces | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Parking Lot | 6160 | 1.9627 | 8.0000e-005 | 2.0000e-005 | 1.9697 |
| **Total** | | **61.4353** | **2.5400e-003** | **5.3000e-004** | **61.6551** |

# 6.0 Area Detail

## 6.1 Mitigation Measures Area

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Mitigated | 0.1357 | 1.0000e-005 | 6.5000e-004 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 1.2600e-003 | 1.2600e-003 | 0.0000 | 0.0000 | 1.3500e-003 |
| Unmitigated | 0.1357 | 1.0000e-005 | 6.5000e-004 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 1.2600e-003 | 1.2600e-003 | 0.0000 | 0.0000 | 1.3500e-003 |

## 6.2 Area by SubCategory

**Unmitigated**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SubCategory | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Architectural Coating | 0.0161 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Consumer Products | 0.1196 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Landscaping | 6.0000e-005 | 1.0000e-005 | 6.5000e-004 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 1.2600e-003 | 1.2600e-003 | 0.0000 | 0.0000 | 1.3500e-003 |
| **Total** | **0.1357** | **1.0000e-005** | **6.5000e-004** | **0.0000** | | **0.0000** | **0.0000** | | **0.0000** | **0.0000** | **0.0000** | **1.2600e-003** | **1.2600e-003** | **0.0000** | **0.0000** | **1.3500e-003** |

## 6.2 Area by SubCategory

**Mitigated**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SubCategory | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Architectural Coating | 0.0161 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Consumer Products | 0.1196 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Landscaping | 6.0000e-005 | 1.0000e-005 | 6.5000e-004 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 1.2600e-003 | 1.2600e-003 | 0.0000 | 0.0000 | 1.3500e-003 |
| **Total** | **0.1357** | **1.0000e-005** | **6.5000e-004** | **0.0000** | | **0.0000** | **0.0000** | | **0.0000** | **0.0000** | **0.0000** | **1.2600e-003** | **1.2600e-003** | **0.0000** | **0.0000** | **1.3500e-003** |

# 7.0 Water Detail

## 7.1 Mitigation Measures Water

| | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|
| Category | MT/yr | | | |
| Mitigated | 12.0788 | 0.0295 | 7.9000e-004 | 13.0503 |
| Unmitigated | 12.0788 | 0.0295 | 7.9000e-004 | 13.0503 |

## 7.2 Water by Land Use

**Unmitigated**

| | Indoor/Outdoor Use | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|
| Land Use | Mgal | MT/yr | | | |
| Elementary School | 0.890205 / 2.2891 | 12.0788 | 0.0295 | 7.9000e-004 | 13.0503 |
| Other Asphalt Surfaces | 0 / 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Other Non-Asphalt Surfaces | 0 / 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Parking Lot | 0 / 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| **Total** | | **12.0788** | **0.0295** | **7.9000e-004** | **13.0503** |

## 7.2 Water by Land Use

**Mitigated**

| | Indoor/Outdoor Use | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|
| Land Use | Mgal | MT/yr | | | |
| Elementary School | 0.890205 / 2.2891 | 12.0788 | 0.0295 | 7.9000e-004 | 13.0503 |
| Other Asphalt Surfaces | 0 / 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Other Non-Asphalt Surfaces | 0 / 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Parking Lot | 0 / 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| **Total** | | **12.0788** | **0.0295** | **7.9000e-004** | **13.0503** |

# 8.0 Waste Detail

## 8.1 Mitigation Measures Waste

**Category/Year**

| | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|
| | MT/yr | | | |
| Mitigated | 8.1014 | 0.4788 | 0.0000 | 20.0708 |
| Unmitigated | 8.1014 | 0.4788 | 0.0000 | 20.0708 |

## 8.2 Waste by Land Use

**Unmitigated**

| | Waste Disposed | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|
| Land Use | tons | MT/yr | | | |
| Elementary School | 39.91 | 8.1014 | 0.4788 | 0.0000 | 20.0708 |
| Other Asphalt Surfaces | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Other Non-Asphalt Surfaces | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Parking Lot | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| **Total** | | **8.1014** | **0.4788** | **0.0000** | **20.0708** |

## 8.2 Waste by Land Use

**Mitigated**

| | Waste Disposed | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|
| Land Use | tons | MT/yr | | | |
| Elementary School | 39.91 | 8.1014 | 0.4788 | 0.0000 | 20.0708 |
| Other Asphalt Surfaces | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Other Non-Asphalt Surfaces | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Parking Lot | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| **Total** | | **8.1014** | **0.4788** | **0.0000** | **20.0708** |

## 9.0 Operational Offroad

| Equipment Type | Number | Hours/Day | Days/Year | Horse Power | Load Factor | Fuel Type |
|---|---|---|---|---|---|---|

## 10.0 Stationary Equipment

**Fire Pumps and Emergency Generators**

| Equipment Type | Number | Hours/Day | Hours/Year | Horse Power | Load Factor | Fuel Type |
|---|---|---|---|---|---|---|

**Boilers**

| Equipment Type | Number | Heat Input/Day | Heat Input/Year | Boiler Rating | Fuel Type |
|---|---|---|---|---|---|

**User Defined Equipment**

| Equipment Type | Number |
| --- | --- |

## 11.0 Vegetation

# MBUS-3.0 Construction Run 2

**Los Angeles-South Coast County, Annual**

## 1.0 Project Characteristics

### 1.1 Land Usage

| Land Uses | Size | Metric | Lot Acreage | Floor Surface Area | Population |
|---|---|---|---|---|---|
| Elementary School | 30.70 | 1000sqft | 3.13 | 30,700.00 | 0 |
| Other Asphalt Surfaces | 0.78 | Acre | 0.78 | 33,976.80 | 0 |
| Other Non-Asphalt Surfaces | 1.89 | Acre | 1.89 | 82,328.40 | 0 |
| Parking Lot | 17.60 | 1000sqft | 0.40 | 17,600.00 | 0 |

### 1.2 Other Project Characteristics

| | | | | | |
|---|---|---|---|---|---|
| **Urbanization** | Urban | **Wind Speed (m/s)** | 2.2 | **Precipitation Freq (Days)** | 33 |
| **Climate Zone** | 8 | | | **Operational Year** | 2023 |
| **Utility Company** | Southern California Edison | | | | |
| **CO2 Intensity (lb/MWhr)** | 702.44 | **CH4 Intensity (lb/MWhr)** | 0.029 | **N2O Intensity (lb/MWhr)** | 0.006 |

### 1.3 User Entered Comments & Non-Default Data

Project Characteristics -

Land Use - data provided by applicant

Construction Phase - see assumptions file

Off-road Equipment - see assumptions file

Off-road Equipment - see assumptions file

Off-road Equipment - dog park reno equiment included with asphalt paving, double equipment assuming installation of playfield separate equipment

Off-road Equipment - assuming ladera and mp don't share equipment

Off-road Equipment - see assumptions file

Off-road Equipment - see assumptions

Off-road Equipment - no additional equipment needed for modernization

Off-road Equipment -

Off-road Equipment - see assumptions file

Trips and VMT - see assumptions

Demolition -

Grading - accounted for in grading-site soil haul

Architectural Coating - see assumptions

Construction Off-road Equipment Mitigation - see assumptions file

| Table Name | Column Name | Default Value | New Value |
|---|---|---|---|
| tblArchitecturalCoating | ConstArea_Nonresidential_Exterior | 15,350.00 | 4,240.00 |
| tblArchitecturalCoating | ConstArea_Nonresidential_Interior | 46,050.00 | 6,360.00 |
| tblArchitecturalCoating | ConstArea_Parking | 8,034.00 | 0.00 |
| tblConstDustMitigation | CleanPavedRoadPercentReduction | 0 | 9 |
| tblConstDustMitigation | WaterUnpavedRoadVehicleSpeed | 0 | 15 |
| tblConstructionPhase | NumDays | 20.00 | 3.00 |
| tblConstructionPhase | NumDays | 230.00 | 67.00 |
| tblConstructionPhase | NumDays | 20.00 | 44.00 |

| | | | |
|---|---|---|---|
| tblConstructionPhase | NumDays | 20.00 | 45.00 |
| tblConstructionPhase | NumDays | 20.00 | 44.00 |
| tblConstructionPhase | NumDays | 20.00 | 45.00 |
| tblConstructionPhase | NumDays | 20.00 | 67.00 |
| tblLandUse | LotAcreage | 0.70 | 3.13 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00 | 2.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 3.00 | 6.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 3.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 2.00 | 4.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 2.00 | 4.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 2.00 | 4.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 2.00 | 4.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 3.00 | 0.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00 | 0.00 |
| tblOffRoadEquipment | UsageHours | 7.00 | 8.00 |
| tblTripsAndVMT | HaulingTripNumber | 119.00 | 120.00 |
| tblTripsAndVMT | HaulingTripNumber | 21.00 | 22.00 |
| tblTripsAndVMT | VendorTripNumber | 0.00 | 4.00 |
| tblTripsAndVMT | VendorTripNumber | 27.00 | 1.00 |
| tblTripsAndVMT | VendorTripNumber | 0.00 | 2.00 |
| tblTripsAndVMT | VendorTripNumber | 0.00 | 2.00 |
| tblTripsAndVMT | WorkerTripNumber | 69.00 | 4.00 |
| tblTripsAndVMT | WorkerTripNumber | 14.00 | 1.00 |

## 2.0 Emissions Summary

## 2.1 Overall Construction

### Unmitigated Construction

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Year | tons/yr | | | | | | | | | | MT/yr | | | | | |
| 2021 | 0.2999 | 2.7439 | 1.9356 | 3.6500e-003 | 0.1822 | 0.1320 | 0.3142 | 0.0833 | 0.1224 | 0.2057 | 0.0000 | 321.1921 | 321.1921 | 0.0871 | 0.0000 | 323.3690 |
| 2022 | 0.1390 | 1.3181 | 1.4772 | 2.5300e-003 | 0.0171 | 0.0655 | 0.0827 | 4.2900e-003 | 0.0605 | 0.0648 | 0.0000 | 222.5297 | 222.5297 | 0.0648 | 0.0000 | 224.1499 |
| **Maximum** | **0.2999** | **2.7439** | **1.9356** | **3.6500e-003** | **0.1822** | **0.1320** | **0.3142** | **0.0833** | **0.1224** | **0.2057** | **0.0000** | **321.1921** | **321.1921** | **0.0871** | **0.0000** | **323.3690** |

### Mitigated Construction

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Year | tons/yr | | | | | | | | | | MT/yr | | | | | |
| 2021 | 0.2999 | 2.7439 | 1.9356 | 3.6500e-003 | 0.0875 | 0.1320 | 0.2195 | 0.0382 | 0.1224 | 0.1606 | 0.0000 | 321.1918 | 321.1918 | 0.0871 | 0.0000 | 323.3686 |
| 2022 | 0.1390 | 1.3181 | 1.4772 | 2.5300e-003 | 0.0147 | 0.0655 | 0.0802 | 3.8000e-003 | 0.0605 | 0.0643 | 0.0000 | 222.5294 | 222.5294 | 0.0648 | 0.0000 | 224.1497 |
| **Maximum** | **0.2999** | **2.7439** | **1.9356** | **3.6500e-003** | **0.0875** | **0.1320** | **0.2195** | **0.0382** | **0.1224** | **0.1606** | **0.0000** | **321.1918** | **321.1918** | **0.0871** | **0.0000** | **323.3686** |

| | **ROG** | **NOx** | **CO** | **SO2** | **Fugitive PM10** | **Exhaust PM10** | **PM10 Total** | **Fugitive PM2.5** | **Exhaust PM2.5** | **PM2.5 Total** | **Bio- CO2** | **NBio-CO2** | **Total CO2** | **CH4** | **N20** | **CO2e** |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Percent Reduction** | **0.00** | **0.00** | **0.00** | **0.00** | **48.74** | **0.00** | **24.48** | **52.02** | **0.00** | **16.84** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** |

| Quarter | Start Date | End Date | Maximum Unmitigated ROG + NOX (tons/quarter) | Maximum Mitigated ROG + NOX (tons/quarter) |
|---|---|---|---|---|
| **1** | **6-1-2021** | **8-31-2021** | 2.3104 | 2.3104 |
| **2** | **9-1-2021** | **11-30-2021** | 0.7239 | 0.7239 |
| **5** | **6-1-2022** | **8-31-2022** | 1.4446 | 1.4446 |
| **6** | **9-1-2022** | **9-30-2022** | 0.0088 | 0.0088 |
| | | **Highest** | 2.3104 | 2.3104 |

## 2.2 Overall Operational

**Unmitigated Operational**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Area | 0.1357 | 1.0000e-005 | 6.5000e-004 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 1.2600e-003 | 1.2600e-003 | 0.0000 | 0.0000 | 1.3500e-003 |
| Energy | 1.9600e-003 | 0.0178 | 0.0150 | 1.1000e-004 | | 1.3500e-003 | 1.3500e-003 | | 1.3500e-003 | 1.3500e-003 | 0.0000 | 80.8324 | 80.8324 | 2.9100e-003 | 8.8000e-004 | 81.1675 |
| Mobile | 0.0965 | 0.4412 | 1.3570 | 5.1700e-003 | 0.4426 | 3.9100e-003 | 0.4465 | 0.1186 | 3.6400e-003 | 0.1223 | 0.0000 | 478.2692 | 478.2692 | 0.0234 | 0.0000 | 478.8529 |
| Waste | | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 8.1014 | 0.0000 | 8.1014 | 0.4788 | 0.0000 | 20.0708 |
| Water | | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.2824 | 11.7964 | 12.0788 | 0.0295 | 7.9000e-004 | 13.0503 |
| **Total** | **0.2342** | **0.4590** | **1.3727** | **5.2800e-003** | **0.4426** | **5.2600e-003** | **0.4479** | **0.1186** | **4.9900e-003** | **0.1236** | **8.3838** | **570.8993** | **579.2831** | **0.5345** | **1.6700e-003** | **593.1429** |

## 2.2 Overall Operational

**Mitigated Operational**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Area | 0.1357 | 1.0000e-005 | 6.5000e-004 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 1.2600e-003 | 1.2600e-003 | 0.0000 | 0.0000 | 1.3500e-003 |
| Energy | 1.9600e-003 | 0.0178 | 0.0150 | 1.1000e-004 | | 1.3500e-003 | 1.3500e-003 | | 1.3500e-003 | 1.3500e-003 | 0.0000 | 80.8324 | 80.8324 | 2.9100e-003 | 8.8000e-004 | 81.1675 |
| Mobile | 0.0965 | 0.4412 | 1.3570 | 5.1700e-003 | 0.4426 | 3.9100e-003 | 0.4465 | 0.1186 | 3.6400e-003 | 0.1223 | 0.0000 | 478.2692 | 478.2692 | 0.0234 | 0.0000 | 478.8529 |
| Waste | | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 8.1014 | 0.0000 | 8.1014 | 0.4788 | 0.0000 | 20.0708 |
| Water | | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.2824 | 11.7964 | 12.0788 | 0.0295 | 7.9000e-004 | 13.0503 |
| **Total** | **0.2342** | **0.4590** | **1.3727** | **5.2800e-003** | **0.4426** | **5.2600e-003** | **0.4479** | **0.1186** | **4.9900e-003** | **0.1236** | **8.3838** | **570.8993** | **579.2831** | **0.5345** | **1.6700e-003** | **593.1429** |

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio-CO2 | Total CO2 | CH4 | N20 | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Percent Reduction** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** |

## 3.0 Construction Detail

**Construction Phase**

MBUS-3.0 Construction Run 2 - Los Angeles-South Coast County, Annual

| Phase Number | Phase Name | Phase Type | Start Date | End Date | Num Days Week | Num Days | Phase Description |
|---|---|---|---|---|---|---|---|
| 1 | Demolition - Ladera/Multipurpose | Demolition | 6/1/2021 | 8/1/2021 | 5 | 44 | |
| 2 | Modernization - kindergarten buildings | Building Construction | 6/1/2021 | 9/1/2021 | 5 | 67 | |
| 3 | Asphalt Demolition - dog park | Demolition | 8/1/2021 | 10/1/2021 | 5 | 45 | |
| 4 | Grading - MPR and dog park | Grading | 8/1/2021 | 10/1/2021 | 5 | 45 | |
| 5 | Utility Trenching - MPR | Trenching | 8/1/2021 | 10/1/2021 | 5 | 45 | |
| 6 | Architectural Coating- Kindergarten Buildings | Architectural Coating | 8/28/2021 | 9/1/2021 | 5 | 3 | |
| 7 | Portable Building Removal | Demolition | 6/1/2022 | 8/1/2022 | 5 | 44 | |
| 8 | Asphalt Paving | Paving | 6/1/2022 | 9/1/2022 | 5 | 67 | |

**Acres of Grading (Site Preparation Phase): 0**

**Acres of Grading (Grading Phase): 0**

**Acres of Paving: 3.07**

**Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 6,360; Non-Residential Outdoor: 4,240; Striped Parking Area: 0 (Architectural Coating – sqft)**

**OffRoad Equipment**

| Phase Name | Offroad Equipment Type | Amount | Usage Hours | Horse Power | Load Factor |
|---|---|---|---|---|---|
| Demolition - Ladera/Multipurpose | Concrete/Industrial Saws | 2 | 8.00 | 81 | 0.73 |
| Demolition - Ladera/Multipurpose | Excavators | 6 | 8.00 | 158 | 0.38 |
| Demolition - Ladera/Multipurpose | Rubber Tired Dozers | 4 | 8.00 | 247 | 0.40 |
| Modernization - kindergarten buildings | Cranes | 0 | 7.00 | 231 | 0.29 |
| Modernization - kindergarten buildings | Forklifts | 0 | 8.00 | 89 | 0.20 |
| Modernization - kindergarten buildings | Generator Sets | 0 | 8.00 | 84 | 0.74 |
| Modernization - kindergarten buildings | Rubber Tired Dozers | 0 | 8.00 | 247 | 0.40 |
| Modernization - kindergarten buildings | Tractors/Loaders/Backhoes | 0 | 8.00 | 97 | 0.37 |

| | | | | | |
|---|---|---|---|---|---|
| Modernization - kindergarten buildings | Welders | 0 | 8.00 | 46 | 0.45 |
| Asphalt Demolition - dog park | Concrete/Industrial Saws | 1 | 8.00 | 81 | 0.73 |
| Asphalt Demolition - dog park | Cranes | 0 | 7.00 | 231 | 0.29 |
| Asphalt Demolition - dog park | Excavators | 3 | 8.00 | 158 | 0.38 |
| Asphalt Demolition - dog park | Forklifts | 0 | 8.00 | 89 | 0.20 |
| Asphalt Demolition - dog park | Generator Sets | 0 | 8.00 | 84 | 0.74 |
| Asphalt Demolition - dog park | Rubber Tired Dozers | 2 | 8.00 | 247 | 0.40 |
| Asphalt Demolition - dog park | Tractors/Loaders/Backhoes | 0 | 7.00 | 97 | 0.37 |
| Asphalt Demolition - dog park | Welders | 0 | 8.00 | 46 | 0.45 |
| Grading - MPR and dog park | Air Compressors | 0 | 6.00 | 78 | 0.48 |
| Grading - MPR and dog park | Excavators | 1 | 8.00 | 158 | 0.38 |
| Grading - MPR and dog park | Graders | 1 | 8.00 | 187 | 0.41 |
| Grading - MPR and dog park | Rubber Tired Dozers | 1 | 8.00 | 247 | 0.40 |
| Grading - MPR and dog park | Tractors/Loaders/Backhoes | 3 | 8.00 | 97 | 0.37 |
| Utility Trenching - MPR | Excavators | 1 | 8.00 | 158 | 0.38 |
| Architectural Coating- Kindergarten Buildings | Air Compressors | 1 | 6.00 | 78 | 0.48 |
| Architectural Coating- Kindergarten Buildings | Excavators | 0 | 8.00 | 158 | 0.38 |
| Architectural Coating- Kindergarten Buildings | Graders | 0 | 8.00 | 187 | 0.41 |
| Architectural Coating- Kindergarten Buildings | Rubber Tired Dozers | 0 | 8.00 | 247 | 0.40 |
| Architectural Coating- Kindergarten Buildings | Tractors/Loaders/Backhoes | 0 | 8.00 | 97 | 0.37 |
| Portable Building Removal | Concrete/Industrial Saws | 1 | 8.00 | 81 | 0.73 |
| Portable Building Removal | Excavators | 3 | 8.00 | 158 | 0.38 |
| Portable Building Removal | Rubber Tired Dozers | 2 | 8.00 | 247 | 0.40 |
| Asphalt Paving | Pavers | 4 | 8.00 | 130 | 0.42 |
| Asphalt Paving | Paving Equipment | 4 | 8.00 | 132 | 0.36 |
| Asphalt Paving | Rollers | 4 | 8.00 | 80 | 0.38 |

**Trips and VMT**

| Phase Name | Offroad Equipment Count | Worker Trip Number | Vendor Trip Number | Hauling Trip Number | Worker Trip Length | Vendor Trip Length | Hauling Trip Length | Worker Vehicle Class | Vendor Vehicle Class | Hauling Vehicle Class |
|---|---|---|---|---|---|---|---|---|---|---|
| Demolition - Ladera/Multipurpose | 12 | 30.00 | 4.00 | 120.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Modernization - Kindergarten buildings | 0 | 4.00 | 1.00 | 0.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Asphalt Demolition - dog park | 6 | 15.00 | 2.00 | 23.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Grading - MPR and dog park | 6 | 15.00 | 2.00 | 0.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Utility Trenching - MPR | 1 | 3.00 | 0.00 | 0.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Architectural Coating- Kindergarten Buildings | 1 | 1.00 | 0.00 | 0.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Portable Building Removal | 6 | 15.00 | 0.00 | 22.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Asphalt Paving | 12 | 30.00 | 0.00 | 0.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |

## 3.1 Mitigation Measures Construction

Replace Ground Cover

Water Exposed Area

Reduce Vehicle Speed on Unpaved Roads

Clean Paved Roads

## 3.2 Demolition - Ladera/Multipurpose - 2021

### Unmitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Fugitive Dust | | | | | 0.0129 | 0.0000 | 0.0129 | 1.9500e-003 | 0.0000 | 1.9500e-003 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Off-Road | 0.1393 | 1.3834 | 0.9489 | 1.7100e-003 | | 0.0683 | 0.0683 | | 0.0634 | 0.0634 | 0.0000 | 149.6035 | 149.6035 | 0.0421 | 0.0000 | 150.6561 |
| **Total** | **0.1393** | **1.3834** | **0.9489** | **1.7100e-003** | **0.0129** | **0.0683** | **0.0811** | **1.9500e-003** | **0.0634** | **0.0654** | **0.0000** | **149.6035** | **149.6035** | **0.0421** | **0.0000** | **150.6561** |

### Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 5.1000e-004 | 0.0166 | 3.8700e-003 | 5.0000e-005 | 1.0300e-003 | 5.0000e-005 | 1.0800e-003 | 2.8000e-004 | 5.0000e-005 | 3.3000e-004 | 0.0000 | 4.5738 | 4.5738 | 3.2000e-004 | 0.0000 | 4.5817 |
| Vendor | 2.7000e-004 | 8.6800e-003 | 2.3500e-003 | 2.0000e-005 | 5.5000e-004 | 2.0000e-005 | 5.7000e-004 | 1.6000e-004 | 2.0000e-005 | 1.8000e-004 | 0.0000 | 2.1692 | 2.1692 | 1.3000e-004 | 0.0000 | 2.1725 |
| Worker | 2.8400e-003 | 2.2100e-003 | 0.0250 | 7.0000e-005 | 7.2300e-003 | 6.0000e-005 | 7.2900e-003 | 1.9200e-003 | 5.0000e-005 | 1.9800e-003 | 0.0000 | 6.5269 | 6.5269 | 1.9000e-004 | 0.0000 | 6.5317 |
| **Total** | **3.6200e-003** | **0.0275** | **0.0312** | **1.4000e-004** | **8.8100e-003** | **1.3000e-004** | **8.9400e-003** | **2.3600e-003** | **1.2000e-004** | **2.4900e-003** | **0.0000** | **13.2698** | **13.2698** | **6.4000e-004** | **0.0000** | **13.2859** |

## 3.2 Demolition - Ladera/Multipurpose - 2021

### Mitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Fugitive Dust | | | | | 5.4900e-003 | 0.0000 | 5.4900e-003 | 8.3000e-004 | 0.0000 | 8.3000e-004 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Off-Road | 0.1393 | 1.3834 | 0.9489 | 1.7100e-003 | | 0.0683 | 0.0683 | | 0.0634 | 0.0634 | 0.0000 | 149.6033 | 149.6033 | 0.0421 | 0.0000 | 150.6560 |
| **Total** | **0.1393** | **1.3834** | **0.9489** | **1.7100e-003** | **5.4900e-003** | **0.0683** | **0.0738** | **8.3000e-004** | **0.0634** | **0.0642** | **0.0000** | **149.6033** | **149.6033** | **0.0421** | **0.0000** | **150.6560** |

### Mitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 5.1000e-004 | 0.0166 | 3.8700e-003 | 5.0000e-005 | 9.6000e-004 | 5.0000e-005 | 1.0100e-003 | 2.7000e-004 | 5.0000e-005 | 3.1000e-004 | 0.0000 | 4.5738 | 4.5738 | 3.2000e-004 | 0.0000 | 4.5817 |
| Vendor | 2.7000e-004 | 8.6800e-003 | 2.3500e-003 | 2.0000e-005 | 5.2000e-004 | 2.0000e-005 | 5.4000e-004 | 1.5000e-004 | 2.0000e-005 | 1.7000e-004 | 0.0000 | 2.1692 | 2.1692 | 1.3000e-004 | 0.0000 | 2.1725 |
| Worker | 2.8400e-003 | 2.2100e-003 | 0.0250 | 7.0000e-005 | 6.6700e-003 | 6.0000e-005 | 6.7300e-003 | 1.7800e-003 | 5.0000e-005 | 1.8400e-003 | 0.0000 | 6.5269 | 6.5269 | 1.9000e-004 | 0.0000 | 6.5317 |
| **Total** | **3.6200e-003** | **0.0275** | **0.0312** | **1.4000e-004** | **8.1500e-003** | **1.3000e-004** | **8.2800e-003** | **2.2000e-003** | **1.2000e-004** | **2.3200e-003** | **0.0000** | **13.2698** | **13.2698** | **6.4000e-004** | **0.0000** | **13.2859** |

## 3.3 Modernization - kindergarten buildings - 2021

**Unmitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Off-Road | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| **Total** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | | **0.0000** | **0.0000** | | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0000** |

**Unmitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Vendor | 1.0000e-004 | 3.3100e-003 | 9.0000e-004 | 1.0000e-005 | 2.1000e-004 | 1.0000e-005 | 2.2000e-004 | 6.0000e-005 | 1.0000e-005 | 7.0000e-005 | 0.0000 | 0.8258 | 0.8258 | 5.0000e-005 | 0.0000 | 0.8270 |
| Worker | 5.8000e-004 | 4.5000e-004 | 5.0700e-003 | 1.0000e-005 | 1.4700e-003 | 1.0000e-005 | 1.4800e-003 | 3.9000e-004 | 1.0000e-005 | 4.0000e-004 | 0.0000 | 1.3252 | 1.3252 | 4.0000e-005 | 0.0000 | 1.3261 |
| **Total** | **6.8000e-004** | **3.7600e-003** | **5.9700e-003** | **2.0000e-005** | **1.6800e-003** | **2.0000e-005** | **1.7000e-003** | **4.5000e-004** | **2.0000e-005** | **4.7000e-004** | **0.0000** | **2.1509** | **2.1509** | **9.0000e-005** | **0.0000** | **2.1532** |

## 3.3 Modernization - kindergarten buildings - 2021

**Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Off-Road | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| **Total** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | | **0.0000** | **0.0000** | | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0000** |

**Mitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Vendor | 1.0000e-004 | 3.3100e-003 | 9.0000e-004 | 1.0000e-005 | 2.0000e-004 | 1.0000e-005 | 2.0000e-004 | 6.0000e-005 | 1.0000e-005 | 6.0000e-005 | 0.0000 | 0.8258 | 0.8258 | 5.0000e-005 | 0.0000 | 0.8270 |
| Worker | 5.8000e-004 | 4.5000e-004 | 5.0700e-003 | 1.0000e-005 | 1.3500e-003 | 1.0000e-005 | 1.3700e-003 | 3.6000e-004 | 1.0000e-005 | 3.7000e-004 | 0.0000 | 1.3252 | 1.3252 | 4.0000e-005 | 0.0000 | 1.3261 |
| **Total** | **6.8000e-004** | **3.7600e-003** | **5.9700e-003** | **2.0000e-005** | **1.5500e-003** | **2.0000e-005** | **1.5700e-003** | **4.2000e-004** | **2.0000e-005** | **4.3000e-004** | **0.0000** | **2.1509** | **2.1509** | **9.0000e-005** | **0.0000** | **2.1532** |

## 3.4 Asphalt Demolition - dog park - 2021

**Unmitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Fugitive Dust | | | | | 2.4600e-003 | 0.0000 | 2.4600e-003 | 3.7000e-004 | 0.0000 | 3.7000e-004 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Off-Road | 0.0712 | 0.7074 | 0.4852 | 8.7000e-004 | | 0.0349 | 0.0349 | | 0.0324 | 0.0324 | 0.0000 | 76.5018 | 76.5018 | 0.0215 | 0.0000 | 77.0401 |
| **Total** | **0.0712** | **0.7074** | **0.4852** | **8.7000e-004** | **2.4600e-003** | **0.0349** | **0.0374** | **3.7000e-004** | **0.0324** | **0.0328** | **0.0000** | **76.5018** | **76.5018** | **0.0215** | **0.0000** | **77.0401** |

**Unmitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 1.0000e-004 | 3.1800e-003 | 7.4000e-004 | 1.0000e-005 | 2.0000e-004 | 1.0000e-005 | 2.1000e-004 | 5.0000e-005 | 1.0000e-005 | 6.0000e-005 | 0.0000 | 0.8766 | 0.8766 | 6.0000e-005 | 0.0000 | 0.8782 |
| Vendor | 1.4000e-004 | 4.4400e-003 | 1.2000e-003 | 1.0000e-005 | 2.8000e-004 | 1.0000e-005 | 2.9000e-004 | 8.0000e-005 | 1.0000e-005 | 9.0000e-005 | 0.0000 | 1.1092 | 1.1092 | 7.0000e-005 | 0.0000 | 1.1109 |
| Worker | 1.4500e-003 | 1.1300e-003 | 0.0128 | 4.0000e-005 | 3.7000e-003 | 3.0000e-005 | 3.7300e-003 | 9.8000e-004 | 3.0000e-005 | 1.0100e-003 | 0.0000 | 3.3376 | 3.3376 | 1.0000e-004 | 0.0000 | 3.3401 |
| **Total** | **1.6900e-003** | **8.7500e-003** | **0.0147** | **6.0000e-005** | **4.1800e-003** | **5.0000e-005** | **4.2300e-003** | **1.1100e-003** | **5.0000e-005** | **1.1600e-003** | **0.0000** | **5.3235** | **5.3235** | **2.3000e-004** | **0.0000** | **5.3292** |

## 3.4 Asphalt Demolition - dog park - 2021

### Mitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Fugitive Dust | | | | | 1.0500e-003 | 0.0000 | 1.0500e-003 | 1.6000e-004 | 0.0000 | 1.6000e-004 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Off-Road | 0.0712 | 0.7074 | 0.4852 | 8.7000e-004 | | 0.0349 | 0.0349 | | 0.0324 | 0.0324 | 0.0000 | 76.5017 | 76.5017 | 0.0215 | 0.0000 | 77.0400 |
| **Total** | **0.0712** | **0.7074** | **0.4852** | **8.7000e-004** | **1.0500e-003** | **0.0349** | **0.0360** | **1.6000e-004** | **0.0324** | **0.0326** | **0.0000** | **76.5017** | **76.5017** | **0.0215** | **0.0000** | **77.0400** |

### Mitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 1.0000e-004 | 3.1800e-003 | 7.4000e-004 | 1.0000e-005 | 1.8000e-004 | 1.0000e-005 | 1.9000e-004 | 5.0000e-005 | 1.0000e-005 | 6.0000e-005 | 0.0000 | 0.8766 | 0.8766 | 6.0000e-005 | 0.0000 | 0.8782 |
| Vendor | 1.4000e-004 | 4.4400e-003 | 1.2000e-003 | 1.0000e-005 | 2.7000e-004 | 1.0000e-005 | 2.7000e-004 | 8.0000e-005 | 1.0000e-005 | 9.0000e-005 | 0.0000 | 1.1092 | 1.1092 | 7.0000e-005 | 0.0000 | 1.1109 |
| Worker | 1.4500e-003 | 1.1300e-003 | 0.0128 | 4.0000e-005 | 3.4100e-003 | 3.0000e-005 | 3.4400e-003 | 9.1000e-004 | 3.0000e-005 | 9.4000e-004 | 0.0000 | 3.3376 | 3.3376 | 1.0000e-004 | 0.0000 | 3.3401 |
| **Total** | **1.6900e-003** | **8.7500e-003** | **0.0147** | **6.0000e-005** | **3.8600e-003** | **5.0000e-005** | **3.9000e-003** | **1.0400e-003** | **5.0000e-005** | **1.0900e-003** | **0.0000** | **5.3235** | **5.3235** | **2.3000e-004** | **0.0000** | **5.3292** |

## 3.5 Grading - MPR and dog park - 2021

### Unmitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Fugitive Dust | | | | | 0.1474 | 0.0000 | 0.1474 | 0.0758 | 0.0000 | 0.0758 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Off-Road | 0.0515 | 0.5566 | 0.3568 | 6.7000e-004 | | 0.0261 | 0.0261 | | 0.0240 | 0.0240 | 0.0000 | 58.6208 | 58.6208 | 0.0190 | 0.0000 | 59.0948 |
| **Total** | **0.0515** | **0.5566** | **0.3568** | **6.7000e-004** | **0.1474** | **0.0261** | **0.1735** | **0.0758** | **0.0240** | **0.0998** | **0.0000** | **58.6208** | **58.6208** | **0.0190** | **0.0000** | **59.0948** |

### Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Vendor | 1.4000e-004 | 4.4400e-003 | 1.2000e-003 | 1.0000e-005 | 2.8000e-004 | 1.0000e-005 | 2.9000e-004 | 8.0000e-005 | 1.0000e-005 | 9.0000e-005 | 0.0000 | 1.1092 | 1.1092 | 7.0000e-005 | 0.0000 | 1.1109 |
| Worker | 1.4500e-003 | 1.1300e-003 | 0.0128 | 4.0000e-005 | 3.7000e-003 | 3.0000e-005 | 3.7300e-003 | 9.8000e-004 | 3.0000e-005 | 1.0100e-003 | 0.0000 | 3.3376 | 3.3376 | 1.0000e-004 | 0.0000 | 3.3401 |
| **Total** | **1.5900e-003** | **5.5700e-003** | **0.0140** | **5.0000e-005** | **3.9800e-003** | **4.0000e-005** | **4.0200e-003** | **1.0600e-003** | **4.0000e-005** | **1.1000e-003** | **0.0000** | **4.4468** | **4.4468** | **1.7000e-004** | **0.0000** | **4.4510** |

## 3.5 Grading - MPR and dog park - 2021

### Mitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Fugitive Dust | | | | | 0.0630 | 0.0000 | 0.0630 | 0.0324 | 0.0000 | 0.0324 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Off-Road | 0.0515 | 0.5566 | 0.3568 | 6.7000e-004 | | 0.0261 | 0.0261 | | 0.0240 | 0.0240 | 0.0000 | 58.6208 | 58.6208 | 0.0190 | 0.0000 | 59.0947 |
| **Total** | **0.0515** | **0.5566** | **0.3568** | **6.7000e-004** | **0.0630** | **0.0261** | **0.0891** | **0.0324** | **0.0240** | **0.0564** | **0.0000** | **58.6208** | **58.6208** | **0.0190** | **0.0000** | **59.0947** |

### Mitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Vendor | 1.4000e-004 | 4.4400e-003 | 1.2000e-003 | 1.0000e-005 | 2.7000e-004 | 1.0000e-005 | 2.7000e-004 | 8.0000e-005 | 1.0000e-005 | 9.0000e-005 | 0.0000 | 1.1092 | 1.1092 | 7.0000e-005 | 0.0000 | 1.1109 |
| Worker | 1.4500e-003 | 1.1300e-003 | 0.0128 | 4.0000e-005 | 3.4100e-003 | 3.0000e-005 | 3.4400e-003 | 9.1000e-004 | 3.0000e-005 | 9.4000e-004 | 0.0000 | 3.3376 | 3.3376 | 1.0000e-004 | 0.0000 | 3.3401 |
| **Total** | **1.5900e-003** | **5.5700e-003** | **0.0140** | **5.0000e-005** | **3.6800e-003** | **4.0000e-005** | **3.7100e-003** | **9.9000e-004** | **4.0000e-005** | **1.0300e-003** | **0.0000** | **4.4468** | **4.4468** | **1.7000e-004** | **0.0000** | **4.4510** |

## 3.6 Utility Trenching - MPR - 2021

### Unmitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Off-Road | 5.1600e-003 | 0.0485 | 0.0736 | 1.2000e-004 | | 2.3500e-003 | 2.3500e-003 | | 2.1600e-003 | 2.1600e-003 | 0.0000 | 10.2098 | 10.2098 | 3.3000e-003 | 0.0000 | 10.2923 |
| **Total** | **5.1600e-003** | **0.0485** | **0.0736** | **1.2000e-004** | | **2.3500e-003** | **2.3500e-003** | | **2.1600e-003** | **2.1600e-003** | **0.0000** | **10.2098** | **10.2098** | **3.3000e-003** | **0.0000** | **10.2923** |

### Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Worker | 2.9000e-004 | 2.3000e-004 | 2.5500e-003 | 1.0000e-005 | 7.4000e-004 | 1.0000e-005 | 7.5000e-004 | 2.0000e-004 | 1.0000e-005 | 2.0000e-004 | 0.0000 | 0.6675 | 0.6675 | 2.0000e-005 | 0.0000 | 0.6680 |
| **Total** | **2.9000e-004** | **2.3000e-004** | **2.5500e-003** | **1.0000e-005** | **7.4000e-004** | **1.0000e-005** | **7.5000e-004** | **2.0000e-004** | **1.0000e-005** | **2.0000e-004** | **0.0000** | **0.6675** | **0.6675** | **2.0000e-005** | **0.0000** | **0.6680** |

## 3.6 Utility Trenching - MPR - 2021

### Mitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Off-Road | 5.1600e-003 | 0.0485 | 0.0736 | 1.2000e-004 | | 2.3500e-003 | 2.3500e-003 | | 2.1600e-003 | 2.1600e-003 | 0.0000 | 10.2097 | 10.2097 | 3.3000e-003 | 0.0000 | 10.2923 |
| **Total** | **5.1600e-003** | **0.0485** | **0.0736** | **1.2000e-004** | | **2.3500e-003** | **2.3500e-003** | | **2.1600e-003** | **2.1600e-003** | **0.0000** | **10.2097** | **10.2097** | **3.3000e-003** | **0.0000** | **10.2923** |

### Mitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Worker | 2.9000e-004 | 2.3000e-004 | 2.5500e-003 | 1.0000e-005 | 6.8000e-004 | 1.0000e-005 | 6.9000e-004 | 1.8000e-004 | 1.0000e-005 | 1.9000e-004 | 0.0000 | 0.6675 | 0.6675 | 2.0000e-005 | 0.0000 | 0.6680 |
| **Total** | **2.9000e-004** | **2.3000e-004** | **2.5500e-003** | **1.0000e-005** | **6.8000e-004** | **1.0000e-005** | **6.9000e-004** | **1.8000e-004** | **1.0000e-005** | **1.9000e-004** | **0.0000** | **0.6675** | **0.6675** | **2.0000e-005** | **0.0000** | **0.6680** |

## 3.7 Architectural Coating- Kindergarten Buildings - 2021

**Unmitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Archit. Coating | 0.0246 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Off-Road | 3.3000e-004 | 2.2900e-003 | 2.7300e-003 | 0.0000 | | 1.4000e-004 | 1.4000e-004 | | 1.4000e-004 | 1.4000e-004 | 0.0000 | 0.3830 | 0.3830 | 3.0000e-005 | 0.0000 | 0.3837 |
| **Total** | **0.0249** | **2.2900e-003** | **2.7300e-003** | **0.0000** | | **1.4000e-004** | **1.4000e-004** | | **1.4000e-004** | **1.4000e-004** | **0.0000** | **0.3830** | **0.3830** | **3.0000e-005** | **0.0000** | **0.3837** |

**Unmitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Worker | 1.0000e-005 | 1.0000e-005 | 6.0000e-005 | 0.0000 | 2.0000e-005 | 0.0000 | 2.0000e-005 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0148 | 0.0148 | 0.0000 | 0.0000 | 0.0148 |
| **Total** | **1.0000e-005** | **1.0000e-005** | **6.0000e-005** | **0.0000** | **2.0000e-005** | **0.0000** | **2.0000e-005** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0148** | **0.0148** | **0.0000** | **0.0000** | **0.0148** |

## 3.7 Architectural Coating- Kindergarten Buildings - 2021

**Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Archit. Coating | 0.0246 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Off-Road | 3.3000e-004 | 2.2900e-003 | 2.7300e-003 | 0.0000 | | 1.4000e-004 | 1.4000e-004 | | 1.4000e-004 | 1.4000e-004 | 0.0000 | 0.3830 | 0.3830 | 3.0000e-005 | 0.0000 | 0.3836 |
| **Total** | **0.0249** | **2.2900e-003** | **2.7300e-003** | **0.0000** | | **1.4000e-004** | **1.4000e-004** | | **1.4000e-004** | **1.4000e-004** | **0.0000** | **0.3830** | **0.3830** | **3.0000e-005** | **0.0000** | **0.3836** |

**Mitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Worker | 1.0000e-005 | 1.0000e-005 | 6.0000e-005 | 0.0000 | 2.0000e-005 | 0.0000 | 2.0000e-005 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0148 | 0.0148 | 0.0000 | 0.0000 | 0.0148 |
| **Total** | **1.0000e-005** | **1.0000e-005** | **6.0000e-005** | **0.0000** | **2.0000e-005** | **0.0000** | **2.0000e-005** | **0.0000** | **0.0000** | **0.0000** | **0.0000** | **0.0148** | **0.0148** | **0.0000** | **0.0000** | **0.0148** |

## 3.8 Portable Building Removal - 2022

### Unmitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Fugitive Dust | | | | | 2.3200e-003 | 0.0000 | 2.3200e-003 | 3.5000e-004 | 0.0000 | 3.5000e-004 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Off-Road | 0.0581 | 0.5658 | 0.4531 | 8.5000e-004 | | 0.0273 | 0.0273 | | 0.0254 | 0.0254 | 0.0000 | 74.7785 | 74.7785 | 0.0210 | 0.0000 | 75.3036 |
| **Total** | **0.0581** | **0.5658** | **0.4531** | **8.5000e-004** | **2.3200e-003** | **0.0273** | **0.0297** | **3.5000e-004** | **0.0254** | **0.0258** | **0.0000** | **74.7785** | **74.7785** | **0.0210** | **0.0000** | **75.3036** |

### Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 9.0000e-005 | 2.8300e-003 | 7.0000e-004 | 1.0000e-005 | 1.9000e-004 | 1.0000e-005 | 2.0000e-004 | 5.0000e-005 | 1.0000e-005 | 6.0000e-005 | 0.0000 | 0.8286 | 0.8286 | 6.0000e-005 | 0.0000 | 0.8300 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Worker | 1.3300e-003 | 1.0000e-003 | 0.0115 | 3.0000e-005 | 3.6200e-003 | 3.0000e-005 | 3.6500e-003 | 9.6000e-004 | 3.0000e-005 | 9.9000e-004 | 0.0000 | 3.1487 | 3.1487 | 9.0000e-005 | 0.0000 | 3.1509 |
| **Total** | **1.4200e-003** | **3.8300e-003** | **0.0122** | **4.0000e-005** | **3.8100e-003** | **4.0000e-005** | **3.8500e-003** | **1.0100e-003** | **4.0000e-005** | **1.0500e-003** | **0.0000** | **3.9773** | **3.9773** | **1.5000e-004** | **0.0000** | **3.9809** |

## 3.8 Portable Building Removal - 2022

### Mitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Fugitive Dust | | | | | 9.9000e-004 | 0.0000 | 9.9000e-004 | 1.5000e-004 | 0.0000 | 1.5000e-004 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Off-Road | 0.0581 | 0.5658 | 0.4531 | 8.5000e-004 | | 0.0273 | 0.0273 | | 0.0254 | 0.0254 | 0.0000 | 74.7784 | 74.7784 | 0.0210 | 0.0000 | 75.3035 |
| **Total** | **0.0581** | **0.5658** | **0.4531** | **8.5000e-004** | **9.9000e-004** | **0.0273** | **0.0283** | **1.5000e-004** | **0.0254** | **0.0256** | **0.0000** | **74.7784** | **74.7784** | **0.0210** | **0.0000** | **75.3035** |

### Mitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 9.0000e-005 | 2.8300e-003 | 7.0000e-004 | 1.0000e-005 | 1.8000e-004 | 1.0000e-005 | 1.8000e-004 | 5.0000e-005 | 1.0000e-005 | 6.0000e-005 | 0.0000 | 0.8286 | 0.8286 | 6.0000e-005 | 0.0000 | 0.8300 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Worker | 1.3300e-003 | 1.0000e-003 | 0.0115 | 3.0000e-005 | 3.3300e-003 | 3.0000e-005 | 3.3600e-003 | 8.9000e-004 | 3.0000e-005 | 9.2000e-004 | 0.0000 | 3.1487 | 3.1487 | 9.0000e-005 | 0.0000 | 3.1509 |
| **Total** | **1.4200e-003** | **3.8300e-003** | **0.0122** | **4.0000e-005** | **3.5100e-003** | **4.0000e-005** | **3.5400e-003** | **9.4000e-004** | **4.0000e-005** | **9.8000e-004** | **0.0000** | **3.9773** | **3.9773** | **1.5000e-004** | **0.0000** | **3.9809** |

## 3.9 Asphalt Paving - 2022

### Unmitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Off-Road | 0.0739 | 0.7454 | 0.9769 | 1.5300e-003 | | 0.0381 | 0.0381 | | 0.0350 | 0.0350 | 0.0000 | 134.1846 | 134.1846 | 0.0434 | 0.0000 | 135.2696 |
| Paving | 1.5500e-003 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| **Total** | **0.0754** | **0.7454** | **0.9769** | **1.5300e-003** | | **0.0381** | **0.0381** | | **0.0350** | **0.0350** | **0.0000** | **134.1846** | **134.1846** | **0.0434** | **0.0000** | **135.2696** |

### Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Worker | 4.0600e-003 | 3.0400e-003 | 0.0350 | 1.1000e-004 | 0.0110 | 9.0000e-005 | 0.0111 | 2.9300e-003 | 8.0000e-005 | 3.0100e-003 | 0.0000 | 9.5893 | 9.5893 | 2.6000e-004 | 0.0000 | 9.5959 |
| **Total** | **4.0600e-003** | **3.0400e-003** | **0.0350** | **1.1000e-004** | **0.0110** | **9.0000e-005** | **0.0111** | **2.9300e-003** | **8.0000e-005** | **3.0100e-003** | **0.0000** | **9.5893** | **9.5893** | **2.6000e-004** | **0.0000** | **9.5959** |

## 3.9 Asphalt Paving - 2022

**Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Off-Road | 0.0739 | 0.7454 | 0.9769 | 1.5300e-003 | | 0.0381 | 0.0381 | | 0.0350 | 0.0350 | 0.0000 | 134.1845 | 134.1845 | 0.0434 | 0.0000 | 135.2694 |
| Paving | 1.5500e-003 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| **Total** | **0.0754** | **0.7454** | **0.9769** | **1.5300e-003** | | **0.0381** | **0.0381** | | **0.0350** | **0.0350** | **0.0000** | **134.1845** | **134.1845** | **0.0434** | **0.0000** | **135.2694** |

**Mitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Worker | 4.0600e-003 | 3.0400e-003 | 0.0350 | 1.1000e-004 | 0.0102 | 9.0000e-005 | 0.0102 | 2.7100e-003 | 8.0000e-005 | 2.8000e-003 | 0.0000 | 9.5893 | 9.5893 | 2.6000e-004 | 0.0000 | 9.5959 |
| **Total** | **4.0600e-003** | **3.0400e-003** | **0.0350** | **1.1000e-004** | **0.0102** | **9.0000e-005** | **0.0102** | **2.7100e-003** | **8.0000e-005** | **2.8000e-003** | **0.0000** | **9.5893** | **9.5893** | **2.6000e-004** | **0.0000** | **9.5959** |

## 4.0 Operational Detail - Mobile

## 4.1 Mitigation Measures Mobile

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Mitigated | 0.0965 | 0.4412 | 1.3570 | 5.1700e-003 | 0.4426 | 3.9100e-003 | 0.4465 | 0.1186 | 3.6400e-003 | 0.1223 | 0.0000 | 478.2692 | 478.2692 | 0.0234 | 0.0000 | 478.8529 |
| Unmitigated | 0.0965 | 0.4412 | 1.3570 | 5.1700e-003 | 0.4426 | 3.9100e-003 | 0.4465 | 0.1186 | 3.6400e-003 | 0.1223 | 0.0000 | 478.2692 | 478.2692 | 0.0234 | 0.0000 | 478.8529 |

## 4.2 Trip Summary Information

| | Average Daily Trip Rate | | | Unmitigated | Mitigated |
|---|---|---|---|---|---|
| Land Use | Weekday | Saturday | Sunday | Annual VMT | Annual VMT |
| Elementary School | 473.70 | 0.00 | 0.00 | 1,166,111 | 1,166,111 |
| Other Asphalt Surfaces | 0.00 | 0.00 | 0.00 | | |
| Other Non-Asphalt Surfaces | 0.00 | 0.00 | 0.00 | | |
| Parking Lot | 0.00 | 0.00 | 0.00 | | |
| Total | 473.70 | 0.00 | 0.00 | 1,166,111 | 1,166,111 |

## 4.3 Trip Type Information

| | Miles | | | Trip % | | | Trip Purpose % | | |
|---|---|---|---|---|---|---|---|---|---|
| Land Use | H-W or C-W | H-S or C-C | H-O or C-NW | H-W or C-W | H-S or C-C | H-O or C-NW | Primary | Diverted | Pass-by |
| Elementary School | 16.60 | 8.40 | 6.90 | 65.00 | 30.00 | 5.00 | 63 | 25 | 12 |
| Other Asphalt Surfaces | 16.60 | 8.40 | 6.90 | 0.00 | 0.00 | 0.00 | 0 | 0 | 0 |
| Other Non-Asphalt Surfaces | 16.60 | 8.40 | 6.90 | 0.00 | 0.00 | 0.00 | 0 | 0 | 0 |
| Parking Lot | 16.60 | 8.40 | 6.90 | 0.00 | 0.00 | 0.00 | 0 | 0 | 0 |

### 4.4 Fleet Mix

| Land Use | LDA | LDT1 | LDT2 | MDV | LHD1 | LHD2 | MHD | HHD | OBUS | UBUS | MCY | SBUS | MH |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Elementary School | 0.545842 | 0.044768 | 0.205288 | 0.119317 | 0.015350 | 0.006227 | 0.020460 | 0.031333 | 0.002546 | 0.002133 | 0.005184 | 0.000692 | 0.000862 |
| Other Asphalt Surfaces | 0.545842 | 0.044768 | 0.205288 | 0.119317 | 0.015350 | 0.006227 | 0.020460 | 0.031333 | 0.002546 | 0.002133 | 0.005184 | 0.000692 | 0.000862 |
| Other Non-Asphalt Surfaces | 0.545842 | 0.044768 | 0.205288 | 0.119317 | 0.015350 | 0.006227 | 0.020460 | 0.031333 | 0.002546 | 0.002133 | 0.005184 | 0.000692 | 0.000862 |
| Parking Lot | 0.545842 | 0.044768 | 0.205288 | 0.119317 | 0.015350 | 0.006227 | 0.020460 | 0.031333 | 0.002546 | 0.002133 | 0.005184 | 0.000692 | 0.000862 |

## 5.0 Energy Detail

Historical Energy Use: N

### 5.1 Mitigation Measures Energy

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Electricity Mitigated | | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 61.4353 | 61.4353 | 2.5400e-003 | 5.2000e-004 | 61.6551 |
| Electricity Unmitigated | | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 61.4353 | 61.4353 | 2.5400e-003 | 5.2000e-004 | 61.6551 |
| NaturalGas Mitigated | 1.9600e-003 | 0.0178 | 0.0150 | 1.1000e-004 | | 1.3500e-003 | 1.3500e-003 | | 1.3500e-003 | 1.3500e-003 | 0.0000 | 19.3971 | 19.3971 | 3.7000e-004 | 3.6000e-004 | 19.5124 |
| NaturalGas Unmitigated | 1.9600e-003 | 0.0178 | 0.0150 | 1.1000e-004 | | 1.3500e-003 | 1.3500e-003 | | 1.3500e-003 | 1.3500e-003 | 0.0000 | 19.3971 | 19.3971 | 3.7000e-004 | 3.6000e-004 | 19.5124 |

## 5.2 Energy by Land Use - NaturalGas

**Unmitigated**

| | NaturalGas Use | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Land Use | kBTU/yr | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Elementary School | 363488 | 1.9600e-003 | 0.0178 | 0.0150 | 1.1000e-004 | | 1.3500e-003 | 1.3500e-003 | | 1.3500e-003 | 1.3500e-003 | 0.0000 | 19.3971 | 19.3971 | 3.7000e-004 | 3.6000e-004 | 19.5124 |
| Other Asphalt Surfaces | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Other Non-Asphalt Surfaces | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Parking Lot | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| **Total** | | **1.9600e-003** | **0.0178** | **0.0150** | **1.1000e-004** | | **1.3500e-003** | **1.3500e-003** | | **1.3500e-003** | **1.3500e-003** | **0.0000** | **19.3971** | **19.3971** | **3.7000e-004** | **3.6000e-004** | **19.5124** |

## 5.2 Energy by Land Use - NaturalGas

**Mitigated**

| | NaturalGas Use | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Land Use | kBTU/yr | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Elementary School | 363488 | 1.9600e-003 | 0.0178 | 0.0150 | 1.1000e-004 | | 1.3500e-003 | 1.3500e-003 | | 1.3500e-003 | 1.3500e-003 | 0.0000 | 19.3971 | 19.3971 | 3.7000e-004 | 3.6000e-004 | 19.5124 |
| Other Asphalt Surfaces | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Other Non-Asphalt Surfaces | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Parking Lot | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| **Total** | | **1.9600e-003** | **0.0178** | **0.0150** | **1.1000e-004** | | **1.3500e-003** | **1.3500e-003** | | **1.3500e-003** | **1.3500e-003** | **0.0000** | **19.3971** | **19.3971** | **3.7000e-004** | **3.6000e-004** | **19.5124** |

## 5.3 Energy by Land Use - Electricity

**Unmitigated**

| | Electricity Use | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|
| Land Use | kWh/yr | MT/yr | | | |
| Elementary School | 186656 | 59.4726 | 2.4600e-003 | 5.1000e-004 | 59.6854 |
| Other Asphalt Surfaces | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Other Non-Asphalt Surfaces | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Parking Lot | 6160 | 1.9627 | 8.0000e-005 | 2.0000e-005 | 1.9697 |
| **Total** | | **61.4353** | **2.5400e-003** | **5.3000e-004** | **61.6551** |

## 5.3 Energy by Land Use - Electricity

**Mitigated**

| | Electricity Use | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|
| Land Use | kWh/yr | MT/yr | | | |
| Elementary School | 186656 | 59.4726 | 2.4600e-003 | 5.1000e-004 | 59.6854 |
| Other Asphalt Surfaces | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Other Non-Asphalt Surfaces | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Parking Lot | 6160 | 1.9627 | 8.0000e-005 | 2.0000e-005 | 1.9697 |
| **Total** | | **61.4353** | **2.5400e-003** | **5.3000e-004** | **61.6551** |

# 6.0 Area Detail

## 6.1 Mitigation Measures Area

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Mitigated | 0.1357 | 1.0000e-005 | 6.5000e-004 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 1.2600e-003 | 1.2600e-003 | 0.0000 | 0.0000 | 1.3500e-003 |
| Unmitigated | 0.1357 | 1.0000e-005 | 6.5000e-004 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 1.2600e-003 | 1.2600e-003 | 0.0000 | 0.0000 | 1.3500e-003 |

## 6.2 Area by SubCategory

**Unmitigated**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SubCategory | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Architectural Coating | 0.0161 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Consumer Products | 0.1196 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Landscaping | 6.0000e-005 | 1.0000e-005 | 6.5000e-004 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 1.2600e-003 | 1.2600e-003 | 0.0000 | 0.0000 | 1.3500e-003 |
| **Total** | **0.1357** | **1.0000e-005** | **6.5000e-004** | **0.0000** | | **0.0000** | **0.0000** | | **0.0000** | **0.0000** | **0.0000** | **1.2600e-003** | **1.2600e-003** | **0.0000** | **0.0000** | **1.3500e-003** |

## 6.2 Area by SubCategory

**Mitigated**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SubCategory | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Architectural Coating | 0.0161 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Consumer Products | 0.1196 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Landscaping | 6.0000e-005 | 1.0000e-005 | 6.5000e-004 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 1.2600e-003 | 1.2600e-003 | 0.0000 | 0.0000 | 1.3500e-003 |
| **Total** | **0.1357** | **1.0000e-005** | **6.5000e-004** | **0.0000** | | **0.0000** | **0.0000** | | **0.0000** | **0.0000** | **0.0000** | **1.2600e-003** | **1.2600e-003** | **0.0000** | **0.0000** | **1.3500e-003** |

# 7.0 Water Detail

## 7.1 Mitigation Measures Water

| | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|
| Category | MT/yr | | | |
| Mitigated | 12.0788 | 0.0295 | 7.9000e-004 | 13.0503 |
| Unmitigated | 12.0788 | 0.0295 | 7.9000e-004 | 13.0503 |

## 7.2 Water by Land Use

**Unmitigated**

| | Indoor/Outdoor Use | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|
| Land Use | Mgal | MT/yr | | | |
| Elementary School | 0.890205 / 2.2891 | 12.0788 | 0.0295 | 7.9000e-004 | 13.0503 |
| Other Asphalt Surfaces | 0 / 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Other Non-Asphalt Surfaces | 0 / 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Parking Lot | 0 / 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| **Total** | | **12.0788** | **0.0295** | **7.9000e-004** | **13.0503** |

## 7.2 Water by Land Use

**Mitigated**

| | Indoor/Outdoor Use | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|
| Land Use | Mgal | MT/yr | | | |
| Elementary School | 0.890205 / 2.2891 | 12.0788 | 0.0295 | 7.9000e-004 | 13.0503 |
| Other Asphalt Surfaces | 0 / 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Other Non-Asphalt Surfaces | 0 / 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Parking Lot | 0 / 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| **Total** | | **12.0788** | **0.0295** | **7.9000e-004** | **13.0503** |

# 8.0 Waste Detail

## 8.1 Mitigation Measures Waste

**Category/Year**

| | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|
| | MT/yr | | | |
| Mitigated | 8.1014 | 0.4788 | 0.0000 | 20.0708 |
| Unmitigated | 8.1014 | 0.4788 | 0.0000 | 20.0708 |

## 8.2 Waste by Land Use

**Unmitigated**

| | Waste Disposed | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|
| Land Use | tons | MT/yr | | | |
| Elementary School | 39.91 | 8.1014 | 0.4788 | 0.0000 | 20.0708 |
| Other Asphalt Surfaces | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Other Non-Asphalt Surfaces | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Parking Lot | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| **Total** | | **8.1014** | **0.4788** | **0.0000** | **20.0708** |

## 8.2 Waste by Land Use

**Mitigated**

| | Waste Disposed | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|
| Land Use | tons | MT/yr | | | |
| Elementary School | 39.91 | 8.1014 | 0.4788 | 0.0000 | 20.0708 |
| Other Asphalt Surfaces | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Other Non-Asphalt Surfaces | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Parking Lot | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| **Total** | | **8.1014** | **0.4788** | **0.0000** | **20.0708** |

## 9.0 Operational Offroad

| Equipment Type | Number | Hours/Day | Days/Year | Horse Power | Load Factor | Fuel Type |
|---|---|---|---|---|---|---|

## 10.0 Stationary Equipment

**Fire Pumps and Emergency Generators**

| Equipment Type | Number | Hours/Day | Hours/Year | Horse Power | Load Factor | Fuel Type |
|---|---|---|---|---|---|---|

**Boilers**

| Equipment Type | Number | Heat Input/Day | Heat Input/Year | Boiler Rating | Fuel Type |
|---|---|---|---|---|---|

**User Defined Equipment**

| Equipment Type | Number |
| --- | --- |

## 11.0 Vegetation

# MBUS-3.0 Grand View Run Construction 1

## Los Angeles-South Coast County, Mitigation Report

## Construction Mitigation Summary

| Phase | ROG | NOx | CO | SO2 | Exhaust PM10 | Exhaust PM2.5 | Bio- CO2 | NBio-CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Percent Reduction | | | | | | | | | | | | |
| Architectural Coating - classroom buildings | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Architectural Coating - multipurpose buildings | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Architectural Coating- Existing Buildings | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Asphalt Demolition - mid play fields | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Building Construction - Classroom buildings | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Building Construction - Multi-purpose building | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Grading - Export Haul | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Grading - Import Haul | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Grading - site | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Grading - site soil haul | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Grading - Two story | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Modernization - Existing Buildings | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Utility Trenching - Two story | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |

## OFFROAD Equipment Mitigation

| Equipment Type | Fuel Type | Tier | Number Mitigated | Total Number of Equipment | DPF | Oxidation Catalyst |
|---|---|---|---|---|---|---|
| Air Compressors | Diesel | No Change | 0 | 3 | No Change | 0.00 |
| Concrete/Industrial Saws | Diesel | No Change | 0 | 1 | No Change | 0.00 |
| Cranes | Diesel | No Change | 0 | 2 | No Change | 0.00 |
| Excavators | Diesel | No Change | 0 | 6 | No Change | 0.00 |
| Forklifts | Diesel | No Change | 0 | 6 | No Change | 0.00 |
| Generator Sets | Diesel | No Change | 0 | 2 | No Change | 0.00 |
| Graders | Diesel | No Change | 0 | 2 | No Change | 0.00 |
| Rubber Tired Dozers | Diesel | No Change | 0 | 4 | No Change | 0.00 |
| Tractors/Loaders/Backhoes | Diesel | No Change | 0 | 12 | No Change | 0.00 |
| Welders | Diesel | No Change | 0 | 2 | No Change | 0.00 |

| Equipment Type | ROG | NOx | CO | SO2 | Exhaust PM10 | Exhaust PM2.5 | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Unmitigated tons/yr | | | | | | Unmitigated mt/yr | | | | | |
| Air Compressors | 3.99000E-003 | 2.75900E-002 | 3.45000E-002 | 6.00000E-005 | 1.64000E-003 | 1.64000E-003 | 0.00000E+000 | 4.85118E+000 | 4.85118E+000 | 3.20000E-004 | 0.00000E+000 | 4.85927E+000 |
| Concrete/Industrial Saws | 1.40100E-002 | 1.10500E-001 | 1.23500E-001 | 2.10000E-004 | 6.64000E-003 | 6.64000E-003 | 0.00000E+000 | 1.80115E+001 | 1.80115E+001 | 1.14000E-003 | 0.00000E+000 | 1.80400E+001 |
| Cranes | 1.22920E-001 | 1.42510E+000 | 5.99060E-001 | 1.76000E-003 | 5.83600E-002 | 5.36900E-002 | 0.00000E+000 | 1.54577E+002 | 1.54577E+002 | 4.99900E-002 | 0.00000E+000 | 1.55826E+002 |
| Excavators | 4.36100E-002 | 4.29450E-001 | 5.81670E-001 | 9.20000E-004 | 2.08000E-002 | 1.91400E-002 | 0.00000E+000 | 8.07586E+001 | 8.07586E+001 | 2.61200E-002 | 0.00000E+000 | 8.14115E+001 |
| Forklifts | 1.31050E-001 | 1.20014E+000 | 1.21718E+000 | 1.60000E-003 | 8.38500E-002 | 7.71500E-002 | 0.00000E+000 | 1.40402E+002 | 1.40402E+002 | 4.54100E-002 | 0.00000E+000 | 1.41537E+002 |
| Generator Sets | 1.22670E-001 | 1.08544E+000 | 1.28377E+000 | 2.29000E-003 | 5.69200E-002 | 5.69200E-002 | 0.00000E+000 | 1.96975E+002 | 1.96975E+002 | 9.91000E-003 | 0.00000E+000 | 1.97223E+002 |
| Graders | 2.64100E-002 | 3.51070E-001 | 1.00700E-001 | 3.70000E-004 | 1.12200E-002 | 1.03300E-002 | 0.00000E+000 | 3.23601E+001 | 3.23601E+001 | 1.04700E-002 | 0.00000E+000 | 3.26217E+001 |
| Rubber Tired Dozers | 1.32240E-001 | 1.38820E+000 | 5.06120E-001 | 1.04000E-003 | 6.79800E-002 | 6.25500E-002 | 0.00000E+000 | 9.19427E+001 | 9.19427E+001 | 2.97400E-002 | 0.00000E+000 | 9.26861E+001 |
| Tractors/Loaders/Backhoes | 2.01080E-001 | 2.03416E+000 | 2.44198E+000 | 3.36000E-003 | 1.19500E-001 | 1.09940E-001 | 0.00000E+000 | 2.95234E+002 | 2.95234E+002 | 9.54800E-002 | 0.00000E+000 | 2.97621E+002 |
| Welders | 1.03700E-001 | 5.22450E-001 | 5.97880E-001 | 8.90000E-004 | 2.50300E-002 | 2.50300E-002 | 0.00000E+000 | 6.55949E+001 | 6.55949E+001 | 8.41000E-003 | 0.00000E+000 | 6.58053E+001 |

| Equipment Type | ROG | NOx | CO | SO2 | Exhaust PM10 | Exhaust PM2.5 | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mitigated tons/yr | | | | | | Mitigated mt/yr | | | | | |
| Air Compressors | 3.99000E-003 | 2.75900E-002 | 3.45000E-002 | 6.00000E-005 | 1.64000E-003 | 1.64000E-003 | 0.00000E+000 | 4.85118E+000 | 4.85118E+000 | 3.20000E-004 | 0.00000E+000 | 4.85927E+000 |
| Concrete/Industrial Saws | 1.40100E-002 | 1.10500E-001 | 1.23500E-001 | 2.10000E-004 | 6.64000E-003 | 6.64000E-003 | 0.00000E+000 | 1.80115E+001 | 1.80115E+001 | 1.14000E-003 | 0.00000E+000 | 1.80400E+001 |
| Cranes | 1.22920E-001 | 1.42510E+000 | 5.99060E-001 | 1.76000E-003 | 5.83600E-002 | 5.36900E-002 | 0.00000E+000 | 1.54576E+002 | 1.54576E+002 | 4.99900E-002 | 0.00000E+000 | 1.55826E+002 |
| Excavators | 4.36100E-002 | 4.29450E-001 | 5.81670E-001 | 9.20000E-004 | 2.08000E-002 | 1.91400E-002 | 0.00000E+000 | 8.07585E+001 | 8.07585E+001 | 2.61200E-002 | 0.00000E+000 | 8.14114E+001 |
| Forklifts | 1.31050E-001 | 1.20014E+000 | 1.21718E+000 | 1.60000E-003 | 8.38500E-002 | 7.71500E-002 | 0.00000E+000 | 1.40401E+002 | 1.40401E+002 | 4.54100E-002 | 0.00000E+000 | 1.41537E+002 |
| Generator Sets | 1.22670E-001 | 1.08544E+000 | 1.28377E+000 | 2.29000E-003 | 5.69200E-002 | 5.69200E-002 | 0.00000E+000 | 1.96975E+002 | 1.96975E+002 | 9.91000E-003 | 0.00000E+000 | 1.97222E+002 |
| Graders | 2.64100E-002 | 3.51070E-001 | 1.00700E-001 | 3.70000E-004 | 1.12200E-002 | 1.03300E-002 | 0.00000E+000 | 3.23601E+001 | 3.23601E+001 | 1.04700E-002 | 0.00000E+000 | 3.26217E+001 |
| Rubber Tired Dozers | 1.32240E-001 | 1.38820E+000 | 5.06120E-001 | 1.04000E-003 | 6.79800E-002 | 6.25500E-002 | 0.00000E+000 | 9.19426E+001 | 9.19426E+001 | 2.97400E-002 | 0.00000E+000 | 9.26860E+001 |
| Tractors/Loaders/Backhoes | 2.01080E-001 | 2.03416E+000 | 2.44198E+000 | 3.36000E-003 | 1.19500E-001 | 1.09940E-001 | 0.00000E+000 | 2.95234E+002 | 2.95234E+002 | 9.54800E-002 | 0.00000E+000 | 2.97621E+002 |
| Welders | 1.03700E-001 | 5.22440E-001 | 5.97870E-001 | 8.90000E-004 | 2.50300E-002 | 2.50300E-002 | 0.00000E+000 | 6.55948E+001 | 6.55948E+001 | 8.41000E-003 | 0.00000E+000 | 6.58052E+001 |

| Equipment Type | ROG | NOx | CO | SO2 | Exhaust PM10 | Exhaust PM2.5 | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Percent Reduction | | | | | | | | | | | | |
| Air Compressors | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 |
| Concrete/Industrial Saws | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 1.11040E-006 | 1.11040E-006 | 0.00000E+000 | 0.00000E+000 | 1.10865E-006 |
| Cranes | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 1.16447E-006 | 1.16447E-006 | 0.00000E+000 | 0.00000E+000 | 1.15513E-006 |
| Excavators | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 1.11443E-006 | 1.11443E-006 | 0.00000E+000 | 0.00000E+000 | 1.22833E-006 |
| Forklifts | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 1.21081E-006 | 1.21081E-006 | 0.00000E+000 | 0.00000E+000 | 1.20110E-006 |
| Generator Sets | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 1.21843E-006 | 1.21843E-006 | 0.00000E+000 | 0.00000E+000 | 1.16619E-006 |
| Graders | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 9.27068E-007 | 9.27068E-007 | 0.00000E+000 | 0.00000E+000 | 1.22618E-006 |
| Rubber Tired Dozers | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 1.19640E-006 | 1.19640E-006 | 0.00000E+000 | 0.00000E+000 | 1.18680E-006 |
| Tractors/Loaders/Backhoes | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 1.18550E-006 | 1.18550E-006 | 0.00000E+000 | 0.00000E+000 | 1.17599E-006 |
| Welders | 0.00000E+000 | 1.91406E-005 | 1.67258E-005 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 1.21961E-006 | 1.21961E-006 | 0.00000E+000 | 0.00000E+000 | 1.21571E-006 |

## Fugitive Dust Mitigation

| Yes/No | Mitigation Measure | Mitigation Input | | Mitigation Input | | Mitigation Input | |
|---|---|---|---|---|---|---|---|
| No | Soil Stabilizer for unpaved Roads | PM10 Reduction | 0.00 | PM2.5 Reduction | 0.00 | | |
| Yes | Replace Ground Cover of Area Disturbed | PM10 Reduction | 5.00 | PM2.5 Reduction | 5.00 | | |
| Yes | Water Exposed Area | PM10 Reduction | 55.00 | PM2.5 Reduction | 55.00 | Frequency (per day) | 2.00 |
| No | Unpaved Road Mitigation | Moisture Content % | 0.00 | Vehicle Speed (mph) | 15.00 | | |
| Yes | Clean Paved Road | % PM Reduction | 9.00 | | | | |

| | | Unmitigated | | Mitigated | | Percent Reduction | |
|---|---|---|---|---|---|---|---|
| Phase | Source | PM10 | PM2.5 | PM10 | PM2.5 | PM10 | PM2.5 |
| Architectural Coating - classroom buildings | Fugitive Dust | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Architectural Coating - classroom buildings | Roads | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Architectural Coating - multipurpose buildings | Fugitive Dust | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Architectural Coating - multipurpose buildings | Roads | 0.00 | 0.00 | 0.00 | 0.00 | 0.07 | 0.00 |
| Architectural Coating- Existing Buildings | Fugitive Dust | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Architectural Coating- Existing Buildings | Roads | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Asphalt Demolition - mid play fields | Fugitive Dust | 0.00 | 0.00 | 0.00 | 0.00 | 0.57 | 0.57 |
| Asphalt Demolition - mid play fields | Roads | 0.01 | 0.00 | 0.01 | 0.00 | 0.08 | 0.06 |
| Building Construction - Classroom buildings | Fugitive Dust | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Building Construction - Classroom buildings | Roads | 0.01 | 0.00 | 0.01 | 0.00 | 0.08 | 0.07 |
| Building Construction - Multi-purpose building | Fugitive Dust | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Building Construction - Multi-purpose building | Roads | 0.03 | 0.01 | 0.02 | 0.01 | 0.08 | 0.07 |
| Grading - Export Haul | Fugitive Dust | 0.00 | 0.00 | 0.00 | 0.00 | 0.57 | 0.67 |
| Grading - Export Haul | Roads | 0.01 | 0.00 | 0.01 | 0.00 | 0.07 | 0.06 |
| Grading - Import Haul | Fugitive Dust | 0.00 | 0.00 | 0.00 | 0.00 | 0.67 | 1.00 |
| Grading - Import Haul | Roads | 0.00 | 0.00 | 0.00 | 0.00 | 0.07 | 0.06 |
| Grading - site | Fugitive Dust | 0.22 | 0.11 | 0.09 | 0.05 | 0.57 | 0.57 |
| Grading - site | Roads | 0.01 | 0.00 | 0.01 | 0.00 | 0.08 | 0.06 |
| Grading - site soil haul | Fugitive Dust | 0.00 | 0.00 | 0.00 | 0.00 | 0.67 | 1.00 |
| Grading - site soil haul | Roads | 0.00 | 0.00 | 0.00 | 0.00 | 0.07 | 0.06 |
| Grading - Two story | Fugitive Dust | 0.14 | 0.07 | 0.06 | 0.03 | 0.57 | 0.57 |
| Grading - Two story | Roads | 0.00 | 0.00 | 0.00 | 0.00 | 0.08 | 0.07 |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| Modernization - Existing Buildings | Fugitive Dust | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Modernization - Existing Buildings | Roads | 0.01 | 0.00 | 0.01 | 0.00 | 0.08 | 0.07 |
| Utility Trenching - Two story | Fugitive Dust | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Utility Trenching - Two story | Roads | 0.00 | 0.00 | 0.00 | 0.00 | 0.07 | 0.05 |

## Operational Percent Reduction Summary

| Category | ROG | NOx | CO | SO2 | Exhaust PM10 | Exhaust PM2.5 | Bio- CO2 | NBio-CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Percent Reduction | | | | | | | | | | | | |
| Architectural Coating | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Consumer Products | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Electricity | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Hearth | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Landscaping | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Mobile | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Natural Gas | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Water Indoor | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Water Outdoor | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |

## Operational Mobile Mitigation

Project Setting:

| Mitigation Selected | Category | Measure | % Reduction | Input Value 1 | Input Value 2 | Input Value 3 |
|---|---|---|---|---|---|---|
| No | Land Use | Increase Density | 0.00 | | | |
| No | Land Use | Increase Diversity | 0.09 | 0.30 | | |

| | | | | | | |
|---|---|---|---|---|---|---|
| No | Land Use | Improve Walkability Design | 0.00 | | | |
| No | Land Use | Improve Destination Accessibility | 0.00 | | | |
| No | Land Use | Increase Transit Accessibility | 0.25 | | | |
| No | Land Use | Integrate Below Market Rate Housing | 0.00 | | | |
| | Land Use | Land Use SubTotal | 0.00 | | | |
| No | Neighborhood Enhancements | Improve Pedestrian Network | | | | |
| No | Neighborhood Enhancements | Provide Traffic Calming Measures | | | | |
| No | Neighborhood Enhancements | Implement NEV Network | 0.00 | | | |
| | Neighborhood Enhancements | Neighborhood Enhancements Subtotal | 0.00 | | | |
| No | Parking Policy Pricing | Limit Parking Supply | 0.00 | | | |
| No | Parking Policy Pricing | Unbundle Parking Costs | 0.00 | | | |
| No | Parking Policy Pricing | On-street Market Pricing | 0.00 | | | |
| | Parking Policy Pricing | Parking Policy Pricing Subtotal | 0.00 | | | |
| No | Transit Improvements | Provide BRT System | 0.00 | | | |
| No | Transit Improvements | Expand Transit Network | 0.00 | | | |
| No | Transit Improvements | Increase Transit Frequency | 0.00 | | | |
| | Transit Improvements | Transit Improvements Subtotal | 0.00 | | | |
| | | Land Use and Site Enhancement Subtotal | 0.00 | | | |
| No | Commute | Implement Trip Reduction Program | | | | |
| No | Commute | Transit Subsidy | | | | |
| No | Commute | Implement Employee Parking "Cash Out" | | | | |
| No | Commute | Workplace Parking Charge | | | | |

| | | | | | | |
|---|---|---|---|---|---|---|
| No | Commute | Encourage Telecommuting and Alternative Work Schedules | 0.00 | | | |
| No | Commute | Market Commute Trip Reduction Option | 0.00 | | | |
| No | Commute | Employee Vanpool/Shuttle | 0.00 | | 2.00 | |
| No | Commute | Provide Ride Sharing Program | | | | |
| | Commute | Commute Subtotal | 0.00 | | | |
| No | School Trip | Implement School Bus Program | 0.00 | | | |
| | | Total VMT Reduction | 0.00 | | | |

**Area Mitigation**

| Measure Implemented | Mitigation Measure | Input Value |
|---|---|---|
| No | Only Natural Gas Hearth | |
| No | No Hearth | |
| No | Use Low VOC Cleaning Supplies | |
| No | Use Low VOC Paint (Residential Interior) | 50.00 |
| No | Use Low VOC Paint (Residential Exterior) | 50.00 |
| No | Use Low VOC Paint (Non-residential Interior) | 100.00 |
| No | Use Low VOC Paint (Non-residential Exterior) | 100.00 |
| No | Use Low VOC Paint (Parking) | 100.00 |
| No | % Electric Lawnmower | |
| No | % Electric Leafblower | |
| No | % Electric Chainsaw | |

**Energy Mitigation Measures**

| Measure Implemented | Mitigation Measure | Input Value 1 | Input Value 2 |
|---|---|---|---|
| No | Exceed Title 24 | | |
| No | Install High Efficiency Lighting | | |
| No | On-site Renewable | | |

| Appliance Type | Land Use Subtype | % Improvement |
|---|---|---|
| ClothWasher | | 30.00 |
| DishWasher | | 15.00 |
| Fan | | 50.00 |
| Refrigerator | | 15.00 |

**Water Mitigation Measures**

| Measure Implemented | Mitigation Measure | Input Value 1 | Input Value 2 |
|---|---|---|---|
| No | Apply Water Conservation on Strategy | | |
| No | Use Reclaimed Water | | |
| No | Use Grey Water | | |
| No | Install low-flow bathroom faucet | 32.00 | |
| No | Install low-flow Kitchen faucet | 18.00 | |
| No | Install low-flow Toilet | 20.00 | |
| No | Install low-flow Shower | 20.00 | |
| No | Turf Reduction | | |
| No | Use Water Efficient Irrigation Systems | 6.10 | |
| No | Water Efficient Landscape | | |

**Solid Waste Mitigation**

| Mitigation Measures | Input Value |
|---|---|
| Institute Recycling and Composting Services | |
| Percent Reduction in Waste Disposed | |

# MBUS-3.0 Construction Run 2

## Los Angeles-South Coast County, Mitigation Report

## Construction Mitigation Summary

| Phase | ROG | NOx | CO | SO2 | Exhaust PM10 | Exhaust PM2.5 | Bio- CO2 | NBio-CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Percent Reduction | | | | | | | | | | | | |
| Architectural Coating- Kindergarten Buildings | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Asphalt Demolition - dog park | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Asphalt Paving | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Demolition - Ladera/Multipurpose | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Grading - MPR and dog park | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Modernization - kindergarten buildings | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Portable Building Removal | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Utility Trenching - MPR | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |

## OFFROAD Equipment Mitigation

| Equipment Type | Fuel Type | Tier | Number Mitigated | Total Number of Equipment | DPF | Oxidation Catalyst |
|---|---|---|---|---|---|---|
| Air Compressors | Diesel | No Change | 0 | 1 | No Change | 0.00 |
| Concrete/Industrial Saws | Diesel | No Change | 0 | 4 | No Change | 0.00 |
| Cranes | Diesel | No Change | 0 | 0 | No Change | 0.00 |
| Excavators | Diesel | No Change | 0 | 14 | No Change | 0.00 |
| Forklifts | Diesel | No Change | 0 | 0 | No Change | 0.00 |
| Generator Sets | Diesel | No Change | 0 | 0 | No Change | 0.00 |
| Graders | Diesel | No Change | 0 | 1 | No Change | 0.00 |
| Pavers | Diesel | No Change | 0 | 4 | No Change | 0.00 |
| Paving Equipment | Diesel | No Change | 0 | 4 | No Change | 0.00 |
| Rollers | Diesel | No Change | 0 | 4 | No Change | 0.00 |
| Rubber Tired Dozers | Diesel | No Change | 0 | 9 | No Change | 0.00 |
| Tractors/Loaders/Backhoes | Diesel | No Change | 0 | 3 | No Change | 0.00 |
| Welders | Diesel | No Change | 0 | 0 | No Change | 0.00 |

| Equipment Type | ROG | NOx | CO | SO2 | Exhaust PM10 | Exhaust PM2.5 | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Unmitigated tons/yr | | | | | | Unmitigated mt/yr | | | | | |
| Air Compressors | 3.30000E-004 | 2.29000E-003 | 2.73000E-003 | 0.00000E+000 | 1.40000E-004 | 1.40000E-004 | 0.00000E+000 | 3.82990E-001 | 3.82990E-001 | 3.00000E-005 | 0.00000E+000 | 3.83650E-001 |
| Concrete/Industrial Saws | 3.34600E-002 | 2.63650E-001 | 3.24950E-001 | 5.50000E-004 | 1.48200E-002 | 1.48200E-002 | 0.00000E+000 | 4.75826E+001 | 4.75826E+001 | 2.72000E-003 | 0.00000E+000 | 4.76506E+001 |
| Cranes | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 |
| Excavators | 6.94000E-002 | 6.43790E-001 | 1.01480E+000 | 1.60000E-003 | 3.12100E-002 | 2.87100E-002 | 0.00000E+000 | 1.40884E+002 | 1.40884E+002 | 4.55600E-002 | 0.00000E+000 | 1.42023E+002 |
| Forklifts | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 |
| Generator Sets | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 |
| Graders | 1.01900E-002 | 1.33300E-001 | 3.97600E-002 | 1.50000E-004 | 4.22000E-003 | 3.89000E-003 | 0.00000E+000 | 1.30978E+001 | 1.30978E+001 | 4.24000E-003 | 0.00000E+000 | 1.32037E+001 |
| Pavers | 2.77200E-002 | 2.81250E-001 | 3.86440E-001 | 6.30000E-004 | 1.33600E-002 | 1.22900E-002 | 0.00000E+000 | 5.53424E+001 | 5.53424E+001 | 1.79000E-002 | 0.00000E+000 | 5.57899E+001 |
| Paving Equipment | 2.38800E-002 | 2.32850E-001 | 3.41160E-001 | 5.50000E-004 | 1.13600E-002 | 1.04500E-002 | 0.00000E+000 | 4.79527E+001 | 4.79527E+001 | 1.55100E-002 | 0.00000E+000 | 4.83404E+001 |
| Rollers | 2.22800E-002 | 2.31270E-001 | 2.49290E-001 | 3.50000E-004 | 1.33300E-002 | 1.22600E-002 | 0.00000E+000 | 3.08896E+001 | 3.08896E+001 | 9.99000E-003 | 0.00000E+000 | 3.11393E+001 |
| Rubber Tired Dozers | 1.99540E-001 | 2.09296E+000 | 7.85480E-001 | 1.70000E-003 | 1.01160E-001 | 9.30700E-002 | 0.00000E+000 | 1.49724E+002 | 1.49724E+002 | 4.84200E-002 | 0.00000E+000 | 1.50935E+002 |
| Tractors/Loaders/Backhoes | 1.26400E-002 | 1.27970E-001 | 1.52570E-001 | 2.10000E-004 | 7.54000E-003 | 6.94000E-003 | 0.00000E+000 | 1.84256E+001 | 1.84256E+001 | 5.96000E-003 | 0.00000E+000 | 1.85746E+001 |
| Welders | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 |

| Equipment Type | ROG | NOx | CO | SO2 | Exhaust PM10 | Exhaust PM2.5 | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mitigated tons/yr | | | | | | Mitigated mt/yr | | | | | |
| Air Compressors | 3.30000E-004 | 2.29000E-003 | 2.73000E-003 | 0.00000E+000 | 1.40000E-004 | 1.40000E-004 | 0.00000E+000 | 3.82990E-001 | 3.82990E-001 | 3.00000E-005 | 0.00000E+000 | 3.83640E-001 |
| Concrete/Industrial Saws | 3.34600E-002 | 2.63650E-001 | 3.24950E-001 | 5.50000E-004 | 1.48200E-002 | 1.48200E-002 | 0.00000E+000 | 4.75825E+001 | 4.75825E+001 | 2.72000E-003 | 0.00000E+000 | 4.76506E+001 |
| Cranes | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 |
| Excavators | 6.94000E-002 | 6.43790E-001 | 1.01480E+000 | 1.60000E-003 | 3.12100E-002 | 2.87100E-002 | 0.00000E+000 | 1.40884E+002 | 1.40884E+002 | 4.55600E-002 | 0.00000E+000 | 1.42023E+002 |
| Forklifts | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 |
| Generator Sets | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 |
| Graders | 1.01900E-002 | 1.33300E-001 | 3.97600E-002 | 1.50000E-004 | 4.22000E-003 | 3.89000E-003 | 0.00000E+000 | 1.30978E+001 | 1.30978E+001 | 4.24000E-003 | 0.00000E+000 | 1.32037E+001 |
| Pavers | 2.77200E-002 | 2.81250E-001 | 3.86440E-001 | 6.30000E-004 | 1.33600E-002 | 1.22900E-002 | 0.00000E+000 | 5.53423E+001 | 5.53423E+001 | 1.79000E-002 | 0.00000E+000 | 5.57898E+001 |
| Paving Equipment | 2.38800E-002 | 2.32850E-001 | 3.41160E-001 | 5.50000E-004 | 1.13600E-002 | 1.04500E-002 | 0.00000E+000 | 4.79526E+001 | 4.79526E+001 | 1.55100E-002 | 0.00000E+000 | 4.83403E+001 |
| Rollers | 2.22800E-002 | 2.31270E-001 | 2.49290E-001 | 3.50000E-004 | 1.33300E-002 | 1.22600E-002 | 0.00000E+000 | 3.08895E+001 | 3.08895E+001 | 9.99000E-003 | 0.00000E+000 | 3.11393E+001 |
| Rubber Tired Dozers | 1.99540E-001 | 2.09295E+000 | 7.85480E-001 | 1.70000E-003 | 1.01160E-001 | 9.30700E-002 | 0.00000E+000 | 1.49724E+002 | 1.49724E+002 | 4.84200E-002 | 0.00000E+000 | 1.50935E+002 |
| Tractors/Loaders/Backhoes | 1.26400E-002 | 1.27970E-001 | 1.52570E-001 | 2.10000E-004 | 7.54000E-003 | 6.94000E-003 | 0.00000E+000 | 1.84256E+001 | 1.84256E+001 | 5.96000E-003 | 0.00000E+000 | 1.85746E+001 |
| Welders | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 |

| Equipment Type | ROG | NOx | CO | SO2 | Exhaust PM10 | Exhaust PM2.5 | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Percent Reduction | | | | | | | | | | | | |
| Air Compressors | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 2.60654E-005 |
| Concrete/Industrial Saws | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 1.05080E-006 | 1.05080E-006 | 0.00000E+000 | 0.00000E+000 | 1.25917E-006 |
| Cranes | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 |
| Excavators | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 1.20667E-006 | 1.20667E-006 | 0.00000E+000 | 0.00000E+000 | 1.19699E-006 |
| Forklifts | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 |
| Generator Sets | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 |
| Graders | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 1.52697E-006 | 1.52697E-006 | 0.00000E+000 | 0.00000E+000 | 1.51472E-006 |
| Pavers | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 1.26485E-006 | 1.26485E-006 | 0.00000E+000 | 0.00000E+000 | 1.25471E-006 |
| Paving Equipment | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 1.04270E-006 | 1.04270E-006 | 0.00000E+000 | 0.00000E+000 | 1.24120E-006 |
| Rollers | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 1.29494E-006 | 1.29494E-006 | 0.00000E+000 | 0.00000E+000 | 1.28455E-006 |
| Rubber Tired Dozers | 0.00000E+000 | 4.77792E-006 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 1.20221E-006 | 1.20221E-006 | 0.00000E+000 | 0.00000E+000 | 1.19257E-006 |
| Tractors/Loaders/Backhoes | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 1.08545E-006 | 1.08545E-006 | 0.00000E+000 | 0.00000E+000 | 1.07674E-006 |
| Welders | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 |

## Fugitive Dust Mitigation

| Yes/No | Mitigation Measure | Mitigation Input | | Mitigation Input | | Mitigation Input | |
|---|---|---|---|---|---|---|---|
| No | Soil Stabilizer for unpaved Roads | PM10 Reduction | 0.00 | PM2.5 Reduction | 0.00 | | |
| Yes | Replace Ground Cover of Area Disturbed | PM10 Reduction | 5.00 | PM2.5 Reduction | 5.00 | | |
| Yes | Water Exposed Area | PM10 Reduction | 55.00 | PM2.5 Reduction | 55.00 | Frequency (per day) | 2.00 |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| No | Unpaved Road Mitigation | Moisture Content % | 0.00 | Vehicle Speed (mph) | 15.00 | | |
| Yes | Clean Paved Road | % PM Reduction | 9.00 | | | | |

| | | Unmitigated | | Mitigated | | Percent Reduction | |
|---|---|---|---|---|---|---|---|
| Phase | Source | PM10 | PM2.5 | PM10 | PM2.5 | PM10 | PM2.5 |
| Architectural Coating- Kindergarten Buildings | Fugitive Dust | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Architectural Coating- Kindergarten Buildings | Roads | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Asphalt Demolition - dog park | Fugitive Dust | 0.00 | 0.00 | 0.00 | 0.00 | 0.57 | 0.57 |
| Asphalt Demolition - dog park | Roads | 0.00 | 0.00 | 0.00 | 0.00 | 0.08 | 0.06 |
| Asphalt Paving | Fugitive Dust | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Asphalt Paving | Roads | 0.01 | 0.00 | 0.01 | 0.00 | 0.08 | 0.08 |
| Demolition - Ladera/Multipurpose | Fugitive Dust | 0.01 | 0.00 | 0.01 | 0.00 | 0.57 | 0.57 |
| Demolition - Ladera/Multipurpose | Roads | 0.01 | 0.00 | 0.01 | 0.00 | 0.07 | 0.07 |
| Grading - MPR and dog park | Fugitive Dust | 0.15 | 0.08 | 0.06 | 0.03 | 0.57 | 0.57 |
| Grading - MPR and dog park | Roads | 0.00 | 0.00 | 0.00 | 0.00 | 0.08 | 0.07 |
| Modernization - kindergarten buildings | Fugitive Dust | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Modernization - kindergarten buildings | Roads | 0.00 | 0.00 | 0.00 | 0.00 | 0.08 | 0.07 |
| Portable Building Removal | Fugitive Dust | 0.00 | 0.00 | 0.00 | 0.00 | 0.57 | 0.57 |
| Portable Building Removal | Roads | 0.00 | 0.00 | 0.00 | 0.00 | 0.08 | 0.07 |
| Utility Trenching - MPR | Fugitive Dust | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Utility Trenching - MPR | Roads | 0.00 | 0.00 | 0.00 | 0.00 | 0.08 | 0.10 |

## Operational Percent Reduction Summary

| Category | ROG | NOx | CO | SO2 | Exhaust PM10 | Exhaust PM2.5 | Bio- CO2 | NBio-CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Percent Reduction | | | | | | | | | | | | |
| Architectural Coating | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Consumer Products | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Electricity | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Hearth | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Landscaping | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Mobile | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Natural Gas | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Water Indoor | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Water Outdoor | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |

## Operational Mobile Mitigation

Project Setting:

| Mitigation | Category | Measure | % Reduction | Input Value 1 | Input Value 2 | Input Value |
|---|---|---|---|---|---|---|
| No | Land Use | Increase Density | 0.00 | | | |
| No | Land Use | Increase Diversity | 0.09 | 0.30 | | |
| No | Land Use | Improve Walkability Design | 0.00 | | | |
| No | Land Use | Improve Destination Accessibility | 0.00 | | | |
| No | Land Use | Increase Transit Accessibility | 0.25 | | | |
| No | Land Use | Integrate Below Market Rate Housing | 0.00 | | | |
| | Land Use | Land Use SubTotal | 0.00 | | | |

| | | | | | | |
|---|---|---|---|---|---|---|
| No | Neighborhood Enhancements | Improve Pedestrian Network | | | | |
| No | Neighborhood Enhancements | Provide Traffic Calming Measures | | | | |
| No | Neighborhood Enhancements | Implement NEV Network | 0.00 | | | |
| | Neighborhood Enhancements | Neighborhood Enhancements Subtotal | 0.00 | | | |
| No | Parking Policy Pricing | Limit Parking Supply | 0.00 | | | |
| No | Parking Policy Pricing | Unbundle Parking Costs | 0.00 | | | |
| No | Parking Policy Pricing | On-street Market Pricing | 0.00 | | | |
| | Parking Policy Pricing | Parking Policy Pricing Subtotal | 0.00 | | | |
| No | Transit Improvements | Provide BRT System | 0.00 | | | |
| No | Transit Improvements | Expand Transit Network | 0.00 | | | |
| No | Transit Improvements | Increase Transit Frequency | 0.00 | | | |
| | Transit Improvements | Transit Improvements Subtotal | 0.00 | | | |
| | | Land Use and Site Enhancement Subtotal | 0.00 | | | |
| No | Commute | Implement Trip Reduction Program | | | | |
| No | Commute | Transit Subsidy | | | | |
| No | Commute | Implement Employee Parking "Cash Out" | | | | |
| No | Commute | Workplace Parking Charge | | | | |
| No | Commute | Encourage Telecommuting and Alternative Work Schedules | 0.00 | | | |
| No | Commute | Market Commute Trip Reduction Option | 0.00 | | | |
| No | Commute | Employee Vanpool/Shuttle | 0.00 | | 2.00 | |
| No | Commute | Provide Ride Sharing Program | | | | |
| | Commute | Commute Subtotal | 0.00 | | | |

| | | | | | | |
|---|---|---|---|---|---|---|
| No | School Trip | Implement School Bus Program | 0.00 | | | |
| | | Total VMT Reduction | 0.00 | | | |

## Area Mitigation

| Measure Implemented | Mitigation Measure | Input Value |
|---|---|---|
| No | Only Natural Gas Hearth | |
| No | No Hearth | |
| No | Use Low VOC Cleaning Supplies | |
| No | Use Low VOC Paint (Residential Interior) | 50.00 |
| No | Use Low VOC Paint (Residential Exterior) | 50.00 |
| No | Use Low VOC Paint (Non-residential Interior) | 100.00 |
| No | Use Low VOC Paint (Non-residential Exterior) | 100.00 |
| No | Use Low VOC Paint (Parking) | 100.00 |
| No | % Electric Lawnmower | |
| No | % Electric Leafblower | |
| No | % Electric Chainsaw | |

## Energy Mitigation Measures

| Measure Implemented | Mitigation Measure | Input Value 1 | Input Value 2 |
|---|---|---|---|
| No | Exceed Title 24 | | |
| No | Install High Efficiency Lighting | | |
| No | On-site Renewable | | |

| Appliance Type | Land Use Subtype | % Improvement |
|---|---|---|
| ClothWasher | | 30.00 |
| DishWasher | | 15.00 |
| Fan | | 50.00 |
| Refrigerator | | 15.00 |

## Water Mitigation Measures

| Measure Implemented | Mitigation Measure | Input Value 1 | Input Value 2 |
|---|---|---|---|
| No | Apply Water Conservation on Strategy | | |
| No | Use Reclaimed Water | | |
| No | Use Grey Water | | |
| No | Install low-flow bathroom faucet | 32.00 | |
| No | Install low-flow Kitchen faucet | 18.00 | |
| No | Install low-flow Toilet | 20.00 | |
| No | Install low-flow Shower | 20.00 | |
| No | Turf Reduction | | |
| No | Use Water Efficient Irrigation Systems | 6.10 | |
| No | Water Efficient Landscape | | |

## Solid Waste Mitigation

| Mitigation Measures | Input Value |
|---|---|

| | |
|---|---|
| Institute Recycling and Composting Services<br>Percent Reduction in Waste Disposed | |

# MBUS 3.0 Existing Building Run

**Los Angeles-South Coast County, Annual**

## 1.0 Project Characteristics

### 1.1 Land Usage

| Land Uses | Size | Metric | Lot Acreage | Floor Surface Area | Population |
|---|---|---|---|---|---|
| Elementary School | 30.84 | 1000sqft | 0.71 | 30,835.00 | 0 |

### 1.2 Other Project Characteristics

| | | | | | |
|---|---|---|---|---|---|
| **Urbanization** | Urban | **Wind Speed (m/s)** | 2.2 | **Precipitation Freq (Days)** | 33 |
| **Climate Zone** | 8 | | | **Operational Year** | 2023 |
| **Utility Company** | Southern California Edison | | | | |
| **CO2 Intensity (lb/MWhr)** | 702.44 | **CH4 Intensity (lb/MWhr)** | 0.029 | **N2O Intensity (lb/MWhr)** | 0.006 |

### 1.3 User Entered Comments & Non-Default Data

Project Characteristics -

Land Use -

Construction Phase - energy

Energy Use -

| Table Name | Column Name | Default Value | New Value |
|---|---|---|---|
| tblConstructionPhase | NumDays | 10.00 | 1.00 |
| tblConstructionPhase | PhaseEndDate | 6/12/2020 | 6/1/2020 |

## 2.0 Emissions Summary

## 2.1 Overall Construction

### Unmitigated Construction

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Year | tons/yr | | | | | | | | | | MT/yr | | | | | |
| 2020 | 4.6000e-004 | 3.9600e-003 | 4.0200e-003 | 1.0000e-005 | 5.0000e-005 | 2.3000e-004 | 2.9000e-004 | 1.0000e-005 | 2.2000e-004 | 2.4000e-004 | 0.0000 | 0.5714 | 0.5714 | 1.0000e-004 | 0.0000 | 0.5739 |
| **Maximum** | **4.6000e-004** | **3.9600e-003** | **4.0200e-003** | **1.0000e-005** | **5.0000e-005** | **2.3000e-004** | **2.9000e-004** | **1.0000e-005** | **2.2000e-004** | **2.4000e-004** | **0.0000** | **0.5714** | **0.5714** | **1.0000e-004** | **0.0000** | **0.5739** |

### Mitigated Construction

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Year | tons/yr | | | | | | | | | | MT/yr | | | | | |
| 2020 | 4.6000e-004 | 3.9600e-003 | 4.0200e-003 | 1.0000e-005 | 5.0000e-005 | 2.3000e-004 | 2.9000e-004 | 1.0000e-005 | 2.2000e-004 | 2.4000e-004 | 0.0000 | 0.5714 | 0.5714 | 1.0000e-004 | 0.0000 | 0.5739 |
| **Maximum** | **4.6000e-004** | **3.9600e-003** | **4.0200e-003** | **1.0000e-005** | **5.0000e-005** | **2.3000e-004** | **2.9000e-004** | **1.0000e-005** | **2.2000e-004** | **2.4000e-004** | **0.0000** | **0.5714** | **0.5714** | **1.0000e-004** | **0.0000** | **0.5739** |

| | **ROG** | **NOx** | **CO** | **SO2** | **Fugitive PM10** | **Exhaust PM10** | **PM10 Total** | **Fugitive PM2.5** | **Exhaust PM2.5** | **PM2.5 Total** | **Bio- CO2** | **NBio-CO2** | **Total CO2** | **CH4** | **N20** | **CO2e** |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Percent Reduction** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** |

| Quarter | Start Date | End Date | Maximum Unmitigated ROG + NOX (tons/quarter) | Maximum Mitigated ROG + NOX (tons/quarter) |
|---|---|---|---|---|
| **1** | **6-1-2020** | **8-31-2020** | 0.0031 | 0.0031 |
| | | **Highest** | 0.0031 | 0.0031 |

## 2.2 Overall Operational

### Unmitigated Operational

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Area | 0.1258 | 0.0000 | 3.9000e-004 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 7.7000e-004 | 7.7000e-004 | 0.0000 | 0.0000 | 8.2000e-004 |
| Energy | 2.2300e-003 | 0.0203 | 0.0170 | 1.2000e-004 | | 1.5400e-003 | 1.5400e-003 | | 1.5400e-003 | 1.5400e-003 | 0.0000 | 93.4749 | 93.4749 | 3.3700e-003 | 1.0100e-003 | 93.8614 |
| Mobile | 0.0970 | 0.4431 | 1.3630 | 5.2000e-003 | 0.4445 | 3.9300e-003 | 0.4485 | 0.1192 | 3.6600e-003 | 0.1228 | 0.0000 | 480.3724 | 480.3724 | 0.0235 | 0.0000 | 480.9586 |
| Waste | | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 8.1379 | 0.0000 | 8.1379 | 0.4809 | 0.0000 | 20.1613 |
| Water | | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.2837 | 11.8502 | 12.1339 | 0.0296 | 7.9000e-004 | 13.1098 |
| **Total** | **0.2249** | **0.4634** | **1.3804** | **5.3200e-003** | **0.4445** | **5.4700e-003** | **0.4500** | **0.1192** | **5.2000e-003** | **0.1244** | **8.4216** | **585.6982** | **594.1198** | **0.5374** | **1.8000e-003** | **608.0920** |

## 2.2 Overall Operational

**Mitigated Operational**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Area | 0.1258 | 0.0000 | 3.9000e-004 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 7.7000e-004 | 7.7000e-004 | 0.0000 | 0.0000 | 8.2000e-004 |
| Energy | 2.2300e-003 | 0.0203 | 0.0170 | 1.2000e-004 | | 1.5400e-003 | 1.5400e-003 | | 1.5400e-003 | 1.5400e-003 | 0.0000 | 93.4749 | 93.4749 | 3.3700e-003 | 1.0100e-003 | 93.8614 |
| Mobile | 0.0970 | 0.4431 | 1.3630 | 5.2000e-003 | 0.4445 | 3.9300e-003 | 0.4485 | 0.1192 | 3.6600e-003 | 0.1228 | 0.0000 | 480.3724 | 480.3724 | 0.0235 | 0.0000 | 480.9586 |
| Waste | | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 8.1379 | 0.0000 | 8.1379 | 0.4809 | 0.0000 | 20.1613 |
| Water | | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.2837 | 11.8502 | 12.1339 | 0.0296 | 7.9000e-004 | 13.1098 |
| **Total** | **0.2249** | **0.4634** | **1.3804** | **5.3200e-003** | **0.4445** | **5.4700e-003** | **0.4500** | **0.1192** | **5.2000e-003** | **0.1244** | **8.4216** | **585.6982** | **594.1198** | **0.5374** | **1.8000e-003** | **608.0920** |

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio-CO2 | Total CO2 | CH4 | N20 | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Percent Reduction** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** |

## 3.0 Construction Detail

**Construction Phase**

| Phase Number | Phase Name | Phase Type | Start Date | End Date | Num Days Week | Num Days | Phase Description |
|---|---|---|---|---|---|---|---|
| 1 | Demolition | Demolition | 6/1/2020 | 6/1/2020 | 5 | 1 | |

**Acres of Grading (Site Preparation Phase): 0**

**Acres of Grading (Grading Phase): 0**

**Acres of Paving: 0**

**Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 0; Non-Residential Outdoor: 0; Striped Parking Area: 0 (Architectural Coating – sqft)**

**OffRoad Equipment**

| Phase Name | Offroad Equipment Type | Amount | Usage Hours | Horse Power | Load Factor |
|---|---|---|---|---|---|
| Demolition | Concrete/Industrial Saws | 1 | 8.00 | 81 | 0.73 |
| Demolition | Rubber Tired Dozers | 1 | 1.00 | 247 | 0.40 |
| Demolition | Tractors/Loaders/Backhoes | 2 | 6.00 | 97 | 0.37 |

**Trips and VMT**

| Phase Name | Offroad Equipment Count | Worker Trip Number | Vendor Trip Number | Hauling Trip Number | Worker Trip Length | Vendor Trip Length | Hauling Trip Length | Worker Vehicle Class | Vendor Vehicle Class | Hauling Vehicle Class |
|---|---|---|---|---|---|---|---|---|---|---|
| Demolition | 4 | 10.00 | 0.00 | 0.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |

## 3.1 Mitigation Measures Construction

## 3.2 Demolition - 2020

### Unmitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Off-Road | 4.3000e-004 | 3.9400e-003 | 3.8100e-003 | 1.0000e-005 | | 2.3000e-004 | 2.3000e-004 | | 2.2000e-004 | 2.2000e-004 | 0.0000 | 0.5204 | 0.5204 | 1.0000e-004 | 0.0000 | 0.5228 |
| **Total** | **4.3000e-004** | **3.9400e-003** | **3.8100e-003** | **1.0000e-005** | | **2.3000e-004** | **2.3000e-004** | | **2.2000e-004** | **2.2000e-004** | **0.0000** | **0.5204** | **0.5204** | **1.0000e-004** | **0.0000** | **0.5228** |

### Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Worker | 2.0000e-005 | 2.0000e-005 | 2.1000e-004 | 0.0000 | 5.0000e-005 | 0.0000 | 6.0000e-005 | 1.0000e-005 | 0.0000 | 1.0000e-005 | 0.0000 | 0.0511 | 0.0511 | 0.0000 | 0.0000 | 0.0511 |
| **Total** | **2.0000e-005** | **2.0000e-005** | **2.1000e-004** | **0.0000** | **5.0000e-005** | **0.0000** | **6.0000e-005** | **1.0000e-005** | **0.0000** | **1.0000e-005** | **0.0000** | **0.0511** | **0.0511** | **0.0000** | **0.0000** | **0.0511** |

## 3.2 Demolition - 2020

**Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Off-Road | 4.3000e-004 | 3.9400e-003 | 3.8100e-003 | 1.0000e-005 | | 2.3000e-004 | 2.3000e-004 | | 2.2000e-004 | 2.2000e-004 | 0.0000 | 0.5204 | 0.5204 | 1.0000e-004 | 0.0000 | 0.5228 |
| **Total** | **4.3000e-004** | **3.9400e-003** | **3.8100e-003** | **1.0000e-005** | | **2.3000e-004** | **2.3000e-004** | | **2.2000e-004** | **2.2000e-004** | **0.0000** | **0.5204** | **0.5204** | **1.0000e-004** | **0.0000** | **0.5228** |

**Mitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Vendor | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Worker | 2.0000e-005 | 2.0000e-005 | 2.1000e-004 | 0.0000 | 5.0000e-005 | 0.0000 | 6.0000e-005 | 1.0000e-005 | 0.0000 | 1.0000e-005 | 0.0000 | 0.0511 | 0.0511 | 0.0000 | 0.0000 | 0.0511 |
| **Total** | **2.0000e-005** | **2.0000e-005** | **2.1000e-004** | **0.0000** | **5.0000e-005** | **0.0000** | **6.0000e-005** | **1.0000e-005** | **0.0000** | **1.0000e-005** | **0.0000** | **0.0511** | **0.0511** | **0.0000** | **0.0000** | **0.0511** |

## 4.0 Operational Detail - Mobile

## 4.1 Mitigation Measures Mobile

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Mitigated | 0.0970 | 0.4431 | 1.3630 | 5.2000e-003 | 0.4445 | 3.9300e-003 | 0.4485 | 0.1192 | 3.6600e-003 | 0.1228 | 0.0000 | 480.3724 | 480.3724 | 0.0235 | 0.0000 | 480.9586 |
| Unmitigated | 0.0970 | 0.4431 | 1.3630 | 5.2000e-003 | 0.4445 | 3.9300e-003 | 0.4485 | 0.1192 | 3.6600e-003 | 0.1228 | 0.0000 | 480.3724 | 480.3724 | 0.0235 | 0.0000 | 480.9586 |

## 4.2 Trip Summary Information

| | Average Daily Trip Rate | | | Unmitigated | Mitigated |
|---|---|---|---|---|---|
| Land Use | Weekday | Saturday | Sunday | Annual VMT | Annual VMT |
| Elementary School | 475.78 | 0.00 | 0.00 | 1,171,239 | 1,171,239 |
| Total | 475.78 | 0.00 | 0.00 | 1,171,239 | 1,171,239 |

## 4.3 Trip Type Information

| | Miles | | | Trip % | | | Trip Purpose % | | |
|---|---|---|---|---|---|---|---|---|---|
| Land Use | H-W or C-W | H-S or C-C | H-O or C-NW | H-W or C-W | H-S or C-C | H-O or C-NW | Primary | Diverted | Pass-by |
| Elementary School | 16.60 | 8.40 | 6.90 | 65.00 | 30.00 | 5.00 | 63 | 25 | 12 |

## 4.4 Fleet Mix

| Land Use | LDA | LDT1 | LDT2 | MDV | LHD1 | LHD2 | MHD | HHD | OBUS | UBUS | MCY | SBUS | MH |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Elementary School | 0.545842 | 0.044768 | 0.205288 | 0.119317 | 0.015350 | 0.006227 | 0.020460 | 0.031333 | 0.002546 | 0.002133 | 0.005184 | 0.000692 | 0.000862 |

## 5.0 Energy Detail

Historical Energy Use: Y

### 5.1 Mitigation Measures Energy

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Electricity Mitigated | | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 71.4255 | 71.4255 | 2.9500e-003 | 6.1000e-004 | 71.6810 |
| Electricity Unmitigated | | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 71.4255 | 71.4255 | 2.9500e-003 | 6.1000e-004 | 71.6810 |
| NaturalGas Mitigated | 2.2300e-003 | 0.0203 | 0.0170 | 1.2000e-004 | | 1.5400e-003 | 1.5400e-003 | | 1.5400e-003 | 1.5400e-003 | 0.0000 | 22.0493 | 22.0493 | 4.2000e-004 | 4.0000e-004 | 22.1804 |
| NaturalGas Unmitigated | 2.2300e-003 | 0.0203 | 0.0170 | 1.2000e-004 | | 1.5400e-003 | 1.5400e-003 | | 1.5400e-003 | 1.5400e-003 | 0.0000 | 22.0493 | 22.0493 | 4.2000e-004 | 4.0000e-004 | 22.1804 |

## 5.2 Energy by Land Use - NaturalGas

**Unmitigated**

| | NaturalGas Use | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Land Use | kBTU/yr | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Elementary School | 413189 | 2.2300e-003 | 0.0203 | 0.0170 | 1.2000e-004 | | 1.5400e-003 | 1.5400e-003 | | 1.5400e-003 | 1.5400e-003 | 0.0000 | 22.0493 | 22.0493 | 4.2000e-004 | 4.0000e-004 | 22.1804 |
| **Total** | | **2.2300e-003** | **0.0203** | **0.0170** | **1.2000e-004** | | **1.5400e-003** | **1.5400e-003** | | **1.5400e-003** | **1.5400e-003** | **0.0000** | **22.0493** | **22.0493** | **4.2000e-004** | **4.0000e-004** | **22.1804** |

**Mitigated**

| | NaturalGas Use | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Land Use | kBTU/yr | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Elementary School | 413189 | 2.2300e-003 | 0.0203 | 0.0170 | 1.2000e-004 | | 1.5400e-003 | 1.5400e-003 | | 1.5400e-003 | 1.5400e-003 | 0.0000 | 22.0493 | 22.0493 | 4.2000e-004 | 4.0000e-004 | 22.1804 |
| **Total** | | **2.2300e-003** | **0.0203** | **0.0170** | **1.2000e-004** | | **1.5400e-003** | **1.5400e-003** | | **1.5400e-003** | **1.5400e-003** | **0.0000** | **22.0493** | **22.0493** | **4.2000e-004** | **4.0000e-004** | **22.1804** |

## 5.3 Energy by Land Use - Electricity

**Unmitigated**

| | Electricity Use | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|
| Land Use | kWh/yr | MT/yr | | | |
| Elementary School | 224170 | 71.4255 | 2.9500e-003 | 6.1000e-004 | 71.6810 |
| **Total** | | **71.4255** | **2.9500e-003** | **6.1000e-004** | **71.6810** |

**Mitigated**

| | Electricity Use | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|
| Land Use | kWh/yr | MT/yr | | | |
| Elementary School | 224170 | 71.4255 | 2.9500e-003 | 6.1000e-004 | 71.6810 |
| **Total** | | **71.4255** | **2.9500e-003** | **6.1000e-004** | **71.6810** |

# 6.0 Area Detail

## 6.1 Mitigation Measures Area

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Mitigated | 0.1258 | 0.0000 | 3.9000e-004 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 7.7000e-004 | 7.7000e-004 | 0.0000 | 0.0000 | 8.2000e-004 |
| Unmitigated | 0.1258 | 0.0000 | 3.9000e-004 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 7.7000e-004 | 7.7000e-004 | 0.0000 | 0.0000 | 8.2000e-004 |

## 6.2 Area by SubCategory

**Unmitigated**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SubCategory | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Architectural Coating | 0.0143 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Consumer Products | 0.1114 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Landscaping | 4.0000e-005 | 0.0000 | 3.9000e-004 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 7.7000e-004 | 7.7000e-004 | 0.0000 | 0.0000 | 8.2000e-004 |
| **Total** | **0.1258** | **0.0000** | **3.9000e-004** | **0.0000** | | **0.0000** | **0.0000** | | **0.0000** | **0.0000** | **0.0000** | **7.7000e-004** | **7.7000e-004** | **0.0000** | **0.0000** | **8.2000e-004** |

## 6.2 Area by SubCategory

**Mitigated**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SubCategory | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Architectural Coating | 0.0143 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Consumer Products | 0.1114 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Landscaping | 4.0000e-005 | 0.0000 | 3.9000e-004 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 7.7000e-004 | 7.7000e-004 | 0.0000 | 0.0000 | 8.2000e-004 |
| **Total** | **0.1258** | **0.0000** | **3.9000e-004** | **0.0000** | | **0.0000** | **0.0000** | | **0.0000** | **0.0000** | **0.0000** | **7.7000e-004** | **7.7000e-004** | **0.0000** | **0.0000** | **8.2000e-004** |

# 7.0 Water Detail

## 7.1 Mitigation Measures Water

| | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|
| Category | MT/yr | | | |
| Mitigated | 12.1339 | 0.0296 | 7.9000e-004 | 13.1098 |
| Unmitigated | 12.1339 | 0.0296 | 7.9000e-004 | 13.1098 |

## 7.2 Water by Land Use

**Unmitigated**

| | Indoor/Outdoor Use | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|
| Land Use | Mgal | MT/yr | | | |
| Elementary School | 0.894265 / 2.29954 | 12.1339 | 0.0296 | 7.9000e-004 | 13.1098 |
| **Total** | | **12.1339** | **0.0296** | **7.9000e-004** | **13.1098** |

### 7.2 Water by Land Use

**Mitigated**

| | Indoor/Outdoor Use | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|
| Land Use | Mgal | MT/yr | | | |
| Elementary School | 0.894265 / 2.29954 | 12.1339 | 0.0296 | 7.9000e-004 | 13.1098 |
| **Total** | | **12.1339** | **0.0296** | **7.9000e-004** | **13.1098** |

## 8.0 Waste Detail

### 8.1 Mitigation Measures Waste

**Category/Year**

| | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|
| | MT/yr | | | |
| Mitigated | 8.1379 | 0.4809 | 0.0000 | 20.1613 |
| Unmitigated | 8.1379 | 0.4809 | 0.0000 | 20.1613 |

## 8.2 Waste by Land Use

**Unmitigated**

| | Waste Disposed | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|
| Land Use | tons | MT/yr | | | |
| Elementary School | 40.09 | 8.1379 | 0.4809 | 0.0000 | 20.1613 |
| **Total** | | **8.1379** | **0.4809** | **0.0000** | **20.1613** |

**Mitigated**

| | Waste Disposed | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|
| Land Use | tons | MT/yr | | | |
| Elementary School | 40.09 | 8.1379 | 0.4809 | 0.0000 | 20.1613 |
| **Total** | | **8.1379** | **0.4809** | **0.0000** | **20.1613** |

## 9.0 Operational Offroad

| Equipment Type | Number | Hours/Day | Days/Year | Horse Power | Load Factor | Fuel Type |
|---|---|---|---|---|---|---|

## 10.0 Stationary Equipment

**Fire Pumps and Emergency Generators**

| Equipment Type | Number | Hours/Day | Hours/Year | Horse Power | Load Factor | Fuel Type |
|---|---|---|---|---|---|---|

**Boilers**

| Equipment Type | Number | Heat Input/Day | Heat Input/Year | Boiler Rating | Fuel Type |
|---|---|---|---|---|---|

**User Defined Equipment**

| Equipment Type | Number |
|---|---|

## 11.0 Vegetation

# MBUS 3.0 Proposed Buildings Run

**Los Angeles-South Coast County, Annual**

## 1.0 Project Characteristics

### 1.1 Land Usage

| Land Uses | Size | Metric | Lot Acreage | Floor Surface Area | Population |
|---|---|---|---|---|---|
| Elementary School | 24.00 | Student | 0.29 | 30,835.00 | 0 |
| Parking Lot | 17.60 | 1000sqft | 0.40 | 17,600.00 | 0 |

### 1.2 Other Project Characteristics

| | | | | | |
|---|---|---|---|---|---|
| **Urbanization** | Urban | **Wind Speed (m/s)** | 2.2 | **Precipitation Freq (Days)** | 33 |
| **Climate Zone** | 8 | | | **Operational Year** | 2023 |
| **Utility Company** | Southern California Edison | | | | |
| **CO2 Intensity (lb/MWhr)** | 702.44 | **CH4 Intensity (lb/MWhr)** | 0.029 | **N2O Intensity (lb/MWhr)** | 0.006 |

### 1.3 User Entered Comments & Non-Default Data

Project Characteristics -

Land Use - proposed run

Construction Phase - proposed run

Water And Wastewater - proposed run water wastewater

Energy Mitigation -

Water Mitigation -

MBUS 3.0 Proposed Buildings Run - Los Angeles-South Coast County, Annual

| Table Name | Column Name | Default Value | New Value |
|---|---|---|---|
| tblConstructionPhase | NumDays | 100.00 | 1.00 |
| tblLandUse | LandUseSquareFeet | 2,006.48 | 30,835.00 |
| tblLandUse | LotAcreage | 0.05 | 0.29 |
| tblWater | AerobicPercent | 87.46 | 100.00 |
| tblWater | AerobicPercent | 87.46 | 100.00 |
| tblWater | AnaerobicandFacultativeLagoonsPercent | 2.21 | 0.00 |
| tblWater | AnaerobicandFacultativeLagoonsPercent | 2.21 | 0.00 |
| tblWater | SepticTankPercent | 10.33 | 0.00 |
| tblWater | SepticTankPercent | 10.33 | 0.00 |

## 2.0 Emissions Summary

## 2.1 Overall Construction

### Unmitigated Construction

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Year | tons/yr | | | | | | | | | | MT/yr | | | | | |
| 2020 | 4.9000e-004 | 4.9000e-003 | 4.2200e-003 | 1.0000e-005 | 1.3000e-004 | 2.6000e-004 | 4.0000e-004 | 4.0000e-005 | 2.4000e-004 | 2.8000e-004 | 0.0000 | 0.7018 | 0.7018 | 1.7000e-004 | 0.0000 | 0.7061 |
| **Maximum** | **4.9000e-004** | **4.9000e-003** | **4.2200e-003** | **1.0000e-005** | **1.3000e-004** | **2.6000e-004** | **4.0000e-004** | **4.0000e-005** | **2.4000e-004** | **2.8000e-004** | **0.0000** | **0.7018** | **0.7018** | **1.7000e-004** | **0.0000** | **0.7061** |

### Mitigated Construction

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Year | tons/yr | | | | | | | | | | MT/yr | | | | | |
| 2020 | 4.9000e-004 | 4.9000e-003 | 4.2200e-003 | 1.0000e-005 | 1.3000e-004 | 2.6000e-004 | 4.0000e-004 | 4.0000e-005 | 2.4000e-004 | 2.8000e-004 | 0.0000 | 0.7018 | 0.7018 | 1.7000e-004 | 0.0000 | 0.7061 |
| **Maximum** | **4.9000e-004** | **4.9000e-003** | **4.2200e-003** | **1.0000e-005** | **1.3000e-004** | **2.6000e-004** | **4.0000e-004** | **4.0000e-005** | **2.4000e-004** | **2.8000e-004** | **0.0000** | **0.7018** | **0.7018** | **1.7000e-004** | **0.0000** | **0.7061** |

| | **ROG** | **NOx** | **CO** | **SO2** | **Fugitive PM10** | **Exhaust PM10** | **PM10 Total** | **Fugitive PM2.5** | **Exhaust PM2.5** | **PM2.5 Total** | **Bio- CO2** | **NBio-CO2** | **Total CO2** | **CH4** | **N20** | **CO2e** |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Percent Reduction** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** | **0.00** |

| Quarter | Start Date | End Date | Maximum Unmitigated ROG + NOX (tons/quarter) | Maximum Mitigated ROG + NOX (tons/quarter) |
|---|---|---|---|---|
| **1** | **6-1-2020** | **8-31-2020** | 0.0038 | 0.0038 |
| | | **Highest** | 0.0038 | 0.0038 |

## 2.2 Overall Operational

### Unmitigated Operational

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Area | 0.1272 | 0.0000 | 5.3000e-004 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 1.0300e-003 | 1.0300e-003 | 0.0000 | 0.0000 | 1.1000e-003 |
| Energy | 1.9700e-003 | 0.0179 | 0.0150 | 1.1000e-004 | | 1.3600e-003 | 1.3600e-003 | | 1.3600e-003 | 1.3600e-003 | 0.0000 | 81.1792 | 81.1792 | 2.9200e-003 | 8.8000e-004 | 81.5157 |
| Mobile | 6.3100e-003 | 0.0288 | 0.0887 | 3.4000e-004 | 0.0289 | 2.6000e-004 | 0.0292 | 7.7500e-003 | 2.4000e-004 | 7.9900e-003 | 0.0000 | 31.2586 | 31.2586 | 1.5300e-003 | 0.0000 | 31.2967 |
| Waste | | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.8891 | 0.0000 | 0.8891 | 0.0525 | 0.0000 | 2.2027 |
| Water | | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0206 | 0.7710 | 0.7916 | 1.0000e-004 | 5.0000e-005 | 0.8094 |
| **Total** | **0.1354** | **0.0467** | **0.1043** | **4.5000e-004** | **0.0289** | **1.6200e-003** | **0.0305** | **7.7500e-003** | **1.6000e-003** | **9.3500e-003** | **0.9097** | **113.2098** | **114.1195** | **0.0571** | **9.3000e-004** | **115.8257** |

## 2.2 Overall Operational

**Mitigated Operational**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Area | 0.1272 | 0.0000 | 5.3000e-004 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 1.0300e-003 | 1.0300e-003 | 0.0000 | 0.0000 | 1.1000e-003 |
| Energy | 1.4300e-003 | 0.0130 | 0.0109 | 8.0000e-005 | | 9.9000e-004 | 9.9000e-004 | | 9.9000e-004 | 9.9000e-004 | 0.0000 | 70.2724 | 70.2724 | 2.5900e-003 | 7.4000e-004 | 70.5572 |
| Mobile | 6.3100e-003 | 0.0288 | 0.0887 | 3.4000e-004 | 0.0289 | 2.6000e-004 | 0.0292 | 7.7500e-003 | 2.4000e-004 | 7.9900e-003 | 0.0000 | 31.2586 | 31.2586 | 1.5300e-003 | 0.0000 | 31.2967 |
| Waste | | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.8891 | 0.0000 | 0.8891 | 0.0525 | 0.0000 | 2.2027 |
| Water | | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0165 | 0.6904 | 0.7069 | 9.0000e-005 | 4.0000e-005 | 0.7214 |
| **Total** | **0.1349** | **0.0418** | **0.1001** | **4.2000e-004** | **0.0289** | **1.2500e-003** | **0.0302** | **7.7500e-003** | **1.2300e-003** | **8.9800e-003** | **0.9056** | **102.2224** | **103.1279** | **0.0568** | **7.8000e-004** | **104.7792** |

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio-CO2 | Total CO2 | CH4 | N20 | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Percent Reduction** | **0.40** | **10.51** | **3.94** | **6.67** | **0.00** | **22.84** | **1.21** | **0.00** | **23.13** | **3.96** | **0.45** | **9.71** | **9.63** | **0.60** | **16.13** | **9.54** |

## 3.0 Construction Detail

**Construction Phase**

| Phase Number | Phase Name | Phase Type | Start Date | End Date | Num Days Week | Num Days | Phase Description |
|---|---|---|---|---|---|---|---|
| 1 | Building Construction | Building Construction | 6/18/2020 | 6/18/2020 | 5 | 1 | |

**Acres of Grading (Site Preparation Phase): 0**

**Acres of Grading (Grading Phase): 0**

**Acres of Paving: 0.4**

**Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 0; Non-Residential Outdoor: 0; Striped Parking Area: 0 (Architectural Coating – sqft)**

**OffRoad Equipment**

| Phase Name | Offroad Equipment Type | Amount | Usage Hours | Horse Power | Load Factor |
|---|---|---|---|---|---|
| Building Construction | Cranes | 1 | 4.00 | 231 | 0.29 |
| Building Construction | Forklifts | 2 | 6.00 | 89 | 0.20 |
| Building Construction | Tractors/Loaders/Backhoes | 2 | 8.00 | 97 | 0.37 |

**Trips and VMT**

| Phase Name | Offroad Equipment Count | Worker Trip Number | Vendor Trip Number | Hauling Trip Number | Worker Trip Length | Vendor Trip Length | Hauling Trip Length | Worker Vehicle Class | Vendor Vehicle Class | Hauling Vehicle Class |
|---|---|---|---|---|---|---|---|---|---|---|
| Building Construction | 5 | 20.00 | 8.00 | 0.00 | 14.70 | 6.90 | 20.00 | LD_Mix | HDT_Mix | HHDT |

## 3.1 Mitigation Measures Construction

## 3.2 Building Construction - 2020

### Unmitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Off-Road | 4.3000e-004 | 4.4300e-003 | 3.6900e-003 | 1.0000e-005 | | 2.6000e-004 | 2.6000e-004 | | 2.4000e-004 | 2.4000e-004 | 0.0000 | 0.5003 | 0.5003 | 1.6000e-004 | 0.0000 | 0.5044 |
| **Total** | **4.3000e-004** | **4.4300e-003** | **3.6900e-003** | **1.0000e-005** | | **2.6000e-004** | **2.6000e-004** | | **2.4000e-004** | **2.4000e-004** | **0.0000** | **0.5003** | **0.5003** | **1.6000e-004** | **0.0000** | **0.5044** |

### Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Vendor | 1.0000e-005 | 4.3000e-004 | 1.2000e-004 | 0.0000 | 3.0000e-005 | 0.0000 | 3.0000e-005 | 1.0000e-005 | 0.0000 | 1.0000e-005 | 0.0000 | 0.0994 | 0.0994 | 1.0000e-005 | 0.0000 | 0.0995 |
| Worker | 5.0000e-005 | 4.0000e-005 | 4.1000e-004 | 0.0000 | 1.1000e-004 | 0.0000 | 1.1000e-004 | 3.0000e-005 | 0.0000 | 3.0000e-005 | 0.0000 | 0.1021 | 0.1021 | 0.0000 | 0.0000 | 0.1022 |
| **Total** | **6.0000e-005** | **4.7000e-004** | **5.3000e-004** | **0.0000** | **1.4000e-004** | **0.0000** | **1.4000e-004** | **4.0000e-005** | **0.0000** | **4.0000e-005** | **0.0000** | **0.2015** | **0.2015** | **1.0000e-005** | **0.0000** | **0.2018** |

## 3.2 Building Construction - 2020

**Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Off-Road | 4.3000e-004 | 4.4300e-003 | 3.6900e-003 | 1.0000e-005 | | 2.6000e-004 | 2.6000e-004 | | 2.4000e-004 | 2.4000e-004 | 0.0000 | 0.5003 | 0.5003 | 1.6000e-004 | 0.0000 | 0.5044 |
| **Total** | **4.3000e-004** | **4.4300e-003** | **3.6900e-003** | **1.0000e-005** | | **2.6000e-004** | **2.6000e-004** | | **2.4000e-004** | **2.4000e-004** | **0.0000** | **0.5003** | **0.5003** | **1.6000e-004** | **0.0000** | **0.5044** |

**Mitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Vendor | 1.0000e-005 | 4.3000e-004 | 1.2000e-004 | 0.0000 | 3.0000e-005 | 0.0000 | 3.0000e-005 | 1.0000e-005 | 0.0000 | 1.0000e-005 | 0.0000 | 0.0994 | 0.0994 | 1.0000e-005 | 0.0000 | 0.0995 |
| Worker | 5.0000e-005 | 4.0000e-005 | 4.1000e-004 | 0.0000 | 1.1000e-004 | 0.0000 | 1.1000e-004 | 3.0000e-005 | 0.0000 | 3.0000e-005 | 0.0000 | 0.1021 | 0.1021 | 0.0000 | 0.0000 | 0.1022 |
| **Total** | **6.0000e-005** | **4.7000e-004** | **5.3000e-004** | **0.0000** | **1.4000e-004** | **0.0000** | **1.4000e-004** | **4.0000e-005** | **0.0000** | **4.0000e-005** | **0.0000** | **0.2015** | **0.2015** | **1.0000e-005** | **0.0000** | **0.2018** |

## 4.0 Operational Detail - Mobile

## 4.1 Mitigation Measures Mobile

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Mitigated | 6.3100e-003 | 0.0288 | 0.0887 | 3.4000e-004 | 0.0289 | 2.6000e-004 | 0.0292 | 7.7500e-003 | 2.4000e-004 | 7.9900e-003 | 0.0000 | 31.2586 | 31.2586 | 1.5300e-003 | 0.0000 | 31.2967 |
| Unmitigated | 6.3100e-003 | 0.0288 | 0.0887 | 3.4000e-004 | 0.0289 | 2.6000e-004 | 0.0292 | 7.7500e-003 | 2.4000e-004 | 7.9900e-003 | 0.0000 | 31.2586 | 31.2586 | 1.5300e-003 | 0.0000 | 31.2967 |

## 4.2 Trip Summary Information

| | Average Daily Trip Rate | | | Unmitigated | Mitigated |
|---|---|---|---|---|---|
| Land Use | Weekday | Saturday | Sunday | Annual VMT | Annual VMT |
| Elementary School | 30.96 | 0.00 | 0.00 | 76,214 | 76,214 |
| Parking Lot | 0.00 | 0.00 | 0.00 | | |
| Total | 30.96 | 0.00 | 0.00 | 76,214 | 76,214 |

## 4.3 Trip Type Information

| | Miles | | | Trip % | | | Trip Purpose % | | |
|---|---|---|---|---|---|---|---|---|---|
| Land Use | H-W or C-W | H-S or C-C | H-O or C-NW | H-W or C-W | H-S or C-C | H-O or C-NW | Primary | Diverted | Pass-by |
| Elementary School | 16.60 | 8.40 | 6.90 | 65.00 | 30.00 | 5.00 | 63 | 25 | 12 |
| Parking Lot | 16.60 | 8.40 | 6.90 | 0.00 | 0.00 | 0.00 | 0 | 0 | 0 |

## 4.4 Fleet Mix

| Land Use | LDA | LDT1 | LDT2 | MDV | LHD1 | LHD2 | MHD | HHD | OBUS | UBUS | MCY | SBUS | MH |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Elementary School | 0.545842 | 0.044768 | 0.205288 | 0.119317 | 0.015350 | 0.006227 | 0.020460 | 0.031333 | 0.002546 | 0.002133 | 0.005184 | 0.000692 | 0.000862 |
| Parking Lot | 0.545842 | 0.044768 | 0.205288 | 0.119317 | 0.015350 | 0.006227 | 0.020460 | 0.031333 | 0.002546 | 0.002133 | 0.005184 | 0.000692 | 0.000862 |

## 5.0 Energy Detail

Historical Energy Use: N

### 5.1 Mitigation Measures Energy

Exceed Title 24

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Electricity Mitigated | | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 56.1262 | 56.1262 | 2.3200e-003 | 4.8000e-004 | 56.3270 |
| Electricity Unmitigated | | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 61.6968 | 61.6968 | 2.5500e-003 | 5.3000e-004 | 61.9176 |
| NaturalGas Mitigated | 1.4300e-003 | 0.0130 | 0.0109 | 8.0000e-005 | | 9.9000e-004 | 9.9000e-004 | | 9.9000e-004 | 9.9000e-004 | 0.0000 | 14.1461 | 14.1461 | 2.7000e-004 | 2.6000e-004 | 14.2302 |
| NaturalGas Unmitigated | 1.9700e-003 | 0.0179 | 0.0150 | 1.1000e-004 | | 1.3600e-003 | 1.3600e-003 | | 1.3600e-003 | 1.3600e-003 | 0.0000 | 19.4824 | 19.4824 | 3.7000e-004 | 3.6000e-004 | 19.5982 |

## 5.2 Energy by Land Use - NaturalGas

**Unmitigated**

| | NaturalGas Use | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Land Use | kBTU/yr | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Elementary School | 365086 | 1.9700e-003 | 0.0179 | 0.0150 | 1.1000e-004 | | 1.3600e-003 | 1.3600e-003 | | 1.3600e-003 | 1.3600e-003 | 0.0000 | 19.4824 | 19.4824 | 3.7000e-004 | 3.6000e-004 | 19.5982 |
| Parking Lot | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| **Total** | | **1.9700e-003** | **0.0179** | **0.0150** | **1.1000e-004** | | **1.3600e-003** | **1.3600e-003** | | **1.3600e-003** | **1.3600e-003** | **0.0000** | **19.4824** | **19.4824** | **3.7000e-004** | **3.6000e-004** | **19.5982** |

**Mitigated**

| | NaturalGas Use | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Land Use | kBTU/yr | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Elementary School | 265088 | 1.4300e-003 | 0.0130 | 0.0109 | 8.0000e-005 | | 9.9000e-004 | 9.9000e-004 | | 9.9000e-004 | 9.9000e-004 | 0.0000 | 14.1461 | 14.1461 | 2.7000e-004 | 2.6000e-004 | 14.2302 |
| Parking Lot | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| **Total** | | **1.4300e-003** | **0.0130** | **0.0109** | **8.0000e-005** | | **9.9000e-004** | **9.9000e-004** | | **9.9000e-004** | **9.9000e-004** | **0.0000** | **14.1461** | **14.1461** | **2.7000e-004** | **2.6000e-004** | **14.2302** |

## 5.3 Energy by Land Use - Electricity

**Unmitigated**

| | Electricity Use | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|
| Land Use | kWh/yr | MT/yr | | | |
| Elementary School | 187477 | 59.7341 | 2.4700e-003 | 5.1000e-004 | 59.9478 |
| Parking Lot | 6160 | 1.9627 | 8.0000e-005 | 2.0000e-005 | 1.9697 |
| **Total** | | **61.6968** | **2.5500e-003** | **5.3000e-004** | **61.9176** |

**Mitigated**

| | Electricity Use | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|
| Land Use | kWh/yr | MT/yr | | | |
| Elementary School | 169993 | 54.1635 | 2.2400e-003 | 4.6000e-004 | 54.3573 |
| Parking Lot | 6160 | 1.9627 | 8.0000e-005 | 2.0000e-005 | 1.9697 |
| **Total** | | **56.1262** | **2.3200e-003** | **4.8000e-004** | **56.3270** |

# 6.0 Area Detail

## 6.1 Mitigation Measures Area

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Mitigated | 0.1272 | 0.0000 | 5.3000e-004 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 1.0300e-003 | 1.0300e-003 | 0.0000 | 0.0000 | 1.1000e-003 |
| Unmitigated | 0.1272 | 0.0000 | 5.3000e-004 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 1.0300e-003 | 1.0300e-003 | 0.0000 | 0.0000 | 1.1000e-003 |

## 6.2 Area by SubCategory

**Unmitigated**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SubCategory | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Architectural Coating | 0.0145 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Consumer Products | 0.1126 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Landscaping | 5.0000e-005 | 0.0000 | 5.3000e-004 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 1.0300e-003 | 1.0300e-003 | 0.0000 | 0.0000 | 1.1000e-003 |
| **Total** | **0.1272** | **0.0000** | **5.3000e-004** | **0.0000** | | **0.0000** | **0.0000** | | **0.0000** | **0.0000** | **0.0000** | **1.0300e-003** | **1.0300e-003** | **0.0000** | **0.0000** | **1.1000e-003** |

## 6.2 Area by SubCategory

**Mitigated**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SubCategory | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Architectural Coating | 0.0145 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Consumer Products | 0.1126 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Landscaping | 5.0000e-005 | 0.0000 | 5.3000e-004 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 1.0300e-003 | 1.0300e-003 | 0.0000 | 0.0000 | 1.1000e-003 |
| **Total** | **0.1272** | **0.0000** | **5.3000e-004** | **0.0000** | | **0.0000** | **0.0000** | | **0.0000** | **0.0000** | **0.0000** | **1.0300e-003** | **1.0300e-003** | **0.0000** | **0.0000** | **1.1000e-003** |

# 7.0 Water Detail

## 7.1 Mitigation Measures Water

Install Low Flow Bathroom Faucet

Install Low Flow Kitchen Faucet

Install Low Flow Toilet

Install Low Flow Shower

Use Water Efficient Irrigation System

| | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|
| Category | MT/yr | | | |
| Mitigated | 0.7069 | 9.0000e-005 | 4.0000e-005 | 0.7214 |
| Unmitigated | 0.7916 | 1.0000e-004 | 5.0000e-005 | 0.8094 |

## 7.2 Water by Land Use

**Unmitigated**

| | Indoor/Outdoor Use | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|
| Land Use | Mgal | MT/yr | | | |
| Elementary School | 0.0581818 / 0.14961 | 0.7916 | 1.0000e-004 | 5.0000e-005 | 0.8094 |
| Parking Lot | 0 / 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| **Total** | | **0.7916** | **1.0000e-004** | **5.0000e-005** | **0.8094** |

### 7.2 Water by Land Use

**Mitigated**

| | Indoor/Outdoor Use | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|
| Land Use | Mgal | MT/yr | | | |
| Elementary School | 0.0465454 / 0.140484 | 0.7069 | 9.0000e-005 | 4.0000e-005 | 0.7214 |
| Parking Lot | 0 / 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| **Total** | | **0.7069** | **9.0000e-005** | **4.0000e-005** | **0.7214** |

## 8.0 Waste Detail

### 8.1 Mitigation Measures Waste

**Category/Year**

| | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|
| | MT/yr | | | |
| Mitigated | 0.8891 | 0.0525 | 0.0000 | 2.2027 |
| Unmitigated | 0.8891 | 0.0525 | 0.0000 | 2.2027 |

## 8.2 Waste by Land Use

**Unmitigated**

| | Waste Disposed | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|
| Land Use | tons | MT/yr | | | |
| Elementary School | 4.38 | 0.8891 | 0.0525 | 0.0000 | 2.2027 |
| Parking Lot | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| **Total** | | **0.8891** | **0.0525** | **0.0000** | **2.2027** |

**Mitigated**

| | Waste Disposed | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|
| Land Use | tons | MT/yr | | | |
| Elementary School | 4.38 | 0.8891 | 0.0525 | 0.0000 | 2.2027 |
| Parking Lot | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| **Total** | | **0.8891** | **0.0525** | **0.0000** | **2.2027** |

## 9.0 Operational Offroad

| Equipment Type | Number | Hours/Day | Days/Year | Horse Power | Load Factor | Fuel Type |
|---|---|---|---|---|---|---|

## 10.0 Stationary Equipment

**Fire Pumps and Emergency Generators**

| Equipment Type | Number | Hours/Day | Hours/Year | Horse Power | Load Factor | Fuel Type |
|---|---|---|---|---|---|---|

**Boilers**

| Equipment Type | Number | Heat Input/Day | Heat Input/Year | Boiler Rating | Fuel Type |
|---|---|---|---|---|---|

**User Defined Equipment**

| Equipment Type | Number |
|---|---|

## 11.0 Vegetation

# MBUS 3.0 Proposed Buildings Run

## Los Angeles-South Coast County, Mitigation Report

## Construction Mitigation Summary

| Phase | ROG | NOx | CO | SO2 | Exhaust PM10 | Exhaust PM2.5 | Bio- CO2 | NBio-CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Percent Reduction | | | | | | | | | | | | |
| Building Construction | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |

## OFFROAD Equipment Mitigation

| Equipment Type | Fuel Type | Tier | Number Mitigated | Total Number of Equipment | DPF | Oxidation Catalyst |
|---|---|---|---|---|---|---|
| Cranes | Diesel | No Change | 0 | 1 | No Change | 0.00 |
| Forklifts | Diesel | No Change | 0 | 2 | No Change | 0.00 |
| Tractors/Loaders/Backhoes | Diesel | No Change | 0 | 2 | No Change | 0.00 |

| Equipment Type | ROG | NOx | CO | SO2 | Exhaust PM10 | Exhaust PM2.5 | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Unmitigated tons/yr | | | | | | Unmitigated mt/yr | | | | | |
| Cranes | 1.10000E-004 | 1.35000E-003 | 5.30000E-004 | 0.00000E+000 | 6.00000E-005 | 5.00000E-005 | 0.00000E+000 | 1.26730E-001 | 1.26730E-001 | 4.00000E-005 | 0.00000E+000 | 1.27760E-001 |
| Forklifts | 1.10000E-004 | 9.70000E-004 | 8.90000E-004 | 0.00000E+000 | 7.00000E-005 | 7.00000E-005 | 0.00000E+000 | 1.00720E-001 | 1.00720E-001 | 3.00000E-005 | 0.00000E+000 | 1.01530E-001 |
| Tractors/Loaders/ Backhoes | 2.10000E-004 | 2.11000E-003 | 2.28000E-003 | 0.00000E+000 | 1.30000E-004 | 1.20000E-004 | 0.00000E+000 | 2.72850E-001 | 2.72850E-001 | 9.00000E-005 | 0.00000E+000 | 2.75060E-001 |

| Equipment Type | ROG | NOx | CO | SO2 | Exhaust PM10 | Exhaust PM2.5 | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mitigated tons/yr | | | | | | Mitigated mt/yr | | | | | |
| Cranes | 1.10000E-004 | 1.35000E-003 | 5.30000E-004 | 0.00000E+000 | 6.00000E-005 | 5.00000E-005 | 0.00000E+000 | 1.26730E-001 | 1.26730E-001 | 4.00000E-005 | 0.00000E+000 | 1.27760E-001 |
| Forklifts | 1.10000E-004 | 9.70000E-004 | 8.90000E-004 | 0.00000E+000 | 7.00000E-005 | 7.00000E-005 | 0.00000E+000 | 1.00720E-001 | 1.00720E-001 | 3.00000E-005 | 0.00000E+000 | 1.01530E-001 |
| Tractors/Loaders/Backhoes | 2.10000E-004 | 2.11000E-003 | 2.28000E-003 | 0.00000E+000 | 1.30000E-004 | 1.20000E-004 | 0.00000E+000 | 2.72850E-001 | 2.72850E-001 | 9.00000E-005 | 0.00000E+000 | 2.75060E-001 |

| Equipment Type | ROG | NOx | CO | SO2 | Exhaust PM10 | Exhaust PM2.5 | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Percent Reduction | | | | | | | | | | | |
| Cranes | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 |
| Forklifts | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 |
| Tractors/Loaders/Backhoes | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 |

## Fugitive Dust Mitigation

| Yes/No | Mitigation Measure | Mitigation Input | | Mitigation Input | | Mitigation Input | |
|---|---|---|---|---|---|---|---|
| No | Soil Stabilizer for unpaved Roads | PM10 Reduction | | PM2.5 Reduction | | | |
| No | Replace Ground Cover of Area Disturbed | PM10 Reduction | | PM2.5 Reduction | | | |
| No | Water Exposed Area | PM10 Reduction | | PM2.5 Reduction | | Frequency (per day) | |
| No | Unpaved Road Mitigation | Moisture Content % | | Vehicle Speed (mph) | 0.00 | | |
| No | Clean Paved Road | % PM Reduction | 0.00 | | | | |

| | | Unmitigated | | Mitigated | | Percent Reduction | |
|---|---|---|---|---|---|---|---|
| Phase | Source | PM10 | PM2.5 | PM10 | PM2.5 | PM10 | PM2.5 |
| Building Construction | Fugitive Dust | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Building Construction | Roads | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |

## Operational Percent Reduction Summary

| Category | ROG | NOx | CO | SO2 | Exhaust PM10 | Exhaust PM2.5 | Bio- CO2 | NBio-CO2 | Total CO2 | CH4 | N2O | CO2e |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Percent Reduction | | | | | | | | | | | | |
| Architectural Coating | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Consumer Products | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Electricity | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 9.03 | 9.03 | 9.02 | 9.43 | 9.03 |
| Hearth | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Landscaping | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Mobile | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Natural Gas | 27.41 | 27.43 | 27.35 | 27.27 | 27.21 | 27.21 | 0.00 | 27.39 | 27.39 | 27.03 | 27.78 | 27.39 |
| Water Indoor | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 19.97 | 10.45 | 10.70 | 10.00 | 20.00 | 10.87 |
| Water Outdoor | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |

## Operational Mobile Mitigation

Project Setting:

| Mitigation Selected | Category | Measure | % Reduction | Input Value 1 | Input Value 2 | Input Value 3 |
|---|---|---|---|---|---|---|
| No | Land Use | Increase Density | 0.00 | | | |
| No | Land Use | Increase Diversity | 0.08 | 0.29 | | |

| | | | | | | |
|---|---|---|---|---|---|---|
| No | Land Use | Improve Walkability Design | 0.00 | | | |
| No | Land Use | Improve Destination Accessibility | 0.00 | | | |
| No | Land Use | Increase Transit Accessibility | 0.25 | | | |
| No | Land Use | Integrate Below Market Rate Housing | 0.00 | | | |
| | Land Use | Land Use SubTotal | 0.00 | | | |
| No | Neighborhood Enhancements | Improve Pedestrian Network | | | | |
| No | Neighborhood Enhancements | Provide Traffic Calming Measures | | | | |
| No | Neighborhood Enhancements | Implement NEV Network | 0.00 | | | |
| | Neighborhood Enhancements | Neighborhood Enhancements Subtotal | 0.00 | | | |
| No | Parking Policy Pricing | Limit Parking Supply | 0.00 | | | |
| No | Parking Policy Pricing | Unbundle Parking Costs | 0.00 | | | |
| No | Parking Policy Pricing | On-street Market Pricing | 0.00 | | | |
| | Parking Policy Pricing | Parking Policy Pricing Subtotal | 0.00 | | | |
| No | Transit Improvements | Provide BRT System | 0.00 | | | |
| No | Transit Improvements | Expand Transit Network | 0.00 | | | |
| No | Transit Improvements | Increase Transit Frequency | 0.00 | | | |
| | Transit Improvements | Transit Improvements Subtotal | 0.00 | | | |
| | | Land Use and Site Enhancement Subtotal | 0.00 | | | |
| No | Commute | Implement Trip Reduction Program | | | | |
| No | Commute | Transit Subsidy | | | | |
| No | Commute | Implement Employee Parking "Cash Out" | | | | |
| No | Commute | Workplace Parking Charge | | | | |

| | | | | | | |
|---|---|---|---|---|---|---|
| No | Commute | Encourage Telecommuting and Alternative Work Schedules | 0.00 | | | |
| No | Commute | Market Commute Trip Reduction Option | 0.00 | | | |
| No | Commute | Employee Vanpool/Shuttle | 0.00 | | 2.00 | |
| No | Commute | Provide Ride Sharing Program | | | | |
| | Commute | Commute Subtotal | 0.00 | | | |
| No | School Trip | Implement School Bus Program | 0.00 | | | |
| | | Total VMT Reduction | 0.00 | | | |

**Area Mitigation**

| Measure Implemented | Mitigation Measure | Input Value |
|---|---|---|
| No | Only Natural Gas Hearth | |
| No | No Hearth | |
| No | Use Low VOC Cleaning Supplies | |
| No | Use Low VOC Paint (Residential Interior) | 50.00 |
| No | Use Low VOC Paint (Residential Exterior) | 50.00 |
| No | Use Low VOC Paint (Non-residential Interior) | 100.00 |
| No | Use Low VOC Paint (Non-residential Exterior) | 100.00 |
| No | Use Low VOC Paint (Parking) | 100.00 |
| No | % Electric Lawnmower | |
| No | % Electric Leafblower | |
| No | % Electric Chainsaw | |

**Energy Mitigation Measures**

| Measure Implemented | Mitigation Measure | Input Value 1 | Input Value 2 |
|---|---|---|---|
| Yes | Exceed Title 24 | 30.00 | |
| No | Install High Efficiency Lighting | | |
| No | On-site Renewable | | |

| Appliance Type | Land Use Subtype | % Improvement |
|---|---|---|
| ClothWasher | | 30.00 |
| DishWasher | | 15.00 |
| Fan | | 50.00 |
| Refrigerator | | 15.00 |

**Water Mitigation Measures**

| Measure Implemented | Mitigation Measure | Input Value 1 | Input Value 2 |
|---|---|---|---|
| No | Apply Water Conservation on Strategy | 0.00 | 0.00 |
| No | Use Reclaimed Water | 0.00 | 0.00 |
| No | Use Grey Water | 0.00 | |
| Yes | Install low-flow bathroom faucet | 32.00 | |
| Yes | Install low-flow Kitchen faucet | 18.00 | |
| Yes | Install low-flow Toilet | 20.00 | |
| Yes | Install low-flow Shower | 20.00 | |
| No | Turf Reduction | 0.00 | |
| Yes | Use Water Efficient Irrigation Systems | 6.10 | |
| No | Water Efficient Landscape | 0.00 | 0.00 |

**Solid Waste Mitigation**

| Mitigation Measures | Input Value |
|---|---|
| Institute Recycling and Composting Services | |
| Percent Reduction in Waste Disposed | |

## Construction Localized Significance Thresholds: Asphalt Demolition, Grade Site, Grade Site Haul, Modernization

| SRA No. | Acres | Source Receptor Distance (meters) | Source Receptor Distance (Feet) | Project site Acreage Disturbed |
|---|---|---|---|---|
| 3 | 3.50 | 25 | 82 | 6.2 |

| Source Receptor | Southwest Coastal LA Coun | Equipment | Acres/8-hr Day | | Daily hours | Equipment Used | Acres |
|---|---|---|---|---|---|---|---|
| Distance (meters) | 25 | Tractors | 0.5 | 0.0625 | 8 | 3 | 1.5 |
| **NOx** | **164** | Graders | 0.5 | 0.0625 | 8 | 1 | 0.5 |
| **CO** | **1,368** | Dozers | 0.5 | 0.0625 | 8 | 3 | 1.5 |
| **PM10** | **11.49** | Scrapers | 1 | 0.125 | | | 0 |
| **PM2.5** | **6.50** | | | | | **Acres** | 3.50 |

| | Acres | **25** | **50** | **100** | **200** | **500** |
|---|---|---|---|---|---|---|
| NOx | 3 | 153 | 148 | 160 | 184 | 248 |
| | 4 | 175 | 169 | 181 | 203 | 262 |
| | | 164 | 159 | 171 | 194 | 255 |
| CO | 3 | 1234 | 1433 | 1934 | 3228 | 8584 |
| | 4 | 1502 | 1709 | 2271 | 3674 | 9218 |
| | | 1368 | 1571 | 2103 | 3451 | 8901 |
| PM10 | 3 | 10 | 31 | 45 | 73 | 156 |
| | 4 | 13 | 38 | 52 | 80 | 163 |
| | | 12 | 35 | 49 | 77 | 160 |
| PM2.5 | 3 | 6 | 8 | 14 | 28 | 86 |
| | 4 | 7 | 10 | 17 | 32 | 91 |
| | | 7 | 9 | 16 | 30 | 89 |

Southwest Coastal LA County

**3.50 Acres**

| | **25** | **50** | **100** | **200** | **500** |
|---|---|---|---|---|---|
| NOx | 164 | 159 | 171 | 194 | 255 |
| CO | 1368 | 1571 | 2103 | 3451 | 8901 |
| PM10 | 12 | 35 | 49 | 77 | 160 |
| PM2.5 | 7 | 9 | 16 | 30 | 89 |

| **Acre Below** | | **Acre Above** | |
|---|---|---|---|
| SRA No. | Acres | SRA No. | Acres |
| 3 | 3 | 3 | 4 |
| **Distance Increment Below** | | | |
| 25 | | | |
| **Distance Increment Above** | | | |
| 25 | | | |

*Updated: 10/21/2009 - Table C-1. 2006 – 2008*

## Construction Localized Significance Thresholds: Asphalt Demolition, Site Grading, Modernization

| SRA No. | Acres | Source Receptor Distance (meters) | Source Receptor Distance (Feet) | Project site Acreage Disturbed |
|---|---|---|---|---|
| 3 | 3.50 | 25 | 82 | 6.2 |

| Source Receptor | Southwest Coastal LA Coun | Equipment | Acres/8-hr Day | | Daily hours | Equipment Used | Acres |
|---|---|---|---|---|---|---|---|
| Distance (meters) | 25 | Tractors | 0.5 | 0.0625 | 8 | 3 | 1.5 |
| **NOx** | **164** | Graders | 0.5 | 0.0625 | 8 | 1 | 0.5 |
| **CO** | **1,368** | Dozers | 0.5 | 0.0625 | 8 | 3 | 1.5 |
| **PM10** | **11.49** | Scrapers | 1 | 0.125 | | | 0 |
| **PM2.5** | **6.50** | | | | | **Acres** | 3.50 |

| | Acres | **25** | **50** | **100** | **200** | **500** |
|---|---|---|---|---|---|---|
| NOx | 3 | 153 | 148 | 160 | 184 | 248 |
| | 4 | 175 | 169 | 181 | 203 | 262 |
| | | 164 | 159 | 171 | 194 | 255 |
| CO | 3 | 1234 | 1433 | 1934 | 3228 | 8584 |
| | 4 | 1502 | 1709 | 2271 | 3674 | 9218 |
| | | 1368 | 1571 | 2103 | 3451 | 8901 |
| PM10 | 3 | 10 | 31 | 45 | 73 | 156 |
| | 4 | 13 | 38 | 52 | 80 | 163 |
| | | 12 | 35 | 49 | 77 | 160 |
| PM2.5 | 3 | 6 | 8 | 14 | 28 | 86 |
| | 4 | 7 | 10 | 17 | 32 | 91 |
| | | 7 | 9 | 16 | 30 | 89 |

Southwest Coastal LA County

**3.50 Acres**

| | **25** | **50** | **100** | **200** | **500** |
|---|---|---|---|---|---|
| NOx | 164 | 159 | 171 | 194 | 255 |
| CO | 1368 | 1571 | 2103 | 3451 | 8901 |
| PM10 | 12 | 35 | 49 | 77 | 160 |
| PM2.5 | 7 | 9 | 16 | 30 | 89 |

| **Acre Below** | | **Acre Above** | |
|---|---|---|---|
| SRA No. | Acres | SRA No. | Acres |
| 3 | 3 | 3 | 4 |
| **Distance Increment Below** | | | |
| 25 | | | |
| **Distance Increment Above** | | | |
| 25 | | | |

*Updated: 10/21/2009 - Table C-1. 2006 – 2008*

## Construction Localized Significance Thresholds: Asphalt Demolition, Site Grading, Modernization, Architectural Coating

| SRA No. | Acres | Source Receptor Distance (meters) | Source Receptor Distance (Feet) | Project site Acreage Disturbed |
|---|---|---|---|---|
| 3 | 3.50 | 25 | 82 | 6.2 |

| Source Receptor | Southwest Coastal LA Coun | Equipment | Acres/8-hr Day | | Daily hours | Equipment Used | Acres |
|---|---|---|---|---|---|---|---|
| Distance (meters) | 25 | Tractors | 0.5 | 0.0625 | 8 | 3 | 1.5 |
| **NOx** | **164** | Graders | 0.5 | 0.0625 | 8 | 1 | 0.5 |
| **CO** | **1,368** | Dozers | 0.5 | 0.0625 | 8 | 3 | 1.5 |
| **PM10** | **11.49** | Scrapers | 1 | 0.125 | | | 0 |
| **PM2.5** | **6.50** | | | | | **Acres** | 3.50 |

| | Acres | **25** | **50** | **100** | **200** | **500** |
|---|---|---|---|---|---|---|
| NOx | 3 | 153 | 148 | 160 | 184 | 248 |
| | 4 | 175 | 169 | 181 | 203 | 262 |
| | | 164 | 159 | 171 | 194 | 255 |
| CO | 3 | 1234 | 1433 | 1934 | 3228 | 8584 |
| | 4 | 1502 | 1709 | 2271 | 3674 | 9218 |
| | | 1368 | 1571 | 2103 | 3451 | 8901 |
| PM10 | 3 | 10 | 31 | 45 | 73 | 156 |
| | 4 | 13 | 38 | 52 | 80 | 163 |
| | | 12 | 35 | 49 | 77 | 160 |
| PM2.5 | 3 | 6 | 8 | 14 | 28 | 86 |
| | 4 | 7 | 10 | 17 | 32 | 91 |
| | | 7 | 9 | 16 | 30 | 89 |

Southwest Coastal LA County

**3.50 Acres**

| | **25** | **50** | **100** | **200** | **500** |
|---|---|---|---|---|---|
| NOx | 164 | 159 | 171 | 194 | 255 |
| CO | 1368 | 1571 | 2103 | 3451 | 8901 |
| PM10 | 12 | 35 | 49 | 77 | 160 |
| PM2.5 | 7 | 9 | 16 | 30 | 89 |

| **Acre Below** | | **Acre Above** | |
|---|---|---|---|
| SRA No. | Acres | SRA No. | Acres |
| 3 | 3 | 3 | 4 |
| **Distance Increment Below** | | | |
| 25 | | | |
| **Distance Increment Above** | | | |
| 25 | | | |

*Updated: 10/21/2009 - Table C-1. 2006 – 2008*

## Construction Localized Significance Thresholds: Grading (Two Story), Grading Export Haul, and Trenching of (Two Story)

| SRA No. | Acres | Source Receptor Distance (meters) | Source Receptor Distance (Feet) | Project site Acreage Disturbed |
|---|---|---|---|---|
| 3 | 2.50 | 25 | 82 | 6.2 |

| Source Receptor | Southwest Coastal LA Coun | Equipment | Acres/8-hr Day | | Daily hours | Equipment Used | Acres |
|---|---|---|---|---|---|---|---|
| Distance (meters) | 25 | Tractors | 0.5 | 0.0625 | 8 | 3 | 1.5 |
| **NOx** | **142** | Graders | 0.5 | 0.0625 | 8 | 1 | 0.5 |
| **CO** | **1,101** | Dozers | 0.5 | 0.0625 | 8 | 1 | 0.5 |
| **PM10** | **9.16** | Scrapers | 1 | 0.125 | | | 0 |
| **PM2.5** | **5.50** | | | | | **Acres** | 2.50 |

| | Acres | **25** | **50** | **100** | **200** | **500** |
|---|---|---|---|---|---|---|
| NOx | 2 | 131 | 128 | 139 | 165 | 233 |
| | 3 | 153 | 148 | 160 | 184 | 248 |
| | | 142 | 138 | 150 | 175 | 240 |
| CO | 2 | 967 | 1158 | 1597 | 2783 | 7950 |
| | 3 | 1234 | 1433 | 1934 | 3228 | 8584 |
| | | 1101 | 1296 | 1766 | 3006 | 8267 |
| PM10 | 2 | 8 | 23 | 37 | 65 | 148 |
| | 3 | 10 | 31 | 45 | 73 | 156 |
| | | 9 | 27 | 41 | 69 | 152 |
| PM2.5 | 2 | 5 | 7 | 12 | 25 | 81 |
| | 3 | 6 | 8 | 14 | 28 | 86 |
| | | 6 | 8 | 13 | 27 | 84 |

Southwest Coastal LA County

**2.50 Acres**

| | **25** | **50** | **100** | **200** | **500** |
|---|---|---|---|---|---|
| NOx | 142 | 138 | 150 | 175 | 240 |
| CO | 1101 | 1296 | 1766 | 3006 | 8267 |
| PM10 | 9 | 27 | 41 | 69 | 152 |
| PM2.5 | 6 | 8 | 13 | 27 | 84 |

| **Acre Below** | | **Acre Above** | |
|---|---|---|---|
| SRA No. | Acres | SRA No. | Acres |
| 3 | 2 | 3 | 3 |
| **Distance Increment Below** | | | |
| 25 | | | |
| **Distance Increment Above** | | | |
| 25 | | | |

*Updated: 10/21/2009 - Table C-1. 2006 – 2008*

## Construction Localized Significance Thresholds: Grading (Two Story), Grading Import Haul, and Trenching of (Two Story)

| SRA No. | Acres | Source Receptor Distance (meters) | Source Receptor Distance (Feet) | Project site Acreage Disturbed |
|---|---|---|---|---|
| 3 | 2.50 | 25 | 82 | 6.2 |

| Source Receptor | Southwest Coastal LA Coun | Equipment | Acres/8-hr Day | | Daily hours | Equipment Used | Acres |
|---|---|---|---|---|---|---|---|
| Distance (meters) | 25 | Tractors | 0.5 | 0.0625 | 8 | 3 | 1.5 |
| **NOx** | **142** | Graders | 0.5 | 0.0625 | 8 | 1 | 0.5 |
| **CO** | **1,101** | Dozers | 0.5 | 0.0625 | 8 | 1 | 0.5 |
| **PM10** | **9.16** | Scrapers | 1 | 0.125 | | | 0 |
| **PM2.5** | **5.50** | | | | | **Acres** | 2.50 |

| | Acres | **25** | **50** | **100** | **200** | **500** |
|---|---|---|---|---|---|---|
| NOx | 2 | 131 | 128 | 139 | 165 | 233 |
| | 3 | 153 | 148 | 160 | 184 | 248 |
| | | 142 | 138 | 150 | 175 | 240 |
| CO | 2 | 967 | 1158 | 1597 | 2783 | 7950 |
| | 3 | 1234 | 1433 | 1934 | 3228 | 8584 |
| | | 1101 | 1296 | 1766 | 3006 | 8267 |
| PM10 | 2 | 8 | 23 | 37 | 65 | 148 |
| | 3 | 10 | 31 | 45 | 73 | 156 |
| | | 9 | 27 | 41 | 69 | 152 |
| PM2.5 | 2 | 5 | 7 | 12 | 25 | 81 |
| | 3 | 6 | 8 | 14 | 28 | 86 |
| | | 6 | 8 | 13 | 27 | 84 |

Southwest Coastal LA County

**2.50 Acres**

| | **25** | **50** | **100** | **200** | **500** |
|---|---|---|---|---|---|
| NOx | 142 | 138 | 150 | 175 | 240 |
| CO | 1101 | 1296 | 1766 | 3006 | 8267 |
| PM10 | 9 | 27 | 41 | 69 | 152 |
| PM2.5 | 6 | 8 | 13 | 27 | 84 |

| **Acre Below** | | **Acre Above** | |
|---|---|---|---|
| SRA No. | Acres | SRA No. | Acres |
| 3 | 2 | 3 | 3 |
| **Distance Increment Below** | | | |
| 25 | | | |
| **Distance Increment Above** | | | |
| 25 | | | |

*Updated: 10/21/2009 - Table C-1. 2006 – 2008*

## Construction Localized Significance Thresholds: Grading and Trenching of Two Story Building

| SRA No. | Acres | Source Receptor Distance (meters) | Source Receptor Distance (Feet) | Project site Acreage Disturbed |
|---|---|---|---|---|
| 3 | 2.50 | 25 | 82 | 6.2 |

| Source Receptor | Southwest Coastal LA Coun | Equipment | Acres/8-hr Day | | Daily hours | Equipment Used | Acres |
|---|---|---|---|---|---|---|---|
| Distance (meters) | 25 | Tractors | 0.5 | 0.0625 | 8 | 3 | 1.5 |
| **NOx** | **142** | Graders | 0.5 | 0.0625 | 8 | 1 | 0.5 |
| **CO** | **1,101** | Dozers | 0.5 | 0.0625 | 8 | 1 | 0.5 |
| **PM10** | **9.16** | Scrapers | 1 | 0.125 | | | 0 |
| **PM2.5** | **5.50** | | | | | **Acres** | 2.50 |

| | Acres | **25** | **50** | **100** | **200** | **500** |
|---|---|---|---|---|---|---|
| NOx | 2 | 131 | 128 | 139 | 165 | 233 |
| | 3 | 153 | 148 | 160 | 184 | 248 |
| | | 142 | 138 | 150 | 175 | 240 |
| CO | 2 | 967 | 1158 | 1597 | 2783 | 7950 |
| | 3 | 1234 | 1433 | 1934 | 3228 | 8584 |
| | | 1101 | 1296 | 1766 | 3006 | 8267 |
| PM10 | 2 | 8 | 23 | 37 | 65 | 148 |
| | 3 | 10 | 31 | 45 | 73 | 156 |
| | | 9 | 27 | 41 | 69 | 152 |
| PM2.5 | 2 | 5 | 7 | 12 | 25 | 81 |
| | 3 | 6 | 8 | 14 | 28 | 86 |
| | | 6 | 8 | 13 | 27 | 84 |

Southwest Coastal LA County

**2.50 Acres**

| | **25** | **50** | **100** | **200** | **500** |
|---|---|---|---|---|---|
| NOx | 142 | 138 | 150 | 175 | 240 |
| CO | 1101 | 1296 | 1766 | 3006 | 8267 |
| PM10 | 9 | 27 | 41 | 69 | 152 |
| PM2.5 | 6 | 8 | 13 | 27 | 84 |

| **Acre Below** | | **Acre Above** | |
|---|---|---|---|
| SRA No. | Acres | SRA No. | Acres |
| 3 | 2 | 3 | 3 |
| **Distance Increment Below** | | | |
| 25 | | | |
| **Distance Increment Above** | | | |
| 25 | | | |

*Updated: 10/21/2009 - Table C-1. 2006 – 2008*

## Construction Localized Significance Thresholds: Construction of Multipurpose Building

| SRA No. | Acres | Source Receptor Distance (meters) | Source Receptor Distance (Feet) | Project site Acreage Disturbed |
|---|---|---|---|---|
| 3 | 1.31 | 25 | 82 | 6.2 |

| Source Receptor | Southwest Coastal LA Coun | Equipment | Acres/8-hr Day | | Daily hours | Equipment Used | Acres |
|---|---|---|---|---|---|---|---|
| Distance (meters) | 25 | Tractors | 0.5 | 0.0625 | 7 | 3 | 1.3125 |
| **NOx** | **103** | Graders | 0.5 | 0.0625 | | | 0 |
| **CO** | **759** | Dozers | 0.5 | 0.0625 | | | 0 |
| **PM10** | **5.93** | Scrapers | 1 | 0.125 | | | 0 |
| **PM2.5** | **3.62** | | | | | **Acres** | 1.31 |

| | Acres | **25** | **50** | **100** | **200** | **500** |
|---|---|---|---|---|---|---|
| NOx | 1 | 91 | 93 | 107 | 139 | 218 |
| | 2 | 131 | 128 | 139 | 165 | 233 |
| | | 104 | 104 | 117 | 147 | 223 |
| CO | 1 | 664 | 785 | 1156 | 2228 | 7269 |
| | 2 | 967 | 1158 | 1597 | 2783 | 7950 |
| | | 759 | 902 | 1294 | 2401 | 7482 |
| PM10 | 1 | 5 | 14 | 28 | 56 | 140 |
| | 2 | 8 | 23 | 37 | 65 | 148 |
| | | 6 | 17 | 31 | 59 | 143 |
| PM2.5 | 1 | 3 | 5 | 9 | 21 | 75 |
| | 2 | 5 | 7 | 12 | 25 | 81 |
| | | 4 | 6 | 10 | 22 | 77 |

Southwest Coastal LA County

**1.31 Acres**

| | **25** | **50** | **100** | **200** | **500** |
|---|---|---|---|---|---|
| NOx | 104 | 104 | 117 | 147 | 223 |
| CO | 759 | 902 | 1294 | 2401 | 7482 |
| PM10 | 6 | 17 | 31 | 59 | 143 |
| PM2.5 | 4 | 6 | 10 | 22 | 77 |

| **Acre Below** | | **Acre Above** | |
|---|---|---|---|
| SRA No. | Acres | SRA No. | Acres |
| 3 | 1 | 3 | 2 |
| **Distance Increment Below** | | | |
| 25 | | | |
| **Distance Increment Above** | | | |
| 25 | | | |

*Updated: 10/21/2009 - Table C-1. 2006 – 2008*

## Construction Localized Significance Thresholds: Construction of Classroom and Multipurpose

| SRA No. | Acres | Source Receptor Distance (meters) | Source Receptor Distance (Feet) | Project site Acreage Disturbed |
|---|---|---|---|---|
| 3 | 2.63 | 25 | 82 | 6.2 |

| Source Receptor | Southwest Coastal LA Coun | Equipment | Acres/8-hr Day | | Daily hours | Equipment Used | Acres |
|---|---|---|---|---|---|---|---|
| Distance (meters) | 25 | Tractors | 0.5 | 0.0625 | 7 | 6 | 2.625 |
| **NOx** | **145** | Graders | 0.5 | 0.0625 | | | 0 |
| **CO** | **1,134** | Dozers | 0.5 | 0.0625 | | | 0 |
| **PM10** | **9.45** | Scrapers | 1 | 0.125 | | | 0 |
| **PM2.5** | **5.62** | | | | | **Acres** | 2.63 |

| | Acres | **25** | **50** | **100** | **200** | **500** |
|---|---|---|---|---|---|---|
| NOx | 2 | 131 | 128 | 139 | 165 | 233 |
| | 3 | 153 | 148 | 160 | 184 | 248 |
| | | 145 | 141 | 152 | 177 | 242 |
| CO | 2 | 967 | 1158 | 1597 | 2783 | 7950 |
| | 3 | 1234 | 1433 | 1934 | 3228 | 8584 |
| | | 1134 | 1330 | 1808 | 3061 | 8346 |
| PM10 | 2 | 8 | 23 | 37 | 65 | 148 |
| | 3 | 10 | 31 | 45 | 73 | 156 |
| | | 9 | 28 | 42 | 70 | 153 |
| PM2.5 | 2 | 5 | 7 | 12 | 25 | 81 |
| | 3 | 6 | 8 | 14 | 28 | 86 |
| | | 6 | 8 | 13 | 27 | 84 |

Southwest Coastal LA County

**2.63 Acres**

| | **25** | **50** | **100** | **200** | **500** |
|---|---|---|---|---|---|
| NOx | 145 | 141 | 152 | 177 | 242 |
| CO | 1134 | 1330 | 1808 | 3061 | 8346 |
| PM10 | 9 | 28 | 42 | 70 | 153 |
| PM2.5 | 6 | 8 | 13 | 27 | 84 |

| **Acre Below** | | **Acre Above** | |
|---|---|---|---|
| SRA No. | Acres | SRA No. | Acres |
| 3 | 2 | 3 | 3 |
| **Distance Increment Below** | | | |
| 25 | | | |
| **Distance Increment Above** | | | |
| 25 | | | |

*Updated: 10/21/2009 - Table C-1. 2006 – 2008*

**Construction Localized Significance Thresholds: Multipurpose/Classroom Construction, Ladera/PAC Demolition, Kindergarten Modernization**

| SRA No. | Acres | Source Receptor Distance (meters) | Source Receptor Distance (Feet) | Project site Acreage Disturbed |
|---|---|---|---|---|
| 3 | 4.63 | 25 | 82 | 6.2 |

| Source Receptor | Southwest Coastal LA Coun | Equipment | Acres/8-hr Day | | Daily hours | Equipment Used | Acres |
|---|---|---|---|---|---|---|---|
| Distance (meters) | 25 | Tractors | 0.5 | 0.0625 | 7 | 6 | 2.625 |
| **NOx** | **189** | Graders | 0.5 | 0.0625 | | | 0 |
| **CO** | **1,669** | Dozers | 0.5 | 0.0625 | 8 | 4 | 2 |
| **PM10** | **14.12** | Scrapers | 1 | 0.125 | | | 0 |
| **PM2.5** | **7.62** | | | | | **Acres** | 4.63 |

| | Acres | **25** | **50** | **100** | **200** | **500** |
|---|---|---|---|---|---|---|
| NOx | 4 | 175 | 169 | 181 | 203 | 262 |
| | 5 | 197 | 189 | 202 | 222 | 277 |
| | | 189 | 181 | 194 | 215 | 272 |
| CO | 4 | 1502 | 1709 | 2271 | 3674 | 9218 |
| | 5 | 1769 | 1984 | 2608 | 4119 | 9852 |
| | | 1669 | 1881 | 2482 | 3952 | 9614 |
| PM10 | 4 | 13 | 38 | 52 | 80 | 163 |
| | 5 | 15 | 46 | 60 | 88 | 171 |
| | | 14 | 43 | 57 | 85 | 168 |
| PM2.5 | 4 | 7 | 10 | 17 | 32 | 91 |
| | 5 | 8 | 11 | 19 | 35 | 96 |
| | | 8 | 11 | 18 | 34 | 94 |

Southwest Coastal LA County

**4.63 Acres**

| | **25** | **50** | **100** | **200** | **500** |
|---|---|---|---|---|---|
| NOx | 189 | 181 | 194 | 215 | 272 |
| CO | 1669 | 1881 | 2482 | 3952 | 9614 |
| PM10 | 14 | 43 | 57 | 85 | 168 |
| PM2.5 | 8 | 11 | 18 | 34 | 94 |

| **Acre Below** | | **Acre Above** | |
|---|---|---|---|
| SRA No. | Acres | SRA No. | Acres |
| 3 | 4 | 3 | 5 |
| **Distance Increment Below** | | | |
| 25 | | | |
| **Distance Increment Above** | | | |
| 25 | | | |

*Updated: 10/21/2009 - Table C-1. 2006 – 2008*

## Construction Localized Significance Thresholds: Multipurpose/Classroom Construction, Ladera/PAC Demolition, Kindergarten

| SRA No. | Acres | Source Receptor Distance (meters) | Source Receptor Distance (Feet) | Project site Acreage Disturbed |
|---|---|---|---|---|
| 3 | 4.63 | 25 | 82 | 6.2 |

| Source Receptor | Southwest Coastal LA Coun | Equipment | Acres/8-hr Day | | Daily hours | Equipment Used | Acres |
|---|---|---|---|---|---|---|---|
| Distance (meters) | 25 | Tractors | 0.5 | 0.0625 | 7 | 6 | 2.625 |
| **NOx** | **189** | Graders | 0.5 | 0.0625 | | | 0 |
| **CO** | **1,669** | Dozers | 0.5 | 0.0625 | 8 | 4 | 2 |
| **PM10** | **14.12** | Scrapers | 1 | 0.125 | | | 0 |
| **PM2.5** | **7.62** | | | | | **Acres** | 4.63 |

| | Acres | **25** | **50** | **100** | **200** | **500** |
|---|---|---|---|---|---|---|
| NOx | 4 | 175 | 169 | 181 | 203 | 262 |
| | 5 | 197 | 189 | 202 | 222 | 277 |
| | | 189 | 181 | 194 | 215 | 272 |
| CO | 4 | 1502 | 1709 | 2271 | 3674 | 9218 |
| | 5 | 1769 | 1984 | 2608 | 4119 | 9852 |
| | | 1669 | 1881 | 2482 | 3952 | 9614 |
| PM10 | 4 | 13 | 38 | 52 | 80 | 163 |
| | 5 | 15 | 46 | 60 | 88 | 171 |
| | | 14 | 43 | 57 | 85 | 168 |
| PM2.5 | 4 | 7 | 10 | 17 | 32 | 91 |
| | 5 | 8 | 11 | 19 | 35 | 96 |
| | | 8 | 11 | 18 | 34 | 94 |

Southwest Coastal LA County

**4.63 Acres**

| | **25** | **50** | **100** | **200** | **500** |
|---|---|---|---|---|---|
| NOx | 189 | 181 | 194 | 215 | 272 |
| CO | 1669 | 1881 | 2482 | 3952 | 9614 |
| PM10 | 14 | 43 | 57 | 85 | 168 |
| PM2.5 | 8 | 11 | 18 | 34 | 94 |

| **Acre Below** | | **Acre Above** | |
|---|---|---|---|
| SRA No. | Acres | SRA No. | Acres |
| 3 | 4 | 3 | 5 |
| **Distance Increment Below** | | | |
| 25 | | | |
| **Distance Increment Above** | | | |
| 25 | | | |

*Updated: 10/21/2009 - Table C-1. 2006 – 2008*

## Construction Localized Significance Thresholds: Multipurpose Construction, Ladera/PAC Demolition, Kindergarten

| SRA No. | Acres | Source Receptor Distance (meters) | Source Receptor Distance (Feet) | Project site Acreage Disturbed |
|---|---|---|---|---|
| 3 | 3.31 | 25 | 82 | 6.2 |

| Source Receptor | Southwest Coastal LA Coun | Equipment | Acres/8-hr Day | | Daily hours | Equipment Used | Acres |
|---|---|---|---|---|---|---|---|
| Distance (meters) | 25 | Tractors | 0.5 | 0.0625 | 7 | 3 | 1.3125 |
| **NOx** | **160** | Graders | 0.5 | 0.0625 | | | 0 |
| **CO** | **1,318** | Dozers | 0.5 | 0.0625 | 8 | 4 | 2 |
| **PM10** | **11.06** | Scrapers | 1 | 0.125 | | | 0 |
| **PM2.5** | **6.31** | | | | | **Acres** | 3.31 |

| | Acres | **25** | **50** | **100** | **200** | **500** |
|---|---|---|---|---|---|---|
| NOx | 3 | 153 | 148 | 160 | 184 | 248 |
| | 4 | 175 | 169 | 181 | 203 | 262 |
| | | 160 | 155 | 167 | 190 | 252 |
| CO | 3 | 1234 | 1433 | 1934 | 3228 | 8584 |
| | 4 | 1502 | 1709 | 2271 | 3674 | 9218 |
| | | 1318 | 1519 | 2039 | 3368 | 8782 |
| PM10 | 3 | 10 | 31 | 45 | 73 | 156 |
| | 4 | 13 | 38 | 52 | 80 | 163 |
| | | 11 | 33 | 47 | 75 | 158 |
| PM2.5 | 3 | 6 | 8 | 14 | 28 | 86 |
| | 4 | 7 | 10 | 17 | 32 | 91 |
| | | 6 | 9 | 15 | 29 | 88 |

Southwest Coastal LA County

**3.31 Acres**

| | **25** | **50** | **100** | **200** | **500** |
|---|---|---|---|---|---|
| NOx | 160 | 155 | 167 | 190 | 252 |
| CO | 1318 | 1519 | 2039 | 3368 | 8782 |
| PM10 | 11 | 33 | 47 | 75 | 158 |
| PM2.5 | 6 | 9 | 15 | 29 | 88 |

| **Acre Below** | | **Acre Above** | |
|---|---|---|---|
| SRA No. | Acres | SRA No. | Acres |
| 3 | 3 | 3 | 4 |
| **Distance Increment Below** | | | |
| 25 | | | |
| **Distance Increment Above** | | | |
| 25 | | | |

*Updated: 10/21/2009 - Table C-1. 2006 – 2008*

**Construction Localized Significance Thresholds: Multipurpose Construction, Kindergarten Modernization, Dog Park Demo, MPR Grading, MPR Trenching**

| SRA No. | Acres | Source Receptor Distance (meters) | Source Receptor Distance (Feet) | Project site Acreage Disturbed |
|---|---|---|---|---|
| 3 | 4.81 | 25 | 82 | 6.2 |

| Source Receptor | Southwest Coastal LA Coun | Equipment | Acres/8-hr Day | | Daily hours | Equipment Used | Acres |
|---|---|---|---|---|---|---|---|
| Distance (meters) | 25 | Tractors | 0.5 | 0.0625 | 8 | 3 | 1.5 |
| **NOx** | **193** | Tractors | 0.5 | 0.0625 | 7 | 3 | 1.3125 |
| **CO** | **1,719** | Graders | 0.5 | 0.0625 | 8 | 1 | 0.5 |
| **PM10** | **14.55** | Dozers | 0.5 | 0.0625 | 8 | 3 | 1.5 |
| **PM2.5** | **7.81** | Scrapers | 1 | 0.125 | | | 0 |
| | | | | | | **Acres** | 4.81 |

| | Acres | **25** | **50** | **100** | **200** | **500** |
|---|---|---|---|---|---|---|
| NOx | 4 | 175 | 169 | 181 | 203 | 262 |
| | 5 | 197 | 189 | 202 | 222 | 277 |
| | | 193 | 185 | 198 | 218 | 274 |
| CO | 4 | 1502 | 1709 | 2271 | 3674 | 9218 |
| | 5 | 1769 | 1984 | 2608 | 4119 | 9852 |
| | | 1719 | 1932 | 2545 | 4036 | 9733 |
| PM10 | 4 | 13 | 38 | 52 | 80 | 163 |
| | 5 | 15 | 46 | 60 | 88 | 171 |
| | | 15 | 45 | 59 | 87 | 170 |
| PM2.5 | 4 | 7 | 10 | 17 | 32 | 91 |
| | 5 | 8 | 11 | 19 | 35 | 96 |
| | | 8 | 11 | 19 | 34 | 95 |

Southwest Coastal LA County

**4.81 Acres**

| | **25** | **50** | **100** | **200** | **500** |
|---|---|---|---|---|---|
| NOx | 193 | 185 | 198 | 218 | 274 |
| CO | 1719 | 1932 | 2545 | 4036 | 9733 |
| PM10 | 15 | 45 | 59 | 87 | 170 |
| PM2.5 | 8 | 11 | 19 | 34 | 95 |

| **Acre Below** | | **Acre Above** | |
|---|---|---|---|
| SRA No. | Acres | SRA No. | Acres |
| 3 | 4 | 3 | 5 |
| **Distance Increment Below** | | | |
| 25 | | | |
| **Distance Increment Above** | | | |
| 25 | | | |

*Updated: 10/21/2009 - Table C-1. 2006 – 2008*

## Construction Localized Significance Thresholds: Multipurpose Construction, Kindergarten Modernization, Dog Park Demo, MPR

| SRA No. | Acres | Source Receptor Distance (meters) | Source Receptor Distance (Feet) | Project site Acreage Disturbed |
|---|---|---|---|---|
| 3 | 4.81 | 25 | 82 | 6.2 |

| Source Receptor | Southwest Coastal LA Coun | Equipment | Acres/8-hr Day | | Daily hours | Equipment Used | Acres |
|---|---|---|---|---|---|---|---|
| Distance (meters) | 25 | Tractors | 0.5 | 0.0625 | 8 | 3 | 1.5 |
| **NOx** | **193** | Tractors | 0.5 | 0.0625 | 7 | 3 | 1.3125 |
| **CO** | **1,719** | Graders | 0.5 | 0.0625 | 8 | 1 | 0.5 |
| **PM10** | **14.55** | Dozers | 0.5 | 0.0625 | 8 | 3 | 1.5 |
| **PM2.5** | **7.81** | Scrapers | 1 | 0.125 | | | 0 |
| | | | | | | **Acres** | 4.81 |

| | Acres | **25** | **50** | **100** | **200** | **500** |
|---|---|---|---|---|---|---|
| NOx | 4 | 175 | 169 | 181 | 203 | 262 |
| | 5 | 197 | 189 | 202 | 222 | 277 |
| | | 193 | 185 | 198 | 218 | 274 |
| CO | 4 | 1502 | 1709 | 2271 | 3674 | 9218 |
| | 5 | 1769 | 1984 | 2608 | 4119 | 9852 |
| | | 1719 | 1932 | 2545 | 4036 | 9733 |
| PM10 | 4 | 13 | 38 | 52 | 80 | 163 |
| | 5 | 15 | 46 | 60 | 88 | 171 |
| | | 15 | 45 | 59 | 87 | 170 |
| PM2.5 | 4 | 7 | 10 | 17 | 32 | 91 |
| | 5 | 8 | 11 | 19 | 35 | 96 |
| | | 8 | 11 | 19 | 34 | 95 |

Southwest Coastal LA County

**4.81 Acres**

| | **25** | **50** | **100** | **200** | **500** |
|---|---|---|---|---|---|
| NOx | 193 | 185 | 198 | 218 | 274 |
| CO | 1719 | 1932 | 2545 | 4036 | 9733 |
| PM10 | 15 | 45 | 59 | 87 | 170 |
| PM2.5 | 8 | 11 | 19 | 34 | 95 |

| **Acre Below** | | **Acre Above** | |
|---|---|---|---|
| SRA No. | Acres | SRA No. | Acres |
| 3 | 4 | 3 | 5 |
| **Distance Increment Below** | | | |
| 25 | | | |
| **Distance Increment Above** | | | |
| 25 | | | |

*Updated: 10/21/2009 - Table C-1. 2006 – 2008*

## Construction Localized Significance Thresholds: Multipurpose Construction, Dog Park Demo, MPR Grading, MPR Trenching

| SRA No. | Acres | Source Receptor Distance (meters) | Source Receptor Distance (Feet) | Project site Acreage Disturbed |
|---|---|---|---|---|
| 3 | 4.81 | 25 | 82 | 6.2 |

| Source Receptor | Southwest Coastal LA Coun | Equipment | Acres/8-hr Day | | Daily hours | Equipment Used | Acres |
|---|---|---|---|---|---|---|---|
| Distance (meters) | 25 | Tractors | 0.5 | 0.0625 | 8 | 3 | 1.5 |
| **NOx** | **193** | Tractors | 0.5 | 0.0625 | 7 | 3 | 1.3125 |
| **CO** | **1,719** | Graders | 0.5 | 0.0625 | 8 | 1 | 0.5 |
| **PM10** | **14.55** | Dozers | 0.5 | 0.0625 | 8 | 3 | 1.5 |
| **PM2.5** | **7.81** | Scrapers | 1 | 0.125 | | | 0 |
| | | | | | | **Acres** | 4.81 |

| | Acres | **25** | **50** | **100** | **200** | **500** |
|---|---|---|---|---|---|---|
| NOx | 4 | 175 | 169 | 181 | 203 | 262 |
| | 5 | 197 | 189 | 202 | 222 | 277 |
| | | 193 | 185 | 198 | 218 | 274 |
| CO | 4 | 1502 | 1709 | 2271 | 3674 | 9218 |
| | 5 | 1769 | 1984 | 2608 | 4119 | 9852 |
| | | 1719 | 1932 | 2545 | 4036 | 9733 |
| PM10 | 4 | 13 | 38 | 52 | 80 | 163 |
| | 5 | 15 | 46 | 60 | 88 | 171 |
| | | 15 | 45 | 59 | 87 | 170 |
| PM2.5 | 4 | 7 | 10 | 17 | 32 | 91 |
| | 5 | 8 | 11 | 19 | 35 | 96 |
| | | 8 | 11 | 19 | 34 | 95 |

Southwest Coastal LA County

**4.81 Acres**

| | **25** | **50** | **100** | **200** | **500** |
|---|---|---|---|---|---|
| NOx | 193 | 185 | 198 | 218 | 274 |
| CO | 1719 | 1932 | 2545 | 4036 | 9733 |
| PM10 | 15 | 45 | 59 | 87 | 170 |
| PM2.5 | 8 | 11 | 19 | 34 | 95 |

| **Acre Below** | | **Acre Above** | |
|---|---|---|---|
| SRA No. | Acres | SRA No. | Acres |
| 3 | 4 | 3 | 5 |
| **Distance Increment Below** | | | |
| 25 | | | |
| **Distance Increment Above** | | | |
| 25 | | | |

*Updated: 10/21/2009 - Table C-1. 2006 – 2008*

## Construction Localized Significance Thresholds: Construction of Multipurpose Building

| SRA No. | Acres | Source Receptor Distance (meters) | Source Receptor Distance (Feet) | Project site Acreage Disturbed |
|---|---|---|---|---|
| 3 | 1.31 | 25 | 82 | 6.2 |

| Source Receptor | Southwest Coastal LA Coun | Equipment | Acres/8-hr Day | | Daily hours | Equipment Used | Acres |
|---|---|---|---|---|---|---|---|
| Distance (meters) | 25 | Tractors | 0.5 | 0.0625 | 7 | 3 | 1.3125 |
| **NOx** | **103** | Graders | 0.5 | 0.0625 | | | 0 |
| **CO** | **759** | Dozers | 0.5 | 0.0625 | | | 0 |
| **PM10** | **5.93** | Scrapers | 1 | 0.125 | | | 0 |
| **PM2.5** | **3.62** | | | | | **Acres** | 1.31 |

| | Acres | **25** | **50** | **100** | **200** | **500** |
|---|---|---|---|---|---|---|
| NOx | 1 | 91 | 93 | 107 | 139 | 218 |
| | 2 | 131 | 128 | 139 | 165 | 233 |
| | | 104 | 104 | 117 | 147 | 223 |
| CO | 1 | 664 | 785 | 1156 | 2228 | 7269 |
| | 2 | 967 | 1158 | 1597 | 2783 | 7950 |
| | | 759 | 902 | 1294 | 2401 | 7482 |
| PM10 | 1 | 5 | 14 | 28 | 56 | 140 |
| | 2 | 8 | 23 | 37 | 65 | 148 |
| | | 6 | 17 | 31 | 59 | 143 |
| PM2.5 | 1 | 3 | 5 | 9 | 21 | 75 |
| | 2 | 5 | 7 | 12 | 25 | 81 |
| | | 4 | 6 | 10 | 22 | 77 |

Southwest Coastal LA County

**1.31 Acres**

| | **25** | **50** | **100** | **200** | **500** |
|---|---|---|---|---|---|
| NOx | 104 | 104 | 117 | 147 | 223 |
| CO | 759 | 902 | 1294 | 2401 | 7482 |
| PM10 | 6 | 17 | 31 | 59 | 143 |
| PM2.5 | 4 | 6 | 10 | 22 | 77 |

| **Acre Below** | | **Acre Above** | |
|---|---|---|---|
| SRA No. | Acres | SRA No. | Acres |
| 3 | 1 | 3 | 2 |
| **Distance Increment Below** | | | |
| 25 | | | |
| **Distance Increment Above** | | | |
| 25 | | | |

*Updated: 10/21/2009 - Table C-1. 2006 – 2008*

## Construction Localized Significance Thresholds: Multipurpose Construction, Portables Removal, Asphalt Paving

| SRA No. | Acres | Source Receptor Distance (meters) | Source Receptor Distance (Feet) | Project site Acreage Disturbed |
|---|---|---|---|---|
| 3 | 2.31 | 25 | 82 | 6.2 |

| Source Receptor | Southwest Coastal LA Coun | Equipment | Acres/8-hr Day | | Daily hours | Equipment Used | Acres |
|---|---|---|---|---|---|---|---|
| Distance (meters) | 25 | Tractors | 0.5 | 0.0625 | 7 | 3 | 1.3125 |
| **NOx** | **138** | Graders | 0.5 | 0.0625 | | | 0 |
| **CO** | **1,050** | Dozers | 0.5 | 0.0625 | 8 | 2 | 1 |
| **PM10** | **8.72** | Scrapers | 1 | 0.125 | | | 0 |
| **PM2.5** | **5.31** | | | | | **Acres** | 2.31 |

| | Acres | **25** | **50** | **100** | **200** | **500** |
|---|---|---|---|---|---|---|
| NOx | 2 | 131 | 128 | 139 | 165 | 233 |
| | 3 | 153 | 148 | 160 | 184 | 248 |
| | | 138 | 134 | 146 | 171 | 238 |
| CO | 2 | 967 | 1158 | 1597 | 2783 | 7950 |
| | 3 | 1234 | 1433 | 1934 | 3228 | 8584 |
| | | 1051 | 1244 | 1702 | 2922 | 8148 |
| PM10 | 2 | 8 | 23 | 37 | 65 | 148 |
| | 3 | 10 | 31 | 45 | 73 | 156 |
| | | 9 | 25 | 39 | 67 | 150 |
| PM2.5 | 2 | 5 | 7 | 12 | 25 | 81 |
| | 3 | 6 | 8 | 14 | 28 | 86 |
| | | 5 | 7 | 13 | 26 | 83 |

Southwest Coastal LA County

**2.31 Acres**

| | **25** | **50** | **100** | **200** | **500** |
|---|---|---|---|---|---|
| NOx | 138 | 134 | 146 | 171 | 238 |
| CO | 1051 | 1244 | 1702 | 2922 | 8148 |
| PM10 | 9 | 25 | 39 | 67 | 150 |
| PM2.5 | 5 | 7 | 13 | 26 | 83 |

| **Acre Below** | | **Acre Above** | |
|---|---|---|---|
| SRA No. | Acres | SRA No. | Acres |
| 3 | 2 | 3 | 3 |
| **Distance Increment Below** | | | |
| 25 | | | |
| **Distance Increment Above** | | | |
| 25 | | | |

*Updated: 10/21/2009 - Table C-1. 2006 – 2008*

## Construction Localized Significance Thresholds: Multipurpose Construction, Asphalt Paving

| SRA No. | Acres | Source Receptor Distance (meters) | Source Receptor Distance (Feet) | Project site Acreage Disturbed |
|---|---|---|---|---|
| 3 | 1.31 | 25 | 82 | 6.2 |

| Source Receptor | Southwest Coastal LA Coun | Equipment | Acres/8-hr Day | | Daily hours | Equipment Used | Acres |
|---|---|---|---|---|---|---|---|
| Distance (meters) | 25 | Tractors | 0.5 | 0.0625 | 7 | 3 | 1.3125 |
| **NOx** | **103** | Graders | 0.5 | 0.0625 | | | 0 |
| **CO** | **759** | Dozers | 0.5 | 0.0625 | | | 0 |
| **PM10** | **5.93** | Scrapers | 1 | 0.125 | | | 0 |
| **PM2.5** | **3.62** | | | | | **Acres** | 1.31 |

| | Acres | **25** | **50** | **100** | **200** | **500** |
|---|---|---|---|---|---|---|
| NOx | 1 | 91 | 93 | 107 | 139 | 218 |
| | 2 | 131 | 128 | 139 | 165 | 233 |
| | | 104 | 104 | 117 | 147 | 223 |
| CO | 1 | 664 | 785 | 1156 | 2228 | 7269 |
| | 2 | 967 | 1158 | 1597 | 2783 | 7950 |
| | | 759 | 902 | 1294 | 2401 | 7482 |
| PM10 | 1 | 5 | 14 | 28 | 56 | 140 |
| | 2 | 8 | 23 | 37 | 65 | 148 |
| | | 6 | 17 | 31 | 59 | 143 |
| PM2.5 | 1 | 3 | 5 | 9 | 21 | 75 |
| | 2 | 5 | 7 | 12 | 25 | 81 |
| | | 4 | 6 | 10 | 22 | 77 |

Southwest Coastal LA County

**1.31 Acres**

| | **25** | **50** | **100** | **200** | **500** |
|---|---|---|---|---|---|
| NOx | 104 | 104 | 117 | 147 | 223 |
| CO | 759 | 902 | 1294 | 2401 | 7482 |
| PM10 | 6 | 17 | 31 | 59 | 143 |
| PM2.5 | 4 | 6 | 10 | 22 | 77 |

| **Acre Below** | | **Acre Above** | |
|---|---|---|---|
| SRA No. | Acres | SRA No. | Acres |
| 3 | 1 | 3 | 2 |
| **Distance Increment Below** | | | |
| 25 | | | |
| **Distance Increment Above** | | | |
| 25 | | | |

*Updated: 10/21/2009 - Table C-1. 2006 – 2008*

## Construction Localized Significance Thresholds: Construction Multipurpose Building

| SRA No. | Acres | Source Receptor Distance (meters) | Source Receptor Distance (Feet) | Project site Acreage Disturbed |
|---|---|---|---|---|
| 3 | 1.31 | 25 | 82 | 6.2 |

| Source Receptor | Southwest Coastal LA Coun | Equipment | Acres/8-hr Day | | Daily hours | Equipment Used | Acres |
|---|---|---|---|---|---|---|---|
| Distance (meters) | 25 | Tractors | 0.5 | 0.0625 | 7 | 3 | 1.3125 |
| **NOx** | **103** | Graders | 0.5 | 0.0625 | | | 0 |
| **CO** | **759** | Dozers | 0.5 | 0.0625 | | | 0 |
| **PM10** | **5.93** | Scrapers | 1 | 0.125 | | | 0 |
| **PM2.5** | **3.62** | | | | | **Acres** | 1.31 |

| | Acres | **25** | **50** | **100** | **200** | **500** |
|---|---|---|---|---|---|---|
| NOx | 1 | 91 | 93 | 107 | 139 | 218 |
| | 2 | 131 | 128 | 139 | 165 | 233 |
| | | 104 | 104 | 117 | 147 | 223 |
| CO | 1 | 664 | 785 | 1156 | 2228 | 7269 |
| | 2 | 967 | 1158 | 1597 | 2783 | 7950 |
| | | 759 | 902 | 1294 | 2401 | 7482 |
| PM10 | 1 | 5 | 14 | 28 | 56 | 140 |
| | 2 | 8 | 23 | 37 | 65 | 148 |
| | | 6 | 17 | 31 | 59 | 143 |
| PM2.5 | 1 | 3 | 5 | 9 | 21 | 75 |
| | 2 | 5 | 7 | 12 | 25 | 81 |
| | | 4 | 6 | 10 | 22 | 77 |

Southwest Coastal LA County

**1.31 Acres**

| | **25** | **50** | **100** | **200** | **500** |
|---|---|---|---|---|---|
| NOx | 104 | 104 | 117 | 147 | 223 |
| CO | 759 | 902 | 1294 | 2401 | 7482 |
| PM10 | 6 | 17 | 31 | 59 | 143 |
| PM2.5 | 4 | 6 | 10 | 22 | 77 |

| **Acre Below** | | **Acre Above** | |
|---|---|---|---|
| SRA No. | Acres | SRA No. | Acres |
| 3 | 1 | 3 | 2 |
| **Distance Increment Below** | | | |
| 25 | | | |
| **Distance Increment Above** | | | |
| 25 | | | |

*Updated: 10/21/2009 - Table C-1. 2006 – 2008*

## Construction Localized Significance Thresholds: Multipurpose Construction, Architectural Coating

| SRA No. | Acres | Source Receptor Distance (meters) | Source Receptor Distance (Feet) | Project site Acreage Disturbed |
|---|---|---|---|---|
| 3 | 1.31 | 25 | 82 | 6.2 |

| Source Receptor | Southwest Coastal LA Coun | Equipment | Acres/8-hr Day | | Daily hours | Equipment Used | Acres |
|---|---|---|---|---|---|---|---|
| Distance (meters) | 25 | Tractors | 0.5 | 0.0625 | 7 | 3 | 1.3125 |
| **NOx** | **103** | Graders | 0.5 | 0.0625 | | | 0 |
| **CO** | **759** | Dozers | 0.5 | 0.0625 | | | 0 |
| **PM10** | **5.93** | Scrapers | 1 | 0.125 | | | 0 |
| **PM2.5** | **3.62** | | | | | **Acres** | 1.31 |

| | Acres | **25** | **50** | **100** | **200** | **500** |
|---|---|---|---|---|---|---|
| NOx | 1 | 91 | 93 | 107 | 139 | 218 |
| | 2 | 131 | 128 | 139 | 165 | 233 |
| | | 104 | 104 | 117 | 147 | 223 |
| CO | 1 | 664 | 785 | 1156 | 2228 | 7269 |
| | 2 | 967 | 1158 | 1597 | 2783 | 7950 |
| | | 759 | 902 | 1294 | 2401 | 7482 |
| PM10 | 1 | 5 | 14 | 28 | 56 | 140 |
| | 2 | 8 | 23 | 37 | 65 | 148 |
| | | 6 | 17 | 31 | 59 | 143 |
| PM2.5 | 1 | 3 | 5 | 9 | 21 | 75 |
| | 2 | 5 | 7 | 12 | 25 | 81 |
| | | 4 | 6 | 10 | 22 | 77 |

Southwest Coastal LA County

**1.31 Acres**

| | **25** | **50** | **100** | **200** | **500** |
|---|---|---|---|---|---|
| NOx | 104 | 104 | 117 | 147 | 223 |
| CO | 759 | 902 | 1294 | 2401 | 7482 |
| PM10 | 6 | 17 | 31 | 59 | 143 |
| PM2.5 | 4 | 6 | 10 | 22 | 77 |

| **Acre Below** | | **Acre Above** | |
|---|---|---|---|
| SRA No. | Acres | SRA No. | Acres |
| 3 | 1 | 3 | 2 |
| **Distance Increment Below** | | | |
| 25 | | | |
| **Distance Increment Above** | | | |
| 25 | | | |

*Updated: 10/21/2009 - Table C-1. 2006 – 2008*

## Vehicle Miles Traveled Worksheet*

**Based on CalEEMod, Version 2016.3.2, methodology.*

### Summary

| Scenario | Annual Vehicle Miles Traveled |
|---|---|
| Existing | 3,419,674.38 |
| Proposed | 3,531,337.21 |
| **Net Change** | **111,662.84** |

### Existing

| Prim Trip Type | Trip length (mile)[1] | Trip %[1] | Ave Trip Length Assoc w/ Prim Trip Type (mile) | | | Avg Trip Length Associated w/the 3 Trip Subtype Types (miles) | Overall Avg Trip Length (mile) |
|---|---|---|---|---|---|---|---|
| C-C (Commercial-Customer) | 8.4 | 30.00% | 2.52 | | | | |
| C-W (Commercial-Work) | 16.6 | 65% | 10.79 | | | | |
| C-NW (Commercial-NonWork) | 6.9 | 5.00% | 0.345 | | | | |
| | | | | 13.655 | | | |
| | | | | Trip Subtypes[1] | | | |
| | | | | Primary | 63% | 8.60265 | |
| | | | | Diverted | 25% | 0.8534375 | |
| | | | | Passby | 12% | 0.012 | |
| | | | | | | | 9.4680875 |
| | | | Diverted Trip Length is this % of Primary Trip Length[1] | | 25% | | |
| | | | Passby Trip length (miles)[1] | | 0.1 | | |

| Day | Trip Rate[2] | Days/Wk | Trips/Wk | Avg Daily Trip Rate | Days/Yr | Annual Vehicle Miles/Student | Number of Students | Total Annual Vehicle Miles |
|---|---|---|---|---|---|---|---|---|
| Weekday | 1.89 | 5 | 9.45 | | | 4,652.62 | 735 | 3,419,674.38 |
| Saturday | 0 | 1 | 0 | | | | | |
| Sunday | 0 | 1 | 0 | | | | | |
| | | 7 | 9.45 | 1.35 | 364 | | | |

[1] *CalEEMod, Version 2016.3.2 default values*
[2] *ITE Trip Generation Manual 10th Edition for Elementary School (ITE 510)*

### Proposed

| Prim Trip Type | Trip length (mile)[1] | Trip %[1] | Ave Trip Length Assoc w/ Prim Trip Type (mile) | | | Avg Trip Length Associated w/the 3 Trip Subtype Types (miles) | Overall Avg Trip Length (mile) |
|---|---|---|---|---|---|---|---|
| H-W (Home to Work) | 8.4 | 30.00% | 2.52 | | | | |
| H-S (Home to School) | 16.6 | 65% | 10.79 | | | | |
| H-O (Home to Other) | 6.9 | 5.00% | 0.345 | | | | |
| | | | | 13.655 | | | |
| | | | | Trip Subtypes[1] | | | |
| | | | | Primary | 63% | 8.60265 | |
| | | | | Diverted | 25% | 0.8534375 | |
| | | | | Passby | 12% | 0.012 | |
| | | | | | | | 9.4680875 |
| | | | Diverted Trip Length is this % of Primary Trip Length[1] | | 25% | | |
| | | | Passby Trip length (miles)[1] | | 0.1 | | |

| Day | Trip Rate[2] | Days/Wk | Trips/Wk | Avg Daily Trip Rate | Days/Yr | Annual Vehicle Miles/Student | Number of Students | Total Annual Vehicle Miles |
|---|---|---|---|---|---|---|---|---|
| Weekday | 1.89 | 5 | 9.45 | | | 4,652.62 | 759 | 3,531,337.21 |
| Saturday | 0 | 1 | 0 | | | | | |
| Sunday | 0 | 1 | 0 | | | | | |
| | | 7 | 9.45 | 1.35 | 364 | | | |

[1] *CalEEMod, Version 2016.3.2 default values*
[2] *ITE Trip Generation Manual 10th Edition for Elementary School (ITE 510)*

## Trip Generation Worksheet

**Table 1 Trip Generation Rates**

| Land Use | ITE Code | Unit | Trip Generation[1] | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | AM Peak Hour | | | PM Peak Hour | | | PM Peak Hour of Generator | | |
| | | | Daily | In | Out | Total | In | Out | Total | In | Out | Total |
| Elementary School | 520 | Students | 1.89 | 0.36 | 0.31 | 0.67 | 0.08 | 0.09 | 0.17 | 0.15 | 0.19 | 0.34 |

[1]Trip generation rates for peak hour of adjacent streets, per the ITE Trip Generation Manual 10th Edition.

**Table 2 Existing School Trip Generation**

| Land Use | Students | Trip Generation[1] | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | AM Peak Hour | | | PM Peak Hour | | | PM Peak Hour of Generator | | |
| | | Daily | In | Out | Total | In | Out | Total | In | Out | Total |
| Elementary School | 735 | 1,389 | 266 | 227 | 493 | 60 | 65 | 125 | 112 | 137 | 249 |

[1]Trip generation rates for peak hour of adjacent streets, per the ITE Trip Generation Manual 10th Edition.

**Table 3 Trip Generation With Project**

| Land Use | Students | Trip Generation[1] | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | AM Peak Hour | | | PM Peak Hour | | | PM Peak Hour of Generator | | |
| | | Daily | In | Out | Total | In | Out | Total | In | Out | Total |
| Elementary School | 759 | 1,435 | 275 | 234 | 509 | 62 | 67 | 129 | 116 | 142 | 258 |

[1]Trip generation rates for peak hour of adjacent streets, per the ITE Trip Generation Manual 10th Edition.