Print Form

Summary Form for Electronic Document Submittal

Form F

Lead agencies may include 15 hardcopies of this document when submitting electronic copies of Environmental Impact Reports, Negative Declarations, Mitigated Negative Declarations, or Notices of Preparation to the State Clearinghouse (SCH). The SCH also accepts other summaries, such as EIR Executive Summaries prepared pursuant to CEQA Guidelines Section 15123. Please include one copy of the Notice of Completion Form (NOC) with your submission and attach the summary to each electronic copy of the document.

SCH #: _____

Project Title: Redwood Valley Water Infrastructure Retrofit Project

Lead Agency: Redwood Valley County Water District

Contact Name: Dave Redding, General Manager

Email: dredding@willowcwd.org Phone Number: (707) 485-0679

Project Location: Redwood Valley (*City*) Mendocino (*County*)

Project Decription (Proposed actions, location, and/or consequences).

The project replaces water mains in portions of the Redwood Valley County Water District to provide seismic resiliency. Additional new water mains would be installed to intertie with existing and replacement mains to provide water distribution system resiliency. The project includes new meter replacements to facilitate residential fire sprinkler systems as well as flush-out valves to improve distribution system water quality and facilitate future installation of fire hydrants.

Identify the project's significant or potentially significant effects and briefly describe any proposed mitigation measures that would reduce or avoid that effect.

Construction-related dust: Mitigated by BAAQMD Basic Construction Mitigation Measures.
Potential impact to nesting birds: Mitigated with appropriate preconstruction surveys/avoidance.
Potential impact to congested-headed tarplant: Mitigated with preconstruction surveys/avoidance.
Potential impact to wetlands/waters: Mitigated with wetland delineation, avoidance and BMPs, permit as required.
Potential discovery of cultural resources: Mitigated with standard accidental discovery protocol. No Tribal Cultural Resources identified during AB-52 consultation.
Potential for construction-related erosion. Compliance with Construction General Permit.
Potential construction-related noise impacts. Mitigated with standard noise abatement measures.
Potential impacts to traffic during construction. Mitigated with development of a traffic control plan.

If applicable, describe any of the project's areas of controversy known to the Lead Agency, including issues raised by agencies and the public.

No known areas of public controversy.

Provide a list of the responsible or trustee agencies for the project.

County of Mendocino
Potential: Regional Water Quality Control Board, North Coast Region
Potential: State of California Water Resources Control Board, Division of Drinking Water
Potential: California Department of Fish and Wildlife