

**State Center Community College District
First Responders Campus Project
Draft Environmental Impact Report
(State Clearinghouse No. 2020039018)**

**Appendix B
Air Quality and Greenhouse Gas Impact Analysis**

AIR QUALITY & GREENHOUSE GAS IMPACT ASSESSMENT

FOR THE PROPOSED

FRESNO CITY COLLEGE FIRST RESPONDERS CENTER PROJECT

COUNTY OF FRESNO, CA

JUNE 2021

PREPARED FOR:

ODELL PLANNING & RESEARCH, INC.
49346 ROAD 426, SUITE 2
OAKHURST, CA 93644

PREPARED BY:



612 12TH STREET, SUITE 201
PASO ROBLES, CA 93446

TABLE OF CONTENTS

Introduction	1
Proposed Project	1
Air Quality.....	1
Existing Setting.....	1
Topography, Meteorology, and Pollutant Dispersion	1
Air Pollutants of Concern	5
Asbestos	11
Valley Fever.....	11
Regulatory Framework	12
Federal	12
State.....	14
San Joaquin Valley Air Pollution Control District.....	15
Regulatory Attainment Designations	16
Ambient Air Quality	16
Sensitive Receptors.....	17
Impacts & Mitigation Measures.....	18
Methodology	18
Thresholds of Significance	18
Project Impacts.....	19
Greenhouse Gases and Climate Change	26
Existing Setting.....	26
Sources of GHG Emissions	27
Effects of Global Climate Change.....	28
Regulatory Framework	29
Federal	29
State.....	30
San Joaquin Valley Air Pollution Control District.....	34
Impacts & Mitigation Measures.....	35
Methodology	35
Thresholds of Significance	35
Project Impacts.....	37
References.....	40

LIST OF TABLES

Table AQ-1. Summary of Ambient Air Quality Standards.....	13
Table AQ-2. SJVAB Attainment Status Designations	17
Table AQ-3. Summary of Ambient Air Quality Monitoring Data	17
Table AQ-4. Annual and Daily Construction Emissions without Mitigation.....	20
Table AQ-5. Annual and Daily Operational Emissions without Mitigation.....	21
Table GHG-1. Global Warming Potential for Greenhouse Gases	27
Table GHG-2. Project-Level GHG Efficiency Threshold Calculation	36
Table GHG-3. Construction-Generated GHG Emissions without Mitigation	37
Table GHG-4. Operational GHG Emissions without Mitigation.....	38
Table GHG-5. Operational GHG Emissions with Mitigation	39

LIST OF FIGURES

Figure AQ-1. Site Vicinity Map	2
Figure AQ-2. Site Plan.....	3
Figure GHG-1. State of California Greenhouse Gases Emissions Inventory by Economic Sector	28
Figure GHG-2. California Black Carbon Emissions Inventory (Year 2013)	29

APPENDICES

- Appendix A: Emissions Modeling
- Appendix B: Emissions Calculation

LIST OF COMMON TERMS & ACRONYMS

AB	Assembly Bill
ACBM	Asbestos-Containing Building Material
ACM	Asbestos-Containing Material
AMERA	Asbestos Hazard Emergency Response Act
APCD	Air Pollution Control District
APS	Alternative Planning Strategy
ARB	California Air Resources Board
ATCM	Airborne Toxic Control Measure
BAU	Business As Usual
BPS	Best Performance Standards
BSC	Building Standards Commission
C ₂ H ₃ Cl	Vinyl Chloride
CAAQS	California Ambient Air Quality Standards
CAFE	Corporate Average Fuel Economy
CalEEMod	California Emissions Estimator Model
CalEPA	California Environmental Protection Agency
CBC	California Building Code
CCAA	California Clean Air Act
CCR	California Code of Regulation
CEQA	California Environmental Quality Act
CFR	Code of Federal Regulation
CH ₄	Methane
CO	Carbon Monoxide
CO ₂	Carbon Dioxide
CO ₂ e	Carbon Dioxide Equivalent
DPM	Diesel-Exhaust Particulate Matter
DRRP	Diesel Risk Reduction Plan
EO	Executive Order
FCAA	Federal Clean Air Act
FIP	Federal Implementation Plan
GHG	Greenhouse Gases
GWP	Global Warming Potential
H ₂ S	Hydrogen Sulfide
HAP	Hazardous Air Pollutant
HFC	Hydrofluorocarbons
ISR	Indirect Source Review
lbs/day	Pounds per day
LOS	Level of Service
MMTCO ₂ e	Million Metric Tons of Carbon Dioxide Equivalents
MPO	Metropolitan Planning Organizations
N ₂ O	Nitrous Oxide
NAAQS	National Ambient Air Quality Standards
NESHAPs	National Emission Standards for HAPs
NF ₃	Nitrogen Trifluoride
NHTSA	National Highway Traffic Safety Administration
NO ₂	Nitrogen Dioxide
NO _x	Oxides of Nitrogen
O ₃	Ozone
OPR	Office of Planning and Research
OSHA	Occupational Safety and Health Administration
Pb	Lead
PFC	Perfluorocarbons
PM	Particulate Matter
PM ₁₀	Particulate Matter (less than 10 µm)
PM _{2.5}	Particulate Matter (less than 2.5 µm)
ppm	Parts per Million
PVC	Polyvinyl Chloride
ROG	Reactive Organic Gases
SAFE	Safer Affordable Fuel-Efficient
SB	Senate Bill
SCAQMD	South Coast Air Quality Management District
SCCCD	State Center Community College District
SCS	Sustainable Communities Strategy

SF ₆	Sulfur Hexafluoride
SIP	State Implementation Plan
SJVAB	San Joaquin Valley Air Basin
SJVAPCD	San Joaquin Valley Air Pollution Control District
SLCP	Short-Lived Climate Pollutants
SLOAPCD	San Luis Obispo County Air Pollution Control District
SO ₂	Sulfur Dioxide
SO ₄ ²⁻	Sulfate
SO _x	Oxides of Sulfur
SP	Service Population
TAC	Toxic Air Contaminant
TOG	Total Organic Gas
U.S. EPA	United States Environmental Protection Agency
UFP	Ultrafine Particles
VOC	Volatile Organic Compounds

INTRODUCTION

This report describes the existing environment in the project vicinity and identifies potential air quality and greenhouse gas impacts associated with the proposed project. Project impacts are evaluated relative to applicable thresholds of significance. Mitigation measures have been identified for significant impacts.

PROPOSED PROJECT

The State Center Community College District (SCCCD) is proposing to undertake the Fresno City College First Responders Center (project).

The SCCCDC proposed campus for first responders is to be located on the western half of an approximately 40-acre site northwest of the intersection of Willow and North Avenues in Fresno County, California. The proposed campus will include a fire academy, police academy, and EMT training in numerous small cohorts moving through the academy programs. Approximately 270 students would be on the campus at any one time, staffed by up to 50 employees, including administrators, faculty, and support staff. Site access is expected to be from one or more driveways connecting to North Avenue, with left turns into the site allowed from eastbound North Avenue.

The facilities will include a total of approximately 62,000 square feet of building area with a spot tower, a scenario village, and a virtual-reality/simulation laboratory, which may include joint use with the City of Fresno and other agencies. The police and fire academies are expected to begin daily operations at 7:00 a.m. and finish at approximately 5:00 p.m., although night classes until 10:00 p.m. are possible. Day courses for EMT training are likely to begin at 8:00 a.m. and end at 5:00 p.m. on Tuesdays, Wednesdays, and Thursdays. Evening courses for EMT training are likely to start at 6:00 p.m. and end by 10:00 p.m. on Tuesdays and Thursdays.

Construction is planned to occur from late 2021 to the middle of 2023.

A site vicinity map is presented in Figure AQ-1, Site Vicinity Map, and a site plan is presented in Figure AQ-2, Site Plan.

AIR QUALITY

EXISTING SETTING

The project is located within the San Joaquin Valley Air Basin (SJVAB). The SJVAB is within the jurisdiction of the San Joaquin Valley Air Pollution Control District (SJVAPCD). Air quality in the SJVAB is influenced by a variety of factors, including topography and meteorology. Factors affecting regional and local air quality are discussed below.


TOPOGRAPHY, METEOROLOGY, AND POLLUTANT DISPERSION

The dispersion of air pollution in an area is determined by such natural factors as topography, meteorology, and climate, coupled with atmospheric stability conditions and the presence of inversions. The factors affecting the dispersion of air pollution with respect to the SJVAB are discussed below.

Topography


The SJVAB occupies the southern half of the Central Valley. The SJVAB is open to the north and is surrounded by mountain ranges on all other sides. The Coast Ranges, which have an average elevation of 3,000 feet, are along the western boundary of the SJVAB, while the Sierra Nevada Mountains (8,000 to 14,000 feet in elevation) are along the eastern border. The San Emigdio Mountains, which are part of the Coast Ranges, and the Tehachapi Mountains, which are part of the Sierra Nevada, form the southern boundary, and have an elevation of 6,000 to 8,000 feet. The SJVAB is mostly flat with a downward gradient in terrain to the northwest.

Figure AQ-1. Site Vicinity Map



Source: PEG 2021

Figure AQ-2. Site Plan



Source: PEG 2021

Meteorology and Climate

The SJVAB has an inland Mediterranean climate that is strongly influenced by the presence of mountain ranges. The mountain ranges to the west and south induce winter storms from the Pacific Ocean to release precipitation on the western slopes producing a partial rain shadow over the valley. In addition, the mountain ranges block the free circulation of air to the east, trapping stable air in the valley for extended periods during the cooler half of the year.

Winter in the SJVAB is characterized as mild and fairly humid, while the summer is typically hot, dry, and cloudless. The climate is a result of the topography and the strength and location of a semi-permanent, subtropical high-pressure cell. During the summer months, the Pacific high-pressure cell is centered over the northeastern Pacific Ocean, resulting in stable meteorological conditions and a steady northwesterly wind flow. Upwelling of cold ocean water from below to the surface as a result of the northwesterly flow produces a band of cold water off the California coast. In winter, the Pacific high-pressure cell weakens and shifts southward, resulting in wind flow offshore, the absence of upwelling, and the occurrence of storms.

The annual temperature, humidity, precipitation, and wind patterns reflect the topography of the SJVAB and the strength and location of the semi-permanent, subtropical high-pressure cell. Summer temperatures that often exceed 100°F and clear sky conditions are favorable to ozone formation. Most of the precipitation in the valley occurs as rainfall during winter storms. The winds and unstable atmospheric conditions associated with the passage of winter storms result in periods of low air pollution and excellent visibility. However, between winter storms, high pressure and light winds lead to the creation of low-level temperature inversions and stable atmospheric conditions, which can result in higher pollutant concentrations. The orientation of the wind flow pattern in the SJVAB is parallel to the valley and mountain ranges. Summer wind conditions promote the transport of ozone and precursors from the San Francisco Bay Area through the Carquinez Strait, a gap in the Coast Ranges, and low-mountain passes such as Altamont Pass and Pacheco Pass. During the summer, the predominant wind direction is from the northwest. During the winter, the predominant wind direction is from the southeast. Calm conditions are also predominant during the winter (ARB 1992).

The climate is semi-arid, with an annual average precipitation of approximately 11 inches. Temperatures in the project area range from an average minimum of approximately 37°F, in December, to an average maximum of 98°F, in July (WRCC 2021).

Atmospheric Stability and Inversions

Stability describes the resistance of the atmosphere to vertical motion. The stability of the atmosphere is dependent on the vertical distribution of temperature with height. Stability categories range from "Extremely Unstable" (Class A), through Neutral (Class D), to "Stable" (Class F). Unstable conditions often occur during daytime hours when solar heating warms the lower atmospheric layers sufficiently. Under Class A stability conditions, large fluctuations in horizontal wind direction occur coupled with large vertical mixing depths. Under Class B stability conditions, wind direction fluctuations and the vertical mixing depth are less pronounced because of a decrease in the amount of solar heating. Under Class C stability conditions, solar heating is weak along with horizontal and vertical fluctuations because of a combination of thermal and mechanical turbulence. Under Class D stability conditions, vertical motions are primarily generated by mechanical turbulence. Under Class E and Class F stability conditions, air pollution emitted into the atmosphere travels downwind with poor dispersion. The dispersive power of the atmosphere decreases with progression through the categories from A to F.

With respect to the SJVAB, Classes D through F are predominant during the late fall and winter because of cool temperatures and entrapment of cold air near the surface. March and August are transition months with equally occurring percentages of Class F and Class A. During the spring months of April and May, and the summer months of June and July, Class A is predominant. The fall months of September, October, and November have comparable percentages of Class A and Class F.

An inversion is a layer of warmer air over a layer of cooler air. Inversions influence the mixing depth of the atmosphere, which is the vertical depth available for diluting air pollution near the ground, thus significantly affecting air quality conditions. The SJVAB experiences both surface-based and elevated inversions. The shallow surface-based inversions are present in the morning but are often broken by daytime heating of the

air layers near the ground. The deep elevated inversions occur less frequently than the surface-based inversions but generally result in more severe stagnation. The surface-based inversions occur more frequently in the fall, and the stronger elevated inversions usually occur during December and January.

AIR POLLUTANTS OF CONCERN

Criteria Air Pollutants

For the protection of public health and welfare, the Federal Clean Air Act (FCAA) required that the United States Environmental Protection Agency (U.S. EPA) establish National Ambient Air Quality Standards (NAAQS) for various pollutants. These pollutants are referred to as "criteria" pollutants because the U.S. EPA publishes criteria documents to justify the choice of standards. These standards define the maximum amount an air pollutant can be present in ambient air. An ambient air quality standard is generally specified as a concentration averaged over a specific time period, such as 1 hour, 8 hours, 24 hours, or 1 year. The different averaging times and concentrations are meant to protect against different exposure effects. Standards established for the protection of human health are referred to as primary standards; whereas, standards established for the prevention of environmental and property damage are called secondary standards. The FCAA allows states to adopt additional or more health-protective standards. The air quality regulatory framework and ambient air quality standards are discussed in greater detail later in this report.

The following provides a summary discussion of the primary and secondary criteria air pollutants of primary concern. In general, primary pollutants are directly emitted into the atmosphere, and secondary pollutants are formed by chemical reactions in the atmosphere.

Ozone (O₃) is a reactive gas consisting of three atoms of oxygen. In the troposphere, it is a product of the photochemical process involving the sun's energy. It is a secondary pollutant that is formed when oxides of nitrogen and volatile organic compounds react in the presence of sunlight. O₃ at the earth's surface causes numerous adverse health effects and is a criteria pollutant. It is a major component of smog. In the stratosphere, O₃ exists naturally and shields Earth from harmful ultraviolet radiation.

High concentrations of ground-level O₃ can adversely affect the human respiratory system and aggravate cardiovascular disease and many respiratory ailments. O₃ also damages natural ecosystems such as forests and foothill communities, crops, and some man-made materials, such as rubber, paint, and plastics.

Reactive Organic Gas (ROG) is a reactive chemical gas, composed of hydrocarbon compounds that may contribute to the formation of smog by their involvement in atmospheric chemical reactions. No separate health standards exist for ROG as a group. Because some compounds that make up ROG are also toxic, like the carcinogen benzene, they are often evaluated as part of a toxic risk assessment. Total Organic Gases (TOGs) include all of the ROGs, in addition to low reactivity organic compounds like methane and acetone. ROGs and volatile organic compounds are subsets of TOG.

Volatile Organic Compounds (VOC) are hydrocarbon compounds that exist in the ambient air. VOCs contribute to the formation of smog and may also be toxic. VOC emissions are a major precursor to the formation of O₃. VOCs often have an odor, and some examples include gasoline, alcohol, and the solvents used in paints.

Oxides of Nitrogen (NO_x) are a family of gaseous nitrogen compounds and are a precursor to the formation of O₃ and particulate matter. The major component of NO_x, nitrogen dioxide (NO₂), is a reddish-brown gas that is toxic at high concentrations. NO_x results primarily from the combustion of fossil fuels under high temperatures and pressure. On-road and off-road motor vehicles and fuel combustion are the major sources of this air pollutant.

Particulate Matter (PM), also known as particle pollution, is a complex mixture of extremely small particles and liquid droplets. Particle pollution is made up of a number of components, including acids (such as nitrates and sulfates), organic chemicals, metals, and soil or dust particles. The size of particles is directly linked to their potential for causing health problems. U.S. EPA is concerned about particles that are 10 micrometers in diameter or smaller because those are the particles that generally pass through the throat and nose and enter the lungs. Once inhaled, these particles can affect the heart and lungs and cause serious health

effects. U.S. EPA groups particle pollution into three categories based on their size and where they are deposited (ARB 2020c):

- "Inhalable coarse particles (PM₁₀)," such as those found near roadways and dusty industries, are between 2.5 and 10 micrometers in diameter. PM₁₀ is deposited in the thoracic region of the lungs.
- "Fine particles (PM_{2.5})," such as those found in smoke and haze, are 2.5 micrometers in diameter and smaller. These particles can be directly emitted from sources such as forest fires, or they can form when gases emitted from power plants, industries and automobiles react in the air. They penetrate deeply into the thoracic and alveolar regions of the lungs.
- "Ultrafine particles (UFP)," are very small particles less than 0.1 micrometers in diameter largely resulting from the combustion of fossil fuels, meat, wood, and other hydrocarbons. While UFP mass is a small portion of PM_{2.5}, its high surface area, deep lung penetration, and transfer into the bloodstream can result in disproportionate health impacts relative to their mass.

PM₁₀, PM_{2.5}, and UFP include primary pollutants (emitted directly to the atmosphere) as well as secondary pollutants (formed in the atmosphere by chemical reactions among precursors). Generally speaking, PM_{2.5} and UFP are emitted by combustion sources like vehicles, power generation, industrial processes, and wood burning, while PM₁₀ sources include these same sources plus roads and farming activities. Fugitive windblown dust and other area sources also represent a source of airborne dust.

Numerous scientific studies have linked both long- and short-term particulate matter exposure to a variety of health problems. Long-term exposures, such as those experienced by people living for many years in areas with high particle levels, have been associated with problems such as reduced lung function and the development of chronic bronchitis, and even premature death. Short-term exposures to particles (hours or days) can aggravate lung disease, causing asthma attacks and also acute (short-term) bronchitis, and may also increase susceptibility to respiratory infections. In people with heart disease, short-term exposures have been linked to heart attacks and arrhythmias. Healthy children and adults have not been reported to suffer serious effects from short-term exposures, although they may experience temporary minor irritation when particle levels are elevated.

Carbon Monoxide (CO) is an odorless, colorless gas that is highly toxic. It is formed by the incomplete combustion of fuels and is emitted directly into the air (unlike O₃). The main source of CO is on-road motor vehicles. Other CO sources include other mobile sources, miscellaneous processes, and fuel combustion from stationary sources. Because of the local nature of CO problems, the California Air Resources Board (ARB) and U.S. EPA designate urban areas as CO nonattainment areas instead of the entire basin as with O₃ and PM₁₀. Motor vehicles are by far the largest source of CO emissions. Emissions from motor vehicles have been declining since 1985, despite increases in vehicle miles traveled, with the introduction of new automotive emission controls and fleet turnover (Caltrans 1996).

Sulfur Dioxide (SO₂) is a colorless, irritating gas with a "rotten egg" smell formed primarily by the combustion of sulfur-containing fossil fuels. However, like airborne NO_x, suspended oxides of sulfur (SO_x) particles contribute to poor visibility. These SO_x particles can also combine with other pollutants to form PM_{2.5}. The prevalence of low-sulfur fuel use has minimized problems from this pollutant.

Lead (Pb) is a metal that is a natural constituent of air, water, and the biosphere. Pb is neither created nor destroyed in the environment, so it essentially persists forever. The health effects of Pb poisoning include loss of appetite, weakness, apathy, and miscarriage. Pb can also cause lesions of the neuromuscular system, circulatory system, brain, and gastrointestinal tract. Gasoline-powered automobile engines were a major source of airborne Pb through the use of leaded fuels. The use of leaded fuel has been mostly phased out, with the result that ambient concentrations of Pb have dropped dramatically.

Hydrogen Sulfide (H₂S) is associated with geothermal activity, oil and gas production, refining, sewage treatment plants, and confined animal feeding operations. H₂S is extremely hazardous in high concentrations; especially in enclosed spaces (800 parts per million [ppm] can cause death). The Occupational Safety and Health Administration (OSHA) regulates workplace exposure to H₂S.

Other Pollutants

The State of California has established air quality standards for some pollutants not addressed by Federal standards. The ARB has established State standards for H₂S, sulfates, vinyl chloride, and visibility reducing particles. The following section summarizes these pollutants and describes the pollutants' physical properties, health and other effects, sources, and the extent of the problems.

Sulfates (SO₄²⁻) are the fully oxidized ionic form of sulfur. SO₄²⁻ occur in combination with metal and/or hydrogen ions. In California, emissions of sulfur compounds occur primarily from the combustion of petroleum-derived fuels (e.g., gasoline and diesel fuel) that contain sulfur. This sulfur is oxidized to SO₂ during the combustion process and subsequently converted to SO₄²⁻ compounds in the atmosphere. The conversion of SO₂ to SO₄²⁻ takes place rapidly and completely in urban areas of California due to regional meteorological features.

The ARB SO₄²⁻ standard is designed to prevent aggravation of respiratory symptoms. Effects of SO₄²⁻ exposure at levels above the standard include a decrease in ventilator function, aggravation of asthmatic symptoms, and an increased risk of cardiopulmonary disease. SO₄²⁻ are particularly effective in degrading visibility, and, because they are usually acidic, can harm ecosystems and damage materials and property.

Visibility Reducing Particles are a mixture of suspended particulate matter consisting of dry solid fragments, solid cores with liquid coatings, and small droplets of liquid. The standard is intended to limit the frequency and severity of visibility impairment due to regional haze and is equivalent to a 10-mile nominal visual range.

Vinyl Chloride (C₂H₃Cl) is a colorless gas that does not occur naturally. It is formed when other substances such as trichloroethane, trichloroethylene, and tetrachloro-ethylene are broken down. C₂H₃Cl is used to make polyvinyl chloride (PVC) which is used to make a variety of plastic products, including pipes, wire and cable coatings, and packaging materials.

Odors

Typically, odors are generally regarded as an annoyance rather than a health hazard. However, manifestations of a person's reaction to foul odors can range from the psychological (i.e., irritation, anger, or anxiety) to the physiological, including circulatory and respiratory effects, nausea, vomiting, and headache.

The ability to detect odors varies considerably among the population and overall is quite subjective. Some individuals have the ability to smell very minute quantities of specific substances; others may not have the same sensitivity but may have sensitivities to odors of other substances. In addition, people may have different reactions to the same odor. An odor that is offensive to one person may be perfectly acceptable to another (e.g., fast food restaurant). It is important to also note that an unfamiliar odor is more easily detected and is more likely to cause complaints than a familiar one. This is because of the phenomenon known as odor fatigue, in which a person can become desensitized to almost any odor and recognition only occurs with an alteration in the intensity.

Quality and intensity are two properties present in any odor. The quality of an odor indicates the nature of the smell experience. For instance, if a person describes an odor as flowery or sweet, then the person is describing the quality of the odor. Intensity refers to the strength of the odor. For example, a person may use the word strong to describe the intensity of an odor. Odor intensity depends on the odorant concentration in the air. When an odorous sample is progressively diluted, the odorant concentration decreases. As this occurs, the odor intensity weakens and eventually becomes so low that the detection or recognition of the odor is quite difficult. At some point during dilution, the concentration of the odorant reaches a detection threshold. An odorant concentration below the detection threshold means that the concentration in the air is not detectable by the average human.

Neither the state nor the federal government has adopted rules or regulations for the control of odor sources. The SJVAPCD does not have an individual rule or regulation that specifically addresses odors; however, odors would be subject to SJVAPCD Rule 4102, Nuisance. Any actions related to odors would be based on citizen complaints to the local government and the SJVAPCD.

Toxic Air Contaminants

Toxic air contaminants (TACs) are air pollutants that may cause or contribute to an increase in mortality or serious illness, or which may pose a hazard to human health. TACs are usually present in minute quantities in the ambient air, but due to their high toxicity, they may pose a threat to public health even at very low concentrations. Because there is no threshold level below which adverse health impacts are not expected to occur, TACs differ from criteria pollutants for which acceptable levels of exposure can be determined and for which state and federal governments have set ambient air quality standards. TACs, therefore, are not considered "criteria pollutants" under either the FCAA or the California Clean Air Act (CCAA), and are thus not subject to NAAQS or California Ambient Air Quality Standards (CAAQS), respectively. Instead, the U.S. EPA and the ARB regulate Hazardous Air Pollutants (HAPs) and TACs, respectively, through statutes and regulations that generally require the use of the maximum or best available control technology to limit emissions. In conjunction with SJVAPCD rules, these federal and state statutes and regulations establish the regulatory framework for TACs. At the national level, the U.S. EPA has established National Emission Standards for HAPs (NESHAPs), in accordance with the requirements of the FCAA and subsequent amendments. These are technology-based source-specific regulations that limit allowable emissions of HAPs.

Within California, TACs are regulated primarily through the Tanner Air Toxics Act (Assembly Bill [AB] 1807) and the Air Toxics Hot Spots Information and Assessment Act of 1987 (AB 2588). The Tanner Act sets forth a formal procedure for ARB to designate substances as TACs. The following provides a summary of the primary TACs of concern within the State of California and related health effects:

Diesel Particulate Matter (DPM) was identified as a TAC by the ARB in August 1998. DPM is emitted from both mobile and stationary sources. In California, on-road diesel-fueled vehicles contribute approximately 40 percent of the statewide total DPM emissions, with an additional 57 percent attributed to other mobile sources such as construction and mining equipment, agricultural equipment, and transport refrigeration units. Stationary sources, contributing about 3 percent of emissions, include shipyards, warehouses, heavy equipment repair yards, and oil and gas production operations. Emissions from these sources are from diesel-fueled internal combustion engines. Stationary sources that report DPM emissions also include heavy construction, manufacturers of asphalt paving materials and blocks, and diesel-fueled electrical generation facilities (ARB 2013).

In October 2000, the ARB issued a report entitled: "Risk Reduction Plan to Reduce Particulate Matter Emissions from Diesel-Fueled Engines and Vehicles", which is commonly referred to as the Diesel Risk Reduction Plan (DRRP). The DRRP provides a mechanism for combating the DPM problem. The goal of the DRRP is to reduce concentrations of DPM by 85 percent by the year 2020, in comparison to the year 2000 baseline emissions. The key elements of the DRRP are to clean up existing engines through engine retrofit emission control devices, to adopt stringent standards for new diesel engines, and to lower the sulfur content of diesel fuel to protect new, and very effective, advanced technology emission control devices on diesel engines. When fully implemented, the DRRP will significantly reduce emissions from both old and new diesel-fueled motor vehicles and from stationary sources that burn diesel fuel. In addition to these strategies, the ARB continues to promote the use of alternative fuels and electrification. As a result of these actions, DPM concentrations and associated health risks in future years are projected to decline (ARB 2013, ARB 2000).

Exposure to DPM can have immediate health effects. DPM can irritate the eyes, nose, throat, and lungs, and it can cause coughs, headaches, lightheadedness, and nausea. In studies with human volunteers, exposure to DPM also causes inflammation in the lungs, which may aggravate chronic respiratory symptoms and increase the frequency or intensity of asthma attacks. The elderly and people with emphysema, asthma, and chronic heart and lung disease are especially sensitive to fine-particle pollution. Because children's lungs and respiratory systems are still developing, they are also more susceptible than healthy adults to fine particles. Exposure to fine particles is associated with increased frequency of childhood illnesses and can also reduce lung function in children. In California, DPM has been identified as a carcinogen.

Acetaldehyde is a federal HAP. The ARB identified acetaldehyde as a TAC in April 1993. Acetaldehyde is both directly emitted into the atmosphere and formed in the atmosphere as a result of photochemical oxidation. Sources of acetaldehyde include emissions from combustion processes such as exhaust from mobile sources and fuel combustion from stationary internal combustion engines, boilers, and process heaters. A majority of the statewide acetaldehyde emissions can be attributed to mobile sources, including

on-road motor vehicles, construction and mining equipment, aircraft, recreational boats, and agricultural equipment. Area sources of emissions include the burning of wood in residential fireplaces and wood stoves. The primary stationary sources of acetaldehyde are fuel combustion from the petroleum industry (ARB 2013).

Acute exposure to acetaldehyde results in effects including irritation of the eyes, skin, and respiratory tract. Symptoms of chronic intoxication of acetaldehyde resemble those of alcoholism. The U.S. EPA has classified acetaldehyde as a probable human carcinogen. In California, acetaldehyde was classified on April 1, 1988, as a chemical known to the state to cause cancer (U.S. EPA 2014, ARB 2013).

Benzene is highly carcinogenic and occurs throughout California. The ARB identified benzene as a TAC in January 1985. A majority of benzene emitted in California (roughly 88 percent) comes from motor vehicles, including evaporative leakage and unburned fuel exhaust. These sources include on-road motor vehicles, recreational boats, off-road recreational vehicles, and lawn and garden equipment. Benzene is also formed as a partial combustion product of larger aromatic fuel components. To a lesser extent, industry-related stationary sources are also sources of benzene emissions. The primary stationary sources of reported benzene emissions are crude petroleum and natural gas mining, petroleum refining, and electric generation that involves the use of petroleum products. The primary area sources include residential combustion of various types such as cooking and water heating (ARB 2013).

Acute inhalation exposure of humans to benzene may cause drowsiness, dizziness, headaches, as well as eye, skin, and respiratory tract irritation, and, at high levels, unconsciousness. Chronic inhalation exposure has caused various disorders in the blood, including reduced numbers of red blood cells and aplastic anemia, in occupational settings. Reproductive effects have been reported for women exposed by inhalation to high levels, and adverse effects on the developing fetus have been observed in animal tests. Increased incidences of leukemia (cancer of the tissues that form white blood cells) have been observed in humans occupationally exposed to benzene. The U.S. EPA has classified benzene as a known human carcinogen for all routes of exposure (U.S. EPA 2014).

1,3-butadiene was identified by the ARB as a TAC in 1992. Most of the emissions of 1,3-butadiene are from incomplete combustion of gasoline and diesel fuels. Mobile sources account for a majority of the total statewide emissions. Additional sources include agricultural waste burning, open burning associated with forest management, petroleum refining, manufacturing of synthetics and man-made materials, and oil and gas extraction. The primary natural sources of 1,3-butadiene emissions are wildfires (ARB 2013).

Acute exposure to 1,3-butadiene by inhalation in humans results in irritation of the eyes, nasal passages, throat, and lungs. Epidemiological studies have reported a possible association between 1,3-butadiene exposure and cardiovascular diseases. Epidemiological studies of workers in rubber plants have shown an association between 1,3-butadiene exposure and increased incidence of leukemia. Animal studies have reported tumors at various sites from 1,3-butadiene exposure. In California, 1,3-butadiene has been identified as a carcinogen.

Carbon Tetrachloride was identified by the ARB as a TAC in 1987 under California's TAC program (ARB 2013). The primary stationary sources reporting emissions of carbon tetrachloride include chemical and allied product manufacturers and petroleum refineries. In the past, carbon tetrachloride was used for dry cleaning and as a grain fumigant. Usage for these purposes is no longer allowed in the United States. Carbon tetrachloride has not been registered for pesticide use in California since 1987. Also, the use of carbon tetrachloride in products to be used indoors has been discontinued in the United States. The statewide emissions of carbon tetrachloride are small (about 1.96 tons per year), and background concentrations account for most of the health risks (ARB 2013).

The primary effects of carbon tetrachloride in humans are on the liver, kidneys, and central nervous system. Human symptoms of acute inhalation and oral exposures to carbon tetrachloride include headache, weakness, lethargy, nausea, and vomiting. Acute exposures to higher levels and chronic (long-term) inhalation or oral exposure to carbon tetrachloride produces liver and kidney damage in humans. Human data on the carcinogenic effects of carbon tetrachloride are limited. Studies in animals have shown that ingestion of carbon tetrachloride increases the risk of liver cancer. In California, carbon tetrachloride has been identified as a carcinogen.

Hexavalent chromium was identified as a TAC in 1986. Sources of Hexavalent chromium include industrial metal finishing processes, such as chrome plating and chromic acid anodizing, and firebrick lining of glass furnaces. Other sources include mobile sources, including gasoline motor vehicles, trains, and ships (ARB 2013).

The respiratory tract is the major target organ for hexavalent chromium toxicity, for acute and chronic inhalation exposures. Shortness of breath, coughing, and wheezing were reported from a case of acute exposure to hexavalent chromium, while perforations and ulcerations of the septum, bronchitis, decreased pulmonary function, pneumonia, and other respiratory effects have been noted from chronic exposure. Human studies have established that inhaled hexavalent chromium is a human carcinogen, resulting in an increased risk of lung cancer. In California, hexavalent chromium has been identified as a carcinogen.

Para-Dichlorobenzene was identified by the ARB as a TAC in April 1993. The primary area-wide sources that have reported emissions of para-dichlorobenzene include consumer products such as non-aerosol insect repellants and solid/gel air fresheners. These sources contribute to nearly all of the statewide para-dichlorobenzene emissions (ARB 2013).

Acute exposure to paradichlorobenzene via inhalation results in irritation to the eyes, skin, and throat in humans. In addition, long-term inhalation exposure may affect the liver, skin, and central nervous system in humans. The U.S. EPA has classified para-dichlorobenzene as a possible human carcinogen.

Formaldehyde was identified by the ARB as a TAC in 1992. Formaldehyde is both directly emitted into the atmosphere and formed in the atmosphere as a result of photochemical oxidation. Photochemical oxidation is the largest source of formaldehyde concentrations in California ambient air. Directly emitted formaldehyde is a product of incomplete combustion. One of the primary sources of directly emitted formaldehyde is vehicular exhaust. Formaldehyde is also used in resins, can be found in many consumer products as an antimicrobial agent, and is also used in fumigants and soil disinfectants. The primary area sources of formaldehyde emissions include wood burning in residential fireplaces and wood stoves (ARB 2013).

Exposure to formaldehyde may occur by breathing contaminated indoor air, tobacco smoke, or ambient urban air. Acute and chronic inhalation exposure to formaldehyde in humans can result in respiratory symptoms, and eye, nose, and throat irritation. Limited human studies have reported an association between formaldehyde exposure and lung and nasopharyngeal cancer. Animal inhalation studies have reported an increased incidence of nasal squamous cell cancer. Formaldehyde is classified as a probable human carcinogen.

Methylene Chloride was identified by the ARB as a TAC in 1987. Methylene chloride is used as a solvent, a blowing and cleaning agent in the manufacture of polyurethane foam and plastic fabrication, and as a solvent in paint stripping operations. Paint removers account for the largest use of methylene chloride in California, where methylene chloride is the main ingredient in many paint stripping formulations. Plastic product manufacturers, manufacturers of synthetics, and aircraft and parts manufacturers are stationary sources reporting emissions of methylene chloride (ARB 2013).

The acute effects of methylene chloride inhalation in humans consist mainly of nervous system effects including decreased visual, auditory, and motor functions, but these effects are reversible once exposure ceases. The effects of chronic exposure to methylene chloride suggest that the central nervous system is a potential target in humans and animals. Human data are inconclusive regarding methylene chloride and cancer. Animal studies have shown increases in liver and lung cancer and benign mammary gland tumors following the inhalation of methylene chloride. In California, methylene chloride has been identified as a carcinogen.

Perchloroethylene was identified by the ARB as a TAC in 1991. Perchloroethylene is used as a solvent, primarily in dry cleaning operations. Perchloroethylene is also used in degreasing operations, paints and coatings, adhesives, aerosols, specialty chemical production, printing inks, silicones, rug shampoos, and laboratory solvents. In California, the stationary sources that have reported emissions of perchloroethylene are dry cleaning plants, aircraft part and equipment manufacturers, and fabricated metal product manufacturers. The primary area sources include consumer products such as automotive brake cleaners and tire sealants and inflators (ARB 2013).

Acute inhalation exposure to perchloroethylene vapors can result in irritation of the upper respiratory tract and eyes, kidney dysfunction, and at lower concentrations, neurological effects, such as reversible mood and behavioral changes, impairment of coordination, dizziness, headaches sleepiness, and unconsciousness. Chronic inhalation exposure can result in neurological effects, including sensory symptoms such as headaches, impairments in cognitive and motor neurobehavioral functioning, and color vision decrements. Cardiac arrhythmia, liver damage, and possible kidney damage may also occur. In California, perchloroethylene has been identified as a carcinogen.

ASBESTOS

Asbestos is a term used for several types of naturally occurring fibrous minerals found in many parts of California. The most common type of asbestos is chrysotile, but other types are also found in California. Serpentine rock often contains chrysotile asbestos. Serpentine rock, and its parent material, ultramafic rock, are abundant in the Sierra foothills, the Klamath Mountains, and Coast Ranges.

Asbestos is commonly found in ultramafic rock, including serpentine, and near fault zones. The amount of asbestos that is typically present in these rocks ranges from less than 1 percent up to about 25 percent, and sometimes more. Asbestos is released from ultramafic and serpentine rock when it is broken or crushed. This can happen when cars drive over unpaved roads or driveways which are surfaced with these rocks when land is graded for building purposes, or at quarrying operations. It is also released naturally through weathering and erosion. Once released from the rock, asbestos can become airborne and may stay in the air for long periods of time.

Additional sources of asbestos include building materials and other manmade materials. The most common sources are heat-resistant insulators, cement, furnace or pipe coverings, inert filler material, fireproof gloves and clothing, and brake linings. Asbestos has been used in the United States since the early 1900s; however, asbestos is no longer allowed as a constituent in most home products and materials. Many older buildings, schools, and homes still have asbestos-containing products.

Naturally-occurring asbestos was identified by ARB as a TAC in 1986. The ARB has adopted two statewide control measures which prohibit the use of serpentine or ultramafic rock for unpaved surfacing and controls dust emissions from construction, grading, and surface mining in areas with these rocks. Various other laws have also been adopted, including laws related to the control of asbestos-containing materials during the renovation and demolition of buildings.

All types of asbestos are hazardous and may cause lung disease and cancer. Health risks to people are dependent upon their asbestos exposure. The longer a person is exposed to asbestos and the greater the intensity of the exposure, the greater the chances for a health problem. Asbestos-related diseases, such as lung cancer, may not occur for decades after breathing asbestos fibers. Cigarette smoking increases the risk of lung cancer from asbestos exposure.

VALLEY FEVER

Valley fever is an infection caused by the fungus *Coccidioides*. The scientific name for valley fever is "coccidioidomycosis," and it's also sometimes called "desert rheumatism." The term "valley fever" usually refers to *Coccidioides* infection in the lungs, but the infection can spread to other parts of the body in severe cases.

Coccidioides spores circulate in the air after contaminated soil and dust are disturbed by humans, animals, or the weather. The spores are too small to see without a microscope. When people breathe in the spores, they are at risk for developing valley fever. After the spores enter the lungs, the person's body temperature allows the spores to change shape and grow into spherules. When the spherules get large enough, they break open and release smaller pieces (called endospores) which can then potentially spread within the lungs or to other organs and grow into new spherules. In extremely rare cases, the fungal spores can enter the skin through a cut, wound, or splinter and cause a skin infection.

Symptoms of valley fever may appear between 1 and 3 weeks after exposure. Symptoms commonly include fatigue, coughing, fever, shortness of breath, headaches, night sweats, muscle aches, joint pain, and rashes on the upper body or legs.

Approximately 5 to 10 percent of people who get valley fever will develop serious or long-term problems in their lungs. In an even smaller percentage of people (about 1 percent), the infection spreads from the lungs to other parts of the body, such as the central nervous system (brain and spinal cord), skin, or bones and joints. Certain groups of people may be at higher risk for developing severe forms of valley fever, such as people who have weakened immune systems. The fungus that causes valley fever, *Coccidioides*, can't spread from the lungs between people or between people and animals. However, in extremely rare instances, a wound infection with *Coccidioides* can spread valley fever to someone else, or the infection can be spread through an organ transplant with an infected organ.

For many people, the symptoms of valley fever will go away within a few months without any treatment. Healthcare providers choose to prescribe antifungal medication for some people to try to reduce the severity of symptoms or prevent the infection from getting worse. Antifungal medication is typically given to people who are at higher risk for developing severe valley fever. The treatment typically occurs over a period of roughly 3 to 6 months. In some instances, longer treatment may be required. If valley fever develops into meningitis, life-long antifungal treatment is typically necessary.

Scientists continue to study how weather and climate patterns affect the habitat of the fungus that causes valley fever. *Coccidioides* are thought to grow best in the soil after heavy rainfall and then disperse into the air most effectively during hot, dry conditions. For example, hot and dry weather conditions have been shown to correlate with an increase in the number of valley fever cases in Arizona and California. How climate change may be affecting the number of valley fever infections, as well as the geographic range of *Coccidioides*, isn't known yet but is a subject for further research (CDC 2020).

REGULATORY FRAMEWORK

Air quality within the SJVAB is regulated by several jurisdictions including the U.S. EPA, ARB, and the SJVAPCD. Each of these jurisdictions develops rules, regulations, and policies to attain the goals or directives imposed upon them through legislation. Although U.S. EPA regulations may not be superseded, both state and local regulations may be more stringent.

FEDERAL

U.S. Environmental Protection Agency

At the federal level, the U.S. EPA has been charged with implementing national air quality programs. The U.S. EPA's air quality mandates are drawn primarily from the FCAA, which was signed into law in 1970. Congress substantially amended the FCAA in 1977 and again in 1990.

Federal Clean Air Act

The FCAA required the U.S. EPA to establish NAAQS, and also set deadlines for their attainment. Two types of NAAQS have been established: primary standards, which protect public health, and secondary standards, which protect public welfare from non-health-related adverse effects, such as visibility restrictions. NAAQS are summarized in Table AQ-1.

The FCAA also required each state to prepare an air quality control plan referred to as a State Implementation Plan (SIP). The FCAA Amendments of 1990 added requirements for states with nonattainment areas to revise their SIPs to incorporate additional control measures to reduce air pollution. The SIP is periodically modified to reflect the latest emissions inventories, planning documents, and rules and regulations of the air basins as reported by their jurisdictional agencies. The U.S. EPA has a responsibility to review all state SIPs to determine conformance with the mandates of the FCAA, and the amendments thereof, and determine if implementation will achieve air quality goals. If the U.S. EPA determines a SIP to be inadequate, a Federal Implementation Plan (FIP) may be prepared for the nonattainment area that imposes additional control measures.

Table AQ-1. Summary of Ambient Air Quality Standards

Pollutant	Averaging Time	California Standards	National Standards (Primary)
Ozone (O ₃)	1-hour	0.09 ppm	–
	8-hour	0.070 ppm	0.070 ppm
Particulate Matter (PM ₁₀)	AAM	20 µg/m ³	–
	24-hour	50 µg/m ³	150 µg/m ³
Fine Particulate Matter (PM _{2.5})	AAM	12 µg/m ³	12 µg/m ³
	24-hour	No Standard	35 µg/m ³
Carbon Monoxide (CO)	1-hour	20 ppm	35 ppm
	8-hour	9 ppm	9 ppm
	8-hour (Lake Tahoe)	6 ppm	–
Nitrogen Dioxide (NO ₂)	AAM	0.030 ppm	53 ppb
	1-hour	0.18 ppm	100 ppb
Sulfur Dioxide (SO ₂)	AAM	–	0.03 ppm
	24-hour	0.04 ppm	0.14 ppm
	3-hour	–	–
	1-hour	0.25 ppm	75 ppb
Lead	30-day Average	1.5 µg/m ³	–
	Calendar Quarter	–	1.5 µg/m ³
	Rolling 3-Month Average	–	0.15 µg/m ³
Sulfates	24-hour	25 µg/m ³	No Federal Standards
Hydrogen Sulfide	1-hour	0.03 ppm (42 µg/m ³)	
Vinyl Chloride	24-hour	0.01 ppm (26 µg/m ³)	
Visibility-Reducing Particle Matter	8-hour	Extinction coefficient: 0.23/kilometer-visibility of 10 miles or more (0.07-30 miles or more for Lake Tahoe) due to particles when the relative humidity is less than 70%.	
Source: ARB 2020a			

Toxic Substances Control Act

The Toxic Substances Control Act first authorized the U.S. EPA to regulate asbestos in schools and public and commercial buildings under Title II of the law, which is also known as the Asbestos Hazard Emergency Response Act (AHERA). AHERA requires Local Education Agencies (LEAs) to inspect their schools for asbestos-containing building materials (ACBM) and prepare management plans to reduce the asbestos hazard. The Act also established a program for the training and accreditation of individuals performing certain types of asbestos work.

National Emission Standards for Hazardous Air Pollutants

Pursuant to the FCAA of 1970, the U.S. EPA established the NESHAP. These are technology-based source-specific regulations that limit allowable emissions of HAPs.

STATE

California Air Resources Board

The ARB is the agency responsible for coordination and oversight of state and local air pollution control programs in California and for implementing the CCAA of 1988. Other ARB duties include monitoring air quality (in conjunction with air monitoring networks maintained by air pollution control districts (APCD) and air quality management districts), establishing CAAQS, which in many cases are more stringent than the NAAQS, and setting emissions standards for new motor vehicles. The CAAQS are summarized in Table AQ-1. The emission standards established for motor vehicles differ depending on various factors including the model year, and the type of vehicle, fuel, and engine used.

California Clean Air Act

The CCAA requires that all air districts in the state endeavor to achieve and maintain CAAQS for O₃, CO, SO₂, and NO₂ by the earliest practical date. The CCAA specifies that districts focus particular attention on reducing the emissions from transportation and area-wide emission sources, and the act provides districts with authority to regulate indirect sources. Each district plan is required to either (1) achieve a 5 percent annual reduction, averaged over consecutive 3-year periods, in district-wide emissions of each non-attainment pollutant or its precursors, or (2) to provide for implementation of all feasible measures to reduce emissions. Any planning effort for air quality attainment would thus need to consider both state and federal planning requirements.

California Assembly Bill 170

AB 170, Reyes, was adopted by state lawmakers in 2003 creating Government Code Section 65302.1 which requires cities and counties in the San Joaquin Valley to amend their general plans to include data and analysis, comprehensive goals, policies, and feasible implementation strategies designed to improve air quality.

Assembly Bills 1807 & 2588 - Toxic Air Contaminants

Within California, TACs are regulated primarily through AB 1807 (Tanner Air Toxics Act) and AB 2588 (Air Toxics Hot Spots Information and Assessment Act of 1987). The Tanner Air Toxics Act sets forth a formal procedure for ARB to designate substances as TACs. This includes research, public participation, and scientific peer review before ARB designates a substance as a TAC. Existing sources of TACs that are subject to the Air Toxics Hot Spots Information and Assessment Act are required to: (1) prepare a toxic emissions inventory; (2) prepare a risk assessment if emissions are significant; (3) notify the public of significant risk levels; and (4) prepare and implement risk reduction measures.

California Air Resources Board's Truck and Bus Regulation

This regulation requires fleets that operate in California to reduce diesel truck and bus emissions by retrofitting or replacing existing engines. Amendments were adopted in December 2010 to provide more time for fleets to comply. The amended regulation required installation of PM retrofits beginning January 1, 2012, and replacement of older trucks starting January 1, 2015. By January 1, 2023, nearly all vehicles would need to have 2010 model year engines or equivalent.

The regulation applies to nearly all privately and federally owned diesel-fueled trucks and buses and privately and publicly owned school buses with a gross vehicle weight rating greater than 14,000 pounds. The regulation has provisions to provide extra credit for PM filters installed prior to July 2011, has delayed requirements for fleets with 3 or fewer vehicles, provisions for agricultural vehicles, and other situations.

Airborne Toxic Control Measure to Limit School Bus Idling at Schools

ARB has approved an airborne toxic control measure (ATCM) that limits school bus idling and idling at or near schools to only when necessary for safety or operational concerns. The ATCM requires a driver of a school bus or vehicle, transit bus, or other commercial motor vehicles to manually turn off the bus or vehicle engine upon arriving at a school and to restart no more than 30 seconds before departing. A driver of a school bus

or vehicle is subject to the same requirement when operating within 100 feet of a school and is prohibited from idling more than 5 minutes at each stop beyond schools, such as parking or maintenance facilities, school bus stops, or school activity destinations. A driver of a transit bus or other commercial motor vehicle is prohibited from idling more than 5 minutes at each stop within 100 feet of a school. Idling necessary for health, safety, or operational concerns is exempt from these restrictions. In addition, the ATCM requires a motor carrier of an affected bus or vehicle to ensure that drivers are informed of the idling requirements, track complaints and enforcement actions, and keep records of these driver education and tracking activities. This ATCM became effective in July 2003.

SAN JOAQUIN VALLEY AIR POLLUTION CONTROL DISTRICT

The SJVAPCD is the agency primarily responsible for ensuring that NAAQS and CAAQS are not exceeded and that air quality conditions are maintained in the SJVAB, within which the proposed project is located. Responsibilities of the SJVAPCD include, but are not limited to, preparing plans for the attainment of ambient air quality standards, adopting and enforcing rules and regulations concerning sources of air pollution, issuing permits for stationary sources of air pollution, inspecting stationary sources of air pollution and responding to citizen complaints, monitoring ambient air quality and meteorological conditions, and implementing programs and regulations required by the FCAA and the CCAA. The SJVAPCD Rules and Regulations that apply to the proposed project include, but are not limited to, the following:

- *Regulation VIII (Fugitive PM₁₀ Prohibitions). Regulation VIII (Rules 8011-8081).* This regulation is a series of rules designed to reduce particulate emissions generated by human activity, including construction and demolition activities, carryout and track out, paved and unpaved roads, bulk material handling and storage, unpaved vehicle/traffic areas, open space areas, etc.
- *Rule 4002 (NESHAP).* This rule may apply to projects in which portions of an existing building would be renovated, partially demolished or removed. With regard to asbestos, the NESHAP specifies work practices to be followed during renovation, demolition, or other abatement activities when friable asbestos is involved. Prior to demolition activity, an asbestos survey of the existing structure may be required to identify the presence of any ACBM. Removal of identified ACBM must be removed by a certified asbestos contractor in accordance with OSHA requirements.
- *Rule 4102 (Nuisance).* Applies to any source operation that emits or may emit air contaminants or other materials.
- *Rule 4103 (Open Burning).* This rule regulates the use of open burning and specifies the types of materials that may be open burned. Section 5.1 of this rule prohibits the burning of trees and other vegetative (non-agricultural) material whenever the land is being developed for non-agricultural purposes.
- *Rule 4601 (Architectural Coatings).* Limits volatile organic compounds from architectural coatings.
- *Rule 4641 (Cutback, Slow Cure, and Emulsified Asphalt, Paving and Maintenance Operations).* This rule applies to the manufacture and use of cutback, slow cure, and emulsified asphalt during paving and maintenance operations.
- *Rule 9510 (Indirect Source Review [ISR]).* Requires developers of larger residential, commercial, recreational, and industrial projects to reduce smog-forming and particulate emissions from their projects' baselines. If project emissions still exceed the minimum baseline reductions, a project's developer will be required to mitigate the difference by paying an off-site fee to the District, which would then be used to fund clean-air projects. For projects subject to this rule, the ISR rule requires developers to mitigate and/or offset emissions sufficient to achieve: (1) 20-percent reduction of construction equipment exhaust NO_x; (2) 45-percent reduction of construction equipment exhaust PM₁₀; (3) 33-percent reduction of operational NO_x over 10 years; and (4) 50-percent reduction of operational PM₁₀ over 10 years. SJVAPCD ISR applications must be filed "no later than applying for a final discretionary approval with a public agency."

REGULATORY ATTAINMENT DESIGNATIONS

Under the CCAA, ARB is required to designate areas of the state as attainment, nonattainment, or unclassified with respect to applicable standards. An "attainment" designation for an area signifies that pollutant concentrations did not violate the applicable standard in that area. A "nonattainment" designation indicates that a pollutant concentration violated the applicable standard at least once, excluding those occasions when a violation was caused by an exceptional event, as defined in the criteria. Depending on the frequency and severity of pollutants exceeding applicable standards, the nonattainment designation can be further classified as serious nonattainment, severe nonattainment, or extreme nonattainment, with extreme nonattainment being the most severe of the classifications. An "unclassified" designation signifies that the data does not support either an attainment or nonattainment designation. The CCAA divides districts into moderate, serious, and severe air pollution categories, with increasingly stringent control requirements mandated for each category.

The U.S. EPA designates areas for ozone, CO, and NO₂ as "does not meet the primary standards," "cannot be classified," or "better than national standards." For SO₂, areas are designated as "does not meet the primary standards," "does not meet the secondary standards," "cannot be classified," or "better than national standards." However, ARB terminology of attainment, nonattainment, and unclassified is more frequently used. The U.S. EPA uses the same sub-categories for nonattainment status: serious, severe, and extreme. In 1991, U.S. EPA assigned new nonattainment designations to areas that had previously been classified as Group I, II, or III for PM₁₀ based on the likelihood that they would violate national PM₁₀ standards. All other areas are designated "unclassified."

The state and federal attainment status designations pertaining to the SJVAB are summarized in Table AQ-2. The SJVAB is currently designated as a nonattainment area with respect to the state O₃, PM₁₀, and PM_{2.5} standards. The SJVAB is designated nonattainment for the national 8-hour O₃ and PM_{2.5} standards. On September 25, 2008, the U.S. EPA redesignated the San Joaquin Valley to attainment for the PM₁₀ NAAQS and approved the PM₁₀ Maintenance Plan (SJVAPCD 2020).

AMBIENT AIR QUALITY

Air pollutant concentrations were measured at two monitoring stations in Fresno County. The Fresno-Drummond Street (4706 East Drummond Avenue) monitoring station and Fresno-Hamilton and Winery (Hamilton and Winery) monitoring station are the closest representative monitoring sites to the proposed project site with sufficient data to meet U.S. EPA and/or ARB criteria for quality assurance. The monitoring stations provide ambient concentrations of O₃, NO₂, PM₁₀, and PM_{2.5}. Ambient monitoring data was obtained for the last 3 years of available measurement data (i.e., 2017 through 2019) and are summarized in Table AQ-3. As depicted, the state and national O₃ standards, state PM₁₀ standards, and national PM_{2.5} standards were exceeded on numerous occasions during the past 3 years.

Table AQ-2. SJVAB Attainment Status Designations

Pollutant	Federal Designation	State Designation
Ozone, 1 hour	No Federal Standard	Nonattainment/Severe
Ozone, 8 hour	Nonattainment/Extreme	Nonattainment
PM ₁₀	Attainment	Nonattainment
PM _{2.5}	Nonattainment	Nonattainment
Carbon Monoxide	Attainment/Unclassified	Attainment/Unclassified
Nitrogen dioxide	Attainment/Unclassified	Attainment
Sulfur dioxide	Attainment/Unclassified	Attainment
Lead (particulate)	No Designation/Classification	Attainment
Hydrogen sulfide	No Federal Standard	Unclassified
Sulfates	No Federal Standard	Attainment
Visibility-reducing particulates	No Federal Standard	Unclassified
Vinyl Chloride	No Federal Standard	Attainment

For more information visit website URL: <https://www.valleyair.org/aqinfo/attainment.htm>.
Source: SJVAPCD 2020

Table AQ-3. Summary of Ambient Air Quality Monitoring Data

	2017	2018	2019
Ozone¹			
Maximum concentration (1-hour/8-hour average)	0.125/0.104	0.119/0.097	0.099/0.080
Number of days state 1-hour standard exceeded	8	6	1
Number of days state/national 8-hour standard exceeded	31/29	34/32	11/10
Nitrogen Dioxide (NO₂)¹			
Maximum concentration (1-hour average)	64.7	75.9	42.3
Annual average	NA	13	NA
Number of days state/national standard exceeded	0/0	0/0	0/0
Suspended Particulate Matter (PM₁₀)¹			
Maximum concentration (state/national)	120.5/115.6	154.8/152.2	181.3/175.6
Number of days state standard exceeded (measured/calculated ³)	17/112	19/116	13/78
Number of days national standard exceeded (measured/calculated ³)	0/0	0/0	1/6
Suspended Particulate Matter (PM_{2.5})²			
Maximum concentration (state/national)	88.3/88.3	89.8/89.8	44.7/44.7
Annual Average (state/national)	15.0/15.0	NA/17.1	NA/11.2
Number of days national standard exceeded	9	11	3
ppm = parts per million by volume; µg/m ³ = micrograms per cubic meter; NA = not available			
1. Ambient O ₃ , NO ₂ , and PM ₁₀ data were obtained from the Fresno-Drummond Street (4706 East Drummond Avenue) monitoring station.			
2. Ambient PM _{2.5} data were obtained from the Fresno-Hamilton and Winery (Hamilton and Winery) monitoring station.			
3. Measured days are those days that an actual measurement was greater than the standard. Calculated days are the estimated number of days that measurement would have been greater than the level of the standard had measurements been collected every day.			
Source: ARB 2020b			

SENSITIVE RECEPTORS

One of the most important reasons for air quality standards is the protection of those members of the population who are most sensitive to the adverse health effects of air pollution termed "sensitive receptors." The term sensitive receptors refer to specific population groups, as well as the land uses where individuals would reside for long periods. Commonly identified sensitive population groups are children, the elderly, the acutely ill, and the chronically ill. Commonly identified sensitive land uses would include facilities that house or attract children, the elderly, people with illnesses, or others who are especially sensitive to the effects of air pollutants. Residential dwellings, schools, parks, playgrounds, daycare centers, convalescent homes, and hospitals are examples of sensitive land uses.

Nearby existing land uses consist predominantly of residential, agriculture, industrial, commercial, and utility. The nearest sensitive land uses located in the vicinity of the proposed project site include residential dwellings, which are located approximately 35 feet west of the western property boundary and approximately 100 feet east of the eastern project boundary along Willow Avenue.

IMPACTS & MITIGATION MEASURES

METHODOLOGY

Short-term Impacts

Short-term construction emissions associated with the proposed project were calculated using the California Emissions Estimator Model (CalEEMod) computer program. Emissions were quantified for site preparation, grading, building construction, architectural coating, and paving. Construction is planned to occur from late 2021 to the middle of 2023. Detailed construction information, including construction schedule and equipment requirements, have not been identified for the proposed project. Default construction schedule and equipment assumptions contained in the CalEEMod were, therefore, relied upon for the calculation of construction-generated emissions. Due to anticipated reductions in future fleet-average emission rates, emissions for post-year 2021 conditions would likely be less. Modeling assumptions and output files are included in Appendix A.

Long-term Impacts

Long-term operational emissions of criteria air pollutants associated with the proposed project were calculated using the CalEEMod computer program. Emissions modeling included quantification of emissions associated with area sources, energy use, and mobile sources. Area sources included the use of architectural coatings and landscape maintenance activities. Energy use included emissions associated with natural gas and electricity use. Trip-generation rates for the proposed land use were derived from the *Traffic Impact Study* prepared for the proposed project (PEG 2021). Mobile-source emissions were conservatively based on the default fleet distribution assumptions contained in the model and include mobile-source emission adjustments to account for the Safer Affordable Fuel-Efficient (SAFE) Vehicles Rule Part One. The initial operation of the project is anticipated to begin in 2024. Due to anticipated reductions in future fleet-average mobile-source and energy emission rates, emissions for post-year 2024 conditions would likely be less. Exposure to localized pollutant concentrations, including fugitive dust, mobile-source CO, and odors was qualitatively assessed. Furthermore, the following types of fuel would be used during live-fire training: Class A (solid) fuel, (typically wood pallets and straw) and Class B (gas) fuel, (propane). Class A fuel would be used approximately 10 to 15 days out of the year for burning. Live fire training would also include the following off-road equipment: gas-powered chainsaws, rotary saws, and positive pressure fans. Modeling assumptions and output files are included in Appendix A of this report. Emission calculations are included in Appendix B of this report.

THRESHOLDS OF SIGNIFICANCE

In accordance with Appendix G of the California Environmental Quality Act (CEQA) Guidelines Initial Study Checklist, a project would be considered to have a significant impact to climate change if it would:

- a) Conflict with or obstruct implementation of the applicable air quality plan.
- b) Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard.
- c) Expose sensitive receptors to substantial pollutant concentrations.
- d) Result in other emissions (such as those leading to odors) adversely affecting a substantial number of people.

To assist local jurisdictions in the evaluation of air quality impacts, the SJVAPCD has published the *Guide for Assessing and Mitigating Air Quality Impacts* (SJVAPCD 2015). This guidance document includes recommended thresholds of significance to be used for the evaluation of short-term construction, long-term operational, odor, TAC, and cumulative air quality impacts. Accordingly, the SJVAPCD-recommended

thresholds of significance are used to determine whether implementation of the proposed project would result in a significant air quality impact. The thresholds of significance are summarized below.

- Short-term Emissions—Construction impacts associated with the proposed project would be considered significant if project-generated emissions would exceed 100 tons/year of CO, 10 tons/year of ROG or NO_x, 27 tons/year of SO_x, or 15 tons/year of PM₁₀ or PM_{2.5}.
- Long-term Emissions—Operational impacts associated with the proposed project would be considered significant if project-generated emissions would exceed 100 tons/year of CO, 10 tons/year of ROG or NO_x, 27 tons/year of SO_x, or 15 tons/year of PM₁₀ or PM_{2.5}.
- Conflict with or Obstruct Implementation of Applicable Air Quality Plan—Due to the region's non-attainment status for O₃, PM_{2.5}, and PM₁₀, if project-generated emissions of O₃ precursor pollutants (i.e., ROG and NO_x) or PM would exceed the SJVAPCD's significance thresholds, then the project would be considered to conflict with the attainment plans.
- Local Mobile-Source CO Concentrations—Local mobile source impacts associated with the proposed project would be considered significant if the project contributes to CO concentrations at receptor locations in excess of the CAAQS (i.e., 9.0 ppm for 8 hours or 20 ppm for 1 hour).
- Exposure to TACs would be considered significant if the probability of contracting cancer for the Maximally Exposed Individual (i.e., maximum individual risk) would exceed 20 in one million or would result in a Hazard Index equal or greater than 1.
- Odor impacts associated with the proposed project would be considered significant if the project has the potential to frequently expose members of the public to objectionable odors.

In addition to the above thresholds, the SJVAPCD also recommends the use of average-daily emissions thresholds for the evaluation of project impacts on localized ambient air quality conditions. Accordingly, the project would also be considered to result in a significant contribution to localized ambient air quality if on-site emissions of ROG, NO_x, PM₁₀, PM_{2.5}, CO, or SO₂ associated with either short-term construction or long-term operational activities would exceed a daily average of 100 pounds per day (lbs/day) for each of the pollutants evaluated (SJVAPCD 2015). It is important to note that the SJVAPCD's recommended thresholds of significance were developed taking into account the achievement and maintenance of applicable ambient air quality standards (refer to Table AQ-1). As previously noted, these standards represent the upper limits deemed necessary to adequately protect public health and welfare. Potential health-related impacts for criteria air pollutants are discussed earlier in this report. Therefore, projects that do not exceed SJVAPCD's recommended significance thresholds would also be considered to have a less-than-significant impact with regard to potential health-related impacts.

PROJECT IMPACTS

Impact AQ-A. Would the project conflict with or obstruct implementation of the applicable air quality plan?

In accordance with the SJVAPCD-recommended methodology for the assessment of air quality impacts, projects that result in significant air quality impacts at the project level are also considered to have a significant cumulative air quality impact. As noted in Impact AQ-B, short-term construction and long-term operational emissions would not exceed applicable thresholds of significance. In addition, the proposed project's contribution to localized concentrations of emissions, including emissions of CO, TACs, and odors, are considered less than significant. However, as noted in Impact AQ-C, the proposed project could result in a significant contribution to localized PM concentrations for which the SJVAB is currently designated nonattainment. For this reason, implementation of the proposed project could conflict with air quality attainment or maintenance planning efforts. Therefore, this impact would be considered **potentially significant**.

Mitigation Measure: Implement Mitigation Measure AQ-1 (refer to Impact AQ-C).

Significance after Mitigation: With implementation of Mitigation Measure AQ-1 this impact would be considered **less than significant**.

Impact AQ-B. Would the project result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard?

The proposed project is located in the County of Fresno, which is within the SJVAB. The SJVAB is designated as a nonattainment area with respect to the state O₃, PM₁₀, and PM_{2.5} standards; and the national 8-hour O₃ and PM_{2.5} standards. Potential air quality impacts associated with the proposed project could occur during project construction or operation. Short-term construction and long-term air quality impacts associated with the proposed project are discussed, as follows:

Short-term Construction Emissions

Short-term increases in emissions would occur during the construction phase. Construction-generated emissions are of temporary duration, lasting only as long as construction activities occur, but have the potential to cause a significant air quality impact. The construction of the proposed project would result in the temporary generation of emissions associated with motor vehicle exhaust from construction equipment and worker trips; as well as, the movement of construction equipment on unpaved surfaces.

Estimated annual construction-generated emissions are summarized in Table AQ-4. As noted in Table AQ-4, construction of the proposed project would generate maximum annual emissions of approximately 0.51 tons/year of ROG, 2.18 tons/year of NO_x, 2.26 tons/year of CO, less than 0.01 tons/year of SO₂, 0.35 tons/year of PM₁₀, and 0.21 tons/year of PM_{2.5}. Estimated construction-generated annual emissions would not exceed the SJVAPCD's significance thresholds of 10 tons/year of ROG, 10 tons/year of NO_x, 100 tons/year of CO, 27 tons/year of SO_x, 15 tons/year of PM₁₀, or 15 tons/year of PM_{2.5}.

Construction of the proposed project would generate maximum daily on-site emissions of approximately 3.78 pounds/day of ROG, 18.47 pounds/day of NO_x, 17.62 pounds/day of CO, 0.03 pounds/day of SO₂, 2.36 pounds/day of PM₁₀, and 1.50 pounds/day of PM_{2.5}. Estimated construction-generated daily on-site emissions would not exceed the SJVAPCD's significance thresholds of 100 pounds/day of ROG, 100 pounds/day of NO_x, 100 pounds/day of CO, 100 pounds/day of SO_x, 100 pounds/day of PM₁₀, or 100 pounds/day of PM_{2.5}.

Table AQ-4. Annual and Daily Construction Emissions without Mitigation

Year	ROG	NO _x	CO	SO ₂	PM ₁₀	PM _{2.5}
	tons per year					
2021	0.15	1.51	1.07	0.00	0.35	0.21
2022	0.24	2.18	2.26	0.00	0.16	0.11
2023	0.51	0.73	0.88	0.00	0.05	0.04
Maximum	0.51	2.18	2.26	0.00	0.35	0.21
SJVAPCD Significance Thresholds	10	10	100	27	15	15
Exceeds Significance Thresholds?	No	No	No	No	No	No
Daily Emissions (lbs/day)	3.78	18.47	17.62	0.03	2.36	1.50
SJVAPCD Significance Thresholds (lbs/day)	100	100	100	100	100	100
Exceeds Significance Thresholds?	No	No	No	No	No	No
lbs/day = Pounds per day Refer to Appendix A for modeling assumptions and results.						

Short-term construction of the proposed project would not result in a significant impact on regional or local air quality conditions. Furthermore, it is important to note that project construction would be required to comply with SJVAPCD Regulation VIII Control Measures Construction Emissions of PM₁₀. Compliance with SJVAPCD Regulation VIII would reduce emissions of PM by approximately 50 percent, or more. Given that project-generated emissions would not exceed applicable SJVAPCD significance thresholds, this impact would be considered **less than significant**.

Long-term Operational Emissions

Estimated annual operational emissions for the anticipated opening year (year 2024) of the proposed project are summarized in Table AQ-5. As depicted, the proposed project would result in annual operational emissions of approximately 1.02 tons/year of ROG, 3.83 tons/year of NO_x, 6.98 tons/year of CO, 0.05 tons/year of SO₂, 2.07 tons/year of PM₁₀, and 0.66 tons/year of PM_{2.5}. Estimated operational-generated annual emissions would not exceed the SJVAPCD's significance thresholds of 10 tons/year of ROG, 10 tons/year of NO_x, 100 tons/year of CO, 27 tons/year of SO_x, 15 tons/year of PM₁₀, or 15 tons/year of PM_{2.5}.

Operation of the proposed project would generate maximum daily on-site emissions of approximately 7.87 pounds/day of ROG, 29.47 pounds/day of NO_x, 53.68 pounds/day of CO, 0.39 pounds/day of SO₂, 15.91 pounds/day of PM₁₀, and 5.04 pounds/day of PM_{2.5}. Estimated operational-generated daily on-site emissions would not exceed the SJVAPCD's significance thresholds of 100 pounds/day of ROG, 100 pounds/day of NO_x, 100 pounds/day of CO, 100 pounds/day of SO_x, 100 pounds/day of PM₁₀, or 100 pounds/day of PM_{2.5}.

Table AQ-5. Annual and Daily Operational Emissions without Mitigation

Category	ROG	NO _x	CO	SO ₂	PM ₁₀	PM _{2.5}
	tons per year					
Area	0.29	0.00	0.00	0.00	0.00	0.00
Energy	0.01	0.07	0.06	0.00	0.01	0.01
Mobile	0.32	3.68	3.97	0.03	1.71	0.47
Live Fire Training	0.40	0.08	2.95	0.02	0.35	0.18
Total	1.02	3.83	6.98	0.05	2.07	0.66
SJVAPCD Significance Thresholds	10	10	100	27	15	15
Exceeds Significance Thresholds?	No	No	No	No	No	No
Daily Emissions (lbs/day)	7.87	29.47	53.68	0.39	15.91	5.04
SJVAPCD Significance Thresholds (lbs/day)	100	100	100	100	100	100
Exceeds Significance Thresholds?	No	No	No	No	No	No
lbs/day = Pounds per day Includes mobile source emission adjustments to account for SAFE Vehicles Rule Part One. Refer to Appendix A for modeling assumptions and results.						

The long-term operation of the proposed project would not result in a significant impact on regional or local air quality conditions. Operational emissions would be projected to decline in future years, with improvements in fuel consumption emissions standards. It is important to note that estimated operational emissions are conservatively based on the default vehicle fleet distribution assumptions contained in the model, which include contributions from medium and heavy-duty trucks. Mobile sources associated with the proposed land use would consist predominantly of light-duty vehicles. As a result, actual mobile source emissions would likely be less than estimated. Operational emissions would not exceed applicable SJVAPCD significance thresholds, this impact would be considered **less than significant**.

Impact AQ-C. Would the project expose sensitive receptors to substantial pollutant concentrations?

Sensitive land uses located in the vicinity of the proposed project site consist predominantly of residential dwellings. The nearest residential dwelling is located approximately 35 feet west of the western property boundary and 100 feet east of the eastern project boundary along Willow Avenue. Long-term operational and short-term construction activities and emission sources that could adversely impact the nearest sensitive receptors are discussed, as follows:

Long-term Operation

Localized Mobile-Source CO Emissions

CO is the primary criteria air pollutant of local concern associated with the proposed project. Under specific meteorological and operational conditions, such as areas of heavily congested vehicle traffic, CO concentrations may reach unhealthy levels. If inhaled, CO can be adsorbed easily by the bloodstream and inhibit oxygen delivery to the body, which can cause significant health effects ranging from slight headaches

to death. The most serious effects are felt by individuals susceptible to oxygen deficiencies, including people with anemia and those suffering from chronic lung or heart disease.

Mobile-source emissions of CO are a direct function of traffic volume, speed, and delay. The transport of CO is extremely limited because it disperses rapidly with distance from the source under normal meteorological conditions. For this reason, modeling of mobile-source CO concentrations is typically recommended for sensitive land uses located near signalized roadway intersections that are projected to operate at unacceptable levels of service (LOS). Localized CO concentrations associated with the proposed project would be considered less-than-significant if: (1) traffic generated by the proposed project would not result in deterioration of a signalized intersection to LOS E or LOS F; or (2) the project would not contribute additional traffic to a signalized intersection that already operates at LOS E or LOS F.

The nearest signalized intersection in the project area is located at Chestnut Avenue and North Avenue. The intersection is projected to operate at LOS F for cumulative (year 2040) no-project conditions and LOS F for cumulative with-project conditions. However, with the implementation of signalized alternative 1 mitigation, the intersection is projected to operate at LOS D, or better, for cumulative with-project conditions (PEG 2021). As a result, the proposed project would not be anticipated to contribute substantially to localized CO concentrations that would exceed applicable standards. For this reason, this impact would be considered **less than significant**.

Toxic Air Contaminants

Implementation of the proposed project would not result in the long-term operation of any major onsite stationary sources of TACs, nor would project implementation result in a significant increase in diesel-fueled vehicles traveling along area roadways. No major stationary sources of TACs were identified in the project vicinity that would result in increased exposure of students and employees to TACs. For these reasons, long-term increases in exposure to TACs would be considered **less than significant**.

Short-term Construction

Naturally Occurring Asbestos

Naturally-occurring asbestos, which was identified by ARB as a TAC in 1986, is located in many parts of California and is commonly associated with ultramafic rock. The project site is not located near any areas that are likely to contain ultramafic rock (DOC 2000). As a result, the risk of exposure to asbestos during construction would be considered **less than significant**.

Asbestos-Containing Materials

Demolition activities can have potential negative air quality impacts, including issues surrounding proper handling, demolition, and disposal of asbestos-containing material (ACM). Asbestos-containing materials could be encountered during the demolition of existing buildings, particularly older structures constructed prior to 1970. Asbestos can also be found in various building products, including (but not limited to) utility pipes/pipelines (transite pipes or insulation on pipes). If a project will involve the disturbance or potential disturbance of ACM, various regulatory requirements may apply, including the requirements stipulated in the Title 40 Code of Federal Regulations (CFR) Part 61, Subpart M-Asbestos NESHAP. These requirements include but are not limited to 1) notification, within at least 10 business days of activities commencing, to the APCD, 2) an asbestos survey conducted by a Certified Asbestos Consultant, and 3) applicable removal and disposal requirements of identified ACM. The proposed project would not include the demolition of existing buildings or structures. This impact would be considered **less than significant**.

Lead-Coated Materials

Demolition of structures coated with lead-based paint can have potential negative air quality impacts and may adversely affect the health of nearby individuals. Lead-based paints could be encountered during the demolition of existing buildings, particularly older structures constructed prior to 1978. Improper demolition can result in the release of lead-containing particles from the site. Sandblasting or removal of paint by heating with a heat gun can result in significant emissions of lead. In such instances, proper abatement of

lead before demolition of these structures must be performed in order to prevent the release of lead from the site. Federal and State lead regulations, including the Lead in Construction Standard (29 CFR 1926.62) and California Code of Regulations (CCR) Title 8, Section 1532.1, Lead regulate disturbance of lead-containing materials during construction, demolition, and maintenance-related activities. The proposed project would not include the demolition of existing buildings or structures. This impact would be considered **less than significant**.

Toxic Air Contaminants (Diesel-Exhaust Emissions)

Implementation of the proposed project would result in the generation of DPM emissions during construction associated with the use of off-road diesel equipment for site grading, paving, and other construction activities. Health-related risks associated with diesel exhaust emissions are primarily associated with long-term exposure and associated risk of contracting cancer. The use of diesel-powered construction equipment, however, would be temporary and episodic and would occur over a relatively large area. Exposure to construction-generated DPM would not be anticipated to exceed applicable thresholds (i.e., incremental increase in cancer risk of 20 in one million). In addition, implementation of Mitigation Measure AQ-1 would result in further reductions of on-site DPM emissions. For these reasons, this impact would be considered **less than significant**.

Localized PM Concentrations

Fugitive dust emissions would be primarily associated with site preparation and grading, and vehicle travel on unpaved and paved surfaces. On-site off-road equipment and trucks would also result in short-term emissions of DPM, which could contribute to elevated localized concentration at nearby receptors. Uncontrolled emissions of fugitive dust may also contribute to increased occurrences of Valley Fever and potential increases in nuisance impacts to nearby receptors. For these reasons, localized uncontrolled concentrations of construction-generated PM would be considered to have a **potentially significant** impact.

Mitigation Measure AQ-1: The following measures shall be implemented to reduce potential exposure of nearby sensitive receptors to localized pollutant concentrations of fugitive dust associated with project construction:

1. On-road diesel vehicles shall comply with Section 2485 of Title 13 of the California Code of Regulations. This regulation limits idling from diesel-fueled commercial motor vehicles with gross vehicular weight ratings of more than 10,000 pounds and licensed for operation on highways. It applies to California and non-California-based vehicles. In general, the regulation specifies that drivers of said vehicles:
 - a. Shall not idle the vehicle's primary diesel engine for greater than 5 minutes at any location, except as noted in Subsection (d) of the regulation; and,
 - b. Shall not operate a diesel-fueled auxiliary power system to power a heater, air conditioner, or any ancillary equipment on that vehicle during sleeping or resting in a sleeper berth for greater than 5.0 minutes at any location when within 1,000 feet of a restricted area, except as noted in Subsection (d) of the regulation.
2. Heavy-duty, off-road diesel-fueled equipment (50 horsepower, or greater) shall comply with the 5-minute idling restriction identified in Section 2449(d)(2) of the California Air Resources Board's In-Use Off-Road Diesel regulation.
3. Heavy-duty, off-road diesel-fueled equipment (50 horsepower, or greater) shall be fitted with diesel particulate filters, per manufacturer's recommendations, or shall meet at minimum Tier 3 emissions standards. To the extent locally available, tier 4 should be used.
4. Signs shall be posted at the project site construction entrance to remind drivers and operators of the state's 5-minute idling limit.
5. To the extent available, replace fossil-fueled equipment with alternatively-fueled (e.g., natural gas) or electrically-driven equivalents.
6. Construction truck trips shall be scheduled, to the extent feasible, to occur during non-peak hours.
7. The burning of vegetative material shall be prohibited.

8. The proposed project shall comply with SJVAPCD Regulation VIII for the control of fugitive dust emissions. Regulation VIII can be obtained on the SJVAPCD's website at website URL: <https://www.valleyair.org/rules/1ruleslist.htm>. At a minimum, the following measures shall be implemented:
- a. All disturbed areas, including storage piles, which are not being actively utilized for construction purposes, shall be effectively stabilized of dust emissions using water, chemical stabilizer/suppressant, covered with a tarp or other suitable cover or vegetative ground cover.
 - b. All on-site unpaved roads and off-site unpaved access roads shall be effectively stabilized of dust emissions using water or chemical stabilizer/suppressant.
 - c. All land clearing, grubbing, scraping, excavation, land leveling, grading, cut & fill, and demolition activities shall be effectively controlled of fugitive dust emissions utilizing application of water or by presoaking.
 - d. With the demolition of buildings up to six stories in height, all exterior surfaces of the building shall be wetted during demolition.
 - e. When materials are transported off-site, all material shall be covered, or effectively wetted to limit visible dust emissions, and at least six inches of freeboard space from the top of the container shall be maintained.
 - f. All operations shall limit or expeditiously remove the accumulation of mud or dirt from adjacent public streets at the end of each workday. (The use of dry rotary brushes is expressly prohibited except where preceded or accompanied by sufficient wetting to limit the visible dust emissions.) (Use of blower devices is expressly forbidden.)
 - g. Following the addition of materials to, or the removal of materials from, the surface of outdoor storage piles, said piles shall be effectively stabilized of fugitive dust emissions utilizing sufficient water or chemical stabilizer/suppressant.
 - h. Within urban areas, trackout shall be immediately removed when it extends 50 or more feet from the site and at the end of each workday.
 - i. An owner/operator of any site with 150 or more vehicle trips per day, or 20 or more vehicle trips per day by vehicles with three or more axles shall implement measures to prevent carryout and trackout.
 - j. On-road vehicle speeds on unpaved surfaces of the project site shall be limited to 15 mph.
 - k. Sandbags or other erosion control measures shall be installed sufficient to prevent silt runoff to public roadways from sites with a slope greater than one percent.
 - l. Install wheel washers for all exiting trucks, or wash off all trucks and equipment leaving the site.
 - m. Install wind breaks at windward side(s) of construction areas.
 - n. Excavation and grading activities shall be suspended when winds exceed 20 mph (Regardless of wind speed, an owner/operator must comply with Regulation VIII's 20 percent opacity limitation).
 - o. Limit area subject to excavation, grading, and other construction activity at any one time.

Significance After Mitigation

Implementation of Mitigation Measure AQ-1 would include measures to ensure compliance with applicable regulatory requirements. The measures would reduce construction-generated emissions that could contribute to increased localized pollutant concentrations at nearby sensitive receptors. Some measures include requirements that heavy-duty off-road equipment is fitted with diesel-particulate filters or meets Tier 3 emissions standards. With mitigation, this impact would be considered **less than significant**.

Impact AQ-D. Would the project result in other emissions (such as those leading to odors) affecting a substantial number of people?

Other emissions potentially associated with the proposed project would be predominantly from the generation of odors during project construction. The occurrence and severity of odor impacts depend on numerous factors, including the nature, frequency, and intensity of the source; wind speed and direction; and the sensitivity of the receptors. While offensive odors rarely cause any physical harm, they still can be very unpleasant, leading to considerable distress among the public and often generating citizen complaints to local governments and regulatory agencies.

The construction of the proposed project would involve the use of a variety of gasoline or diesel-powered equipment that would emit exhaust fumes. Exhaust fumes, particularly diesel exhaust, may be considered objectionable by some people. In addition, pavement coatings and architectural coatings used during project construction would also emit temporary odors. However, construction-generated emissions would occur intermittently throughout the workday and would dissipate rapidly within increasing distance from the source. As a result, short-term construction activities would not expose a substantial number of people to frequent odorous emissions. In addition, no major sources of odors have been identified in the project area. This impact would be considered **less than significant**.

GREENHOUSE GASES AND CLIMATE CHANGE

EXISTING SETTING

To fully understand global climate change, it is important to recognize the naturally occurring “greenhouse effect” and to define the greenhouse gases (GHGs) that contribute to this phenomenon. Various gases in the earth’s atmosphere, classified as atmospheric GHGs, play a critical role in determining the earth’s surface temperature. Solar radiation enters the earth’s atmosphere from space and a portion of the radiation is absorbed by the earth’s surface. The earth emits this radiation back toward space, but the properties of the radiation change from high-frequency solar radiation to lower-frequency infrared radiation. Greenhouse gases, which are transparent to solar radiation, are effective in absorbing infrared radiation. As a result, this radiation that otherwise would have escaped back into space is now retained, resulting in a warming of the atmosphere. This phenomenon is known as the greenhouse effect. Among the prominent GHGs contributing to the greenhouse effect are carbon dioxide, methane, nitrous oxide, hydrofluorocarbons, perfluorocarbons, and sulfur hexafluoride. Primary GHGs attributed to global climate change, are discussed, as follows:

- **Carbon Dioxide.** Carbon dioxide (CO₂) is a colorless, odorless gas. CO₂ is emitted in a number of ways, both naturally and through human activities. The largest source of CO₂ emissions globally is the combustion of fossil fuels such as coal, oil, and gas in power plants, automobiles, industrial facilities, and other sources. A number of specialized industrial production processes and product uses such as mineral production, metal production, and the use of petroleum-based products can also lead to CO₂ emissions. The atmospheric lifetime of CO₂ is variable because it is so readily exchanged in the atmosphere (U.S. EPA 2018).
- **Methane.** Methane (CH₄) is a colorless, odorless gas that is not flammable under most circumstances. CH₄ is the major component of natural gas, about 87 percent by volume. It is also formed and released into the atmosphere by biological processes occurring in anaerobic environments. CH₄ is emitted from a variety of both human-related and natural sources. Human-related sources include fossil fuel production, animal husbandry (enteric fermentation in livestock and manure management), rice cultivation, biomass burning, and waste management. These activities release significant quantities of CH₄ into the atmosphere. Natural sources of CH₄ include wetlands, gas hydrates, permafrost, termites, oceans, freshwater bodies, non-wetland soils, and other sources such as wildfires. CH₄ atmospheric lifetime is about 12 years (U.S. EPA 2018).
- **Nitrous Oxide.** Nitrous oxide (N₂O) is a clear, colorless gas with a slightly sweet odor. N₂O is produced by both natural and human-related sources. Primary human-related sources of N₂O are agricultural soil management, animal manure management, sewage treatment, mobile and stationary combustion of fossil fuels, acid production, and nitric acid production. N₂O is also produced naturally from a wide variety of biological sources in soil and water, particularly microbial action in wet tropical forests. The atmospheric lifetime of N₂O is approximately 114 years (U.S. EPA 2018).
- **Hydrofluorocarbons.** Hydrofluorocarbons (HFCs) are man-made chemicals, many of which have been developed as alternatives to ozone-depleting substances for industrial, commercial, and consumer products. The only significant emissions of HFCs before 1990 were of the chemical HFC-23, which is generated as a byproduct of the production of HCFC-22 (or Freon 22, used in air conditioning applications). The atmospheric lifetime for HFCs varies from just over a year for HFC-152a to 270 years for HFC-23. Most of the commercially used HFCs have atmospheric lifetimes of less than 15 years (e.g., HFC-134a, which is used in automobile air conditioning and refrigeration, has an atmospheric life of 14 years) (U.S. EPA 2018).
- **Perfluorocarbons.** Perfluorocarbons (PFCs) are colorless, highly dense, chemically inert, and nontoxic. There are seven PFC gases: perfluoromethane (CF₄), perfluoroethane (C₂F₆), perfluoropropane (C₃F₈), perfluorobutane (C₄F₁₀), perfluorocyclobutane (C₄F₈), perfluoropentane (C₅F₁₂), and perfluorohexane (C₆F₁₄). Natural geological emissions have been responsible for the PFCs that have accumulated in the atmosphere in the past; however, the largest current source is aluminum production, which releases CF₄ and C₂F₆ as byproducts. The estimated atmospheric lifetimes for PFCs ranges from 2,600 to 50,000 years (U.S. EPA 2018).

- **Nitrogen Trifluoride.** Nitrogen trifluoride (NF₃) is an inorganic, colorless, odorless, toxic, nonflammable gas used as an etchant in microelectronics. NF₃ is predominantly employed in the cleaning of the plasma-enhanced chemical vapor deposition chambers in the production of liquid crystal displays and silicon-based thin-film solar cells. It has a global warming potential of 16,100 carbon dioxide equivalents (CO₂e). While NF₃ may have a lower global warming potential than other chemical etchants, it is still a potent GHG. In 2009, NF₃ was listed by California as a high global warming potential GHG to be listed and regulated under AB 32 (Section 38505 Health and Safety Code).
- **Sulfur Hexafluoride.** Sulfur hexafluoride (SF₆) is an inorganic compound that is colorless, odorless, non-toxic, and generally non-flammable. SF₆ is primarily used as an electrical insulator in high voltage equipment. The electric power industry uses roughly 80 percent of all SF₆ produced worldwide. Leaks of SF₆ occur from aging equipment and during equipment maintenance and servicing. SF₆ has an atmospheric life of 3,200 years (U.S. EPA 2018).
- **Black Carbon.** Black carbon is the strongest light-absorbing component of PM emitted from burning fuels such as coal, diesel, and biomass. Black carbon contributes to climate change both directly by absorbing sunlight and indirectly by depositing on snow and by interacting with clouds and affecting cloud formation. Black carbon is considered a short-lived species, which can vary spatially and, consequently, it is very difficult to quantify associated global-warming potentials. The main sources of black carbon in California are wildfires, off-road vehicles (locomotives, marine vessels, tractors, excavators, dozers, etc.), on-road vehicles (cars, trucks, and buses), fireplaces, agricultural waste burning, and prescribed burning (planned burns of forest or wildlands) (U.S. EPA 2018).

Each GHG differs in its ability to absorb heat in the atmosphere based on the lifetime, or persistence, of the gas molecule in the atmosphere. Often, estimates of GHG emissions are presented in CO₂e, which weighs each gas by its global warming potential (GWP). Expressing GHG emissions in CO₂e takes the contribution of all GHG emissions to the greenhouse effect and converts them to a single unit equivalent to the effect that would occur if only CO₂ were being emitted. Table GHG-1 provides a summary of the GWP for GHG emissions of typical concern with regard to community development projects, based on a 100-year time horizon. As indicated, CH₄ traps over 28-36 times more heat per molecule than CO₂ and N₂O absorbs roughly 265-298 times more heat per molecule than CO₂. Additional GHG with high GWP include NF₃, SF₆, PFCs, and black carbon.

Table GHG-1. Global Warming Potential for Greenhouse Gases

Greenhouse Gas	Global Warming Potential (100-year)
Carbon Dioxide (CO ₂)	1
Methane (CH ₄)	28-36
Nitrous Dioxide (N ₂ O)	265-298


Source: EPA 2020

SOURCES OF GHG EMISSIONS

On a global scale, GHG emissions are predominantly associated with activities related to energy production; changes in land use, such as deforestation and land clearing; industrial sources; agricultural activities; transportation; waste and wastewater generation; and commercial and residential land uses. Worldwide, energy production including the burning of coal, natural gas, and oil for electricity and heat is typically considered the largest single source of global GHG emissions.

In 2018, GHG emissions within California totaled 425 million metric tons of carbon dioxide equivalents (MMTCO₂e). Within California, the transportation sector is the largest contributor, accounting for roughly 40 percent of the total state-wide GHG emissions. Emissions associated with the industrial sector are the second-largest contributor, totaling approximately 21 percent. Emissions from in-state electricity generation, imported electricity, agriculture & forestry, residential, and commercial uses constitute the remaining major sources of GHG emissions. In comparison to the year 2017 emissions inventory, overall GHG emissions in California increased by 0.8 MMTCO₂e. The State of California GHG emissions inventory for year 2018, by sector, is depicted in Figure GHG-1 (ARB 2021).

Figure GHG-1. State of California Greenhouse Gases Emissions Inventory by Sector



This figure breaks out 2018 emissions by sector into an additional level of sub-sector categories.

* The transportation sector represents tailpipe emissions from on-road vehicles and direct emissions from other off-road mobile sources. It does not include emissions from petroleum refineries and oil extraction and production, which are included in the industrial sector.

Source: ARB 2021

Short-Lived Climate Pollutants


Short-lived climate pollutants (SLCPs), such as black carbon, fluorinated gases, and CH₄ also have a dramatic effect on climate change. Though short-lived, these pollutants create a warming influence on the climate that is many times more potent than that of CO₂.

As part of the ARB's efforts to address SLCPs, the ARB has developed a statewide emission inventory for black carbon. The black carbon inventory will help support the implementation of the SLCP Strategy, but it is not part of the State's GHG Inventory that tracks progress towards the State's climate targets. The most recent inventory is for year 2013 conditions and depicted in Figure GHG-2. As depicted, off-road mobile sources account for a majority of black carbon emissions totaling roughly 36 percent of the inventory. Other major anthropogenic sources of black carbon include on-road transportation, residential wood burning, fuel combustion, and industrial processes (ARB 2015).

EFFECTS OF GLOBAL CLIMATE CHANGE

There are uncertainties as to exactly what the climate changes will be in various local areas of the earth. There are also uncertainties associated with the magnitude and timing of other consequences of a warmer planet: sea level rise, spread of certain diseases out of their usual geographic range, the effect on agricultural production, water supply, sustainability of ecosystems, increased strength and frequency of storms, extreme heat events, increased air pollution episodes, and the consequence of these effects on the economy.

Figure GHG-2. California Black Carbon Emissions Inventory (Year 2013)



Source: ARB 2015

Within California, climate changes would likely alter the ecological characteristics of many ecosystems throughout the state. Such alterations would likely include increases in surface temperatures and changes in the form, timing, and intensity of precipitation. For instance, historical records are depicting an increasing trend toward earlier snowmelt in the Sierra Nevada. This snowpack is a principal supply of water for the state, providing roughly 50 percent of the state's annual runoff. If this trend continues, some areas of the state may experience an increased danger of floods during the winter months and possible exhaustion of the snowpack during the spring and summer months. Earlier snowmelt would also impact the State's energy resources. In 2019, approximately 19 percent of California's electricity came from hydropower (CEC 2020). Early exhaustion of the Sierra snowpack may force electricity producers to switch to more costly or non-renewable forms of electricity generation during the spring and summer months. A changing climate may also impact agricultural crop yields, coastal structures, and biodiversity. As a result, changes in climate will likely have detrimental effects on some of California's largest industries, including agriculture, wine, tourism, skiing, recreational and commercial fishing, and forestry (ARB 2017a).

REGULATORY FRAMEWORK

FEDERAL

Executive Order 13514

Executive Order (EO) 13514 is focused on reducing GHGs internally in federal agency missions, programs, and operations. In addition, the EO directs federal agencies to participate in the Interagency Climate Change Adaptation Task Force, which is engaged in developing a national strategy for adaptation to climate change.

On April 2, 2007, in *Massachusetts v. U.S. EPA*, 549 U.S. 497 (2007), the Supreme Court found that GHGs are air pollutants covered by the FCAA and that the U.S. EPA has the authority to regulate GHG. The Court held that the U.S. EPA Administrator must determine whether or not emissions of GHGs from new motor vehicles cause or contribute to air pollution which may reasonably be anticipated to endanger public health or welfare, or whether the science is too uncertain to make a reasoned decision.

On December 7, 2009, the U.S. EPA Administrator signed two distinct findings regarding GHGs under section 202(a) of the Clean Air Act:

- **Endangerment Finding:** The Administrator found that the current and projected concentrations of the six key well-mixed GHGs (CO₂, CH₄, N₂O, HFCs, PFCs, and SF₆) in the atmosphere threaten public health and welfare of current and future generations.
- **Cause or Contribute Finding:** The Administrator found that the combined emissions of these well-mixed GHGs from new motor vehicles and new motor vehicle engines contribute to the GHG pollution which threatens public health and welfare.

Although these findings did not themselves impose any requirements on industry or other entities, this action was a prerequisite to finalizing the U.S. EPA's Proposed Greenhouse Gas Emission Standards for Light-Duty Vehicles, which was published on September 15, 2009. On May 7, 2010, the final Light-Duty Vehicle Greenhouse Gas Emissions Standards and Corporate Average Fuel Economy Standards (CAFE) was published in the Federal Register.

U.S. EPA and the National Highway Traffic Safety Administration (NHTSA) are taking coordinated steps to enable the production of a new generation of clean vehicles with reduced GHG emissions and improved fuel efficiency from on-road vehicles and engines. These next steps include developing the first-ever GHG regulations for heavy-duty engines and vehicles, as well as additional light-duty vehicle GHG regulations. These steps were outlined by President Obama in a Presidential Memorandum on May 21, 2010.

The final combined U.S. EPA and NHTSA standards that make up the first phase of this national program apply to passenger cars, light-duty trucks, and medium-duty passenger vehicles, covering model years 2012 through 2016. The standards require these vehicles to meet an estimated combined average emissions level of 250 grams of CO₂ per mile (the equivalent to 35.5 miles per gallon if the automobile industry were to meet this CO₂ level solely through fuel economy improvements). Together, these standards will cut GHG emissions by an estimated 960 MMTCO₂e and 1.8 billion barrels of oil over the lifetime of the vehicles sold under the program (model years 2012-2016). On August 28, 2012, U.S. EPA and NHTSA issued their joint rule to extend this national program of coordinated GHG and fuel economy standards to model years 2017 through 2025 passenger vehicles.

STATE

Assembly Bill 1493

AB 1493 (Pavley) of 2002 (Health and Safety Code Sections 42823 and 43018.5) requires the ARB to develop and adopt the nation's first GHG emission standards for automobiles. These standards are also known as Pavley I. The California Legislature declared in AB 1493 that global warming is a matter of increasing concern for public health and the environment. It cites several risks that California faces from climate change, including a reduction in the state's water supply; an increase in air pollution caused by higher temperatures; harm to agriculture; an increase in wildfires; damage to the coastline; and economic losses caused by higher food, water, energy, and insurance prices. The bill also states that technological solutions to reduce GHG emissions would stimulate California's economy and provide jobs. In 2004, the State of California submitted a request for a waiver from federal clean air regulations, as the State is authorized to do under the FCAA, to allow the State to require reduced tailpipe emissions of CO₂. In late 2007, the U.S. EPA denied California's waiver request and declined to promulgate adequate federal regulations limiting GHG emissions. In early 2008, the State brought suit against the U.S. EPA related to this denial.

In January 2009, President Obama instructed the U.S. EPA to reconsider the Bush Administration's denial of California's and 13 other states' requests to implement global warming pollution standards for cars and trucks. In June 2009, the U.S. EPA granted California's waiver request, enabling the State to enforce its GHG emissions standards for new motor vehicles beginning with the current model year.

In 2009, President Obama announced a national policy aimed at both increasing fuel economy and reducing GHG pollution for all new cars and trucks sold in the US. The new standards would cover model years 2012 to 2016 and would raise passenger vehicle fuel economy to a fleet average of 35.5 miles per gallon by 2016.

Executive Order No. S-3-05

EO S-3-05 (State of California) proclaims that California is vulnerable to the impacts of climate change. It declares that increased temperatures could reduce the Sierra's snowpack, further exacerbate California's air quality problems, and potentially cause a rise in sea levels. To combat those concerns, the EO established total GHG emission targets. Specifically, emissions are to be reduced to the 2000 level by 2010, to the 1990 level by 2020, and 80 percent below the 1990 level by 2050.

The EO directed the secretary of the California Environmental Protection Agency (CalEPA) to coordinate a multi-agency effort to reduce GHG emissions to the target levels. The secretary will also submit biannual reports to the governor and state legislature describing (1) progress made toward reaching the emission targets, (2) impacts of global warming on California's resources, and (3) mitigation and adaptation plans to combat these impacts. To comply with the EO, the secretary of CalEPA created a Climate Action Team made up of members from various state agencies and commissions. The Climate Action Team released its first report in March 2006 and continues to release periodic reports on progress. The report proposed to achieve the targets by building on voluntary actions of California businesses, local government, and community actions, as well as through state incentive and regulatory programs.

Assembly Bill 32 - California Global Warming Solutions Act of 2006

AB 32 (Health and Safety Code Sections 38500, 38501, 28510, 38530, 38550, 38560, 38561–38565, 38570, 38571, 38574, 38580, 38590, 38592–38599) requires that statewide GHG emissions be reduced to 1990 levels by the year 2020. The gases that are regulated by AB 32 include CO₂, CH₄, N₂O, HFCs, PFCs, NF₃, and SF₆. The reduction to 1990 levels will be accomplished through an enforceable statewide cap on GHG emissions that will be phased in starting in 2012. To effectively implement the cap, AB 32 directs ARB to develop and implement regulations to reduce statewide GHG emissions from stationary sources. AB 32 specifies that regulations adopted in response to AB 1493 should be used to address GHG emissions from vehicles. However, AB 32 also includes language stating that if the AB 1493 regulations cannot be implemented, then ARB should develop new regulations to control vehicle GHG emissions under the authorization of AB 32.

AB 32 requires that ARB adopt a quantified cap on GHG emissions representing 1990 emissions levels and disclose how it arrives at the cap, institute a schedule to meet the emissions cap, and develop tracking, reporting, and enforcement mechanisms to ensure that the state achieves reductions in GHG emissions necessary to meet the cap. AB 32 also includes guidance to institute emissions reductions in an economically efficient manner and conditions to ensure that businesses and consumers are not unfairly affected by the reductions (ARB 2016).

Climate Change Scoping Plan

In October 2008, ARB published its *Climate Change Proposed Scoping Plan*, which is the State's plan to achieve GHG reductions in California required by AB 32. This initial Scoping Plan contained the main strategies to be implemented in order to achieve the target emission levels identified in AB 32. The Scoping Plan included ARB-recommended GHG reductions for each emissions sector of the state's GHG inventory. The largest proposed GHG reduction recommendations were associated with improving emissions standards for light-duty vehicles, implementing the Low Carbon Fuel Standard program, implementation of energy efficiency measures in buildings and appliances, and the widespread development of combined heat and power systems, and developing a renewable portfolio standard for electricity production.

The Scoping Plan states that land use planning and urban growth decisions will play important roles in the state's GHG reductions because local governments have primary authority to plan, zone, approve, and permit how land is developed to accommodate population growth and the changing needs of their jurisdictions. ARB further acknowledges that decisions on how land is used will have large impacts on the GHG emissions that will result from the transportation, housing, industry, forestry, water, agriculture, electricity, and natural gas emissions sectors. With regard to land use planning, the Scoping Plan expects approximately 5.0 MMTCO_{2e} will be achieved associated with the implementation of Senate Bill (SB) 375, which is discussed further below.

The initial Scoping Plan was first approved by ARB on December 11, 2008, and is updated every 5 years. The first update of the Scoping Plan was approved by the ARB on May 22, 2014, which looked past 2020 to set mid-term goals (2030-2035) on the road to reaching the 2050 goals. The most recent update released by ARB is the *2017 Climate Change Scoping Plan*, which was released in November 2017. The *2017 Climate Change Scoping Plan* incorporates strategies for achieving the 2030 GHG-reduction target established in SB 32 and EO B-30-15 (ARB 2014).

Senate Bill 1078 and Governor's Order S-14-08 (California Renewables Portfolio Standards)

SB 1078 (Public Utilities Code Sections 387, 390.1, 399.25, and Article 16) addresses electricity supply and requires that retail sellers of electricity, including investor-owned utilities and community choice aggregators, provide a minimum of 20 percent of their supply from renewable sources by 2017. This SB will affect statewide GHG emissions associated with electricity generation. In 2008, Governor Schwarzenegger signed EO S-14-08, which set the Renewables Portfolio Standard target to 33 percent by 2020. It directed state government agencies and retail sellers of electricity to take all appropriate actions to implement this target. EO S-14-08 was later superseded by EO S-21-09 on September 15, 2009. EO S-21-09 directed the ARB to adopt regulations requiring 33 percent of electricity sold in the State to come from renewable energy by 2020. Statute SB X1-2 superseded this EO in 2011, which obligated all California electricity providers, including investor-owned utilities and publicly owned utilities, to obtain at least 33 percent of their energy from renewable electrical generation facilities by 2020.

ARB is required by current law, AB 32 of 2006, to regulate sources of GHGs to meet a state goal of reducing GHG emissions to 1990 levels by 2020 and an 80 percent reduction of 1990 levels by 2050. The California Energy Commissions and California Public Utilities Commission serve in advisory roles to help ARB develop the regulations to administer the 33 percent by 2020 requirement. ARB is also authorized to increase the target and accelerate and expand the time frame.

Mandatory Reporting of GHG Emissions

The California Global Warming Solutions Act (AB 32, 2006) requires the reporting of GHGs by major sources to the ARB. Major sources required to report GHG emissions include industrial facilities, suppliers of transportation fuels, natural gas, natural gas liquids, liquefied petroleum gas, and carbon dioxide, operators of petroleum and natural gas systems, and electricity retail providers and marketers.

Cap-and-Trade Regulation

The cap-and-trade regulation is a key element in California's climate plan. It sets a statewide limit on sources responsible for 85 percent of California's GHG emissions and establishes a price signal needed to drive long-term investment in cleaner fuels and more efficient use of energy. The cap-and-trade rules came into effect on January 1, 2013, and apply to large electric power plants and large industrial plants. In 2015, fuel distributors, including distributors of heating and transportation fuels, also became subject to the cap-and-trade rules. At that stage, the program will encompass around 360 businesses throughout California and nearly 85 percent of the state's total GHG emissions.

Under the cap-and-trade regulation, companies must hold enough emission allowances to cover their emissions and are free to buy and sell allowances on the open market. California held its first auction of GHG allowances on November 14, 2012. California's GHG cap-and-trade system is projected to reduce GHG emissions to 1990 levels by the year 2020 and would achieve an approximate 80 percent reduction from 1990 levels by 2050.

Senate Bill 32

SB 32 was signed by Governor Brown on September 8, 2016. SB 32 effectively extends California's GHG emission-reduction goals from year 2020 to year 2030. This new emission-reduction target of 40 percent below 1990 levels by 2030 is intended to promote further GHG reductions in support of the State's ultimate goal of reducing GHG emissions by 80 percent below 1990 levels by 2050. SB 32 also directs the ARB to update the Climate Change Scoping Plan to address this interim 2030 emission-reduction target.

Senate Bill 375

SB 375 requires Metropolitan Planning Organizations (MPOs) to adopt a sustainable communities strategy (SCS) or alternative planning strategy (APS) that will address land-use allocation in that MPOs regional transportation plan. ARB, in consultation with MPOs, establishes regional reduction targets for GHGs emitted by passenger cars and light trucks for the years 2020 and 2035. These reduction targets will be updated every 8 years but can be updated every 4 years if advancements in emissions technologies affect the reduction strategies to achieve the targets. ARB is also charged with reviewing each MPO's SCS or APS for consistency

with its assigned targets. If MPOs do not meet the GHG reduction targets, funding for transportation projects may be withheld.

California Building Code

The California Building Code (CBC) contains standards that regulate the method of use, properties, performance, or types of materials used in the construction, alteration, improvement, repair, or rehabilitation of a building or other improvement to real property. The CBC is adopted every 3 years by the Building Standards Commission (BSC). In the interim, the BSC also adopts annual updates to make necessary mid-term corrections. The CBC standards apply statewide; however, a local jurisdiction may amend a CBC standard if it makes a finding that the amendment is reasonably necessary due to local climatic, geological, or topographical conditions (BSC 2016).

Green Building Standards

In essence, green buildings standards are indistinguishable from any other building standards. Both standards are contained in the CBC and regulate the construction of new buildings and improvements. The only practical distinction between the two is that whereas the focus of traditional building standards has been protecting public health and safety, the focus of green building standards is to improve environmental performance.

AB 32, which mandates the reduction of GHG emissions in California to 1990 levels by 2020, increased the urgency around the adoption of green building standards. In its scoping plan for the implementation of AB 32, ARB identified energy use as the second largest contributor to California's GHG emissions, constituting roughly 25 percent of all such emissions. In recommending a green building strategy as one element of the scoping plan, ARB estimated that green building standards would reduce GHG emissions by approximately 26 MMTCO_{2e} by 2020. The green buildings standards were most recently updated in 2016.

Senate Bill 97

SB 97 was enacted in 2007. SB 97 required the Office of Planning and Research (OPR) to develop, and the Natural Resources Agency to adopt, amendments to the CEQA Guidelines addressing the analysis and mitigation of GHG emissions. Those CEQA Guidelines amendments clarified several points, including the following:

- Lead agencies must analyze the GHG emissions of proposed projects and must reach a conclusion regarding the significance of those emissions.
- When a project's GHG emissions may be significant, lead agencies must consider a range of potential mitigation measures to reduce those emissions.
- Lead agencies must analyze potentially significant impacts associated with placing projects in hazardous locations, including locations potentially affected by climate change.
- Lead agencies may significantly streamline the analysis of GHGs on a project level by using a programmatic GHG emissions reduction plan meeting certain criteria.
- CEQA mandates analysis of a proposed project's potential energy use (including transportation-related energy), sources of energy supply and ways to reduce energy demand, including through the use of efficient transportation alternatives.

Short-Lived Climate Pollutant Reduction Strategy

In March 2017, the ARB adopted the *Short-Lived Climate Pollutant Reduction Strategy* establishing a path to decrease GHG emissions and displace fossil-based natural gas use. Strategies include avoiding landfill CH₄ emissions by reducing the disposal of organics through edible food recovery, composting, in-vessel digestion, and other processes; and recovering CH₄ from wastewater treatment facilities, and manure CH₄ at dairies, and using the CH₄ as a renewable source of natural gas to fuel vehicles or generate electricity. The *SLCP Strategy* also identifies steps to reduce natural gas leaks from oil and gas wells, pipelines, valves, and pumps to improve safety, avoid energy losses, and reduce methane emissions associated with natural gas use. Lastly, the *SLCP Strategy* also identifies measures that can reduce HFC emissions at national and international levels, in addition to State-level action that includes an incentive program to encourage the use of low-GWP refrigerants, and limitations on the use of high-GWP refrigerants in new refrigeration and air-conditioning equipment (ARB 2017a).

EMFAC Off-Model Adjustment Factors for Carbon Dioxide (CO₂) Emissions to Account for the SAFE Vehicles Rule Part One and the Final SAFE Rule

On September 27, 2019, the U.S. EPA and the NHTSA published The SAFE Vehicles Part One Rule that revokes California's authority to set its own GHG emissions standards and set zero-emission vehicle mandates in California.

In April 2020, the U.S. EPA and the NHTSA issued the SAFE Vehicles Rule for Model Years 2021-2026 Passenger Cars and Light Trucks (Final SAFE Rule) that relaxed federal GHG emissions and CAFE standards.

SAN JOAQUIN VALLEY AIR POLLUTION CONTROL DISTRICT

SJVAPCD Climate Change Action Plan

On August 21, 2008, the SJVAPCD Governing Board approved the SJVAPCD's *Climate Change Action Plan* with the following goals and actions:

Goals:

- Assist local land-use agencies with CEQA issues relative to projects with GHG emissions increases.
- Assist Valley businesses in complying with mandates of AB 32.
- Ensure that climate protection measures do not cause an increase in toxic or criteria pollutants that adversely impact public health or environmental justice communities.

Actions:

- Authorize the Air Pollution Control Officer to develop GHG significance threshold(s) or other mechanisms to address CEQA projects with GHG emissions increases. Begin the requisite public process, including public workshops, and develop recommendations for Governing Board consideration in the spring of 2009.
- Authorize the Air Pollution Control Officer to develop necessary regulations and instruments for establishment and administration of the San Joaquin Valley Carbon Exchange Bank for voluntary GHG reductions created in the Valley. Begin the requisite public process, including public workshops, and develop recommendations for Governing Board consideration in spring 2009.
- Authorize the Air Pollution Control Officer to enhance the SJVAPCD's existing criteria pollutant emissions inventory reporting system to allow businesses subject to AB 32 emission reporting requirements to submit simultaneous streamlined reports to the SJVAPCD and the state of California with minimal duplication.
- Authorize the Air Pollution Control Officer to develop and administer voluntary GHG emission reduction agreements to mitigate proposed GHG increases from new projects.
- Direct the Air Pollution Control Officer to support climate protection measures that reduce GHG emissions as well as toxic and criteria pollutants. Oppose measures that result in a significant increase in toxic or criteria pollutant emissions in already impacted areas.

SJVAPCD CEQA Greenhouse Gas Guidance.

On December 17, 2009, the SJVAPCD Governing Board adopted "Guidance for Valley Land-use Agencies in Addressing GHG Emission Impacts for New Projects under CEQA" and the policy, "District Policy—Addressing GHG Emission Impacts for Stationary Source Projects Under CEQA When Serving as the Lead Agency." The SJVAPCD concluded that the existing science is inadequate to support the quantification of the impacts that project-specific GHG emissions have on global climatic change. The SJVAPCD found the effects of project-specific emissions to be cumulative, and without mitigation, that their incremental contribution to global climatic change could be considered cumulatively considerable. The SJVAPCD found that this cumulative impact is best addressed by requiring all projects to reduce their GHG emissions, whether through project design elements or mitigation.

The SJVAPCD's approach is intended to streamline the process of determining if project-specific GHG emissions would have a significant effect. Projects exempt from the requirements of CEQA, and projects complying with an approved plan or mitigation program would be determined to have a less than significant cumulative impact. Such plans or programs must be specified in law or adopted by the public agency with jurisdiction over the affected resources and have a certified final CEQA document.

Best performance standards (BPS) would be established according to performance-based determinations. Projects complying with BPS would not require specific quantification of GHG emissions and would be determined to have a less than significant cumulative impact for GHG emissions. Projects not complying with BPS would require quantification of GHG emissions and demonstration that GHG emissions have been reduced or mitigated by 29 percent, as targeted by ARB's AB 32 Scoping Plan. Furthermore, quantification of GHG emissions would be required for all projects for which the lead agency has determined that an Environmental Impact Report is required, regardless of whether the project incorporates BPS.

For stationary source permitting projects, BPS are "the most stringent of the identified alternatives for control of GHG emissions, including the type of equipment, design of equipment and operational and maintenance practices, which are achieved-in-practice for the identified service, operation, or emissions unit class." For development projects, BPS are "any combination of identified GHG emission reduction measures, including project design elements and land use decisions that reduce project-specific GHG emission reductions by at least 29 percent compared with business as usual (BAU)." The SJVAPCD proposes to create a list of all approved BPS to help in the determination as to whether a proposed project has reduced its GHG emissions by 29 percent.

IMPACTS & MITIGATION MEASURES

METHODOLOGY

Short-term Impacts

Short-term emissions were quantified using the CalEEMod computer program based on estimated acreages and building square footage for the proposed project. Other modeling assumptions, including construction equipment requirements, hours of use, worker, and vendor vehicle trips, trip distances, and fleet mix were based on model defaults for the County of Fresno. The SJVAPCD has not provided guidance on what the amortization period for individual projects should be. However, other air districts in California have identified recommended amortization periods for construction activities. For instance, the South Coast Air Quality Management District (SCAQMD) recommends a period of 30 years (SCAQMD 2008). In contrast, the San Luis Obispo County Air Pollution Control District (SLOAPCD) recommends a 50-year period for residential projects and a 25-year period for non-residential or commercial projects (SLOAPCD 2012). To be conservative, the SLOAPCD 25-year amortization period is utilized in this analysis.

Long-term Impacts

Long-term operational GHG emissions were calculated using the CalEEMod computer program. Emissions modeling included quantification of emissions associated with area sources, energy use, and mobile sources. Trip-generation rates for the proposed land use were derived from the *Traffic Impact Study* prepared for the proposed project (PEG 2021). Mobile-source emissions were conservatively based on the default fleet distribution assumptions contained in the model and include mobile-source emission adjustments to account for the Final SAFE Vehicles Rule. Emission modeling files are provided in Appendix A.

THRESHOLDS OF SIGNIFICANCE

In accordance with Appendix G of the CEQA Guidelines Initial Study Checklist, a project would be considered to have a significant impact to climate change if it would:

- a) Generate GHG emissions, either directly or indirectly, that may have a significant impact on the environment; or,
- b) Conflict with any applicable plan, policy or regulation of an agency adopted for the purpose of reducing the emissions of GHGs.

San Joaquin Valley Air Pollution Control District

In accordance with the SJVAPCD's *Guidance for Valley Land-use Agencies in Addressing GHG Emission Impacts for New Projects Under CEQA* (SJVAPCD 2009), a project would be considered to have a less than significant impact on climate change if it would comply with at least one of the following criteria:

- Comply with an approved GHG emission reduction plan or GHG mitigation program which avoids or substantially reduces GHG emissions within the geographic area in which the project is located. Such plans or programs must be specified in law or approved by the lead agency with jurisdiction over the affected resource and supported by a CEQA compliant environmental review document adopted by the lead agency, or
- Implement approved best performance standards, or
- Quantify project GHG emissions and reduce those emissions by at least 29 percent compared to BAU.

The SJVAPCD has not yet adopted BPS for development projects. The quantification of project-generated GHG emissions in comparison to BAU conditions to determine consistency with AB 32's reduction goals is considered appropriate in some instances. However, based on the California Supreme Court's decision in *Center for Biological Diversity v. California Department of Fish and Wildlife and Newhall Land and Farming (2015) 224 Cal.App.4th 1105 (CBD vs. CDFW; also known as the "Newhall Ranch case")*, substantial evidence would need to be provided to document that project-level reductions in comparison to a BAU approach would be consistent with achieving AB 32's overall statewide reduction goal. Given that AB 32's statewide goal includes reductions that are not necessarily related to an individual development project, the use of this approach may be difficult to support given the lack of substantial evidence to adequately demonstrate a link between the data contained in the AB 32 Scoping Plan and individual development projects. Alternatively, the Court identified potential options for evaluating GHG impacts for individual development projects, which included the use of GHG efficiency metrics. In general, GHG efficiency metrics can be used to assess the GHG efficiency of an individual project based on a per capita basis or on a service population basis.

The analysis was compared to a calculated GHG efficiency threshold based on the SB 32 GHG emission reduction goals, which take into consideration the emission reduction strategies outlined in ARB's Scoping Plan. The efficiency threshold was calculated based on ARB's GHG emissions inventory identified in the 2017 Climate Change Scoping Plan Update. Emissions sectors that do not apply to the proposed project (i.e., agriculture, residential, commercial, and industrial) were excluded from the calculation. The total GHG emissions target for the land use sectors applicable to the proposed project were then divided by the projected service population (SP) (i.e., the sum of the population and employment in California) for the future year 2030 conditions. The service population was calculated based on the most current population and employment projections derived from the California Department of Finance Demographic Research Unit and 2017 Climate Change Scoping Plan, respectively (DOF 2021, ARB 2017b). As shown in Table GHG-2, project-generated GHG emissions that would exceed the calculated efficiency threshold of 2.3 MTCO₂e/SP/year would be considered to have a potentially significant impact on the environment that could conflict with GHG-reduction planning efforts. To be conservative, amortized construction-generated GHG emissions were included in the annual operational GHG emissions estimates.

Table GHG-2. Project-Level GHG Efficiency Threshold Calculation

	Year 2030
Land Use Sectors GHG Emissions Target (CO ₂ e) ¹	149,000,000
Population	41,860,549
Employment	23,459,500
Service Population (SP)	65,320,049
GHG Efficiency Threshold (MTCO ₂ e/SP/yr)	2.3
GHG = Greenhouse gas; CO ₂ e = Carbon dioxide equivalent; SP = Service population; MTCO ₂ e = Metric tons of carbon dioxide equivalent; yr = Year 1. Based on ARB 2017 Climate Scoping Plan Update/SB 32 Scoping Plan Emissions Sector targets. Does not include the agriculture, residential, commercial, and industrial sector. As well as the cap-and-trade program.	

PROJECT IMPACTS

Impact GHG-A. Would the project generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?

Estimated GHG emissions attributable to future development would be primarily associated with increases of CO₂ from mobile sources. To a lesser extent, other GHG pollutants, such as CH₄ and N₂O, would also be generated. Short-term and long-term GHG emissions associated with the development of the proposed project are discussed in greater detail, as follows:

Short-term Greenhouse Gas Emissions

Estimated increases in GHG emissions associated with the construction of the proposed project are summarized in Table GHG-3. Based on the modeling conducted, construction-related GHG emissions would total approximately 695.4 MTCO_{2e}. Amortized GHG emissions, when averaged over the conservative assumption of a 25-year project life would total approximately 27.8 MTCO_{2e}/year. Actual emissions may vary, depending on the final construction schedules, equipment required, and activities conducted. Amortized construction-generated GHG emissions are included in the operational GHG emissions impact discussion provided below.

Table GHG-3. Construction-Generated GHG Emissions without Mitigation

Construction Year	GHG Emissions (MTCO _{2e} /Year)
2021	184.9
2022	369.8
2023	140.6
Construction Total:	695.4
Amortized Construction Emissions:	27.8

MTCO_{2e} = Metric tons of carbon dioxide equivalent
Amortized emissions are quantified based on 25-year project life.

Long-term Greenhouse Gas Emissions

Estimated long-term increases in GHG emissions associated with the proposed project are summarized in Table GHG-4. As depicted, operational GHG emissions for the proposed project, with the inclusion of amortized construction GHGs, would total approximately 2,765.3 MTCO_{2e}/year. A majority of the operational GHG emissions would be associated with energy use and the operation of motor vehicles. To a lesser extent, GHG emissions would be associated with live fire training, solid waste generation, and water use. Project-generated GHG emissions are projected to decrease in future years due largely to improvements in energy efficiency and vehicle fleet emissions. Based on the modeling conducted an estimated 320 SP (i.e., 270 students and 50 employees) was used to calculate the GHG efficiency. The calculated GHG efficiency for the proposed project, without mitigation, would be approximately 8.6 MTCO_{2e}/SP/yr. The GHG efficiency for the proposed project would exceed the threshold of 2.3 MTCO_{2e}/SP/yr. For these reasons, this impact would be considered **potentially significant**.

Mitigation Measure GHG-1: The following measures shall be implemented to reduce GHG emissions associated with project operation:

1. Transit Infrastructure-Based Mitigation Measures
 - a. Provide transit enhancing infrastructure that includes: transit shelters, benches, etc.; street lighting; route signs and displays; and/or bus turnouts/bulbs
 - b. Provide a Bus Rapid Transit (BRT) System

Table GHG-4. Operational GHG Emissions without Mitigation

Emission Source	Emissions (MTCO₂e/Year)
Area	0.0
Energy	208.3
Mobile	2,410.1
Waste	40.5
Water	10.4
Live Fire Training	68.2
Total Operational Emissions:	2,737.5
Amortized Construction Emissions:	27.8
Total with Amortized Construction Emissions:	2,765.3
Service Population (SP):	320
MTCO ₂ e/SP:	8.6
GHG Efficiency Significance Threshold:	2.3
Exceeds Threshold?	Yes
GHG = Greenhouse gas; SP = Service population; MTCO ₂ e = Metric tons of carbon dioxide equivalent Includes mobile-source emission adjustments to account for the Final SAFE Vehicles Rule.	

2. VMT Infrastructure-Based Mitigation Measures
 - a. Provide park and ride lots and/or satellite telecommuting centers
 - b. Market Commute Trip Reduction Options
3. Pedestrian Infrastructure-Based Mitigation Measures
 - c. Provide pedestrian Enhancing infrastructure that includes: sidewalks and pedestrian paths; direct pedestrian connections; street trees to shade sidewalks; pedestrian safety designs/infrastructure; street furniture and artwork; street lighting; and/or pedestrian signalization and signage
4. Bicycle Infrastructure-Based Mitigation Measures
 - d. Provide bicycle enhancing infrastructure that includes: bikeways/ paths connecting to a bikeway system; secure bicycle parking; and/or employee lockers and showers
5. Rideshare Operational Mitigation Measures
 - e. Implement carpool/ vanpool program e.g., carpool ridematching for employees, assistance with vanpool formation, provision of vanpool vehicles, etc.
6. Services Operational Mitigation Measures
 - f. Provide on-site shops and services for employees, such as cafeteria, bank/ ATM, dry cleaners, convenience market, etc.
 - g. Provide on-site child care, or contribute to offsite child care within walking distance
7. Shuttle Operational Mitigation Measures
 - h. Establish mid-day shuttle service from worksite to food service establishments/ commercial areas
 - i. Provide shuttle service to transit stations/multimodal centers
8. Parking Operational Mitigation Measures
 - j. Provide preferential parking (e.g., near building entrance, sheltered area, etc.) for carpool and vanpool vehicles
 - k. Implement parking fees for single occupancy vehicle commuters
 - l. Implement parking cashout program for employees (i.e., nondriving employees receive transportation allowance equivalent to value of subsidized parking)

9. Transit Operational Mitigation Measures

m. Provide transit incentives

Significance after Mitigation: Implementation of Mitigation Measure GHG-1 would reduce operational GHG emissions and be consistent with applicable air quality plans. However, as shown in Table GHG-5, with mitigation, emissions would continue to exceed the GHG efficiency threshold of 2.3 MTCO_{2e}/SP/yr. Therefore, this impact would be considered **significant and unavoidable**.

Table GHG-5. Operational GHG Emissions with Mitigation

Emission Source	Emissions (MTCO _{2e} /Year)
Area	0.0
Energy	156.4
Mobile	2,302.0
Waste	40.5
Water	9.0
Live Fire Training	68.2
Total Operational Emissions:	2,576.1
Amortized Construction Emissions:	27.8
Total with Amortized Construction Emissions:	2,603.9
Service Population (SP):	320
MTCO _{2e} /SP:	8.1
GHG Efficiency Significance Threshold:	2.3
Exceeds Threshold?	Yes
GHG = Greenhouse gas; SP = Service population; MTCO _{2e} = Metric tons of carbon dioxide equivalent Includes mobile-source emission adjustments to account for the Final SAFE Vehicles Rule.	

Impact GHG-B. Would the project conflict with any applicable plan, policy or regulation of an agency adopted for the purpose of reducing the emissions of greenhouse gases?

As noted in Impact GHG-A, the proposed project would result in increased GHG emissions that would conflict with the State's GHG-reduction target goals. The proposed project would be designed to meet current building energy-efficiency standards, which include measures to reduce overall energy use, water use, and waste generation. However, even with the mitigation measures imposed, predicted increases in operational GHG emissions, primarily from mobile sources, would still exceed the threshold of significance. As a result, the proposed project could conflict with local, regional, or state GHG-reduction planning efforts. This impact would be considered **potentially significant**.

Mitigation Measures: Implement Mitigation Measure GHG-1.

Significance after Mitigation: With implementation of Mitigation Measure GHG-1 this impact would still be considered **significant and unavoidable**.

REFERENCES

Air Quality

- California Air Resources Board (ARB). 1992. *Aerometric Data Division. California Surface Wind Climatology*.
- California Air Resources Board (ARB). 2000. *Diesel Risk Reduction Plan*. Website URL: <http://www.arb.ca.gov/diesel/documents/rrpapp.htm>
- California Air Resources Board (ARB). 2013. *California Almanac of Emissions & Air Quality*.
- California Air Resources Board (ARB). 2020a. *Ambient Air Quality Standards*. Website URL: <https://ww3.arb.ca.gov/research/aaqs/aaqs2.pdf>
- California Air Resources Board (ARB). 2020b. *Air Quality Data*. Website URL: <http://www.arb.ca.gov/adam/index.html>
- California Air Resources Board (ARB). 2020c. *Inhalable Particulate Matter and Health (PM2.5 and PM10)*. Website URL: <https://ww2.arb.ca.gov/resources/inhalable-particulate-matter-and-health>
- California Department of Conservation (DOC). 2000. *Division of Mines and Geology. A General Location Guide for Ultramafic Rocks in California-Areas More Likely to Contain Naturally Occurring Asbestos*. Open File Report 2000-19.
- California Department of Transportation (Caltrans). 1996. *Transportation Project-Level Carbon Monoxide Protocol*. University of California Davis, Institute of Transportation Studies, UCD-ITS-RR-96-1.
- Centers for Disease Control and Prevention (CDC). 2020. *Valley Fever Awareness*. Website URL: <https://www.cdc.gov/fungal/features/valley-fever.html#:~:text=Awareness%20is%20key,delays%20in%20diagnosis%20and%20treatment>
- Peters Engineering Group (PEG). 2021. *Traffic Impact Study. Proposed First Responders Campus*.
- San Joaquin Valley Air Pollution Control District (SJVAPCD). 2015. *Guidance for Assessing and Mitigating Air Quality Impacts*.
- San Joaquin Valley Air Pollution Control District (SJVAPCD). 2020. *Ambient Air Quality Standards and Valley Attainment Status*. Website URL: <http://www.valleyair.org/aqinfo/attainment.htm>
- U.S. Environmental Protection Agency (U.S. EPA). 2014. *Technology Transfer Network – Pollutants and Sources*. Website URL: <http://www.epa.gov/ttn/atw/pollsour.html>
- Western Regional Climate Center (WRCC). 2021. *Period of Record Monthly Climate Summary. FRESNO YOSEMITE INTL AP, CALIFORNIA (043257)*. Website URL: <https://wrcc.dri.edu/cgi-bin/cliMAIN.pl?ca3257>

Greenhouse Gas

- California Air Resources Board (ARB). 2007. *California 1990 Greenhouse Gas Emissions Level and 2020 Limit — by Sector and Activity (Land Use-driven sectors only) MMT CO₂e - (based upon IPCC Fourth Assessment Report Global Warming Potentials)*. Website URL: https://ww3.arb.ca.gov/cc/inventory/pubs/reports/staff_report_1990_level.pdf
- California Air Resources Board (ARB). 2014. *First Update to the Climate Change Scoping Plan*.
- California Air Resources Board (ARB). 2015. *Short-Lived Climate Pollutant Inventory*. Website URL: <https://www.arb.ca.gov/cc/inventory/slcp/slcp.htm>
- California Air Resources Board (ARB). 2016. *Assembly Bill 32 Overview*. Website URL: <http://www.arb.ca.gov/cc/ab32/ab32.htm>
- California Air Resources Board (ARB). 2017a. *Short-Lived Climate Pollutant Reduction Strategy*. Website URL: https://ww2.arb.ca.gov/sites/default/files/2020-07/final_SLCP_strategy.pdf
- California Air Resources Board (ARB). 2017b. *California's 2017 Climate Change Scoping Plan*. Website URL: <https://ww2.arb.ca.gov/our-work/programs/ab-32-climate-change-scoping-plan>
- California Air Resources Board (ARB). 2021. *California Greenhouse Gas Emissions for 2000 to 2018. Trends of Emissions and Other Indicators*. Website URL: https://ww3.arb.ca.gov/cc/inventory/pubs/reports/2000_2018/ghg_inventory_trends_00-18.pdf
- California Building Standards Commission (BSC). 2016. *CalGreen*. Website URL: http://www.documents.dgs.ca.gov/bsc/CALGreen/2010_CA_Green_Bldg.pdf
- California Department of Finance (DOF). 2021. *Demographic Research Unit. Report P-1A: Total Population Projections, California, 2010-2060 (Baseline 2019 Population Projections; Vintage 2019 Release)*. Website URL: <https://www.dof.ca.gov/forecasting/demographics/projections/>
- California Energy Commission (CEC). 2020. *California Hydroelectric Statistics and Data*. Website URL: https://ww2.energy.ca.gov/almanac/renewables_data/hydro/index cms.php
- International Panel on Climate Change (IPCC). 2007. *Fourth Assessment Report: Climate Change 2007*.
- Peters Engineering Group (PEG). 2021. *Traffic Impact Study. Proposed First Responders Campus*.
- San Joaquin Valley Air Pollution Control District (SJVAPCD). 2009. *Guidance for Valley Land-use Agencies in Addressing GHG Emission Impacts for New Projects under CEQA*.
- San Luis Obispo County Air Pollution Control District (SLOAPCD). 2012. *CEQA Air Quality Handbook*. Website URL: <https://www.slocleanair.org/rules-regulations/land-use-ceqa.php>
- South Coast Air Quality Management District (SCAQMD). 2008. *Draft Guidance Document – Interim CEQA Greenhouse Gas Significance Threshold*. Website URL: [http://www.aqmd.gov/docs/default-source/ceqa/handbook/greenhouse-gases-\(ghg\)-ceqa-significance- thresholds/ghgattachmente.pdf](http://www.aqmd.gov/docs/default-source/ceqa/handbook/greenhouse-gases-(ghg)-ceqa-significance- thresholds/ghgattachmente.pdf)
- United States Environmental Protection Agency (U.S. EPA). 2018. *Overview of Greenhouse Gas Emissions*. Website URL: <https://www3.epa.gov/climatechange/ghgemissions/gases.html>
- United States Environmental Protection Agency (U.S. EPA). 2020. *Greenhouse Gas Emissions. Understanding Global Warming Potentials*. Website URL: <https://www.epa.gov/ghgemissions/understanding-global-warming-potentials>

APPENDIX A
EMISSIONS MODELING

Fresno City College First Responders Center - Fresno County, Annual

**Fresno City College First Responders Center
Fresno County, Annual**

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Junior College (2Yr)	62.00	1000sqft	40.00	62,000.00	320
Parking Lot	1.66	1000sqft	0.04	1,660.00	0

1.2 Other Project Characteristics

Urbanization	Rural	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	45
Climate Zone	3			Operational Year	2024
Utility Company	Pacific Gas & Electric Company				
CO2 Intensity (lb/MW hr)	417.62	CH4 Intensity (lb/MW hr)	0.019	N2O Intensity (lb/MW hr)	0.004

1.3 User Entered Comments & Non-Default Data

Fresno City College First Responders Center - Fresno County, Annual

Project Characteristics - Utility intensity factors reflect SB 100 (2018) Renewables Portfolio Standard program.

Land Use - 62,000 square feet of building area; 1,660 square feet of parking area; 40-acre site; 270 students; 50 employees

Construction Phase - Construction is planned to occur from late 2021 to the middle of 2023.

Grading - 40-acre site graded

Vehicle Trips - Weekday trip rates are based on ITE Land Use 540, Junior/Community College. The Project-specific traffic modeling performed by COG indicates a Project VMT of 28.7 miles per employee, which can also be reasonably estimated as the VMT per student.

Energy Use -

Construction Off-road Equipment Mitigation - Use Alternative Fuels for Construction Equipment (0-22% GHG emission reduction)

Mobile Commute Mitigation - Implement Voluntary Commute Trip Reduction Programs (1.0-6.2% GHG emission reduction); Implement Commute Trip Reduction Marketing (0.8-4.0% GHG emission reduction); Provide Employer-Sponsored Vanpool/Shuttle (0.3-13.4% GHG emission reduction); Provide Ride-Sharing Programs (1-15% GHG emission reduction)

Energy Mitigation - Nonresidential buildings will use about 30 percent less energy due mainly to lighting upgrades.

Water Mitigation - Low-flow indoor water use; water-efficient irrigation systems outdoor water use

Table Name	Column Name	Default Value	New Value
tblConstDustMitigation	WaterUnpavedRoadVehicleSpeed	0	15
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	3.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	4.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	9.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00

Fresno City College First Responders Center - Fresno County, Annual

tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstructionPhase	NumDays	55.00	28.00
tblConstructionPhase	NumDays	740.00	370.00
tblConstructionPhase	NumDays	75.00	38.00
tblConstructionPhase	NumDays	55.00	28.00
tblConstructionPhase	NumDays	30.00	15.00
tblConstructionPhase	PhaseEndDate	7/8/2025	7/3/2023
tblConstructionPhase	PhaseEndDate	2/4/2025	4/14/2023
tblConstructionPhase	PhaseEndDate	4/5/2022	11/12/2021
tblConstructionPhase	PhaseEndDate	4/22/2025	5/24/2023
tblConstructionPhase	PhaseEndDate	12/21/2021	9/21/2021
tblConstructionPhase	PhaseStartDate	4/23/2025	5/25/2023
tblConstructionPhase	PhaseStartDate	4/6/2022	11/13/2021
tblConstructionPhase	PhaseStartDate	12/22/2021	9/22/2021
tblConstructionPhase	PhaseStartDate	2/5/2025	4/15/2023

Fresno City College First Responders Center - Fresno County, Annual

tblConstructionPhase	PhaseStartDate	11/10/2021	9/1/2021
tblGrading	AcresOfGrading	95.00	40.00
tblLandUse	LotAcreage	1.42	40.00
tblLandUse	Population	0.00	320.00
tblProjectCharacteristics	CH4IntensityFactor	0.029	0.019
tblProjectCharacteristics	CO2IntensityFactor	641.35	417.62
tblProjectCharacteristics	N2OIntensityFactor	0.006	0.004
tblProjectCharacteristics	UrbanizationLevel	Urban	Rural
tblVehicleTrips	CC_TL	6.60	14.35
tblVehicleTrips	CNW_TL	6.60	14.35
tblVehicleTrips	CW_TL	14.70	14.35
tblVehicleTrips	ST_TR	11.23	0.00
tblVehicleTrips	SU_TR	1.21	0.00
tblVehicleTrips	WD_TR	27.49	20.25

2.0 Emissions Summary

Fresno City College First Responders Center - Fresno County, Annual

2.1 Overall Construction

Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2021	0.1480	1.5129	1.0743	2.0900e-003	0.2845	0.0700	0.3544	0.1432	0.0647	0.2079	0.0000	183.6427	183.6427	0.0522	0.0000	184.9472
2022	0.2434	2.1751	2.2636	4.2200e-003	0.0514	0.1057	0.1572	0.0139	0.0995	0.1133	0.0000	367.9254	367.9254	0.0770	0.0000	369.8499
2023	0.5145	0.7345	0.8826	1.6000e-003	0.0183	0.0345	0.0528	4.9200e-003	0.0324	0.0373	0.0000	139.8436	139.8436	0.0310	0.0000	140.6186
Maximum	0.5145	2.1751	2.2636	4.2200e-003	0.2845	0.1057	0.3544	0.1432	0.0995	0.2079	0.0000	367.9254	367.9254	0.0770	0.0000	369.8499

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2021	0.0537	0.9841	1.2216	2.0900e-003	0.1191	0.0477	0.1668	0.0580	0.0477	0.1058	0.0000	183.6425	183.6425	0.0522	0.0000	184.9470
2022	0.1092	1.9944	2.4600	4.2200e-003	0.0514	0.1180	0.1695	0.0139	0.1180	0.1318	0.0000	367.9250	367.9250	0.0770	0.0000	369.8496
2023	0.4723	0.7447	0.9819	1.6000e-003	0.0183	0.0439	0.0622	4.9200e-003	0.0439	0.0488	0.0000	139.8435	139.8435	0.0310	0.0000	140.6185
Maximum	0.4723	1.9944	2.4600	4.2200e-003	0.1191	0.1180	0.1695	0.0580	0.1180	0.1318	0.0000	367.9250	367.9250	0.0770	0.0000	369.8496

Fresno City College First Responders Center - Fresno County, Annual

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	29.88	15.81	-10.50	0.00	46.70	0.27	29.41	52.59	-6.62	20.13	0.00	0.00	0.00	0.00	0.00	0.00

Quarter	Start Date	End Date	Maximum Unmitigated ROG + NOX (tons/quarter)	Maximum Mitigated ROG + NOX (tons/quarter)
1	9-1-2021	11-30-2021	1.4105	0.8446
2	12-1-2021	2-28-2022	0.6216	0.5215
3	3-1-2022	5-31-2022	0.6114	0.5318
4	6-1-2022	8-31-2022	0.6112	0.5316
5	9-1-2022	11-30-2022	0.6049	0.5262
6	12-1-2022	2-28-2023	0.5646	0.5155
7	3-1-2023	5-31-2023	0.5163	0.5081
8	6-1-2023	8-31-2023	0.3813	0.3803
		Highest	1.4105	0.8446

Fresno City College First Responders Center - Fresno County, Annual

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	0.2854	1.0000e-005	5.8000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.1400e-003	1.1400e-003	0.0000	0.0000	1.2100e-003
Energy	7.3800e-003	0.0671	0.0564	4.0000e-004		5.1000e-003	5.1000e-003		5.1000e-003	5.1000e-003	0.0000	207.3196	207.3196	7.5100e-003	2.6300e-003	208.2897
Mobile	0.3229	3.6802	3.9552	0.0253	1.6833	0.0137	1.6970	0.4537	0.0129	0.4665	0.0000	2,358.0614	2,358.0614	0.1273	0.0000	2,361.2436
Waste						0.0000	0.0000		0.0000	0.0000	16.3611	0.0000	16.3611	0.9669	0.0000	40.5339
Water						0.0000	0.0000		0.0000	0.0000	0.9648	6.2706	7.2354	0.0994	2.4000e-003	10.4350
Total	0.6158	3.7474	4.0122	0.0257	1.6833	0.0188	1.7021	0.4537	0.0180	0.4716	17.3259	2,571.6528	2,588.9786	1.2011	5.0300e-003	2,620.5034

Fresno City College First Responders Center - Fresno County, Annual

2.2 Overall Operational

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	0.2854	1.0000e-005	5.8000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.1400e-003	1.1400e-003	0.0000	0.0000	1.2100e-003
Energy	5.3000e-003	0.0482	0.0405	2.9000e-004		3.6600e-003	3.6600e-003		3.6600e-003	3.6600e-003	0.0000	155.7202	155.7202	5.7000e-003	1.9500e-003	156.4442
Mobile	0.3145	3.5921	3.7869	0.0242	1.5988	0.0131	1.6118	0.4309	0.0123	0.4432	0.0000	2,252.1921	2,252.1921	0.1252	0.0000	2,255.3220
Waste						0.0000	0.0000		0.0000	0.0000	16.3611	0.0000	16.3611	0.9669	0.0000	40.5339
Water						0.0000	0.0000		0.0000	0.0000	0.7718	5.6472	6.4191	0.0795	1.9300e-003	8.9813
Total	0.6052	3.6403	3.8279	0.0245	1.5988	0.0167	1.6155	0.4309	0.0159	0.4468	17.1329	2,413.5607	2,430.6936	1.1773	3.8800e-003	2,461.2825

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	1.71	2.86	4.59	4.86	5.02	11.05	5.09	5.02	11.40	5.26	1.11	6.15	6.11	1.98	22.86	6.08

3.0 Construction Detail

Construction Phase

Fresno City College First Responders Center - Fresno County, Annual

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Site Preparation	Site Preparation	9/1/2021	9/21/2021	5	15	
2	Grading	Grading	9/22/2021	11/12/2021	5	38	
3	Building Construction	Building Construction	11/13/2021	4/14/2023	5	370	
4	Paving	Paving	4/15/2023	5/24/2023	5	28	
5	Architectural Coating	Architectural Coating	5/25/2023	7/3/2023	5	28	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 40

Acres of Paving: 0.04

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 93,000; Non-Residential Outdoor: 31,000; Striped Parking Area: 100 (Architectural Coating – sqft)

OffRoad Equipment

Fresno City College First Responders Center - Fresno County, Annual

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Architectural Coating	Air Compressors	1	6.00	78	0.48
Grading	Excavators	2	8.00	158	0.38
Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Paving	Pavers	2	8.00	130	0.42
Paving	Rollers	2	8.00	80	0.38
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Grading	Graders	1	8.00	187	0.41
Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Paving	Paving Equipment	2	8.00	132	0.36
Site Preparation	Tractors/Loaders/Backhoes	4	8.00	97	0.37
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Grading	Scrapers	2	8.00	367	0.48
Building Construction	Welders	1	8.00	46	0.45

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Site Preparation	7	18.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Grading	8	20.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	27.00	10.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	5.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT

Fresno City College First Responders Center - Fresno County, Annual

3.1 Mitigation Measures Construction

Use Cleaner Engines for Construction Equipment

Use Soil Stabilizer

Water Exposed Area

Reduce Vehicle Speed on Unpaved Roads

3.2 Site Preparation - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.1355	0.0000	0.1355	0.0745	0.0000	0.0745	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0292	0.3037	0.1587	2.9000e-004		0.0153	0.0153		0.0141	0.0141	0.0000	25.0768	25.0768	8.1100e-003	0.0000	25.2796
Total	0.0292	0.3037	0.1587	2.9000e-004	0.1355	0.0153	0.1508	0.0745	0.0141	0.0886	0.0000	25.0768	25.0768	8.1100e-003	0.0000	25.2796

Fresno City College First Responders Center - Fresno County, Annual

3.2 Site Preparation - 2021

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	7.5000e-004	4.9000e-004	4.9200e-003	2.0000e-005	1.6800e-003	1.0000e-005	1.6900e-003	4.5000e-004	1.0000e-005	4.6000e-004	0.0000	1.3884	1.3884	3.0000e-005	0.0000	1.3892
Total	7.5000e-004	4.9000e-004	4.9200e-003	2.0000e-005	1.6800e-003	1.0000e-005	1.6900e-003	4.5000e-004	1.0000e-005	4.6000e-004	0.0000	1.3884	1.3884	3.0000e-005	0.0000	1.3892

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0528	0.0000	0.0528	0.0291	0.0000	0.0291	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	6.9800e-003	0.1430	0.1722	2.9000e-004		7.1000e-003	7.1000e-003		7.1000e-003	7.1000e-003	0.0000	25.0768	25.0768	8.1100e-003	0.0000	25.2795
Total	6.9800e-003	0.1430	0.1722	2.9000e-004	0.0528	7.1000e-003	0.0599	0.0291	7.1000e-003	0.0362	0.0000	25.0768	25.0768	8.1100e-003	0.0000	25.2795

Fresno City College First Responders Center - Fresno County, Annual

3.2 Site Preparation - 2021

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	7.5000e-004	4.9000e-004	4.9200e-003	2.0000e-005	1.6800e-003	1.0000e-005	1.6900e-003	4.5000e-004	1.0000e-005	4.6000e-004	0.0000	1.3884	1.3884	3.0000e-005	0.0000	1.3892
Total	7.5000e-004	4.9000e-004	4.9200e-003	2.0000e-005	1.6800e-003	1.0000e-005	1.6900e-003	4.5000e-004	1.0000e-005	4.6000e-004	0.0000	1.3884	1.3884	3.0000e-005	0.0000	1.3892

3.3 Grading - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.1356	0.0000	0.1356	0.0652	0.0000	0.0652	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0796	0.8816	0.5867	1.1800e-003		0.0377	0.0377		0.0347	0.0347	0.0000	103.5405	103.5405	0.0335	0.0000	104.3776
Total	0.0796	0.8816	0.5867	1.1800e-003	0.1356	0.0377	0.1734	0.0652	0.0347	0.0999	0.0000	103.5405	103.5405	0.0335	0.0000	104.3776

Fresno City College First Responders Center - Fresno County, Annual

3.3 Grading - 2021

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.1100e-003	1.3700e-003	0.0138	4.0000e-005	4.7200e-003	3.0000e-005	4.7500e-003	1.2600e-003	3.0000e-005	1.2800e-003	0.0000	3.9080	3.9080	9.0000e-005	0.0000	3.9103
Total	2.1100e-003	1.3700e-003	0.0138	4.0000e-005	4.7200e-003	3.0000e-005	4.7500e-003	1.2600e-003	3.0000e-005	1.2800e-003	0.0000	3.9080	3.9080	9.0000e-005	0.0000	3.9103

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0529	0.0000	0.0529	0.0254	0.0000	0.0254	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0289	0.5696	0.6977	1.1800e-003		0.0247	0.0247		0.0247	0.0247	0.0000	103.5403	103.5403	0.0335	0.0000	104.3775
Total	0.0289	0.5696	0.6977	1.1800e-003	0.0529	0.0247	0.0776	0.0254	0.0247	0.0501	0.0000	103.5403	103.5403	0.0335	0.0000	104.3775

Fresno City College First Responders Center - Fresno County, Annual

3.3 Grading - 2021

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.1100e-003	1.3700e-003	0.0138	4.0000e-005	4.7200e-003	3.0000e-005	4.7500e-003	1.2600e-003	3.0000e-005	1.2800e-003	0.0000	3.9080	3.9080	9.0000e-005	0.0000	3.9103
Total	2.1100e-003	1.3700e-003	0.0138	4.0000e-005	4.7200e-003	3.0000e-005	4.7500e-003	1.2600e-003	3.0000e-005	1.2800e-003	0.0000	3.9080	3.9080	9.0000e-005	0.0000	3.9103

3.4 Building Construction - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0333	0.3051	0.2901	4.7000e-004		0.0168	0.0168		0.0158	0.0158	0.0000	40.5365	40.5365	9.7800e-003	0.0000	40.7810
Total	0.0333	0.3051	0.2901	4.7000e-004		0.0168	0.0168		0.0158	0.0158	0.0000	40.5365	40.5365	9.7800e-003	0.0000	40.7810

Fresno City College First Responders Center - Fresno County, Annual

3.4 Building Construction - 2021

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	5.0000e-004	0.0190	2.8600e-003	5.0000e-005	1.0500e-003	5.0000e-005	1.1000e-003	3.0000e-004	5.0000e-005	3.5000e-004	0.0000	4.3333	4.3333	5.6000e-004	0.0000	4.3473
Worker	2.6200e-003	1.7000e-003	0.0172	5.0000e-005	5.8700e-003	3.0000e-005	5.9100e-003	1.5600e-003	3.0000e-005	1.5900e-003	0.0000	4.8593	4.8593	1.2000e-004	0.0000	4.8622
Total	3.1200e-003	0.0207	0.0201	1.0000e-004	6.9200e-003	8.0000e-005	7.0100e-003	1.8600e-003	8.0000e-005	1.9400e-003	0.0000	9.1926	9.1926	6.8000e-004	0.0000	9.2095

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0118	0.2490	0.3128	4.7000e-004		0.0158	0.0158		0.0158	0.0158	0.0000	40.5365	40.5365	9.7800e-003	0.0000	40.7810
Total	0.0118	0.2490	0.3128	4.7000e-004		0.0158	0.0158		0.0158	0.0158	0.0000	40.5365	40.5365	9.7800e-003	0.0000	40.7810

Fresno City College First Responders Center - Fresno County, Annual

3.4 Building Construction - 2021

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	5.0000e-004	0.0190	2.8600e-003	5.0000e-005	1.0500e-003	5.0000e-005	1.1000e-003	3.0000e-004	5.0000e-005	3.5000e-004	0.0000	4.3333	4.3333	5.6000e-004	0.0000	4.3473
Worker	2.6200e-003	1.7000e-003	0.0172	5.0000e-005	5.8700e-003	3.0000e-005	5.9100e-003	1.5600e-003	3.0000e-005	1.5900e-003	0.0000	4.8593	4.8593	1.2000e-004	0.0000	4.8622
Total	3.1200e-003	0.0207	0.0201	1.0000e-004	6.9200e-003	8.0000e-005	7.0100e-003	1.8600e-003	8.0000e-005	1.9400e-003	0.0000	9.1926	9.1926	6.8000e-004	0.0000	9.2095

3.4 Building Construction - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.2218	2.0300	2.1272	3.5000e-003		0.1052	0.1052		0.0990	0.0990	0.0000	301.2428	301.2428	0.0722	0.0000	303.0471
Total	0.2218	2.0300	2.1272	3.5000e-003		0.1052	0.1052		0.0990	0.0990	0.0000	301.2428	301.2428	0.0722	0.0000	303.0471

Fresno City College First Responders Center - Fresno County, Annual

3.4 Building Construction - 2022

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	3.4500e-003	0.1337	0.0197	3.4000e-004	7.7900e-003	3.1000e-004	8.1000e-003	2.2500e-003	3.0000e-004	2.5500e-003	0.0000	31.8829	31.8829	4.0500e-003	0.0000	31.9841
Worker	0.0181	0.0113	0.1167	3.8000e-004	0.0436	2.5000e-004	0.0439	0.0116	2.3000e-004	0.0118	0.0000	34.7997	34.7997	7.6000e-004	0.0000	34.8188
Total	0.0216	0.1450	0.1364	7.2000e-004	0.0514	5.6000e-004	0.0520	0.0138	5.3000e-004	0.0144	0.0000	66.6826	66.6826	4.8100e-003	0.0000	66.8029

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0876	1.8494	2.3236	3.5000e-003		0.1175	0.1175		0.1175	0.1175	0.0000	301.2425	301.2425	0.0722	0.0000	303.0467
Total	0.0876	1.8494	2.3236	3.5000e-003		0.1175	0.1175		0.1175	0.1175	0.0000	301.2425	301.2425	0.0722	0.0000	303.0467

Fresno City College First Responders Center - Fresno County, Annual

3.4 Building Construction - 2022

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	3.4500e-003	0.1337	0.0197	3.4000e-004	7.7900e-003	3.1000e-004	8.1000e-003	2.2500e-003	3.0000e-004	2.5500e-003	0.0000	31.8829	31.8829	4.0500e-003	0.0000	31.9841
Worker	0.0181	0.0113	0.1167	3.8000e-004	0.0436	2.5000e-004	0.0439	0.0116	2.3000e-004	0.0118	0.0000	34.7997	34.7997	7.6000e-004	0.0000	34.8188
Total	0.0216	0.1450	0.1364	7.2000e-004	0.0514	5.6000e-004	0.0520	0.0138	5.3000e-004	0.0144	0.0000	66.6826	66.6826	4.8100e-003	0.0000	66.8029

3.4 Building Construction - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0590	0.5394	0.6092	1.0100e-003		0.0262	0.0262		0.0247	0.0247	0.0000	86.9268	86.9268	0.0207	0.0000	87.4437
Total	0.0590	0.5394	0.6092	1.0100e-003		0.0262	0.0262		0.0247	0.0247	0.0000	86.9268	86.9268	0.0207	0.0000	87.4437

Fresno City College First Responders Center - Fresno County, Annual

3.4 Building Construction - 2023

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	6.8000e-004	0.0304	4.5900e-003	9.0000e-005	2.2500e-003	3.0000e-005	2.2800e-003	6.5000e-004	3.0000e-005	6.8000e-004	0.0000	8.9712	8.9712	7.9000e-004	0.0000	8.9910
Worker	4.8700e-003	2.9200e-003	0.0308	1.1000e-004	0.0126	7.0000e-005	0.0127	3.3400e-003	7.0000e-005	3.4100e-003	0.0000	9.6616	9.6616	2.0000e-004	0.0000	9.6665
Total	5.5500e-003	0.0333	0.0354	2.0000e-004	0.0148	1.0000e-004	0.0149	3.9900e-003	1.0000e-004	4.0900e-003	0.0000	18.6328	18.6328	9.9000e-004	0.0000	18.6575

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0253	0.5335	0.6703	1.0100e-003		0.0339	0.0339		0.0339	0.0339	0.0000	86.9267	86.9267	0.0207	0.0000	87.4436
Total	0.0253	0.5335	0.6703	1.0100e-003		0.0339	0.0339		0.0339	0.0339	0.0000	86.9267	86.9267	0.0207	0.0000	87.4436

Fresno City College First Responders Center - Fresno County, Annual

3.4 Building Construction - 2023

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	6.8000e-004	0.0304	4.5900e-003	9.0000e-005	2.2500e-003	3.0000e-005	2.2800e-003	6.5000e-004	3.0000e-005	6.8000e-004	0.0000	8.9712	8.9712	7.9000e-004	0.0000	8.9910
Worker	4.8700e-003	2.9200e-003	0.0308	1.1000e-004	0.0126	7.0000e-005	0.0127	3.3400e-003	7.0000e-005	3.4100e-003	0.0000	9.6616	9.6616	2.0000e-004	0.0000	9.6665
Total	5.5500e-003	0.0333	0.0354	2.0000e-004	0.0148	1.0000e-004	0.0149	3.9900e-003	1.0000e-004	4.0900e-003	0.0000	18.6328	18.6328	9.9000e-004	0.0000	18.6575

3.5 Paving - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0145	0.1427	0.2042	3.2000e-004		7.1400e-003	7.1400e-003		6.5700e-003	6.5700e-003	0.0000	28.0376	28.0376	9.0700e-003	0.0000	28.2643
Paving	5.0000e-005					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0145	0.1427	0.2042	3.2000e-004		7.1400e-003	7.1400e-003		6.5700e-003	6.5700e-003	0.0000	28.0376	28.0376	9.0700e-003	0.0000	28.2643

Fresno City College First Responders Center - Fresno County, Annual

3.5 Paving - 2023

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.0100e-003	6.1000e-004	6.3800e-003	2.0000e-005	2.6100e-003	1.0000e-005	2.6300e-003	6.9000e-004	1.0000e-005	7.1000e-004	0.0000	2.0039	2.0039	4.0000e-005	0.0000	2.0049
Total	1.0100e-003	6.1000e-004	6.3800e-003	2.0000e-005	2.6100e-003	1.0000e-005	2.6300e-003	6.9000e-004	1.0000e-005	7.1000e-004	0.0000	2.0039	2.0039	4.0000e-005	0.0000	2.0049

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	7.8500e-003	0.1581	0.2421	3.2000e-004		8.5300e-003	8.5300e-003		8.5300e-003	8.5300e-003	0.0000	28.0376	28.0376	9.0700e-003	0.0000	28.2643
Paving	5.0000e-005					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	7.9000e-003	0.1581	0.2421	3.2000e-004		8.5300e-003	8.5300e-003		8.5300e-003	8.5300e-003	0.0000	28.0376	28.0376	9.0700e-003	0.0000	28.2643

Fresno City College First Responders Center - Fresno County, Annual

3.5 Paving - 2023

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.0100e-003	6.1000e-004	6.3800e-003	2.0000e-005	2.6100e-003	1.0000e-005	2.6300e-003	6.9000e-004	1.0000e-005	7.1000e-004	0.0000	2.0039	2.0039	4.0000e-005	0.0000	2.0049
Total	1.0100e-003	6.1000e-004	6.3800e-003	2.0000e-005	2.6100e-003	1.0000e-005	2.6300e-003	6.9000e-004	1.0000e-005	7.1000e-004	0.0000	2.0039	2.0039	4.0000e-005	0.0000	2.0049

3.6 Architectural Coating - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.4314					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	2.6800e-003	0.0182	0.0254	4.0000e-005		9.9000e-004	9.9000e-004		9.9000e-004	9.9000e-004	0.0000	3.5746	3.5746	2.1000e-004	0.0000	3.5799
Total	0.4341	0.0182	0.0254	4.0000e-005		9.9000e-004	9.9000e-004		9.9000e-004	9.9000e-004	0.0000	3.5746	3.5746	2.1000e-004	0.0000	3.5799

Fresno City College First Responders Center - Fresno County, Annual

3.6 Architectural Coating - 2023

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	3.4000e-004	2.0000e-004	2.1300e-003	1.0000e-005	8.7000e-004	0.0000	8.8000e-004	2.3000e-004	0.0000	2.4000e-004	0.0000	0.6680	0.6680	1.0000e-005	0.0000	0.6683
Total	3.4000e-004	2.0000e-004	2.1300e-003	1.0000e-005	8.7000e-004	0.0000	8.8000e-004	2.3000e-004	0.0000	2.4000e-004	0.0000	0.6680	0.6680	1.0000e-005	0.0000	0.6683

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.4314					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	8.3000e-004	0.0190	0.0257	4.0000e-005		1.3300e-003	1.3300e-003		1.3300e-003	1.3300e-003	0.0000	3.5746	3.5746	2.1000e-004	0.0000	3.5799
Total	0.4322	0.0190	0.0257	4.0000e-005		1.3300e-003	1.3300e-003		1.3300e-003	1.3300e-003	0.0000	3.5746	3.5746	2.1000e-004	0.0000	3.5799

Fresno City College First Responders Center - Fresno County, Annual

3.6 Architectural Coating - 2023

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	3.4000e-004	2.0000e-004	2.1300e-003	1.0000e-005	8.7000e-004	0.0000	8.8000e-004	2.3000e-004	0.0000	2.4000e-004	0.0000	0.6680	0.6680	1.0000e-005	0.0000	0.6683
Total	3.4000e-004	2.0000e-004	2.1300e-003	1.0000e-005	8.7000e-004	0.0000	8.8000e-004	2.3000e-004	0.0000	2.4000e-004	0.0000	0.6680	0.6680	1.0000e-005	0.0000	0.6683

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

- Implement Trip Reduction Program
- Market Commute Trip Reduction Option
- Employee Vanpool/Shuttle
- Provide Riade Sharing Program

Fresno City College First Responders Center - Fresno County, Annual

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	0.3145	3.5921	3.7869	0.0242	1.5988	0.0131	1.6118	0.4309	0.0123	0.4432	0.0000	2,252.1921	2,252.1921	0.1252	0.0000	2,255.3220
Unmitigated	0.3229	3.6802	3.9552	0.0253	1.6833	0.0137	1.6970	0.4537	0.0129	0.4665	0.0000	2,358.0614	2,358.0614	0.1273	0.0000	2,361.2436

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Junior College (2Yr)	1,255.50	0.00	0.00	4,391,830	4,171,269
Parking Lot	0.00	0.00	0.00		
Total	1,255.50	0.00	0.00	4,391,830	4,171,269

4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Junior College (2Yr)	14.35	14.35	14.35	6.40	88.60	5.00	92	7	1
Parking Lot	14.70	6.60	6.60	0.00	0.00	0.00	0	0	0

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Junior College (2Yr)	0.501421	0.030018	0.171383	0.107490	0.013683	0.004097	0.033773	0.127911	0.002341	0.001406	0.004884	0.001058	0.000535
Parking Lot	0.501421	0.030018	0.171383	0.107490	0.013683	0.004097	0.033773	0.127911	0.002341	0.001406	0.004884	0.001058	0.000535

Fresno City College First Responders Center - Fresno County, Annual

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Exceed Title 24

Install High Efficiency Lighting

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Electricity Mitigated						0.0000	0.0000		0.0000	0.0000	0.0000	103.2300	103.2300	4.7000e-003	9.9000e-004	103.6420
Electricity Unmitigated						0.0000	0.0000		0.0000	0.0000	0.0000	134.2335	134.2335	6.1100e-003	1.2900e-003	134.7694
NaturalGas Mitigated	5.3000e-003	0.0482	0.0405	2.9000e-004		3.6600e-003	3.6600e-003		3.6600e-003	3.6600e-003	0.0000	52.4902	52.4902	1.0100e-003	9.6000e-004	52.8022
NaturalGas Unmitigated	7.3800e-003	0.0671	0.0564	4.0000e-004		5.1000e-003	5.1000e-003		5.1000e-003	5.1000e-003	0.0000	73.0860	73.0860	1.4000e-003	1.3400e-003	73.5203

Fresno City College First Responders Center - Fresno County, Annual

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Junior College (2Yr)	1.36958e+006	7.3800e-003	0.0671	0.0564	4.0000e-004		5.1000e-003	5.1000e-003		5.1000e-003	5.1000e-003	0.0000	73.0860	73.0860	1.4000e-003	1.3400e-003	73.5203
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total		7.3800e-003	0.0671	0.0564	4.0000e-004		5.1000e-003	5.1000e-003		5.1000e-003	5.1000e-003	0.0000	73.0860	73.0860	1.4000e-003	1.3400e-003	73.5203

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Junior College (2Yr)	983630	5.3000e-003	0.0482	0.0405	2.9000e-004		3.6600e-003	3.6600e-003		3.6600e-003	3.6600e-003	0.0000	52.4902	52.4902	1.0100e-003	9.6000e-004	52.8022
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total		5.3000e-003	0.0482	0.0405	2.9000e-004		3.6600e-003	3.6600e-003		3.6600e-003	3.6600e-003	0.0000	52.4902	52.4902	1.0100e-003	9.6000e-004	52.8022

Fresno City College First Responders Center - Fresno County, Annual

5.3 Energy by Land Use - Electricity

Unmitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Junior College (2Yr)	708040	134.1235	6.1000e-003	1.2800e-003	134.6589
Parking Lot	581	0.1101	1.0000e-005	0.0000	0.1105
Total		134.2335	6.1100e-003	1.2800e-003	134.7694

Mitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Junior College (2Yr)	544546	103.1529	4.6900e-003	9.9000e-004	103.5647
Parking Lot	406.7	0.0770	0.0000	0.0000	0.0774
Total		103.2300	4.6900e-003	9.9000e-004	103.6420

6.0 Area Detail

6.1 Mitigation Measures Area

Fresno City College First Responders Center - Fresno County, Annual

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	0.2854	1.0000e-005	5.8000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.1400e-003	1.1400e-003	0.0000	0.0000	1.2100e-003
Unmitigated	0.2854	1.0000e-005	5.8000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.1400e-003	1.1400e-003	0.0000	0.0000	1.2100e-003

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.0431					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	0.2423					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	5.0000e-005	1.0000e-005	5.8000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.1400e-003	1.1400e-003	0.0000	0.0000	1.2100e-003
Total	0.2854	1.0000e-005	5.8000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.1400e-003	1.1400e-003	0.0000	0.0000	1.2100e-003

Fresno City College First Responders Center - Fresno County, Annual

6.2 Area by SubCategory

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.0431					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	0.2423					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	5.0000e-005	1.0000e-005	5.8000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.1400e-003	1.1400e-003	0.0000	0.0000	1.2100e-003
Total	0.2854	1.0000e-005	5.8000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.1400e-003	1.1400e-003	0.0000	0.0000	1.2100e-003

7.0 Water Detail

7.1 Mitigation Measures Water

Install Low Flow Bathroom Faucet

Install Low Flow Kitchen Faucet

Install Low Flow Toilet

Install Low Flow Shower

Fresno City College First Responders Center - Fresno County, Annual

	Total CO2	CH4	N2O	CO2e
Category	MT/yr			
Mitigated	6.4191	0.0795	1.9300e-003	8.9813
Unmitigated	7.2354	0.0994	2.4000e-003	10.4350

7.2 Water by Land Use

Unmitigated

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Junior College (2Yr)	3.04104 / 4.7565	7.2354	0.0994	2.4000e-003	10.4350
Parking Lot	0 / 0	0.0000	0.0000	0.0000	0.0000
Total		7.2354	0.0994	2.4000e-003	10.4350

Fresno City College First Responders Center - Fresno County, Annual

7.2 Water by Land Use

Mitigated

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Junior College (2Yr)	2.43283 / 4.7565	6.4191	0.0795	1.9300e-003	8.9813
Parking Lot	0 / 0	0.0000	0.0000	0.0000	0.0000
Total		6.4191	0.0795	1.9300e-003	8.9813

8.0 Waste Detail

8.1 Mitigation Measures Waste

Category/Year

	Total CO2	CH4	N2O	CO2e
	MT/yr			
Mitigated	16.3611	0.9669	0.0000	40.5339
Unmitigated	16.3611	0.9669	0.0000	40.5339

Fresno City College First Responders Center - Fresno County, Annual

8.2 Waste by Land Use

Unmitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Junior College (2Yr)	80.6	16.3611	0.9669	0.0000	40.5339
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Total		16.3611	0.9669	0.0000	40.5339

Mitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Junior College (2Yr)	80.6	16.3611	0.9669	0.0000	40.5339
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Total		16.3611	0.9669	0.0000	40.5339

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

Fresno City College First Responders Center - Fresno County, Annual

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

Fresno City College First Responders Center - Fresno County, Summer

Fresno City College First Responders Center
Fresno County, Summer

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Junior College (2Yr)	62.00	1000sqft	40.00	62,000.00	320
Parking Lot	1.66	1000sqft	0.04	1,660.00	0

1.2 Other Project Characteristics

Urbanization	Rural	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	45
Climate Zone	3			Operational Year	2024
Utility Company	Pacific Gas & Electric Company				
CO2 Intensity (lb/MW hr)	417.62	CH4 Intensity (lb/MW hr)	0.019	N2O Intensity (lb/MW hr)	0.004

1.3 User Entered Comments & Non-Default Data

Fresno City College First Responders Center - Fresno County, Summer

Project Characteristics - Utility intensity factors reflect SB 100 (2018) Renewables Portfolio Standard program.

Land Use - 62,000 square feet of building area; 1,660 square feet of parking area; 40-acre site; 270 students; 50 employees

Construction Phase - Construction is planned to occur from late 2021 to the middle of 2023.

Grading - 40-acre site graded

Vehicle Trips - Weekday trip rates are based on ITE Land Use 540, Junior/Community College. The Project-specific traffic modeling performed by COG indicates a Project VMT of 28.7 miles per employee, which can also be reasonably estimated as the VMT per student.

Energy Use -

Construction Off-road Equipment Mitigation - Use Alternative Fuels for Construction Equipment (0-22% GHG emission reduction)

Mobile Commute Mitigation - Implement Voluntary Commute Trip Reduction Programs (1.0-6.2% GHG emission reduction); Implement Commute Trip Reduction Marketing (0.8-4.0% GHG emission reduction); Provide Employer-Sponsored Vanpool/Shuttle (0.3-13.4% GHG emission reduction); Provide Ride-Sharing Programs (1-15% GHG emission reduction)

Energy Mitigation - Nonresidential buildings will use about 30 percent less energy due mainly to lighting upgrades.

Water Mitigation - Low-flow indoor water use; water-efficient irrigation systems outdoor water use

Table Name	Column Name	Default Value	New Value
tblConstDustMitigation	WaterUnpavedRoadVehicleSpeed	0	15
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	3.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	4.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	9.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00

Fresno City College First Responders Center - Fresno County, Summer

tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstructionPhase	NumDays	55.00	28.00
tblConstructionPhase	NumDays	740.00	370.00
tblConstructionPhase	NumDays	75.00	38.00
tblConstructionPhase	NumDays	55.00	28.00
tblConstructionPhase	NumDays	30.00	15.00
tblConstructionPhase	PhaseEndDate	7/8/2025	7/3/2023
tblConstructionPhase	PhaseEndDate	2/4/2025	4/14/2023
tblConstructionPhase	PhaseEndDate	4/5/2022	11/12/2021
tblConstructionPhase	PhaseEndDate	4/22/2025	5/24/2023
tblConstructionPhase	PhaseEndDate	12/21/2021	9/21/2021
tblConstructionPhase	PhaseStartDate	4/23/2025	5/25/2023
tblConstructionPhase	PhaseStartDate	4/6/2022	11/13/2021
tblConstructionPhase	PhaseStartDate	12/22/2021	9/22/2021
tblConstructionPhase	PhaseStartDate	2/5/2025	4/15/2023

Fresno City College First Responders Center - Fresno County, Summer

tblConstructionPhase	PhaseStartDate	11/10/2021	9/1/2021
tblGrading	AcresOfGrading	95.00	40.00
tblLandUse	LotAcreage	1.42	40.00
tblLandUse	Population	0.00	320.00
tblProjectCharacteristics	CH4IntensityFactor	0.029	0.019
tblProjectCharacteristics	CO2IntensityFactor	641.35	417.62
tblProjectCharacteristics	N2OIntensityFactor	0.006	0.004
tblProjectCharacteristics	UrbanizationLevel	Urban	Rural
tblVehicleTrips	CC_TL	6.60	14.35
tblVehicleTrips	CNW_TL	6.60	14.35
tblVehicleTrips	CW_TL	14.70	14.35
tblVehicleTrips	ST_TR	11.23	0.00
tblVehicleTrips	SU_TR	1.21	0.00
tblVehicleTrips	WD_TR	27.49	20.25

2.0 Emissions Summary

Fresno City College First Responders Center - Fresno County, Summer

2.1 Overall Construction (Maximum Daily Emission)

Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2021	4.3130	46.4670	31.7407	0.0645	18.2962	2.0458	20.3420	9.9917	1.8821	11.8738	0.0000	6,255.8556	6,255.8556	1.9488	0.0000	6,304.5763
2022	1.8850	16.7160	17.5666	0.0328	0.4062	0.8133	1.2195	0.1091	0.7652	0.8743	0.0000	3,152.3975	3,152.3975	0.6517	0.0000	3,168.6890
2023	31.0325	15.2623	17.3327	0.0326	0.4062	0.7023	1.1085	0.1091	0.6609	0.7700	0.0000	3,134.3567	3,134.3567	0.7176	0.0000	3,150.2635
Maximum	31.0325	46.4670	31.7407	0.0645	18.2962	2.0458	20.3420	9.9917	1.8821	11.8738	0.0000	6,255.8556	6,255.8556	1.9488	0.0000	6,304.5763

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2021	1.6449	30.0454	37.5848	0.0645	7.2758	1.3009	8.2233	3.9339	1.3008	4.8813	0.0000	6,255.8556	6,255.8556	1.9488	0.0000	6,304.5763
2022	0.8527	15.3264	19.0770	0.0328	0.4062	0.9078	1.3140	0.1091	0.9076	1.0167	0.0000	3,152.3975	3,152.3975	0.6517	0.0000	3,168.6890
2023	30.9003	15.1035	18.9625	0.0326	0.4062	0.9062	1.3123	0.1091	0.9060	1.0151	0.0000	3,134.3567	3,134.3567	0.7176	0.0000	3,150.2635
Maximum	30.9003	30.0454	37.5848	0.0645	7.2758	1.3009	8.2233	3.9339	1.3008	4.8813	0.0000	6,255.8556	6,255.8556	1.9488	0.0000	6,304.5763

Fresno City College First Responders Center - Fresno County, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	10.29	22.91	-13.48	0.00	57.67	12.54	52.14	59.33	5.86	48.86	0.00	0.00	0.00	0.00	0.00	0.00

Fresno City College First Responders Center - Fresno County, Summer

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	1.5644	6.0000e-005	6.4900e-003	0.0000		2.0000e-005	2.0000e-005		2.0000e-005	2.0000e-005		0.0139	0.0139	4.0000e-005		0.0148
Energy	0.0405	0.3679	0.3090	2.2100e-003		0.0280	0.0280		0.0280	0.0280		441.4440	441.4440	8.4600e-003	8.0900e-003	444.0673
Mobile	2.8858	27.7933	34.2504	0.2045	13.2926	0.1055	13.3981	3.5742	0.0990	3.6732		20,971.9809	20,971.9809	1.0557		20,998.3737
Total	4.4906	28.1612	34.5659	0.2067	13.2926	0.1334	13.4261	3.5742	0.1269	3.7012		21,413.4388	21,413.4388	1.0642	8.0900e-003	21,442.4558

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	1.5644	6.0000e-005	6.4900e-003	0.0000		2.0000e-005	2.0000e-005		2.0000e-005	2.0000e-005		0.0139	0.0139	4.0000e-005		0.0148
Energy	0.0291	0.2642	0.2219	1.5900e-003		0.0201	0.0201		0.0201	0.0201		317.0443	317.0443	6.0800e-003	5.8100e-003	318.9284
Mobile	2.8189	27.1503	32.7239	0.1953	12.6251	0.1005	12.7256	3.3947	0.0943	3.4890		20,031.2018	20,031.2018	1.0370		20,057.1271
Total	4.4123	27.4145	32.9523	0.1969	12.6251	0.1206	12.7457	3.3947	0.1144	3.5091		20,348.2601	20,348.2601	1.0431	5.8100e-003	20,376.0703

Fresno City College First Responders Center - Fresno County, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	1.74	2.65	4.67	4.75	5.02	9.63	5.07	5.02	9.88	5.19	0.00	4.97	4.97	1.98	28.18	4.97

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Site Preparation	Site Preparation	9/1/2021	9/21/2021	5	15	
2	Grading	Grading	9/22/2021	11/12/2021	5	38	
3	Building Construction	Building Construction	11/13/2021	4/14/2023	5	370	
4	Paving	Paving	4/15/2023	5/24/2023	5	28	
5	Architectural Coating	Architectural Coating	5/25/2023	7/3/2023	5	28	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 40

Acres of Paving: 0.04

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 93,000; Non-Residential Outdoor: 31,000; Striped Parking Area: 100 (Architectural Coating – sqft)

OffRoad Equipment

Fresno City College First Responders Center - Fresno County, Summer

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Architectural Coating	Air Compressors	1	6.00	78	0.48
Grading	Excavators	2	8.00	158	0.38
Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Paving	Pavers	2	8.00	130	0.42
Paving	Rollers	2	8.00	80	0.38
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Grading	Graders	1	8.00	187	0.41
Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Paving	Paving Equipment	2	8.00	132	0.36
Site Preparation	Tractors/Loaders/Backhoes	4	8.00	97	0.37
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Grading	Scrapers	2	8.00	367	0.48
Building Construction	Welders	1	8.00	46	0.45

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Site Preparation	7	18.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Grading	8	20.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	27.00	10.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	5.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT

Fresno City College First Responders Center - Fresno County, Summer

3.1 Mitigation Measures Construction

Use Cleaner Engines for Construction Equipment

Use Soil Stabilizer

Water Exposed Area

Reduce Vehicle Speed on Unpaved Roads

3.2 Site Preparation - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					18.0663	0.0000	18.0663	9.9307	0.0000	9.9307			0.0000			0.0000
Off-Road	3.8882	40.4971	21.1543	0.0380		2.0445	2.0445		1.8809	1.8809		3,685.6569	3,685.6569	1.1920		3,715.4573
Total	3.8882	40.4971	21.1543	0.0380	18.0663	2.0445	20.1107	9.9307	1.8809	11.8116		3,685.6569	3,685.6569	1.1920		3,715.4573

Fresno City College First Responders Center - Fresno County, Summer

3.2 Site Preparation - 2021

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1096	0.0604	0.7760	2.2500e-003	0.2299	1.3300e-003	0.2312	0.0610	1.2200e-003	0.0622		223.9310	223.9310	5.4300e-003		224.0666
Total	0.1096	0.0604	0.7760	2.2500e-003	0.2299	1.3300e-003	0.2312	0.0610	1.2200e-003	0.0622		223.9310	223.9310	5.4300e-003		224.0666

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					7.0458	0.0000	7.0458	3.8730	0.0000	3.8730			0.0000			0.0000
Off-Road	0.9312	19.0656	22.9600	0.0380		0.9462	0.9462		0.9462	0.9462	0.0000	3,685.6569	3,685.6569	1.1920		3,715.4573
Total	0.9312	19.0656	22.9600	0.0380	7.0458	0.9462	7.9920	3.8730	0.9462	4.8191	0.0000	3,685.6569	3,685.6569	1.1920		3,715.4573

Fresno City College First Responders Center - Fresno County, Summer

3.2 Site Preparation - 2021

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1096	0.0604	0.7760	2.2500e-003	0.2299	1.3300e-003	0.2312	0.0610	1.2200e-003	0.0622		223.9310	223.9310	5.4300e-003		224.0666
Total	0.1096	0.0604	0.7760	2.2500e-003	0.2299	1.3300e-003	0.2312	0.0610	1.2200e-003	0.0622		223.9310	223.9310	5.4300e-003		224.0666

3.3 Grading - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					7.1384	0.0000	7.1384	3.4308	0.0000	3.4308			0.0000			0.0000
Off-Road	4.1912	46.3998	30.8785	0.0620		1.9853	1.9853		1.8265	1.8265		6,007.0434	6,007.0434	1.9428		6,055.6134
Total	4.1912	46.3998	30.8785	0.0620	7.1384	1.9853	9.1237	3.4308	1.8265	5.2573		6,007.0434	6,007.0434	1.9428		6,055.6134

Fresno City College First Responders Center - Fresno County, Summer

3.3 Grading - 2021

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1218	0.0672	0.8623	2.5000e-003	0.2555	1.4800e-003	0.2569	0.0678	1.3600e-003	0.0691		248.8122	248.8122	6.0300e-003		248.9629
Total	0.1218	0.0672	0.8623	2.5000e-003	0.2555	1.4800e-003	0.2569	0.0678	1.3600e-003	0.0691		248.8122	248.8122	6.0300e-003		248.9629

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					2.7840	0.0000	2.7840	1.3380	0.0000	1.3380			0.0000			0.0000
Off-Road	1.5231	29.9782	36.7226	0.0620		1.2994	1.2994		1.2994	1.2994	0.0000	6,007.0434	6,007.0434	1.9428		6,055.6134
Total	1.5231	29.9782	36.7226	0.0620	2.7840	1.2994	4.0834	1.3380	1.2994	2.6374	0.0000	6,007.0434	6,007.0434	1.9428		6,055.6134

Fresno City College First Responders Center - Fresno County, Summer

3.3 Grading - 2021

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1218	0.0672	0.8623	2.5000e-003	0.2555	1.4800e-003	0.2569	0.0678	1.3600e-003	0.0691		248.8122	248.8122	6.0300e-003		248.9629
Total	0.1218	0.0672	0.8623	2.5000e-003	0.2555	1.4800e-003	0.2569	0.0678	1.3600e-003	0.0691		248.8122	248.8122	6.0300e-003		248.9629

3.4 Building Construction - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.9009	17.4321	16.5752	0.0269		0.9586	0.9586		0.9013	0.9013		2,553.3639	2,553.3639	0.6160		2,568.7643
Total	1.9009	17.4321	16.5752	0.0269		0.9586	0.9586		0.9013	0.9013		2,553.3639	2,553.3639	0.6160		2,568.7643

Fresno City College First Responders Center - Fresno County, Summer

3.4 Building Construction - 2021

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0280	1.0727	0.1500	2.6400e-003	0.0613	2.7200e-003	0.0640	0.0177	2.6000e-003	0.0203		276.8751	276.8751	0.0335		277.7119
Worker	0.1644	0.0907	1.1640	3.3700e-003	0.3449	1.9900e-003	0.3469	0.0915	1.8400e-003	0.0933		335.8964	335.8964	8.1400e-003		336.0999
Total	0.1924	1.1633	1.3140	6.0100e-003	0.4062	4.7100e-003	0.4109	0.1091	4.4400e-003	0.1135		612.7715	612.7715	0.0416		613.8118

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.6739	14.2261	17.8738	0.0269		0.9036	0.9036		0.9036	0.9036	0.0000	2,553.3639	2,553.3639	0.6160		2,568.7643
Total	0.6739	14.2261	17.8738	0.0269		0.9036	0.9036		0.9036	0.9036	0.0000	2,553.3639	2,553.3639	0.6160		2,568.7643

Fresno City College First Responders Center - Fresno County, Summer

3.4 Building Construction - 2021

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0280	1.0727	0.1500	2.6400e-003	0.0613	2.7200e-003	0.0640	0.0177	2.6000e-003	0.0203		276.8751	276.8751	0.0335		277.7119
Worker	0.1644	0.0907	1.1640	3.3700e-003	0.3449	1.9900e-003	0.3469	0.0915	1.8400e-003	0.0933		335.8964	335.8964	8.1400e-003		336.0999
Total	0.1924	1.1633	1.3140	6.0100e-003	0.4062	4.7100e-003	0.4109	0.1091	4.4400e-003	0.1135		612.7715	612.7715	0.0416		613.8118

3.4 Building Construction - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612		2,554.3336	2,554.3336	0.6120		2,569.6322
Total	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612		2,554.3336	2,554.3336	0.6120		2,569.6322

Fresno City College First Responders Center - Fresno County, Summer

3.4 Building Construction - 2022

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0260	1.0193	0.1386	2.6200e-003	0.0613	2.3400e-003	0.0636	0.0177	2.2300e-003	0.0199		274.2593	274.2593	0.0325		275.0705
Worker	0.1527	0.0810	1.0646	3.2500e-003	0.3449	1.9300e-003	0.3468	0.0915	1.7800e-003	0.0932		323.8046	323.8046	7.2600e-003		323.9863
Total	0.1788	1.1003	1.2032	5.8700e-003	0.4062	4.2700e-003	0.4104	0.1091	4.0100e-003	0.1131		598.0639	598.0639	0.0397		599.0568

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.6739	14.2261	17.8738	0.0269		0.9036	0.9036		0.9036	0.9036	0.0000	2,554.3336	2,554.3336	0.6120		2,569.6322
Total	0.6739	14.2261	17.8738	0.0269		0.9036	0.9036		0.9036	0.9036	0.0000	2,554.3336	2,554.3336	0.6120		2,569.6322

Fresno City College First Responders Center - Fresno County, Summer

3.4 Building Construction - 2022

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0260	1.0193	0.1386	2.6200e-003	0.0613	2.3400e-003	0.0636	0.0177	2.2300e-003	0.0199		274.2593	274.2593	0.0325		275.0705
Worker	0.1527	0.0810	1.0646	3.2500e-003	0.3449	1.9300e-003	0.3468	0.0915	1.7800e-003	0.0932		323.8046	323.8046	7.2600e-003		323.9863
Total	0.1788	1.1003	1.2032	5.8700e-003	0.4062	4.2700e-003	0.4104	0.1091	4.0100e-003	0.1131		598.0639	598.0639	0.0397		599.0568

3.4 Building Construction - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584		2,555.2099	2,555.2099	0.6079		2,570.4061
Total	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584		2,555.2099	2,555.2099	0.6079		2,570.4061

Fresno City College First Responders Center - Fresno County, Summer

3.4 Building Construction - 2023

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0179	0.8048	0.1137	2.5500e-003	0.0613	7.2000e-004	0.0620	0.0177	6.9000e-004	0.0183		267.5106	267.5106	0.0219		268.0592
Worker	0.1423	0.0726	0.9750	3.1300e-003	0.3449	1.8900e-003	0.3468	0.0915	1.7400e-003	0.0932		311.6362	311.6362	6.4800e-003		311.7983
Total	0.1602	0.8774	1.0887	5.6800e-003	0.4062	2.6100e-003	0.4088	0.1091	2.4300e-003	0.1115		579.1468	579.1468	0.0284		579.8575

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.6739	14.2261	17.8738	0.0269		0.9036	0.9036		0.9036	0.9036	0.0000	2,555.2099	2,555.2099	0.6079		2,570.4061
Total	0.6739	14.2261	17.8738	0.0269		0.9036	0.9036		0.9036	0.9036	0.0000	2,555.2099	2,555.2099	0.6079		2,570.4061

Fresno City College First Responders Center - Fresno County, Summer

3.4 Building Construction - 2023

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0179	0.8048	0.1137	2.5500e-003	0.0613	7.2000e-004	0.0620	0.0177	6.9000e-004	0.0183		267.5106	267.5106	0.0219		268.0592
Worker	0.1423	0.0726	0.9750	3.1300e-003	0.3449	1.8900e-003	0.3468	0.0915	1.7400e-003	0.0932		311.6362	311.6362	6.4800e-003		311.7983
Total	0.1602	0.8774	1.0887	5.6800e-003	0.4062	2.6100e-003	0.4088	0.1091	2.4300e-003	0.1115		579.1468	579.1468	0.0284		579.8575

3.5 Paving - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694		2,207.5841	2,207.5841	0.7140		2,225.4336
Paving	3.7400e-003					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.0365	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694		2,207.5841	2,207.5841	0.7140		2,225.4336

Fresno City College First Responders Center - Fresno County, Summer

3.5 Paving - 2023

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0791	0.0403	0.5417	1.7400e-003	0.1916	1.0500e-003	0.1926	0.0508	9.6000e-004	0.0518		173.1312	173.1312	3.6000e-003		173.2213
Total	0.0791	0.0403	0.5417	1.7400e-003	0.1916	1.0500e-003	0.1926	0.0508	9.6000e-004	0.0518		173.1312	173.1312	3.6000e-003		173.2213

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.5609	11.2952	17.2957	0.0228		0.6093	0.6093		0.6093	0.6093	0.0000	2,207.5841	2,207.5841	0.7140		2,225.4336
Paving	3.7400e-003					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.5647	11.2952	17.2957	0.0228		0.6093	0.6093		0.6093	0.6093	0.0000	2,207.5841	2,207.5841	0.7140		2,225.4336

Fresno City College First Responders Center - Fresno County, Summer

3.5 Paving - 2023

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0791	0.0403	0.5417	1.7400e-003	0.1916	1.0500e-003	0.1926	0.0508	9.6000e-004	0.0518		173.1312	173.1312	3.6000e-003		173.2213
Total	0.0791	0.0403	0.5417	1.7400e-003	0.1916	1.0500e-003	0.1926	0.0508	9.6000e-004	0.0518		173.1312	173.1312	3.6000e-003		173.2213

3.6 Architectural Coating - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	30.8145					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1917	1.3030	1.8111	2.9700e-003		0.0708	0.0708		0.0708	0.0708		281.4481	281.4481	0.0168		281.8690
Total	31.0061	1.3030	1.8111	2.9700e-003		0.0708	0.0708		0.0708	0.0708		281.4481	281.4481	0.0168		281.8690

Fresno City College First Responders Center - Fresno County, Summer

3.6 Architectural Coating - 2023

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0264	0.0135	0.1806	5.8000e-004	0.0639	3.5000e-004	0.0642	0.0169	3.2000e-004	0.0173		57.7104	57.7104	1.2000e-003		57.7404
Total	0.0264	0.0135	0.1806	5.8000e-004	0.0639	3.5000e-004	0.0642	0.0169	3.2000e-004	0.0173		57.7104	57.7104	1.2000e-003		57.7404

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	30.8145					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.0594	1.3570	1.8324	2.9700e-003		0.0951	0.0951		0.0951	0.0951	0.0000	281.4481	281.4481	0.0168		281.8690
Total	30.8739	1.3570	1.8324	2.9700e-003		0.0951	0.0951		0.0951	0.0951	0.0000	281.4481	281.4481	0.0168		281.8690

Fresno City College First Responders Center - Fresno County, Summer

3.6 Architectural Coating - 2023

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0264	0.0135	0.1806	5.8000e-004	0.0639	3.5000e-004	0.0642	0.0169	3.2000e-004	0.0173		57.7104	57.7104	1.2000e-003		57.7404
Total	0.0264	0.0135	0.1806	5.8000e-004	0.0639	3.5000e-004	0.0642	0.0169	3.2000e-004	0.0173		57.7104	57.7104	1.2000e-003		57.7404

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

- Implement Trip Reduction Program
- Market Commute Trip Reduction Option
- Employee Vanpool/Shuttle
- Provide Riade Sharing Program

Fresno City College First Responders Center - Fresno County, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	2.8189	27.1503	32.7239	0.1953	12.6251	0.1005	12.7256	3.3947	0.0943	3.4890		20,031.2018	20,031.2018	1.0370		20,057.1271
Unmitigated	2.8858	27.7933	34.2504	0.2045	13.2926	0.1055	13.3981	3.5742	0.0990	3.6732		20,971.9809	20,971.9809	1.0557		20,998.3737

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Junior College (2Yr)	1,255.50	0.00	0.00	4,391,830	4,171,269
Parking Lot	0.00	0.00	0.00		
Total	1,255.50	0.00	0.00	4,391,830	4,171,269

4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Junior College (2Yr)	14.35	14.35	14.35	6.40	88.60	5.00	92	7	1
Parking Lot	14.70	6.60	6.60	0.00	0.00	0.00	0	0	0

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Junior College (2Yr)	0.501421	0.030018	0.171383	0.107490	0.013683	0.004097	0.033773	0.127911	0.002341	0.001406	0.004884	0.001058	0.000535
Parking Lot	0.501421	0.030018	0.171383	0.107490	0.013683	0.004097	0.033773	0.127911	0.002341	0.001406	0.004884	0.001058	0.000535

Fresno City College First Responders Center - Fresno County, Summer

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Exceed Title 24

Install High Efficiency Lighting

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
NaturalGas Mitigated	0.0291	0.2642	0.2219	1.5900e-003		0.0201	0.0201		0.0201	0.0201		317.0443	317.0443	6.0800e-003	5.8100e-003	318.9284
NaturalGas Unmitigated	0.0405	0.3679	0.3090	2.2100e-003		0.0280	0.0280		0.0280	0.0280		441.4440	441.4440	8.4600e-003	8.0900e-003	444.0673

Fresno City College First Responders Center - Fresno County, Summer

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Junior College (2Yr)	3752.27	0.0405	0.3679	0.3090	2.2100e-003		0.0280	0.0280		0.0280	0.0280		441.4440	441.4440	8.4600e-003	8.0900e-003	444.0673
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0405	0.3679	0.3090	2.2100e-003		0.0280	0.0280		0.0280	0.0280		441.4440	441.4440	8.4600e-003	8.0900e-003	444.0673

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Junior College (2Yr)	2.69488	0.0291	0.2642	0.2219	1.5900e-003		0.0201	0.0201		0.0201	0.0201		317.0443	317.0443	6.0800e-003	5.8100e-003	318.9284
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0291	0.2642	0.2219	1.5900e-003		0.0201	0.0201		0.0201	0.0201		317.0443	317.0443	6.0800e-003	5.8100e-003	318.9284

6.0 Area Detail

6.1 Mitigation Measures Area

Fresno City College First Responders Center - Fresno County, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	1.5644	6.0000e-005	6.4900e-003	0.0000		2.0000e-005	2.0000e-005		2.0000e-005	2.0000e-005		0.0139	0.0139	4.0000e-005		0.0148
Unmitigated	1.5644	6.0000e-005	6.4900e-003	0.0000		2.0000e-005	2.0000e-005		2.0000e-005	2.0000e-005		0.0139	0.0139	4.0000e-005		0.0148

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.2364					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	1.3274					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Landscaping	6.0000e-004	6.0000e-005	6.4900e-003	0.0000		2.0000e-005	2.0000e-005		2.0000e-005	2.0000e-005		0.0139	0.0139	4.0000e-005		0.0148
Total	1.5644	6.0000e-005	6.4900e-003	0.0000		2.0000e-005	2.0000e-005		2.0000e-005	2.0000e-005		0.0139	0.0139	4.0000e-005		0.0148

Fresno City College First Responders Center - Fresno County, Summer

6.2 Area by SubCategory

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.2364					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	1.3274					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Landscaping	6.0000e-004	6.0000e-005	6.4900e-003	0.0000		2.0000e-005	2.0000e-005		2.0000e-005	2.0000e-005		0.0139	0.0139	4.0000e-005		0.0148
Total	1.5644	6.0000e-005	6.4900e-003	0.0000		2.0000e-005	2.0000e-005		2.0000e-005	2.0000e-005		0.0139	0.0139	4.0000e-005		0.0148

7.0 Water Detail

7.1 Mitigation Measures Water

- Install Low Flow Bathroom Faucet
- Install Low Flow Kitchen Faucet
- Install Low Flow Toilet
- Install Low Flow Shower

8.0 Waste Detail

8.1 Mitigation Measures Waste

9.0 Operational Offroad

Fresno City College First Responders Center - Fresno County, Summer

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

Fresno City College First Responders Center - Fresno County, Winter

Fresno City College First Responders Center
Fresno County, Winter

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Junior College (2Yr)	62.00	1000sqft	40.00	62,000.00	320
Parking Lot	1.66	1000sqft	0.04	1,660.00	0

1.2 Other Project Characteristics

Urbanization	Rural	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	45
Climate Zone	3			Operational Year	2024
Utility Company	Pacific Gas & Electric Company				
CO2 Intensity (lb/MWhr)	417.62	CH4 Intensity (lb/MWhr)	0.019	N2O Intensity (lb/MWhr)	0.004

1.3 User Entered Comments & Non-Default Data

Fresno City College First Responders Center - Fresno County, Winter

Project Characteristics - Utility intensity factors reflect SB 100 (2018) Renewables Portfolio Standard program.

Land Use - 62,000 square feet of building area; 1,660 square feet of parking area; 40-acre site; 270 students; 50 employees

Construction Phase - Construction is planned to occur from late 2021 to the middle of 2023.

Grading - 40-acre site graded

Vehicle Trips - Weekday trip rates are based on ITE Land Use 540, Junior/Community College. The Project-specific traffic modeling performed by COG indicates a Project VMT of 28.7 miles per employee, which can also be reasonably estimated as the VMT per student.

Energy Use -

Construction Off-road Equipment Mitigation - Use Alternative Fuels for Construction Equipment (0-22% GHG emission reduction)

Mobile Commute Mitigation - Implement Voluntary Commute Trip Reduction Programs (1.0-6.2% GHG emission reduction); Implement Commute Trip Reduction Marketing (0.8-4.0% GHG emission reduction); Provide Employer-Sponsored Vanpool/Shuttle (0.3-13.4% GHG emission reduction); Provide Ride-Sharing Programs (1-15% GHG emission reduction)

Energy Mitigation - Nonresidential buildings will use about 30 percent less energy due mainly to lighting upgrades.

Water Mitigation - Low-flow indoor water use; water-efficient irrigation systems outdoor water use

Table Name	Column Name	Default Value	New Value
tblConstDustMitigation	WaterUnpavedRoadVehicleSpeed	0	15
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	3.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	4.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	9.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00

Fresno City College First Responders Center - Fresno County, Winter

tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstructionPhase	NumDays	55.00	28.00
tblConstructionPhase	NumDays	740.00	370.00
tblConstructionPhase	NumDays	75.00	38.00
tblConstructionPhase	NumDays	55.00	28.00
tblConstructionPhase	NumDays	30.00	15.00
tblConstructionPhase	PhaseEndDate	7/8/2025	7/3/2023
tblConstructionPhase	PhaseEndDate	2/4/2025	4/14/2023
tblConstructionPhase	PhaseEndDate	4/5/2022	11/12/2021
tblConstructionPhase	PhaseEndDate	4/22/2025	5/24/2023
tblConstructionPhase	PhaseEndDate	12/21/2021	9/21/2021
tblConstructionPhase	PhaseStartDate	4/23/2025	5/25/2023
tblConstructionPhase	PhaseStartDate	4/6/2022	11/13/2021
tblConstructionPhase	PhaseStartDate	12/22/2021	9/22/2021
tblConstructionPhase	PhaseStartDate	2/5/2025	4/15/2023

Fresno City College First Responders Center - Fresno County, Winter

tblConstructionPhase	PhaseStartDate	11/10/2021	9/1/2021
tblGrading	AcresOfGrading	95.00	40.00
tblLandUse	LotAcreage	1.42	40.00
tblLandUse	Population	0.00	320.00
tblProjectCharacteristics	CH4IntensityFactor	0.029	0.019
tblProjectCharacteristics	CO2IntensityFactor	641.35	417.62
tblProjectCharacteristics	N2OIntensityFactor	0.006	0.004
tblProjectCharacteristics	UrbanizationLevel	Urban	Rural
tblVehicleTrips	CC_TL	6.60	14.35
tblVehicleTrips	CNW_TL	6.60	14.35
tblVehicleTrips	CW_TL	14.70	14.35
tblVehicleTrips	ST_TR	11.23	0.00
tblVehicleTrips	SU_TR	1.21	0.00
tblVehicleTrips	WD_TR	27.49	20.25

2.0 Emissions Summary

Fresno City College First Responders Center - Fresno County, Winter

2.1 Overall Construction (Maximum Daily Emission)

Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2021	4.3113	46.4787	31.5820	0.0642	18.2962	2.0458	20.3420	9.9917	1.8821	11.8738	0.0000	6,224.9019	6,224.9019	1.9480	0.0000	6,273.6014
2022	1.8847	16.7350	17.3970	0.0323	0.4062	0.8134	1.2196	0.1091	0.7653	0.8744	0.0000	3,102.8145	3,102.8145	0.6551	0.0000	3,119.1918
2023	31.0323	15.2767	17.1676	0.0322	0.4062	0.7024	1.1085	0.1091	0.6609	0.7700	0.0000	3,086.5720	3,086.5720	0.7171	0.0000	3,102.5310
Maximum	31.0323	46.4787	31.5820	0.0642	18.2962	2.0458	20.3420	9.9917	1.8821	11.8738	0.0000	6,224.9019	6,224.9019	1.9480	0.0000	6,273.6014

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2021	1.6432	30.0571	37.4261	0.0642	7.2758	1.3009	8.2233	3.9339	1.3008	4.8813	0.0000	6,224.9019	6,224.9019	1.9480	0.0000	6,273.6013
2022	0.8524	15.3454	18.9073	0.0323	0.4062	0.9079	1.3141	0.1091	0.9077	1.0168	0.0000	3,102.8145	3,102.8145	0.6551	0.0000	3,119.1918
2023	30.9000	15.1179	18.7973	0.0322	0.4062	0.9062	1.3123	0.1091	0.9060	1.0151	0.0000	3,086.5720	3,086.5720	0.7171	0.0000	3,102.5310
Maximum	30.9000	30.0571	37.4261	0.0642	7.2758	1.3009	8.2233	3.9339	1.3008	4.8813	0.0000	6,224.9019	6,224.9019	1.9480	0.0000	6,273.6013

Fresno City College First Responders Center - Fresno County, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	10.30	22.89	-13.58	0.00	57.67	12.54	52.14	59.33	5.86	48.86	0.00	0.00	0.00	0.00	0.00	0.00

Fresno City College First Responders Center - Fresno County, Winter

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	1.5644	6.0000e-005	6.4900e-003	0.0000		2.0000e-005	2.0000e-005		2.0000e-005	2.0000e-005		0.0139	0.0139	4.0000e-005		0.0148
Energy	0.0405	0.3679	0.3090	2.2100e-003		0.0280	0.0280		0.0280	0.0280		441.4440	441.4440	8.4600e-003	8.0900e-003	444.0673
Mobile	2.3693	28.5273	30.3003	0.1900	13.2926	0.1060	13.3986	3.5742	0.0995	3.6737		19,521.1463	19,521.1463	1.1340		19,549.4950
Total	3.9741	28.8952	30.6158	0.1922	13.2926	0.1340	13.4266	3.5742	0.1275	3.7017		19,962.6042	19,962.6042	1.1425	8.0900e-003	19,993.5771

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	1.5644	6.0000e-005	6.4900e-003	0.0000		2.0000e-005	2.0000e-005		2.0000e-005	2.0000e-005		0.0139	0.0139	4.0000e-005		0.0148
Energy	0.0291	0.2642	0.2219	1.5900e-003		0.0201	0.0201		0.0201	0.0201		317.0443	317.0443	6.0800e-003	5.8100e-003	318.9284
Mobile	2.3045	27.8286	29.0642	0.1814	12.6251	0.1010	12.7261	3.3947	0.0948	3.4895		18,639.2510	18,639.2510	1.1165		18,667.1628
Total	3.8979	28.0929	29.2926	0.1830	12.6251	0.1211	12.7462	3.3947	0.1149	3.5096		18,956.3093	18,956.3093	1.1226	5.8100e-003	18,986.1060

Fresno City College First Responders Center - Fresno County, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	1.92	2.78	4.32	4.80	5.02	9.58	5.07	5.02	9.84	5.19	0.00	5.04	5.04	1.74	28.18	5.04

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Site Preparation	Site Preparation	9/1/2021	9/21/2021	5	15	
2	Grading	Grading	9/22/2021	11/12/2021	5	38	
3	Building Construction	Building Construction	11/13/2021	4/14/2023	5	370	
4	Paving	Paving	4/15/2023	5/24/2023	5	28	
5	Architectural Coating	Architectural Coating	5/25/2023	7/3/2023	5	28	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 40

Acres of Paving: 0.04

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 93,000; Non-Residential Outdoor: 31,000; Striped Parking Area: 100 (Architectural Coating – sqft)

OffRoad Equipment

Fresno City College First Responders Center - Fresno County, Winter

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Architectural Coating	Air Compressors	1	6.00	78	0.48
Grading	Excavators	2	8.00	158	0.38
Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Paving	Pavers	2	8.00	130	0.42
Paving	Rollers	2	8.00	80	0.38
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Grading	Graders	1	8.00	187	0.41
Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Paving	Paving Equipment	2	8.00	132	0.36
Site Preparation	Tractors/Loaders/Backhoes	4	8.00	97	0.37
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Grading	Scrapers	2	8.00	367	0.48
Building Construction	Welders	1	8.00	46	0.45

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Site Preparation	7	18.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Grading	8	20.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	27.00	10.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	5.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT

Fresno City College First Responders Center - Fresno County, Winter

3.1 Mitigation Measures Construction

Use Cleaner Engines for Construction Equipment

Use Soil Stabilizer

Water Exposed Area

Reduce Vehicle Speed on Unpaved Roads

3.2 Site Preparation - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					18.0663	0.0000	18.0663	9.9307	0.0000	9.9307			0.0000			0.0000
Off-Road	3.8882	40.4971	21.1543	0.0380		2.0445	2.0445		1.8809	1.8809		3,685.6569	3,685.6569	1.1920		3,715.4573
Total	3.8882	40.4971	21.1543	0.0380	18.0663	2.0445	20.1107	9.9307	1.8809	11.8116		3,685.6569	3,685.6569	1.1920		3,715.4573

Fresno City College First Responders Center - Fresno County, Winter

3.2 Site Preparation - 2021

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1081	0.0710	0.6332	1.9700e-003	0.2299	1.3300e-003	0.2312	0.0610	1.2200e-003	0.0622		196.0726	196.0726	4.6600e-003		196.1891
Total	0.1081	0.0710	0.6332	1.9700e-003	0.2299	1.3300e-003	0.2312	0.0610	1.2200e-003	0.0622		196.0726	196.0726	4.6600e-003		196.1891

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					7.0458	0.0000	7.0458	3.8730	0.0000	3.8730			0.0000			0.0000
Off-Road	0.9312	19.0656	22.9600	0.0380		0.9462	0.9462		0.9462	0.9462	0.0000	3,685.6569	3,685.6569	1.1920		3,715.4573
Total	0.9312	19.0656	22.9600	0.0380	7.0458	0.9462	7.9920	3.8730	0.9462	4.8191	0.0000	3,685.6569	3,685.6569	1.1920		3,715.4573

Fresno City College First Responders Center - Fresno County, Winter

3.2 Site Preparation - 2021

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1081	0.0710	0.6332	1.9700e-003	0.2299	1.3300e-003	0.2312	0.0610	1.2200e-003	0.0622		196.0726	196.0726	4.6600e-003		196.1891
Total	0.1081	0.0710	0.6332	1.9700e-003	0.2299	1.3300e-003	0.2312	0.0610	1.2200e-003	0.0622		196.0726	196.0726	4.6600e-003		196.1891

3.3 Grading - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					7.1384	0.0000	7.1384	3.4308	0.0000	3.4308			0.0000			0.0000
Off-Road	4.1912	46.3998	30.8785	0.0620		1.9853	1.9853		1.8265	1.8265		6,007.0434	6,007.0434	1.9428		6,055.6134
Total	4.1912	46.3998	30.8785	0.0620	7.1384	1.9853	9.1237	3.4308	1.8265	5.2573		6,007.0434	6,007.0434	1.9428		6,055.6134

Fresno City College First Responders Center - Fresno County, Winter

3.3 Grading - 2021

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1201	0.0789	0.7035	2.1900e-003	0.2555	1.4800e-003	0.2569	0.0678	1.3600e-003	0.0691		217.8585	217.8585	5.1800e-003		217.9879
Total	0.1201	0.0789	0.7035	2.1900e-003	0.2555	1.4800e-003	0.2569	0.0678	1.3600e-003	0.0691		217.8585	217.8585	5.1800e-003		217.9879

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					2.7840	0.0000	2.7840	1.3380	0.0000	1.3380			0.0000			0.0000
Off-Road	1.5231	29.9782	36.7226	0.0620		1.2994	1.2994		1.2994	1.2994	0.0000	6,007.0434	6,007.0434	1.9428		6,055.6134
Total	1.5231	29.9782	36.7226	0.0620	2.7840	1.2994	4.0834	1.3380	1.2994	2.6374	0.0000	6,007.0434	6,007.0434	1.9428		6,055.6134

Fresno City College First Responders Center - Fresno County, Winter

3.3 Grading - 2021

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1201	0.0789	0.7035	2.1900e-003	0.2555	1.4800e-003	0.2569	0.0678	1.3600e-003	0.0691		217.8585	217.8585	5.1800e-003		217.9879
Total	0.1201	0.0789	0.7035	2.1900e-003	0.2555	1.4800e-003	0.2569	0.0678	1.3600e-003	0.0691		217.8585	217.8585	5.1800e-003		217.9879

3.4 Building Construction - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.9009	17.4321	16.5752	0.0269		0.9586	0.9586		0.9013	0.9013		2,553.3639	2,553.3639	0.6160		2,568.7643
Total	1.9009	17.4321	16.5752	0.0269		0.9586	0.9586		0.9013	0.9013		2,553.3639	2,553.3639	0.6160		2,568.7643

Fresno City College First Responders Center - Fresno County, Winter

3.4 Building Construction - 2021

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0295	1.0793	0.1819	2.5500e-003	0.0613	2.8400e-003	0.0641	0.0177	2.7200e-003	0.0204		267.5302	267.5302	0.0380		268.4807
Worker	0.1622	0.1065	0.9498	2.9500e-003	0.3449	1.9900e-003	0.3469	0.0915	1.8400e-003	0.0933		294.1090	294.1090	6.9900e-003		294.2837
Total	0.1917	1.1858	1.1316	5.5000e-003	0.4062	4.8300e-003	0.4110	0.1091	4.5600e-003	0.1137		561.6391	561.6391	0.0450		562.7643

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.6739	14.2261	17.8738	0.0269		0.9036	0.9036		0.9036	0.9036	0.0000	2,553.3639	2,553.3639	0.6160		2,568.7643
Total	0.6739	14.2261	17.8738	0.0269		0.9036	0.9036		0.9036	0.9036	0.0000	2,553.3639	2,553.3639	0.6160		2,568.7643

Fresno City College First Responders Center - Fresno County, Winter

3.4 Building Construction - 2021

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0295	1.0793	0.1819	2.5500e-003	0.0613	2.8400e-003	0.0641	0.0177	2.7200e-003	0.0204		267.5302	267.5302	0.0380		268.4807
Worker	0.1622	0.1065	0.9498	2.9500e-003	0.3449	1.9900e-003	0.3469	0.0915	1.8400e-003	0.0933		294.1090	294.1090	6.9900e-003		294.2837
Total	0.1917	1.1858	1.1316	5.5000e-003	0.4062	4.8300e-003	0.4110	0.1091	4.5600e-003	0.1137		561.6391	561.6391	0.0450		562.7643

3.4 Building Construction - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612		2,554.3336	2,554.3336	0.6120		2,569.6322
Total	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612		2,554.3336	2,554.3336	0.6120		2,569.6322

Fresno City College First Responders Center - Fresno County, Winter

3.4 Building Construction - 2022

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0275	1.0243	0.1683	2.5300e-003	0.0613	2.4500e-003	0.0637	0.0177	2.3400e-003	0.0200		264.9417	264.9417	0.0369		265.8646
Worker	0.1510	0.0951	0.8653	2.8400e-003	0.3449	1.9300e-003	0.3468	0.0915	1.7800e-003	0.0932		283.5392	283.5392	6.2300e-003		283.6950
Total	0.1785	1.1194	1.0336	5.3700e-003	0.4062	4.3800e-003	0.4106	0.1091	4.1200e-003	0.1132		548.4809	548.4809	0.0432		549.5596

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.6739	14.2261	17.8738	0.0269		0.9036	0.9036		0.9036	0.9036	0.0000	2,554.3336	2,554.3336	0.6120		2,569.6322
Total	0.6739	14.2261	17.8738	0.0269		0.9036	0.9036		0.9036	0.9036	0.0000	2,554.3336	2,554.3336	0.6120		2,569.6322

Fresno City College First Responders Center - Fresno County, Winter

3.4 Building Construction - 2022

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0275	1.0243	0.1683	2.5300e-003	0.0613	2.4500e-003	0.0637	0.0177	2.3400e-003	0.0200		264.9417	264.9417	0.0369		265.8646
Worker	0.1510	0.0951	0.8653	2.8400e-003	0.3449	1.9300e-003	0.3468	0.0915	1.7800e-003	0.0932		283.5392	283.5392	6.2300e-003		283.6950
Total	0.1785	1.1194	1.0336	5.3700e-003	0.4062	4.3800e-003	0.4106	0.1091	4.1200e-003	0.1132		548.4809	548.4809	0.0432		549.5596

3.4 Building Construction - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584		2,555.2099	2,555.2099	0.6079		2,570.4061
Total	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584		2,555.2099	2,555.2099	0.6079		2,570.4061

Fresno City College First Responders Center - Fresno County, Winter

3.4 Building Construction - 2023

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0189	0.8066	0.1343	2.4700e-003	0.0613	7.4000e-004	0.0620	0.0177	7.1000e-004	0.0184		258.4590	258.4590	0.0250		259.0831
Worker	0.1411	0.0852	0.7893	2.7400e-003	0.3449	1.8900e-003	0.3468	0.0915	1.7400e-003	0.0932		272.9031	272.9031	5.5500e-003		273.0419
Total	0.1600	0.8918	0.9236	5.2100e-003	0.4062	2.6300e-003	0.4088	0.1091	2.4500e-003	0.1116		531.3621	531.3621	0.0305		532.1250

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.6739	14.2261	17.8738	0.0269		0.9036	0.9036		0.9036	0.9036	0.0000	2,555.2099	2,555.2099	0.6079		2,570.4061
Total	0.6739	14.2261	17.8738	0.0269		0.9036	0.9036		0.9036	0.9036	0.0000	2,555.2099	2,555.2099	0.6079		2,570.4061

Fresno City College First Responders Center - Fresno County, Winter

3.4 Building Construction - 2023

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0189	0.8066	0.1343	2.4700e-003	0.0613	7.4000e-004	0.0620	0.0177	7.1000e-004	0.0184		258.4590	258.4590	0.0250		259.0831
Worker	0.1411	0.0852	0.7893	2.7400e-003	0.3449	1.8900e-003	0.3468	0.0915	1.7400e-003	0.0932		272.9031	272.9031	5.5500e-003		273.0419
Total	0.1600	0.8918	0.9236	5.2100e-003	0.4062	2.6300e-003	0.4088	0.1091	2.4500e-003	0.1116		531.3621	531.3621	0.0305		532.1250

3.5 Paving - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694		2,207.5841	2,207.5841	0.7140		2,225.4336
Paving	3.7400e-003					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.0365	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694		2,207.5841	2,207.5841	0.7140		2,225.4336

Fresno City College First Responders Center - Fresno County, Winter

3.5 Paving - 2023

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0784	0.0473	0.4385	1.5200e-003	0.1916	1.0500e-003	0.1926	0.0508	9.6000e-004	0.0518		151.6128	151.6128	3.0800e-003		151.6899
Total	0.0784	0.0473	0.4385	1.5200e-003	0.1916	1.0500e-003	0.1926	0.0508	9.6000e-004	0.0518		151.6128	151.6128	3.0800e-003		151.6899

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.5609	11.2952	17.2957	0.0228		0.6093	0.6093		0.6093	0.6093	0.0000	2,207.5841	2,207.5841	0.7140		2,225.4336
Paving	3.7400e-003					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.5647	11.2952	17.2957	0.0228		0.6093	0.6093		0.6093	0.6093	0.0000	2,207.5841	2,207.5841	0.7140		2,225.4336

Fresno City College First Responders Center - Fresno County, Winter

3.5 Paving - 2023

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0784	0.0473	0.4385	1.5200e-003	0.1916	1.0500e-003	0.1926	0.0508	9.6000e-004	0.0518		151.6128	151.6128	3.0800e-003		151.6899
Total	0.0784	0.0473	0.4385	1.5200e-003	0.1916	1.0500e-003	0.1926	0.0508	9.6000e-004	0.0518		151.6128	151.6128	3.0800e-003		151.6899

3.6 Architectural Coating - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	30.8145					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1917	1.3030	1.8111	2.9700e-003		0.0708	0.0708		0.0708	0.0708		281.4481	281.4481	0.0168		281.8690
Total	31.0061	1.3030	1.8111	2.9700e-003		0.0708	0.0708		0.0708	0.0708		281.4481	281.4481	0.0168		281.8690

Fresno City College First Responders Center - Fresno County, Winter

3.6 Architectural Coating - 2023

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0261	0.0158	0.1462	5.1000e-004	0.0639	3.5000e-004	0.0642	0.0169	3.2000e-004	0.0173		50.5376	50.5376	1.0300e-003		50.5633
Total	0.0261	0.0158	0.1462	5.1000e-004	0.0639	3.5000e-004	0.0642	0.0169	3.2000e-004	0.0173		50.5376	50.5376	1.0300e-003		50.5633

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	30.8145					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.0594	1.3570	1.8324	2.9700e-003		0.0951	0.0951		0.0951	0.0951	0.0000	281.4481	281.4481	0.0168		281.8690
Total	30.8739	1.3570	1.8324	2.9700e-003		0.0951	0.0951		0.0951	0.0951	0.0000	281.4481	281.4481	0.0168		281.8690

Fresno City College First Responders Center - Fresno County, Winter

3.6 Architectural Coating - 2023

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0261	0.0158	0.1462	5.1000e-004	0.0639	3.5000e-004	0.0642	0.0169	3.2000e-004	0.0173		50.5376	50.5376	1.0300e-003		50.5633
Total	0.0261	0.0158	0.1462	5.1000e-004	0.0639	3.5000e-004	0.0642	0.0169	3.2000e-004	0.0173		50.5376	50.5376	1.0300e-003		50.5633

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

- Implement Trip Reduction Program
- Market Commute Trip Reduction Option
- Employee Vanpool/Shuttle
- Provide Riade Sharing Program

Fresno City College First Responders Center - Fresno County, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	2.3045	27.8286	29.0642	0.1814	12.6251	0.1010	12.7261	3.3947	0.0948	3.4895		18,639.25 10	18,639.25 10	1.1165		18,667.16 28
Unmitigated	2.3693	28.5273	30.3003	0.1900	13.2926	0.1060	13.3986	3.5742	0.0995	3.6737		19,521.14 63	19,521.14 63	1.1340		19,549.49 50

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Junior College (2Yr)	1,255.50	0.00	0.00	4,391,830	4,171,269
Parking Lot	0.00	0.00	0.00		
Total	1,255.50	0.00	0.00	4,391,830	4,171,269

4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Junior College (2Yr)	14.35	14.35	14.35	6.40	88.60	5.00	92	7	1
Parking Lot	14.70	6.60	6.60	0.00	0.00	0.00	0	0	0

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Junior College (2Yr)	0.501421	0.030018	0.171383	0.107490	0.013683	0.004097	0.033773	0.127911	0.002341	0.001406	0.004884	0.001058	0.000535
Parking Lot	0.501421	0.030018	0.171383	0.107490	0.013683	0.004097	0.033773	0.127911	0.002341	0.001406	0.004884	0.001058	0.000535

Fresno City College First Responders Center - Fresno County, Winter

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Exceed Title 24

Install High Efficiency Lighting

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
NaturalGas Mitigated	0.0291	0.2642	0.2219	1.5900e-003		0.0201	0.0201		0.0201	0.0201		317.0443	317.0443	6.0800e-003	5.8100e-003	318.9284
NaturalGas Unmitigated	0.0405	0.3679	0.3090	2.2100e-003		0.0280	0.0280		0.0280	0.0280		441.4440	441.4440	8.4600e-003	8.0900e-003	444.0673

Fresno City College First Responders Center - Fresno County, Winter

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Junior College (2Yr)	3752.27	0.0405	0.3679	0.3090	2.2100e-003		0.0280	0.0280		0.0280	0.0280		441.4440	441.4440	8.4600e-003	8.0900e-003	444.0673
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0405	0.3679	0.3090	2.2100e-003		0.0280	0.0280		0.0280	0.0280		441.4440	441.4440	8.4600e-003	8.0900e-003	444.0673

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Junior College (2Yr)	2.69488	0.0291	0.2642	0.2219	1.5900e-003		0.0201	0.0201		0.0201	0.0201		317.0443	317.0443	6.0800e-003	5.8100e-003	318.9284
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0291	0.2642	0.2219	1.5900e-003		0.0201	0.0201		0.0201	0.0201		317.0443	317.0443	6.0800e-003	5.8100e-003	318.9284

6.0 Area Detail

6.1 Mitigation Measures Area

Fresno City College First Responders Center - Fresno County, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	1.5644	6.0000e-005	6.4900e-003	0.0000		2.0000e-005	2.0000e-005		2.0000e-005	2.0000e-005		0.0139	0.0139	4.0000e-005		0.0148
Unmitigated	1.5644	6.0000e-005	6.4900e-003	0.0000		2.0000e-005	2.0000e-005		2.0000e-005	2.0000e-005		0.0139	0.0139	4.0000e-005		0.0148

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.2364					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	1.3274					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Landscaping	6.0000e-004	6.0000e-005	6.4900e-003	0.0000		2.0000e-005	2.0000e-005		2.0000e-005	2.0000e-005		0.0139	0.0139	4.0000e-005		0.0148
Total	1.5644	6.0000e-005	6.4900e-003	0.0000		2.0000e-005	2.0000e-005		2.0000e-005	2.0000e-005		0.0139	0.0139	4.0000e-005		0.0148

Fresno City College First Responders Center - Fresno County, Winter

6.2 Area by SubCategory

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.2364					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	1.3274					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Landscaping	6.0000e-004	6.0000e-005	6.4900e-003	0.0000		2.0000e-005	2.0000e-005		2.0000e-005	2.0000e-005		0.0139	0.0139	4.0000e-005		0.0148
Total	1.5644	6.0000e-005	6.4900e-003	0.0000		2.0000e-005	2.0000e-005		2.0000e-005	2.0000e-005		0.0139	0.0139	4.0000e-005		0.0148

7.0 Water Detail

7.1 Mitigation Measures Water

- Install Low Flow Bathroom Faucet
- Install Low Flow Kitchen Faucet
- Install Low Flow Toilet
- Install Low Flow Shower

8.0 Waste Detail

8.1 Mitigation Measures Waste

9.0 Operational Offroad

Fresno City College First Responders Center - Fresno County, Winter

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

APPENDIX B
EMISSIONS CALCULATIONS

Table B-1. Calculation Assumptions

Assumptions	Value	Units	Source/Justification
Maximum number of burns per year	15	burns/year	Fire Academy
Material used per burn (sheets plywood)	1024	ft ²	1/2" or 7/8" OSB. Fire Academy
Material used per burn (dimensional lumber)	32	pallets	Fire Academy
Material used per burn (bales of hay)	2	bales	Fire Academy
Chain Saw	8.53	hrs/burn	Eight 8-hr days per class (64 total hrs), two classes per year. Fire Academy
Rotary Saw	8.53	hrs/burn	Eight 8-hr days per class (64 total hrs), two classes per year. Fire Academy
Positive Pressure Fan	4.26	hrs/burn	Two 8-hr days per class (16 total hrs), two classes per year. Fire Academy
Plywood thickness	7/8	inch	Fire Academy
Density of plywood	750	kg/m ³	Conservative estimate
Density of hay	300	kg/m ³	Conservative estimate
Volume of hay bale	10.67	ft ³	"Three String" Bale at 16"x48"x24"
Weight of pallet	48	lbs	Grocery Manufacturers Association Max Pallet Weight
Kilograms to pounds	2.2046	lbs/kg	Conversion Factor
Meters to feet	3.28084	ft/m	Conversion Factor
Cubic meters to cubic feet	35.3147	ft ³ /m ³	Conversion Factor

Table B-2. Fuel Usage

Fuel Type	lbs/burn	Formula
Weight of 32 Pallets	1536.0	$(32 \text{ pallets} * 48 \text{ lbs/pallet})$
Weight of 2 Bales of Hay	399.7	$(2 \text{ bales} * 10.67 \text{ ft}^3/\text{bale} * 300 \text{ kg/m}^3 * 2.2 \text{ lbs/kg}) / (35.3147 \text{ ft}^3/\text{m}^3)$
Weight of 75ft ³ Plywood Sheets	3488.6	$(1024 \text{ ft}^2 \text{ plywood} * 0.07291667 \text{ ft thick} * 750 \text{ kg/m}^3 * 2.2046 \text{ lbs/kg}) / (35.3147 \text{ ft}^3/\text{m}^3)$
Total Weight	5424.3	

Table B-3. Fuel Emission Factors

AP-42 Source	lbs emissions / ton material							
	CO	SO _x ²	NO _x	ROG	PM ₁₀	PM _{2.5} ³	CO ₂ ⁴	CH ₄ ⁴
Unspecified Forest Residues ¹	140	1	4	19	17	8.5	3143.4	21.7

1. EPA. 1995. AP-42 Table 2.5-5 Emission Factors for Open Burning of Agricultural Materials (wood is considered agricultural material)
 2. EPA. 1995. AP-42 Table 2.5-1 Emission Factors for Open Burning of Municipal Refuse (Municipal Refuse)
 3. PM_{2.5} emissions estimated to be half of total PM emissions
 4. EPA. 2001. Emissions Inventory Improvement Program Volume III Ch. 16

Table B-4. Equipment Emission Factors

Equipment Category	HP	Load Factor	g/hp-hr						
			CO	SO _x	NO _x	ROG	PM ₁₀	PM _{2.5}	CO ₂
Chain Saw (2-Stroke Phase 2) ¹	6	50%	283.4	0.1	0.9	48	7.7	7.7	726.7
Rotary Saw (2-Stroke Phase 2) ¹	6	60%	283.4	0.1	0.9	48	7.7	7.7	726.7
Positive Pressure Fan (2-Stroke Phase 2) ¹	5.5	60%	283.4	0.1	0.9	48	7.7	7.7	726.7

1. Offroad emission factors and parameters derived from EPA 420-R-10-019 and CARB SOR