

# Summary Form for Electronic Document Submittal

Form F

Lead agencies may include 15 hardcopies of this document when submitting electronic copies of Environmental Impact Reports, Negative Declarations, Mitigated Negative Declarations, or Notices of Preparation to the State Clearinghouse (SCH). The SCH also accepts other summaries, such as EIR Executive Summaries prepared pursuant to CEQA Guidelines Section 15123. Please include one copy of the Notice of Completion Form (NOC) with your submission and attach the summary to each electronic copy of the document.

SCH #: \_\_\_\_\_

Project Title: Capital Improvement Project No. BM19-125 - New 1 MG Reservoir

Lead Agency: City of Victorville Engineering Department

Contact Name: Victor J. Fajardo, P.E. Senior Civil Engineer

Email: VFajardo@victorvilleca.gov Phone Number: (760)243-6311

Project Location: Victorville San Bernardino  
*City* *County*

Project Description (Proposed actions, location, and/or consequences).

The Proposed Project is a 1 million-gallon (MG) reclaimed water storage tank located at the Southern California Logistics Airport (SCLA). The Proposed Project will consist of replacing the in-ground lined pond with a new 1 MG prestressed circular reservoir and re-locating the underground piping and the pumps. The estimated diameter of the tank is 75 feet; the area of disturbance including trenching, footings and construction area would be an approximate total diameter of 85 feet. The tank will be approximately 34 feet in height and approximately 24 feet will be buried below existing grade.

End users would continue to be industrial tenants of the SCLA. The water is treated to meet California Code of Regulations Title 22 of California's Water Recycling Criteria that includes State guidelines for how treated and recycled water is discharged and used. The tertiary recycled wastewater to be stored in the new tank would be from the Victor Valley Wastewater Agency's tertiary plant on Shay Road in Victorville and on occasion water from SCLA Industrial Wastewater Treatment would also be stored and would be used for irrigation and other non-domestic industrial uses

Identify the project's significant or potentially significant effects and briefly describe any proposed mitigation measures that would reduce or avoid that effect.

The development of the Proposed Project may cause substantial adverse impacts to biological, cultural, and geological resources. The Project Site occurs within the range of the desert tortoise; however, as concluded within the Desert Tortoise Survey prepared for the Project, poor-quality habitat on-site likely precludes this species from occurring on-site. During the desert tortoise surveys, no signs of desert tortoise (e.g., scat, tracks, etc.) were identified. However, adherence to Mitigation Measure BIO-1, including conducting a preconstruction survey, would ensure potential impacts are reduced to a less than significant level.

Potential impacts to unknown cultural resources including Tribal Cultural Resources would be reduced with implementation of Mitigation Measures CR-1 through CR-3, and TCR-1 through TCR-5 which would require appropriate monitoring during earthmoving activities and notification to appropriate agencies of the discovery of human remains. Implementation of Mitigation Measure GEO-1 would ensure potential impacts to paleontological resources would be reduced to a level of less than significant. As noted in the Limited Phase II Environmental Site Assessment (ESA) due to the presence of pesticides (i.e. dieldrin) detected in the soil samples, and the existing known environmental concerns at the SCLA industrial park, Mitigation Measure HAZ-1 shall be implemented to ensure safety of workers and the surrounding environment.

If applicable, describe any of the project's areas of controversy known to the Lead Agency, including issues raised by agencies and the public.

There are no known areas of controversy.

Provide a list of the responsible or trustee agencies for the project.

Recordation of a final map, issuance of a building permits and completion of structures to current building code is required by the City of Victorville prior to establishment of any development on-site. In addition, approval by the Mojave Water Agency, Lahontan Regional Water Quality Control Board, Caltrans, California Department of Fish and Wildlife, Victor Valley Wastewater Reclamation Authority, and the Mojave Desert Air Quality Management District would also be required.