



SAN JOAQUIN COUNTY
**FLOOD CONTROL & WATER
 CONSERVATION DISTRICT**

P. O. BOX 1810
 1810 EAST HAZELTON AVENUE
 STOCKTON, CALIFORNIA 95201
 TELEPHONE (209) 468-3000
 FAX NO. (209) 468-2999

KRIS BALAJI
 DIRECTOR OF PUBLIC WORKS
 FLOOD CONTROL ENGINEER

Notice of Determination

Appendix D

To:

Office of Planning and Research
 U.S. Mail: Street Address:
 P.O. Box 3044 1400 Tenth St., Rm 113
 Sacramento, CA 95812-3044 Sacramento, CA 95814

County Clerk
 County of: San Joaquin
 Address: 44 North San Joaquin Street, Suite 260
Stockton, CA 95202

From:

Public Agency: San Joaquin County Public Works
 Address: 1810 East Hazelton Avenue
Stockton, CA 95205

Contact: Matt Zidar
 Phone: (209) 953-7460

Lead Agency (if different from above):
 Address: _____
 Contact: _____
 Phone: _____

SUBJECT: Filing of Notice of Determination in compliance with Section 21108 or 21152 of the Public Resources Code.

State Clearinghouse Number (if submitted to State Clearinghouse: 2020120459

Project Title: Upper Mormon Slough Erosion Repair Project

Project Applicant: San Joaquin County Flood Control and Water Conservation District

Project Location (include county): Linden, CA, 95236, San Joaquin County

Project Description:

The proposed project would consist of repairs to the north and south banks of the upper segment of Mormon Slough near the Escalon-Bellota Bridge in San Joaquin County, California. Project activities include the removal of compromised material in the channel and repairing the channel slope with a materials including soil-filled rock slope protection (RSP), a coarse filter bed, earthfill, and launch rock. To promote growth of vegetation, the RSP voids would be filled with agricultural soil and soil filled RSP.

This is to advise that the San Joaquin County Public Works Department has approved the above (Lead Agency or Responsible Agency)


described project on 03/09/2021 and has made the following determinations regarding the above (date)
 described project.

1. The project [will will not] have a significant effect on the environment.
2. An Environmental Impact Report was prepared for this project pursuant to the provisions of CEQA. A Negative Declaration was prepared for this project pursuant to the provisions of CEQA.
3. Mitigation measures [were were not] made a condition of the approval of the project.
4. A mitigation reporting or monitoring plan [was was not] adopted for this project.
5. A statement of Overriding Considerations [was was not] adopted for this project.
6. Findings [were were not] made pursuant to the provisions of CEQA.

This is to certify that the final EIR with comments and responses and record of project approval, or the negative Declaration, is available to the General Public at:

<https://ceqasubmit.opr.ca.gov/Document/Index/266793/2>

Signature (Public Agency):



Title:

Water Resources Manager

Date:

3/10/21

Date Received for filing at OPR:

Authority cited: Sections 21083, Public Resources Code.
Reference Section 21000-21174, Public Resources Code.

Revised 2011