

NOTICE OF EXEMPTION



State of California
The Natural Resources Agency
California Department of Forestry and Fire Protection (CAL FIRE)

PROJECT TITLE	Bradley Station Generator Installation		
PROJECT LOCATION	65789 Bradley Road Bradley, CA 93426 T24S, R11E, S8, MDBM	COUNTY	Monterey
LEAD AGENCY	San Benito – Monterey Unit (CAL FIRE)		
CONTACT ADDRESS	Timothy Montgomery 2221 Garden Road Monterey, CA 93940	PHONE	(831) 601-6547

PROJECT DESCRIPTION

This project is located at the CAL FIRE Bradley Station at 65789 Bradley Road, Bradley, CA 93426. The project involves the installation of a DG50-2 Caterpillar generator and to provide electrical power to the facility in the event of a power outage. The generator measures approximately 7' x 3.25' x 4.5' and weighs 2,110 lbs. A 9' x 14' concrete footing will be poured to provide a level foundation for the generator. Existing propane tanks will be utilized to fuel the generator. Minor trenching will be completed at lineal distances of approximately 15' to and at a depth of 30 inches to connect the propane tank to the generator and then the generator to the station electrical system. All project work will occur in areas that have already been developed and consist of existing infrastructure and structures. Project duration is anticipated to take 1-2 weeks.

EXEMPTION STATUS

- Categorical Exemption Type/Section: **§15303 New Construction of Small Structures; Class 3 (d)**
- Statutory Exemption (state code section):
- Ministerial (§21080(b)(1); 15268)
- Declared Emergency (§21080(b)(3); 15269(a))
- Emergency Project (§21080(b)(4); 15269(b)(c))

REASONS PROJECT IS EXEMPT

This project fits within the above-listed Categorical Exemption listed in the CEQA Guidelines. Field review by CAL FIRE staff confirmed that no exceptions apply which would preclude the use of a Notice of Exemption for this project. CAL FIRE has concluded that no significant environmental impact would occur to aesthetics, agriculture and forestland/timberland, air quality, biological resources, cultural resources, geology and soils, greenhouse gas emissions, hazards and hazardous materials, hydrology and water quality, land use planning, mineral resources, noise, population and housing, public services, recreation, transportation/traffic, or to utilities and service systems. Documentation of the environmental review completed by the Department is kept on file at the CAL FIRE San Benito – Monterey Unit Headquarters office at 2221 Garden Road, Monterey, CA 93940.

DATE RECEIVED FOR FILING

1/15/2021

Matthew Reischman, Assistant Deputy Director Date
Resource Protection and Improvement
California Department of Forestry and Fire Protection