

# Notice of Determination

**To:** Office of Planning and Research

U.S. Mail:

P.O. Box 3044

Sacramento, CA 95812-3044

Street Address:

1400 Tenth Street, Room 113

Sacramento, CA 95814

**From:**

CA Regional Water Quality Control Board,  
San Diego Region

2375 Northside Drive, Suite 100

San Diego, CA 92108

Contact: Darren Bradford

Phone: 619-521-3356

**Lead Agency (if different from above):**

Riverside County Flood Control and Water  
Conservation District

1995 Market Street

Riverside, CA 9250

Contact: Darren Bradford

Phone: 619-521-3356

***SUBJECT: Filing of Notice of Determination in compliance with Section 21108 or 21152 of the Public Resources Code.***

**State Clearinghouse Number (if submitted to State Clearinghouse):** 2021030570

**Project Title:** Wildomar MDP Lateral C Revision - Bundy Canyon Basin Project

**Project Applicant:** Riverside County Flood Control and Water Conservation District

**Project Location (include county):** City of Wildomar, Riverside County. (APNs 367-110-007, 367-110-008, 367-433-015, 367-472-001, 367-472-002, and 367-472-020)

**Project Description:** The San Diego Regional Water Quality Control Board issued a Clean Water Act section 401 water quality certification (Certification No. R9-2022-0109) to the Project Applicant to construct a revised Wildomar Master Drainage Plan (MDP) Lateral C facility. The MDP was adopted in August 1980 with the purpose of identifying drainage system needs to alleviate current and anticipated drainage problems with the City. The Wildomar MDP Lateral C revision includes the following five components: Bundy Canyon Basin, Bundy Canyon Channel Lateral A Extension (Main Inlet Channel), Lateral C (Mainline Facility), Lateral C-2, and Lateral C-3. The Project proposes to construct and maintain Phase I of Stage 3 which includes the following two components: Bundy Canyon Basin and the extension of Lateral A (Main Inlet Channel) east of Interstate 15 (I-15).

This is to advise that the California Regional Water Quality Control Board, San Diego Region, a Responsible Agency, has approved the above-described project on June 2, 2022, and has made the following determinations regarding the above-described project.

1. The project will not have a significant effect on the environment.
2. A Negative Declaration was prepared for this project pursuant to the provisions of CEQA.
3. Mitigation measures were made a condition of the approval of the project.
4. A mitigation reporting or monitoring plan was adopted for this project.
5. A statement of Overriding Considerations was not adopted for this project.
6. Findings were not made pursuant to the provisions of CEQA.

This to certify that the Negative Declaration is available to the general public at: the office of the Lead Agency listed above. The record associated with the San Diego RWQCB's decision is available at 2375 Northside Drive, Ste. 100, San Diego CA 92108, ph. 619-521-1990 (Electronic File No. R9-2022-0109/PIN 867178).

Signature (Public Agency) of David W. Gibson, Executive Officer:

Date Received for filing at OPR: \_\_\_\_\_

Authority cited: Sections 21083, Public Resource Code.  
Reference Sections 210000-21174, Public Resource Code.