



Central Valley Regional Water Quality Control Board

California Environmental Quality Act Notice of Determination in compliance with Section 21008 or 21152 of the Public Resources Code

To: Office of Planning and Research
P.O. Box 3044
Sacramento, CA 95812-3044

From: California Regional Water Quality Control Board
Central Valley Region, Redding Office
364 Knollcrest Drive, Suite 205
Redding, CA 96002

Date: 15 February 2022

State Clearinghouse Number: 2021040664

Project Title: Oregon Street Improvements Project (Project) (WDID 5A45CR00613)

Project Location - Specific: The Project area is located on Oregon Street in Redding, Shasta County. The Project coordinates are as follows:
Start: Latitude: 40.58549° and Longitude: -122.39529°
End: Latitude: 40.58252° and Longitude: -122.39400°

Project Location - County: Shasta County

Name of Applicant:

Amber Kelley
City of Redding
777 Cypress Avenue
Redding, CA 96001

Description of Nature, Purpose, and Beneficiaries of Project:

The purpose of this project is to improve pedestrian access and safety on the east side of Oregon Street by providing approximately 460 linear feet of a 10-foot-wide sidewalk for pedestrians as well as Americans with Disabilities Act (ADA) compliant curb ramps. Approximately 460 feet of new box culverts will be installed within Calaboose Creek along Oregon Street. The new sidewalk, curb, and gutter will be constructed over the subsurface box culvert. The project will require earthwork, culvert extension, drainage modification, vegetation removal, utility relocation, paving, sign installation, and striping.

DENISE KADARA, ACTING CHAIR | PATRICK PULUPA, EXECUTIVE OFFICER

Name of Public Agency Approving Project:

This is to advise that the Central Valley Regional Water Quality Control Board, as a Responsible Agency, approved the above-described project on 15 February 2022 and has made the following determinations regarding the above-described project:

1. The Central Valley Regional Water Quality Control Board considered the Initial Study/Mitigated Negative Declaration as prepared by City of Redding.
2. The Project will not have a significant effect on the environment.
3. Mitigation measures were made a condition of the approval of the project.
4. A mitigation reporting or monitoring plan was adopted for this project.
5. A Statement of Overriding Considerations was not adopted for this project.
6. Findings were made pursuant to the provisions of CEQA.

The Initial Study/Mitigated Negative Declaration is available to the general public at: CEQAnet Web Portal: <https://ceqanet.opr.ca.gov/2021040664>; and at the City of Redding office located at 777 Cypress Avenue, Redding, CA 96002.

The record of project approval is available to the general public at: [Central Valley Regional Water Quality Control Board's Adopted Orders Web page](https://www.waterboards.ca.gov/centralvalley/board_decisions/adopted_orders/401_wq_certs/) (https://www.waterboards.ca.gov/centralvalley/board_decisions/adopted_orders/401_wq_certs/).

State Responsible Agency Contact Person:

Area Code/Telephone/Extension:

Lynn Coster, Senior Environmental Scientist
Chief Storm Water and Water Quality Certification Unit
Central Valley Regional Water Quality Control Board
Redding Branch Office

(530) 224-2437

Lynn Coster, Senior Environmental Scientist
Central Valley Regional Water Quality Control Board

Date