

**Bottle Rock Farms FJA Trust Project Mitigation Monitoring and Reporting Program
Major Use Permit, UP 19-42; Initial Study, IS 19-61**

Potential Impact	Mitigation Measure	Implementation Responsibility	Monitoring & Reporting Responsibility	Timing	Date Implemented
AESTHETICS					
The project is located within a scenic vista, however, a limited new additional source of light may have a potential impact on the environment.	AES-1: An Outdoor Lighting Plan that meets the darkskies.org lighting recommendations shall be submitted for review and acceptance, or review and revision before cultivation.	Applicant	Applicant	Prior to construction	
AIR QUALITY					
The project has the potential to create short- and long-term impacts on air quality through dust from the driveway and cultivation operation and odor from the cultivation operation, however, mitigation measures will be implemented to lessen the impact.	AQ-1: Prior to obtaining the necessary permits and/or approvals for any phase, the applicant shall contact the Lake County Air Quality Management District and obtain an Authority to Construct (A/C) Permit for all operations and any diesel-powered equipment and/or other equipment with the potential for air emissions or provide proof that a permit is not needed.	Applicant	Applicant	Prior to operation	
	AQ-2: All mobile diesel equipment used must comply with state registration requirements. Portable and stationary diesel-powered equipment must meet all Federal, State, and local requirements, including the requirements of the State Air Toxic Control Measures for CI engines. Additionally, all engines must notify LCAQMD prior to beginning construction activities and prior to engine use.	Applicant	Applicant	During site development and operation	
	AQ-3: The applicant shall maintain records of all hazardous or toxic materials used, including a Material Safety Data Sheet (MSDS) for all volatile organic compounds utilized, including cleaning materials. Said information shall be made available upon request and/or the ability to provide the Lake County Air Quality Management District such information in order to complete an updated Air Toxic emission Inventory.	Applicant	Applicant	During construction and operation	
	AQ-4: All vegetation during site development shall be chipped and spread for ground cover and/or erosion control. The burning of vegetation, construction debris, including waste material is prohibited.	Applicant	Applicant	During operation	
	AQ-5: The applicant shall have the primary access and parking areas surfaced with chip seal, asphalt, or an equivalent all-weather surfacing to reduce fugitive dust generation. The use of white rock as a road base or surface material for travel routes and/or parking areas is prohibited.	Applicant	Applicant	Prior to operation	
	AQ-6: All areas subject to infrequent use of driveways, overflow parking, etc., shall be surfaced with gravel. The applicant shall regularly use and/or maintain the graveled area to reduce fugitive dust generations.	Applicant	Applicant	Prior to operation	
BIOLOGICAL RESOURCES					

Potential to impact species identified as a candidate, sensitive, or special status species.	BIO-1: If the establishment of cultivation operations requires the destruction of closed-cone pine forest habitat, a pre-construction survey for special-status species should be performed by a qualified biologist to ensure that special-status species are not present. If any listed species or special-status species are detected, construction should be delayed, and the appropriate wildlife agency (CDFW and/or USFWS) should be consulted and project impacts and mitigation reassessed.	Applicant/ Contractor	Applicant	The life of the project	
	BIO-2: If construction activities require the removal of trees or shrubs or disturbance to riparian habitat, and if these activities occur during the nesting season (usually March to September), a pre-construction survey for the presence of special-status bird species or any nesting bird species should be conducted by a qualified biologist within 500 feet of proposed construction areas. If active nests are identified in these areas, CDFW and/or USFWS should be consulted to develop measures to avoid “take” active nests prior to the initiation of any construction activities. Avoidance measures may include the establishment of a buffer zone using construction fencing or the postponement of vegetation removal until after the nesting season, or until after a qualified biologist has determined the young have fledged and are independent of the nest site.	Applicant/ Contractor	Applicant	Prior to site development	
	BIO-3: If the establishment of cultivation operations requires the destruction of undisturbed closed-cone pine forest habitat, a botanical survey should be conducted to identify if any special-status plant species are present and to delineate sensitive and non-sensitive plant habitat at a finer scale, which may reduce the overall area needed for protection.	Applicant/ Contractor	Applicant	Prior to site development	
	BIO-4: All work should incorporate erosion control measures consistent with Lake County Grading Regulations and the State Water Resources Control Board Order No. WQ 2019-001-DWQ.	Applicant/ Contractor	Applicant	Prior to site development	
	BIO-5: The use of water provided by a public water supply, unlawful water diversions, transported by a water hauler, bottled water, a water vending machine, or a retail water facility is prohibited. The utilization of water that has been or is illegally diverted from any lake, springs, wetland, stream, creek, vernal pool, and/or river is prohibited. The applicant shall not engage in any unlawful or unpermitted drawing of surface water.	Applicant/ Contractor	Applicant	The life of the project	
	BIO-6: The applicant shall maintain all necessary permits from the Central Valley Regional Water Quality Control Board and submit written verification to the Community Development Department. A copy of all permits shall be included in the Annual Performance Report.	Applicant/ Contractor	Applicant	The life of the project	
CULTURAL RESOURCES/TRIBAL CULTURAL RESOURCES					
Disturb an archaeological resource or human remains during construction activities.	CUL-1: Should any archaeological, paleontological, or cultural materials be discovered during site development, all activity shall be halted in the vicinity of the find(s). The local overseeing Tribe(s) shall be notified, and a qualified archaeologist retained to evaluate the find(s) and recommend mitigation procedures, if necessary, subject to the approval of the Community Development Director. Should any human remains be encountered, they shall be treated in accordance with Public Resources Code Section 5097.98 and with California Health and Safety Code section 7050.5.	Applicant	Applicant	The life of the project	

	CUL-2: All employees shall be trained in recognizing potentially significant artifacts that may be discovered during the ground disturbance. If any artifacts or remains are found, the local tribe shall immediately be notified; a licensed archaeologist shall be notified, and the Lake County Community Development Director shall be notified of such finds.	Applicant	Applicant	Prior to site development	
	CUL-3: In the event of an unanticipated discovery of cultural resources during the implementation of the project, all work must be halted within 100 feet (30 meters) of the find and a qualified archaeologist (36 CFR Part 61) notified so that its potential significance can be assessed.	Applicant	Applicant	The life of the project	

GEOLOGY AND SOILS

The proposed project will not cause potential substantial adverse effects. However, a minor ground disturbance is proposed for site preparation	GEO-1: Prior to any ground disturbance, the permittee shall submit erosion control and sediment plans to the Water Resource Department and the Community Development Department for review and approval. Said erosion control and sediment plans shall protect the local watershed from runoff pollution through the implementation of appropriate Best Management Practices (BMPs) per the Grading Ordinance. Typical BMPs include the placement of straw, mulch, seeding, straw wattles, silt fencing, and the planting of native vegetation on all disturbed areas. No silt, sediment, or other materials exceeding natural background levels shall be allowed to flow from the project area. The natural background level is the level of erosion that currently occurs from the area in a natural, undisturbed state. Vegetative cover and water bars shall be used as permanent erosion control after project installation.	Applicant	Applicant	The life of the project	
	GEO-2: Excavation, filling, vegetation clearing, or other disturbance of the soil shall not occur between October 15 and April 15 unless authorized by the Community Development Department Director. The actual dates of this defined grading period may be adjusted according to weather and soil conditions at the discretion of the Community Development Director.	Applicant	Applicant	Prior to construction and operation	
	GEO-3: The permit holder shall monitor the site during the rainy season (October 15 – May 15), including post-installation, application of BMPs, erosion control maintenance, and other improvements as needed.	Applicant	Applicant	During construction and operation	
	GEO-4: If greater than fifty (50) cubic yards of soils are moved, a Grading Permit shall be required as part of this project. The project design shall incorporate Best Management Practices (BMPs) to the maximum extent practicable to prevent or reduce the discharge of all construction or post-construction pollutants into the County storm drainage system. BMPs typically include scheduling of activities, erosion and sediment control, operation and maintenance procedures, and other measures in accordance with Chapters 29 and 30 of the Lake County Code.	Applicant	Applicant	Prior and during construction and operation	
	GEO-5: Prior to operation, all accessible compliant parking areas, routes of travel, building access, and/or bathrooms shall meet all California Building Code Requirements.	Applicant	Applicant; contractor	Prior to construction	
	GEO-6: Prior to operation, all structure(s) used for commercial cultivation shall meet accessibility standards. Please contact the Lake County Community Development Department's Building Division for more information.	Applicant	Applicant; contractor	Prior to construction	

HAZARDS AND HAZARDOUS MATERIALS

Exposure to hazards and hazardous materials can occur during and after construction. However, preventative measures including mitigation measures and best management practices can be impacted to less than significant.	HAZ-1: All equipment will be maintained and operated to minimize spillage or leakage of hazardous materials. All equipment will be refueled in locations more than 100 feet from surface water bodies. Servicing of equipment will occur on an impermeable surface. In an event of a spill or leak, the contaminated soil will be stored, transported, and disposed of consistent with applicable local, state, and federal regulations.	Applicant	Applicant; Community Development Department	Prior to operation	
	HAZ-2: The storage of hazardous materials equal to or greater than fifty-five (55) gallons of a liquid, 500 pounds of a solid, or 200 cubic feet of compressed gas, then a Hazardous Materials Inventory Disclosure Statement/Business Plan shall be submitted and maintained in compliance with requirements of Lake County Environmental Health Division. Industrial waste shall not be disposed of on-site without review or permit from Lake County Environmental Health Division or the California Regional Water Quality Control Board. The permit holder shall comply with petroleum fuel storage tank regulations if fuel is to be stored on site.	Applicant	Applicant	Prior to operation	
	HAZ-3: Prior to operation, the applicant shall schedule an inspection with the Lake County Code Enforcement Division within the Community Development Department to verify adherence to all requirements of Chapter 13 of the Lake County Code, including but not limited to adherence with the Hazardous Vegetation requirements.	Applicant	Applicant	Life of the project	
	HAZ-4: Prior to operation, all employees shall have access to restrooms and hand-wash stations. The restrooms and hand wash stations shall meet all accessibility requirements.	Applicant	Applicant	Life of the project	
	HAZ-5: The proper storage of equipment, removal of litter and waste, and cutting of weeds or grass shall not constitute an attractant, breeding place, or harborage for pests.	Applicant	Applicant; Environmental Health	Life of the project	
	HAZ-6: All food scraps, wrappers, food containers, cans, bottles, and other trash from the project area should be deposited in trash containers with an adequate lid or cover to contain trash. All food waste should be placed in a securely covered bin and removed from the site weekly to avoid attracting animals.	Applicant	Applicant; Environmental Health	Life of the project	
HYDROLOGY AND WATER QUALITY					
The proposed project will create additional use of water for irrigation purposes.	HYD-1: Before this permit having any force or effect, the permittee(s) shall adhere to the Lake County Division of Environmental Health requirements regarding on-site wastewater treatment and/or potable water requirements. The permittee shall contact the Lake County Division of Environmental Health for details.	Applicant/ Contractor	Applicant/ Contractor	During site development and construction	
	HYD-2: The applicant shall prepare a groundwater management plan to ensure that the groundwater resources of the County are protected used and managed sustainably. The plan would support the Integrated Regional Water Management Plan and include an inventory of groundwater resources in the County and a management strategy to maintain the resource for the reasonable and beneficial use of the people and agencies of the County.	Applicant/ Contractor	Applicant; Community Development Department; Department of Water Resources	Life of project	

	HYD-3: The production well shall have a meter to measure the amount of water pumped. The production wells shall have continuous water level monitors. The methodology of the monitoring program shall be described. A monitoring well of equal depth within the cone of influence of the production well may be substituted for the water level monitoring of the production well. The monitoring wells shall be constructed and monitoring began at least three months before the use of the supply well. An applicant shall maintain a record of all data collected and shall provide a report of the data collected to the County annually and/or upon made upon request.	Applicant/ Contractor	Applicant; Community Development Department; Department of Water Resources	Prior to construction	
	HYD-4: Prior to construction, the applicant shall provide a new site plan for the property to show all dimensions and setbacks to meet all federal, state, and local regulations and conform to all building codes.	Applicant/ Contractor	Applicant; Community Development Department	Prior to any construction	
NOISE					
The proposed project will not have any adverse effect on the noise. However, the future project may create short-term increases in ambient noise levels to uncomfortable levels during project preparation, construction, and operations.	NOI-1: All construction activities including engine warm-up shall be limited Monday through Friday, between the hours of 7:00 AM and 7:00 PM, and Saturdays from 12:00 noon to 5:00 PM to minimize noise impacts on nearby residents. Back-up beepers shall be adjusted to the lowest allowable levels. This mitigation does not apply to night work.	Applicant	Applicant	During site development and operation	
	NOI-2: Maximum non-construction related sounds levels shall not exceed levels of 55 dBA between the hours of 7:00 AM to 10:00 PM and 45 dBA between the hours of 10:00 PM to 7:00 AM within residential areas as specified within Zoning Ordinance Section 21-41.11 (Table 11.1) at the property lines.	Applicant	Applicant	During site development and operation	
	NOI-3: The operation of the air filtration system shall not exceed levels of 57 dBA between the hours of 7:00 a.m. to 10:00 p.m. and 50 dBA from 10:00 p.m. to 7:00 a.m. within residential areas as specified within Zoning Ordinance Section 21-41.11 (Table 11.2) measured at the property lines.	Applicant	Applicant	During site development and operation	