

# Summary Form for Electronic Document Submittal

**Form F**

Lead agencies may include 15 hardcopies of this document when submitting electronic copies of Environmental Impact Reports, Negative Declarations, Mitigated Negative Declarations, or Notices of Preparation to the State Clearinghouse (SCH). The SCH also accepts other summaries, such as EIR Executive Summaries prepared pursuant to CEQA Guidelines Section 15123. Please include one copy of the Notice of Completion Form (NOC) with your submission and attach the summary to each electronic copy of the document.

SCH #: \_\_\_\_\_

Project Title: Mentel Aerial Sewer Improvement Project

Lead Agency: City of Santa Cruz

Contact Name: Katie Shurtleff

Email: KShurtleff@cityofsantacruz.com

Phone Number: 831-420-5442

Project Location: Santa Cruz

*City*

Santa Cruz

*County*

Project Description (Proposed actions, location, and/or consequences).

The proposed project consists of a Coastal Development Permit for construction of an approximate 304-linear foot 8-inch sewer line that would be parallel to and replace an existing 6-inch sewer pipeline. The new sewer line includes 130 linear feet of aerial construction and 174 linear feet of underground construction. The new sewer line will be installed in the same alignment as the existing pipeline at a distance of approximately 18 inches from the existing sewer line.

Identify the project's significant or potentially significant effects and briefly describe any proposed mitigation measures that would reduce or avoid that effect.

Significant Effects on the Environment: Hydrology and Water Quality

Mitigation measures include: HDYRO-1 (erosion control) and HYDRO-2 (water quality protection during construction).

If applicable, describe any of the project's areas of controversy known to the Lead Agency, including issues raised by agencies and the public.

None known.

Provide a list of the responsible or trustee agencies for the project.

California Department of Fish and Wildlife  
Regional Water Quality Control Board