

CALIFORNIA ENVIRONMENTAL QUALITY ACT NOTICE OF EXEMPTION

To: Office of Planning and Research-State Clearinghouse P.O. Box 3044, 1400 Tenth Street, Room 212 Sacramento, CA 95812-3044	From: Department of Toxic Substances Control P.O. Box 806 Sacramento, CA 95812-0806
--	---

Project Title: Variance TWW-2021-LG-00466 to Allow the Generation, Accumulation, and Transport of Treated Wood Waste under Alternate Procedures by Peninsula Corridor Joint Power Board

Project Location: 2 Napoleon Street, San Francisco, CA 94124

County: San Francisco

Project Applicant: Stephen G. Chao, Deputy Director, Engineering, Peninsula Corridor Joint Power Board

Approval Action Under Consideration by DTSC: Variance

Statutory/Regulatory Authority: California Health and Safety Code, Section 25143; CCR Title 22, Section 66260.210

Project Description: The Department of Toxic Substances Control (DTSC) has issued a variance to Peninsula Corridor Joint Power Board (CAC003110379) to generate and accumulate treated wood waste on-site. The applicant may transport the treated wood waste generated on-site to an authorized handler or disposal facility. The treated wood waste is generated as a result of replacement of railroad bridge. The variance allows treated wood waste to be managed under procedures different from, but equally protective to human health and the environment to, the provisions of California Health and Safety Code (HSC) Articles 6, 6.5 and 9 of Chapter 6.5 and California Code of Regulations (CCR), Title 22, Division 4.5, Chapters 12, 13, 14, 15, 16, 18, and/or 20. Under the terms and conditions of Variance TWW-2021-LG-00466, Peninsula Corridor Joint Power Board will ensure the treated wood waste will be appropriately managed.

The treated wood waste management activities are part of the reconstruction of railroad bridge to current seismic standards.

Background: Treated wood waste is a fully regulated California-only hazardous waste because it exhibits the hazardous waste characteristic of toxicity. From 2007 to December 31, 2020, treated wood waste was managed under alternative management standards, established in 22 CCR 67386. The legislation that authorized the alternative management standards for treated wood waste expired on December 31, 2020. Without the issuance of the variance, Peninsula Corridor Joint Power Board would be required to register as a hazardous waste transporter with DTSC and manifest treated wood waste as a hazardous waste prior to disposal at a hazardous waste disposal facility.

Peninsula Corridor Joint Power Board is a The Peninsula Corridor Joint Powers Board (the JPB) provides the Caltrain commuter rail service from San Francisco to San Jose. As part of the operation of the railroad, the JPB also undertakes various capital improvement projects that may occasionally generate TWW. The applicant previously conducted treated wood waste management activities under the now expired alternative management standards established at 22 CCR 67386.

Project Activities: Under the variance, the authorized large quantity generator may generate, accumulate, treated wood waste on-site. The generator may transport the treated wood waste generated on site to authorized handler and/or disposal facilities. Operations generally include loading and unloading operations and shipping treated wood waste along existing transportation routes. Accumulation and transport of treated wood waste includes taking appropriate precautions to prevent unauthorized access to and prevent leaching to the environment of the treated wood waste. The variance will expire on November 9, 2021 with possibility of extension for an additional six months.

Name of Public Agency Approving Project: Department of Toxic Substances Control

Name of Person or Agency Carrying Out Project: Peninsula Corridor Joint Power Board

Exempt Status: Existing Facilities [CCR Title 14, Sec. 15301]

Reasons Why Project is Exempt: All analysis conducted included the potential extension of the variance for an additional six months. DTSC has determined none of the exceptions to the categorical exemptions apply to this project, as described in Public Resources Code Section 21084(c), (d), and (e), and 14 CCR Section 15300.2. This project consists of the accumulation and storage of the treated wood waste is consistent with the operation, repair, maintenance, permitting, leasing, licensing, or minor alteration of existing public or private structure, involving negligible or no expansion of existing or former use.

The administrative record for this project is available to the public by appointment at the following location:

Department of Toxic Substances Control
Permitting Division

1001 I Street
Sacramento, CA 95814

Contact Person John Muegge	Contact Title Project Manager	Phone Number (916) 322-0471
-------------------------------	----------------------------------	--------------------------------

Approver's Signature:

Date:

Robert Irving

May 14, 2021

Approver's Name Robert Irving	Approver's Title Supervising Environmental Planner	Approver's Phone Number (916) 255-3988
----------------------------------	---	---

TO BE COMPLETED BY OPR ONLY

Date Received for Filing and Posting at OPR: