

NOTICE OF COMPLETION & ENVIRONMENTAL DOCUMENT TRANSMITTAL SCH# _____

Mail to: State Clearinghouse, P.O. Box 3044, Sacramento, CA 95812-3044 (Overnight/Personal Delivery) (916) 445-0613

Project Title: SoCal Gas Line 80 Abandonment Demolition and Reclamation Plan

Lead Agency: Santa Barbara County Planning & Development Contact Person: Katie Nall, Planner

Street Address: 123 E. Anapamu Street Phone: (805)884-8050

City: Santa Barbara Zip: 93101 County: Santa Barbara

Project Location: County: Santa Barbara City/Nearest Community: Goleta

Cross Streets: Sandspit Road and Highway 217 Total Acres: _____

APN # 071-200-011, -008, -017, 071-210-001, 073-450-001, & 073-130-001 Section: 20 Twp. 04N Range: 28W Base: San Bernardino

Within 2 Miles: State Hwy #: 217 & 101 Waterways: Atascadero Creek, Goleta Slough, Tecolotito Creek, & the Pacific Ocean

Airports: Santa Barbara Railways: Amtrak Schools: UCSB, St. Raphael Elementary, & Isla Vista Elementary

DOCUMENT TYPE

- CEQA:** NOP Supplement/Subsequent **NEPA:** NOI **Other:** Joint Document
Early Cons EIR (Prior SCH No.) _____ EA Final Document
Mit. Neg Dec Other _____ Draft EIS Other _____
Draft EIR FONSI

LOCAL ACTION TYPE

- | | | | |
|---|---|--|---|
| <input type="checkbox"/> General Plan Update | <input type="checkbox"/> Specific Plan | <input type="checkbox"/> Rezone | <input type="checkbox"/> Annexation |
| <input type="checkbox"/> General Plan Amendment | <input type="checkbox"/> Master Plan | <input type="checkbox"/> Prezone | <input type="checkbox"/> Redevelopment |
| <input type="checkbox"/> General Plan Element | <input type="checkbox"/> Planned Unit Development | <input checked="" type="checkbox"/> Use Permit | <input type="checkbox"/> Coastal Permit |
| <input type="checkbox"/> Community Plan | <input type="checkbox"/> Site Plan | <input type="checkbox"/> Land Division | <input type="checkbox"/> Other _____ |
- (Subdivision, Parcel Map, Tract Map, etc.)

DEVELOPMENT TYPE

- | | |
|--|---|
| <input type="checkbox"/> Residential: <i>Units</i> _____ <i>Acres</i> _____ | <input type="checkbox"/> Water Facilities: <i>Type</i> _____ <i>MGD</i> _____ |
| <input type="checkbox"/> Office: <i>Sq.ft.</i> _____ <i>Acres</i> _____ <i>Employees</i> _____ | <input type="checkbox"/> Transportation: <i>Type</i> _____ |
| <input type="checkbox"/> Commercial: <i>Sq.ft.</i> _____ <i>Acres</i> _____ <i>Employees</i> _____ | <input type="checkbox"/> Mining: <i>Type</i> _____ |
| <input type="checkbox"/> Industrial: <i>Sq.ft.</i> _____ <i>Acres</i> _____ <i>Employees</i> _____ | <input type="checkbox"/> Power: <i>Type</i> _____ <i>Watts</i> _____ |
| <input type="checkbox"/> Educational _____ | <input type="checkbox"/> Waste Trtmnt: <i>Type</i> _____ |
| <input type="checkbox"/> Recreational _____ | <input type="checkbox"/> Hazardous Wst: <i>Type</i> _____ |
| | <input checked="" type="checkbox"/> Other: <u>Pipeline Removal</u> |

PROJECT ISSUES THAT MAY HAVE A SIGNIFICANT OR POTENTIALLY SIGNIFICANT IMPACT

- | | | | |
|--|--|---|--|
| <input checked="" type="checkbox"/> Aesthetic/Visual | <input type="checkbox"/> Flood Plain/Flooding | <input type="checkbox"/> Schools/Universities | <input checked="" type="checkbox"/> Water Quality |
| <input type="checkbox"/> Agricultural Land | <input type="checkbox"/> Forest Land/Fire Hazard | <input type="checkbox"/> Septic Systems | <input type="checkbox"/> Water Supply/ Groundwater |
| <input checked="" type="checkbox"/> Air Quality | <input checked="" type="checkbox"/> Geologic/Seismic | <input type="checkbox"/> Sewer Capacity | <input checked="" type="checkbox"/> Wetland/Riparian |
| <input checked="" type="checkbox"/> Archeological/Historical | <input type="checkbox"/> Minerals | <input checked="" type="checkbox"/> Soil Erosion/Compaction/Grading | <input checked="" type="checkbox"/> Wildlife |
| <input checked="" type="checkbox"/> Biological Resources | <input checked="" type="checkbox"/> Noise | <input type="checkbox"/> Solid Waste | <input type="checkbox"/> Growth Inducement |
| <input checked="" type="checkbox"/> Coastal Zone | <input type="checkbox"/> Population/Housing Balance | <input checked="" type="checkbox"/> Toxic/Hazardous | <input type="checkbox"/> Land Use |
| <input type="checkbox"/> Drainage/Absorption | <input type="checkbox"/> Public Services/Facilities | <input checked="" type="checkbox"/> Traffic/Circulation | <input type="checkbox"/> Cumulative Effects |
| <input type="checkbox"/> Economic/Jobs | <input checked="" type="checkbox"/> Recreation/Parks | <input checked="" type="checkbox"/> Vegetation | <input type="checkbox"/> Other _____ |
| <input type="checkbox"/> Fiscal | | | |

PRESENT LAND USE DESIGNATION AND ZONING

071-200-011; 071-200-008; 071-210-001: PU, Public Utilities;
071-200-017: REC, Recreation
073-130-001: UCSB

PROJECT DESCRIPTION

The project is for a Demolition and Reclamation Permit (DRP) to allow for the removal and abandonment of SoCal Gas Company's Line 80. The portions of Line 80 that are proposed to be abandoned in place or removed are located adjacent to an existing bike path, east of Sandspit Road, extend south, under Tecolotito Creek/Goleta Slough, then west under Sandspit Road,

traverse through the Goleta Beach County Park, westward, under SR 217, and terminate at an existing paved SoCalGas facility, east of Mesa Road. The project is made up of four segments along Line 80; Segments 1 and 3 include above and below ground pipeline removal and Segments 2 and 4 include below ground pipeline abandonment.

Segment 1 includes above-ground removal of Line 80 and associated supports (approximately 23 supports) near the bank of Tecolito Creek (505 linear feet; support structure depth is approximately 7.0 feet), and removal and replacement of the existing Line 159 creosote-coated span support. The replacement support would extend less than two feet above the ground surface and would be drilled to a depth of 40 feet below ground approximately 10 feet from the creek bank. This replacement is required by the Code of Federal Regulation rule (49 CFR 92.161) issued by the U.S. Department of Transportation which states that each support or anchor on an exposed pipeline must be made of durable, noncombustible material. Segment 2 of pipeline runs under the Tecolotito Creek/Goleta Slough and State Route 217 (SR 217) and would be abandoned in place. After removing residual hydrocarbons and filling the pipe with 37 cubic feet of grout (130 linear feet; depth is approximately between 2.0 and 5.0 feet), plates would be placed over the open ends of the abandoned pipeline. Segment 3 will include excavation and removal of underground pipeline south of Tecolotito Creek/Goleta Slough, through Goleta Beach County Park, and up to the eastern boundary of the bike path parallel to SR 217 (1,565 linear feet; depth is approximately between 2.0 and 5.0 feet). Lastly, Segment 4 which runs to the eastern wall of an existing paved SoCalGas facility is proposed to be abandoned in place and filled with 322 cubic feet of grout (1,141 linear feet; depth is approximately between 2.0 and 5.0 feet).

In total, approximately 2,000 linear feet of pipeline is to be removed and approximately 1,300 linear feet of pipeline is proposed to be abandoned in place. Line 80 is within the unincorporated County coastal zone and within the Eastern Goleta Valley Community Plan (EGVCP) area. Segments 1 and 2 are in the California Coastal Commission (CCC) Permit Jurisdiction. Segments 3 and 4 are in the California Coastal Commission Appeal Jurisdiction. The portion of pipeline that is to be abandoned in place under SR 217 is under the City of Santa Barbara's jurisdiction but administered by the CCC and Caltrans. Lastly, the terminus on UCSB is under University of California Regents/UCSB jurisdiction. The Coastal Commission and UCSB will process concurrent permit requests for those portions of the project within their respective jurisdictions. A total of 2.11 acres (91,900 square feet) of disturbance is proposed for the work areas and access routes/ramps. Grading will include approximately 2,768.5 cubic yards (CY) of cut and approximately 2,959.5 CY of fill. No trees are proposed for removal.

The project will be served by the Goleta Water District and the Santa Barbara County Fire District. Access will be provided off of Sandspit Road and the Goleta Beach parking lot. The project spans over six APNs: 071-200-011, -008, -017, 071-210-001, 073-450-001, & 073-130-001, which cover 593.7-acres and are zoned REC, PU, & UCSB. The project site is primarily located southeast of California SR 217, east of the UCSB, and west of More Ranch Road in unincorporated Santa Barbara County in the Second Supervisorial District.

REVIEWING AGENCIES CHECKLIST

KEY

S=Document sent by lead agency

X=Document sent by SCH

√=Suggested distribution

Resources Agency

- Boating & Waterways
- Coastal Commission
- Coastal Conservancy
- Colorado River Board
- Conservation
- Fish & Game Region #4
- Forestry & Fire Protection
- Office of Historic Preservation
- Parks & Recreation
- Reclamation
- S.F. Bay Conservation & Development Commission
- Water Resources (DWR)

Environmental Affairs

- Air Resources Board
- APCD/AQMD
- Integrated Waste Management Board
- SWRCB: Clean Water Grants
- SWRCB: Water Quality
- SWRCB: Water Rights
- Regional WQCB # _____

Business, Transportation & Housing

- Aeronautics
- California Highway Patrol
- CALTRANS District# _____
- CALTRANS Planning (headquarters)
- CALTRANS, Dir. of Aeronautics
- Housing & Community Development
- Food & Agriculture

Youth & Adult Corrections

- Corrections

Independent Commissions & Offices

- Energy Commission
- Native American Heritage Commission
- Public Utilities Commission
- State Lands Commission
- Tahoe Regional Planning Agency
- Office of Emergency Services
- Dept. of Pesticide Regulation
- Dept. of Toxic Substances Control

Health & Welfare

- Health Services _____

State & Consumer Services


- General Services
- OLA (Schools)
- Office of Public School Construction (DOE)

Other _____

Public Review Period (to be filled in by lead agency)

Starting Date May 19, 2021

Ending Date June 18, 2021

Signature 

Date May 13, 2021

Lead Agency (Complete if applicable):

For SCH Use Only:

Consulting Firm: _____

Date Received at SCH

Address: _____

Date Review Starts

City/State/Zip: _____

Date to Agencies

Contact: _____

Date to SCH

Phone: () _____

Clearance Date

Applicant:

Notes:

James Chuang
Southern California Gas Company
555 West 5th Street
Los Angeles, CA 90013