

Appendix E2
Phase II Environmental Site Assessment

BERGAMOT SPECIFIC PLAN
INITIAL STUDY



GeoTek, Inc.
1548 North Maple Street, Corona, California 92880
(951) 710-1160 Office (951) 710-1167 Fax www.geotekusa.com

December 9, 2019
Project No. 2289-CR

MLC Holdings, Inc.
5 Peters Canyon Road, Suite 310
Irvine, California 92606

Attention: Mr. Matt Maehara

Subject: Limited Phase II Environmental Site Assessment
Assessor's Parcel Number (APN) 0167-031-03-0000
North of West Domestic Avenue and East of 210 Freeway
Redlands, San Bernardino County, California

Dear Mr. Maehara:

As requested, GeoTek, Inc. (GeoTek) conducted a Limited Phase II Environmental Site Assessment (ESA) for the subject property, comprised of approximately 12 acres, located in Redlands, San Bernardino County, California. Based on readily available historic information, the Site appears to have historically been utilized for agriculture.

Field Work

In order to address the potential concern regarding historic agricultural use and possible pesticide use, GeoTek obtained soil samples from the Site for chemical analysis. Six (6) samples were obtained from selected areas of the Site and submitted to a state certified laboratory for analysis of organo-chlorinated pesticides.

Soil samples were obtained from a depth of up to approximately six to eight inches below the existing ground surface. The six soil samples were submitted for analysis of organo-chlorinated pesticides (OCP) in accordance with United States Environmental Protection Agency (EPA) Method 8081A.

Soil Laboratory Test Results

Analysis of the soil samples detected measurable quantities of the OCP constituents 4,4'-DDD, 4,4'-DDE, 4,4'-DDT, dieldrin and endrin in all six samples (#1 through #6). The applicable results of the laboratory analysis are summarized in the following table:

**TABLE I
 OCP SUMMARY ANALYTICAL RESULTS**

Sample	4,4'-DDD (ug/kg)	4,4'-DDE (ug/kg)	4,4'-DDT (ug/kg)	Dieldrin (ug/kg)	Endrin (ug/kg)
#1	50	1000	290	2.9	40
#2	<10 (ND)	290	88	<2.0 (ND)	13
#3	21	320	180	<2.0 (ND)	28
#4	17	490	140	<2.0 (ND)	26
#5	19	1200	350	3.2	81
#5	16	380	180	<2.0 (ND)	26
Screening Level	1,900*	2,000*	1,900*	34*	19,000*

ug/kg = micrograms per kilogram

ND = Non-Detect

* = EPA Regional Screening Levels (RSLs) for residential soil, November 2019

The OCP constituents are all in a concentration below the screening level for residential soils, as determined by EPA Regional Screening Level (RSL) for industrial soil, November 2019 (TR=1E-06, HQ=1.0). Analysis of the remaining OCP constituents in the soil samples tested were below EPA screening levels for residential soils.

Findings

Analysis of the soil samples did not detect quantities of OCP constituents above the regulatory screening levels in the samples tested.

The laboratory report is attached.

Closure

Based on our investigation, GEOTEK is of the opinion that additional investigation is not necessary at the Site with respect to the identified contaminants of concern.



We appreciate this opportunity to be of service. If you have any questions, or if we can be of further service, please contact us at (951) 710-1160.

Respectfully Submitted,
GEOTEK, INC.



Edward H. LaMont
CEG No. 1892, Exp. 07/31/20
Principal Geologist

Anna M. Scott
Project Geologist

Attachment: Laboratory Report

G:\Projects\2251 to 2300\2289CR MLC Holdings APN 0167-031-03-0000 Redlands\Limited Phase II ESA\2289CR Limited Phase II Environmental Site Assessment Redlands.doc



Orange Coast Analytical, Inc.

3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (480) 736-0960 Fax (480) 736-0970

LABORATORY REPORT FORM

ORANGE COAST ANALYTICAL, INC.

3002 Dow Suite 532 Tustin, CA 92780

(714) 832-0064

Laboratory Certification (ELAP) No.: 2576

Expiration Date: 2020

Los Angeles County Sanitation District Lab ID# 10206

Laboratory Director's Name:

Mark Noorani

Client: GeoTek, Inc.

Laboratory Reference: GTK 24743

Project Name: Redlands


Project Number: 2289-CR

Date Received: 11/26/2019

Date Reported: 12/5/2019

Chain of Custody Received:

Analytical Method: 8081A,



Mark Noorani, Laboratory Director

Ms. Anna Scott
GeoTek, Inc.
1548 N. Maple St
Corona, CA, 92880

Lab Reference #: GTK 24743
Project Name: Redlands
Project #: 2289-CR

Case Narrative

Sample Receipt:

All samples on the Chain of Custody were received by OCA at 5°C, on ice.

Holding Times:

All samples were analyzed within required holding times unless otherwise noted in the data qualifier section of the report.

Analytical Methods:

Sample analysis was performed following the analytical methods listed on the cover page.

Data Qualifiers:

Within this report, data qualifiers may have been assigned to clarify deviations in common laboratory procedures or any divergence from laboratory QA/QC criteria. If a data qualifier has been used, it will appear in the back of the report along with its description. All method QA/QC criteria have been met unless otherwise noted in the data qualifier section.

Definition of Terms:

The definitions of common terms and acronyms used in the report have been placed at the back of the report to assist data users.

Comments:

None

Ms. Anna Scott
GeoTek, Inc.
1548 N. Maple St
Corona, CA, 92880

Lab Reference #: GTK 24743
Project Name: Redlands
Project #: 2289-CR

Client Sample Summary

Client Sample ID	Lab Sample Number	Date Received	Date Sampled	Matrix
#1	24743-001	11/26/2019	11/25/2019	Soil
#2	24743-002	11/26/2019	11/25/2019	Soil
#3	24743-003	11/26/2019	11/25/2019	Soil
#4	24743-004	11/26/2019	11/25/2019	Soil
#5	24743-005	11/26/2019	11/25/2019	Soil
#6	24743-006	11/26/2019	11/25/2019	Soil

Ms. Anna Scott
 GeoTek, Inc.
 1548 N. Maple St
 Corona, CA, 92880

Lab Reference #: GTK 24743
 Project Name: Redlands
 Project #: 2289-CR

Organochlorine Pesticides (EPA 8081A)

Client Sample ID	Lab Sample Number	Date Received	Date Sampled	Date Extracted	Date Analyzed	Matrix
#1	24743-001	11/26/2019 8:53	11/25/2019	11/27/2019 17:00	12/3/2019 14:26	Soil

<u>ANALYTE</u>	<u>CAS #</u>	<u>µg/kg</u>
Aldrin	309-00-2	<2.0
alpha-BHC	319-84-6	<5.0
beta-BHC	319-85-7	<5.0
gamma-BHC (Lindane)	58-89-9	<5.0
delta-BHC	319-86-8	<10
Chlordane	57-74-9	<30
4,4'-DDD	72-54-8	50
4,4'-DDE	72-55-9	1000
4,4'-DDT	50-29-3	290
Dieldrin	60-57-1	2.9
Endosulfan I	959-98-8	<10
Endosulfan II	33213-65-9	<5.0
Endosulfan sulfate	1031-07-8	<10
Endrin	72-20-8	40
Endrin aldehyde	7421-93-4	<10
Endrin ketone	53494-70-5	<5.0
Heptachlor	76-44-8	<2.0
Heptachlor epoxide	1024-57-3	<5.0
Methoxychlor	72-43-5	<10
Toxaphene	8001-35-2	<40

Surrogate: Decachlorobiphenyl % RC* 97
 * Acceptable Recovery: 49-131 %
Dilution Factor: 1
Data Qualifiers: N1,

Ms. Anna Scott
 GeoTek, Inc.
 1548 N. Maple St
 Corona, CA, 92880

Lab Reference #: GTK 24743
 Project Name: Redlands
 Project #: 2289-CR

Organochlorine Pesticides (EPA 8081A)

Client Sample ID	Lab Sample Number	Date Received	Date Sampled	Date Extracted	Date Analyzed	Matrix
#2	24743-002	11/26/2019	11/25/2019	11/27/2019	12/3/2019	Soil
		8:53		17:00	14:41	

<u>ANALYTE</u>	<u>CAS #</u>	<u>µg/kg</u>	<u>Surrogate:</u>	<u>% RC*</u>
Aldrin	309-00-2	<2.0	Decachlorobiphenyl	104
alpha-BHC	319-84-6	<5.0		
beta-BHC	319-85-7	<5.0		
gamma-BHC (Lindane)	58-89-9	<5.0		
delta-BHC	319-86-8	<10		
Chlordane	57-74-9	<30		
4,4'-DDD	72-54-8	<10		
4,4'-DDE	72-55-9	290		
4,4'-DDT	50-29-3	88		
Dieldrin	60-57-1	<2.0		
Endosulfan I	959-98-8	<10		
Endosulfan II	33213-65-9	<5.0		
Endosulfan sulfate	1031-07-8	<10		
Endrin	72-20-8	13		
Endrin aldehyde	7421-93-4	<10		
Endrin ketone	53494-70-5	<5.0		
Heptachlor	76-44-8	<2.0		
Heptachlor epoxide	1024-57-3	<5.0		
Methoxychlor	72-43-5	<10		
Toxaphene	8001-35-2	<40		

* Acceptable Recovery: 49-131 %

Dilution Factor: 1

Data Qualifiers: N1,

Ms. Anna Scott
 GeoTek, Inc.
 1548 N. Maple St
 Corona, CA, 92880

Lab Reference #: GTK 24743
 Project Name: Redlands
 Project #: 2289-CR

Organochlorine Pesticides (EPA 8081A)

Client Sample ID	Lab Sample Number	Date Received	Date Sampled	Date Extracted	Date Analyzed	Matrix
#3	24743-003	11/26/2019 8:53	11/25/2019	11/27/2019 17:00	12/3/2019 14:55	Soil

<u>ANALYTE</u>	<u>CAS #</u>	<u>µg/kg</u>	<u>Surrogate:</u>	<u>% RC*</u>
Aldrin	309-00-2	<2.0	Decachlorobiphenyl	94
alpha-BHC	319-84-6	<5.0		
beta-BHC	319-85-7	<5.0		
gamma-BHC (Lindane)	58-89-9	<5.0		
delta-BHC	319-86-8	<10		
Chlordane	57-74-9	<30		
4,4'-DDD	72-54-8	21		
4,4'-DDE	72-55-9	320		
4,4'-DDT	50-29-3	180		
Dieldrin	60-57-1	<2.0		
Endosulfan I	959-98-8	<10		
Endosulfan II	33213-65-9	<5.0		
Endosulfan sulfate	1031-07-8	<10		
Endrin	72-20-8	28		
Endrin aldehyde	7421-93-4	<10		
Endrin ketone	53494-70-5	<5.0		
Heptachlor	76-44-8	<2.0		
Heptachlor epoxide	1024-57-3	<5.0		
Methoxychlor	72-43-5	<10		
Toxaphene	8001-35-2	<40		

* Acceptable Recovery: 49-131 %

Dilution Factor: 1

Data Qualifiers: N1,

Ms. Anna Scott
 GeoTek, Inc.
 1548 N. Maple St
 Corona, CA, 92880

Lab Reference #: GTK 24743
 Project Name: Redlands
 Project #: 2289-CR

Organochlorine Pesticides (EPA 8081A)

Client Sample ID	Lab Sample Number	Date Received	Date Sampled	Date Extracted	Date Analyzed	Matrix
#4	24743-004	11/26/2019	11/25/2019	11/27/2019	12/3/2019	Soil
		8:53		17:00	15:10	

<u>ANALYTE</u>	<u>CAS #</u>	<u>µg/kg</u>	<u>Surrogate:</u>	<u>% RC*</u>
Aldrin	309-00-2	<2.0	Decachlorobiphenyl	99
alpha-BHC	319-84-6	<5.0		
beta-BHC	319-85-7	<5.0		
gamma-BHC (Lindane)	58-89-9	<5.0	* Acceptable Recovery: 49-131 %	
delta-BHC	319-86-8	<10		
Chlordane	57-74-9	<30	<u>Dilution Factor:</u> 1	
4,4'-DDD	72-54-8	17	<u>Data Qualifiers:</u> N1,	
4,4'-DDE	72-55-9	490		
4,4'-DDT	50-29-3	140		
Dieldrin	60-57-1	<2.0		
Endosulfan I	959-98-8	<10		
Endosulfan II	33213-65-9	<5.0		
Endosulfan sulfate	1031-07-8	<10		
Endrin	72-20-8	26		
Endrin aldehyde	7421-93-4	<10		
Endrin ketone	53494-70-5	<5.0		
Heptachlor	76-44-8	<2.0		
Heptachlor epoxide	1024-57-3	<5.0		
Methoxychlor	72-43-5	<10		
Toxaphene	8001-35-2	<40		

Ms. Anna Scott
 GeoTek, Inc.
 1548 N. Maple St
 Corona, CA, 92880

Lab Reference #: GTK 24743
 Project Name: Redlands
 Project #: 2289-CR

Organochlorine Pesticides (EPA 8081A)

Client Sample ID	Lab Sample Number	Date Received	Date Sampled	Date Extracted	Date Analyzed	Matrix
#5	24743-005	11/26/2019	11/25/2019	11/27/2019	12/3/2019	Soil
		8:53		17:00	15:25	

<u>ANALYTE</u>	<u>CAS #</u>	<u>µg/kg</u>	<u>Surrogate:</u>	<u>% RC*</u>
Aldrin	309-00-2	<2.0	Decachlorobiphenyl	94
alpha-BHC	319-84-6	<5.0		
beta-BHC	319-85-7	<5.0		
gamma-BHC (Lindane)	58-89-9	<5.0		
delta-BHC	319-86-8	<10		
Chlordane	57-74-9	<30		
4,4'-DDD	72-54-8	19		
4,4'-DDE	72-55-9	1200		
4,4'-DDT	50-29-3	350		
Dieldrin	60-57-1	3.2		
Endosulfan I	959-98-8	<10		
Endosulfan II	33213-65-9	<5.0		
Endosulfan sulfate	1031-07-8	<10		
Endrin	72-20-8	81		
Endrin aldehyde	7421-93-4	<10		
Endrin ketone	53494-70-5	<5.0		
Heptachlor	76-44-8	<2.0		
Heptachlor epoxide	1024-57-3	<5.0		
Methoxychlor	72-43-5	<10		
Toxaphene	8001-35-2	<40		

* Acceptable Recovery: 49-131 %

Dilution Factor: 1

Data Qualifiers: N1,

Ms. Anna Scott
 GeoTek, Inc.
 1548 N. Maple St
 Corona, CA, 92880

Lab Reference #: GTK 24743
 Project Name: Redlands
 Project #: 2289-CR

Organochlorine Pesticides (EPA 8081A)

Client Sample ID	Lab Sample Number	Date Received	Date Sampled	Date Extracted	Date Analyzed	Matrix
#6	24743-006	11/26/2019	11/25/2019	11/27/2019	12/3/2019	Soil
		8:53		17:00	15:40	

<u>ANALYTE</u>	<u>CAS #</u>	<u>µg/kg</u>
Aldrin	309-00-2	<2.0
alpha-BHC	319-84-6	<5.0
beta-BHC	319-85-7	<5.0
gamma-BHC (Lindane)	58-89-9	<5.0
delta-BHC	319-86-8	<10
Chlordane	57-74-9	<30
4,4'-DDD	72-54-8	16
4,4'-DDE	72-55-9	380
4,4'-DDT	50-29-3	180
Dieldrin	60-57-1	<2.0
Endosulfan I	959-98-8	<10
Endosulfan II	33213-65-9	<5.0
Endosulfan sulfate	1031-07-8	<10
Endrin	72-20-8	26
Endrin aldehyde	7421-93-4	<10
Endrin ketone	53494-70-5	<5.0
Heptachlor	76-44-8	<2.0
Heptachlor epoxide	1024-57-3	<5.0
Methoxychlor	72-43-5	<10
Toxaphene	8001-35-2	<40

Surrogate: Decachlorobiphenyl % RC* 89
 * Acceptable Recovery: 49-131 %
Dilution Factor: 1
Data Qualifiers: N1,

Ms. Anna Scott
 GeoTek, Inc.
 1548 N. Maple St
 Corona, CA, 92880

Lab Reference #: GTK 24743
 Project Name: Redlands
 Project #: 2289-CR

Organochlorine Pesticides (EPA 8081A)

Client Sample ID	Lab Sample Number	Date Received	Date Sampled	Date Extracted	Date Analyzed	Matrix
Method Blank	MBBL1127191			11/27/2019 17:00	12/3/2019 10:03	Soil

<u>ANALYTE</u>	<u>CAS #</u>	<u>µg/kg</u>	<u>Surrogate:</u>	<u>% RC*</u>
Aldrin	309-00-2	<2.0	Decachlorobiphenyl	112
alpha-BHC	319-84-6	<5.0		
beta-BHC	319-85-7	<5.0		
gamma-BHC (Lindane)	58-89-9	<5.0		
delta-BHC	319-86-8	<10		
Chlordane	57-74-9	<30		
4,4'-DDD	72-54-8	<10		
4,4'-DDE	72-55-9	<5.0		
4,4'-DDT	50-29-3	<10		
Dieldrin	60-57-1	<2.0		
Endosulfan I	959-98-8	<10		
Endosulfan II	33213-65-9	<5.0		
Endosulfan sulfate	1031-07-8	<10		
Endrin	72-20-8	<10		
Endrin aldehyde	7421-93-4	<10		
Endrin ketone	53494-70-5	<5.0		
Heptachlor	76-44-8	<2.0		
Heptachlor epoxide	1024-57-3	<5.0		
Methoxychlor	72-43-5	<10		
Toxaphene	8001-35-2	<40		

* Acceptable Recovery: 49-131 %

Dilution Factor: 1

Data Qualifiers: None

QA/QC Report
for
Organochlorine Pesticides (EPA 8081A)
Reporting units: ppb

Matrix Spike (MS) / Matrix Spike Duplicate (MSD)

Date of Extraction: 11/27/2019 17:00

Date of Analysis: 12/3/2019 10:48

Dup Date of Analysis: 12/3/2019 11:03

Laboratory Sample #: AZ12185-007

MS/MSD Qualifiers: None

Reference #: GTK 24743

Analyte	R1	SPC CONC	MS	MSD	%MS	%MSD	RPD	ACP %MS	ACP RPD	Qual
Gamma-BHC	0.00	20.0	14.7	14.5	74	73	1	41-130	25	<input type="checkbox"/>
Heptachlor	0.00	20.0	12.7	12.5	63	63	2	36-130	26	<input type="checkbox"/>
Aldrin	0.00	20.0	15.3	14.7	76	74	4	41-130	25	<input type="checkbox"/>
Dieldrin	2.10	40.0	44.5	43.0	106	102	3	39-137	23	<input type="checkbox"/>
Endrin	0.00	40.0	45.3	43.8	113	110	3	46-150	25	<input type="checkbox"/>
DDT	0.00	40.0	51.6	48.9	129	122	5	41-148	25	<input type="checkbox"/>

Surrogate Recoveries for Spike Samples

Surrogate (%RC)	MS	MSD	Qual
Decachlorobiphenyl	105	105	<input type="checkbox"/>

LCS	LCSD	Qual
110	108	<input type="checkbox"/>

ACP % RC
49-131

Laboratory Control Sample

Date of Extraction: 11/27/2019 17:00

Date of Analysis: 12/3/2019 10:19

Dup Date of Analysis: 12/3/2019 10:34

Laboratory Sample #: BL1127191

LCS Qualifiers: None

Analyte	SPC CONC	LCS	LCSD	%LCS	%LCSD	RPD	ACP %LCS	ACP RPD	Qual
Gamma-BHC	20.0	17.4	15.7	87	78	10	45-130	25	<input type="checkbox"/>
Heptachlor	20.0	15.7	14.2	78	71	10	42-130	27	<input type="checkbox"/>
Aldrin	20.0	17.1	15.5	86	77	10	44-130	26	<input type="checkbox"/>
Dieldrin	40.0	42.0	41.7	105	104	1	43-131	20	<input type="checkbox"/>
Endrin	40.0	42.2	42.1	106	105	0	47-145	20	<input type="checkbox"/>
DDT	40.0	49.7	50.4	124	126	1	45-140	20	<input type="checkbox"/>

Data Qualifier Definitions

Qualifier

N1 = See case narrative.

24743-001	8081A	Sample run @ 24x dilution, 12/4/19 @ 12:08 for 4,4'-DDE & 4,4'-DDT
24743-002	8081A	Sample run @ 6x dilution, 12/4/19 @ 10:46 for 4,4'-DDE & 4,4'-DDT
24743-003	8081A	Sample run @ 6x dilution, 12/4/19 @ 11:01 for 4,4'-DDE & 4,4'-DDT
24743-004	8081A	Sample run @ 12x dilution, 12/4/19 @ 12:23 for 4,4'-DDE & 4,4'-DDT
24743-005	8081A	Sample run @ 24x dilution, 12/4/19 @ 12:37 for 4,4'-DDE & 4,4'-DDT
24743-006	8081A	Sample run @ 6x dilution, 12/4/19 @ 11:45 for 4,4'-DDE & 4,4'-DDT

Definition of terms:

R1	Result of unspiked laboratory sample used for matrix spike determination.
SP CONC (or Spike Conc.)	Spike concentration added to sample or blank
MS	Matrix Spike sample result
MSD	Matrix Spike Duplicate sample result
%MS	Percent recovery of MS: $\{(MS-R1) / SP\ CONC\} \times 100$
%MSD	Percent recovery of MSD: $\{(MSD-R1) / SP\ CONC\} \times 100$
RPD (for MS/MSD)	Relative Percent Difference: $\{(MS-MSD) / (MS+MSD)\} \times 100 \times 2$
LCS	Laboratory Control Sample result
LCSD	Laboratory Control Sample Duplicate result
%LCS	Percent recovery of LCS: $\{(LCS) / SP\ CONC\} \times 100$
%LCSD	Percent recovery of LCSD: $\{(LCSD) / SP\ CONC\} \times 100$
RPD (for LCS/LCSD)	Relative Percent Difference: $\{(LCS-LCSD) / (LCS+LCSD)\} \times 100 \times 2$
ACP %LCS	Acceptable percent recovery range for Laboratory Control Samples.
ACP %MS	Acceptable percent recovery range for Matrix Spike samples
ACP RPD	Acceptable Relative Percent Difference
D	Detectable, result must be greater than zero
Qual	A checked box indicates a data qualifier was utilized and/or required for this analyte see attached explanation.
ND	Analyte Not Detected



Analysis Request and Chain of Custody Record

ORANGE COAST ANALYTICAL, INC. www.ocalab.com

3002 Dow, Suite 532
Tustin, CA 92780
(714) 832-0064 Fax (714) 832-0067

4620 E. Elwood, Suite 4
Phoenix, AZ 85040
(480) 736-0960 Fax (480) 736-0970

Lab Job No: 24743
Page 1 of 1

REQUIRED TURN AROUND TIME: Standard: 24 Hours
72 Hours: _____ 48 Hours: _____ 24 Hours: _____

CUSTOMER INFORMATION		PROJECT INFORMATION	
COMPANY: <u>Guotek Inc</u>	PROJECT NAME: <u>Ridlands</u>		
SEND REPORT TO: <u>Anna Scott</u>	NUMBER: <u>2289-CR</u>		
EMAIL:	ADDRESS:		
ADDRESS:			
PHONE:	FAX:	P.O. #:	
		SAMPLED BY: <u>Amg</u>	

ANALYSIS REQUEST / PRESERVATIVE
8081A

SAMPLE ID	NO. OF CONTAINERS	SAMPLE DATE	SAMPLE TIME	SAMPLE MATRIX	CONTAINER TYPE	REMARKS/PRECAUTIONS
<u># 1</u>	<u>1</u>	<u>11/25</u>	<u>pm</u>	<u>soil</u>	<u>glass</u>	
<u># 2</u>	↓	↓	↓	↓	↓	
<u># 3</u>	↓	↓	↓	↓	↓	
<u># 4</u>	↓	↓	↓	↓	↓	
<u># 5</u>	↓	↓	↓	↓	↓	
<u># 6</u>	↓	↓	↓	↓	↓	

Total No. of Samples: 6 Method of Shipment: Hand Delivery Preservative: 1 = Ice 2 = HCl 3 = HNO₃ 4 = H₂SO₄ 5 = NaOH 6 = Other

Relinquished By: <u>Amforotto</u> Date/Time: <u>11/25/19 1:17pm</u>	Received By: <u>Alzele</u> Date/Time: <u>11/25/19 1:17pm</u>	Sample Matrix: DW - Drinking Water GW - Groundwater WW - Wastewater SW - Stormwater	DW - Drinking Water W - Water SS - Soil/Solid OT - Other
Relinquished By: <u>Alzele</u> Date/Time: <u>11/26/19 8:53am</u>	Received By: _____ Date/Time: _____	Sample Integrity: Intact: _____ On Ice: Yes/No	<u>5 to 5.02</u> <u>@ 22.2 °C</u>
Relinquished By: _____ Date/Time: _____	Received For Lab By: <u>Mark [unclear]</u> Date/Time: <u>11-26-19 0853</u>		

By signing above, client acknowledges responsibility for payment of all services requested on this chain of custody form and any additional services provided in support of this project. Payment is due within 30 days of invoice date.