



Central Valley Regional Water Quality Control Board

California Environmental Quality Act Notice of Determination in compliance with Section 21008 or 21152 of the Public Resources Code

To: Office of Planning and Research
P.O. Box 3044
Sacramento, CA 95812-3044

From: California Regional Water Quality Control Board
Central Valley Region, Redding Office
364 Knollcrest Drive, Suite 205
Redding, CA 96002

Date: 29 March 2022

State Clearinghouse Number: 2021070045

Project Title: 02-1H580 Cromberg Rehabilitation and Feather River Inn Intersection Project (Project) (WDID 5A32CR00226)

Project Location - Specific: The Project area is located on State Route 70 from post mile 58.2 to post mile 78.4 near Cromberg, California in Plumas County. The Project coordinates are as follows: Start Latitude: 39.8701° and Longitude: -120.7078°; End Latitude: 39.8220° and Longitude: -120.4371°.

Project Location - County: Plumas County

Name of Applicant:

Clint Burkenpas
California Department of Transportation
1031 Butte Street, MS 91
Redding, CA 96001

Description of Nature, Purpose, and Beneficiaries of Project:

The scope of work includes rehabilitating a 20-mile stretch of State Route (SR) 70, from post mile (PM) 58.2 to PM 78.4 in Plumas County. In-water work includes repairing, replacing and extending culverts to accommodate roadway widening. Project activities related to the culvert work include clearing and grubbing of vegetation, installation of temporary stream diversions, and placement of rock slope protection.

Name of Public Agency Approving Project:

This is to advise that the Central Valley Regional Water Quality Control Board, as a Responsible Agency, approved the above-described project on 29 March 2022 and has made the following determinations regarding the above-described project:

1. The Central Valley Regional Water Quality Control Board considered the Initial Study/Mitigated Negative Declaration as prepared by California Department of Transportation.
2. The Project will not have a significant effect on the environment.
3. Mitigation measures were made a condition of the approval of the project.
4. A mitigation reporting or monitoring plan was not adopted for this project.
5. A Statement of Overriding Considerations was not adopted for this project.
6. Findings were made pursuant to the provisions of CEQA.

The Initial Study/Mitigated Negative Declaration is available to the general public at: CEQAnet Web Portal: <https://ceqanet.opr.ca.gov/2021070045>; and at: Caltrans District 2 Office, 1031 Butte Street, Redding, CA 96001.

The record of project approval is available to the general public at: [Central Valley Regional Water Quality Control Board's Adopted Orders Web page](https://www.waterboards.ca.gov/centralvalley/board_decisions/adopted_orders/401_wq_certs/) (https://www.waterboards.ca.gov/centralvalley/board_decisions/adopted_orders/401_wq_certs/).

State Responsible Agency Contact Person:

Lynn Coster, Senior Environmental Scientist
Chief Storm Water and Water Quality Certification Unit
Central Valley Regional Water Quality Control Board
Redding Branch Office

Area Code/Telephone/Extension:

(530) 224-2437

Lynn Coster, Senior Environmental Scientist
Central Valley Regional Water Quality Control Board