

CALIFORNIA ENVIRONMENTAL QUALITY ACT NOTICE OF EXEMPTION

To: Office of Planning and Research-State Clearinghouse P.O. Box 3044, 1400 Tenth Street, Room 212 Sacramento, CA 95812-3044	From: Department of Toxic Substances Control P.O. Box 806 Sacramento, CA 95812-0806
--	---

Project Title: Variance TWW-2021-LG-00650 to Allow the Generation, Accumulation, and Transport of Treated Wood Waste under Alternate Procedures by Clow Valve Company (a division of McWane, Inc)

Project Location: 1375 Magnolia Avenue, Corona, CA 91719

County: Riverside

Project Applicant: Rebecca Sundilson, Senior Scientist (Environmental Consultant), Clow Valve Company (a division of McWane, Inc)

Approval Action Under Consideration by DTSC: Variance

Statutory/Regulatory Authority: California Health and Safety Code, Section 25143; CCR Title 22, Section 66260.210

Project Description: The Department of Toxic Substances Control (DTSC) has issued a variance to Clow Valve Company (a division of McWane, Inc) (CAD063115133) to generate and accumulate treated wood waste on-site. The applicant may transport the treated wood waste generated on-site to an authorized handler or disposal facility. The treated wood waste is generated as a result of removal of railroad ties associated with the site's DTSC approved Corrective Measures Implementation Workplan (May 13, 2020). The variance allows treated wood waste to be managed under procedures different from, but equally protective to human health and the environment to, the provisions of California Health and Safety Code (HSC) Articles 6, 6.5 and 9 of Chapter 6.5 and California Code of Regulations (CCR), Title 22, Division 4.5, Chapters 12, 13, 14, 15, 16, 18, and/or 20. Under the terms and conditions of Variance TWW-2021-LG-00650, Clow Valve Company (a division of McWane, Inc) will ensure the treated wood waste will be appropriately managed.

Background: Treated wood waste is a fully regulated California-only hazardous waste because it exhibits the hazardous waste characteristic of toxicity. From 2007 to December 31, 2020, treated wood waste was managed under alternative management standards, established in 22 CCR 67386. The legislation that authorized the alternative management standards for treated wood waste expired on December 31, 2020. Without the issuance of the variance, Clow Valve Company (a division of McWane, Inc) would be required to register as a hazardous waste transporter with DTSC and manifest treated wood waste as a hazardous waste prior to disposal at a hazardous waste disposal facility.

Clow Valve Company (a division of McWane, Inc) manufacturing processes previously included machining, testing, coating, and shipping of wet barrel fire hydrants. However, Clow Valve operations have ceased, and that portion of the site is currently vacant. The source of TWW generation is former railroad ties present in an isolated area on the Clow portion of the site.

Project Activities: Under the variance, the authorized large quantity generator may generate, accumulate, treated wood waste on-site. The generator may transport the treated wood waste generated on site to authorized handler and/or disposal facilities. Operations generally include loading and unloading operations and shipping treated wood waste along existing transportation routes. Accumulation and transport of treated wood waste includes taking appropriate precautions to prevent unauthorized access to and prevent leaching to the environment of the treated wood waste. The variance will expire on January 19, 2022 with possibility of extension for an additional six months.

Name of Public Agency Approving Project: Department of Toxic Substances Control

Name of Person or Agency Carrying Out Project: Clow Valve Company (a division of McWane, Inc)

Exempt Status: Existing Facilities [CCR Title 14, Sec. 15301]

Reasons Why Project is Exempt: All analysis conducted included the potential extension of the variance for an additional six months. DTSC has determined none of the exceptions to the categorical exemptions apply to this project, as described in Public Resources Code Section 21084(c), (d), and (e), and 14 CCR Section 15300.2. This project consists of the accumulation and storage of the treated wood waste is consistent with the operation, repair, maintenance, permitting,

leasing, licensing, or minor alteration of existing public or private structure, involving negligible or no expansion of existing or former use.

The administrative record for this project is available to the public by appointment at the following location:

Department of Toxic Substances Control
 Permitting Division
 1001 I Street
 Sacramento, CA 95814

Contact Person John Muegge	Contact Title Project Manager	Phone Number (916) 322-0471
-------------------------------	----------------------------------	--------------------------------

Approver's Signature:

Date:

Robert Irving

July 26, 2021

Approver's Name Robert Irving	Approver's Title Supervising Environmental Planner	Approver's Phone Number (916) 255-3988
----------------------------------	---	---

TO BE COMPLETED BY OPR ONLY

Date Received for Filing and Posting at OPR: