



State of California – Natural Resources Agency  
DEPARTMENT OF FISH AND WILDLIFE  
Central Region  
1234 East Shaw Avenue  
Fresno, California 93710  
(559) 243-4005  
[www.wildlife.ca.gov](http://www.wildlife.ca.gov)

**GAVIN NEWSOM, Governor**  
**CHARLTON H. BONHAM, Director**



Governor's Office of Planning & Research

October 19, 2021

**Oct 19 2021**

## STATE CLEARINGHOUSE

Diana Lowrance, Planner III  
County of Merced, Department of Community and Economic Development  
2222 M Street  
Merced, California 93540  
DLowrance@co.merced.ca.us

**Subject: Hillcrest Dairy Expansion Project (Project)  
Conditional Use Permit No. CUP20-013  
Notice of Preparation (NOP)  
State Clearinghouse No. 2021090490**

Dear Ms. Lowrance:

The California Department of Fish and Wildlife (CDFW) received a NOP from the Merced County Department of Community and Economic Development for the above-referenced Project pursuant to the California Environmental Quality Act (CEQA) and CEQA Guidelines.<sup>1</sup>

Thank you for the opportunity to provide comments and recommendations regarding those activities involved in the Project that may affect California fish and wildlife. Likewise, CDFW appreciates the opportunity to provide comments regarding those aspects of the Project that CDFW, by law, may be required to carry out or approve through the exercise of its own regulatory authority under Fish and Game Code.

### CDFW ROLE

CDFW is California's **Trustee Agency** for fish and wildlife resources and holds those resources in trust by statute for all the people of the State (Fish & G. Code, §§ 711.7, subd. (a) & 1802; Pub. Resources Code, § 21070; CEQA Guidelines § 15386, subd. (a)). CDFW, in its trustee capacity, has jurisdiction over the conservation, protection, and management of fish, wildlife, native plants, and habitat necessary for biologically

---

<sup>1</sup> CEQA is codified in the California Public Resources Code in section 21000 et seq. The "CEQA Guidelines" are found in Title 14 of the California Code of Regulations, commencing with section 15000.

Diana Lowrance, Planner III  
Merced County Department of Community and Economic Development  
October 19, 2021  
Page 2

sustainable populations of those species (*Id.*, § 1802). Similarly, for purposes of CEQA, CDFW is charged by law to provide, as available, biological expertise during public agency environmental review efforts, focusing specifically on projects and related activities that have the potential to adversely affect fish and wildlife resources.

CDFW is also submitting comments as a **Responsible Agency** under CEQA (Pub. Resources Code, § 21069; CEQA Guidelines, § 15381). CDFW expects that it may need to exercise regulatory authority as provided by the Fish and Game Code. As proposed, for example, the Project may be subject to CDFW's lake and streambed alteration regulatory authority (Fish & G. Code, § 1600 et seq.). Likewise, to the extent implementation of the Project as proposed may result in "take" as defined by State law of any species protected under the California Endangered Species Act (CESA) (Fish & G. Code, § 2050 et seq.), related authorization as provided by the Fish and Game Code will be required.

**Nesting Birds:** CDFW has jurisdiction over actions with potential to result in the disturbance or destruction of active nest sites or the unauthorized take of birds. Fish and Game Code sections that protect birds, their eggs and nests include, sections 3503 (regarding unlawful take, possession or needless destruction of the nest or eggs of any bird), 3503.5 (regarding the take, possession or destruction of any birds-of-prey or their nests or eggs), and 3513 (regarding unlawful take of any migratory nongame bird).

## **PROJECT DESCRIPTION SUMMARY**

**Proponent:** Hillcrest Dairy

**Objective:** The Project consists of the expansion of an existing dairy facility. The existing Hillcrest Dairy and the site of the proposed expansion are located on approximately 200 acres of a 2,290-acre site. Approximately 1,611 acres of the Project site are currently used for the production of crops and application of manure process water.

Conditional Use Permit CUP20-013 proposes to expand the existing dairy so that the modified dairy would house 4,000 milk cows, 750 dry cows, and 3,300 support stock. This would represent an increase of 1,700 animals from existing numbers. The proposed Project would include construction of one new freestall barn, one special needs barn, and three dry cow shade barns. Modification of the proposed facilities would occur within the existing footprint of the dairy, and there would be no change in cropped acreage associated with the farm.

**Location:** The Project site is located approximately 0.73 miles north of the community of Planada in unincorporated Merced County.

Diana Lowrance, Planner III  
Merced County Department of Community and Economic Development  
October 19, 2021  
Page 3

**Timeframe:** Unspecified.

## **COMMENTS AND RECOMMENDATIONS**

CDFW offers the following comments and recommendations to assist the Merced County Department of Community and Economic Development in adequately identifying and/or mitigating the Project's significant, or potentially significant, direct and indirect impacts on fish and wildlife (biological) resources. Editorial comments or other suggestions may also be included to improve the document.

The EIR that will be prepared will determine the likely environmental impacts associated with the Project. CDFW is concerned regarding potential impacts to special-status species from the ground disturbance development activities, including but not limited to, the State threatened Swainson's hawk (*Buteo swainsoni*), the State threatened tricolored blackbird (*Agelaius tricolor*), and other nesting birds.

### **Swainson's Hawk (SWHA)**

Based on aerial photography, trees that may provide potential nest sites for SWHA occur in the Project area. SWHA exhibit high nest-site fidelity year after year in the San Joaquin Valley (CDFW 2016). The Project as proposed will involve noise, groundwork, and movement of workers that could affect nests and has the potential to result in nest abandonment, significantly impacting local nesting SWHA. Without appropriate avoidance and minimization measures for SWHA, potential significant impacts that may result from Project activities include nest abandonment and reduced nesting success (loss or reduced health or vigor of eggs or young).

CDFW recommends surveys conducted by qualified wildlife biologist that identify potential nest trees within 0.5 mile of the boundary of the Project site. If potential nest trees are confirmed, CDFW recommends surveys following the survey methods developed by the Swainson's Hawk Technical Advisory Committee (SWHA TAC 2000) be conducted by a qualified wildlife biologist prior to project implementation. CDFW recommends a minimum no-disturbance buffer of 0.5-mile be delineated around active nests until the breeding season has ended or until a qualified biologist has determined that the birds have fledged and are no longer reliant upon the nest or parental care for survival. If an active SWHA nest is detected during surveys and a 0.5-mile buffer is not feasible, consultation with CDFW is warranted to discuss how to implement the project and avoid take. If take cannot be avoided, take authorization through the issuance of an ITP, pursuant to Fish and Game Code section 2081 subdivision (b) is necessary to comply with CESA.

Diana Lowrance, Planner III  
Merced County Department of Community and Economic Development  
October 19, 2021  
Page 4

### **Tricolored Blackbird (TRBL)**

TRBL are known to nest in alfalfa, wheat, and other low agricultural crop fields. TRBL aggregate and nest colonially, forming colonies of up to 100,000 nests (Meese et al. 2014). Approximately 86% of the global population is found in the San Joaquin Valley (Kelsey 2008, Weintraub et al. 2016). Increasingly, TRBL are forming larger colonies that contain progressively larger proportions of the species' total population (Kelsey 2008). In 2008, for example, 55% of the species' global population nested in only two colonies, which were located in silage fields (Kelsey 2008). In 2017, approximately 30,000 TRBL were distributed among only 16 colonies in Merced County (Meese 2017). Nesting can occur synchronously, with all eggs laid within one week (Orians 1961). For these reasons, depending on timing, disturbance to nesting colonies can cause abandonment, significantly impacting TRBL populations (Meese et al. 2014).

Table 1 in the Initial Study and Environmental Evaluation state that some of the croplands are planted with wheat. Therefore, TRBL have the potential to nest adjacent to the Project site. Without appropriate avoidance and minimization measures for TRBL, potential significant impacts include nest and/or colony abandonment, reduced reproductive success, and reduced health and vigor of eggs and/or young.

CDFW recommends that construction be timed to avoid the normal bird breeding season (February 1 through September 15). However, if construction must take place during that time, CDFW recommends that a qualified wildlife biologist determine if suitable habitat is present on or adjacent to the Project site. If suitable habitat is present, CDFW recommends a qualified wildlife biologist conduct surveys for nesting TRBL no more than 10 days prior to the start of ground-disturbing activities. If an active TRBL nesting colony is found during pre-activity surveys, CDFW recommends implementation of a minimum 300-foot no-disturbance buffer around the colony in accordance with CDFW's "*Staff Guidance Regarding Avoidance of Impacts to Tricolored Blackbird Breeding Colonies on Agricultural Fields in 2015*" (CDFW 2015). CDFW advises that this buffer remain in place until the breeding season has ended or until a qualified biologist has determined that nesting has ceased, the birds have fledged, and are no longer reliant upon the colony or parental care for survival. It is important to note that TRBL colonies can expand over time. For this reason, CDFW recommends conducting additional pre-activity surveys within 10 days prior of Project initiation to reassess the colony's areal extent. If a TRBL nesting colony is detected during surveys, consultation with CDFW is warranted to discuss how to implement the Project and avoid take, or if avoidance is not feasible, to acquire an ITP, pursuant to Fish and Game Code section 2081 subdivision (b), prior to any ground-disturbing activities.

Diana Lowrance, Planner III  
Merced County Department of Community and Economic Development  
October 19, 2021  
Page 5

## **Nesting birds**

CDFW encourages that Project implementation occur during the bird non-nesting season; however, if ground-disturbing or vegetation-disturbing activities must occur during the breeding season (February through mid-September), the Project applicant is responsible for ensuring that implementation of the Project does not result in violation of the Migratory Bird Treaty Act or relevant Fish and Game Codes as referenced above.

To evaluate Project-related impacts on nesting birds, CDFW recommends that a qualified wildlife biologist conduct pre-activity surveys for active nests no more than 10 days prior to the start of ground or vegetation disturbance to maximize the probability that nests that could potentially be impacted are detected. CDFW also recommends that surveys cover a sufficient area around the Project site to identify nests and determine their status. A sufficient area means any area potentially affected by the Project. In addition to direct impacts (i.e. nest destruction), noise, vibration, and movement of workers or equipment could also affect nests. Prior to initiation of construction activities, CDFW recommends that a qualified biologist conduct a survey to establish a behavioral baseline of all identified nests. Once construction begins, CDFW recommends having a qualified biologist continuously monitor nests to detect behavioral changes resulting from the Project. If behavioral changes occur, CDFW recommends halting the work causing that change and consulting with CDFW for additional avoidance and minimization measures.

If continuous monitoring of identified nests by a qualified wildlife biologist is not feasible, CDFW recommends a minimum no-disturbance buffer of 250 feet around active nests of non-listed bird species and a 500-foot no-disturbance buffer around active nests of non-listed raptors. These buffers are advised to remain in place until the breeding season has ended or until a qualified biologist has determined that the birds have fledged and are no longer reliant upon the nest or on-site parental care for survival. Variance from these no-disturbance buffers is possible when there is compelling biological or ecological reason to do so, such as when the construction area would be concealed from a nest site by topography. CDFW recommends that a qualified wildlife biologist advise and support any variance from these buffers and notify CDFW in advance of implementing a variance.

## **ENVIRONMENTAL DATA**

CEQA requires that information developed in environmental impact reports and negative declarations be incorporated into a database which may be used to make subsequent or supplemental environmental determinations (Pub. Resources Code, § 21003, subd. (e)). Accordingly, please report any special status species and natural communities detected during Project surveys to CNDDDB. The CNDDDB field survey form can be found at the following link: <https://www.wildlife.ca.gov/Data/CNDDDB/Submitting-Data>. The completed form can be mailed electronically to CNDDDB at the following email

Diana Lowrance, Planner III  
Merced County Department of Community and Economic Development  
October 19, 2021  
Page 6

address: [CNDDDB@wildlife.ca.gov](mailto:CNDDDB@wildlife.ca.gov). The types of information reported to CNDDDB can be found at the following link: <https://www.wildlife.ca.gov/Data/CNDDDB/Plants-and-Animals>.


## FILING FEES

If it is determined that the Project has the potential to impact biological resources, an assessment of filing fees will be necessary. Fees are payable upon filing of the Notice of Determination by the Lead Agency and serve to help defray the cost of environmental review by CDFW. Payment of the fee is required in order for the underlying project approval to be operative, vested, and final (Cal. Code Regs, tit. 14, § 753.5; Fish & G. Code, § 711.4; Pub. Resources Code, § 21089).

CDFW appreciates the opportunity to comment on the Project to assist the Merced County Department of Community and Economic Development in identifying and mitigating the Project's impacts on biological resources.

More information on survey and monitoring protocols for sensitive species can be found at CDFW's website (<https://www.wildlife.ca.gov/Conservation/Survey-Protocols>). If you have any questions, please contact Jim Vang, Environmental Scientist, at the address provided on this letterhead, by telephone at (559) 580-3203, or by electronic mail at [Jim.Vang@wildlife.ca.gov](mailto:Jim.Vang@wildlife.ca.gov).

Sincerely,

DocuSigned by:  
  
FA83F09FE08945A...  
Julie A. Vance  
Regional Manager

Attachment 1

Diana Lowrance, Planner III  
Merced County Department of Community and Economic Development  
October 19, 2021  
Page 7

## LITERATURE CITED

- California Department of Fish and Wildlife (CDFW). 2015. Staff Guidance Regarding Avoidance of Impacts to Tricolored Blackbird Breeding Colonies on Agricultural Fields in 2015. March 19, 2015.
- CDFW. 2016. Five Year Status Review for Swainson's Hawk (*Buteo swainsoni*). California Department of Fish and Wildlife. April 11, 2016.
- Kelsey, R. 2008. Results of the tricolored blackbird 2008 census. Report submitted to U.S. Fish and Wildlife Service, Portland, OR, USA.
- Meese, R. J., E.C. Beedy, and W.J. Hamilton, III. 2014. Tricolored blackbird (*Agelaius tricolor*), *The Birds of North America* (P. G. Rodewald, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America: <https://birdsna-org.bnaproxy.birds.cornell.edu/Species-Account/bna/species/tribla>. Accessed December 15, 2017.
- Meese, R.J. 2017. Results of the 2017 Tricolored Blackbird Statewide Survey. California Department of Fish and Wildlife, Wildlife Branch, Nongame Wildlife Program Report 2017-04, Sacramento, CA. 27 pp. + appendices.
- Orians, G.H. 1961. The ecology of blackbird (*Agelaius*) social systems. *Ecol. Monogr.* 31:285-312.
- Swainson's Hawk Technical Advisory Committee (SWHA TAC). 2000. Recommended Timing and Methodology for Swainson's Hawk Nesting Surveys in California's Central Valley. Swainson's Hawk Technical Advisory Committee, May 31, 2000.
- Weintraub, K., T.L. George, and S.J. Dinsmore. 2016. Nest survival of tricolored blackbirds in California's Central Valley. *The Condor* 118(4): 850–861.

**Attachment 1**

**CALIFORNIA DEPARTMENT OF FISH AND WILDLIFE  
RECOMMENDED MITIGATION MONITORING AND REPORTING PROGRAM  
(MMRP)**

**PROJECT: Hillcrest Dairy Expansion Project**

**SCH No.: 2021090490**

<b>RECOMMENDED MITIGATION MEASURE</b>	<b>STATUS/DATE/INITIALS</b>
<i>Before Disturbing Soil or Vegetation</i>	
Mitigation Measure: SWHA	
SWHA Surveys	
SWHA Take Authorization	
Mitigation Measure: TRBL	
TRBL Surveys	
TRBL Take Authorization	
<i>During Construction</i>	
Mitigation Measure: SWHA	
SWHA Avoidance	
Mitigation Measure: TRBL	
TRBL Avoidance	