Print From

Summary Form for Electronic Document Submittal

Form F

Lead agencies may include 15 hardcopies of this document when submitting electronic copies of Environmental Impact Reports, Negative Declarations, Mitigated Negative Declarations, or Notices of Preparation to the State Clearinghouse (SCH). The SCH also accepts other summaries, such as EIR Executive Summaries prepared pursuant to CEQA Guidelines Section 15123. Please include one copy of the Notice of Completion Form (NOC) with your submission and attach the summary to each electronic copy of the document.

SCH #: _____

Project Title: Booster Station 5513W/5514 Improvements and Reservoir 5514-2 Construction Project

Lead Agency: Coachella Valley Water District

Contact Name: William Patterson, Environmental Supervisor

Email: wpatterson@cvwd.org Phone Number: 760-398-2651

Project Location: Rancho Mirage (*City*) Riverside (*County*)

Project Description (Proposed actions, location, and/or consequences).

The Booster Station 5513W/5514 Improvements and Reservoir 5514-2 Construction Project would improve CVWD's domestic water system at two CVWD sites (Site 5513 and Site 5514) to alleviate water storage deficiencies and increase water storage capacity, reliability, and efficiency within the CVWD water distribution system. The project proposes the construction of a new steel domestic water tank (referred to as Reservoir 5514-2) at Site 5514. To accommodate placement of Reservoir 5514-2, the existing Booster Station 5514 would be demolished and relocated to Site 5513 (which would then be renamed Booster Station 5513-W). Additionally, approximately 600 linear feet of pipeline would be placed within Thunderbird Road to replace an existing pipe segment and accommodate the Booster Station 5514 relocation.

Identify the project's significant or potentially significant effects and briefly describe any proposed mitigation measures that would reduce or avoid that effect.

The IS/MND identified potential impacts to biological resources as less than significant with mitigation incorporated, with mitigation to require a nesting bird and raptor pre-construction survey if project-related activities occur during the bird breeding season, and appropriate avoidance and monitoring of nests found (if applicable). Biological resource mitigation also requires implementation of measures related to drainage, toxics, lighting, noise, invasives, barriers, and grading/land development prior to final design and/or for inclusion in the contractor specifications to comply with the Coachella Valley Multiple Species Habitat Conservation Plan's Land Use Adjacency Guidelines.

The IS/MND identified potential impacts to Hazards and Hazardous Materials as less than significant with mitigation incorporated, with mitigation to require the construction contractor to submit a Hazardous Materials Management Spill Control Plan to CVWD.

The IS/MND identified potential impacts to Noise as less than significant with mitigation incorporated, with mitigation to implement noise and vibration control measures during construction. The IS/MND identified potential impacts to Transportation as less than significant with mitigation incorporated, with mitigation to provide CVWD-approved written notice including schedule and contact information to the HOA community and nearby residences 14-days prior to site mobilization.

With the implementation of mitigation measures identified in the IS/MND, the project would not result in significant impacts.

If applicable, describe any of the project's areas of controversy known to the Lead Agency, including issues raised by agencies and the public.

Not applicable.

Provide a list of the responsible or trustee agencies for the project.

State Water Resources Control Board (SWRCB), in federal/state partnership with the United States Environmental Protection Agency; Regional Water Quality Control Board (RWQCB) – Colorado River Basin Region; South Coast Air Quality Management District (SCAQMD)