

Notice of Determination

Appendix D

TO:

Office of Planning and Research
For U.S. Mail: *Street Address:*
P.O. Box 3044 1400 Tenth Street
Sacramento, CA 95812-3044 Sacramento, CA 95814

County Clerk
County of: _____
Address: _____

FROM:

Public Agency: California Department of Water Resources
Address: DWR Division of Operations and Maintenance, South Delta Management, PO Box 942836 Sacramento, CA 94236-0001
Contact: Mohammed (Shahid) Anwar, PE
Phone: (916)288-2129
Lead Agency (if different from above): _____
Address: _____
Contact: _____
Phone: _____

Subject: Filing of Notice of Determination in compliance with Section 21108 or 21152 of the Public Resources Code.

State Clearinghouse Number (if submitted to State Clearinghouse): 2021100009

Project Title: Georgiana Slough Salmonid Migratory Barrier

Project Location (include county): Sacramento

Project Description: The proposed project would involve the installation and operation of a Bio-Acoustic Fish Fence™ (BAFF) at the Georgiana Slough junction for 8 years starting in late 2022/early 2023 through 2030. The BAFF would be operated as a behavioral deterrent to prevent juvenile winter-run Chinook salmon and spring-run Chinook salmon from entering Georgiana Slough during emigration (primarily between October 1 through June 1). Staging areas would be at the town of Hood, the Steamboat Slough junction, the Sutter Slough junction, adjacent to the Delta Cross Channel, and at the Georgiana Slough junction (Point Ranch Property).

This is to advise that the California Department of Water Resources has approved the above described project on 3/25/2022 and has made the following determinations regarding the above described projects.
(Date)

1. The project [will will not] have a significant effect on the environment.
2. An Environmental Impact Report was prepared for this project pursuant to the provisions of CEQA.
 A Negative Declaration was prepared for this project pursuant to the provisions of CEQA.
3. Mitigation measures [were were not] made a condition of the approval of the project.
4. A mitigation reporting or monitoring plan [was was not] adopted for this project.
5. A statement of Overriding Considerations [was was not] adopted for this project.
6. Findings [were were not] made pursuant to the provisions of CEQA.

This is to certify that the final EIR with comments and responses and record of project approval, or the Negative Declaration, is available to the General Public at:

California Department of Water Resources, 1516 Ninth Street, Sacramento, CA 94236

Signature (Public Agency) Jacob McQuirk Title: Principal Engineer

Date: 3/25/2022 Date Received filing at OPR: _____

