

Notice of Determination

Appendix D

To:

Office of Planning and Research
 U.S. Mail: _____ Street Address: _____
 P.O. Box 3044 1400 Tenth St., Rm 113
 Sacramento, CA 95812-3044 Sacramento, CA 95814

County Clerk
 County of: _____
 Address: _____

From:

Public Agency: Yucaipa Valley Water District
 Address: 12770 Second Street
 Yucaipa, CA 92399
 Contact: Jennifer Ares
 Phone: (909) 790-3301

Lead Agency (if different from above): _____
 Address: _____

 Contact: _____
 Phone: _____

SUBJECT: Filing of Notice of Determination in compliance with Section 21108 or 21152 of the Public Resources Code.

State Clearinghouse Number (if submitted to State Clearinghouse): 2021100146

Project Title: Oak Valley-Summerwind Offsite Sewer Project

Project Applicant: Yucaipa Valley Water District

Project Location (include county): Cities of Calimesa and Yucaipa, Riverside and San Bernardino County

Project Description:

The Project would construct an approximately 2,500-foot-long segment of parallel 10- and 12-inch force mains that would connect to the sanitary sewer alignment described in the prior IS/MND at Sandalwood Drive. This sewer force main would connect the future Oak Valley/Summerwind Ranch residential development to the WRWRF. Revisions to the prior IS/MND would only modify those portions of the 2021 alignment located within the City of Calimesa.

This is to advise that the Yucaipa Valley Water District has approved the above
 Lead Agency or Responsible Agency)

described project on 9/19/2023 and has made the following determinations regarding the above
 (date)
 described project.

1. The project [will will not] have a significant effect on the environment.
2. An Environmental Impact Report was prepared for this project pursuant to the provisions of CEQA.
 A Negative Declaration was prepared for this project pursuant to the provisions of CEQA.
3. Mitigation measures [were were not] made a condition of the approval of the project.
4. A mitigation reporting or monitoring plan [was was not] adopted for this project.
5. A statement of Overriding Considerations [was was not] adopted for this project.
6. Findings [were were not] made pursuant to the provisions of CEQA.

This is to certify that the final EIR with comments and responses and record of project approval, or the negative Declaration, is available to the General Public at:

Yucaipa Valley Water District, 12770 Second Street Yucaipa, CA 92399

Signature (Public Agency): _____ Title: Water Resource Manager

Date: September 19, 2023 Date Received for filing at OPR: _____