

Notice of Determination

Appendix D

To:

Office of Planning and Research
 U.S. Mail: Street Address:
 P.O. Box 3044 1400 Tenth St., Rm 113
 Sacramento, CA 95812-3044 Sacramento, CA 95814

County Clerk
 County of: Yuba
 Address: 915 8th Street, Suite 107
Marysville, CA 95901

From:

Public Agency: South Sutter Water District
 Address: 2464 Pacific Avenue
Trowbridge, CA 95659
 Contact: Brad Arnold
 Phone: (530) 656-2242

Lead Agency (if different from above):

Address: _____

Contact: _____

Phone: _____

ENDORSED FILED
 FEB 24 2022
 COUNTY CLERK
 YUBA COUNTY
 BRIDGETTE EVANS
 Deputy Clerk

SUBJECT: Filing of Notice of Determination in compliance with Section 21108 or 21152 of the Public Resources Code.

State Clearinghouse Number (if submitted to State Clearinghouse): 2021100570

Project Title: Camp Far West Hydroelectric Relicensing Project

Project Applicant: South Sutter Water District, Brad Arnold

Project Location (include county): On the Bear River in Nevada County, Placer County, & Yuba County

Project Description:

SSWD is seeking a new license from FERC with a term of 50 years to continue operating the Camp Far West Hydroelectric Project. SSWD is proposing five project components with the license: Modify the FERC Project boundary; Implement a new flow regime; Implement environmental measures; Increase the height of the Camp Far West Spillway by 5 feet to raise the maximum reservoir elevation of the Camp Far West Reservoir; and Rehabilitate, replace, and relocate recreation features.

This is to advise that the South Sutter Water District has approved the above
 Lead Agency or Responsible Agency

described project on 02/24/2022 and has made the following determinations regarding the above
 (date)
 described project.

1. The project [will will not] have a significant effect on the environment.
2. An Environmental Impact Report was prepared for this project pursuant to the provisions of CEQA.
 A Negative Declaration was prepared for this project pursuant to the provisions of CEQA.
3. Mitigation measures [were were not] made a condition of the approval of the project.
4. A mitigation reporting or monitoring plan [was was not] adopted for this project.
5. A statement of Overriding Considerations [was was not] adopted for this project.
6. Findings [were were not] made pursuant to the provisions of CEQA.

This is to certify that the final EIR with comments and responses and record of project approval, or the negative Declaration, is available to the General Public at: <https://sswdrelicensing.com/home/> and at <https://ceqanet.opr.ca.gov/> and at South Sutter Water District, 2464 Pacific Ave, Trowbridge, CA 95659

Signature (Public Agency): Brad Arnold Title: General Manager

Date: 2-25-2022 Date Received for filing at OPR: _____