

Notice of Preparation/Initial Study

Berths 149–151 [Phillips66] Marine Oil Terminal and Wharf Improvements Project

Prepared By:

Environmental Management Division
Los Angeles Harbor Department
425 S. Palos Verdes Street
San Pedro, CA 90731

with assistance from:

Ramboll



February 2023

APP#s 161019-159, 170209-017, 170221-024, 200402-057, and 200402-058
SCH#2021110263

This page intentionally left blank

Contents

	<u>Page</u>
1.0 PROJECT OVERVIEW AND BACKGROUND.....	1-1
1.1 California Environmental Quality Act Process	1-1
1.2 Document Format	1-2
2.0 PROJECT DESCRIPTION	2-1
2.1 Project Overview.....	2-1
2.2 Project Description.....	2-7
2.4 Project Approvals and Permits	2-16
3.0 INITIAL STUDY CHECKLIST	3-1
3.1 Environmental Factors Potentially Affected	3-2
3.2 Determination	3-3
3.3 Environmental Checklist.....	3-4
4.0 ENVIRONMENTAL ANALYSIS AND DISCUSSION OF IMPACTS	4-1
4.1 Aesthetics	4-1
4.2 Agriculture and Forestry Resources	4-4
4.3 Air Quality	4-5
4.4 Biological Resources	4-8
4.5 Cultural Resources	4-16
4.6 Energy	4-18
4.7 Geology and Soils.....	4-19
4.8 Greenhouse Gas Emissions	4-22
4.9 Hazards and Hazardous Materials	4-23
4.10 Hydrology and Water Quality	4-29
4.11 Land Use and Planning.....	4-35
4.12 Mineral Resources	4-36
4.13 Noise	4-37
4.14 Population and Housing.....	4-38
4.15 Public Services	4-39
4.16 Recreation	4-41
4.17 Transportation.....	4-41
4.18 Tribal Cultural Resources.....	4-44
4.19 Utilities and Service Systems	4-45
4.20 Wildfire.....	4-47
4.21 Mandatory Findings of Significance	4-48
5.0 REFERENCES.....	5-1

Tables

Table 2-1.	Baseline and Projected Future Year Operational Activity Levels.....	2-6
Table 2-2.	Projected Ranges of Future Year Operational Activity Levels (Receipts and Shipments).....	2-15
Table 4-1.	Special Status Species (Designated by CDFW and USFWS) Observed in the Port Area.....	4-9

Figures

Figure 2-1.	Project Vicinity	2-2
Figure 2-2.	Proposed Project Area (Berths 148-151)	2-4
Figure 2-3a.	Berths 148-151 (Phillips 66) Marine Oil Terminal and Wharf Improvement Project.....	2-9
Figure 2-3b.	Berths 148-149 (Phillips 66) Marine Oil Terminal and Wharf Improvement Project.....	2-10
Figure 2-3c.	Berths 150-151 (Phillips 66) Marine Oil Terminal and Wharf Improvement Project.....	2-11

Acronyms and Abbreviations

AB	Assembly Bill
APN	Assessor's parcel number
AQMP	Air Quality Management Plan
BMP	Best Management Practice
CAA	Clean Air Act
CAAP	Clean Air Action Plan
CAAQS	California Ambient Air Quality Standards
CalEPA	California Environmental Protection Agency
CalGEM	California Dept. of Conservation, Geologic Energy Management Division
Caltrans	California Department of Transportation
CARB	California Air Resources Board
CBC	California Building Code
CCR	California Code of Regulations
CDF	Confined disposal facility
CDFW	California Department of Fish and Wildlife
CEQA	California Environmental Quality Act
CGP	Construction General Permit
CO	carbon monoxide
CRHR	California Register of Historical Resources
CSLC	California State Lands Commission
dBA	A-weighted decibel
DO	dissolved oxygen
DTSC	Department of Toxic Substances Control
DWT	deadweight tons
EFH	Essential Fish Habitat
EIR	Environmental Impact Report
EPA	U.S. Environmental Protection Agency
EEZ	Exclusive Economic Zone
FEMA	Federal Emergency Management Agency
FMP	Fish Management Plan
GHG	greenhouse gas
HCP	Habitat Conservation Plan
I	Interstate
IS	Initial Study

LADBS	Los Angeles Department of Building and Safety
LADOT	Los Angeles Department of Transportation
LADWP	Los Angeles Department of Water and Power
LAFD	Los Angeles Fire Department
LAHD	Los Angeles Harbor Department
LAMC	Los Angeles Municipal Code
LAPD	Los Angeles Police Department
LARWQCB	Los Angeles Regional Water Quality Control Board
LID	Low Impact Development
LNAPL	Light non-aqueous phase liquid
LOP	Letter of Permission
LST	Localized Significance Threshold
MBTA	Migratory Bird Treaty Act
MHHW	Mean Higher High Water
MLLW	Mean Lower Low Water
MMPA	Marine Mammal Protection Act
MND	Mitigated Negative Declaration
MOTEMS	Marine Oil Terminal Engineering and Maintenance Standards
MOT	Marine Oil Terminal
MOU	Memorandum of understanding
NAAQS	National Ambient Air Quality Standards
NAHC	Native American Heritage Commission
NCCP	Natural Community Conservation Plan
NOAA	National Oceanic and Atmospheric Administration
NOP	Notice of Preparation
NO _x	nitrogen oxides
NPDES	National Pollutant Discharge Elimination System
OGV	ocean-going vessel
OPA	Oil Pollution Act
OPR	Office of Planning and Research
PM ₁₀	particulate matter less than or equal to 10 microns in diameter
PM _{2.5}	particulate matter less than 2.5 microns in diameter
PMP	Port Master Plan
Port or POLA	Port of Los Angeles
SB	Senate Bill
SCAB	South Coast Air Basin

SCAG	Southern California Association of Governments
SCAQMD	South Coast Air Quality Management District
SEA	Significant Ecological Area
SIP	State Implementation Plan
SLR	Sea Level Rise
SO _x	sulfur oxide
SPCC	Spill Prevention Control and Countermeasure Plan
SR	State Route
SWPPP	Storm Water Pollution Prevention Plan
SWRCB	State Water Resources Control Board
TIWRP	Terminal Island Wastewater Reclamation Plant
USACE	U.S. Army Corps of Engineers
USCG	U.S. Coast Guard
USFWS	U.S. Fish and Wildlife Service
VCU	vapor control unit
VMT	Vehicle Miles Traveled
VOC	volatile organic compound
WDR	Waste Discharge Requirements

NOTICE OF PREPARATION/INITIAL STUDY

Pursuant to the California Environmental Quality Act (Division 13, Public Resources Code)

1.0 PROJECT OVERVIEW AND BACKGROUND

The Los Angeles Harbor Department (LAHD) has prepared this Notice of Preparation (NOP) and Initial Study (IS) to address potential environmental impacts associated with the Phillips 66 Marine Oil Terminal Wharf Improvements Project (proposed Project) located at Berths 148-151 within the Port of Los Angeles (POLA or Port). Phillips 66 Company (Phillips 66) is the applicant for the proposed Project and LAHD is the lead agency under the California Environmental Quality Act (CEQA).

The primary objective of the proposed Project is to comply with the State of California's Marine Oil Terminal Engineering and Maintenance Standards (MOTEMS). The proposed Project includes vessel berthing improvements at Berth 148-149 and demolition and reconstruction of the Phillips 66 wharf structures at Berth 150-151 in compliance with MOTEMS to allow for continued operation as a marine oil terminal. The proposed Project also includes shoreline protection improvements and the installation or modification of various landside marine oil terminal components, including piping, pumps, pollution control systems (e.g., vapor recovery, spill containment, storm water management) and tankage, to support future operations at the new wharf at Berth 150-151. See Section 2.2.1, Project Background, for more information. The proposed Project also includes consideration of a new 20-year entitlement (with the potential for two additional 10-year options) to Phillips 66 for continued operations at Berths 148-151.

1.1 California Environmental Quality Act Process

This document was prepared in accordance with CEQA (California Public Resources Code, Section 21000 et seq.), the CEQA Guidelines (14 California Code of Regulations [CCR] 15000 et seq.), and the City of Los Angeles CEQA Guidelines (2006). One of the main objectives of CEQA is to disclose the potential environmental effects of proposed activities to the public and decision makers. CEQA requires that the potential environmental effects of a project be evaluated prior to implementation. Under CEQA, the lead agency is the public agency with primary responsibility over approval of a proposed project. Pursuant to Section 15367 of the CEQA Guidelines, LAHD is the lead agency for the proposed Project. As the lead agency, LAHD must complete an environmental review to determine if implementation of the proposed Project would result in significant adverse environmental impacts. To fulfill the purpose of CEQA, this NOP/IS has been prepared to assist in making that determination, in accordance with CEQA Guidelines Section 15063, California Public Resources Code Section 21153, and the City of Los Angeles CEQA Guidelines.

This NOP/IS, along with public comments received during the scoping period, will determine what environmental impact areas may be adversely impacted by the proposed Project. These impact areas will be assessed in the Environmental Impact Report (EIR). The EIR will determine the nature and extent of any potential environmental impacts and establish mitigation measures as

necessary. The EIR will also include an evaluation of alternatives to the proposed Project that would reduce or avoid significant impacts, including a No Project Alternative. A preliminary evaluation of the potentially affected environmental resources is included in Section 4.0, Environmental Analysis and Discussion of Impacts.

In accordance with CEQA and the CEQA Guidelines and in response to community request for extended review periods, this NOP/IS will be circulated for a period of 45 days for public comment and scoping. The public comment period is scheduled to begin on February 23, 2023, and will conclude on April 10, 2023. This NOP/IS will be distributed to responsible and trustee public agencies and other interested or involved agencies, organizations, and private individuals for review. The document is also available for review online at <https://www.portoflosangeles.org/ceqa>. A copy of the document is available for public review at the LAHD Environmental Management Division, located at 425 South Palos Verdes Street, San Pedro, CA 90731. Please send your request to ceqacomment@portla.org to schedule an appointment to pick up a copy.

During the 45-day public scoping period, the public has an opportunity to provide written comments on the information contained within this NOP/IS. Comments on the NOP/IS should be submitted in writing prior to the end of the 45-day public review period and must be postmarked by April 10, 2023.

Please submit written comments to:

Christopher Cannon, Director
City of Los Angeles Harbor Department
Environmental Management Division
425 S. Palos Verdes Street
San Pedro, California 90731

Written comments may also be sent via email to ceqacomment@portla.org. All correspondence through mail or email should include the project title, "Berths 148–151 [Phillips 66] Marine Oil Terminal Wharf Improvements Project," in the subject line. For additional information, please contact Nicole Enciso at nenciso@portla.org.

A public scoping meeting for the proposed Project will be held on March 14, at 5:00 p.m. via Zoom. The link to join will be available on the Port's website at <https://www.portoflosangeles.org/ceqa>.

1.2 Document Format

This NOP/IS contains the following five sections:

- **Section 1.0. Project Overview and Background.** This section provides an overview of the proposed Project and the CEQA environmental documentation process.
- **Section 2.0. Project Description.** This section provides a detailed description of the proposed Project's objectives and components.

- **Section 3.0. Initial Study Checklist.** This section presents the CEQA checklist for all impact areas and mandatory findings of significance.
- **Section 4.0. Environmental Analysis and Discussion of Impacts.** This section presents the environmental analysis for each issue area identified on the environmental checklist. If the proposed Project does not have the potential to significantly impact a given issue area, the relevant section provides a brief discussion of the reasons why no or less-than-significant impacts are expected. If the proposed Project could have a potentially significant impact on a resource, the issue area discussion provides a description of potential impacts, and the issue area will be further evaluated in the EIR.
- **Section 5.0. References.** This section provides a list of reference materials used during preparation of the NOP/IS.

The environmental analysis included in Section 4.0, Environmental Analysis and Discussion of Impacts, is consistent with the CEQA IS format presented in Section 3.0, Initial Study Checklist. Impacts are separated into the following categories:

- **Potentially Significant Impact.** This category is only applicable if there is substantial evidence that an effect may be significant, and no feasible mitigation measures can be identified to reduce impacts to a less-than-significant level. Issues considered potentially significant will be further analyzed in the EIR.
- **Less-than-Significant Impact after Mitigation Incorporated.** This category applies where the incorporation of mitigation measures would reduce an effect from a “Potentially Significant Impact” to a “Less-than-Significant Impact.” The lead agency must describe the mitigation measure(s) and briefly explain how they would reduce the effect to a less-than-significant level (mitigation measures from earlier analyses may be cross-referenced). Given that this is an IS, potentially significant impacts that require mitigation will be carried forward to the EIR for further analysis.
- **Less-than-Significant Impact.** This category is identified when the proposed Project would result in impacts below the threshold of significance, and no mitigation measures are required. Issues considered less than significant are discussed in this IS and will not be carried forward to the EIR.
- **No Impact.** This category applies when a proposed Project would not create an impact in the specific environmental issue area. “No Impact” answers do not require a detailed explanation if they are adequately supported by the information sources cited by the lead agency that show that the impact does not apply to the specific project (e.g., the project falls outside of a fault rupture zone). A “No Impact” answer is explained to indicate whether it is based on project-specific factors and/or general standards (e.g., the proposed Project would not expose sensitive receptors to pollutants based on a project-specific screening analysis). Issues considered to have no impact are discussed in this IS and will not be carried forward to the EIR.

2.0 PROJECT DESCRIPTION

2.1 Project Overview


This Notice of Preparation/Initial Study (NOP/IS) has been prepared to evaluate the potential environmental impacts associated with improvements to the Berths 148-151 wharf area for the purpose of complying with the MOTEMS. The Project site is operated as a marine oil terminal (MOT) by Phillips 66. Project elements include: vessel berthing improvements at Berths 148-149; demolition of the existing timber wharf and construction of a MOTEMS-compliant concrete wharf with associated mooring and berthing elements and pollution control facilities at Berths 150-151, transfer of transportation fuels, feedstocks, and other petroleum products; installation or modification of commodities transfer facilities and supporting infrastructure in the backlands of Berths 148-151; shoreline reinforcement improvements; and provisions (including structural repairs to the existing wharf and potentially repairs to the existing bulkhead wall as detailed in Section 2.2) for operation of Berths 148-149 for non-MOT uses. The proposed Project also includes consideration by the Board of Harbor Commissioners of entitlement for up to 40 years (20-year entitlement with the potential for two additional 10-year options) to Phillips 66 for continued operations at Berths 148-151. To be conservative, this NOP/IS assumes 40 years of operation for the analysis.

2.1.1 Project Location

Regional Setting

The Port of Los Angeles (POLA or Port) is located in San Pedro Bay, approximately 20 miles south of downtown Los Angeles (Figure 2-1). The Port encompasses approximately 7,500 acres of land and water along 43 miles of waterfront and provides a major gateway for international goods and services. The Port comprises approximately 24 major cargo terminals, including dry and liquid bulk, container, breakbulk, automobile, and passenger facilities. In addition to cargo business operations, the Port is home to commercial fishing vessels, shipyards, boat repair facilities, and recreational, community, and educational facilities. The Port also provides slips for approximately 3,800 recreational vessels, 78 commercial fishing boats, 35 miscellaneous small-service crafts, and 15 charter vessels that handle sport fishing and harbor cruises. The Port also accommodates water-dependent recreational, visitor-serving, community, and educational facilities, such as a public beach, the Cabrillo Beach Youth Waterfront Sports Center, Cabrillo Marine Aquarium, Los Angeles Maritime Museum, 22nd Street Park, and Wilmington Waterfront Park.

Figure 2-1. Project Vicinity



Project Setting

The Project site is located at the southern end of Pier “A” Street on approximately 13.8 acres of land, including approximately 1,800 feet of Turning Basin waterfront. The Project site is bounded by the TraPac Container Terminal (Berths 135-147) to the north, the West Basin to the west, the Turning Basin to the south, and Slip No. 1 to the east. Nearby land uses are all marine cargo terminals and access roads.

Direct landside access to the Project site is provided via Pier “A” Street. Regional landside access is provided by a network of freeways and arterial routes and is available via Harry Bridges Boulevard and Fries Avenue. The freeway network consists of the Harbor Freeway (Interstate [I]-110), Long Beach Freeway (I-710), San Diego Freeway (I-405), and Seaside Freeway (State Route [SR]-47). Harry Bridges Boulevard connects I-110 to Pier “A” Street. Active train tracks managed by Pacific Harbor Line, Inc. extend the length of Pier “A” Street between Fries Avenue and the waterfront. Security and gating are located at the terminus of Pier “A” Street to control access to Berths 148-151.

Land Use and Zoning

The proposed Project is located in the Port. The site is held in trust by LAHD on behalf of the State of California, is a part of the City of Los Angeles General Plan, and governed by the Los Angeles Board of Harbor Commissioners. The Port Master Plan (PMP) establishes policies and guidelines to direct the future development of the Port (LAHD 2018a). The PMP includes five planning areas. The Project site is located within Planning Area 2 of the PMP, which encompasses the West Basin and Wilmington areas between the intersection of Harbor Freeway and Harry Bridges Boulevard to Commodore Schuyler F. Helm Bridge along the boundary of the Port and the Port of Long Beach. Planning Area 2 extends from Berths 96 to 204 and includes a range of land use activities (LAHD 2018a). The West Basin area primarily consists of container terminals, while the Wilmington area consists of liquid bulk uses at Berths 148-151, along with liquid and dry bulk uses on Mormon Island, recreational boating and open spaces along Anchorage Road, and public access provided at Berths 183-186. The proposed Project site is designated for liquid bulk uses in the PMP.

The Project site includes Assessor’s Parcel Numbers (APN Nos.) 7440018909, 74400118810, 7440018BRK, and 7440018905 as the location of the proposed wharf and topside improvements. The proposed wharf area is currently designated as General/Bulk Cargo (Hazardous Industrial and Commercial) under the City of Los Angeles General Plan and is zoned [Qualified] Heavy Industrial ([Q]M3-1) under the City of Los Angeles Zoning Ordinance. The [Q]M3-1 zoning designation allows for marine oil terminals.


2.1.2 Existing Conditions

Facilities

The current Phillips 66 MOT consists of approximately 13.8 acres of backlands and a currently non-operational wharf at Berths 150-151, and the adjacent wharf at Berths 148-149 at which the MOT’s marine tanker vessel operations are conducted. The site has been a MOT since 1919, when Union Oil commenced operations using a wharf that has since been replaced. As stated above, the proposed Project also includes consideration of a new 20-year entitlement (with potential for two additional 10-year options) to Phillips 66 for continued operations at Berths 148-

151. Phillips 66 and LAHD are in negotiations for that entitlement, which may include additional acreage at Berths 148-151 to be used for laydown/staging and parking or storage, bringing the total acreage to approximately 15.7 acres. Figure 2-2 roughly illustrates the Proposed Project Area. The additional acreage consists of three parcels depicted by the colored outline in Figure 2-2. For purposes of the analysis contained in this NOP/IS, it is assumed that Phillips 66 and LAHD will agree to an up to 40-year entitlement and that the entire approximately 15.7-acre property will become entitled going forward. If, however, the additional parcels depicted in Figure 2-2 are not part of the entitlement going forward, the environmental analysis and conclusions contained in this NOP/IS remains substantively the same.

Figure 2-2. Proposed Project Area (Berths 148-151)



The existing 575-foot-long timber wharf at Berths 150-151 was originally constructed in 1919-1927 and is supported by hundreds of timber pilings, which have been replaced over time as needed. Extensive structural deterioration has occurred on the western side of the wharf, rendering this facility unsuitable for continued operation. The initial 2009 Port MOTEMS program audit identified the wharf at Berths 150-151 as “high risk” and subsequently classified it as “not fit for service” per MOTEMS. The existing wharf at Berths 150-151 has not been utilized as a MOT since 2008, although the wharf is intermittently used for temporary berthing of tugs.

Phillips 66 currently conducts vessel loading and unloading operations only at Berths 148-149. Berths 148-149, built in 1955, consist of a 608-foot-long concrete wharf and a 432-foot-long concrete pipe-support structure. To support the transfer of oil commodities, this facility contains a vapor recovery system, risers, oil spill containment gear, and other associated equipment. While determined by California State Lands Commission (CSLC) to be in acceptable condition for temporary ongoing use, the concrete wharf at Berths 148-149 is not MOTEMS-compliant.

The Phillips 66 site includes tank farms containing 26 storage tanks of varying sizes, 11 of which are currently idle. The tanks are located within spill containment walls approximately 15 feet high with a total storage capacity of approximately 850,000 barrels. Other landside facilities on the site include piping systems, pumps and compressors, vapor-recovery equipment used when loading (i.e., exporting) lighter commodities, a dock house, a gatehouse, a truck loading rack, a warehouse, an office building, and electrical substations.

Operations

The Phillips 66 MOT loads and unloads transportation fuel feedstocks and products to and from tanker vessels and barges. The most common products handled at the facility are gas oils¹, renewables and renewable feedstocks, dark oils (fuel oil and fluidized catalytic cracking unit slurry oil), midbarrel (finished diesel and jet fuels), and gasoline, each ranging between approximately 7.5 – 30% of the average total volume handled. The terminal also handles smaller amounts of lube oils, alkylate, other gasoline and distillate blendstocks (naphtha, reformat, pentane/hexane), and marine diesel. Neither crude oil nor liquid petroleum gas (LPG) is loaded or unloaded at the MOT.

Vessels calling at the terminal vary in size; currently, the largest are Panamax tankers (with typical maximum loads of approximately 75,000 deadweight tons). Only one vessel, whether barge or tanker, can be accommodated at a time at the existing Berths 148-149 wharf. Terminal operations occur 24 hours per day and 365 days per year.

The commodities and feedstocks handled at the MOT are transported by pipeline between the MOT and the nearby Phillips 66 Los Angeles Refinery Carson and Wilmington Plants (collectively Los Angeles Refinery), as well as to and from other facilities (including those owned and operated by other entities). The MOT's pipeline system connects the MOT with the comprehensive pipeline networks in Southern California and elsewhere. The MOT does not exclusively serve the Los Angeles Refinery, but instead serves a number of commercial entities involved in the production, transportation, and sale of petroleum-based and renewable commodities.

The terminal also loads imported lube oil onto trucks for distribution within an approximately 15-mile radius of the terminal. The MOT does not have any rail operations.

Activity levels in 2021 are summarized in Table 2-1 along with projected future activity levels after completion of the proposed Project as described in Section 2.2. For purposes of this NOP/IS evaluation, the 2021 vessel calls, truck trips and throughput volume in Table 2-1 are considered the CEQA baseline. 2021 was chosen as baseline year due to it being the most recent full year of operations prior to the release of the NOP/IS.

¹ Gas oils are intermediate products from crude distillation processes that are heavier than kerosene; they are upgraded in other refining processes into gasoline, diesel and jet fuel

Table 2-1. Baseline and Projected Future Year Operational Activity Levels.

Annual Activity	2021 Baseline	Projected with Project
Oceangoing Tankers	17	75
Barges	296	296
Total Vessel Calls ¹	313	371
Trucks (round trips)	1,605	1,951
Terminal Throughput (barrels)	6,359,423	23,761,500

1: All vessels in 2021 called at Berth 149

2.1.3 Project Background and Objectives

Project Background

The MOTEMS are comprehensive engineering standards for the analysis, design, inspection, and maintenance of existing and new marine oil terminals. The MOTEMS were approved by the California Building Standards Commission on January 19, 2005, became effective on January 6, 2006 (CSLC 2022), and are codified as part of CCR Title 24, Part 2, Marine Oil Terminals, Chapter 31F.

The MOTEMS apply to all existing and proposed marine oil terminals in California; the MOTEMS program is overseen by the CSLC. Through ongoing discussions with the CSLC, the LAHD developed an implementation strategy to complete the necessary MOTEMS requirements. The Phillips 66 MOT is one of seven existing MOTs at the Port.

MOTEMS require each MOT to conduct an audit to evaluate the facility's compliance and confirm its fitness-for-purpose. Depending on audit results, the terminal owner and/or terminal operators must determine what actions are required to bring facilities into compliance with established standards and to provide a schedule for implementation of deficiency corrections and/or rehabilitation. The standards define criteria in the following areas:

- Audit and Inspection
- Structural Loading
- Seismic Analysis and Structural Performance
- Mooring and Berthing Analysis and Design
- Geotechnical Hazards and Foundations
- Structural Analysis and Design of Components
- Fire Prevention, Detection, and Suppression
- Piping and Pipelines
- Mechanical and Electrical Equipment
- Electrical Systems.

The MOTEMS audits performed for the Phillips 66 MOT at Berths 148-149 identified existing infrastructure deficiencies related to structural, mooring, berthing, and piping systems that require upgrading. The CSLC, however, has determined that Berths 148-149 are in acceptable condition for temporary, ongoing use, with certain operational restrictions (e.g., restrictions on the size of vessels allowed to call on the berths and vessel speed restrictions when approaching the berths

[CSLC, 2021]). The proposed Project would correct the identified deficiencies by constructing a new, MOTEMS-compliant berthing facility at Berths 150-151 and limiting the future uses of Berths 148-149 to non-MOT uses such as the occasional mooring of harbor craft (e.g., boom deployment boats, tugboats, and barges) to reduce congestion in the channel, and storage of topside equipment. These uses are substantially the same as the current uses of Berths 150-151.

Project Objectives

The primary goal of the proposed Project is to ensure that the Phillips 66 MOT at Berths 148-151 complies with MOTEMS to protect public health, safety, and the environment and to ensure continued viability of MOT operations within the Port. To achieve that goal, the proposed Project has the following objectives:

- Construct improvements to the wharf at Berths 148-149 to allow limited, temporary operation as a MOT while the new MOTEMS facility is built.
- Construct a new MOTEMS-compliant berthing and loading/unloading facility at Berths 150-151 capable of handling larger vessels.
- Provide for operation of Berths 148-149 for non-MOT uses after the MOTEMS-compliant facility at Berths 150-151 is operational.
- Optimize the use of existing land at the terminal and associated waterways in a manner that is consistent with the LAHD's public trust obligations by optimizing the use of the new MOTEMS-compliant facility at Berths 150-151 through a new, long-term entitlement.
- Maintain the ability to use the full terminal capacity to ensure continued reliability and availability of fuel supplies to help meet Southern California's energy needs given evolving market conditions and business cycle variability.
- Support the objective of the Port Master Plan to "promote the orderly long-term development and growth of the Port by establishing functional areas for Port facilities and operations" and "allow the Port to adapt to changing technology, cargo trends, regulations, and competition from other U.S. and foreign seaports."

Together, these objectives define the Project purpose.

2.2 Project Description

The proposed Project would consist of three primary elements that would provide improvements to ensure operation and viability of the Phillips 66 MOT (Figure 2-3a). Details about each task and each phase of construction for Berths 148-149 and Berths 150-151 will be included in the Draft Environmental Impact Report.

1. **Berths 148-149 Improvements:** Improvements to Berths 148-149 (Figure 2-3b) would allow these berths to be utilized for MOT uses while the Berths 150-151 MOTEMS-compliant wharf is built. Improvements for non-MOT uses, such as the occasional mooring of harbor craft (e.g., boom deployment boats, tugboats, and barges) to reduce congestion in the channel and storage of topside equipment, are also included and would be performed at the same time.
2. **Berths 150-151 Improvements:** This element consists of demolition of the existing timber wharf at Berths 150-151 and construction of a concrete wharf and loading platform

designed and engineered to be MOTEMS-compliant, including the installation of mooring and breasting dolphins, access ramps, and catwalks (Figure 2-3c).

3. Marine Oil Terminal Topside and Landside Improvements: Topside facilities and pipeline systems at Berths 150-151 - would be constructed to allow transfer of commodities between the dock and landside tanks and pipeline systems. The existing marine vapor recovery system at Berths 148-149 would be transferred to Berths 150-151, after which the wharf at Berths 148-149 would be limited to future non-MOT uses as indicated above.

Figure 2-3a. Berths 148-151 (Phillips 66) Marine Oil Terminal and Wharf Improvement Project




Figure 2-3b. Berths 148-149 (Phillips 66) Marine Oil Terminal and Wharf Improvement Project





Figure 2-3c. Berths 150-151 (Phillips 66) Marine Oil Terminal and Wharf Improvement Project



In-Water Improvements

Before any work is started at Berths 150-151, Berths 148-149 would be upgraded for temporary use for marine vessel mooring and loading/unloading during construction of the facilities at Berths 150-151. Construction would include partial demolition of the existing concrete deck, partial removal and disposal of the existing timber fender system including sixteen 15-inch diameter timber fender piles, timber and marine fenders including two 19-inch square concrete piles, and installation of approximately 39 steel fender piles, resulting in a net increase 675 sq. ft. to the over-water footprint of Berths 148-149 for the new fenders. The existing bulkhead wall would also be repaired with concrete. This work would take approximately three months.

Once the Berths 148-149 improvements are completed, the existing wharf structure at Berths 150-151 would be demolished and the new, MOTEMS-compliant structure would be built. Demolition would include removal and disposal of five hundred thirty-four 15-inch and four 14-inch diameter timber fender piles, and fourteen 22-inch and 19-inch square concrete piles. The new structure would be constructed of reinforced concrete and supported by twenty-four 36-inch, ten 24-inch, five 72-inch, and three 82-inch steel pipe piles. The new structure would consist of a loading platform, mooring and breasting dolphins, access ramps, and catwalks. The new berth would be able to accommodate Ocean-Going Vessels (OGVs) of up to "Aframax" size (123,000 deadweight tonnage [DWT]) as well as barges.

The loading platform would be approximately 45 feet wide and 115 feet long to accommodate topside facilities necessary for safe unloading and loading of OGVs. Topside facilities would include hose handling equipment, manifolds, piping, fire protection equipment, and spill prevention and response equipment. The platform would be surrounded by a spill containment curb to contain and collect runoff or spills. Mooring and breasting dolphins would consist of small, pile-supported concrete platforms with quick-release mooring gear and fendering structures, and would be connected to one another, the loading platform, and the shore by pile-supported catwalks. The new wharf would include a small, pile-supported platform for handling the spill containment boom. The various platforms and catwalks comprising the new wharf would extend along approximately 1,100 feet of the shoreline, but the open nature of the structure means that the over-water footprint would be approximately 11,000 square feet, a reduction of approximately 17,000 square feet from the footprint of the existing timber wharf.

An existing underwater concrete bulkhead underneath the timber wharf needs minor repairs and reinforcement, which would be conducted following the removal of the wharf. Clean-up dredging involving removal of up to 2,000 cubic yards of sediment would also be done to maintain historical subsurface contours.

Landside Improvements

As part of the proposed Project, Phillips 66 would install necessary topside improvements for MOT operations on the new concrete wharf at Berths 150-151. Landside improvements would include refurbishment of 11 idle storage tanks, construction of three new tanks for the pollution control and fire protection systems, installation of equipment and pipelines to allow transfers of the transportation fuels, feedstocks, and products between the new wharf and the landside storage tanks and to existing pipeline systems that run to the Los Angeles Refinery and other

facilities, and flushing, blinding and removal or abandonment of out of service pipelines as appropriate. Crude oil and LPG transfers are not proposed as part of the proposed Project. Phillips 66 would also relocate the marine vapor recovery system (e.g., thermal oxidizer, dockside safety unit) currently at Berths 148-149 to Berths 150-151. The firewater system at Berths 150-151 would be reconstructed to comply with MOTEMS, and the electrical distribution system would be modified to support operations at Berths 150-151. Approximately 17 existing pipelines currently servicing Berths 148-149 would be rerouted to new Berths 150-151 and connect to onshore facilities within the proposed Project site for products and feedstocks transport, as well as to transport water for fire protection, similar to the number of pipelines currently in operation. These pipelines would range from 2 to 12 inches in diameter. Piping from the existing pumps that serve both Berth 148-149 and Berth 150-151 will be reconfigured and re-routed so that it connects to only Berth 150-151 as shown in Figure 2-3b, in particular notes 4&5. The portions of all hydrocarbon piping near to and at the dock that connects to Berth 148-149, as well as Berth 150-151, will be thoroughly cleaned, disconnected and mostly abandoned in place. Some of the abandoned piping adjacent to the new berth at 150-151 will be removed to make room for construction of the new piping and pipeway. At the point of disconnection, the piping left in place will be air-gapped to ensure it will not be in service.

The proposed Project would also include the installation of a diesel-powered, Tier 4 Final compliant, 275 KW Emergency Generator as part of the Berths 150-151 landside improvements to comply with MOTEMS requirements as specified in the California Building Code (CBC). All new electrically driven equipment installed as part of the proposed Project would include dedicated power distribution equipment installed by Phillips 66. The electrical power would be supplied by the Los Angeles Department of Water and Power (LADWP). The 275 KW emergency generator proposed for the proposed Project would provide back-up power for critical equipment in the event of an LADWP service outage. The existing wharf lighting or any unnecessary lighting would be removed from the wharf structures and replaced with new lighting.

Approximately 2.2 acres of unpaved areas (a portion of the additional potential leased acreage indicated in Figure 2-2) would be graded and paved for use as laydown/staging and parking or storage areas.

Operations at Berths 148-149 would continue while construction activities are ongoing, but these operations would be relocated to Berths 150-151 following completion of the new wharf and equipment, and Berths 148-149 would be limited to non-MOT uses as indicated above.

Project Schedule

For the purposes of this analysis, it is assumed that construction of the proposed Project would occur in multiple phases. Demolition and construction of the wharf elements, topside and landside improvements would occur over a period of approximately three years, from approximately 2024 to 2027, at which time the new berth at Berths 150-151 would be operational. Refurbishment of the tank farm would proceed in three phases from 2027-2030.

Construction

Prior to construction, the necessary permits and pre-construction surveys would be completed. Construction of the proposed Project would begin with the work at Berths 148-149 described above.

Prior to demolition of the existing wharf at Berths 150-151, Phillips 66 would demolish all existing topside improvements (i.e., pipelines and utility feeder lines). Following removal of wooden decking, the existing timber piles would be removed and/or extracted intact and cut at the mud line. Demolition of the existing wharf would require the use of barges supporting floating cranes, tugs to move/steady barges, and heavy-haul trucks to remove demolition debris to an appropriate disposal location.

Construction of the new wharf structure would require vibratory hammers and diesel pile drivers to sink steel piles into the sediment; crews would construct the wharf, the platforms, the access ramps, and other facilities using concrete trucks, pumps, and similar equipment. It is anticipated that deliveries of support piles would occur via barge.

Clean-up dredging of up to 2,000 cubic yards of sediment could be required at Berths 150-151 if post-construction surveys indicate insufficient depth alongside the new unloading structure. In that case, a derrick barge, tugboat, and disposal scow would be employed. Dredge material would be disposed of at either the Berths 243-245 Confined Disposal Facility or via trucking to a suitably permitted upland disposal site.

Construction and installation of topside improvements would occur following completion of the new wharf, and would proceed primarily from the landside, requiring only minor in-water work to construct/emplace utility pipelines and service fields over and under the new wharf deck.

Operations at Berths 148-151

Operations at Berths 150-151 would occur in a similar manner as existing operations at Berths 148-149. Upon completion of product transfer and refueling, OGVs would depart from the facility with assistance from tugs and then proceed under their own power when safe to transition. Inbound and outbound OGVs would use the same transit lanes within the Outer Harbor and the Port to reach Berths 150-151.

Phillips 66 would manage future operations at Berths 148-151. Because the required number of operational personnel is determined by the work involved in connecting product transfer hoses to the vessel at berth and the berth will continue to serve only one vessel at a time, future operational activities would require the same number of staff as existing operational activities. The facility would be permitted to operate 24 hours per day and 365 days per year as it does today. The number of OGV berthings and throughput volume of transportation fuel, feedstocks, and products at Berths 150-151 would vary depending on commercial and refinery needs.

Phillips 66 has estimated a range of average annual throughput for each commodity in thousands of barrels (kB) as listed in Table 2-2. For example, with gas oils, the annual throughput amount could be as low as 1,460 kB, or as high as 3,285 kB.

Table 2-2. Projected Ranges of Future Year Operational Activity Levels (Receipts and Shipments).

Commodity	Volume (kB/Year) – Low	Volume (kB/Year) – High
Gas Oils	1,460	3,285
Lube Oils	219.0	219.0
Alkylate	182.5	547.5
Other Gasoline Blendstock	365	1,095
Purchased Distillate Feedstock	0	365
Renewable Diesel	1,095	4,380
Dark Oils	2,190	4,015
Marine Diesel	1,095	1,825
Midbarrel	1,095	4,380
Gasoline7303,650
Total	8,431.5	23,761.5

Using the high end of the range for each commodity, Phillips 66 estimates that annual throughput could be as high as 23,761,500 barrels (23,761.5 kB).

The 23,761,500 barrels accounts for both deliveries and shipments – purchases and sales/exports. While the proposed Project’s division of deliveries and shipments will vary depending on market factors, it has historically been approximately 60% shipments and 40% receipts.

Berths 150-151 would continue to serve barges, tugs, and a broader range of OGV sizes from barges up to Aframax-class OGVs (123,000 DWT). On average, and as compared to the 2021 baseline, approximately 58 additional tanker vessel calls per year are expected in the future, while barge calls would be approximately the same. The existing 26 tanks located at the terminal have a capacity of 850,000 barrels and could adequately accommodate the projected 23.8-million-barrel annual throughput.

All of the incoming or outgoing commodities would be transported by pipeline with the exception of lube oil which would be transported by trucks. As shown in Table 2-1, the projected lube oil truck trips are based on the number of trips recorded in 2019 (the highest number of trips in recent operational history) and are slightly greater than the 2021 baseline trip count.

Commodities handled at the terminal would be transported to and from various facilities, including the Los Angeles Refinery, but these commodities will also be transported to and from other facilities connected by the comprehensive pipeline network in California. As is currently the case, the MOT operations are, in part, independent of other Phillips 66 facilities. While the Los Angeles Refinery has pipelines connecting its facilities to the MOT, the MOT will not exclusively serve the Los Angeles Refinery, and market conditions will determine the scope of future MOT operations. In addition, products from the Los Angeles Refinery could be distributed by pipeline to other facilities or shipped out via the Marine Terminal. The operational capacities of the MOT or any

other Phillips 66 facilities are not changing as a part of this MOTEMS and wharf improvement Project.

Berths 148-149 would no longer be used as a MOT; future use of Berths 148-149 would be limited to non-MOT uses such as the occasional mooring of harbor craft (e.g., boom deployment boats, tugboats, and barges) to reduce congestion in the channel, and storage of topside equipment, similar to existing operations at Berths 150-151.

2.4 Project Approvals and Permits

Under CEQA, the Lead Agency is the public agency with primary responsibility over approval of a project. Pursuant to Section 15367, the CEQA Lead Agency for the proposed Project is LAHD.

Anticipated permits and approvals that may be required to implement the proposed Project include but are not limited to the following:

- U.S. Army Corps of Engineers (USACE) Letter of Permission (LOP)
- Los Angeles Regional Water Quality Control Board (LARWQCB) Clean Water Act Section 401 Water Quality Certification
- LARWQCB Storm Water Pollution Prevention Plan (SWPPP)
- LARWQCB National Pollutant Discharge Elimination System (NPDES) General Permit for Storm Water Discharges Associated with Industrial Activities
- California State Lands Commission
- LAHD Coastal Development Permit issued by the Los Angeles Board of Harbor Commissioners
- LAHD Entitlement
- LAHD Harbor Engineers Permit
- South Coast Air Quality Management District (SCAQMD) Permit to Construct/Operate
- City of Los Angeles Fire Department Permit
- City of Los Angeles Building Permit
- City of Los Angeles Grading Permit
- City of Los Angeles Electrical Permit

3.0 INITIAL STUDY CHECKLIST

1	Project Title:	Berths 148-151 (Phillips 66) Marine Oil Terminal and Wharf Improvement Project
2	Lead Agency Name and Address:	LAHD Environmental Management Division 425 South Palos Verdes Street San Pedro, California 90731
3	Contact Person and Phone Number:	Nicole Enciso, Marine Environmental Supervisor - CEQA, Environmental Management Division, LAHD, (310) 732-3675
4	Project Location:	Berths 148 – 151, Port of Los Angeles Pier “A” St. Wilmington, CA 90744
5	Project Sponsor’s Name and Address:	Phillips 66 Company 1660 West Anaheim Street Wilmington, CA 90744
6	Port Master Plan Designation:	Liquid Bulk Cargo
7	Zoning:	Qualified Heavy Industrial [Q]M3-1
8	Description of Project:	The proposed Project consists of vessel berthing improvements at Berth 148-149; demolition of the existing timber wharf at Berth 150-151; construction of a MOTEMS-compliant concrete wharf with associated mooring and berthing elements, petroleum transfer, and pollution control facilities at Berth 150-151; installation or modification of petroleum transfer facilities and supporting infrastructure in the backlands of Berths 148-151; shoreline reinforcement improvements; and decommissioning of Berth 148-149 from petroleum transfer activities. The proposed Project also includes consideration of a new 20-year entitlement to Phillips 66 by the Board of Harbor Commissioners with potential for two additional 10-year extensions.
9	Surrounding Land Uses/Setting:	The overall character of the surrounding area is primarily industrial. The Project site and adjacent properties to the north and west are all zoned for heavy industrial uses ([Q] M3-1), similar to the Project site. The project area is adjacent to the City of Los Angeles communities of San Pedro and Wilmington. The Project site is located at the southern end of Pier “A” Street and is bounded by the TraPac Container Terminal (Berths 135-147) to the north, the West Basin to the west, the Turning Basin to the south, and Slip No. 1 to the east. Nearby land uses are all marine cargo terminals and access roads. The nearest residential receptor community is an apartment complex on N. Harbor Blvd. in San Pedro, approximately two-thirds of a mile southwest of the Project site.
10	Other Public Agencies Whose Approval may be Required:	<ul style="list-style-type: none"> • USACE • LARWQCB

		<ul style="list-style-type: none"> • CSLC • SCAQMD • LADBS • LAFD
11	Have California Native American Tribes traditionally and culturally affiliated with the project area requested consultation pursuant to Public Resources Code 21808.3.1?	Yes (see Section 4.18)

3.1 Environmental Factors Potentially Affected

The environmental factors checked below would be potentially affected by this Project (i.e., the proposed Project would involve at least one impact that is a “Potentially Significant Impact”), as indicated by the checklist on the following pages.

- | | | |
|--|--|--|
| <input type="checkbox"/> Aesthetics | <input type="checkbox"/> Agriculture and Forestry Resources | <input checked="" type="checkbox"/> Air Quality |
| <input checked="" type="checkbox"/> Biological Resources | <input type="checkbox"/> Cultural Resources | <input checked="" type="checkbox"/> Energy |
| <input type="checkbox"/> Geology and Soils | <input checked="" type="checkbox"/> Greenhouse Gas Emissions | <input type="checkbox"/> Hazards and Hazardous Materials |
| <input type="checkbox"/> Hydrology and Water Quality | <input type="checkbox"/> Land Use and Planning | <input type="checkbox"/> Mineral Resources |
| <input type="checkbox"/> Noise | <input type="checkbox"/> Population and Housing | <input type="checkbox"/> Public Services |
| <input type="checkbox"/> Recreation | <input type="checkbox"/> Transportation and Traffic | <input type="checkbox"/> Tribal Cultural Resources |
| <input type="checkbox"/> Utilities and Service Systems | <input type="checkbox"/> Wildfires | <input checked="" type="checkbox"/> Mandatory Findings of Significance |

3.2 Determination

On the basis of this initial evaluation:

I find that the proposed Project COULD NOT have a significant effect on the environment, and a NEGATIVE DECLARATION will be prepared.

I find that although the proposed Project could have a significant effect on the environment, there will not be a significant effect in this case because revisions in the project have been made by or agreed to by the project proponent. A MITIGATED NEGATIVE DECLARATION will be prepared.

I find that the proposed Project MAY have a significant effect on the environment, and an ENVIRONMENTAL IMPACT REPORT is required.

I find that the proposed Project MAY have a “potentially significant impact” or “potentially significant unless mitigated” impact on the environment, but at least one effect 1) has been adequately analyzed in an earlier document pursuant to applicable legal standards, and 2) has been addressed by mitigation measures based on the earlier analysis as described on attached sheets. An ENVIRONMENTAL IMPACT REPORT is required, but it must analyze only the effects that remain to be addressed.

I find that although the proposed Project could have a significant effect on the environment, because all potentially significant effects (a) have been analyzed adequately in an earlier ENVIRONMENTAL IMPACT REPORT or NEGATIVE DECLARATION pursuant to applicable standards and (b) have been avoided or mitigated pursuant to that earlier ENVIRONMENTAL IMPACT REPORT or NEGATIVE DECLARATION, including revisions or mitigation measures that are imposed upon the proposed Project, nothing further is required.



Signature

Christopher Cannon, Director
Environmental Management Division
City of Los Angeles Harbor Department

2/21/2023

Date

3.3 Environmental Checklist

Evaluation of Environmental Impacts:

1. A brief explanation is required for all answers except “no impact” answers that are adequately supported by the information sources a lead agency cites in the parentheses following each question. A “no impact” answer is adequately supported if the referenced information sources show that the impact simply does not apply to projects like the one involved (e.g., the project falls outside a fault rupture zone). A “no impact” answer should be explained if it is based on project-specific factors as well as general standards (e.g., the project would not expose sensitive receptors to pollutants, based on a project-specific screening analysis).
2. All answers must take account of the whole action involved, including off-site as well as on-site, cumulative as well as project-level, indirect as well as direct, and construction as well as operational impacts.
3. Once the lead agency has determined that a particular physical impact may occur, the checklist answers must indicate whether the impact is potentially significant, less than significant with mitigation, or less than significant. “Potentially significant impact” is appropriate if there is substantial evidence that an effect may be significant. If there are one or more “potentially significant impact” entries when the determination is made, an EIR is required.
4. “Negative declaration: less than significant with mitigation incorporated” applies when the incorporation of mitigation measures has reduced an effect from a “potentially significant impact” to a “less-than-significant impact.” The lead agency must describe the mitigation measures and briefly explain how they reduce the effect to a less-than-significant level.
5. Earlier analyses may be used if, pursuant to tiering, program EIR, or other CEQA process, an effect has been adequately analyzed in an earlier EIR or negative declaration (Section 15063[c][3][D]). In this case, a brief discussion should identify the following:
 - (a) Earlier analysis used. Identify and state where earlier analyses are available for review.
 - (b) Impacts adequately addressed. Identify which effects from the above checklist were within the scope of and adequately analyzed in an earlier document pursuant to applicable legal standards and state whether such effects were addressed by mitigation measures based on the earlier analysis.
 - (c) Mitigation measures. For effects that are “less than significant with mitigation incorporated,” describe the mitigation measures that were incorporated or refined from the earlier document and the extent to which they address site-specific conditions for the project.

6. Lead agencies are encouraged to incorporate into the checklist references to information sources for potential impacts (e.g., general plans, zoning ordinances). Reference to a previously prepared or outside document should, when appropriate, include a reference to the page or pages where the statement is substantiated.
7. Supporting information sources. A source list should be attached, and other sources used, or individuals contacted should be cited in the discussion.
8. This is only a suggested form, and lead agencies are free to use different formats; however, lead agencies should normally address the questions from this checklist that are relevant to a project's environmental effects in whatever format is selected.
9. The explanation of each issue should identify:
 - (a) the significance criteria or threshold, if any, used to evaluate each question, and
 - (b) the mitigation measure identified, if any, to reduce the impact to a less-than-significant level.
10. The evaluation assumes project compliance with all applicable federal, state, and local laws, regulations, rules, and codes. In addition, the evaluation assumes that all conditions in applicable agency permits are complied with, including but not limited to local permits, air quality district permits, water quality permits and certifications, USACE permits, and other agency permits, as applicable.

	Potentially Significant Impact	Less-than-Significant Impact with Mitigation Incorporated	Less-than-Significant Impact	No Impact
1. AESTHETICS. Except as provided in Public Resources Code Section 21099, would the project:				
a. Have a substantial adverse effect on a scenic vista?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b. Substantially damage scenic resources, including, but not limited to, trees, rock outcroppings, and historic buildings within a state scenic highway?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c. In non-urbanized areas, substantially degrade the existing visual character or quality of public views of the site and its surroundings? (Public views are those that are experienced from publicly accessible vantage points). If the project is in an urbanized area, would the project conflict with applicable zoning and other regulations governing scenic quality?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d. Create a new source of substantial light or glare which would adversely affect day or nighttime views in the area?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2. AGRICULTURE AND FORESTRY RESOURCES. In determining whether impacts to agricultural resources are significant environmental effects, lead agencies may refer to the California Agricultural Land Evaluation and Site Assessment Model (1997) prepared by the California Department of Conservation as an optional model to use in assessing impacts on agriculture and farmland. In determining whether impacts to forest resources, including timberland, are significant environmental effects, lead agencies may refer to information compiled by the California Department of Forestry and Fire Protection regarding the state's inventory of forest land, including the Forest and Range Assessment Project and the Forest Legacy Assessment Project; and forest carbon measurement methodology provided in Forest Protocols adopted by the California Air Resources Board. Would the project:				
a. Convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance (Farmland), as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, to non-agricultural use?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b. Conflict with existing zoning for agricultural use, or a Williamson Act contract?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c. Conflict with existing zoning for, or cause rezoning of, forest land (as defined in Public Resources Code §12220(g)), timberland (as defined by Public Resources Code §4526), or timberland zoned Timberland Production (as defined by Government Code §51104(g))?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d. Result in the loss of forest land or conversion of forest land to non-forest use?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

	Potentially Significant Impact	Less-than-Significant Impact with Mitigation Incorporated	Less-than-Significant Impact	No Impact
--	--------------------------------	---	------------------------------	-----------

e. Involve other changes in the existing environment which, due to their location or nature, could result in conversion of Farmland to non-agricultural use or conversion of forest land to non-forest use?

3. AIR QUALITY. Where available, the significance criteria established by the applicable air quality management district or air pollution control district may be relied upon to make the following determinations. **Would the project:**

a. Conflict with or obstruct implementation of the applicable air quality plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b. Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. Expose sensitive receptors to substantial pollutant concentrations?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d. Result in other emissions (such as those leading to odors) adversely affecting a substantial number of people?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

4. BIOLOGICAL RESOURCES. Would the project:

a. Have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special-status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Wildlife or U.S. Fish and Wildlife Service?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in the city or regional plans, policies, regulations or by the California Department of Fish and Wildlife or U.S. Fish and Wildlife Service?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c. Have a substantial adverse effect on state or federally protected wetlands (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d. Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

	Potentially Significant Impact	Less-than-Significant Impact with Mitigation Incorporated	Less-than-Significant Impact	No Impact
e. Conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
f. Conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state Habitat Conservation Plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
5. CULTURAL RESOURCES. Would the project:				
a. Cause a substantial adverse change in the significance of a historical resource pursuant to CEQA Guidelines §15064.5?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b. Cause a substantial adverse change in the significance of an archaeological resource pursuant to CEQA Guidelines §15064.5?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c. Disturb any human remains, including those interred outside of dedicated cemeteries?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
6. ENERGY. Would the project:				
a. Result in potentially significant environmental impact due to wasteful, inefficient, or unnecessary consumption of energy resources, during project construction or operation?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. Conflict with or obstruct a state or local plan for renewable energy or energy efficiency?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7. GEOLOGY AND SOILS. Would the project:				
a. Directly or indirectly cause potential substantial adverse effects, including the risk of loss, injury, or death involving:				
i) Rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault? Refer to Division of Mines and Geology Special Publication 42.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
ii) Strong seismic ground shaking?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
iii) Seismic-related ground failure, including liquefaction?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
iv) Landslides?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b. Result in substantial soil erosion or the loss of topsoil?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c. Be located on geologic units or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on- or off-site landslide, lateral spreading, subsidence, liquefaction, or collapse?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

	Potentially Significant Impact	Less-than-Significant Impact with Mitigation Incorporated	Less-than-Significant Impact	No Impact
d. Be located on expansive soil, as defined in Table 18-1-B of the Uniform Building Code (1994), creating substantial direct or indirect risks to life or property?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
e. Have soils incapable of adequately supporting the use of septic tanks or alternative wastewater disposal systems where sewers are not available for the disposal of wastewater?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
f. Directly or indirectly destroy a unique paleontological resource or site or unique geologic feature?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
8. GREENHOUSE GAS EMISSIONS. Would the project:				
a. Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. Conflict with any applicable plan, policy, or regulation of an agency adopted for the purpose of reducing the emissions of greenhouse gases?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9. HAZARDS AND HAZARDOUS MATERIALS. Would the project:				
a. Create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b. Create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c. Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d. Be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code §65962.5 and, as a result, would it create a significant hazard to the public or the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
e. For a project located within an airport land use plan or, where such a plan has not been adopted, within 2 miles of a public airport or public use airport, would the project result in a safety hazard or excessive noise for people residing or working in the project area?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
f. Impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

	Potentially Significant Impact	Less-than-Significant Impact with Mitigation Incorporated	Less-than-Significant Impact	No Impact
g. Expose people or structures, either directly or indirectly, to a significant risk of loss, injury, or death involving wildland fires?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
10. HYDROLOGY AND WATER QUALITY. Would the project:				
a. Violate any water quality standards or waste discharge requirements or otherwise substantially degrade surface or ground water quality?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b. Substantially decrease groundwater supplies or interfere substantially with groundwater recharge such that the project may impede sustainable groundwater management of the basin?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c. Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river or through the addition of impervious surfaces, in a manner which would:				
(i) result in substantial erosion or siltation on- or off-site;	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
(ii) substantially increase the rate or amount of surface runoff in a manner which would result in flooding on- or off-site;	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(iii) create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff; or	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(iv) impede or redirect flood flows?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d. In flood hazard, tsunami, or seiche zones, risk release of pollutants due to project inundation?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
e. Conflict with or obstruct implementation of a water quality control plan or sustainable groundwater management plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
11. LAND USE PLANNING. Would the project:				
a. Physically divide an established community?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b. Cause a significant environmental impact due to a conflict with any land use plan, policy, or regulation adopted for the purpose of avoiding or mitigating an environmental effect?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

	Potentially Significant Impact	Less-than-Significant Impact with Mitigation Incorporated	Less-than-Significant Impact	No Impact
12. MINERAL RESOURCES. Would the project:				
a. Result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b. Result in the loss of availability of a locally important mineral resource recovery site delineated on a local general plan, specific plan, or other land use plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
13. NOISE. Would the project result in:				
a. Generation of a substantial temporary or permanent increase in ambient noise levels in the vicinity of the project in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b. Generation of excessive groundborne vibration or groundborne noise levels?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c. For a project located within the vicinity of a private airstrip or an airport land use plan or, where such a plan has not been adopted, within 2 miles of a public airport or public use airport, would the project expose people residing or working in the project area to excessive noise levels?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
14. POPULATION AND HOUSING. Would the project:				
a. Induce substantial unplanned population growth in an area, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b. Displace substantial numbers of existing people or housing, necessitating the construction of replacement housing elsewhere?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
15. PUBLIC SERVICES. Would the project result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, or the need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times, or other performance objectives for any of the public services:				
a. Fire protection?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b. Police protection?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c. Schools?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d. Parks?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
e. Other public facilities?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

	Potentially Significant Impact	Less-than-Significant Impact with Mitigation Incorporated	Less-than-Significant Impact	No Impact
16. RECREATION				
a. Would the project increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facility would occur or be accelerated?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b. Does the project include recreational facilities or require the construction or expansion of recreational facilities, which might have an adverse physical effect on the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
17. TRANSPORTATION. Would the project:				
a. Conflict with a program plan, ordinance, or policy addressing the circulation system, including transit, roadway, bicycle, and pedestrian facilities?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b. Conflict or be inconsistent with CEQA Guidelines §15064.3, subdivision (b)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c. Substantially increase hazards due to a geometric design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d. Result in inadequate emergency access?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
e. Would the project result in a change in marine vessel traffic patterns, including either an increase in traffic levels or a change in location that results in substantial safety risks?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
18. TRIBAL CULTURAL RESOURCES				
a. Would the project cause a substantial adverse change in the significance of a tribal cultural resource, defined in Public Resources Code §21074 as either a site, feature, place, cultural landscape that is geographically defined in terms of the size and scope of the landscape, sacred place, or object with cultural value to a California Native American tribe, and that is:				
(i) listed or eligible for listing in the California Register of Historical Resources, or in a local register of historical resources as defined in Public Resources Code §5020.1(k), or	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

	Potentially Significant Impact	Less-than-Significant Impact with Mitigation Incorporated	Less-than-Significant Impact	No Impact
(ii) a resource determined by the lead agency, in its discretion and supported by substantial evidence, to be significant pursuant to criteria set forth in subdivision (c) of Public Resources Code §5024.1. In applying the criteria set forth in subdivision (c) of Public Resources Code §5024.1, the lead agency shall consider the significance of the resource to a California Native American tribe.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
19. UTILITIES AND SERVICE SYSTEMS. Would the project:				
a. Require or result in the relocation or construction of new or expanded water, wastewater treatment or stormwater drainage, electric power, natural gas, or telecommunications facilities, the construction or relocation of which could cause significant environmental effects?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b. Have sufficient water supplies available to serve the project and reasonably foreseeable future development during normal, dry, and multiple dry years?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c. Result in a determination by the wastewater treatment provider which serves or may serve the project that it has inadequate capacity to serve the project's projected demand in addition to the provider's existing commitments?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d. Generate solid waste in excess of state or local standards, or in excess of the capacity of local infrastructure, or otherwise impair the attainment of solid waste reduction goals?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
e. Comply with federal, state, and local management and reduction statutes and regulations related to solid waste?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
20. WILDFIRE. If located in or near state responsibility areas or lands classified as very high fire hazard severity zones, would the project:				
a. Substantially impair an adopted emergency response plan or emergency evacuation plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b. Due to slope, prevailing winds, and other factors, exacerbate wildfire risks, and thereby expose project occupants to pollutant concentrations from a wildfire or the uncontrolled spread of wildfire?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c. Require the installation or maintenance of associated infrastructure (such as roads, fuel breaks, emergency water sources, power lines, or other utilities) that may exacerbate fire risk or that may result in temporary or ongoing impacts to the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

	Potentially Significant Impact	Less-than-Significant Impact with Mitigation Incorporated	Less-than-Significant Impact	No Impact
d. Expose people or structures to significant risks, including downslope or downstream flooding or landslides, as a result of runoff, post-fire slope instability, or drainage changes?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
21. MANDATORY FINDINGS OF SIGNIFICANCE				
a. Does the project have the potential to substantially degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, substantially reduce the number or restrict the range of a rare or endangered plant or animal or eliminate important examples of the major periods of California history or prehistory?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. Does the project have impacts that are individually limited, but cumulatively considerable? ("Cumulatively considerable" means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects.)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. Does the project have environmental effects that would cause substantial adverse effects on human beings, either directly or indirectly?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

4.0 ENVIRONMENTAL ANALYSIS AND DISCUSSION OF IMPACTS

4.1 Aesthetics

- a. Would the project have a substantial adverse effect on a scenic vista?

Less-than-Significant Impact. The Conservation Element of the City of Los Angeles General Plan defines a scenic vista as a panoramic public view with access to natural features, including views of the ocean, striking or unusual natural terrain, or unique urban or historic features (City of Los Angeles, 2001). The Project site is industrial in nature, is located inside a working port, and is not within or near any protected or designated scenic vistas. The site consists of large storage tanks, a timber wharf, a concrete wharf, and offices and other associated industrial structures. The Project site is surrounded by other port uses, including container terminals and other bulk cargo facilities, in an area of the Port rarely visited by the general public (i.e., at the end of Pier “A” Street), and it is not an individually prominent feature from any scenic vista in the area. Further, the new loading platform, catwalks, and topside equipment would be at nearly the same location as the existing features and would be similar in appearance; thus, the proposed Project improvements would not result in a substantive change in the visual character or quality of the site.

The Port of Los Angeles Master Plan Update Draft Environmental Impact Report (LAHD, 2013) identifies important and representative public views, including panoramic views of the Pacific Ocean and near and distant views that are representative of a working port environment, including vessels, wharves, cranes, and other dockside facilities. These critical views occur from points including the Main Channel and the San Pedro Waterfront, Harbor Freeway, Banning’s Landing, San Pedro Bluffs and Lookout Point Park, Wilmington Waterfront Park, and “C” Street residential area in Wilmington. Due to the combination of topography, intervening development, and distance, visibility of the Project site from many of these locations, or from higher locations, is limited. The critical views would not be obstructed by any of the elements of the proposed Project such as the new loading platform, mooring dolphins, catwalks, and topside equipment.

Construction of the proposed Project would involve construction equipment (i.e., cranes and barges) that could temporarily alter views of the Project site; however, this equipment would not obscure views, would be consistent with activities within the Port, and would be used over a short duration. Therefore, construction of the proposed Project would not permanently introduce a new visual element that could have a substantial adverse effect on a scenic resource.

In the future, the Phillips 66 MOT would be used by vessels of similar types as those that are currently accommodated under baseline conditions. The largest vessels under baseline conditions are Panamax-class tankers (up to 80,000 DWT) while the largest vessels that would be able to be accommodated after completion of the proposed Project would be Aframax class tankers (up to 123,000 DWT). Introduction of these somewhat larger but similar looking vessels would not substantially alter the visual characteristics of terminal operations. Furthermore, there would be no increase in the maximum number of vessels at the terminal at one time. Accordingly, operation of the proposed Project would not substantially change views of the site or any scenic vista.

In summary, the proposed Project would not introduce a new visual element that could alter or obstruct recognized and valued views and would not have a substantial adverse effect on a scenic vista. This impact would be less than significant and will not be evaluated further in the EIR.

- b. Would the project substantially damage scenic resources, including, but not limited to, trees, rock outcroppings, and historic buildings within a state scenic highway?

Less-than-Significant Impact. The Project site is not located near an eligible or designated state scenic highway, nor are there scenic resources located at the Project site; therefore, the proposed Project activities would not have the potential to damage scenic resources within a state scenic highway. The California Department of Transportation (Caltrans) is responsible for the official nomination and designation of eligible scenic highways. The nearest officially designated state scenic highway is located approximately 32 miles north of the proposed Project (State Highway 2, north of Interstate (I)-210 in La Cañada to the San Bernardino County Line) (Caltrans 2013a). The nearest eligible state scenic highway is approximately 8 miles northeast of the proposed Project (State Highway 1 near Long Beach to I-5 south of San Juan Capistrano) (Caltrans 2013a). The Project site is not visible from either of these locations. Therefore, proposed Project activities would not affect the quality of the scenic views from these locations.

The City of Los Angeles has City-designated scenic highways that are considered during local planning and development decisions, several of which are in the vicinity of the proposed Project (City of Los Angeles 1999). John S. Gibson Boulevard, Pacific Avenue (from Crescent Avenue to Paseo del Mar), Front Street, and Harbor Boulevard (between Front Street and Crescent Avenue) are City-designated scenic highways because they afford views of the Port and the Vincent Thomas Bridge. However, views of the Project site from the City-designated scenic highways are either very limited or non-existent due to topography and/or intervening development, including buildings, gantry cranes, and stacked containers. The visual elements associated with the proposed Project have either a low profile (loading platform, catwalks and associated improvements) or would be consistent with the existing terminal features (topside improvements), and would not have any impact on the views of the Vincent Thomas Bridge or from a City-designated scenic highway.

The Vincent Thomas Bridge is not a designated scenic route, but provides brief panoramic views of the Main Channel, West Turning Basin, and Port to observers on the bridge. Although the views of the Port and the Pacific Ocean from the bridge are panoramic, they are generally fleeting and highly obstructed by the bridge structure itself. Furthermore, the bridge is accessible to vehicles only: no provisions are made for pedestrian or bicycle use. The relatively narrow lanes of the bridge are the primary features of forward views.

The proposed Project would not result in additional vessels moored at the new loading platform. Because the vessels that would visit the terminal would be consistent with existing terminal operations and a working port, they would not have an impact on the fleeting views from the Vincent Thomas Bridge or City-designated scenic highways.

The Project site is located within an existing marine oil terminal. No scenic trees or rock outcroppings exist at the Project site. Improvements associated with the proposed Project, including the loading platform, catwalks, and topside equipment would look similar to the

existing facilities, would be consistent with the existing visual context of a working port and would not alter scenic resources visible from a City-designated scenic highway. Therefore, impacts to scenic resources from the proposed Project would be less than significant and will not be evaluated further in the EIR.

- c. In non-urbanized areas, would the project substantially degrade the existing visual character or quality of the public views of the site and its surroundings? (Public views are those that are experienced from publicly accessible vantage points). If the project is in an urbanized area, would the project conflict with applicable zoning and other regulations governing scenic quality?

No Impact. The Project site is within an urbanized area and the proposed Project would not conflict with the applicable zoning at the site or surrounding areas, which is [Q] M3-1 (Qualified-Heavy Industrial). The appearance of the facilities in the area of the Project site is functional in nature and is characterized by exposed infrastructure, open storage, the use of unfinished or unadorned building materials, and the use of safety-conscious, high-visibility colors for mobile equipment such as cranes, containers, and railcars. The proposed Project would continue the existing use, which is consistent with the zoning of the site, and would maintain the visual character of the site and its vicinity. Accordingly, the proposed Project would not conflict with existing zoning or regulations governing visual quality, and neither construction nor operations would degrade the existing visual character or quality of public views. No impacts would occur and this impact will not be evaluated in the EIR.

- d. Would the project create a new source of substantial light or glare which would adversely affect day or nighttime views in the area?

Less-than-Significant Impact. The Port is an area of high ambient lighting that includes approximately 25 terminals and other facilities, all of which are illuminated at night. The overall lighting environment includes two types of light sources: 1) fixed or stationary light sources associated with terminals (including crane lights), parking lot and backland light standards, building security lighting, and terminal access road or rail spur lighting; and 2) mobile light sources associated with ship, rail and truck traffic, cargo-moving equipment, and other vehicles on interior Port roadways.

The Project site has existing security and general nighttime lighting on the property and along the wharf, but lighting levels are generally lower than in nearby container terminals, which typically have much higher lighting levels associated with illuminated backlands, dockyards, and gantry cranes. Mobile light sources at the Project site include ships berthed at the wharf, trucks, and cars on the site and on the access road leading to the site.

Construction of the proposed Project would require construction lighting, but that lighting would be similar to existing conditions. Therefore, construction lighting would not cause a substantial change in the light environment. The existing wharf lighting or any unnecessary lighting would be removed from the wharf structures and replaced with new lighting. Lights along the new loading platform, the catwalks, and on some topside equipment would comply with the permit requirements of the Port of Los Angeles. The new lighting will provide the same function as existing lighting to provide safe visibility during nighttime operations and

will not differ significantly from the existing lighting. Thus, the proposed Project would not result in a substantial increase in light.

Operation of the proposed Project would not result in an increase above baseline conditions in vessels at berth on any given day and thus would not cause a substantial increase in light or glare which would adversely affect day or nighttime views in the area.

The proposed Project would not include elements that can cause glare, such as windows, light-colored building surfaces, or metal or other reflective surfaces. Therefore, the proposed Project would not create a new source of substantial light or glare which would adversely affect day or nighttime views in the area. Impacts to nighttime or daytime views from light or glare from the proposed Project would be less than significant and will not be evaluated further in the EIR.

4.2 Agriculture and Forestry Resources

- a. Would the project convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance (Farmland), as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, to non-agricultural use?

No Impact. The Project site does not contain any Farmland and is not located within any agricultural land use designation. The proposed Project is located in a highly developed area with existing petroleum tanks, piping and related equipment. Although the California Department of Conservation's Farmland Mapping and Monitoring Program has not mapped the Project site, the developed urban character of the surrounding area suggests that the appropriate Farmland Mapping and Monitoring Program mapping designation would be Urban and Built-Up Land (California Department of Conservation, 2011, 2013). Therefore, the proposed Project would not convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance to non-agricultural use. No impacts would occur, and this impact will not be evaluated in the EIR.

- b. Would the project conflict with existing zoning for agricultural use, or a Williamson Act contract?

No Impact. The Williamson Act, also known as the California Land Conversion Act of 1969 (14 CCR Section 51200 *et seq.*), preserves agricultural and open space lands from the conversion to urban land uses by establishing a contract between local governments and private landowners to voluntarily restrict their land holdings to agricultural or open space use. Williamson Act contracts only apply to agricultural or related open spaces (California Department of Conservation, 2020). The Project site is not located on any lands with Williamson Act contracts. The Project site is located in a highly developed area currently designated as [Qualified] Heavy Industrial ([Q]M3-1) and does not support any agricultural uses. As such, the proposed Project would not conflict with existing zoning for agricultural use or a Williamson Act contract. No impacts would occur, and this impact will not be evaluated in the EIR.

- c. Would the project conflict with existing zoning for, or cause rezoning of, forest land (as defined in Public Resources Code Section 12220(g)), timberland (as defined by Public

Resources Code Section 4526), or timberland zoned Timberland Production (as defined by Government Code Section 51104(g))?

No Impact. The Project site is currently zoned for qualified heavy industrial uses ([Q] (M3-1) and is within the Harbor Gateway State Enterprise Zone (ZI-2130). The Project site does not support timberland or forest land. Therefore, the proposed Project would not conflict with existing zoning of, or cause rezoning of, forest land, timberland, or timberland zoned Timberland Production. Therefore, no impact would occur and this impact will not be evaluated in the EIR.

- d. Would the project result in the loss of forest land or conversion of forest land to non-forest use?

No Impact. As discussed in Section 4.2(c) above, the Project site does not support forest land, nor is any forest land located in the vicinity. Therefore, the proposed Project would not result in the loss of forest land or conversion of forest land to non-forest use. No impacts would occur, and this impact will not be evaluated in the EIR.

- e. Would the project involve other changes in the existing environment, which, due to their location or nature, could result in conversion of Farmland to non-agricultural use or conversion of forest land to non-forest use?

No Impact. As discussed in Sections 4.2(a) through (d) above, the Project site is developed and does not have any Farmland or forest land, nor is any Farmland or forest land located in the vicinity. Therefore, the proposed Project would not result in conversion of Farmland to non-agricultural use or conversion of forest land to non-forest use. No impacts would occur, and this impact will not be evaluated in the EIR.

4.3 Air Quality

- a. Would the project conflict with or obstruct implementation of the applicable air quality plan?

Less-than-Significant Impact

Air Quality Management Plan. The federal Clean Air Act (CAA) of 1970 and its subsequent amendments form the basis for the nation's air pollution control effort. The United States Environmental Protection Agency (EPA) is responsible for implementing most aspects of the CAA. A key element of the CAA is the national ambient air quality standards (NAAQS) for major air pollutants. The CAA delegates enforcement of the NAAQS to the states. In California, the California Air Resources Board (CARB) is responsible for enforcing air pollution regulations. CARB, in turn, delegates to local air agencies the responsibility of regulating stationary emission sources.

The South Coast Air Quality Management District (SCAQMD) monitors air quality within the proposed Project site and the South Coast Air Basin (Air Basin or Basin), which includes Orange County and portions of Los Angeles, Riverside, and San Bernardino Counties. The Basin is bounded by the Pacific Ocean to the west; the San Gabriel, San Bernardino, and San Jacinto Mountains to the north and east; and the San Diego County line to the south. For regions that do not attain the NAAQS, the CAA requires the preparation of a State Implementation Plan (SIP).

The SCAQMD 2016 Air Quality Management Plan (AQMP) (SCAQMD 2017) focuses on attainment of the ozone and particulate matter less than 2.5 microns in diameter (PM_{2.5}) NAAQS through the reduction of ozone and nitrogen oxides (NO_x) which is both an ozone and PM_{2.5} precursor, as well as through control of directly emitted PM_{2.5}. The 2016 AQMP reported that although the population in the Southern California Association of Governments (SCAG) region has increased by more than 20% since 1990, air quality has improved due to air quality control programs at the local, state, and federal levels. In particular, 8-hour ozone levels have been reduced by more than 40%, 1-hour ozone levels by close to 60%, and annual PM_{2.5} levels by close to 55% since 1990 (SCAQMD 2017).

The AQMP proposes emission-reduction measures designed to bring the Basin into attainment of the NAAQS. AQMP attainment strategies include mobile source control measures and clean fuel programs enforced at the state and federal levels on engine manufacturers and petroleum refineries and retailers. Construction and operation of the proposed Project would be required to comply with all applicable current local, state, and federal air quality regulations along with any updated regulations in the future as part of the AQMP. This would further ensure that operation of the proposed Project would not obstruct implementation of the AQMP.

San Pedro Bay Ports Clean Air Action Plan. LAHD adopted the San Pedro Bay Ports Clean Air Action Plan (CAAP), designed to reduce the health risks posed by air pollution from all port-related emissions sources, including ships, trains, trucks, terminal equipment, and harbor craft, in 2006 and adopted updates in 2010 and 2017 (LAHD 2006, LAHD 2010, LAHD 2017a). The CAAP 2017 Update contains strategies to reduce emissions from sources in and around the Ports, plan for zero-emissions infrastructure, encourage freight efficiency, and address energy resources.

Sustainable Construction Guidelines. As part of LAHD's overall environmental goals and CAAP strategies, any construction at the Port must follow the Sustainable Construction Guidelines. The latest Guidelines as adopted by the Board of Harbor Commissioners in 2008 are attached as Appendix B.

At-Berth Regulation. On August 27, 2020, CARB adopted new requirements for their At-Berth Regulation for controlling emissions from ocean-going vessels. The new requirements include controlling emissions from tanker vessels by 2025. Emissions can be controlled in one of three ways: 1) a vessel turns off auxiliary engines and connects to shore power, 2) use of a CARB approved emission control strategy, or 3) use of an innovative concept that reduces emissions greater than or equal to emissions reductions achieved by using either control measure 1 or 2. Phillips 66 has submitted terminal plans to CARB regarding their control strategy; tankers associated with operations at Berths 148-151 will be required to comply with emission control requirements.

As mentioned above, construction and operation of the proposed Project would be required to comply with all applicable air quality regulations as they are adopted further ensuring that the proposed Project would not obstruct implementation of the AQMP, CAAP, the Sustainable Construction Guidelines, or the At-Berth Regulation. Therefore, substantial evidence supports that the impact would be less than significant and therefore will not be evaluated further in the EIR.

- b. Would the project result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard?

Potentially Significant Impact. Cumulative impacts may result from individually minor but collectively significant projects. CEQA Guidelines Section 15355 defines cumulative impacts as “two or more individual effects which, when considered together, are considerable or which compound or increase other environmental impacts.” CEQA Guidelines Section 15064(h)(4) also states that “the mere existence of cumulative impacts caused by other projects alone shall not constitute substantial evidence that the proposed Project’s incremental effects are cumulatively considerable.” The proposed Project’s impact would be considered cumulatively significant if its contribution to the net increase of any criteria pollutant for which the region is in non-attainment would be cumulatively considerable. Per SCAQMD policy, a project’s contribution is considered cumulatively considerable if the project’s impacts exceed SCAQMD project-specific significance thresholds (SCAQMD 2003).

NAAQS and California Ambient Air Quality Standards (CAAQS) have been established for the following criteria pollutants: carbon monoxide, ozone, sulfur dioxide, nitrogen dioxide, particulate matter less than 10 microns in diameter (PM₁₀), PM_{2.5}, and lead. USEPA and CARB classify an area as attainment, non-attainment, or maintenance depending on whether monitored ambient air quality data show compliance with NAAQS and CAAQS standards. The South Coast Air Basin (SCAB) is presently a federal non-attainment area for ozone, PM_{2.5}, and lead, and a state non-attainment area for ozone, PM₁₀, and PM_{2.5} (USEPA 2022, CARB 2020).

Construction and operation of the proposed Project would result in increases in criteria pollutant emissions compared to current levels of activity at Berths 148–151. These emissions could exceed applicable thresholds for air quality. Therefore, impacts could be potentially significant and will be evaluated further in the EIR.

- c. Would the project expose sensitive receptors to substantial pollutant concentrations?

Potentially Significant Impact. Proposed construction activities could expose nearby sensitive receptors to air pollution in the form of dust and diesel exhaust emissions. Operation of the proposed Project could also expose nearby sensitive receptors to increased levels of diesel exhaust emissions.

Impacts could be potentially significant and will be evaluated further in the EIR.

- d. Would the project result in other emissions (such as those leading to odors) adversely affecting a substantial number of people?

Less-than-Significant Impact. Short-term odors from the use of diesel-powered, heavy-duty equipment and tugs may occur during construction. The existing industrial setting of the proposed Project represents an already complex odor environment. Odors from operation of the proposed Project would be similar to odors produced from existing marine oil terminal operations and related activity and would be primarily associated with vessels

berthed at the terminal. Within this context, the proposed Project would not likely result in changes to the overall odor environment in the vicinity.

The distance between proposed Project emission sources and the nearest sensitive receptors, residents at the apartment complex on N. Harbor Blvd. in San Pedro located approximately 3,500 feet (1,067 meters) to the southwest, is far enough away to allow for adequate dispersion of these emissions to below objectionable odor levels. No new odor sources are anticipated upon final buildout of the proposed Project. Impacts would be less than significant and will not be evaluated further in the EIR.

4.4 Biological Resources

- a. Would the project have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special-status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Wildlife or U.S. Fish and Wildlife Service?

Potentially Significant Impact. The proposed Project involves both in-water and on-land construction. In-water construction includes demolition and pulling of piles, driving new piles, and repairing a portion of the seawall. On-land construction includes minor trenching and excavation, installation and relocation of utilities and pipelines, and minor grading and repaving. The new concrete vessel unloading facility at Berth 151 would replace the existing treated timber and concrete piles with steel piles and the footprint of the new wharf would be substantially smaller than the existing wooden wharf, thereby reducing the amount of shaded water area by approximately 17,000 ft². Operations at the new MOTEMS compliant wharf at Berths 150-151 would result in additional vessel calls and truck trips.

Operational activities would include arrivals and departures of oceangoing vessels and harbor craft such as tugboats and barges.

Special-Status Plants

The land-based portion of the Project site consists largely of paved surfaces surrounding industrial facilities. A small amount of vegetation is present, consisting of common weedy species, patches of grass, and ornamental trees and shrubs. No candidate, sensitive, or special-status plant species are known to occur on the Project site and there is no habitat that would support such species.

Special-Status Wildlife

A number of Federal and state-listed threatened and endangered species are found in the Los Angeles Harbor area (Table 4-1). As mentioned above, the current Project site is an active MOT. Given the industrialized and largely paved nature of the existing terminal, the Project site is highly unlikely to serve as nesting habitat for any of the listed bird species, and it is not considered critical foraging habitat for any of the special-status bird species, including the endangered California least tern (*Sternula antillarum brownii*). Furthermore, construction of the proposed Project would not remove the small amount of vegetation present that could potentially serve as nesting habitat for species afforded protection under

the Migratory Bird Treaty Act. As operational activity would be similar to existing conditions, operation of the proposed Project would not result in increased disruption of bird activity.

Five species of marine mammals (California Sea Lion, Harbor Seal, Gray Whale, Common Bottle Nose Dolphin, and Common Dolphin) are known to forage in the Port (Table 4-1), but none breed there. Sea lions were observed throughout the Port in all of the Biosurveys conducted in the Port Complex (MEC 2002, SAIC 2010, MBC 2016, Wood E&I 2021), including near Berths 148-151, while harbor seals, which were far less abundant than sea lions, were largely limited to Outer Harbor waters and have rarely been observed in the vicinity of the Project site. Neither of these species is endangered, and there are no designated significant ecological areas for either species within the Port.

Table 4-1. Special Status Species (Designated by CDFW and USFWS) Observed in the Port Area		
Species	Agency/Designation	Notes
Birds		
Belding's Savannah Sparrow (<i>Passerculus sandwichensis</i>)	CDFW – SE	Inhabits coastal salt marches of southern California. Not observed in POLA and POLB Biosurveys performed from 2000 to present (2018-2019)
Black Oystercatcher (<i>Haematopus palliatus</i>)	USFWS – BCC	Known to nest in the Port Complex. 320 individuals recorded in the Port Complex during the 2018-2019 POLA and POLB Biosurvey. Species observed along Middle Breakwater.
Black Skimmer (<i>Rhyncops niger</i>)	USFWS – BCC CDFW – SCC	Year-round species. Known to nest annually at Pier 400. 184 individuals recorded in the Port Complex during the 2018-2019 POLA and POLB Biosurvey. Most observations at Cabrillo Beach.
Black-crowned Night Heron (<i>Nycticorax nycticorax</i>)	CDFW – SA	Year-round species. No nesting was observed during the 2018-2019 POLA and POLB Biosurvey, but 37 individuals sighted in the Port Complex.
Brant (<i>Branta bernicla</i>)	CDFW – SA	Uncommon in the Port, but found regionally. No known nesting has occurred in the Port Complex. 1 individual observed during the 2018-2019 POLA and POLB Biosurvey.
Brown Pelican (<i>Pelecanus occidentalis</i>)	CDFW – FP	No known nesting site in the Port Complex. 2,780 individuals recorded in the Port Complex during the 2018-2019 POLA and POLB Biosurvey. Observation primarily recorded in Outer Harbor along breakwaters and shallow water habitats.
Burrowing Owl (<i>Athene cunicularia</i>)	USFWS – BCC	Primarily transient. Last observed nesting in Port Complex during the 2008 POLA and POLB Biosurvey. Not observed during the 2018-2019 POLA and POLB Biosurvey. However, they are occasionally observed transiting during their migration season.
California Gull (<i>Larus californicus</i>)	CDFW – WL	Year-round species. 261 individuals recorded in the Port Complex during the 2018-2019 POLA and POLB Biosurvey.
California Least Tern (<i>Sterna antillarum browni</i>)	USFWS – FE CDFW – SE, FP	Migratory species. Designated nesting site at Pier 400. 90 individuals recorded in the Port Complex during the 2018-2019 POLA and POLB Biosurvey.

Table 4-1. Special Status Species (Designated by CDFW and USFWS) Observed in the Port Area

Species	Agency/Designation	Notes
Caspian Tern (<i>Hydroprogne caspia</i>)	USFWS – BCC	Foraging occurs primarily around Pier 400, the breakwater and shallow water habitats. Migratory species. Known to nest at Pier 400 CLT nesting site. 210 individuals recorded in the Port Complex during the 2018-2019 POLA and POLB Biosurvey. Most observations at Pier 300, Pier 400, and Cabrillo Beach.
Common Loon (<i>Gavia immer</i>)	CDFW – SCC	Migratory species. Not known to nest in the Port complex. 3 individuals observed roosting in the Port complex during the 2018-2019 POLA and POLB Biosurvey.
Double-crested Cormorant (<i>Phalacrocorax auratus</i>)	CDFW – WL	Year-round species. Known to nest in Port Complex. 1,894 individuals recorded in the Port Complex during the 2018-2019 POLA and POLB Biosurvey. Observed primarily along the Middle Breakwater.
Elegant Tern (<i>Thalasseus elegans</i>)	CDFW – WL	Migratory species. Known to nest at the Pier 400 CLT nesting site. 5,127 individuals recorded in the Port Complex during the 2018-2019 POLA and POLB Biosurvey. Observed regularly foraging at the shallow water habitat at Cabrillo Beach and Seaplane Lagoon during the 2018-2019 POLA and POLB Biosurvey.
Great Blue Heron (<i>Ardea herodias</i>)	CDFW – SA	Resident species. Known to nest in trees near POLA Main Channel Wilmington marinas. 704 individuals recorded throughout the Port Complex during the 2018-2019 POLA and POLB Biosurvey.
Great Egret (<i>Ardea alba</i>)	CDFW – Sensitive	Resident species but rare in the Port Complex. Not known to nest in the Port Complex. 6 individuals recorded in the Port complex during the 2018-2019 POLA and POLB Biosurvey.
Loggerhead Shrike (<i>Lanius ludovicianus</i>)	USFWS – BCC	Migratory species. Last observed in Port Complex during 2000 POLA and POLB Biosurvey. Not observed in 2018-2019 POLA and POLB Biosurvey.
Long-billed Curlew (<i>Numenius americanus</i>)	USFWS – BCC	Migratory species. Not known to nest in the Port Complex. 2 individuals recorded in the Port complex during the 2018-2019 POLA and POLB Biosurvey.
Marbled Godwit (<i>Limosa fedoa</i>)	USFWS – BCC	Migratory species. 3 individuals recorded in the Port Complex during the 2018-2019 POLA and POLB Biosurvey. Observed primarily at Cabrillo Beach.
Osprey (<i>Pandion halieatus</i>)	CDFW – WL	Migratory species. Known to nest at Pier E-D in POLB. 43 observations in the Port Complex during the 2018-2019 POLA and POLB Biosurvey.
Peregrine Falcon (<i>Falco occidentalis</i>)	USFWS – BCC CDFW – FP	Resident species. Known to nest on Schuyler F. Heim Bridge and former Gerald Desmond Bridge in POLB. 1 individual recorded at Pier 400 during the 2018-2019 POLA and POLB Biosurvey.

Table 4-1. Special Status Species (Designated by CDFW and USFWS) Observed in the Port Area

Species	Agency/Designation	Notes
Scripps's Murrelet (<i>Synthliboramphus scrippsi</i>)	USFWS – BCC	Ocean-dwelling species rarely observed on land. Not observed in 2018-2019 POLA and POLB Biosurvey. Last observed in Port Complex during 2013-2014 POLA and POLB Biosurvey.
Snowy Egret (<i>Egretta thula</i>)	CDFW – SA	Known to nest in the Port Complex in 2018-2019. 145 individuals recorded in the Port Complex during the 2018-2019 POLA and POLB Biosurvey, primarily at Cabrillo Beach.
Tufted Puffin (<i>Fratercula cirrhata</i>)	CDFW – SSC	Not observed in the 2018-2019 POLA and POLB Biosurvey. Last observed in the Port Complex during the 2000 POLA and POLB Biosurvey.
Western Snowy Plover (<i>Charadrius nivosus nivosus</i>)	USFWS – BCC, ESA Threatened	Migratory. Not observed in POLA and POLB Biosurveys performed from 2000 to present (2018-2019)
Whimbrel (<i>Numenius phaeopus</i>)	USFWS – BCC	Migratory species. 42 individuals recorded in the Port Complex during the 2018-2019 POLA and POLB Biosurvey. Observed primarily at Cabrillo Beach.
White-faced Ibis (<i>Plegadis chihi</i>)	CDFW – WL	Resident species. Not observed in 2018-2019 POLA and POLB Biosurvey. Last observed in the Port Complex during the 2000 POLA and POLB Biosurvey.
Marine Mammals		
California Sea Lion (<i>Zalophus californianus</i>)	USFWS, NMFS – MMPA Protected	Resident species. Common. 587 individuals recorded in the Port Complex during the 2018-2019 POLA and POLB Biosurvey.
Common Bottlenose Dolphin (<i>Tursiops truncatus</i>)	USFWS, NMFS – MMPA Protected	18 individuals recorded in the Port Complex during the 2018-2019 POLA and POLB Biosurvey.
Common Dolphin (<i>Delphinus spp.</i>)	USFWS, NMFS – MMPA Protected	40 individuals recorded in the Port Complex during the 2018-2019 POLA and POLB Biosurvey.
Gray Whale (<i>Eschrichtius robustus</i>)	USFWS, NMFS – MMPA Protected	Transitory. 1 observation recorded in the Port Complex during the 2018-2019 POLA and POLB Biosurvey.
Harbor Seal (<i>Phoca vitulina</i>)	USFWS, NMFS – MMPA Protected	Resident species. Common. 223 individuals recorded in the Port Complex during the 2018-2019 POLA and POLB Biosurvey.
Other		
Green Sea Turtle (<i>Chelonia mydas</i>)	USFWS, NMFS – ESA Protected	Not observed in POLA and POLB Biosurveys performed from 2000 to present (2018-2019). Known in region.

Notes: USFWS = United States Fish and Wildlife Service; NMFS = National Marine Fisheries Service; CDFW = California Department of Fish and Wildlife; CDF = California Department of Forestry and Fire Protection; MMPA = Marine Mammal Protection Act; ESA = Endangered Species Act; BCC = Bird of Conservation Concern; SA = Special Animal; SSC = Species of Special Concern; FP = Fully Protected; FE = Federally Endangered; WL = Watch List; SE = State Endangered

Outside the breakwater, a variety of marine mammals use nearshore waters. The most common whale species is the gray whale (*Eschrichtius robustus*), which migrates from the Bering Sea to Mexico and back each year, as well as several species of dolphin and

porpoises. During the 2018-2019 Biosurvey, a gray whale mother-calf pair was observed in the vicinity of Cabrillo Beach (Wood E&I 2021), but gray whales have never been observed in the Inner Harbor in the vicinity of the Project site. Bottlenose and common dolphins are most frequently observed in the open water of the Outer Harbor; however, the 2008 and 2018-2019 Biosurveys also observed bottlenose dolphins in the Main Channel and the East Basin. No cetaceans (i.e., whales or dolphins) have been observed in the West Basin, which is the location of Berths 148-151, during any of the Biosurveys. Although the total number of whale strikes in the approaches to Los Angeles Harbor per year is not known, at least several strikes resulting in whale mortality do occur each year (e.g., NOAA Marine Sanctuaries 2021).

Proposed in-water construction activities (i.e., pile removal and installation and minor sediment removal) and Berth 150-151 operations could generate turbidity and underwater noise that could cause adverse effects (e.g., loss of foraging habitat and harassment) to special-status marine mammal. The effects of turbidity would be localized and temporary. However, pile driving has the potential to produce underwater noise levels that would exceed the criteria for Level B harassment of marine mammals (National Oceanic and Atmospheric Administration [NOAA] 2018) and result in injury or mortality to special-status marine mammal and fish species. Although measures to mitigate underwater noise are available (e.g., marine mammal monitoring and bubble curtains), these impacts could be potentially significant and will be evaluated further in the EIR.

Turbidity and underwater noise from pile driving could result in temporary avoidance of the construction area by and cause mortality of some fish included in the Coastal Pelagics Fish Management Plan (FMP). This would be especially true for smaller fish such as northern anchovy, which are very abundant in the Harbor, Pacific sardine, and topsmelt. Although individuals of these species could be adversely affected, the limited area of potential effect and the abundance of Coastal Pelagic species in the Harbor means that populations of these species in the Harbor would not be substantially reduced. However, because impact pile driving has the potential to produce underwater noise levels that would exceed the criteria for onset of injury to fish (Caltrans 2020), impacts on managed fish species could be potentially significant and will be considered in the EIR.

The new loading/unloading platform at Berths 150-151 would have a substantially smaller overwater footprint than the existing wharf and would be of a more open design. Accordingly, potential adverse effects of shading would be reduced compared to baseline conditions, and the EIR will not consider potential effects of shading.

Operational conditions that would change from baseline conditions would be the increased number of oceangoing vessels that would call at the MOT. The increased vessel calls could raise the potential for vessel strikes on marine mammals, specifically whales, in the approaches to Los Angeles Harbor. Because increased whale strikes represent a potentially significant impact on endangered and threatened whales, this issue will be evaluated further in the EIR.

- b. Would the project have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, and regulations or by the California Department of Fish and Wildlife or U.S. Fish and Wildlife Service?

Less-than-Significant Impact. There is no riparian habitat at the Project site or in the vicinity. Wharf demolition and construction activities would have temporary adverse effects on marine biota through resuspension of sediments and disturbance of benthic communities. However, the impact would be limited in extent and duration (i.e., the period of construction), and based on many years of biological sampling from areas of the Port Complex that experienced previous construction, it is anticipated that the soft-bottom benthic community would re-establish itself (e.g., MEC 2002, SAIC 2010, MBC 2016, Wood E&I 2021).

Eelgrass (*Zostera marina*), which is identified as a special aquatic site in the Clean Water Act, occurs in several locations of the Los Angeles and Long Beach Harbors, primarily Cabrillo Beach and the Pier 300 Seaplane Lagoon area, that are shallow enough (i.e., less than 14 feet) to support the species (MBC, 2016). Eelgrass has not been observed at Berths 148 – 151 during any of the Biosurveys. The nearest eelgrass occurs in small patches (less than one acre total) in Slip 1 and at Berth 170 on the Main Channel, approximately 900 feet east of Berth 151, as observed during the 2018 Biosurvey (Wood E&I, 2021). Increased turbidity during construction of the proposed Project could have temporary adverse effects on those patches, but their distance from the construction site and the controls that would be placed on in-water construction (see Section 4.10 Hydrology and Water Quality) would limit those effects. The proposed Project would increase vessel traffic to the terminal by 58 vessels, or approximately 18.5% above baseline. Because eelgrass appears to thrive in the general vicinity of the Project site under the baseline condition of over 200 vessel calls per year and eelgrass in the Port has increased in extent in recent years (Wood E&I 2021), the addition of another 58 vessel calls per year would not have a substantial adverse effect on nearby eelgrass beds.

There are at least 27 non-native aquatic species in the Port Complex and another 95 of uncertain origin (MBC, 2016). Many of these species are present at the Project site in the benthic infauna and riprap community. During construction of the proposed Project the redistribution of non-native species locally within the Port through disturbance of the bottom sediments and removal of pilings may occur. However, in general, existing non-native species are widely distributed in the Harbor, so that redistribution from the Project site during construction would not adversely affect the natural community throughout the Harbor or elsewhere in Southern California.

The invasive algae *Caulerpa taxifolia* is listed as a federal noxious weed under the U.S. Plant Protection Act. In areas outside its native range, it can grow very rapidly, causing ecological devastation by overwhelming local seaweed species and altering fish distributions. Although this species has never been observed in the Port Complex, it is a threat in Southern California, having been found in two Southern California coastal lagoons in 2000 (MBC, 2016). This has prompted regulatory control measures described in the *Caulerpa* Control Protocol prior to specific underwater construction activities such as

bulkhead repair, dredging, and pile driving (NOAA Fisheries & CDFG 2021). As required by Rivers and Harbors Act Section 10 permit issued by the US Army Corps of Engineers and the *Caulerpa* Control Protocol, a *Caulerpa* survey would be conducted at the Project site prior to the start of construction activities.

Operation of the proposed Project also has the potential to introduce invasive non-native species as a result of organisms attached to the hulls and anchors or living in the ballast water of vessels arriving from outside the U.S. Exclusive Economic Zone (EEZ) or other regions of the Pacific Coast. The potential for such an introduction of invasive non-native species exists because the facility would accommodate an approximately 18.5 percent increase in annual vessel calls (from 313 to 371 vessel calls per year). However, there are numerous regulations in place to regulate ballast water discharges. The U.S. Coast Guard (USCG) regulates the management of ballast water as set forth in 33 Code of Federal Regulations 151 Subpart D – Ballast Water Management for Control of Non-Indigenous Species in Waters of the United States. In addition, CSLC developed the Marine Invasive Species Program, which includes biofouling management requirements that became effective in 2018 for vessels arriving in California ports (Title 2, CCR Section 2298.1 et seq.), and now apply to all new and existing vessels. By 2032, all ships should be meeting performance standards adopted by U.S. Coast Guard and California State Lands Commission. In addition, vessel hulls are generally coated with antifouling paints and cleaned at intervals to reduce the frictional drag from growths of organisms on the hull, which would reduce the potential for transport of exotic species. For these reasons, the proposed Project has a low potential to result in an increase in the introduction of non-native species into the Harbor that could substantially disrupt local biological communities.

In summary, impacts of the proposed Project on sensitive habitats or natural communities would be less than significant and will not be evaluated further in the EIR.

- c. Would the project have a substantial adverse effect on state or federally protected wetlands (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means?

No Impact. The proposed Project would not affect state or federally protected wetlands during in-water construction activities (i.e., wharf demolition and replacement) because there are no state or federally protected wetlands in the Project site. The only federally protected wetlands in the Los Angeles Harbor are the Anchorage Road Salt Marsh and the Cabrillo Salt Marsh, approximately 1.2 and 3.4 miles from the Project site, respectively. Neither of these wetlands would be affected or otherwise disturbed by the construction or operation of the proposed Project. Therefore, there would be no impacts to state or federally protected wetlands and this issue will not be evaluated in the EIR.

- d. Would the project interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of wildlife nursery sites?

Less-than-Significant Impact. There are no known terrestrial or marine mammal migration corridors within the Port Complex, including the Project site, because the Port is not located

between natural resource areas that terrestrial wildlife would need to traverse. Therefore, the proposed Project would not interfere with terrestrial wildlife migration.

There are only a few species of fish in southern California with true migrations (salmonids and white sturgeon), and they are not known to occur in the Port Complex (Miller and Lea, 1972; SAIC, 2010; Wood E&I, 2021). Therefore, the proposed Project would not interfere with migratory fish. Project construction could result in avoidance of the construction areas by resident fish species during in-water work, which would occur over a period of three years; however, these effects would be temporary, lasting for a few days at a time as specific Project elements (e.g., wharf demolition, then pile driving, then clean-up dredging) are implemented. Construction activities within the study area would not block or interfere with migration or movement of any of the species covered under the Migratory Bird Treaty Act (MBTA), because the work would be in a small portion of the Harbor area and any birds present could easily fly around or over the work.

The approximately 15.7-acre terminal area is developed and offers minimal habitat for wildlife or bird nesting. The nearest wildlife nesting area is the designated California least tern nesting site located three miles southeast of the Project site on Pier 400; the proposed Project would have no direct or indirect impacts to that nesting site.

Given the limited extent of the Project area, the absence of wildlife corridors and nesting habitat, and the short duration of construction activities, the proposed Project's impacts on the movement of any native resident or migratory fish or wildlife species would be less than significant, and will not be evaluated further in the EIR.

- e. Would the project conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance?

No Impact. The only biological resources protected by City of Los Angeles ordinance (City of Los Angeles 2021) are certain native tree species, none of which occur on the Project site. The Project site is industrialized, paved, and occupied by existing oil terminals. It does not contain any known protected biological resources. The proposed Project would not conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance; therefore, no impacts would occur, and this impact will not be evaluated in the EIR.

- f. Would the project conflict with the provisions of an adopted Habitat Conservation Plan, Natural Communities Conservation Plan, or other approved local, regional, or state Habitat Conservation Plan?

No Impact. The Project site is not located within an adopted Natural Communities Conservation Plan (NCCP) or Habitat Conservation Plan (HCP). There is only one NCCP approved near the Port, located approximately four miles to the southwest of the proposed Project in the City of Rancho Palos Verdes, and it was designed to protect coastal scrub habitat (California Department of Fish and Wildlife 2015).

HCPs are administered by the USFWS and are designed to identify how impacts would be mitigated when a project would impact endangered species or designated critical habitat. There are no HCPs in place for the Port. A Memorandum of Understanding (MOU) is in

place for the LAHD, California Department of Fish and Wildlife (CDFW), USFWS, and the USACE to protect the California least tern, and requires a 15-acre nesting site to be protected during the annual nesting season (May through October). The nesting site is on Pier 400 and is designated as a Significant Ecological Area (SEA) by the County of Los Angeles (County of Los Angeles, Department of Regional Planning 2015). The Project site is located approximately three miles northwest from the California least tern nesting site and does not contain nesting habitat or foraging habitat.

The proposed Project would have no impact on HCPs, NCCPs, the MOU, or the SEA for California least tern. Therefore, no impact would occur, and this impact will not be evaluated in the EIR.

4.5 Cultural Resources

- a. Would the project cause a substantial adverse change in the significance of a historical resource pursuant to CEQA Guidelines §15064.5?

No Impact. To be eligible for listing in the National Register, a property must be at least 50 years of age (unless the property is of “exceptional significance”) and possess significance in American history and culture, architecture, or archaeology. A property of potential significance must meet one or more of the following four established criteria:

- A. Association with events that have made a significant contribution to the broad patterns of our history; or
- B. Association with the lives of persons significant in our past; or
- C. Embody the distinctive characteristics of a type, period, or method of construction or that represent the work of a master, or that possess high artistic values, or that represent a significant and distinguishable entity whose components may lack individual distinction; or
- D. Yield, or may be likely to yield, information important in prehistory or history. [Title 36 Code of Federal Regulations Part 60.4]

In addition to possessing significance within a historic context, to be eligible for listing in the National Register, a property must have integrity. Integrity is defined as, “the ability of a property to convey its significance.” The National Register recognizes the following seven aspects or qualities that define integrity: feeling, association, workmanship, location, design, setting and materials. The significance of a property must be fully established before integrity is analyzed [National Register Bulletin #15, 44-45].

Eligibility for listing in the California Register of Historic Resources (CRHR) is based on the National Register criteria, but they are identified as 1-4 instead of A-D. In California, a property must generally be at least 50 years of age and must possess significance at the local, state, or national level, under one or more of the following four criteria:

- 1. It is associated with events that have made a significant contribution to the broad patterns of local or regional history, or the cultural heritage of California or the United States; or
- 2. It is associated with the lives of persons important to local, California or national history; or
- 3. It embodies the distinctive characteristics of a type, period or method of

construction or represents the work of a master or possesses high artistic values; or

4. It has yielded, or has the potential to yield, information important in the prehistory or history of the local area, California, or the nation.

While slightly less stringent on the topic of integrity, California resources should include properties that reflect their appearance during their period of significance [Public Resources Code Section 4852].

GPA Consulting was retained to evaluate the Project site including Berths 148 – 151 and a portion of Los Angeles County Tax Assessor’s Parcel Numbers 7440-018-905, 7440-018-908, 7440-018-909, 7440-018-810 as potential historic resources. Their report, entitled, “*Berths 148 – 151, Los Angeles, California Historical Resource Evaluation Report*” (included here as Appendix A) concluded that the berths were ineligible for listing in the National Register of Historic Places, California Register of Historic Resources, or as a Los Angeles Historic Cultural Monument. Neither Berths 148-149 nor Berths 150-151 met the criteria for significance of listing: the existing MOT at Berths 150-151 was found to lack sufficient physical integrity to convey its significance, and the terminal at Berths 148-149 is not significant under any of the four criteria listed above. Furthermore, there were no buildings, structures, or objects evaluated as individually eligible as historical resources as defined by CEQA, and the Project site does not contain any properties currently listed under national, state, or local landmark or historic district programs. Accordingly, the proposed Project would have no impacts on historical resources and impacts will not be evaluated further in the EIR.

- b. Would the project cause a substantial adverse change in the significance of an archaeological resource pursuant to §15064.5?

No Impact. The Project site is comprised of natural land mass largely covered by artificial fill. The proposed Project would result in minor amounts of ground-disturbing activities (i.e., installation of pipes and topside equipment and minor grading). However, the site is disturbed, and the likelihood that archeological resources are present on the site is extremely remote.

The proposed Project would occur primarily in and over harbor waters. The Project area has been routinely dredged over the history of the Port to create shipping channels and increase or maintain the design depth at the berths. The proposed Project’s construction would include driving piles and possibly minor amounts of dredging in those previously dredged sediments and would therefore not encounter undisturbed sediments that could contain archeological resources. Given that the Project site has previously been highly disturbed, the absence of known archeological resources in the Project area and the limited ground-disturbing activities and dredging that would be done as part of the proposed Project, no impacts would occur, and this impact will not be evaluated further in the EIR.

- c. Would the project disturb any human remains, including those interred outside of formal cemeteries?

No Impact. No known cemeteries or burials are known to have occurred at the Project site. As discussed above, the Project area is composed of both disturbed natural areas and man-made engineered material constructed in the 20th century. The proposed Project would occur

primarily in and over harbor waters. Topside equipment installation would occur on the terminal site, which is not a known burial ground. Therefore, wharf construction, dredging, and topside equipment installation are not expected to encounter human remains. There would be no impact and this impact will not be evaluated further in the EIR.

4.6 Energy

- a. Would the project result in potentially significant environmental impact due to wasteful, inefficient, or unnecessary consumption of energy resources, during project construction or operation?

Potentially Significant Impact. Energy, primarily in the form of diesel fuel and minor amounts of gasoline and electricity, would be used during construction of the proposed Project. Fuel consumption during construction would be temporary, lasting for approximately six years. Proposed construction activities are necessary to achieve the overall proposed Project objective of providing a MOTEMS-compliant liquid bulk terminal, and thus does not represent a wasteful or unnecessary use of energy. Construction would be consistent with the policies in the Port's Sustainable Construction Guidelines, which require minimum engine emission standards for construction equipment in accordance with the CAAP.

During operation of the proposed Project, energy in the form of fuels would be used, primarily for the operation of OGVs and harbor craft. Under the future projected maximum activity levels, the terminal could handle a peak annual throughput of 23,761,500 barrels, an 274% increase over the baseline throughput as shown in Table 2-1.

Operation of the proposed Project would not consume more fuel than is necessary to achieve the overall objectives of the proposed Project and would therefore not introduce wasteful, inefficient, or unnecessary consumption of energy resources.

Although not expected to be significant, the potential for the proposed Project to result in energy impacts will be evaluated further in the EIR.

- b. Would the project conflict with or obstruct a state or local plan for renewable energy or energy efficiency?

Less-than-Significant Impact. The proposed Project would be required to comply with current state energy efficiency standards and regulations pursuant to the California Building Code, California Green Building Standards, and City of Los Angeles Green Building Code that would reduce long-term energy demand. The proposed Project would also be required to comply with the Port Climate Action Plan, Executive Directive No. 10, Sustainable City pLAn, LAHD's Sustainable Construction Guidelines, and the CAAP. In addition, LAHD's Development Bureau (Construction and Engineering Divisions) is responsible for design, inspection, management, and oversight of construction projects to ensure projects comply with energy efficiency requirements. Energy consumed would comply with applicable efficiency requirements. Although impacts would likely be less than significant, this issue will be evaluated further in the EIR.

4.7 Geology and Soils

a. Would the project directly or indirectly cause potential substantial adverse effects, including the risk of loss, injury, or death involving:

- (i) Rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault? Refer to Division of Mines and Geology Special Publication 42.

Less-than-Significant Impact. Southern California is one of the most seismically active areas in the United States. Numerous active faults and fault zones are located within the general region, including the active Palos Verdes Fault that traverses the harbor area, as well as the Newport-Inglewood, Elysian Park, Whittier-Elsinore, and Santa Monica-Raymond faults, which are all within 25 miles of the Project site. The harbor area, as with the southern California region as a whole, cannot avoid earthquake-related hazards, such as liquefaction, ground rupture, ground acceleration, and ground shaking. Although no faults within the Port area are currently zoned under the Alquist-Priolo Act, potential hazards exist due to seismic activities associated with numerous nearby faults associated with the Palos Verdes Fault Zone, which runs through the southern portion of the Port, and the presence of man-made engineered fill. The nearest known fault, the Wilmington Blind Thrust Fault, is a moderately deep (greater than 1.5 km) fault that has recently been identified as potentially active (Wolfe et al. 2019). Despite its long projected return interval (3,000 – 5,000 years), its inferred association with other regional fault systems suggests, according to Wolfe et al. (2019), that the Wilmington Blind Thrust Fault contributes to the potential seismic risk in the Port area. However, the exposure of people to seismic ground shaking is a potential risk with or without the proposed Project.

Construction of the proposed Project is required to adhere to seismic performance requirements specified in the MOTEMS regulations (Chapter 31F, Title 24, Part 2, California Code of Regulations), which include standards intended to limit the severity of consequences from geological hazards such as earthquakes. The goal of the proposed Project is to comply with MOTEMS requirements, engineering standards, and building codes to make the facility more earthquake safe. Although the proposed Project could experience strong seismic ground shaking, the Project site is not likely susceptible to surface rupture because no faults capable of causing surface rupture (i.e., shallow faults) are known to lie immediately under the Project site. Additionally, the proposed Project would not construct any habitable or large permanent structures that would increase the risk of loss, injury, or death in the event of surface rupture. Therefore, impacts associated with the risk of surface rupture due to faulting would be less than significant and will not be evaluated further in the EIR.

- (ii) Strong seismic ground shaking?

Less-than-Significant Impact. Although no faults within the Port area are currently zoned under the Alquist-Priolo Act, potential hazards exist due to seismic activities associated with the Palos Verdes Fault Zone and the presence of man-made engineered fill. The exposure of people to seismic ground shaking is a potential risk

with or without the proposed Project. The risk of seismic hazards such as ground shaking cannot be avoided. As discussed in Threshold 4.7(a)(i), compliance with MOTEMS regulations is designed to minimize structural damage resulting from a seismic event. Building and construction design codes are meant to minimize structural damage resulting from a seismic event. The proposed Project would comply with the applicable engineering standards and building codes, including the MOTEMS regulations, Port engineering criteria, and applicable sections of the Los Angeles Building Code. Emergency planning and coordination would also contribute to reducing injuries to on-site personnel during seismic activity. As facilities handling potentially hazardous materials, Phillips 66 maintains comprehensive emergency response plans to be followed during natural disasters (including earthquakes); these plans are required by numerous agencies, notably the US Coast Guard, the LAFD, and the CSLC, and are updated periodically as required by those agencies. With incorporation of emergency planning and compliance with current regulations and standard engineering practices, impacts related to seismic ground shaking would be less than significant and will not be evaluated further in the EIR.

(iii) Seismic-related ground failure, including liquefaction?

Less-than-Significant Impact. The harbor area, including the Project site, is identified as an area susceptible to liquefaction in the City of Los Angeles General Plan's Safety Element because of the presence of recent alluvial deposits and groundwater less than 30 feet below ground surface (City of Los Angeles, 1996).

The proposed Project would bring the berthing facilities into compliance with the seismic performance requirements specified in the MOTEMS regulations (Chapter 31F, Title 24, Part 2, California Code of Regulations). This includes standards intended to limit the probability of occurrence and the severity of consequences from geological hazards, such as earthquakes. Accordingly, the proposed Project would decrease risks associated with seismic-related ground failures at the site relative to baseline conditions. Emergency planning and coordination would also contribute to reducing potential injuries on-site resulting from a seismic event. With compliance with appropriate MOTEMS requirements, engineering standards, and building codes, impacts associated with the risk of seismic-related ground failure would be less than significant and will not be evaluated further in the EIR.

(iv) Landslides?

No Impact. According to the California Department of Conservation, the Project site is not located within a landslide zone (City of Los Angeles 1996). The Project site is relatively flat with no significant natural or graded slopes that could be susceptible to landslides. Therefore, the proposed Project would not directly or indirectly cause potential substantial adverse effects, including the risk of loss, injury, or death involving landslides. No impacts would occur, and this impact will not be evaluated further in the EIR.

- b. Would the project result in substantial soil erosion or the loss of topsoil?

No Impact. The entire Project site would be paved prior to operation. Construction of the landside components of the proposed Project would result in only minor and temporary disturbance of the pavement. Pavement would be installed for approximately 2.2 acres and the remaining paved areas would be repaired following construction, which would prevent substantial soil erosion from the site. Therefore, the proposed Project would not result in soil erosion or the loss of topsoil. There would be no impact and this impact will not be evaluated further in the EIR.

- c. Would the project be located on geologic units or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on- or off-site landslide, lateral spreading, subsidence, liquefaction, or collapse?

Less-than-Significant Impact. The Project site is constructed on artificial fill, which could be subject to lateral spreading, subsidence, liquefaction, or collapse. The MOTEMS audits of the Phillips 66 facilities included geotechnical evaluations that identified measures needed to meet seismic requirements. The primary element of the proposed Project is the replacement of the existing timber wharf structures at Berths 150 – 151 with a new loading platform and associated petroleum product handling infrastructure in accordance with the findings of the MOTEMS audits. The proposed Project would not cause or accelerate geologic hazards, but instead would reduce the facility's vulnerability to seismic movement. Potential impacts associated with the risk of unstable soil would be less than significant and this impact will not be evaluated further in the EIR.

- d. Would the project be located on expansive soil, as defined in Table 18-1-B of the Uniform Building Code (1994), creating substantial direct or indirect risks to life or property?

Less-than-Significant Impact. Expansive soils generally result from specific clay minerals that expand when saturated and shrink when dry. These expansive clay minerals are common in the geologic deposits in the adjacent Palos Verdes Peninsula and in previously imported fill soils used in the development of the Port. Although the proposed Project could be located on expansive soil, it would not include the construction of any new habitable structures. Furthermore, the proposed Project would be constructed and operated in accordance with design and engineering criteria, including MOTEMS regulations and applicable building and safety requirements. With the incorporation of modern engineering and safety standards and compliance with current building regulations, no substantial risk to life or property would be present; accordingly, impacts would be less than significant and will not be evaluated further in the EIR.

- e. Would the project have soils incapable of adequately supporting the use of septic tanks or alternative wastewater disposal systems where sewers are not available for the disposal of wastewater?

No Impact. The Project site is connected by sanitary sewer system to the City of Los Angeles Bureau of Sanitation's Terminal Island Water Reclamation Plant (TIWRP). Therefore, the use of septic tanks would not be necessary. None of the Project improvements would generate

wastewater that would be treated by an alternative wastewater disposal system. Therefore, no impacts would occur, and this impact will not be evaluated further in the EIR.

- f. Would the project directly or indirectly destroy a unique paleontological resource or site or unique geologic feature?

No Impact. The geologic formation at the Project site consists of artificial fill, engineered fill over natural landforms, and disturbed natural landforms constructed in the 20th century. Before improvements were made to the harbor (beginning in the 19th century), the Project area was covered by harbor waters or mudflats. The Project area has been routinely dredged and filled in the 20th century to create shipping channels and increase or maintain the design depth at the berths, thereby destroying any stratigraphy of the Project area, any unique paleontological resources, and any unique geologic features. The proposed Project would occur primarily in and over harbor waters. Landside equipment installation would occur only within an area with deposited fill material and not in any geologic layer that could yield unique paleontological resources. Therefore, there would be no impact to unique paleontological resources or unique geologic features and this impact will not be evaluated further in the EIR.

4.8 Greenhouse Gas Emissions

- a. Would the project generate GHG emissions, either directly or indirectly, that may have a significant impact on the environment?

Potentially Significant Impact. Construction and operation of the proposed Project would generate greenhouse gas (GHG) emissions. The proposed Project would result in increases in GHG emissions compared to GHG emissions associated with current levels of activity at Berths 148-151. The proposed Project's GHG emissions could exceed applicable thresholds. Impacts could be potentially significant and will be evaluated further in the EIR.

- b. Would the project conflict with any applicable plan, policy or regulation of an agency adopted for the purpose of reducing the emissions of GHGs?

This question is being answered as an informational assessment; the information provided is not meant to produce an impact determination for the proposed Project. The State of California is leading the way in the United States with respect to GHG emissions reductions. Several legislative and municipal targets for reducing GHG emissions below 1990 levels have been established. Key examples include, but are not limited to:

- California Climate Strategy
- 2006 Assembly Bill (AB) 32
 - 1990 GHG emissions levels by 2020
 - 40 percent below 1990 GHG emissions levels by 2030
 - 80 percent below 1990 GHG emissions levels by 2050
- Senate Bill (SB) 32 and 2017 Scoping Plan (target: 40 percent reduction below 1990 by 2030)
- Executive Order B-55-18
 - target of carbon neutrality by 2045

- 2022 Scoping Plan
- California Renewables Portfolio Standard
- SB 375
 - consistency with the 2020–2045 Southern California Association of Governments Regional Transportation Plan/Sustainable Communities Strategy)
- Port and City of Los Angeles Plans and Strategies
- San Pedro Bay Ports CAAP
 - 40 percent below 1990 GHG emissions levels by 2030
 - 80 percent below 1990 GHG emissions levels by 2050
- City of Los Angeles C&D Waste Recycling Ordinance
- City of Los Angeles' Green New Deal Sustainable City pLAn (4-Year Update to the Sustainable City pLAn)
 - reduce Port-related GHG emissions by 80 percent by 2050
- City of Los Angeles General Plan, Mobility Element
- City of Los Angeles Green Building Code, Title 24

Several state, regional, and local plans have been developed which set goals for the reduction of GHG emissions over the next few years and decades, but no regulations or requirements have been adopted by relevant public agencies to implement those plans for specific projects, within the meaning of CEQA Guidelines Section 15064.4(b)(3)². However, there are GHG emissions reduction measures contained in state and local plans, strategies, policies, and regulations that directly or indirectly affect the proposed Project's construction and operation GHG emissions source sectors or specific types. This informational item will be discussed further in the EIR.

4.9 Hazards and Hazardous Materials

- a. Would the project create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials?

Less-than-Significant Impact. Construction activities associated with the proposed Project are not likely to involve the use of substantial quantities of hazardous materials. The most likely source of hazardous materials would be from vehicles and construction equipment at the Project site. However, there could be small amounts of hazardous materials, principally fuels, solvents, and lubricants stored or used in construction equipment, at the Project site during construction. The storage and use of those hazardous materials would comply with Federal and state regulations, the State General Permit for Storm Water Discharges Associated with Construction Activity, and a Project-specific Storm Water Pollution Prevention Plan. SWPPP requirements could include, but are not limited to, controls for vehicle and equipment fueling and maintenance; material delivery, storage, and use; spill prevention and control; and solid and hazardous waste management. Implementation of

² Center for Biological Diversity v. Cal. Dept. of Fish and Wildlife [Newhall Ranch] [2015] 62 Cal.4th 204, 223.

these construction standards would minimize the potential for an accidental release of petroleum products, hazardous materials, and/or explosion that could create a significant hazard during construction activities at the Project site. Demolition of the existing timber wharf would generate several tons of creosote-and/or other-treated wood. That material would be handled in accordance with applicable regulations and disposed of at a landfill approved to receive such material.

As construction would comply with applicable laws and regulations governing hazardous materials, construction would not create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials.

Operations involving the loading and unloading of each vessel are expected to remain substantially the same as existing conditions, i.e., the loading and unloading of petroleum products to and from barges and ships. The proposed Project would accommodate approximately 58 additional vessels per year compared to baseline conditions, or approximately one additional vessel call per week. However, as described below, the additional vessel traffic would not substantially increase the risk of hazardous materials releases because of the numerous measures in place to ensure safe operation of marine vessel traffic and reduce the potential for releases should accidents occur. Furthermore, operation of the MOT, including product storage and pipeline transfers to landside facilities, would take place in a MOTEMS-compliant facility, which would be a safer context than baseline conditions. Accordingly, the proposed Project would not substantially increase hazards to people or property through the release of hazardous materials.

Accidental releases or explosions of hazardous materials could occur from vessels in transit to and from the terminal as a result of collisions with other vessels or allisions with fixed structures, or while at berth as a result of accidental releases during vessel loading and unloading. Factors that reduce the probability and consequences of accidental releases include, but are not limited to:

- Spill prevention and response measures;
- Double-hulled tank vessels;
- Vessel traffic separation and control systems; and
- Petroleum product handling measures.

Spill prevention and response measures are included in Phillips 66 facilities' Spill Prevention, Control, and Countermeasure (SPCC) Plans, as required under the Oil Pollution Act of 1990 (OPA; 33 CFR 157.10d), and would ensure that any release is handled quickly and results in minimal adverse effects (Phillips 66 2020).

The existing regulatory framework described above and the navigational procedures in place at the Port (see below) would continue to minimize the proposed Project's potential for accidents that could result in a release of product during transport. For example, the vessel traffic lanes that have been established off the coast of California are separated by a zone where vessel transit is to be avoided, thereby minimizing the potential for collisions between vessels traveling in opposite directions. As tank vessels approach the Port Complex, they leave the established traffic lanes and enter the Precautionary Area, where speed limits are in effect, and as the vessels approach within two nautical miles of Point Fermin even lower speed limits apply. In addition, Port Pilots navigate the vessels within the

breakwater, and tank vessels must be tug assisted. These navigational safety requirements and practices minimize the potential for collisions, allisions, or groundings that could result in the context of a product spill. Thus, although the proposed Project would increase vessel traffic, with the existing navigational safety requirements and practices, the proposed Project is not expected to substantially increase the likelihood or consequences of a release during navigation.

Spills of petroleum products from barges and tank vessels at berth and from marine oil terminals in the Los Angeles Harbor are infrequent and their consequences have been minor. Furthermore, the continued use of double-hulled tank vessels (mandated by the International Maritime Organization's regulation 19 of MARPOL Annex 1) and the spill response systems that are in place would limit the potential sizes and consequences of any spills that do occur. The purpose of the proposed Project is to increase the safety of product transfer operations at MOTs. The new loading platform, mooring dolphins, and berthing dolphins would be more capable of withstanding vessel movements and seismic events than the existing wharf and dolphins, as they would incorporate components of the mooring systems advocated by the CSLC for MOT projects under MOTEMS, including tension-monitoring systems and triple quick-release hooks. The proposed Project would replace existing loading hoses and pipelines with modern articulated arms that would reduce the potential for rupture or leakage during product transfer. In addition, when tankers are being unloaded at the terminal, inert gas systems are used to prevent explosive conditions from forming in the vessel tanks. During loading, the vapor control unit (VCU) would capture any vapors that are displaced from the vessel tanks, thereby preventing explosive conditions. Accordingly, although the proposed Project would handle larger quantities of hazardous materials than under baseline conditions (see Table 2-1), the additional safety and control measures in place under the proposed Project as described above would prevent an increase in the risk of releases, fires, or explosions.

The proposed Project will result in an increase in the number of tanker truck trips transporting product to and from the Project site of up to 346 trips per year (an average of less than one additional trip per day as compared to over 10,000 truck trips per day for all Port facilities³). Accordingly, the proposed Project would not substantially increase the likelihood of accidents during truck transport.

In summary, construction and operation of the proposed Project would not substantially increase the frequency or severity, relative to the CEQA baseline, of releases of hazardous materials. Therefore, the proposed Project would not create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials. Impacts would be less than significant and will not be evaluated further in the EIR.

- b. Would the project create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?

Less-than-Significant Impact. The goal of the MOTEMS requirements is to improve safety at California's marine oil terminals. The purpose of the proposed Project is to increase the

³ Total container and non-container terminal truck visits were 4,888,425 in 2021 (POLA, 2022) which averages to approximately 94,000 per week or 13,500 per day based on a 24/7 operating schedule.

safety of product transfer operations at marine oil terminals. The new loading platform, mooring dolphins, and berthing dolphins would be more capable of withstanding vessel movements and loads, wave action, and seismic events than the existing timber wharf, and would be non-flammable, unlike the timber structure. The proposed Project would replace existing loading/unloading hoses and pipelines with modern articulated arms that would further reduce the potential for rupture or leakage during product transfer.

Soils and groundwater beneath the Project site are known to be contaminated with various hydrocarbon products and volatile organic compounds including chlorinated solvents. Los Angeles Regional Water Quality Control Board is the oversight agency. One of the groundwater monitoring wells closest to Berth 150 contains light non-aqueous phase liquid (LNAPL) sheen. It is unknown how far this sheen extends towards the Berth 150. If contaminated soils were to be encountered, they would be managed in accordance with standard removal and disposal/treatment protocols. Furthermore, the construction contractor would be required by the construction documents to maintain an oil spill response capability (i.e., containment booms, adsorbent materials, and deployment equipment) at the construction site and to respond appropriately in the event hydrocarbon contamination reaches harbor waters at Berth 150.

Contaminated groundwater beneath the Project site is not expected to pose a risk to the public from proposed Project construction due to the minimal potential for exposure. Construction of the proposed Project would involve driving steel piles on the waterside of the terminal, but open excavation to groundwater would not occur, groundwater would not be drawn or extracted to the surface, and the piles would be capped. Accordingly, installation of piles would not create a significant hazard to the public or the environment related to the release of contaminated groundwater. Landside work would not involve excavation sufficiently deep enough to encounter groundwater, although if contaminated groundwater were to be encountered, it would be managed in accordance with standard removal and disposal/treatment protocols. With implementation of these measures, impacts of construction related to the release of contaminated groundwater would be less than significant, and no mitigation is required.

The proposed Project would allow the Project site to continue to accommodate vessels and the Phillips 66 Terminal to continue to accommodate trucks transporting hazardous materials (i.e., liquid bulk cargo). Because the new loading platform would increase the safety of vessel operations and those operational procedures would be essentially the same as under baseline conditions, operation of the proposed Project would not increase the risk of an accidental spill or upset. Truck traffic will increase by up to 346 trips per year under the proposed Project which represents an average of less than one additional trip per day (as compared to over 10,000 truck trips per day for all cargo facilities at the Port⁴) and thus does not represent a significant increase in accidental hazardous substance release. While the number of vessel calls is expected to increase over the 2021 baseline in the future, this is not anticipated to increase the risk of an accidental spill or risk of upset incident to a

⁴ Total container and non-container terminal truck visits were 4,888,425 in 2021 (POLA, 2022) which averages to approximately 94,000 per week or 13,500 per day based on a 24/7 operating schedule.

significant level given the safety features and spill prevention and response measures described under (a) above.

Accordingly, the proposed Project would not create a significant hazard to the public or the environment through upset and accident conditions involving the release of hazardous materials. The impact would be less than significant and this impact will not be evaluated further in the EIR.

- c. Would the project emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school?

No Impact. There is no existing or proposed school located within 0.25 mile of the Project site. All schools are at least one mile away. Therefore, there would be no impact and this impact will not be evaluated further in the EIR.

- d. Would the project be located on a site that is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5 and, as a result, would it create a significant hazard to the public or the environment?

Less-than-Significant Impact. The provisions in Government Code Section 65962.5 are commonly referred to as the "Cortese List" (after the Legislator who authored the legislation that enacted it). Because this statute was enacted over 20 years ago, some of the provisions refer to agency activities that were conducted many years ago and are no longer being implemented; and, in some cases, the information to be included in the Cortese List does not exist. While Government Code Section 65962.5 references the preparation of a "list," many changes have occurred related to web-based information access since 1992 and this information is now largely available on the Internet sites of the responsible organizations. The California Environmental Protection Agency (CalEPA) has identified the following data resources that provide information regarding facilities or sites identified as meeting the "Cortese List" requirements (CalEPA, 2023).

List of Hazardous Waste and Substances sites from Department of Toxic Substances Control (DTSC) EnviroStor database;

List of Leaking Underground Storage Tank Sites by County and Fiscal Year from State Water Board GeoTracker database;

List of solid waste disposal sites identified by the State Water Resources Control Board (SWRCB) with waste constituents above hazardous waste levels outside the waste management unit;

List of "active" Cease and Desist Orders and Cleanup and Abatement Orders from the State Water Board; and

List of hazardous waste facilities subject to corrective action pursuant to Section 25187.5 of the Health and Safety Code, identified by DTSC.

The Project site is not listed in any of these databases (CalEPA, 2023). Accordingly, construction and operation of the proposed Project would not create a significant hazard to the public or the environment as a result of being included on the Cortese list. Therefore, the impact would be less than significant and this impact will not be evaluated further in the EIR.

- e. For a project located within an airport land use plan or, where such a plan has not been adopted, within 2 miles of a public airport or public use airport, would the project result in a safety hazard or excessive noise for people residing or working in the project area?

No Impact. The Project site is not located within an airport land use plan or within two miles of a public airport or a public use airport. The closest airport is Zamperini Field in Torrance, approximately five miles from the Project site. The Long Beach Airport and Los Angeles International Airport are approximately eight miles and 15 miles, respectively, from the Project site. The proposed Project would have no effect related to public airports. Accordingly, there would be no impact and this impact will not be evaluated further in the EIR.

- f. Would the project impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan?

Less-than-Significant Impact. The Project site is currently used for the handling and transport of oil and fuel products. Proposed Project construction would occur within the Project site boundaries and is not expected to affect emergency response or evacuations. As part of standard procedure for activities occurring on Port property, as well as within the Port area, the contractor would coordinate with the Port Police, Los Angeles Police Department, and fire protection/service providers, as appropriate, on traffic management issues and any Port improvement plans occurring in the vicinity. Traffic control equipment would be in place to direct local traffic around the work area if necessary.

An emergency response action plan (Phillips 66 2019) has been prepared for the existing Phillips 66 MOT that provides detailed procedures, including evacuation, to be followed in the event of an emergency at either terminal. Procedures include:

- Sounding an alarm.
- Following terminal emergency notification processes.
- Dispatching on-call emergency responders to the marine terminal.
- Notifying regulatory agencies if required based on type of emergency (i.e., spill, fire, etc.).
- Calling 911.
- Shutting down loading, unloading, pipeline, and marine operations.
- Evacuating trucks from the facility.
- Diverting incoming trucks or vessels to a safe distance from the facility.
- Evacuating all personnel to a safe distance.

During operation of the proposed Project, the terminal's emergency response plans and those of U.S. Coast Guard, Port Police, and Los Angeles Fire are employed as necessary in accordance with the Port's Risk Management Plan and MOTEMS requirements. The proposed Project would implement the most recent engineering standards required by MOTEMS for the design and maintenance of MOTs to better protect public health, safety and the environment. Because operational activities would closely resemble existing operations,

they would not impede land-based emergency responses to the terminal nor would they necessitate changes to the terminal's emergency response plan. As a consequence, operations under the proposed Project would not result in adverse physical impacts on the environment that could interfere with emergency responses.

The proposed Project would comply with MOTEMS requirements and would not impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan. Accordingly, impacts would be less than significant and will not be evaluated further in the EIR.

- g. Would the project expose people or structures, either directly or indirectly, to a significant risk of loss, injury, or death involving wildland fires?

No Impact. The proposed Project is located within a highly developed Port complex and no wildland areas are located at or near the Project sites. The Project sites are not located within a designated Wildland Fire Hazards zone (City of Los Angeles 1996). Therefore, the proposed Project would not expose people or structures to a significant risk of loss, injury, or death involving wildland fires. No impacts would occur, and this impact will not be evaluated further in the EIR.

4.10 Hydrology and Water Quality

- a. Would the project violate any water quality standards or waste discharge requirements or otherwise substantially degrade surface or ground water quality?

Less-than-Significant Impact. Construction of the proposed Project could result in sediment resuspension during wharf demolition, pile installation, platform construction, and possible clean-up dredging. The construction contractor must comply with water quality requirements in permits issued from the LARWQCB (such as Waste Discharge Requirements/Section 401 Water Quality Certification). Demolition of the existing timber wharf is not expected to result in a substantial release of contaminants to the water column: although creosote- or other-treated timber debris would be produced, routine precautions would prevent a significant quantity from falling into or remaining in the water. The existing timber piles would either be pulled or cut at the mud line (for piles that cannot be extracted via pulling), which could re-suspend some bottom sediments and create localized and temporary turbidity plumes and associated water quality issues.

In addition to turbidity, re-suspended sediments could result in slightly reduced dissolved oxygen (DO) and pH levels. Those reductions would be brief, lasting for a few days at a time as specific Project elements (e.g., wharf demolition, then pile driving, then clean-up dredging) are implemented, and localized and would therefore not be expected to cause substantial detrimental effects to water quality. Existing sediment contaminants (e.g., metals and pesticides) and plant nutrients could be re-suspended into the water column. As with turbidity, however, any increases in concentrations would be localized and of short duration. The Los Angeles Basin Plan defines biostimulatory substances such as nutrients as "...concentrations that promote aquatic growth to the extent that such growth causes nuisance or adversely affects beneficial uses" (LARWQCB 1994). Given the limited spatial and temporal extent of construction activities with the low potential for releasing nutrients

from bottom sediments, substantial adverse effects on beneficial uses of Harbor waters would not be expected to occur.

The new steel piles would be lowered through the water column and then driven into the seafloor with vibratory and hammer methods. Pile installation could re-suspend some bottom sediments, thereby creating localized and temporary turbidity plumes and associated water quality issues similar to those discussed above. As discussed above, any such increases in turbidity, sediment contaminants, or nutrients would not result in substantial adverse effects on beneficial uses of harbor waters or result in violations of water quality standards.

There is a potential for sediment along the existing slope to slough off and settle along the harbor bottom. No clean-up dredging would be needed if the authorized -35 feet MLLW elevation is met; however, the construction would include a determination of whether high spots exist, and if that occurs, up to 2,000 cubic yards of sediments could require removal. The following analysis addresses the water quality issues that would arise if dredging were to be conducted.

The dredging would re-suspend some bottom sediments, create localized and temporary turbidity plumes, and re-suspend sediments over a relatively small area. Suspension of sediments during clamshell dredging occurs during bucket impact, penetration, and removal of the bucket from the sediment, as well as during bucket retrieval through the water column. Receiving water monitoring studies at other dredge sites in the harbor and other water bodies have documented a relatively small turbidity dredge plume that dissipates rapidly with distance from dredging operations (MBC 2001a, b; Anchor Environmental, 2003; USACE and LAHD, 2009; POLA 2009a-i, 2010a-d).

Sediments at Berth 150-151 were tested in November 2018 per standard USEPA/USACE protocol to determine their suitability to be placed at the Berths 243–245 Confined Disposal Facility (CDF) and to evaluate potential water quality impacts during dredging and disposal activities. This standard protocol is a requirement of the USEPA/USACE permitting process and therefore considered a project feature. Sediments were determined by the Dredge Material Management Team to be suitable for placement in the Berths 243-245 CDF. Results indicated that elutriate concentrations were well below Total Threshold Limit Concentration regulatory limits. Therefore, it is likely that dredge material may be suitable for upland disposal. However, final determination on suitability and any additional testing requirements will be made by the USACE as well as the landfill selected to receive the material. For purposes of analyzing Project construction dredging impacts, it is assumed that dredge material would be disposed of at a suitably permitted upland disposal facility rather than at the Berths 243-245 CDF, as this would represent worst case impacts from dredge spoils haul truck traffic and acknowledges that further sediment testing could identify sediments unsuitable for disposal in the Berths 243-245 CDF.

Clean-up dredging for the proposed Project would require a Letter of Permission from the USACE and a Clean Water Act Section 401 Water Quality Certification, including Waste Discharge Requirements (WDRs), from the LARWQCB. The Water Quality Certification would be required to include monitoring requirements necessary to assure compliance with applicable effluent limitations, or any other Clean Water Act limitation, or with any State laws or regulations. Monitoring requirements typically include measurements of water quality

parameters such as DO, light transmittance (turbidity), pH, and suspended solids at varying distances from the dredging operations. During dredging, as a standard practice, if turbidity levels exceed the threshold established in the WDRs, water chemistry analysis would be conducted and the LAHD would immediately meet with the construction manager to discuss modifications of dredging operations to keep turbidity to acceptable levels. Analyses of contaminant concentrations (such as metals, pesticides, and polycyclic aromatic hydrocarbons [PAHs]) in waters during the dredging operations may also be required in the WDRs if turbidity levels are elevated above certain established thresholds. Monitoring data would be used by the Port to ensure that water quality limits specified in the permit are not exceeded. Actions to be taken would include alteration of dredging methods and/or implementation of additional Best Management Practices (BMPs) to limit the size and extent of the dredge plume. Given the limited area that would be affected by dredging activities and the controls in place to minimize adverse effects on water quality, impacts would be less than significant and no mitigation is required.

In addition to water quality effects related to re-suspended sediments, construction could result in spills of fuel, lubricants, or hydraulic fluid from construction equipment and releases of soils and construction debris. However, experience with this type of work in the harbor indicates that such incidences have a very low probability of occurring. Large volumes of chemicals are not used or stored at construction sites. Furthermore, their storage and use would be controlled by the BMPs specified in the Project-specific SWPPP that would be prepared in accordance with the Construction General Permit (CGP), and the USACE and LARWQCB permits. In addition to specifying BMPs for construction activities, the SWPPP would establish efficient responses to spill events to minimize the magnitude of the spill and extent of impacts. Accordingly, spills and other releases of contaminants during proposed Project construction would not substantially affect beneficial uses of harbor waters or result in violations of water quality standards.

The onshore storm drain systems of the Project site would not be modified. Of the Project site's total area of approximately 15.7 acres, approximately 2.2 acres are proposed to be graded and paved while the rest of the Project site is currently paved. Although the current unimproved 2.2 acre dirt surface would be paved over with an impervious surface, the proposed paving would be consistent with the rest of the area that is already paved. On- or off-site runoff would not increase substantially with this additional impervious surface, as paving would tie in with the existing storm drain system. Stormwater from the wharf and access trestle would continue to be managed as under baseline conditions, including percolation into the ground in the unpaved areas and conveyance to the Port's storm drain system from paved areas. The storm drain system at the terminal would continue to comply with National Pollutant Discharge Elimination System (NPDES) requirements regarding discharges and the City's Low Impact Development (LID) requirements. The facility's SWPPPs, with the associated BMPs, would continue to be implemented to manage runoff and prevent impacts to water quality.

Ocean-going vessels utilize hull coatings to prevent algal growth, which can result in leaching of contaminants to harbor waters. Proposed Project operations also have the potential to result in discharges related to risk of upset, accidental discharges, or ballast water discharges to harbor waters, which could be significant. However, procedurally, operation of the proposed Project would be similar to current operations and will adhere to

the Vessel General Permit to reduce the potential of accidental or incidental discharges to harbor waters. Future maintenance at the Project site such as fender and pile replacement or repair could involve minor in-water work that would generate turbidity, but the effects would be localized and of very short duration as described above.

Given the controls that would be implemented during construction and operation, impacts would be less than significant and this impact will not be evaluated further in the EIR.

- b. Would the project substantially decrease groundwater supplies or interfere substantially with groundwater recharge such that the project may impede sustainable groundwater management of the basin?

Less-than-Significant Impact. Groundwater at the Project site is affected by saltwater intrusion (high salinity) and is therefore unsuitable for use as drinking water. Construction would occur primarily in and over harbor waters; the limited landside activities would not adversely affect groundwater recharge because the terminal is not used as a recharge site. They would not adversely affect drinking water supplies because there are none on or near the site. An approximately 2.2-acre parcel would be paved with an impervious surface, which is not anticipated to substantially interfere with groundwater recharge. The proposed Project would not install any new groundwater wells, and groundwater extraction would not occur as part of the proposed Project. Accordingly, the proposed Project would not affect the existing groundwater supplies, drinking water supplies, groundwater recharge facilities, or aquifers. The impact of the proposed Project with respect to groundwater would be less than significant, and this impact will not be evaluated further in the EIR.

- c. Would the project substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river or through the addition of impervious surfaces, in a manner which would:

- (i) result in substantial erosion or siltation on- or off-site?

No Impact. There are no streams or rivers located nearby that would be affected by the proposed Project. The proposed Project would not alter the existing drainage pattern of the site in a manner that would cause substantial erosion. The additional paving of the approximately 2.2-acre site would follow existing drainage patterns and utilize existing drains. Because more than 500 square feet of paving would occur, the proposed Project would also be required to comply with applicable LID requirements that would minimize off-site erosion and siltation. The majority of the Project site is currently developed and paved and, as such, predominantly consists of impervious surfaces. The management of storm water at the two terminals would not change. Construction would comply with the storm water-related requirements in the NPDES Permit, including the use of BMPs, which would minimize the amount of runoff and the potential for substantial erosion or siltation to occur. Therefore, no impacts related to alteration of drainage patterns resulting in erosion or siltation would occur and this impact will not be evaluated further in the EIR.

- (ii) substantially increase the rate or amount of surface runoff in a manner which would result in flooding on- or off-site?

Less-than-Significant Impact. By decreasing the amount of wharf surface at Berths 150-151, the proposed Project would decrease the amount of rainwater runoff from constructed surfaces to harbor waters. Of the Project site's total area of approximately 15.7 acres, approximately 2.2 acres are proposed to be graded and paved. Although the unimproved dirt surface would be paved over with an impervious surface, the proposed amount of paving would be consistent with the rest of the area that is already paved. On- or off-site flooding would not increase substantially with this additional impervious surface, as paving would tie in with the existing storm drain system. Impacts would be less than significant and this impact will not be evaluated further in the EIR.

- (iii) create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff?

Less-than-Significant Impact. The existing storm drain system for the land portion of the terminal would not be affected by the proposed Project and would continue to comply with all discharge requirements imposed by LARWQCB permits. Implementation of the proposed Project includes paving of approximately 2.2 acres. As such, the proposed Project would increase the area of impervious surfaces by approximately 14 percent. The added pavement would connect to existing drainage. The proposed Project would not alter the existing drainage pattern or result in a substantial increase in surface runoff resulting in flooding. Therefore, impacts would be less than significant and will not be evaluated further in the EIR.

- (iv) impede or redirect flood flows?

No Impact. According to the Federal Emergency Management Agency's (FEMA's) Flood Hazard Map FM06037C1944G,⁵ the Project site is located in Zone AE, which is identified as a Special Flood Hazard Area subject to inundation by the one percent annual chance flood (also known as the base flood), which has a one percent chance of being equaled or exceeded in any given year. The new loading/unloading platform at Berth 150-151 would be located at the same location and height as the existing wharf and would not impede or redirect flood flows. No structures would be built on land that would alter the site's performance in floods with respect to flood flows. The grading of the unimproved surface would not substantially affect flood flows. As discussed in Section 4.10(c)(ii), new pavement would connect to the existing storm drainage system, maintaining existing drainage patterns of the site. Therefore, the proposed Project would neither impede nor redirect flood flows and there is no impact. This impact will not be evaluated further in the EIR.

- d. Would the Project, in flood hazard, tsunami, or seiche zones, risk release of pollutants due to project inundation?

Less-than-Significant Impact. Tsunamis are high, long-period sea waves caused by earthquakes, submarine landslides, or other large disturbances that, when they reach land, cause water level to rise and can cause devastating flooding. Seiches are water waves that surge back and forth in an enclosed basin; seiches can result from earthquakes or other disturbances such as high winds. A computer model of Los Angeles-Long Beach harbor

⁵ <https://hazards-fema.maps.arcgis.com/apps/webappviewer/index.html?id=8b0adb51996444d4879338b5529aa9cd>

that assessed tsunami and seiche scenarios determined that in each case modeled, impacts from a tsunami were equal to or more severe than those from a seiche (Moffatt and Nichol, 2007). As a result, the discussion below refers to tsunamis as the worst case of potential impacts; potential impacts related to seiches would be the same as or less than those identified below. In addition, this discussion considers the impacts of 100-year storm tides combined with projected sea level rise.

According to the City of Los Angeles Safety Element of the General Plan (City of Los Angeles, 1996), the Project site is within an area susceptible to impacts from a tsunami and subject to possible inundation. However, the Tsunami Hazard Assessment for the Ports of Los Angeles and Long Beach (Moffatt and Nichol, 2007) concluded on the basis of modeling that, given the existing seismicity, geodetics, and geology, a large, locally generated tsunami affecting the Port Complex would likely not occur more than once every 10,000 years. Under the maximum future tsunami scenarios, the Port Complex model predicts a maximum tsunami wave height of 9.1 feet along the East Basin Channel near the Project site (Moffatt and Nichol, 2007, Table 4-1).

With respect to potential flood hazard due to potential sea level rise, Assembly Bill (AB) 691 required POLA, as a local trustee of the lands granted by the CSLC, to address the impacts of Sea Level Rise (SLR) for all of its granted public trust lands. Per that requirement, POLA's Engineering Division developed a Sea Level Rise Adaptation Study (LAHD 2018b). The study identifies all areas of Port property and estimates potential increased water intrusion/flooding due to SLR in 2030, 2050 and in 2100, nearly 80 years from present.

According to the National Oceanic and Atmospheric Administration (NOAA), sea level rise of approximately 4 inches has occurred in Los Angeles County over the past 100 years (NOAA, 2022). The Port's report estimates that sea level could rise above the level observed in 2000 by up to an additional 12 inches between 2000 and 2030 and between 37 inches (the mid-point estimate) to as much as 66 inches by 2100. The area specifically referenced for Berths 148-151 indicates that SLR alone would not cause permanent inundation or shoreline overtopping until it reaches 66 inches (the high-range prediction for 2100). Accordingly, SLR alone would not threaten the landside facilities at the Project site during the maximum 40-year facility lease period. However, under 100-year storm tide conditions, shoreline overtopping and temporary flooding could occur with 24 inches of SLR (the prediction for the year 2050; see LAHD 2018b, Section 4 figures, page 28). The Port's study (LAHD, 2018b) predicts a maximum storm tide would raise water levels approximately 2.6 feet above Mean Higher High Water (MHHW). Accordingly, extreme storm events coupled with projected SLR could cause temporary flooding of backland facilities, with concomitant interruption of terminal activities. Access roads on Pier A would not be susceptible to damage as a result of temporary flooding unless high flood water velocities occurred. Furthermore, although vehicle traffic would be blocked by water depths of more than a few inches, vehicle movement should be able to resume quickly after waters have receded.

The construction of facilities at adequate elevations and the incorporation of emergency planning in accordance with current state and City regulations minimizes damage to structures and injury to personnel from flooding or inundation. A Port-wide emergency notification system provides phone/text/email notification of tsunami warnings or other

emergency situations. Furthermore, the existing terminals have emergency response plans that mention natural disasters, including tsunamis, to identify necessary procedures in the event a tsunami warning is issued. The plan directs terminal staff to drain and disconnect cargo lines, secure the terminal, and if time permits, allow berthed vessels to depart prior to the arrival of a tsunami. The procedures identify priorities including the safety of life for terminal and vessel staff, limitation/mitigation of environmental impact from oil spills, and limitation/mitigation of damage to the MOT. The tsunami plan would remain in effect under the proposed Project.

Construction and operation of the proposed Project would not increase the potential for release of pollutants due to tsunami or storm tide flooding damage. Under the proposed Project, the vessel berthing and loading/unloading facilities would be improved to meet MOTEMS safety standards, thereby reducing the risk of product release in the very unlikely event of inundation. The terminals' product-handling facilities would remain largely as under existing conditions, so that the risk of product release would not be increased. Therefore, the proposed Project would not increase risks associated with the release of pollutants due to tsunami or seiche.

As described above, the proposed Project would not increase the potential for a tsunami, seiche, or storm tide to cause inundation at the Phillips 66 marine oil terminal that could increase the risk of a release of pollutants. Accordingly, impacts would be less than significant and this impact will not be evaluated further in the EIR.

- e. Conflict with or obstruct implementation of a water quality control plan or sustainable groundwater management plan?

No Impact. Responsibility for the protection of surface water and groundwater quality in California rests with the SWRCB and nine Regional Water Quality Control Boards (RWQCB). Region-specific water quality regulations are contained in Water Quality Control Plans that recognize regional beneficial uses, water quality characteristics, and water quality problems. The Project area is not located in an area designated for a water quality control plan or sustainable groundwater management plan. Therefore, the proposed Project would not interfere with any water quality or groundwater management plan. No impacts would occur, and this impact will not be evaluated further in the EIR.

4.11 Land Use and Planning

- a. Would the project physically divide an established community?

No Impact. The proposed Project is located in a heavy industrial area of the Port that does not contain any established communities. The nearest residential receptor community is an apartment complex on N. Harbor Blvd. in San Pedro, approximately 3,500 feet south-west of the Project site. The proposed Project would be confined to the existing MOTs at the Project site and would not physically divide an established community. Therefore, no impacts involving physically dividing an established community would occur with the implementation of the proposed Project and this impact will not be evaluated further in the EIR.

- b. Would the project cause a significant environmental impact due to a conflict with any land use plan, policy, or regulation adopted for the purpose of avoiding or mitigating an environmental effect?

No Impact. The location of the Project site is described in Section 2.1. Land uses in the vicinity of the Project site consist of marine cargo terminals and access roads.

As noted in Section 2.1.3, the Project site is governed by two land use plans: the Port of Los Angeles Master Plan, developed in conformance with the California Coastal Act, and the Port of Los Angeles Plan portion of the City of Los Angeles General Plan.

The Port of Los Angeles Plan is part of the City of Los Angeles General Plan Land Use Element, which serves as the guide for the continued development and operation of the Port (City of Los Angeles, 1982). The Project site has a Non-Hazard Industrial and Commercial land use designation and is zoned [Q] M3-1 (Qualified-Heavy Industrial) by the City of Los Angeles Zoning Ordinance. The [Q] designation restricts uses to General Cargo, limited Port-related commercial, industrial, and support uses. The proposed Project would provide for the continuation of the existing use, which is consistent with the [Q] M3-1 zoning of the site. The continuation of the MOT use at the Project site would be consistent with the surrounding uses, which are also port-related.

Because the continuation of the MOT use would not represent a change in use and would be consistent with applicable land use plans and land use designations, including the Port Master Plan, Port of Los Angeles Plan, and zoning code, the proposed Project would not conflict with any applicable land use plan, policy, or regulation. Therefore, there would be no impact and this impact will not be evaluated further in the EIR.

4.12 Mineral Resources

- a. Would the project result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the State?

No Impact. The proposed Project is located within the Port. According to the California Department of Conservation Division of Mines and Geology mineral resource maps, the nearest mineral resources area is located over 25 miles away in the San Gabriel Valley (California Department of Conservation, 2023).

According to the City of Los Angeles General Plan Safety Element and the California Department of Conservation, Geologic Energy Management Division (CalGEM), the Project site is located just beyond the southwestern border of the Wilmington Oil Field but over a mile from the edge of the major drilling area (California Department of Conservation, 2021). There are no active oil wells on the Project site. Because the proposed Project would not be located within an active oil drilling area and because construction would occur at the ground surface or at shallow depths relative to the oil field, no impacts to mineral resources are anticipated. Therefore, no impacts related to the loss of availability of a known valued mineral resource would occur with the implementation of the proposed Project and this impact will not be evaluated further in the EIR.

- b. Would the project result in the loss of availability of a locally important mineral resource recovery site delineated on a local general plan, specific plan, or other land use plan?

No Impact. According to the City of Los Angeles General Plan Safety Element and the California Department of Conservation, Geological Energy Management Division, the Project site is located just beyond the southwestern border of the Wilmington Oil Field but over a mile from the edge of the major drilling area (California Department of Conservation, 2021). The proposed Project would be entirely confined to the Project site and would therefore not result in the loss of availability of a mineral resource recovery site. Therefore, no impact to the availability of a mineral resource would result from construction and operation of the proposed Project and this impact will not be evaluated further in the EIR.

4.13 Noise

- a. Would the project result in generation of a substantial temporary or permanent increase in ambient noise levels in the vicinity of the project in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?

Less-than-Significant Impact. The City regulates construction noise via the Los Angeles Municipal Code (LAMC, Chapter IV, Article 1, Section 41.40; Chapter XI, Article 2, Section 112.05). Under the noise provisions, construction equipment noise levels are limited to a maximum noise level of 75 dBA (A-weighted decibel) if located within 500 feet of any residential zone of the City, if technically feasible, and construction is limited to Monday through Saturday exclusive of holidays. However, major public works projects conducted by the City are exempt from this Sunday and holiday restriction, and construction in districts zoned for industrial uses, such as the Project site, is exempt from all noise provisions. The nearest residential area (apartment complex on N. Harbor Blvd. in San Pedro) to the wharf construction site is approximately 3,500 feet away. Therefore, the proposed Project would not be subject to the maximum noise limits or time restrictions in the LAMC.

The L.A. CEQA Thresholds Guide (City of Los Angeles, 2006) does not require a full noise evaluation if construction is not located within 500 feet of a residential zone. Since no residential area is located within 500 feet of the Project site, no quantitative analysis was completed.

Although the proposed Project could accommodate an increase in the annual number of vessel calls to the Phillips 66 terminal, only a single vessel could berth at the terminal at any given time as is the case under current operating conditions. Accordingly, noise from vessel operations would not increase above baseline levels. The proposed Project could result in an increase the number of trucks visiting the Project site amounting to an average of fewer than one additional trip per day during operations. However, the closest residential receptors are located two-thirds of a mile away. Therefore, there would be no substantial increase in operational truck noise and in any case, truck noise across that distance would be attenuated to below local noise ordinance thresholds. Accordingly, impacts would be less than significant and will not be evaluated further in the EIR.

- b. Would the project result in generation of excessive groundborne vibration or groundborne noise levels?

Less-than-Significant Impact. Construction equipment and activities associated with the proposed Project, such as drill rigs, pile installation and driving equipment, compaction equipment, and haul trucks, would generate vibrations that could result in groundborne

noise or vibration. Transient vibration levels greater than 0.5 inches per second (in/sec) and continuous/frequent intermittent vibration levels greater than 0.3 in/sec have the potential to damage older residential structures. Transient vibration levels greater than 2.0 in/sec, or continuous sources greater than 0.4 in/sec, would cause severe annoyance to a human (Caltrans, 2013b). In addition, continuous vibration levels of 0.08 in/sec would be “readily perceptible” to humans, whereas transient vibration levels of 0.035 in/sec would be “barely perceptible” to humans.

A quantitative analysis of vibration levels was not conducted for the proposed Project because relevant data are available from a previous analysis performed for a nearly identical project located at Berths 168-169, approximately 0.2 miles west of the proposed Project (LAHD 2018c). The analysis showed that construction of that project would produce vibration levels up to approximately 0.02 in/sec at the closest residences. That level is well below the thresholds established by Caltrans (2013b). Given its similarity and proximity to the project at Berths 168-169, construction of the proposed Project would produce substantially similar vibration levels. Accordingly, impacts would be less than significant.

Operation of the proposed Project would not result in a substantial increase in groundborne vibrations or noise levels. The proposed Project could result in an increase of the number of trucks visiting the Project site amounting to an average of fewer than one additional trip per day during operations. However, the closest residential receptors are located two-thirds of a mile away. Due to the site’s distance from sensitive and residential receptors, operations would not result in vibration that would exceed local ordinance thresholds. Therefore, impacts of operations would be less than significant and will not be evaluated further in the EIR.

- c. For a project located within the vicinity of a private airstrip or an airport land use plan or, where such a plan has not been adopted, within 2 miles of a public airport or public use airport, would the project expose people residing or working in the project area to excessive noise levels?

No Impact. The Project sites are not located within an airport land use plan or within 2 miles of a public airport or public use airport. Accordingly, the proposed Project would not expose people residing or working in the area of the Project sites to excessive noise related to a public or private airport or airstrip. Therefore, no impacts would occur, and this impact will not be evaluated further in the EIR.

4.14 Population and Housing

- a. Would the project induce substantial unplanned population growth in an area, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure)?

No Impact. The proposed Project would not establish new residential uses within the Port, require extension of roads or other growth-accommodating infrastructure, or result in the relocation of substantial numbers of people from outside of the region. Therefore, the proposed Project would not directly or indirectly induce substantial population growth

through extension of roads or other infrastructure. No impacts would occur, and this impact will not be evaluated further in the EIR.

- b. Would the project displace substantial numbers of existing people or housing, necessitating the construction of replacement housing elsewhere?

No Impact. There is no housing within the Project sites or immediate vicinity that would be displaced as a result of the proposed Project. No replacement housing associated with implementation of the proposed Project would be needed. Therefore, no impacts would occur, and this impact will not be evaluated further in the EIR.

4.15 Public Services

Would the project result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times, or other performance objectives for any of the public services:

- a. Fire protection?

Less-than-Significant Impact. The City of Los Angeles Fire Department (LAFD) provides fire protection and emergency services to the Project site and surrounding area. LAFD facilities in the Port include land-based fire stations and fireboat companies. The nearest station with direct fireboat access is Fire Station No. 112, located about one mile south-southwest of the Project site. This station is equipped with a single engine company and one boat (Fire Boat No. 2). The next closest station is Fire Station No. 49, a travel distance of approximately 1.4 miles to the terminal. This station is equipped with a single engine company and two boats (Fire Boats Nos. 3 and 4) at Berth 194. Fire Station No. 38, located at 124 East I Street, approximately 2.2 miles north of the site, would provide fire service by land.

Construction of the proposed Project would not increase the need for expanded services. Further, construction would occur within the Project site and harbor and would not affect service ratios, response times, or other performance objectives of the LAFD.

The proposed Project would implement the most recent engineering standards related to fire suppression equipment in compliance with MOTEMS High Fire Hazard Classification requirements. Further, the proposed Project improvements would, as a standard practice, be reviewed by the LAFD, and any recommendations would be incorporated into proposed Project design. Operation of the proposed Project would not result in a substantial increase in demand for LAFD personnel, equipment, facilities, or firefighting capabilities, nor would it affect response times that could lead to a substantial adverse physical impact.

Construction activities would include implementation of standard safety requirements, including preparation of an emergency response plan and coordination with emergency service providers, including the LAFD. Accordingly, construction of the proposed Project is not expected to result in an increase in demand for LAFD personnel, equipment, facilities, or firefighting capabilities, nor would it affect response times which could lead to a substantial adverse physical impact.

Operation of the proposed Project would comply with MOTEMS fire safety requirements and the state and city fire codes, standards and regulations, and would not increase the demand for fire protection services. Therefore, impacts associated with fire protection services would be less than significant and this impact will not be evaluated further in the EIR.

b. Police Protection?

Less-than-Significant Impact. The Los Angeles Harbor Department Port Police (Port Police) and the Los Angeles Police Department (LAPD) both provide police services to the Port. The Port Police is the primary law enforcement agency within the Port and is responsible for patrol and surveillance within the Port property boundaries, including Port-owned properties within the communities of Wilmington, San Pedro, and Harbor City. The Port Police maintains 24-hour land and water patrols and enforces federal, state, and local public safety statutes, Port tariff regulations, as well as environmental and maritime safety regulations. The LAPD Harbor Division is located at 2175 John S. Gibson Boulevard in San Pedro, which is approximately 1.1 miles east of the proposed Project.

The proposed Project would not substantially alter terminal activities and would not increase long-term employment or result in indirect growth that would result in need for additional police protection. Accordingly, the proposed Project would not increase the demand for additional law enforcement officers and/or facilities such that the Port Police or LAPD would not be able to maintain an adequate level of service without additional facilities. Therefore, impacts on police protection services from implementation of the proposed Project would be less than significant and this impact will not be evaluated further in the EIR.

c. Schools?

No Impact. The demand for new schools is generally associated with increases in the school-aged population or decreases in the accessibility and availability of existing schools. The proposed Project would not involve schools or include residential development that could increase school age population. Therefore, no impacts would occur, and this impact will not be evaluated further in the EIR.

d. Parks?

No Impact. The proposed Project would not include the creation of new parks or reduction in existing park facilities. In addition, proposed Project improvements would be confined to the Project site and would not induce population growth that could result in increased demand for parks beyond that which currently exists. Therefore, no impacts would occur, and this impact will not be evaluated further in the EIR.

e. Other Public Facilities?

Less-than-Significant Impact. USCG is a federal agency responsible for a broad range of regulatory, law enforcement, humanitarian, and emergency response duties. The USCG mission includes maritime safety, maritime law enforcement, protection of natural resources, maritime mobility, national defense, and homeland security. USCG's primary responsibility is to ensure the safety of vessel traffic in the channels of the Port and in coastal waters. The 11th USCG District maintains a post on Terminal Island. The proposed

Project would implement the most recent engineering standards required by the MOTEMS for the design and maintenance of marine oil terminals to better protect public health, safety, and the environment at an existing liquid bulk terminal and would not result in impacts to USCG facilities or operations.

The proposed Project would potentially result in an increase in annual vessel calls from a baseline of 313 calls to 371 calls. As this increase of 58 vessel calls is insubstantial relative to total vessel traffic in the Port (1,863 vessel calls in 2021) (LAHD 2022), the operation of vessel traffic safety facilities such as the Marine Exchange and the Vessel Traffic Information System would not be adversely affected. No expansion of the Vessel Traffic Information System or other vessel safety systems and programs in the USCG's purview would be needed. Therefore, the proposed Project would not result in an increase in demand for other public facilities that could lead to a substantial adverse physical impact. Impacts would be less than significant, and this impact will not be evaluated further in the EIR.

4.16 Recreation

- a. Would the project increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facility would occur or be accelerated?

No Impact. The proposed Project would not directly or indirectly result in physical deterioration of parks or other recreational facilities because it is not near any such facilities and would not induce population growth that would increase use of recreational facilities. Therefore, no impact would occur, and this impact will not be evaluated further in the EIR.

- b. Does the project include recreational facilities or require the construction or expansion of recreational facilities, which might have an adverse physical effect on the environment?

No Impact. The proposed Project would not include recreational facilities or new residential development that would require construction or expansion of existing recreational facilities. Therefore, no impact would occur, and this impact will not be evaluated further in the EIR.

4.17 Transportation

- a. Would the project conflict with a program plan, ordinance or policy addressing the circulation system, including transit, roadway, bicycle, and pedestrian facilities?

No Impact. The 2020 Los Angeles Department of Transportation (LADOT) Transportation Assessment Guidelines state that a project that “generally conforms with and does not obstruct the City’s development policies and standards will generally be considered to be consistent” and not in conflict. The 2020 LADOT Transportation Assessment Guidelines include three screening criteria questions to help determine whether a project conflicts with City of Los Angeles circulation system policies. If the answer is “no” to all of the following questions, a “no impact” determination can be made for this threshold (LADOT 2020).

- (i) Does the project require discretionary action that requires the decision maker to find that the project would substantially conform to the purpose, intent, and provisions of the general plan?

The proposed Project requires approval by the Board of Harbor Commissioners, which is a discretionary action. However, this discretionary action does not require the decision maker to amend any project component to conform to the purpose, intent, or provision of any existing general plan. Therefore, the proposed Project would comply with all required City of Los Angeles circulation system policies and does not deviate from any general plan.

- (ii) Is the project known to directly conflict with a transportation plan, policy, or program adopted to support multimodal transportation options or public safety?

The proposed Project would not alter existing transportation routes or transportation options, nor would it alter public access Direct landside access to the Project site is provided via Pier "A" Street. The proposed Project would not require any modifications or closures to the public right-of-way. There would be no in-street construction activities. Therefore, the proposed Project would not directly conflict with a transportation plan, policy or program adopted to support multimodal transportation options or public safety.

- (iii) Is the project required to or proposing to make any voluntary or required modifications to the public right-of-way (e.g., dedications and/or improvements in the right-of-way, reconfigurations of curb line)?

The proposed Project does not include any modifications to existing roadways that support current or future bike lanes or bus stops and is not required to make any voluntary or required modifications to the public right-of-way. The proposed Project does not include dedications or physical modifications to the public right-of-way, nor is it required.

The proposed Project has no impact based on the above three criteria. Therefore, no impacts would occur, and this impact will not be evaluated further in the EIR.

- b. Would the project conflict or be inconsistent with CEQA Guidelines Section 15064.3, subdivision (b)?

No Impact. CEQA Guidelines Section 15064.3 subdivision (b), provides criteria for analyzing transportation impacts. The guidelines state that a significant impact may occur if vehicle miles traveled (VMT) exceed an applicable threshold of significance.

The intent of CEQA Guidelines Section 15064.3 and Threshold T-2.1 in the 2020 LADOT Transportation Assessment Guidelines is to assess whether a land use or office project would have a potential impact on transportation. Per the 2020 LADOT Transportation Assessment Guidelines, two screening criteria questions must be answered to determine consistency with CEQA Guidelines Section 15064.3. If the answer is "no" to either question, then further analysis is not required and a "no impact" determination can be made for this threshold.

- (i) Would the land use project generate a net increase of 250 or more daily vehicle trips?

- (ii) Would the project generate a net increase in daily VMT?

The LADOT threshold of 250 daily vehicle trips was proposed for automobiles (the Office of Planning and Research [OPR] does not require VMT analysis of commercial trucks in CEQA documents). OPR has confirmed that heavy-duty truck trips do not need to be included in this transportation analysis but need to be analyzed in other resource areas, such as air quality, GHG emissions, energy, and noise (OPR 2020).

Construction of the proposed Project would generate approximately 52 worker vehicle trips during a peak day, and operation would not generate more automobile vehicle trips than under baseline conditions because there would be no additional employees during a peak day (not including heavy-duty trucks). Therefore, the proposed Project would not generate a net increase of 250 or more daily vehicle trips (i.e., automobile or light-duty vehicle trips) during construction or operation. Therefore, no impacts would occur and this impact will not be evaluated further in the EIR.

- c. Would the project substantially increase hazards due to a geometric design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)?

No Impact. The 2020 LADOT Transportation Assessment Guidelines provide two screening criteria questions that must be answered to assess whether the Project would result in impacts due to geometric design hazards or incompatible uses.

- (i) Is the project proposing new driveways or introducing new vehicle access to the property from the public right-of-way?
- (ii) Is the project proposing to, or required to, make any voluntary or required modifications to the public right-of-way (e.g., street dedications or reconfigurations of curb line)?

The proposed Project is not proposing new driveways or introducing new vehicle access to the Project sites from the public right-of-way. Also, as previously discussed, the proposed Project is not proposing or required to make any voluntary or required modifications to the public right-of-way. Therefore, no impacts would occur, and this impact will not be evaluated further in the EIR.

- d. Would the project result in inadequate emergency access?

Less-than-Significant Impact. The proposed Project would not alter the existing configuration of local access roads or block an access point. Although Project operations could result in a small increase in truck traffic averaging less than one additional trip per day, traffic patterns would not be altered, and emergency access would remain adequate. Therefore, impacts would be less than significant. This impact will not be evaluated further in the EIR.

- e. Would the project result in a change in marine vessel traffic patterns, including either an increase in traffic levels or a change in location that results in substantial safety risks?

Less-Than-Significant Impact. An increase in vessel traffic of up to 58 vessels per year as the proposed Project is anticipated to occur, but it would constitute a small fraction of

anticipated future Port vessel traffic. For example, in calendar year 2021 the Port received 11,863 vessel arrivals (LAHD 2022). Accordingly, traffic to and from Berths 148-151 would be too infrequent to interfere with USCG emergency measures related to shipping activity or with fireboat access to Fire Stations No. 112 or No. 49. Furthermore, since Berths 150-151 are situated at the southern end of Pier “A” Street along the Turning Basin waterfront, there is adequate space for the safe transit of all vessels past a tanker vessel docked at Berths 150-151 in the event of an emergency (Trowbridge, 2022). Given the navigational safety procedures and systems currently in place, the addition of 58 vessels would not require a change in vessel traffic patterns or increase safety risks. Therefore, impacts would be less than significant. This impact will not be evaluated further in the EIR.

4.18 Tribal Cultural Resources

This section evaluates impacts to tribal cultural resources associated with the implementation of the proposed Project. Pursuant to AB 52, a lead agency is required to consult with a California Native American tribe that is traditionally and culturally affiliated with the geographic area of the project if the tribe requested to the lead agency, in writing, to be informed by the lead agency of proposed projects in that geographic area. As part of Native American consultation associated with the proposed Project, the Native American Heritage Commission (NAHC) was contacted, and a consultation list was received of tribes that are traditionally and culturally affiliated with the geographic area of the proposed Project.

- a. Would the project cause a substantial adverse change in the significance of a tribal cultural resource, defined in Public Resources Code Section 21074 as either a site, feature, place, cultural landscape that is geographically defined in terms of the size and scope of the landscape, sacred place, or object with cultural value to a California Native American tribe, and that is:
 - (i) Listed or eligible for listing in the California Register of Historical Resources, or in a local register of historical resources as defined in Public Resources Code Section 5020.1(k)?

No Impact. As discussed in Section 4.5 (Cultural Resources), the potential to discover an unknown tribal cultural resource within the Project site is highly unlikely as the site is underlain by manmade fill. Consultation under AB 52 was conducted during November of 2017. There was no request for a formal consultation during that time. Responses from consultation indicate that there are no known tribal cultural resources located in the Project site or vicinity. Therefore, the proposed Project would have a less than significant impact on tribal cultural resources.

The proposed Project would also occur in and over harbor waters and could include minor clean-up dredging. The Project area has been routinely dredged over the history of the Port to create shipping channels and increase or maintain the design depth at the berths. Given the absence of known tribal resources in the Project area and the limited ground-disturbing activities that would be done, the proposed Project would have no impact. This impact will not be evaluated further in the EIR.

- (ii) a resource determined by the lead agency, in its discretion and supported by substantial evidence, to be significant pursuant to criteria set forth in subdivision (c) of Public Resources Code Section 5024.1. In applying the criteria set forth in subdivision (c) of Public Resource Codes Section 5024.1, the lead agency shall consider the significance of the resource to a California Native American tribe?

No Impact. As described in Section 4.18(a), the Project site has undergone approximately 100 years of development, including dredging and filling, and tribal cultural resources are not likely present. Given the absence of known tribal resources in the Project area and the limited ground-disturbing activities that would be performed, the proposed Project would have no impact on a California Native American tribe resource. This impact will not be evaluated further in the EIR.

4.19 Utilities and Service Systems

- a. Would the project require or result in the relocation or construction of new or expanded water, wastewater treatment or stormwater drainage, electric power, natural gas, or telecommunications facilities, the construction or relocation of which could cause significant environmental effects?

No Impact. The Project site is located in a developed area that is served by existing utilities. The proposed Project would not relocate or construct new or expanded water, wastewater treatment, stormwater drainage, electric power, natural gas, or telecommunications facilities. Furthermore, because the proposed Project would not result in an increased number of employees on-site during operations there would be no need for new or expanded utilities. Therefore, construction and operation of the proposed Project would not require any new or expanded wastewater treatment, stormwater drainage, electrical power, natural gas, or telecommunications facilities. Accordingly, there would be no impacts and this impact will not be evaluated further in the EIR.

- b. Would the project have sufficient water supplies available to serve the project and reasonably foreseeable future development during normal, dry, and multiple dry years?

No Impact. The proposed Project would have sufficient water supplies for the foreseeable future. The proposed Project would not construct any major facilities that would require or result in additional water consumption. There would likely be a slight increase in water demand during construction as a result of worker consumption and other uses such as dust control, but that would be temporary. Once operations begin, water demand would remain similar to current levels as the number of employees would not increase. Accordingly, there would be no impacts related to water supplies and this impact will not be evaluated further in the EIR.

- c. Would the project result in a determination by the wastewater treatment provider which serves or may serve the project that it has inadequate capacity to serve the project's projected demand in addition to the provider's existing commitments?

No Impact. The City of Los Angeles Department of Public Works, Bureau of Sanitation, provides sewer service to all areas within its jurisdiction, including the Project site.

Wastewater from the Phillips 66 terminal flows through existing sewer and wastewater infrastructure to the Bureau of Sanitation's Terminal Island Water Reclamation Plant (TIWRP). The TIWRP has the capacity to treat 30 million gallons of wastewater flows per day and currently operates at approximately 50 percent of capacity (City of Los Angeles 2020). The small increase in on-site personnel during construction (approximately 16 per day) would generate minor increases in wastewater flows. The existing system has excess capacity and any increases in wastewater to the City of Los Angeles' sewer and treatment systems as a result of the proposed Project would be insubstantial. Therefore, no impacts would occur, and this impact will not be evaluated further in the EIR.

- d. Would the project generate solid waste in excess of State or local standards, or in excess of the capacity of local infrastructure, or otherwise impair the attainment of solid waste reduction goals?

Less-than-Significant Impact. The demolition and removal of the existing wharf structures and their shoreline connecting structures would generate debris, primarily treated timber but also including concrete and steel, that would be recycled and disposed of, as described below. A small amount of additional debris would be generated by construction of the new loading/unloading platform and associated facilities. If clean-up dredging is necessary, up to 2,000 cubic yards of dredged material could be generated.

The generation of landfill waste would be reduced by recycling of demolition debris to the extent feasible. The LAHD maintains an asphalt/concrete recycling facility at Navy Way, south of Reeves Avenue, on Terminal Island. The asphalt/concrete debris would be crushed at the facility or elsewhere in the Port for construction reuse within the Port. Metal debris would be salvaged for scrap by the construction contractor. Dredged material, if any, would be disposed of at a suitable upland disposal facility.

Solid waste requiring disposal at a landfill is not expected to be substantial relative to the permitted landfill capacity at Chiquita Canyon Landfill, Sunshine Canyon Landfill, or other local or regional disposal facilities that could accept construction waste from the proposed Project. There is currently sufficient solid waste disposal capacity available in Los Angeles County (City of Los Angeles 2013). Further, there are a number of operations within Los Angeles County that recycle construction and demolition material, and the Port, as standard conditions of permit approval, which will be adopted for the proposed Project requires recycling of construction materials and use of materials with recycled content where feasible to minimize impacts to solid waste. Demolition debris would not exceed landfill capacity. Disposal of up to 2,000 cubic yards of dredged material in a suitable upland facility (if required) would have a negligible effect on overall landfill capacity and would therefore not affect solid waste disposal facilities.

In summary, construction is anticipated to generate relatively small amounts of waste requiring disposal in a landfill, and construction would comply with applicable waste reduction requirements. Operation of the proposed Project would not result in a substantial increase in solid waste generation relative to baseline conditions because the number of personnel and activities conducted at the terminal on a daily basis would remain the same as under baseline conditions. Therefore, this impact would be less than significant, and this impact will not be evaluated further in the EIR.

- e. Would the project comply with federal, state, and local management and reduction statutes and regulations related to solid waste?

No Impact. The proposed Project would be required to conform to the policies and programs of the City of Los Angeles' Solid Waste Integrated Resources Plan. Compliance with the Solid Waste Integrated Resources Plan would ensure sufficient capacity to service the proposed Project (City of Los Angeles 2013). Construction activities are anticipated to generate a nominal amount of solid waste. The proposed Project would comply with all applicable codes and requirements pertaining to solid waste disposal. These include but are not limited to: Chapter VI Article 6 Garbage, Refuse Collection of the LAMC; Part 13 Title 42 – Public Health and Welfare of the California Health and Safety Code; and Chapter 39 Solid Waste Disposal – of the U.S. Code. The proposed Project would also be required to comply with AB 939, the California Solid Waste Management Act, and AB 341, which establish waste stream diversion and recycling goals. Because the proposed Project would implement and be consistent with the procedures and policies detailed in the codes and requirements identified above, Port-wide standard conditions of approval requiring recycling of construction materials, the City of Los Angeles' recycling and solid waste diversion efforts, and related laws pertaining to solid waste disposal, no impacts would occur. This impact will not be evaluated further in the EIR.

4.20 Wildfire

If located in or near State responsibility areas or lands classified as very high fire hazard severity zones, would the project:

- a. Substantially impair an adopted emergency response plan or emergency evacuation plan?
- b. Due to slope, prevailing winds, and other factors, exacerbate wildfire risks, and thereby expose project occupants to pollutant concentrations from a wildfire or the uncontrolled spread of wildfire?
- c. Require the installation or maintenance of associated infrastructure (such as roads, fuel breaks, emergency water sources, power lines, or other utilities) that may exacerbate fire risk or that may result in temporary or ongoing impacts to the environment?
- d. Expose people or structures to significant risks, including downslope or downstream flooding or landslides, as a result of runoff, post-fire slope instability, or drainage changes?

No Impact. Public Resources Code sections 4201–4204 direct the California Department of Forestry and Fire Protection to map fire hazard based on relevant factors such as fuels, terrain, and weather. The Port is not located in or near state responsibility area or lands classified as a Very High Fire Severity Zone within its Local Responsibility Area (California Department of Forestry and Fire Protection 2022). Accordingly, the proposed Project would not impair an emergency evacuation plan, exacerbate fire risks, require the installation or maintenance of associated infrastructure, or expose people or structures to significant risks related to wildfires. Therefore, no impacts would occur, and this impact will not be evaluated further in the EIR.

4.21 Mandatory Findings of Significance

- a. Does the project have the potential to substantially degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, substantially reduce the number or restrict the range of a rare or endangered plant or animal, or eliminate important examples of the major periods of California history or prehistory?

Potentially Significant Impact. As described in Section 4.4, Biological Resources, proposed in-water construction activities could generate noise, turbidity, and changes to water quality that could cause adverse effects (e.g., loss of foraging habitat and harassment) to special-status marine mammal and fish species. These impacts could be potentially significant and will be evaluated further in the EIR.

- b. Does the project have impacts that are individually limited, but cumulatively considerable? (“Cumulatively considerable” means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, effects of other current projects, and the effects of probable future projects.)

Potentially Significant Impact. The proposed Project has the potential, together with other past, present, and reasonably foreseeable Port projects, to result in a significant cumulative impact. Construction and operation of the proposed Project could make cumulatively considerable contributions to significant cumulative impacts related to air quality, biology, energy, and GHGs but its contribution to cumulative impacts in other resource areas would not likely be cumulatively considerable. These issues will be evaluated further in the EIR.

- c. Does the project have environmental effects, which would cause substantial adverse effects on human beings, either directly or indirectly?

Potentially Significant Impact. Substantial adverse impacts on human beings related to air quality, energy, and GHGs could occur as a result of the proposed Project. These issues will be evaluated further in the EIR.

5.0 REFERENCES

- Anchor Environmental. 2003. Literature Review of Effects of Resuspended Sediments Due to Dredging Operations. Prepared for the Los Angeles Contaminated Sediments Task Force. June.
- CalEPA (California Environmental Protection Agency). 2023. Cortese List Data Resources. [Online]: <https://calepa.ca.gov/sitecleanup/corteselist/>. Accessed February 14, 2023
- California Department of Conservation. 2023. CGS Information Warehouse: Mineral Land Classification online mapping tool: [Online]: <https://maps.conservation.ca.gov/cgs/informationwarehouse/index.html?map=mlc>.
- _____. 2021. Geologic Energy Management Division, Well Finder online mapping tool: <https://www.conservation.ca.gov/calgem/Pages/WellFinder.aspx>
- _____. 2020. Williamson Act Program. [Online]: <https://www.conservation.ca.gov/dlrp/wa>. Accessed September 28, 2020.
- _____. 2013. Important Farmland in California. Updated July 2013. Available at: ftp://ftp.consrv.ca.gov/pub/dlrp/fmmp/pdf/statewide/2010/fmmp2010_08_11.pdf
- _____. 2011. Farmland Mapping Program. Available at: <ftp://ftp.consrv.ca.gov/pub/dlrp/FMMP/pdf/2010/los10.pdf>
- California Department of Fish and Wildlife. 2015. Natural Community Conservation Plan (NCCP) Summary–Rancho Palos Verdes NCCP/Habitat Conservation Plan (HCP). [Online]: <https://www.wildlife.ca.gov/Conservation/Planning/NCCP/Plans/Rancho-Palos-Verdes>. Accessed January 31, 2022.
- California Department of Forestry and Fire Protection. 2022. Fire Hazard Severity Zones Maps. [Online]: <https://egis.fire.ca.gov/FHSZ/>. Accessed February 10, 2022.
- Caltrans (California Department of Transportation). 2020 Technical Guidance for the Assessment of Hydroacoustic Effects of Pile Driving on Fish. Appendix III. Caltrans Division of Environmental Analysis. October.
- _____. 2013a List of Eligible and Officially Designated Routes, Office of the State Landscape Architect. Updated: December 19. Available at: <http://www.dot.ca.gov/hq/LandArch/scenic/cahisys.htm>. Last accessed April 17, 2017.
- _____. 2013b Transportation and Construction Vibration Guidance Manual. September. Available at: <https://www.contracosta.ca.gov/DocumentCenter/View/34120/Caltrans2013-construction-vibration-PDF>; p. 38.
- CARB (California Air Resources Board). 2020. Maps of State and Federal Area Designations. [Online]: <https://ww2.arb.ca.gov/resources/documents/maps-state-and-federal-area-designations>. Accessed February 4, 2022.

- City of Los Angeles. 2021. Ordinance No. 186873. Los Angeles Municipal Code Section 12.21 Tree Ordinance.
- _____. 2020. Terminal Island Water Reclamation Plant. [Online]: https://www.lacitysan.org/san/faces/home/portal/s-lsh-wwd/s-lsh-wwd-cw/s-lsh-wwd-cw-p/s-lsh-wwd-cw-p-tiwrp?_afdf.ctrl-state=mo2az6x16_255&_afdf.ctrl-loop=10940663771406161#. Accessed November 4, 2020.
- _____. 2013. Solid Waste Integrated Resources Plan – A Zero Waste Master Plan. [Online]: <https://www.lacitysan.org/san/sandocview?docname=cnt012522>. Accessed January 31, 2022.
- _____. 2006. L.A. CEQA Thresholds Guide: Your Resource for Preparing CEQA Analyses in Los Angeles. [Online]: <https://planning.lacity.org/eir/CrossroadsHwd/deir/files/references/A07.pdf>. Accessed January 13, 2022.
- _____. 2001. Conservation Element of the City of the Los Angeles General Plan. [Online]: https://planning.lacity.org/odocument/28af7e21-ffdd-4f26-84e6-dfa967b2a1ee/Conservation_Element.pdf. Accessed January 31, 2022.
- . 1999. City of Los Angeles, General Plan Transportation Element, Scenic Highways in the City of Los Angeles. Approved July 24, 1997; adopted September 26, 1999.
- _____. 1996. City of Los Angeles General Plan Safety Element. [Online]: https://planning.lacity.org/odocument/31b07c9a-7eea-4694-9899-f00265b2dc0d/Safety_Element.pdf. Accessed January 12, 2022.
- _____. 1982. Port of Los Angeles Plan. An Element of the City of Los Angeles General Plan.
- County of Los Angeles Department of Regional Planning. 2015. Significant Ecological Area Program, Background Information. [Online]: <https://planning.lacounty.gov/site/sea/background/>. Accessed January 26, 2022.
- CSLC (California State Lands Commission). 2022. Marine Oil Terminal Engineering and Maintenance Standards (MOTEMS). [Online]: <https://www.slc.ca.gov/motems/>. Accessed February 16, 2022.
- _____. 2021. Letter from C. Beckwith, Chief, Marine Environmental Protection Division to P. Schnieders, Manager, Technical Services, Phillips 66 Los Angeles Refinery, April 7.
- LADOT (Los Angeles Department of Transportation). 2020. Transportation Assessment Guidelines. July. [Online]: https://ladot.lacity.org/sites/default/files/documents/2020-transportation-assessment-guidelines_final_2020.07.27.pdf. Accessed March 7, 2022.
- LAHD (Los Angeles Harbor Department). 2022. Port of Los Angeles Annual Facts and Figures Calendar Year 2021. [Online]: <https://kentico.portoflosangeles.org/getmedia/c39cbb51-d52e-44bd-89c8-41eba408ab12/2021-facts-figures>. Accessed February 14, 2023.
- _____. 2018a. Port Master Plan, Port of Los Angeles. September. [Online]: <https://kentico.portoflosangeles.org/getmedia/adf788d8-74e3-4fc3-b774->

- [c6090264f8b9/port-master-plan-update-with-no-29_9-20-2018](#). Accessed January 12, 2022.
- _____. 2018b. Port of Los Angeles Sea Level Rise Adaptation Study Final Draft. September. [Online]: https://kentico.portoflosangeles.org/getmedia/29acdb3a-c9a1-4e9c-a233-0a4e74438a3c/2018_sea_level_rise_adaptation_study.
- _____. 2018c. Draft Environmental Impact Report: Berths 167-169 Shell] Marine Oil Terminals Wharf Improvement Project, Appendix A.
- _____. 2017a. San Pedro Bay Ports Clean Air Action Plan 2017 Update. Port of Los Angeles and Port of Long Beach. [Online]: <https://kentico.portoflosangeles.org/getmedia/a2820d01-54f6-4f38-a3c5-81c228288b87/2017-Final-CAAP-Update>.
- _____. 2013. Port of Los Angeles Master Plan Update Draft Program Environmental Impact Report. [Online]: <https://www.portoflosangeles.org/environment/environmental-documents>. Accessed January 12, 2022.
- _____. 2010. San Pedro Bay Ports Clean Air Action Plan 2010 Update. Port of Los Angeles and Port of Long Beach. [Online]: https://kentico.portoflosangeles.org/getmedia/8fac8263-7507-41b9-ac62-f758428a7847/12_21_2010_CAAP_update_full_text_1.
- _____. 2006. San Pedro Bay Ports Clean Air Action Plan. Port of Los Angeles and Port of Long Beach. [Online]: https://kentico.portoflosangeles.org/getmedia/d71dd519-54b9-4d5a-a65b-005f1f7e11f4/CAAP_Tech_Report_Final_1.
- LARWQCB (Los Angeles Regional Water Quality Control Board). 1994. Water Quality Control Plan: Los Angeles Region Basin Plan for the Coastal Watersheds of Los Angeles and Ventura Counties. https://www.waterboards.ca.gov/losangeles/water_issues/programs/basin_plan/basin_plan_documentation.html
- MBC. 2001a. Summary Report: Berths 212-215 Maintenance Dredge Receiving Water Monitoring, Port of Los Angeles. Prepared for the Port of Los Angeles. December
- _____. 2001b. Summary Report: Berths 261-265 Maintenance Dredge Receiving Water Monitoring, Port of Los Angeles. Prepared for the Port of Los Angeles. December
- MBC and Merkel & Associates. 2016. 2013–2014 Biological Surveys of Long Beach and Los Angeles Harbors. Prepared for the Port of Los Angeles and Port of Long Beach. [Online]: <https://www.portoflosangeles.org/environment/biological-resources/biological-baseline-surveys>.
- Miller, D.J., and R.N. Lea. 1972. Guide to the Marine Fishes of California. California Fish Bulletin No. 157. California Department of Fish and Game. Page 249.
- Moffatt and Nichol. 2007. Tsunami Hazard Assessment for the Ports of Long Beach and Los Angeles. Final Report. April.
- NOAA (National Oceanic and Atmospheric Administration). 2022. Mean Sea Level Trend: 9410660 Los Angeles, California. [Online]:

- https://tidesandcurrents.noaa.gov/sltrends/plots/9410660_meantrend.png. Accessed February 12, 2022.
- _____. 2018. 2018 Revision to: Technical Guidance for Assessing the Effects of Anthropogenic Sound on Marine Mammal Hearing (version 2.0): Underwater Thresholds for Onset of Permanent and Temporary Threshold Shifts. United States Department of Commerce. NOAA Technical Memorandum NMFS-OPR-59. April.
- NOAA Fisheries (National Oceanographic and Atmospheric Administration, National Marine Fisheries Service) and CDFW (California Department of Fish and Wildlife). 2021. Caulerpa Control Protocol. Version 5. October 20. [Online]: <https://media.fisheries.noaa.gov/2021-12/caulerpa-control-protocol-v5.pdf>.
- NOAA Marine Sanctuaries. 2021. Whale Conservation. Website, Office of National Marine Sanctuaries, National Oceanic and Atmospheric Administration. <https://farallones.noaa.gov/eco/whales/>.
- OPR (Office of Planning and Research). 2020. Webinar: Implementing SB 743: What You Need to Know. April. [Online]: <https://youtu.be/q3xaw2bz8-4?t=7902>.
- Phillips 66. 2020. Spill Prevention Control & Countermeasures Plan. Revised January 3 2020
- POLA (Port of Los Angeles). 2022. Port of Los Angeles Inventory of Air Emissions 2021. September. [Online]: <https://www.portoflosangeles.org/environment/air-quality/air-emissions-inventory>.
- _____. 2009a. Port of Los Angeles Receiving Water Monitoring Report: Berths 145–147 Wharf Improvements. Order No. R4-2008-0061, Program No. 9450, File No. 08-081. Pre-Dredge Survey: June 18, 2009. July 14
- _____. 2009b. Port of Los Angeles Receiving Water Monitoring Report: Berths 145–147 Wharf Improvements. Order No. R4-2008-0061, Program No. 9450, File No. 08-081. Construction Dredge Survey #1, Week of July 13–18, 2009. July 31.
- _____. 2009c. Port of Los Angeles Receiving Water Monitoring Report: Berths 145–147 Wharf Improvements. Order No. R4-2008-0061, Program No. 9450, File No. 08-081. Construction Dredge Survey #2, Week of July 20–24, 2009. Aug. 12.
- _____. 2009d. Port of Los Angeles Receiving Water Monitoring Report: Berths 145–147 Wharf Improvements. Order No. R4-2008-0061, Program No. 9450, File No. 08-081. Construction Dredge Survey #3, Period of July 26–Aug. 7, 2009. Sept. 1.
- _____. 2009e. Port of Los Angeles Receiving Water Monitoring Report: Berths 145–147 Wharf Improvements. Order No. R4-2008-0061, Program No. 9450, File No. 08-081. Construction Dredge Survey #4, Period of Aug. 10–14, 2009. Sept. 1.
- _____. 2009f. Port of Los Angeles Receiving Water Monitoring Report: Berths 145–147 Wharf Improvements. Order No. R4-2008-0061, Program No. 9450, File No. 08-081. Construction Dredge Survey #5, Period of Aug. 17–21, 2009. Sept. 8.

- . 2009g. Port of Los Angeles Receiving Water Monitoring Report: Berths 145–147 Wharf Improvements. Order No. R4-2008-0061, Program No. 9450, File No. 08-081. Construction Dredge Survey #6, Period of Aug. 24–28, 2009. Sept. 11.
- . 2009h. Port of Los Angeles Receiving Water Monitoring Report: Berths 145–147 Wharf Improvements. Order No. R4-2008-0061, Program No. 9450, File No. 08-081. Construction Dredge Survey #7, Period of Aug. 31–Sept. 4, 2009. Sept. 25.
- . 2009i. Port of Los Angeles Receiving Water Monitoring Report: Berths 145–147 Wharf Improvements. Order No. R4-2008-0061, Program No. 9450, File No. 08-081. Construction Dredge Survey #8, Period of Sept. 7–16, 2009. Oct. 1.
- . 2010a. Port of Los Angeles Receiving Water Monitoring Report: Berths 145–147 Wharf Improvements. Order No. R4-2008-0061, Program No. 9450, File No. 08-081. Construction Dredge Survey #9, Period of Sept. 2–8, 2010. Sept. 15.
- . 2010b. Port of Los Angeles Receiving Water Monitoring Report: Berths 145–147 Wharf Improvements. Order No. R4-2008-0061, Program No. 9450, File No. 08-081. Construction Dredge Survey #10, Week of Oct. 4–10, 2010. Oct. 14.
- . 2010c. Port of Los Angeles Receiving Water Monitoring Report: Berths 145–147 Wharf Improvements. Order No. R4-2008-0061, Program No. 9450, File No. 08-081. Construction Dredge Survey #11, Week of Oct. 11–17, 2010. Oct. 29.
- . 2010d. Port of Los Angeles Receiving Water Monitoring Report: Berths 145–147 Wharf Improvements. Order No. R4-2008-0061, Program No. 9450, File No. 08-081. Post Dredge Survey Conducted Oct. 21, 2010. Nov. 3.
- SAIC (Science Applications International Corporation). 2010. Final 2008 Biological Surveys of Los Angeles and Long Beach Harbors. In association with Seaventures, Keane Biological Consulting, Tenera Environmental, ECORP Consulting Inc., and Tierra Data Inc. April.
- SCAQMD (South Coast Air Quality Management District). 2017. Final 2016 Air Quality Management Plan. March.
- . 2003. Appendix D Cumulative Impact Analysis Requirements Pursuant to CEQA. August.
- USACE (United States Army Corps of Engineers) and LAHD (Los Angeles Harbor District). 2009. Final Supplemental EIS / Final Supplemental EIR for the Port of Los Angeles Cannel Deepening Project.
- Trowbridge, M. 2022. Phillips 66 Los Angeles Marine Terminal Berth 150-151 MOTEMS Terminal Moringg & Passing Vessel Study. Memorandum to G. Peralta, Phillips 66 from M. Trowbridge, Moffatt & Nichol. May 20.
- USEPA (United States Environmental Protection Agency). 2022. Nonattainment Areas for Criteria Pollutants (Green Book). [Online]: <https://www.epa.gov/green-book>.
- Wolfe, FD, JH Shaw, A Plesch, DJ Ponti, JF Dolan, and MR Legg. 2019. The Wilmington Blind-Thrust Fault: An Active Concealed Earthquake Source beneath Los Angeles, California. Bull Seismological Society of America Vol 109(5): 1890-1906.

Wood Environment & Infrastructure. 2021. 2018 Biological Surveys of the Los Angeles and Long Beach Harbors. Prepared for Port of Los Angeles (Agreement #: 17-3509), Port of Long Beach (Contract #: HD-8803). April.

APPENDIX A

Historic Resources Evaluation

APPENDIX B
LAHD Sustainable Construction Guidelines