



NOTICE OF AVAILABILITY DRAFT MITIGATED NEGATIVE DECLARATION

Date: January 13, 2022

To: Responsible Agencies and Interested Parties

Subject: Notice of Availability of a draft Mitigated Negative Declaration for the Yuba City Wastewater Treatment Facility Outfall and Diffuser project

The City of Yuba City is proposing to construct a new outfall and diffuser project to discharge treated wastewater into the Feather River. The new outfall would be installed approximately 1.6 miles downstream of the existing outfall located near Shanghai Falls, requiring a new pipeline to be constructed (see Figure 1). To implement the project, the City has determined that a Mitigated Negative Declaration is required pursuant to the California Environmental Quality Act (CEQA).

The City requests your input on how the project may impact the environment, as it pertains to your individual interests or agency statutory/regulatory responsibilities. The CEQA Initial Study, which is the City's formal identification of potential environmental impacts, can be downloaded at the following link: www.yubacity.net/environmental


Due to the time limits mandated by state law, you should submit your comments as soon as possible but no later than **February 11, 2022** or 30 days after receipt of this notice per CEQA Guidelines Section 15082(b). Please send your written responses to:

City of Yuba City
Development Services Department
1201 Civic Center Boulevard
Yuba City, CA 95993
Attention: Ashley Potočnik

Responses can also be e-mailed to apotocnik@yubacity.net



VICINITY MAP

 Project Location



USGS Quad: Olivehurst
 Section: 11 & 14, 35
 Township: 14N, 15N
 Range: 3E




FIGURE 1
Project Location
WWTF Outfall and Diffuser Project
Yuba City, California