

Notice of Determination

Appendix D

To:

Office of Planning and Research
 U.S. Mail: Street Address:
 P.O. Box 3044 1400 Tenth St., Rm 113
 Sacramento, CA 95812-3044 Sacramento, CA 95814

County Clerk
 County of: Sutter
 Address: 433 2nd Street
Yuba City, CA 95991

From:

Public Agency: Sutter Extension Water District
 Address: 4525 Franklin Road
Yuba City, CA 95993

Contact: Lynn Phillips, General Manager
 Phone: (530) 673-7138

Lead Agency (if different from above):
 Address: _____
 Contact: _____
 Phone: _____

SUBJECT: Filing of Notice of Determination in compliance with Section 21108 or 21152 of the Public Resources Code.

State Clearinghouse Number (if submitted to State Clearinghouse): 2022020530

Project Title: Sutter Extension Water District 2022 Water Transfer Program

Project Applicant: Sutter Extension Water District

Project Location (include county): County of Sutter

Project Description:

SEWD proposes to sell up to 3,950 acre-feet (AF) of water to participating members of the State Water Project Contractors, Inc. or other South of Delta purchasers (Buyers) during the 2022 irrigation season. SEWD would make water available to Buyers by groundwater substitution. SEWD's proposed transfer will comply with the current draft Technical Information for Preparing Water Transfer Proposals, prepared by the Department of Water Resources and U.S. Bureau of Reclamation. +


This is to advise that the Sutter Extension Water District has approved the above
 (Lead Agency or Responsible Agency)

described project on April 19, 2022 and has made the following determinations regarding the above
 (date)
 described project.

1. The project [will will not] have a significant effect on the environment.
2. An Environmental Impact Report was prepared for this project pursuant to the provisions of CEQA.
 A Negative Declaration was prepared for this project pursuant to the provisions of CEQA.
3. Mitigation measures [were were not] made a condition of the approval of the project.
4. A mitigation reporting or monitoring plan [was was not] adopted for this project.
5. A statement of Overriding Considerations [was was not] adopted for this project.
6. Findings [were were not] made pursuant to the provisions of CEQA.

This is to certify that the final EIR with comments and responses and record of project approval, or the negative Declaration, is available to the General Public at:

Sutter Extension Water District, 4525 Franklin Road, Yuba City, CA 95993; (530) 673-7138

Signature (Public Agency):  Title: General Manager

Date: 4-22-22 Date Received for filing at OPR: _____