

**Notice of Determination****Appendix D****To:**

Office of Planning and Research  
 U.S. Mail: \_\_\_\_\_ Street Address: \_\_\_\_\_  
 P.O. Box 3044 1400 Tenth St., Rm 113  
 Sacramento, CA 95812-3044 Sacramento, CA 95814

County Clerk  
 County of: Los Angeles  
 Address: 12400 Imperial Highway  
 Norwalk, CA 90650

**From:**

Public Agency: Santa Clarita Valley Water Agency  
 Address: 26521 Summit Circle  
 Santa Clarita, California 91350  
 Contact: Rick Vasilopoulos  
 Phone: (661) 705-7912

Lead Agency (if different from above): \_\_\_\_\_

Address: \_\_\_\_\_

Contact: \_\_\_\_\_

Phone: \_\_\_\_\_

**SUBJECT: Filing of Notice of Determination in compliance with Section 21108 or 21152 of the Public Resources Code.**

State Clearinghouse Number (if submitted to State Clearinghouse): 2022040340

Project Title: Well 205 Groundwater Treatment Project

Project Applicant: Santa Clarita Valley Water Agency

Project Location (include county): Assessor's Parcel Number 2861-066-002, Los Angeles County

**Project Description:**

The project would involve construction and operation of a new groundwater treatment facility for treatment of perchlorate and other groundwater contaminants at the project site. The new treatment facility would consist of a chemical building, water tanks, pumps, and treatment equipment alongside the existing facilities at the site. Under the project, Well 205 would be reactivated, and all existing facilities would remain in place. The project would treat up to 4,360 acre-feet per year of groundwater.

This is to advise that the Santa Clarita Valley Water Agency has approved the above  
 Lead Agency or  Responsible Agency

described project on 8/2/2022 and has made the following determinations regarding the above  
 (date)  
 described project.

1. The project [ will  will not] have a significant effect on the environment.
2.  An Environmental Impact Report was prepared for this project pursuant to the provisions of CEQA.  
 A Negative Declaration was prepared for this project pursuant to the provisions of CEQA.
3. Mitigation measures [ were  were not] made a condition of the approval of the project.
4. A mitigation reporting or monitoring plan [ was  was not] adopted for this project.
5. A statement of Overriding Considerations [ was  was not] adopted for this project.
6. Findings [ were  were not] made pursuant to the provisions of CEQA.

This is to certify that the final EIR with comments and responses and record of project approval, or the negative Declaration, is available to the General Public at:

<https://yourscvwater.com/document-library/>

Signature (Public Agency): Rick Vasilopoulos Title: Water Resources Planner

Date: 8/3/2022 Date Received for filing at OPR: \_\_\_\_\_