

PROTECTED PLANT PRESERVATION PLAN

CITY OF VICTORVILLE, CALIFORNIA

APN: 3093-141-02

Prepared for:

**United Engineering Group
8885 Haven Avenue, Suite 195
Rancho Cucamonga, CA 91730**

Prepared by:

**RCA Associates, Inc.
15555 Main Street, #D4-235
Hesperia, CA 92345
(760) 956-9212**

**Biologists:
Ryan Hunter
Brian Bunyi
Jessica Hensley**



Project: #2021-246 JT

December 17, 2021

TITLE PAGE

Date Report Prepared: December 17, 2021

Field Work Completed: December 16, 2021

Report Title: Protected Plant Preservation Plan

Project Location: Victorville, California
APN: 3093-141-02

Prepared for: United Engineering Group
8885 Haven Avenue, Suite 195
Rancho Cucamonga, CA 91730

Principal Investigators: Ryan Hunter, Environmental Scientist & Biologist
Brian Bunyi, Environmental Scientist & Biologist
Jessica Hensley, Environmental Scientist/Biologist
Randall Arnold, Senior Biologist

Contact Information: Randall C. Arnold, Jr.
RCA Associates, Inc.
15555 Main Street, #D4-235
Hesperia, CA 92345
(760) 956-9212
rarnold@rcaassociatesllc.com
www.rcaassociatesllc.com

Table of Contents

Section	Page
1.0 Summary	1
2.0 Introduction and Project Description	2
3.0 Methodologies	3
4.0 Results	4
5.0 Conclusions	6
6.0 References	8
7.0 Certification	9

Appendix A – Figures

Appendix B – City of Victorville Municipal Code: Chapter 13.33
County of San Bernardino Municipal Code: Chapter 88.01.060

1.0 SUMMARY

At the request of the project proponent, RCA Associates, Inc. surveyed an approximate 13-acre property located on the northeast corner of the intersection of Cottonwood Avenue and Pahute Avenue in the City of Victorville, California (APN: 3093-141-02) (Figures 1 and 2). The property site is located in Section 31, Township 5 North, Range 4 West (USGS Hesperia, CA 7.5-minute quadrangle).

The purpose of the survey was to evaluate the Joshua trees present on site and to determine which trees were suitable for relocation and which trees could be discarded prior to site clearing activities. This report provides the results of the Joshua tree survey performed on December 16, 2021. Following completion of the survey, RCA Associates, Inc. prepared this Protected Plant Preservation Plan to assist the project proponent with future relocation of any Joshua trees. Information on the Joshua trees which will need to be relocated-transplanted in the future is provided in Section 4.0. The City of Victorville Municipal Code (Chapter 13.33) and County of San Bernardino Municipal Code (88.01.060) stating the purpose of the Protected Plant Plan, the importance of preserving the Joshua Tree as an important native desert vegetation, and the consequences of removing a tree without authorization. The requirements of the City and County Ordinances (Chapter 13.33) and (Chapter 88.01.060 are provided in Appendix B.

Based on the results of the field investigations there are 4 Joshua trees which occur within the boundaries of the property (Figures 1, 2 and 3). Based on the evaluation and analysis of each tree it was determined that 0 of the 4 Joshua trees (0%) are suitable for transplanting. These trees are marked in red in Table 4-1. The remaining 4 Joshua trees (100%) were determined to be unsuitable for transplanting due to a variety of factors such as size, condition, damage, dying, excessive leaning, possibly disease, clonal, etc.

2.0 INTRODUCTION AND PROJECT LOCATION

The area surveyed is located on the northeast corner of the intersection of Cottonwood Avenue and Pahute Avenue in the City of Victorville. Vacant land borders the properties boundaries on the north, south and east sides, with lots zoned for commercial in the west. The biological resources on the site consist of a desert scrub community typical of the area which include Joshua tree (*Yucca brevifolia*), rubber rabbitbrush (*Ericameria nauseosa*), white bursage (*Ambrosia dumosa*), California buckwheat (*Eriogonum fasciculatum*), and red brome (*Bromus rubens*).

Joshua trees occur throughout the Mojave Desert in Southern California and are typically found at an elevation of 400 to 1,800 meters (~1,200 to ~5,400 feet). Joshua trees within the western portion of the Mojave Desert typically receive more annual precipitation during “normal” years; consequently, cloning occurs more often resulting in numerous trunks sprouting from the same root system (Rowland, 1978). Joshua tree habitats provide habitat for a variety of wildlife species including desert woodrats (*Neotoma* sp.) and night lizards (*Xantusia* sp.) both of which utilize the base of the trees. A variety of birds also utilize Joshua trees for nesting such as hawks, common ravens, and cactus wrens. CDFW consider Joshua tree woodlands as areas that support relatively high species diversity and as such are considered to be a sensitive desert community. Joshua trees are also considered a significant resource under the California Environmental Quality Act (CEQA) and are included in the Desert Plant Protection Act, Food and Agricultural Code (80001 – 80006).

3.0 METHODOLOGIES

Pedestrian surveys were walked throughout the site and biologists from RCA Associates, Inc. evaluated each Joshua tree to determine which trees were suitable for relocation/transplanting based on a general health assessment. Each Joshua tree received a metal numbered tag which was affixed on the north side of each tree for orientation purposes during future transplanting. Surveyor flagging was also placed around those trees suitable for transplanting to facilitate future identification. The precise location of each tree was recorded using a Garmin GPS unit and a Bushnell Yardage Pro rangefinder was utilized to determine the extent of the property boundaries. Those Joshua trees which occur on the property site are presented in Table 4-1 and the locations are provided in Figure 2.

The factors utilized to determine which Joshua trees were suitable for transplanting include the following factors:

1. Trees from about 1 foot in height up to approximately 12 feet,
2. No visible signs of damage to the tree such as absence of bark due to rodent or Other animals,
3. Minimal number of branches (No more than 2 or 3 branches),
4. No excessive leaning of the tree,
5. No yellow or brown fronds,
6. Proximity to other Joshua trees (i.e., clonal), and
7. No exposed roots at the base of the tree,
8. Dying or Dead.

4.0 RESULTS

There are 4 Joshua trees on the property and the GPS locations of the Joshua trees are provided in Table 4-1. A total of 0 Joshua trees (0%) are suitable for relocation/transplanting based on the seven factors listed in Section 3.0 (Table 4-1). The Joshua trees suitable for transplanting should be relocated/transplanted on-site, which is the preferable option, or to an off-site area approved by the City of Victorville. Those Joshua trees that are not suitable for relocation/transplanting due to size, health of the tree, presence of damage, excessive branches, excessive leaning, clonal, and exposed roots should be disposed of as per City requirements.

Table 4-1: Joshua tree census. (Note: The GPS locations of the Joshua trees are provided below and those trees which are suitable for transplanting on-site as part of project landscaping are highlighted in red.)

Total Number of Joshua Trees On Site	Joshua Trees to be Transplanted	Number of Clonal Trees	Number of Non-Clonal Trees	Number of Dead Trees
4	0	1	3	0

Tag#	Life Stage	Height	Location	Panicles	Branches	Condition	Health Assessment	Number of Trunks	Transplantable
9883	Adult	13	N 34.478187° W 117.338124°	1	6	Good			No
9884	Adult	13	N 34.478042° W 117.337735°	13	16	Good			No
9885	Juvenile	3	N 34.479129° W 117.335128°			Good	Leaning		No
9886	Juvenile	6	N 34.479043° W 117.335955°			Good		2	No

(Note: The Tag numbers correspond to the numbers placed on the Joshua trees.)

5.0 CONCLUSIONS

A total of 4 Joshua trees are located on the property and 0 of these trees are suitable for relocation/transplanting. This conclusion was based on: (1) trees which were one foot or greater in height and less than twelve feet tall (approximate); (2) in good health; (3), two branches or less; (4) density of trees (i.e., no clonal trees); (5.) no exposed roots; and (6) trees that are not leaning over excessively. As indicated in Table 4-1, all of the Joshua trees which were not suitable for relocation are either too large, leaning or are multiclonal. As of September 22, 2020, the California Department of Fish and Wildlife temporarily listed the western Joshua tree (*Yucca brevifolia*) as an endangered species for one year until a final decision is made in 2021. Therefore, any attempt to remove the Joshua tree from its current position will require an Incidental Take Permit (ITP).

The City of Victorville's Municipal Code (Chapter 13.33) requires preservation of Joshua trees given their importance in the desert community. A qualified City-approved biologist or arborist should be retained to conduct any future relocation/transplanting activities and should follow the protocol of the City's Municipal Code and Protected Native Vegetation Plan provided by the City's Planning Division. The following criteria will be utilized by the contractor when conducting any future transplanting activities.

A. The Joshua trees will be retained in place or replanted somewhere on the site where they can remain in perpetuity or will be transplanted to an off-site area approved by the City where they can remain in perpetuity. Joshua trees which are deemed not suitable for transplanting will be cut-up and discarded as per City requirements.

B. Earthen berms will be created around each tree by the biologist prior to excavation and the trees will be watered approximately one week before transplanting. Watering the trees prior to excavation will help make excavation easier, ensure the root ball will hold together, and minimize stress to the tree.

C. Each tree will be moved to a pre-selected location which has already been excavated and will be placed and oriented in the same direction as their original direction. The hole will be backfilled with native soil, and the transplanted tree will be immediately watered. As noted in Section 3.0, a numbered metal tag was placed on the north side of the trees and the trees were also flagged with surveyor's flagging. The biologist will develop a watering regimen to ensure the survival of the transplanted trees. The watering regimen will be based upon the needs of the trees and the local precipitation.

6.0 REFERENCES

Brittingham, S. and W. Lawrence.

2000. Facilitation of *Yucca brevifolia* Recruitment by Mojave Desert Shrubs. Western North American Naturalist 60(4), pp. 374-383.

City of Victorville.

1988. Native Desert Vegetation Ordinance, Municipal Code: Chapter 13.33

Hickman, James C.

The Jepson Manual Higher Plants of California. University of California Press. Berkeley, CA. 3rd Edition. 1996.

Holland, Robert F.

1986 Preliminary Description of the Terrestrial Natural Communities of California. Prepared for the California Natural Diversity Data Base. California Department of Fish and Game. Sacramento, California. 160 pp.

Johnson, H.

1976 vegetation and Plant Communities of Southern California Deserts- a functional view. In Symposium proceedings: Plant communities of Southern California. June Latting, editor. California Native Plant Society, Spec. No. 2 Berkeley, CA.

Munz, Philip A.

1974. A Flora of Southern California. University of California Press, Berkeley, California. 1086 pp.

7.0 CERTIFICATION

I hereby certify the statements furnished above and in the attached exhibits, present the data and information required for this Joshua tree survey and that the facts, statements, and information presented are true and correct to the best of my knowledge and belief. Field work conducted for this survey was performed by Brian Bunyi and Ryan Hunter.

Date: December 17, 2021 Signed: *Ryan Hunter*

Brian Bunyi

Jessica Hensley

Field Work Performed by: Ryan Hunter
Environmental Scientist/Biologist

 Brian Bunyi
Environmental Scientist/Biologist

 Jessica Hensley
Environmental Scientist/Biologist

APPENDIX A

Figures




Figure 1: Regional Exhibit



Figure 2: Vicinity Exhibit

RCA Associates, Inc.
Source: Google Earth





Joshua Tree Survey
Performed by: RCA Associates, Inc.

Legend
4 Non Transplantable Joshua Trees
Site Boundary

IN THE CITY OF VICTORVILLE, COUNTY OF SAN BERNARDINO, STATE OF CALIFORNIA
TENTATIVE PARCEL MAP NO. 20491
 PARCEL 2 OF PARCEL MAP 3982, IN THE CITY OF VICTORVILLE, COUNTY OF SAN BERNARDINO,
 CALIFORNIA AS PER RECORDED IN BOOK 40, PAGE(S) 1 AND 2, OF PARCEL MAPS, IN THE OFFICE OF
 THE COUNTY RECORDER OF SAID COUNTY.

UNITED ENGINEERING GROUP CA., INC. NOVEMBER 2021



LEGAL DESCRIPTION

PARCEL 2 OF PARCEL MAP 3982, IN THE CITY OF VICTORVILLE, COUNTY OF SAN BERNARDINO,
 CALIFORNIA AS PER RECORDED IN BOOK 40, PAGE(S) 1 AND 2, OF PARCEL MAPS, IN THE
 OFFICE OF THE COUNTY RECORDER OF SAID COUNTY.

- LEGEND**
- A.C. ASPHALT CONCRETE
 - R/W RIGHT-OF-WAY
 - EASEMENT IDENTIFICATION
 - INDICATES EXISTING CONTOUR ELEVATION
 - 2715- DEPRESSION CONTOUR
 - EXISTING DIRT ROAD
 - FENCE LINE
 - LIGHT WITH POLE
 - MANHOLE
 - METER
 - VALVE
 - STONE
 - WOODY
 - UNDESIGNED GRABET (SQUARE)
 - DESIGNED GRABET (SQUARE)
 - FLAG POLE
 - MAILBOX
 - O/M/B
 - R/F/W
 - JOSHUA TREE
 - EXISTING SEWER LINE
 - EXISTING WATER LINE
 - PROJECT BOUNDARY
 - CENTRELINE

UTILITY PURVEYORS

- WATER: VICTORVILLE WATER DISTRICT, 14343 CIVIC DRIVE, VICTORVILLE, CA 92383, (760) 955-5001
- SEWER: CITY OF VICTORVILLE, 14343 CIVIC DRIVE, VICTORVILLE, CA 92383, (760) 955-5001
- TRASH: SOUTHWEST GAS CORP., 13471 MARIPOSA RD., VICTORVILLE, CA 92382, (760) 851-4050
- TELEPHONE: VERIZON, 16071 MOJAVE DR. BLDG. A, VICTORVILLE, CA 92382, (760) 242-0994
- CABLE: CHARTER COMMUNICATIONS, 12480 BUSINESS CENTER DR., SUITE 1, VICTORVILLE, CA 92382, (760) 843-3054



SITE AREAS:

TOTAL GROSS AREA	655,243.58 S.F. = 15.07 ACRES
GROSS AREA - PARCEL 1	130,846.08 S.F. = 3.19 ACRES
GROSS AREA - PARCEL 2	218,744.08 S.F. = 5.02 ACRES
GROSS AREA - PARCEL 3	305,772.35 S.F. = 7.07 ACRES
NET AREA	245,824.84 S.F. = 5.55 ACRES


SURROUNDING LAND USE

NORTH: GENERAL COMMERCIAL (C2-1)
 SOUTH: GENERAL COMMERCIAL (C2-1)
 WEST: GENERAL COMMERCIAL (C2-1)
 EAST: OFFICE (O-1)

NO.	REVISIONS	DESCRIPTION	DATE



CHRISTOPHER E. LANE DATE _____
 R.C.E. No. 5300



RYAN C. PHILLIPS DATE _____
 L.S. No. 6974
 cphillips@unitedeng.com



8885 Haven Avenue
 Suite 195
 Rancho Cucamonga,
 CA 91730
 Phone: 909.466.8240
 www.unitedeng.com

UNITED ENGINEERING GROUP CA, INC
 8885 HAVEN AVENUE, SUITE 195
 RANCHO CUCAMONGA, CA 91730
 (909) 466-8240

COTTONWOOD & PAHUTE
 TENTATIVE PARCEL MAP NO. 20491

NOVEMBER 2021
 SHEET 1 OF 1
 PROJECT NUMBER
 CA-30178



GENERAL NOTES:

- THIS TENTATIVE MAP IS A PROPOSED SUBDIVISION OF THE EXISTING SITE INTO 3 PARCELS.
- APR. 2021-N.O.D.
- TOPOGRAPHY SOUNDING, AIRMOHEAD MAPPING, COMPILED 10-4-2021.
- CONTOUR INTERVAL-10'
- THE FEDERAL SURVEYING AND MAPPING AGENCY (FSM) FLOOD INSURANCE RATE MAP (FIRM) FOR THIS SITE IS NO. 08274C000A, EFFECTIVE 6/28/2008. THE SITE IS DESIGNATED AS OTHER FLOOD AREA - ZONE X.
- PER THE GEOTECHNICAL STUDY DATED 3-3-2019 PREPARED BY ALAN X. FOUNDATION ENGINEERING, INC., PROJECT NO. P-241-001, THE POTENTIAL FOR LIQUEFACTION AND SEISMICALLY INDUCED SETTLEMENT IS INSUBSTANTIAL.
- THIS AREA IS NOT WITHIN FAULT ZONE.
- THERE ARE NO EXISTING POWER LINES OR CABLES ON THE SITE.
- NO EXISTING UTILITIES OR STRUCTURES ARE SHOWN ON THIS PLAN. ALL UTILITIES AND STRUCTURES SHOWN ON THIS PLAN HAVE BEEN COMPLETED FROM RECORD INFORMATION AND IS NOT TO BE USED AS A BOUNDARY SURVEY.

EASEMENTS:

SCHEDULE "T" ITEMS SHOWN HEREON WERE DERIVED FROM THE PRELIMINARY REPORT FOR TITLE INSURANCE, AS PREPARED BY TITELITY NATIONAL TITLE COMPANY, ORDER NO. 187-3007988-A-121, DATED AS OF OCTOBER 25, 2021. NO RESPONSIBILITY FOR CONTENT, COMPLETENESS OR ACCURACY OF SAID EASEMENTS IS ASSUMED BY THIS MAP; THE SURVEYOR OR UNITED ENGINEERING GROUP-CA, INC.

- 15' WIDE SEWER AND DRAINAGE EASEMENT PER INST. NO. 2004-0704790, C.A. REG. 9 2-26-04.
- 65' X 25' APPROX. ACCESS EASEMENT PER INST. NO. 2004-0473073, C.A. REG. 7-03-04.
- OFFER OF REDUCTION PER P.A.M. 3912, P.M. 407-1-2 REJECTED ON SAID MAP.



OWNER/APPLICANT:
 PRIMA INVESTMENTS, LLC
 3000 W. 10TH AVE., 3RD FLOOR
 ANAHEIM, CA 92703
 (909) 235-4309

ENGINEER/SURVEYOR
 UNITED ENGINEERING GROUP CA, INC
 8885 HAVEN AVENUE, SUITE 195
 RANCHO CUCAMONGA, CA 91730
 (909) 466-8240

FIGURE 4: SITE PLAN

APPENDIX B

**City of Victorville
Municipal Code: Chapter (13.33)**

**County of San Bernardino
Municipal Code: (88.01.060)**

Chapter 13.33 - PRESERVATION AND REMOVAL OF JOSHUA TREES

Sections:

13.33.010 - Purpose and intent.

It is determined by the city council that proper and necessary steps be taken in order to protect and preserve, to the greatest extent possible, Joshua trees in all areas of the city so as to preserve the unique natural desert environment throughout the city and for the health, safety and welfare of the community.

(Ord. 1224 § 1 (part), 1988)

13.33.020 - Scope and applicability.

- (a) The provisions of this chapter shall apply to all property within the corporate limits of the city.
- (b) The provisions of this chapter shall not apply to:
 - (1) Any existing lot in a subdivision already cleared and graded with improvements installed as required by the conditions of the original subdivision;
 - (2) Any occupied residential properties.

(Ord. 1224 § 1 (part), 1988)

13.33.030 - Definitions.

The term "Joshua tree" means a living tree of the botanical name of *Yucca Brevifolias*.

(Ord. 1224 § 1 (part), 1988)

13.33.040 - Prohibition of removal and enforcement.

It is unlawful for any person to cut, damage, destroy, dig up, or harvest any Joshua tree without the prior written consent of the director of parks and recreation or his designee. A violation of this section is a misdemeanor punishable by up to six months in jail and/or a five-hundred-dollar fine.

(Ord. 1224 § 1 (part), 1988)

CHAPTER 88.01 PLANT PROTECTION AND MANAGEMENT

Sections:

- 88.01.010 Purpose
- 88.01.020 Applicability
- 88.01.030 Exempt Activities
- 88.01.040 General Permit Application and Review Requirements
- 88.01.050 Native Tree or Plant Removal Permits
- 88.01.060 Desert Native Plant Protection
- 88.01.070 Mountain Forest and Valley Tree Conservation
- 88.01.080 Riparian Plant Conservation
- 88.01.090 Tree Protection from Insects and Disease

88.01.010 Purpose

This Chapter provides regulations and guidelines for the management of plant resources in the unincorporated areas of the County on property or combinations of property under private or public ownership. The intent is to:

- (a) Promote and sustain the health, vigor and productivity of plant life and aesthetic values within the County through appropriate management techniques.
- (b) Conserve the native plant life heritage for the benefit of all, including future generations.
- (c) Protect native trees and plants from indiscriminate removal and to regulate removal activity.
- (d) Provide a uniform standard for appropriate removal of native trees and plants in public and private places and streets to promote conservation of these valuable natural resources.
- (e) Protect and maintain water productivity and quality in local watersheds.
- (f) Preserve habitats for rare, endangered, or threatened plants and to protect animals with limited or specialized habitats.

Adopted Ordinance 4011 (2007); Amended Ordinance 4067 (2009)

88.01.020 Applicability

The provisions in this Chapter apply to the removal or relocation of regulated trees or plants and to any encroachment (for example, grading) within the protected zone of a regulated tree or plant on all private land within the unincorporated areas of the County and on public lands owned by the County, unless otherwise specified. Nothing in this Chapter shall relieve nor be interpreted to exempt a development from complying with applicable State or Federal laws and regulations.

Adopted Ordinance 4011 (2007); Amended Ordinance 4067 (2009)

88.01.030 Exempt Activities

The provisions in this Chapter, except those of Section 88.01.090 (Tree Protection From Insects and Disease), shall not apply to the removal of regulated trees or plants that may occur in the following situations. Removal actions shall not authorize the removal of perch trees within an identified American Bald Eagle habitat.

- (a) **Timber operations.** Removal as part of a timber operation conducted in compliance with the Z'berg-Nejedly Forest Practice Act of 1973 (Public Resources Code Section 4526 et seq.).
- (b) **Government owned lands.** Removal from lands owned by the United States, State of California, or local governmental entity, excluding Special Districts (i.e., Special Districts shall be subject to the provisions of this Division.).
- (c) **Public utilities.** Removal by a public utility subject to jurisdiction of the Public Utilities Commission or any other constituted public agency, including franchised cable TV, where to establish or maintain safe operation of facilities under their jurisdiction, trees are pruned, topped, or braced.
- (d) **State agencies.** Removal by, or under the authority of, the State of California:
 - (1) Department of Forestry and Fire Protection.
 - (2) Forest Improvement Program.
 - (3) Agricultural Conservation Program.
- (e) **Government laws.** Removal required by other codes, ordinances, or laws of the County, State, or United States.
- (f) **Emergency.** Removal of native trees and plants that are an immediate threat to the public health, safety, or welfare and that require emergency removal to prevent probable damage to a structure or injury to people or fenced animals.

- (g) **Forest stocking control program.** Removal as part of a stocking control program prepared by a California Registered Professional Forester.
- (h) **Fire hazard reduction program.** Removal as part of a fire hazard reduction program approved by the Fire Chief.
- (i) **Bona fide agricultural activity.** Removal as part of a bona fide agricultural activity, as determined by the Director, which is one of the following:
 - (1) Conducted under a land conservation contract.
 - (2) An existing agricultural activity, including expansions of the activity onto undisturbed contiguous land.
 - (3) A proposed bona fide agricultural activity (i.e., an agricultural activity that is served by a water distribution system adequate for the proper operation of the activity).
 - (A) The Director shall be given 30 days' written notice of the removal describing the:
 - (I) Location of the land.
 - (II) Nature of the proposed activity.
 - (III) Proposed sources of water for the activity.
 - (B) The Director shall notify the landowner in writing before the elapse of the 30-day period if, in the opinion of the Director, the activity is not a bona fide agricultural activity, or else the activity shall be deemed bona fide.
- (j) **Parcel less than 20,000 square feet developed with primary structure.** Removal on parcels that have a net area of 20,000 square feet or less and that are developed with a primary structure, other than a sign structure.
- (k) **Located within 20 feet of permitted structure.** Removal from a parcel of a regulated native plant or tree that is within 20 feet of a structure that was constructed or set down on the parcel under a County development permit.
- (l) **Private fuel wood.** Removal of two or fewer regulated native trees in the Mountain Region or Valley Region per year per acre for private fuel wood purposes. The year shall be measured as the last 12 consecutive months.

- (m) **Oak woodlands.** The following projects shall be exempt from the conditions for mitigating the conversion of oak woodlands required in Subsection 88.01.050(e) (Native Tree or Plant Removal Permits Conditions of approval), below, in compliance with Public Resources Code 21083.4:
- (1) Projects undertaken in compliance with a Natural Community Conservation Plan or subarea plan within a Natural Community Conservation Plan, as approved in compliance with Fish and Game Code Section 2800 *et seq.*, that includes oaks as a covered species or that conserves oak habitat through natural community conservation preserve designation and implementation and mitigation measures that are consistent with this Chapter.
 - (2) Affordable housing projects for lower income households, as defined in Health and Safety Code Section 50079.5, that are located within a city's sphere of influence.
 - (3) Projects on agricultural land within an Agricultural Land Use Zoning District that includes land used to produce or process plant and animal products for commercial purposes.
 - (4) Projects undertaken in compliance with a State agency's regulatory program certified in compliance with Public Resources Code Section 21080.5.

Adopted Ordinance 4011 (2007); Amended Ordinance 4067 (2009)

88.01.040 Regulated Trees and Plants and General Permit

- (a) **Regulated trees and plants.** A regulated tree or plant shall be any of the those trees or plants identified in:
- (1) Section 88.01.060(c) (Regulated desert native plants);
 - (2) Section 88.01.070(b) (Regulated trees); or
 - (3) Section 88.01.080(b) (Regulated riparian plants).
- (b) **Permit for removal required.** A Tree or Plant Removal Permit issued in compliance with Section 88.01.050 (Tree or Plant Removal Requirements) shall be required for the removal of regulated tress and plants.
- (c) **Conditions of approval.** The permits required by this Chapter may be subject to conditions imposed by the applicable review authority as identified in Subsection 88.01.050(e) (Tree or Plant Removal Permits - Condition of approval).

Adopted Ordinance 4011 (2007); Amended Ordinance 4067 (2009)

88.01.050 Tree or Plant Removal Permits

- (a) **When Tree or Plant Removal Permit required.** A Tree or Plant Removal Permit shall be required for the removal of a regulated tree or plant as identified in this Chapter.
- (1) **Removals in conjunction with land use application or development permit**
Director approval. The Director may approve the removal of regulated trees or plants when requested in conjunction with a land use application, a Building Permit, and all other development permits (e.g., Grading Permits, Mobile Home Setdown Permits, etc.). An approved land use application and/or development permit shall be considered to include a Tree or Plant Removal Permit, if the land use application or development permit specifically reviews and approves the removals. The review of a land use application or development permit shall consider and require compliance with this Chapter.
- (2) **Removals not in conjunction with land use application or development permit**
Director approval. The Director may approve a Tree or Plant Removal Permit for the removal of regulated trees or plants requested not in conjunction with a land use application or development permit.
- (3) **Removals to mitigate fire hazards**
Fire Chief approval. The Fire Chief may approve a Tree or Plant Removal Permit for the removal of regulated trees or plants when requested for the purposes of mitigating fire hazards and independent of a land use application or development permit.
- (b) **Expert certification.** The applicable review authority may require certification from an appropriate arborist, registered professional forester or a Desert Native Plant Expert that the proposed tree removal, replacement, or revegetation activities are appropriate, supportive of a healthy environment, and in compliance with this Chapter. The certification shall include the information in compliance with Department procedures.
- (c) **Preconstruction inspections.** A preconstruction inspection before approval of development permits shall be required in areas with regulated trees or plants to determine the presence of regulated trees and plants. The preconstruction inspection may be combined with any other required inspection.
- (d) **Duration of Tree or Plant Removal Permits.**
- (1) **Removals in conjunction with land use application or development permit.** The duration of a Tree or Plant Removal Permit, when issued in conjunction with a land use application and/or a development permit, shall have the same duration of the associated application or permit, unless otherwise specified.

- (2) **Removals not in conjunction with land use application or development permit.** The applicable review authority shall specify the expiration date for all other Tree or Plant Removal Permits.
- (e) **Conditions of approval.** A Tree or Plant Removal Permit may be subject to the following conditions imposed by the applicable review authority:
- (1) **Types of conditions.** The conditions may specify criteria, methods, and persons authorized to conduct the proposed activities in addition to the requirements in this Chapter.
- (2) **Transplanting or stockpiling.** Where indicated in this Chapter, regulated trees and plants may be required to be transplanted and/or stockpiled for future transplanting.
- (3) **Performance bonds.** The review authority may require the posting and maintenance of a monetary security deposit where necessary to ensure the completion of the required mitigation measures in compliance with Section 86.06.050 (Performance Guarantees).
- (4) **Conversion of oak woodlands.** If a project will result in a conversion of oak woodlands that will have a significant effect on the environment and is not exempt under Subsection 88.01.030(m) (Exempt Activities Oak woodlands), one or more of the conditions in this Subsection may be imposed in compliance with Public Resources Code Section 21083.4. For the purposes of this Subsection, "oak" shall mean a native tree species that is in the genus *Quercus*, which is not designated as Group A or Group B commercial species under regulations adopted by the State Board of Forestry and Fire Protection in compliance with Public Resources Code Section 4526, and which is five inches or more in diameter as measured at a point 4.5 feet (breast height) above natural grade level. The applicable review authority may require certification from a Tree Expert that the proposed mitigation measures are appropriate, supportive of a healthy oak woodland environment, and in compliance with this Subsection. The certification shall include the information in compliance with Department procedures. The conditions that may be imposed include one or more of the following:
- (A) **Preservation.** Preserve existing oak woodlands by recording conservation easements in favor of the County or an approved organization or agency.
- (B) **Replacement or restoration.** Replace or restore former oak woodlands. The review authority may require the planting and maintenance of replacement trees, including replacing dead or diseased trees. The replacement ratio and tree sizes shall be based on the recommendation of an

Oak Reforestation Plan prepared by a registered professional forester. The requirement to maintain trees in compliance with this paragraph shall terminate seven years after the trees are planted.

- (C) **In-lieu mitigation fee.** Contribute in-lieu mitigation fee to the Oak Woodlands Conservation Fund, established under Fish and Game Code Section 1363 for the purpose of purchasing oak woodlands conservation easements. A project applicant who contributes funds in compliance with this Subsection shall not receive or use a grant from the Oak Woodlands Conservation Fund as part of the mitigation for the project. The in-lieu fee for replacement trees shall be calculated based upon their equivalent value as established by the International Society of Arboriculture's (ISA) current edition of *Guide to Establishing Values for Trees and Shrubs*, etc.)
 - (D) **Other mitigation measures.** Perform other mitigation measures as may be required by the review authority (e.g., inch-for-inch off-site replacement planting; transfer of development rights, enrollment of project with offset provider for carbon credits in greenhouse gas emission registry, carbon reduction, and carbon trading system; etc.).
- (f) **Findings for Tree or Plant Removal Permits.** The applicable review authority may authorize the removal of a regulated tree or plant only if the following findings are made:
- (1) **Findings for removals in the Valley Region, Mountain Region, and Desert Region.** The removal of the regulated tree or plant is justified for one of the following reasons:
 - (A) The location of the regulated tree or plant and/or its dripline interferes with an allowed structure, sewage disposal area, paved area, or other approved improvement or ground disturbing activity and there is no other alternative feasible location for the improvement.
 - (B) The location of the regulated tree or plant and/or its dripline interferes with the planned improvement of a street or development of an approved access to the subject or adjoining private property and there is no other alternative feasible location for the improvement.
 - (C) The location of the regulated tree or plant is hazardous to pedestrian or vehicular travel or safety.
 - (D) The regulated tree or plant or its presence interferes with or is causing extensive damage to utility services or facilities, roadways, sidewalks,

curbs, gutters, pavement, sewer line(s), drainage or flood control improvements, foundations, existing structures, or municipal improvements.

(E) The condition or location of the regulated tree or plant is adjacent to and in such close proximity to an existing or proposed structure that the regulated tree or plant has or will sustain significant damage.

(2) **Additional findings for removals in the Mountain Region.** In the Mountain Region only, the applicable review authority shall also make all of the following findings:

(A) Where improvements are proposed, the design of the improvements ensures that at least the following minimum percentage of the subject parcel will be maintained or established in a natural undeveloped vegetated or revegetated condition sufficient to ensure vegetative coverage for a forest environment, as determined by the applicable Review Authority.

(I) Twenty percent of commercial, industrial, and administrative/professional uses.

(II) Thirty-five percent of multi-family residential uses.

(B) At least one half of natural areas for all uses, except single family residential uses, will be located in the front setback area or located so that significant portions are visible from the public right-of-way on which the improvements are to be located.

(C) A perch tree within a federally identified American Bald Eagle habitat will not be removed unless an adequate substitution is provided.

(D) A Registered Professional Forester has certified in writing that the condition or location of a regulated tree is contributing to overstocked tree stand conditions and that its removal will improve the overall health, safety, and vigor of the stand of trees containing the subject tree.

(3) In the Desert Region only, the applicable Review Authority shall also make the following findings:

(A) Joshua trees that are proposed to be removed will be transplanted or stockpiled for future transplanting wherever possible.

(B) In the instance of stockpiling, the permittee has complied with Department policy to ensure that Joshua trees are transplanted appropriately. Transplanting shall comply with the provisions of the Desert Native Plants

Act (Food and Agricultural Code Section 80001 et seq.), as required by Subsection 88.01.060(d) (Compliance with Desert Native Plants Act).

(C) No other reasonable alternative exists for the development of the land when the removal of specimen size Joshua Trees is requested. Specimen size trees are defined as meeting one or more of the following criteria:

(I) A circumference measurement equal to or greater than 50 inches measured at 4.5 feet above natural grade level.

(II) Total tree height of 15 feet or greater.

(III) Trees possessing a bark-like trunk.

(IV) A cluster of 10 or more individual trees, of any size, growing in close proximity to each other.

(g) **Plot plan requirements.** Before the issuance of a Tree or Plant Removal Permit, a plot plan shall be approved by the applicable Review Authority for each site indicating exactly which trees or plants are authorized to be removed. The required information shall be added to any other required plot plan.

(h) **Construction standards.** During construction and before final inspection under a development permit, the following construction standards shall apply, unless otherwise approved in writing by an arborist, registered professional forester, or a Desert Native Plant Expert:

(1) **Enclosures.** The trunks of regulated trees and regulated plants shall not be enclosed within rooflines or decking.

(2) **Attachments.** Utilities, construction signs, or other hardware shall not be attached so as to penetrate or abrade any live regulated tree or plant.

(3) **Grade alterations.** No grade alterations shall bury any portion of a regulated tree or plant or significantly undercut the root system within the dripline.

(i) **Enforcement.**

(1) **Other applicable Code provisions.** The provisions of Chapter 86.09 (Enforcement) shall apply to this Chapter.

(2) **Enforcement authorities.** The authorities responsible for the enforcement of the provisions of this Chapter shall be the same as the review authorities responsible for permit approvals as specified in this Section. In addition, the provisions of

this Chapter may be enforced by the California Department of Forestry, where applicable.

- (3) **Extension of time.** If property is subject to snow, flooding, or other conditions that render compliance with the provisions of this Chapter within the specified time periods impractical because of inaccessibility, an enforcement officer may extend the period of time for compliance.
- (4) **Powers of enforcement officers.**
 - (A) A peace officer or any authorized enforcement officer may in the enforcement of this Section:
 - (I) Make arrests without warrant for a violation of this Chapter that the officer may witness.
 - (II) Confiscate regulated native trees or plants, or parts of them, that are unlawfully harvested, possessed, sold, or otherwise obtained in violation of this Chapter.
 - (B) In addition, a designated enforcement officer shall be authorized and directed to enter in or upon any premises or other place, train, vehicle, or other means of transportation within or entering the State, which is suspected of containing or having present regulated plants in violation of this Chapter in order to examine permits and wood receipts and observe tags and seals and to otherwise enforce the provisions of this Chapter.
- (5) **When enforcement officer vested with power of peace officer.** When power or authority is given by this Chapter to a person, it may be exercised by any deputy, inspector, or agent duly authorized by that person. A person in whom the enforcement of a provision of this Chapter is vested shall have the power of a peace officer as to that enforcement, which shall include State or Federal agencies with which cooperative agreements have been made by the County to enforce the provisions of this Chapter.
- (6) **Written permission of landowner required for removal.** No person shall remove or damage all or part of any regulated tree or plant on the property of another person without first obtaining notarized written permission from the landowner and required permits, wood receipts, or tags and seals. In addition, it shall be unlawful for a person to falsify a document offered as evidence of permission to enter upon the property of another to harvest all or parts of a regulated tree or plant, whether alive or dead.

- (7) **Permit available for display and inspection.** No person, except as provided in this Chapter, shall harvest, offer for sale, destroy, dig up or mutilate, or have in his or her possession a regulated plant or tree, or the living or dead parts of them, unless the plant or tree was harvested under a valid permit and, where applicable, a valid wood receipt on his or her person. A person shall exhibit the permit, wood receipt, tags and/or seals upon request for inspection by an authorized County enforcement officer or any peace officer. No wood receipt or tag and seal shall be valid unless it is issued with a valid permit and the permit bears the wood receipt number or tag number on its face. Required tags and seals shall be attached securely to a regulated desert native plant.
- (8) **Land Disturbance.** No person, except as provided in this Chapter, shall commence with a disturbance of land (e.g., grading or land clearing) without first obtaining approval to assure that said disturbance will not result in the removal of any regulated native trees or plants. Said approval may be in the form of a development permit or a Tree or Plant Removal Permit issued by the appropriate authority.
- (j) **Penalties.** Penalties shall be those specified in Chapter 86.09 (Enforcement) and shall include the following and any other penalties specified by individual Sections of this Chapter.
- (1) **Fine for illegal removal.**
- (A) In addition to other penalties and fees imposed by this Development Code or other law, a person, firm, or corporation convicted of a violation of the provisions of this Chapter shall be guilty of a misdemeanor upon conviction.
- (B) When one or more plants or trees are removed in violation of the provisions of this Chapter, the removal of each separate plant or tree shall be a new and separate offense.
- (C) The penalty for the offense shall be a fine of not less than \$500 nor more than \$1,000, or six months in jail, or both.
- (D) Payment of a penalty shall not relieve a person, firm, or corporation from the responsibility of correcting the condition resulting from the violation.

(2) Replacement program for illegal removal.

- (A) In addition to other penalties imposed by this Development Code or other law, a person, firm, or corporation convicted of violating the provisions of this Chapter regarding improper removal of regulated native trees or plants shall be required to retain, as appropriate, a Tree Expert or Desert Native Plant Expert to develop and implement a replacement program.
- (B) The expert shall determine the appropriate number, size, species, location, and planting conditions for replacement plants or trees in sufficient quantities to revegetate the illegally disturbed area.
- (C) If it is inappropriate to revegetate the illegally disturbed area, another appropriate location (e.g., public parks) may be substituted at the direction of the court.
- (D) The violator shall post a bond in an amount sufficient to remove and reinstall plant/tree materials that were planted as a part of a replacement program and failed within two years.

(3) Revocation of permits.

- (A) Upon conviction of a violation of this Chapter, all Tree or Plant Removal Permits issued to the convicted person, firm, or corporation shall be revoked.
- (B) No new or additional Tree or Plant Removal Permits shall be issued to the permittee for a period of one year from the date of conviction.
- (C) Additionally, in the Desert Region the permittee shall be required to surrender unused wood receipts or tags and seals to the Director.

Adopted Ordinance 4011 (2007); Amended Ordinance 4043 (2008); Amended Ordinance 4067 (2009)

88.01.060 Desert Native Plant Protection

This Section provides regulations for the removal or harvesting of specified desert native plants in order to preserve and protect the plants and to provide for the conservation and wise use of desert resources. The provisions are intended to augment and coordinate with the Desert Native Plants Act (Food and Agricultural Code Section 80001 et seq.) and the efforts of the State Department of Food and Agriculture to implement and enforce the Act.

- (a) **Definitions.** Terms and phrases used within this Section shall be defined in Division 10 (Definitions) and/or defined by the California Food and Agricultural Code. The California Food and Agricultural Code definition, if one exists, shall prevail over a conflicting definition in this Development Code.
- (b) **Applicability.** The provisions of this Section shall apply to desert native plants specified in Subsection (c) (Regulated desert native plants) that are growing on any of the following lands, unless exempt in compliance with Section 88.01.030 (Exempt Activities):
- (1) Privately owned or publicly owned land in the Desert Region.
 - (2) Privately owned or publicly owned land in any parts of the Mountain Region in which desert native plants naturally grow in a transitional habitat.
- (c) **Regulated desert native plants.** The following desert native plants or any part of them, except the fruit, shall not be removed except under a Tree or Plant Removal Permit in compliance with Section 88.01.050 (Tree or Plant Removal Permits). In all cases the botanical names shall govern the interpretation of this Section.
- (1) The following desert native plants with stems two inches or greater in diameter or six feet or greater in height:
 - (A) *Dalea spinosa* (smoketree).
 - (B) All species of the genus *Prosopis* (mesquites).
 - (2) All species of the family *Agavaceae* (century plants, nolinias, yuccas).
 - (3) Creosote Rings, 10 feet or greater in diameter.
 - (4) All Joshua trees.
 - (5) Any part of any of the following species, whether living or dead:
 - (A) *Olneya tesota* (desert ironwood).
 - (B) All species of the genus *Prosopis* (mesquites).
 - (C) All species of the genus *Cercidium* (palos verdes).

- (d) **Compliance with Desert Native Plants Act.** Removal actions of all plants protected or regulated by the Desert Native Plants Act (Food and Agricultural Code Section 80001 et seq.) shall comply with the provisions of the Act before the issuance of a development permit or approval of a land use application.

Adopted Ordinance 4011 (2007); Amended Ordinance 4067 (2009)

88.01.070 Mountain Forest and Valley Tree Conservation

This Section provides regulations to promote conservation and wise use of forest resources in the Mountain Region and native tree resources in the Valley Region. The provisions are intended to augment and coordinate with the Z'berg-Nejedly Forest Practice Act of 1973 (Public Resources Code Section 4526 et seq.) and the efforts of the State Department of Forestry and Fire Protection to implement and enforce the Act.

(a) **Applicability.**

- (1) **Private harvesting.** The provisions of this Section apply to the private harvesting of all trees growing on private land and on public land in the unincorporated Mountain Region and Valley Region.
- (2) **Commercial harvesting.** The commercial harvesting of trees shall be prohibited, except as allowed by and authorized by the State Department of Forestry and Fire Protection in compliance with the Z'berg-Nejedly Forest Practice Act of 1973 (Public Resources Code Section 4526 et seq.).

(b) **Regulated trees.** The following trees shall only be removed with an approved Tree or Plant Removal Permit issued in compliance with Section 88.01.050 (Tree or Plant Removal Permits):

- (1) **Native trees.** A living, native tree with a six inch or greater stem diameter or 19 inches in circumference measured 4.5 feet above natural grade level.
- (2) **Palm trees.** Three or more palm trees in linear plantings, which are 50 feet or greater in length within established windrows or parkway plantings, shall be considered to be heritage trees and shall be subject to the provisions of this Chapter regarding native trees.

(c) **Tree protection from insects and disease.** For regulations on the treatment and disposition of felled trees, see Section 88.01.090 (Tree Protection from Insects and Disease).

Adopted Ordinance 4011 (2007); Amended Ordinance 4067 (2009)

88.01.080 Riparian Plant Conservation

This Section provides regulations to promote healthy and abundant riparian habitats that protect watersheds; control transmission and storage of natural water supplies; provide unique wildlife habitats for rare, endangered and threatened plants and animals; provide attractive environments; control natural soil erosion and sedimentation to protect stream banks subject to erosion and undercutting; and provide sufficient shade to reduce temperature and evaporation and the growth of algae in streams. The provisions of this Section are intended to augment and coordinate with the responsibilities of the California Department of Fish and Game.

(a) Applicability.

- (1) Applicable areas.** The provisions of this Section shall apply to all riparian areas located on private land in all zones within the unincorporated areas of the County and to riparian areas on public land owned by the County, unless exempt as specified by Section 88.01.030 (Exempt Activities) and by Subsection (2) (Exemptions), below.
- (2) Exemptions.** The provisions of this Section shall not apply to:
 - (A) Emergency Flood Control District operations or water conservation measures established and authorized by an appropriate independent Special District.
 - (B) An area that has an existing man-made impervious structure, which is greater than 120 square feet in roof area, between the area proposed to be disturbed by a development permit and the bank of a subject stream, as measured in a straight line perpendicular to the centerline of the stream.

(b) Regulated riparian plants.

- (1) Vegetation described.** The removal of vegetation within 200 feet of the bank of a stream, or in an area indicated as a protected riparian area on an overlay map or Specific Plan, shall require approval of a Tree or Plant Removal Permit in compliance with Section 88.01.050 (Tree or Plant Removal Permits) shall be subject to environmental review.
 - (2) Streams.** For the purposes of this Section, streams include those shown on United States Geological Survey Quadrangle topographic maps as perennial or intermittent, blue or brown lines (solid or dashed), and river wash areas.
- (c) Preconstruction inspections.** Preconstruction inspections shall include the verification of the presence of riparian vegetation.
- (d) Conditions of approval.** Conditions of approval for removal of riparian vegetation may be imposed in addition to, and in combination with, any condition imposed in compliance with Section 88.01.050 (Tree or Plant Removal Permits).

Adopted Ordinance 4011 (2007); Amended Ordinance 4067 (2009)

88.01.090 Tree Protection from Insects and Disease

This Section provides regulations for the treatment and disposition of felled trees in the Mountain Region to protect against damaging insects (e.g. bark beetles) and diseases. The intent is to mitigate the serious danger posed to forests from coniferous trees that are cut in land clearing operations and are then allowed to remain exposed and untreated against noxious insects, which then multiply in the felled trees to later attack and damage healthy coniferous trees.

- (a) **Applicability.** The provisions in this Section apply to coniferous trees located on land in the Mountain Region. Every person, firm, or corporation, whether as principal, agent, or employee, that has control of, right of entry on, or access to land in the Mountain Region shall comply with this Section.

- (b) **Treatment of felled trees.** Except as otherwise provided by this Section, felled coniferous trees, portions of trees, and stumps shall be treated in compliance with at least one, or a combination, of the following methods and the method in Subsection (c) (Stump treatment), below, within 15 days after a coniferous tree has been cut.
 - (1) Remove to a solid waste disposal site specifically designated by the County for this type of use.
 - (2) Burn sufficiently to consume the bark, when allowed by the Fire Department and the Air Pollution Control District.
 - (3) Lop and scatter material less than four inches in diameter so that it is piled no higher than 24 inches above the ground, when allowed by the Fire Department.
 - (4) Remove the bark
 - (5) Chip or grind.
 - (6) Split and scatter with bark toward the sun for a minimum of 45 consecutive days or until final inspection is completed, whichever is less.
 - (7) Stack in the sun and cover with six mil clear plastic, which has a continuous seal from the outside and for at least 180 days.
 - (8) Spray with a commercial insecticide, as approved by the Agricultural Commissioner for these insects and purposes.

- (9) Treat under any other method approved by the enforcement officer in writing.
- (c) **Stump treatment.** Fresh cut stumps of live coniferous trees shall be protected from infection by Annosus Root Rot (*Fomes annosus*) with borax powder (granular tech, 10 mole) as soon as possible after felling, covering the entire newly exposed cut and/or broken surface completely with a thin uniform layer of white borax within two hours.
- (d) **Inspections.** In the case of construction activity, the Building Official shall not approve development permit inspections until felled coniferous trees, portions of trees, and stumps are treated in compliance with this Section.
- (e) **Certificate of compliance.** Where trees have been treated by an approved method and the evidence of treatment is not readily observable to the inspector on the construction site, the Building Official shall require a permittee to obtain a certificate that the treatment has been completed in an acceptable manner. The certificate may be from one of the following authorities:
- (1) Fire Chief.
 - (2) Agricultural Commissioner.
 - (3) Appropriately certified Pest Control Adviser as defined in Food and Agriculture Code Section 11401 et seq.
 - (4) Qualified Applicator as defined in Food and Agriculture Code Section 11401 et seq.
- (f) **Extension of time of enforcement.** If compliance with Subsection (b) (Treatment of felled trees) and Subsection (c) (Stump treatment) within the specified time periods is impractical because of inaccessibility to the cut timber due to snow or flooding, an enforcement officer may extend the period of time for compliance.

Adopted Ordinance 4011 (2007); Amended Ordinance 4067 (2009)

THIS SPACE INTENTIONALLY LEFT BLANK.