


Appendix G
Phase I & Phase II
Environmental Site Assessments

**Phase I Environmental Site Assessment – ENGEO
December 23, 2020**



905 N. CAPITOL AVENUE
SAN JOSE, CALIFORNIA

PHASE I ENVIRONMENTAL SITE ASSESSMENT

SUBMITTED TO
Ms. Kristen Gates, PE
Hanover R.S. Limited Partnership
1780 South Post Oak Lane
Houston, TX 77056

PREPARED BY
ENGEO Incorporated

December 23, 2020

PROJECT NO.
18124.000.001

Project No.
18124.000.001

December 23, 2020

Ms. Kristen Gates, PE
Hanover R.S. Limited Partnership
1780 South Post Oak Lane
Houston, TX 77056

Subject: 905 N. Capitol Avenue
San Jose, California

PHASE I ENVIRONMENTAL SITE ASSESSMENT

Dear Ms. Gates:


ENGEO is pleased to present our phase I environmental site assessment of the subject property (Property), located in San Jose, California. The attached report includes a description of the site assessment activities, along with ENGEO's findings, opinions, and conclusions regarding the Property.

ENGEO has the specific qualifications based on education, training, and experience to assess the nature, history, and setting of the Property, and has developed and performed all appropriate inquiries in conformance with the standards and practices set forth in 40 CFR Part 312 and the American Standard Testing Method (ASTM) Practice E1527-13. We declare that, to the best of our professional knowledge and belief, the responsible charge for this study meets the definition of Environmental Professional as defined in Section 312.10 of 40 CFR Part 312 and ASTM E1527-13.


We are pleased to be of service to you on this project. If you have any questions concerning the contents of our report, please contact us.

Sincerely,

ENGEO Incorporated



Taunee Werts
tw/jaa/jf



Jeffrey A. Adams, PhD, PE

TABLE OF CONTENTS

LETTER OF TRANSMITTAL

EXECUTIVE SUMMARY	1
1.0 INTRODUCTION	3
1.1 PURPOSE OF PHASE I ENVIRONMENTAL SITE ASSESSMENT	3
1.2 DETAILED SCOPE OF SERVICES	3
1.3 SITE LOCATION AND DESCRIPTION	3
1.4 CURRENT USE OF PROPERTY AND ADJOINING PROPERTIES	3
1.5 SITE AND VICINITY CHARACTERISTICS	3
2.0 PREVIOUS ENVIRONMENTAL REPORTS.....	4
3.0 RECORDS REVIEW	6
3.1 PROPERTY RECORDS	6
3.1.1 Title Report/Ownership.....	6
3.2 HISTORICAL RECORD SOURCES.....	6
3.2.1 Historical Topographic Maps/Aerial Photographs/Sanborn Maps	6
3.2.2 City Directory	7
3.3 ENVIRONMENTAL RECORD SOURCES.....	8
3.3.1 Environmental Records.....	8
3.3.1.1 Subject Property	8
3.3.1.2 Other Properties.....	8
3.4 REGULATORY AGENCY FILES AND RECORDS.....	9
3.5 INDOOR AIR QUALITY	10
4.0 SITE RECONNAISSANCE.....	10
4.1 METHODOLOGY	10
4.2 EXTERIOR OBSERVATIONS	11
4.3 INTERIOR OBSERVATIONS.....	12
4.4 ASBESTOS, LEAD, AND PCB-CONTAINING MATERIALS.....	12
5.0 INTERVIEWS	12
6.0 FINDINGS AND CONCLUSIONS	12
7.0 LIMITATIONS.....	13
7.1 SIGNIFICANT ASSUMPTIONS OR DEVIATIONS FROM ASTM STANDARD PRACTICE	13
7.2 OPINIONS AND DATA GAPS	13
7.3 LIMITATIONS AND EXCEPTIONS OF ASSESSMENT.....	14
7.4 SPECIAL TERMS AND CONDITIONS.....	14

REFERENCES

TABLE OF CONTENTS (Continued)

FIGURES

APPENDIX A – Environmental Data Resources, Inc., Radius Map Report

APPENDIX B – First American Title Insurance Company, Commitment for Title Insurance

APPENDIX C – Environmental Data Resources, Inc., Historical Topographic Map Report

APPENDIX D – Environmental Data Resources, Inc., Aerial Photo Decade Package

APPENDIX E – Environmental Data Resources, Inc., Sanborn Map Report

APPENDIX F – Environmental Data Resources, Inc., City Directory

APPENDIX G – Environmental Site Assessment Questionnaire

APPENDIX H – Qualifications of Environmental Professional

EXECUTIVE SUMMARY

ENGEO conducted a phase I environmental site assessment for the property located at 905 N. Capitol Avenue in San Jose, California (Property). The Property is approximately 3.9 acres in area and is identified by Assessor's Parcel Numbers (APNs) 254-290-028 (western parcel) and 254-290-026 (eastern parcel).

The Property consists of one residential structure and vegetated vacant land on the western parcel and undeveloped vegetated land on the eastern parcel. Review of historical records indicates that the Property had been utilized with row crops or orchards dating to at least 1939 to approximately the late 1970s. The structures located on the Property were built between 1968 and 1974.

This assessment included a review of local, state, tribal, and federal environmental record sources, standard historical sources, aerial photographs, fire insurance maps and physical setting sources. A reconnaissance of the Property was conducted to review site use and current conditions to check for the storage, use, production or disposal of hazardous or potentially hazardous materials and interviews with persons knowledgeable about current and past site use.

Arcadis and AEI previously conducted soil assessments at the Property. During AEI's soil assessment, no levels of pesticides above applicable screening levels were identified. The report provided did not include the laboratory data, figures, or data tables. The Arcadis report did not identify any pesticides above applicable screening levels; however, it did identify one sample with a concentration of lead (80.8 milligrams per kilograms) slightly above the residential screening level for lead (80 mg/kg) (for additional information refer to Section 2.0). ENGEO conducted a statistical analysis of the soil data and concluded that lead in soil is not a concern .

The site reconnaissance and records review did not find documentation or physical evidence of groundwater impairments associated with the use or past use of the Property. A review of regulatory databases maintained by county, state, tribal, and federal agencies found no documentation of hazardous materials violations or discharge on the Property and did not identify contaminated facilities within the appropriate American Society for Testing and Materials (ASTM) search distances that would reasonably be expected to impact the Property.

Based on the findings of this assessment, no Recognized Environmental Conditions (RECs), no historical RECs, and no controlled RECs were identified for the Property.

ENGEO has performed a phase I environmental site assessment in general conformance with the scope and limitations of ASTM E1527-13 and the standards and practices of the All Appropriate Inquiry – Final Rule (40 Code of Federal Regulations Part 312).

It is our opinion that the findings of this study are based on a sufficient level of information obtained during our contracted scope of services to render a conclusion as to whether additional appropriate investigation is required to identify the presence or likely presence of a REC.

This assessment has revealed no evidence of RECs in connection with the Property, and the Property is suitable for residential land use. ENGEO recommends the following with respect to future redevelopment activities.

- A self-directed Soil Management Plan (SMP) should be prepared and implemented. The SMP should establish guidelines to address any soil excavations and removal during the construction process and provide protocols to address any unknown and unexpected issues (e.g. sumps, tanks, stained soils) that could be encountered in the field during development activities.
- Retain a licensed contractor to conduct an asbestos, lead-based paint, and PCB survey prior to demolition.

1.0 INTRODUCTION

1.1 PURPOSE OF PHASE I ENVIRONMENTAL SITE ASSESSMENT

This assessment was performed at the request of Hanover R.S. Limited Partnership for the purpose of environmental due diligence during property acquisition. The objective of this phase I environmental site assessment is to identify Recognized Environmental Conditions (RECs) associated with the Property. As defined in the ASTM Standard Practice E1527-13, an REC is “the presence or likely presence of any hazardous substances or petroleum products in, on, or at a property: (1) due to release to the environment; (2) under conditions indicative of a release to the environment; or (3) under conditions that pose a material threat of a future release to the environment.”

1.2 DETAILED SCOPE OF SERVICES

The scope of services performed included the following:

- A review of previous environmental reports prepared for the Property.
- A review of publicly available and practicably reviewable standard local, state, tribal, and federal environmental record sources.
- A review of publicly available and practicably reviewable standard historical sources, aerial photographs, fire insurance maps and physical setting sources.
- A reconnaissance of the Property to review site use and current conditions. The reconnaissance was conducted to check for the storage, use, production or disposal of hazardous or potentially hazardous materials.
- Interviews with owners/occupants and public sector officials.
- Preparation of this report with our findings, opinions, and conclusions.

1.3 SITE LOCATION AND DESCRIPTION

The Property located at 905 N. Capitol Avenue in San Jose, California (Figures 1 and 2). The approximately 3.9-acre Property is identified as APNs 254-290-028 (western parcel) and 254-290-026 (eastern parcel) (Figure 3) and is currently occupied by two residential structures, a detached garage, and a rectangular shed on the western parcel (APN 254-290-028). The eastern parcel (APN 254-290-026) is vacant vegetated land.

1.4 CURRENT USE OF PROPERTY AND ADJOINING PROPERTIES

The Property is currently occupied by a residential structure, sheds/storage structures, abandoned vehicles, and vacant vegetated land. Surrounding properties to the north, south, east, and west are used for residential purposes.

1.5 SITE AND VICINITY CHARACTERISTICS

According to published topographic maps, the Property ranges in elevation from approximately 162 feet above mean sea level (msl) in the north-northwest to approximately 140 feet above msl to the south-southeast. Regional Geologic Mapping (Dibblee, 2005), indicates the soil at the

Property consist of Holocene-age alluvial deposits (Qa). The soil is typically characterized as alluvial gravel, sand and clay and include alluvial fan deposits.

Geocheck – Physical Setting Source Summary of the Environmental Data Resources, Inc. (EDR) report (Appendix A) indicated no Federal United States Geological Survey (USGS) and 53 State wells located within 1 mile of the Property. No wells had reported depth to water or groundwater flow direction measurements. The Physical Setting Source Summary did not provide hydrogeologic information for the immediate area.

We reviewed the Department of Water Resources On-line Water Data Library for depth to water in the vicinity of the Property. The website identified 11 wells within 1 mile of the Property. Groundwater was reported to be approximately 58 feet below ground surface.

We reviewed EnviroStor, a website maintained by the State of California Department of Toxic Substances Control, and GeoTracker, a website maintained by the State of California Water Resources Control Board, for nearby facilities with records that include depth to groundwater measurements. The following information was obtained regarding local groundwater conditions.

TABLE 1.5-1: Local Groundwater Conditions

PROXIMITY TO PROPERTY	REPORTED DEPTH TO GROUNDWATER	REPORTED GROUNDWATER FLOW DIRECTION
2,300 feet southwest	28 to 35 feet below ground surface	N/A
1,300 feet north-northwest	Approximately 61 feet below ground surface	N/A
1,700 feet west	65 to 70 feet below ground surface	West

The site-specific depth to groundwater and direction of groundwater flow was not determined as part of this assessment. Fluctuations in groundwater levels may occur seasonally and over a period of years due to variations in precipitation, temperature, irrigation and other factors.

We reviewed the Department of Conservation, Geologic Energy Management (CalGEM), formerly the Department of Conservation, Division of Oil, Gas, and Geothermal Resources (DOGGR), website and map database to determine if any historic oil and/or gas wells were located within the Property. No wells were mapped within 1 mile of the Property.

2.0 PREVIOUS ENVIRONMENTAL REPORTS

AEI Consultants; Phase I Environmental Site Assessment; 905 North Capitol Avenue, San Jose, California; March 10, 2003.

AEI Consultants (AEI) conducted a phase I environmental site assessment for the Property in March 2003. AEI identified the following REC.

- The Property was historically used for agricultural purposes, including the cultivation of row crops and orchard trees. Based on the duration of agricultural uses and near-surface tendencies of constituents of concern, AEI performed a soil investigation to determine the extent of any potential pesticide impacts in shallow soil. Four composite soil samples were analyzed for chlorinated pesticides and polychlorinated biphenyls (PCBs). The investigation identified two pesticides in the near-surface soil, DDE and DDT. Their respective concentrations were compared to preliminary remediation goals (PRGs) and the total

threshold limit concentrations (TTLCs). Concentrations of DDE and DDT detected indicated that the soil would not be considered hazardous for waste characterization purposes. The maximum concentration of each constituent detected was below their respective residential PRGs for shallow soil.

AEI recommended no further investigations for the Property.

Arcadis; Draft Phase I Environmental Site Assessment Report; 905 North Capitol Avenue, San Jose, California; November 2018.

Arcadis completed a phase I environmental site assessment on the Property in November 2018. Arcadis did not identify any RECs, CRECs, or HRECs for the Property. The report identified the following two items as “other environmental conditions.”

- Historical Agricultural Use of the Property:

Based on the historical use of the Property and surrounding properties as an orchard from 1939 to 1970 and later as a chili farm from at least 1971 through the early 1990s, agricultural chemicals such as pesticides, herbicides, and fertilizers likely were historically used. In addition, arsenic and lead-containing chemicals were commonly used on orchards. Information regarding historical use, storage, or application rates was not available. A concurrent phase II environmental site assessment (discussed below) was conducted by Arcadis in November 2018 to assess current site conditions. Ten soil samples were collected at the Property and analyzed for petroleum hydrocarbons, metals, pesticides, and organochlorine pesticides (OCPs). Detected constituents were compared to the San Francisco Regional Water Quality Control Board’s (SFRWQCB) Environmental Screening Levels (ESLs). Most constituents were below their applicable ESLs with the exception of lead, which slightly exceeded the residential ESL for direct exposure in one of the ten samples analyzed. Based on these results, the previous property use as an orchard and chili farm is considered an other environmental condition.

- Current and Historical Septic Systems:

The site was developed with a residence on the vacant parcel from at least 1939 through 1970. A second residence was constructed at the Site in the early 1970s. According to the San Jose Department of Transportation (DOT), sanitary sewer service was provided in the area along North Capitol Avenue as of 2004. Given the construction date of the residences at the Property, both residences were likely serviced by a septic tank system. No information was available regarding the removal of the septic system during demolition of the vacant parcel residence. The historical use and potential presence of septic systems at the Property was an “other environmental condition.”

Arcadis; Summary of Soil Analytical Results – Detections Only – Metals, Petroleum Hydrocarbons, and Organochlorine Pesticides; 905 North Capitol Avenue, San Jose, California; November 2018.

Arcadis performed a phase II environmental site assessment on the Property in November 2018. Arcadis collected 10 soil samples from across the Property and analyzed them discretely for CAM-17 metals, total petroleum hydrocarbons (TPH), and OCPs. One sample, SS-9, exhibited a concentration of lead at 80.8 milligrams per kilograms (mg/kg), which is just above the SFRWQCB

ESL¹ of 80 mg/kg. All other lead levels were below 80 mg/kg. Additionally, all other metals detected were below their respective residential ESLs or within typical background concentrations. Various OCPs such as, DDT, DDE, and DDT were detected but were below their respective residential ESLs. TPH as gasoline, diesel, and motor oil were detected but were below their respective residential ESLs.

A statistical evaluation was conducted on the data set for lead for the Property. A 95 percent upper confidence level (UCL) concentration was calculated for lead concentrations following the methods established by the United States Environmental Protection Agency (USEPA). A 95 percent UCL represents a threshold concentration with the following characteristic: the true mean concentration of the analyte within the study area has a 95 percent probability of being less than or equal to the UCL concentration. The analysis was performed using USEPA's ProUCL Version 5.1 software. The UCL was calculated to be 40.9 mg/kg, which is below the residential ESL of 80 mg/kg. Therefore, it is ENGEO's opinion based on the collective data that lead levels at the Property do not pose an unacceptable risk under a residential use scenario.

3.0 RECORDS REVIEW

3.1 PROPERTY RECORDS

3.1.1 Title Report/Ownership

The Title Report lists recorded land title detail, ownership fees, leases, land contracts, easements, liens, deficiencies, and other encumbrances attached to or recorded against a property. Laws and regulations pertaining to land trusts vary from state to state and the detail of information presented in a Title Report can vary greatly by jurisdiction. As a result, ENGEO utilizes a Title Report, when provided to us, as a supplement to other historical record sources.

A Commitment for Title Insurance, prepared by First American Title Company and dated August 15, 2020, was provided for our review. The Property title is vested in Yoneda Enterprises, L.P., a California limited partnership. No references to environmental liens, deed restrictions or other potential environmental issues were noted. This report is included in Appendix B.

3.2 HISTORICAL RECORD SOURCES

The purpose of the historical record review is to develop a history of the previous uses or occupancies of the Property and surrounding area in order to identify those uses or occupancies that are likely to have led to RECs on the Property.

3.2.1 Historical Topographic Maps/Aerial Photographs/Sanborn Maps

Historical USGS topographic maps and aerial photographs were reviewed to determine if discernible changes pertaining to the Property had been recorded. EDR did not identify any Sanborn fire insurance maps for the Property. The EDR Sanborn summary report is provided in Appendix E. EDR provided the following maps and photographs, presented in Appendices C and D.

¹ San Francisco Regional Water Quality Control Board's Environmental Screening Levels, Direct Exposure Human Health Risk Levels (Table S-1), Residential Shallow Soil Exposure, January 2019 (Rev. 2)

TABLE 3.2.1-1: Historical Review Summary

HISTORIC MAP/PHOTOGRAPH	YEARS
Topographic Maps	1889, 1897, 1953, 1961, 1968, 1973, 1980, 2012
Aerial Photographs	1939, 1940, 1948, 1956, 1963, 1968, 1974, 1982, 1998, 2006, 2009, 2012, 2016
Sanborn Maps	N/A

In the 1889 topographic map, the Property is undeveloped. Three structures are mapped south-southeast of the Property. A road is visible south and east of the Property. Penitencia Creek is east of the Property and trends northeast-southwest. The surrounding area has been developed with several structures and roads. No significant changes were observed in the 1897 and 1899 topographic maps.

In the 1939 aerial photograph, the Property is developed with orchards. A structure is visible along the south-southeastern Property boundary. Surrounding properties are similarly used for agricultural purposes. No significant changes were observed in the 1940, 1948, and 1950 aerial photographs. The 1953 topographic map indicates the Property is still in agricultural use as orchards. Development of San Jose is visible to the east of the Property in the 1961 topographic map. No significant changes to the Property were observed. No significant changes were observed on the Property in the 1963 aerial photograph and the 1968 topographic map. Additional development has occurred east of the Property in the 1968 topographic map. In the 1973 topographic map, the Property has two structures on the eastern portion of the Property. Residential development has occurred north, east, and south of the Property. These changes are mirrored in the 1974 aerial photograph.

No significant changes are observed in the 1980 topographic map or the 1983 aerial photograph. In the 2006 aerial photograph, the southern adjacent property appears to have been developed with residential homes. A road resembling Penitencia Creek Road traverses the center of the Property. No significant changes were observed in the 2009 and 2012 aerial photographs. In the 2012 topographic map and the 2016 aerial photograph, the Property appears to be in its current configuration.

3.2.2 City Directory

City Directories, published since the 18th century for major towns and cities, list the name of the resident or business associated with each address. A city directory search conducted by EDR is located in Appendix F.

TABLE 3.2.2-1: City Directory

YEAR	LISTINGS
1975 - 1985	Yoneda, M.
1986	Yoneda, M. and Yoneda, Gary E.
1991	Yoneda, M.
1994	Yoneda, Mary A.
2004	Unknown occupant
2006	Yoneda M.
2009 & 2014	Unknown occupant

Listings for surrounding properties are associated with residential uses.

3.3 ENVIRONMENTAL RECORD SOURCES

EDR performed a search of federal, tribal, state, and local databases regarding the Property and nearby properties. Details regarding the databases searched by EDR are provided in Appendix A. A list of the facilities documented by EDR within the approximate minimum search distance of the Property is provided below.

3.3.1 Environmental Records

3.3.1.1 Subject Property

The Property is not listed on Environmental Record source databases.

3.3.1.2 Other Properties

The following databases include facilities listed within the appropriate ASTM search distances of the Property on Environmental Records sources.

TABLE 3.3.1.2-1

FACILITY	STREET	DATABASES
DOGGY NEXT DOOR	2677 HERON CT	EDR HIST AUTO
CREEKSIDE STN AT BERRYESSA OA	2501 HERON CT	EDR HIST AUTO
MUNE FARMS INC.	941 N CAPITOL AVE	HIST UST
CAPITOL SUBARU	920 CAPITOL	RCRA NONGEN / NLR
OUT OF BUSINESS	2191 ROCKROSE CT CA191	HAZMAT
OUT OF BUSINESS	2191 ROCKROSE CT SUITE CA191	HAZMAT
SHELL	898 CAPITOL	HIST CORTESE
RON SANTA ELENA	1085 FAIRBROOK CT.	RCRA NONGEN / NLR
CLEARWIRE	2223 DAHLIA CT	HAZMAT
SPRINT PCS SF54XC424	2399 MOSSDALE WY	HAZMAT
VALERO #6775	1111 CAPITOL	LUST,CORTESE,HIST CORTESE,CERS
EXXON RAS NO 73627	1111 N CAPITAL AVE	RCRA-SQG,LUST,HIST LUST,CERS HAZ WASTE,SWEEPS UST,HIST UST,CERS TANKS,CUPA LISTINGS,HAZMAT,CERS
BERRY BLUE VALERO	1111 N CAPITOL AV	UST
CAPITOL CHEVRON	1111 N CAPITOL AV	UST
ROADRUNNER PETROLEUM INC	1111 NORTH CAPITOL AVE	RCRA NONGEN / NLR
BERRY BLUE AUTO REPAIR	1111 N CAPITOL AV	CUPA LISTINGS
VALERO STORE #7-3627	1111 N CAPITOL AV	CUPA LISTINGS
EXXON #7-3627	1111 N CAPITOL AVE	LUST,HIST LUST,CORTESE
LECIA R PRANG DC	2470 BERRYESSA RD A	CUPA LISTINGS
OUT OF BUSINESS	2470 BERRYESSA RD	HAZMAT
CHEVRON #9-3837	1140 N CAPITOL AVE	LUST,HIST LUST,SWEEPS UST,HIST UST,CORTESE,HAZMAT,CERS

FACILITY	STREET	DATABASES
EAST SIDE UNION HIGH SCHOOL DISTRICT	830 NORTH CAPITOL AVE	HWTS,LUST,CUPA LISTINGS,HAZNET,NPDES,HAZMAT,CIW QS,CERS
EAST SIDE UNION HIGH SCOO	830 CAPITOL	SWEEPS UST,HIST CORTESE
EASTSIDE UNION HIGH SCHOOL	830 N CAPITOL AVE	LUST,HIST LUST,CORTESE,WDS
ARCO SERVICE STATION #674	1145 NORTH CAPITOL AVENUE	NOTIFY 65
ARCO	1145 CAPITOL	LUST,CORTESE,HIST CORTESE,CERS
ARCO #0674	1145 N CAPITOL AVE	LUST,HIST LUST,SWEEPS UST,HIST UST
JOSEPH V. TERRITO	13100 BERRYESSA RD	LUST,HIST UST
PRIVATE RESIDENCE	PRIVATE RESIDENCE	LUST
TEXACO	790 CAPITOL AVE	LUST
ROYAL CLEANERS	1192 N. CAPITOL AVENUE	CPS-SLIC,CERS
ROYAL CLEANERS/BERRYESSA SHOPPING CENTER	1192-1198 NORTH CAPITAL AVENUE	CPS-SLIC,CERS

2677 Heron Court (Doggy Next Door)

Doggy Next Door is located at 2677 Heron Court in San Jose. The facility is located approximately 46 feet west of the Property. The facility is listed on the EDR HIST AUTO database as a gasoline service station for the years 2011, 2012, 2013, and 2014. Review of historical aerial photographs did not reveal a gasoline service station at the facility’s listed address. Therefore, it is in our opinion that this listing is erroneous.

2501 Heron Court (Creekside Station at Berryessa OA)

Creekside Station at Berryessa is located at 2501 Heron Court in San Jose. The facility is located approximately 358 feet southwest of the Property. The facility is listed on the EDR HIST AUTO database as a gasoline service station for the year 2014. Review of historical aerial photographs did not reveal a gasoline service station at the facility’s listed address. Therefore, it is in our opinion that this listing is erroneous.

941 North Capitol Avenue (Mune Farms Inc.)

Mune Farms Inc. is located at 941 North Capitol Avenue in San Jose. The facility is located approximately 586 feet north-northwest of the Property. The facility is listed on the EDR HIST UST database as reportedly having a 550-gallon gasoline UST. No other information was available on EDR or GeoTracker/EnviroStor.

Based on the distances to the identified database sites, regional topographic gradient, and the EDR findings, it is unlikely that the above-stated database sites pose an environmental risk to the Property. No properties were listed on the “Orphan Summary.”

3.4 REGULATORY AGENCY FILES AND RECORDS

The following agencies were contacted pertaining to possible past development and/or activity at the Property.

TABLE 3.4-1: Regulatory Agency Records

NAME OF AGENCY	RECORDS REVIEWED
City of San Jose Building and Planning Departments	We did not receive a response before the completion of this report.
Santa Clara County Community Development	A permit for electrical upgrades was reviewed.
City of San Jose Fire Department	We did not receive a response before the completion of this report.
Santa Clara County Department of Environmental Health	A representative informed us that no records were available for review.
Santa Clara County Fire Department	We did not receive a response before the completion of this report.
Santa Clara County Assessor's Office	We reviewed the Santa Clara County Assessor's website and confirmed the Property's address and APNs.
California State Water Resources Control Board	The California State Water Resources Control Board (SWRCB) online database, GeoTracker, was reviewed for files relating to the Property. There were no listings for the Property in the GeoTracker database.
Department of Toxic Substances Control	We reviewed the EnviroStor Database maintained by the Department of Toxic Substances Control (DTSC) to identify any ongoing environmental site assessment and remedial activities associated with the Property. There were no records for the Property listed in the EnviroStor Database.

3.5 INDOOR AIR QUALITY

An evaluation of indoor air quality, mold, or radon was not included as part of the contracted scope of services. The California Department of Public Health has conducted studies of radon risks throughout the state, sorted by zip code. Results of the studies indicate that five tests were conducted within the Property zip code, with no tests exceeding the current EPA action level of 4 picocuries per liter {pCi/L}²).

In accordance with ASTM E2600-15 (Tier 1) (*Standard Guide for Vapor Encroachment Screening on Property Involved in Real Estate Transactions*); There are no potential petroleum hydrocarbon sources for vapor intrusion within 1/10 mile of the Property or volatile organic compound (VOC) sources within 1/3 mile of the Property.

4.0 SITE RECONNAISSANCE

4.1 METHODOLOGY

ENGEO conducted a reconnaissance of the Property on December 15, 2020. The reconnaissance was performed by Seema Barua, a Project Engineer of ENGEO. The Property was viewed for hazardous materials storage, superficial staining or discoloration, debris, stressed vegetation, or other conditions that may be indicative of potential sources of soil or groundwater contamination. The Property was also checked for evidence of fill/ventilation pipes, ground subsidence, or other evidence of existing or preexisting underground storage tanks. Photographs taken during the site reconnaissance are presented in Figure 4.

² California Department of Public Health – Radon Program–
(<https://www.cdph.ca.gov/Programs/CEH/DRSEM/CDPH%20Document%20Library/EMB/Radon/Radon%20Test%20Results.pdf>).

4.2 EXTERIOR OBSERVATIONS

The following table summarizes our observations during the reconnaissance.

TABLE 4.2-1: Exterior Site Observations

FEATURE TYPE	OBSERVATIONS
Structures	A residence, storage shed, and greenhouse were observed during the site reconnaissance. The residence was a one-story, wood-framed house with one basement level.
Hazardous Substances and Petroleum Products in Connection with Identified Uses	Small quantities of paints, cleaners, and gasoline canisters were observed within the garage and interior of the residence. Some minor staining was evident during the reconnaissance.
+Storage Tanks (underground and above-ground)	No above-ground storage tanks were observed during the site reconnaissance. From communication with the land owner, we understand there is an existing septic tank on the northern side of the house.
Odors	No odors indicative of hazardous materials or petroleum material impacts were noted at the time of the reconnaissance.
Pools of Potentially Hazardous Liquid	No pools of potentially hazardous liquid were observed within the Property at the time of our reconnaissance.
Drums	One drum was observed on the Property at the time of the reconnaissance. From communication with the land owner, we understand the drum is empty.
Polychlorinated Biphenyls (PCBs) Containing Equipment	No potential PCB-containing equipment, including transformers, was observed within the Property during our site reconnaissance.
Hazardous Substances and Petroleum Product Containers	No hazardous substance or petroleum product containers were observed on the Property at the time of our reconnaissance.
Pits, Ponds, and Lagoons	No pits, ponds, or lagoons were observed within the Property at the time of our reconnaissance.
Stained Soil/Pavement	Minor staining was observed in the garage and underground basement at the time of our reconnaissance. The minor staining was on competent concrete flooring and was not indicative of a significant spill or leak. We believe the minor staining does not represent an environmental concern.
Stressed Vegetation	No signs of stressed vegetation were observed on the Property at the time of our reconnaissance.
Solid Waste/Debris	No disposal of solid waste was observed at the Property, with the exception of some wood debris/trash observed southwest of the residence, and wood and concrete debris observed on the southern parcel.
Stockpiles/Fill Material	A small stockpile of mulch was observed on the southern side of the residence during the reconnaissance.
Wastewater	No wastewater conveyance systems were observed at the Property during the reconnaissance.
Wells	No wells were found within the Property during our site reconnaissance. We were notified that there are irrigation lines for the backyard that are connected to Penitencia Creek.
Septic Systems	We were notified of a septic system within the Property during our site reconnaissance. From communication with the land owner, we understand there is an existing septic tank on the northern side of the house.

4.3 INTERIOR OBSERVATIONS

The structures on the Property consisted of a one-story house with an underground basement, a shed, and a greenhouse. The shed and the greenhouse consisted of wood with sheet metal roofing. The one-story house generally consisted of carpet or tile flooring with concrete flooring in the underground basement.

4.4 ASBESTOS, LEAD, AND PCB-CONTAINING MATERIALS

An asbestos, lead, and PCB-containing building material survey was not conducted as part of this assessment. Given the age of the existing structures, it is conceivable that asbestos, lead, and PCB-containing materials may exist within the structures.

5.0 INTERVIEWS

Mr. Chuck Yoneda completed an environmental site questionnaire pertaining to user-related applicable environmental information regarding the Property. In the questionnaire, Mr. Yoneda identified potentially environmentally related issues with the Property. Mr. Yoneda indicated that the Property had been utilized for agricultural purposes: walnut orchards until the 1970s, a pepper farm, and some pumpkins grown until the early 2000s. He also indicated that additional investigation had been completed on the Property (summarized in Section 2.0). The questionnaire is presented in its entirety in Appendix G. A summary is provided below.

Mr. Yoneda has indicated that the purchase price of the Property is reflective of fair market value of the Property.

6.0 FINDINGS AND CONCLUSIONS

This assessment included a review of local, state, tribal, and federal environmental record sources, standard historical sources, aerial photographs, fire insurance maps and physical setting sources. A reconnaissance of the Property was completed to review site use and current conditions to check for the storage, use, production, or disposal of hazardous or potentially hazardous materials and to conduct written/oral interviews with persons knowledgeable about current and past site use.

Arcadis and AEI previously conducted soil assessments at the Property. During AEI's soil assessment, no levels of pesticides above applicable screening levels were identified. The report provided did not include the laboratory data, figures, or data tables. The Arcadis report did not identify any pesticides above applicable screening levels; however, it did identify one sample with a concentration of lead (80.8 milligrams per kilograms) slightly above the residential screening level for lead (80 mg/kg) (for additional information refer to Section 2.0). ENGEO conducted a statistical analysis of the soil data and concluded that lead in soil is not a concern .

The site reconnaissance and records review did not find documentation or physical evidence of groundwater impairments associated with the use or past use of the Property. A review of regulatory databases maintained by county, state, tribal, and federal agencies found no documentation of hazardous materials violations or discharge on the Property and did not identify contaminated facilities within the appropriate American Society for Testing and Materials (ASTM) search distances that would reasonably be expected to impact the Property.

Based on the findings of this assessment, no RECs, no historical RECs, and no controlled RECs were identified for the Property.

ENGEO has performed a phase I environmental site assessment in general conformance with the scope and limitations of ASTM E1527-13 and the standards and practices of the All Appropriate Inquiry – Final Rule (40 Code of Federal Regulations Part 312).

It is our opinion that the findings of this study are based on a sufficient level of information obtained during our contracted scope of services to render a conclusion as to whether additional appropriate investigation is required to identify the presence or likely presence of a REC.

This assessment has revealed no evidence of RECs in connection with the Property, and the Property is suitable for residential land use. ENGEO recommends the following with respect to future redevelopment activities:

- A self-directed Soil Management Plan (SMP) should be prepared and implemented. The SMP should establish guidelines to address any soil excavations and removal during the construction process and provide protocols to address any unknown and unexpected issues (e.g. sumps, tanks, stained soils) that could be encountered in the field during development activities.
- Retain a licensed contractor to conduct an asbestos, lead-based paint, and PCB survey prior to demolition.

7.0 LIMITATIONS

7.1 SIGNIFICANT ASSUMPTIONS OR DEVIATIONS FROM ASTM STANDARD PRACTICE

No significant assumptions or deviations from ASTM standard were encountered.

7.2 OPINIONS AND DATA GAPS

It is our opinion that the findings of this study are based on a sufficient level of information obtained during our contracted scope of services to render a conclusion as to whether additional appropriate investigation is required to identify the presence or likely presence of a REC. The data gaps identified during this process do not affect the conclusions as to the presence or lack of presence of RECs at the Property. The following data gaps were encountered:

- We did not receive a response from the City of San Jose Building and Planning Department before completion of this report.
- We did not receive a response from the Santa Clara County Fire Department before completion of this report.
- We did not receive a response from the City of San Jose Fire Department before completion of this report.

7.3 LIMITATIONS AND EXCEPTIONS OF ASSESSMENT

The professional staff at ENGEO strives to perform its services in a proper and professional manner with reasonable care and competence but is not infallible. The recommendations and conclusions presented in this report were based on the findings of our study, which were developed solely from the contracted services. The findings of the report are based in part on contracted database research, out-of-house reports, and personal communications. The opinions formed by ENGEO are based on the assumed accuracy of the relied upon data in conjunction with our relevant professional experience related to such data interpretation. ENGEO assumes no liability for the validity of the materials relied upon in the preparation of this report.

This document must not be subject to unauthorized reuse; that is, reuse without written authorization of ENGEO. Such authorization is essential because it requires ENGEO to evaluate the document's applicability given new circumstances, not the least of which is passage of time. The findings from a phase I environmental site assessment are valid for one year after completion of the report. Updates of portions of the assessment may be necessary after a period of 180 days after completion.

This phase I environmental site assessment is not intended to represent a complete soil, soil gas, or groundwater characterization, nor define the depth or extent of soil, soil gas, or groundwater contamination. It is intended to provide an evaluation of potential environmental concerns associated with the use of the Property. A more extensive assessment that would include a subsurface exploration with laboratory testing of soil, soil gas, and groundwater samples could provide more definitive information concerning site-specific conditions. If additional assessment activities are considered for the Property and if other entities are retained to provide such services, ENGEO cannot be held responsible for any and all claims arising from or resulting from the performance of such services by other persons or entities. ENGEO can also not be held responsible from any and all claims arising or resulting from clarifications, adjustments, modifications, discrepancies or other changes necessary to reflect changed field or other conditions.

7.4 SPECIAL TERMS AND CONDITIONS

ENGEO has prepared this report for the exclusive use of our client, Hanover R.S. Limited Partnership. It is recognized and agreed that ENGEO has assumed responsibility only for undertaking the study for the Client. The responsibility for disclosures or reports to a third party and for remedial or mitigative action shall be solely that of the Client.

Laboratory testing of soil, soil gas, or groundwater samples was not within the scope of the contracted services. The assessment did not include an asbestos survey, an evaluation of lead-based paint, an inspection of light ballasts for polychlorinated biphenyls (PCBs), or a mold survey. A radon evaluation was not performed.

This report is based upon field and other conditions discovered at the time of preparation of ENGEO's assessment. Visual observations referenced in this report are intended only to represent conditions at the time of the reconnaissance. ENGEO would not be aware of site contamination, such as dumping and/or accidental spillage, that occurred subsequent to the reconnaissance conducted by ENGEO personnel.

SELECTED REFERENCES

AEI Consultants; Phase I Environmental Site Assessment; 905 North Capitol Avenue, San Jose, California; March 10, 2003.

Arcadis; Draft Phase I Environmental Site Assessment Report; 905 North Capitol Avenue, San Jose, California; November 2018.

Arcadis; Summary of Soil Analytical Results – Detections Only – Metals, Petroleum Hydrocarbons, and Organochlorine pesticides; 905 North Capitol Avenue, San Jose, California; November 2018.

Dibblee, T.W., and Minch, J.A., 2005, Geologic map of the Calaveras Reservoir quadrangle, Alameda & Santa Clara Counties, California: Dibblee Geologic Foundation, Dibblee Foundation Map DF-154, scale 1:24,000

Google Maps (<http://maps.google.com>)

California Department of Water Resources (<http://www.water.ca.gov/waterdatalibrary/>)

California Department of Public Health – Radon Program–
(<https://www.cdph.ca.gov/Programs/CEH/DRSEM/CDPH%20Document%20Library/EMB/Radon/Radon%20Test%20Results.pdf>).

California Geologic Energy Management Division (CalGEM)
(<https://www.conservation.ca.gov/calgem>)

CalGEM Well Finder
(<https://maps.conservation.ca.gov/doggr/wellfinder/#openModal/-118.94276/37.12009/6>)



FIGURES



FIGURE 1: Vicinity Map

FIGURE 2: Site Plan

FIGURE 3: Assessor's Parcel Map

FIGURE 4: Site Photographs

COPYRIGHT © 2020 BY ENGEО INCORPORATED. THIS DOCUMENT MAY NOT BE REPRODUCED IN WHOLE OR IN PART BY ANY MEANS WHATSOEVER, NOR MAY IT BE QUOTED WITHOUT THE EXPRESS WRITTEN CONSENT OF ENGEО INCORPORATED.



BASEMAP SOURCE: ESRI MAPPING SERVICE 2019



VICINITY MAP
905 CAPITOL AVENUE
SAN JOSE, CALIFORNIA

PROJECT NO. : 18124.000.001

SCALE: AS SHOWN


DRAWN BY: JV

CHECKED BY: DB

FIGURE NO.

1

COPYRIGHT © 2020 BY ENGEO INCORPORATED. THIS DOCUMENT MAY NOT BE REPRODUCED IN WHOLE OR IN PART BY ANY MEANS WHATSOEVER, NOR MAY IT BE QUOTED WITHOUT THE EXPRESS WRITTEN CONSENT OF ENGEO INCORPORATED.



EXPLANATION

ALL LOCATIONS ARE APPROXIMATE



PROJECT SITE



SAMPLE LOCATION (ARCADIS 2018)

BASEMAP SOURCE: EDR, 2016



SITE PLAN
 905 CAPITOL AVENUE
 SAN JOSE, CALIFORNIA

PROJECT NO. : 18124.000.001

SCALE: AS SHOWN


DRAWN BY: MAT

CHECKED BY: DB

FIGURE NO.

2

COPYRIGHT © 2020 BY ENGEO INCORPORATED. THIS DOCUMENT MAY NOT BE REPRODUCED IN WHOLE OR IN PART BY ANY MEANS, WHATSOEVER, NOR MAY IT BE QUOTED WITHOUT THE EXPRESS WRITTEN CONSENT OF ENGEO INCORPORATED.



EXPLANATION

ALL LOCATIONS ARE APPROXIMATE

 PROJECT SITE

BASEMAP SOURCE: EDR, 2016 AND SANTA CLARA COUNTY ASSESSOR'S OFFICE



ASSESSOR'S PARCEL MAP
905 CAPITOL AVENUE
SAN JOSE, CALIFORNIA

PROJECT NO. : 18124.000.001

SCALE: AS SHOWN

DRAWN BY: JV

CHECKED BY: DB

FIGURE NO.

3

COPYRIGHT ©2020 BY ENGEO INCORPORATED. THIS DOCUMENT MAY NOT BE REPRODUCED IN WHOLE OR IN PART BY ANY MEANS WHATSOEVER, NOR MAY IT BE QUOTED WITHOUT THE EXPRESS WRITTEN CONSENT OF ENGEO INCORPORATED.



PHOTO 1

FRONT OF RESIDENCE FACING SOUTHWEST



PHOTO 2

KITCHEN AND DINING AREA OF RESIDENCE



PHOTO 3

BEDROOM WITHIN RESIDENCE



PHOTO 4

STORAGE AREA IN GARAGE



PHOTO 5

BASEMENT LEVEL OF RESIDENCE



PHOTO 6

STORAGE SHED SOUTHWEST OF RESIDENCE



PHOTO 7

DRUM NEXT TO STORAGE SHED



PHOTO 8

BACK OF RESIDENCE FACING NORTHEAST



PHOTO 9

BACKYARD OF RESIDENCE FACING NORTHWEST



PHOTO 10

BACK OF RESIDENCE AND MULCH STOCKPILE FACING NORTH



PHOTO 11

SOUTHERN PARCEL FACING SOUTHWEST



PHOTO 12

SOUTHERN PARCEL FACING NORTHEAST



APPENDIX A

ENVIRONMENTAL DATA RESOURCES, INC.

Radius Map Report

905 North Capitol Avenue

905 North Capitol Avenue

San Jose, CA 95133

Inquiry Number: 06296265.2r

December 11, 2020

The EDR Radius Map™ Report with GeoCheck®



6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
Executive Summary	ES1
Overview Map	2
Detail Map	3
Map Findings Summary	4
Map Findings	9
Orphan Summary	133
Government Records Searched/Data Currency Tracking	GR-1
 <u>GEOCHECK ADDENDUM</u>	
Physical Setting Source Addendum	A-1
Physical Setting Source Summary	A-2
Physical Setting Source Map	A-8
Physical Setting Source Map Findings	A-9
Physical Setting Source Records Searched	PSGR-1

Thank you for your business.
 Please contact EDR at 1-800-352-0050
 with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2020 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-13), the ASTM Standard Practice for Environmental Site Assessments for Forestland or Rural Property (E 2247-16), the ASTM Standard Practice for Limited Environmental Due Diligence: Transaction Screen Process (E 1528-14) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

905 NORTH CAPITOL AVENUE
SAN JOSE, CA 95133

COORDINATES

Latitude (North): 37.3829050 - 37° 22' 58.45"
Longitude (West): 121.8576900 - 121° 51' 27.68"
Universal Transverse Mercator: Zone 10
UTM X (Meters): 601130.6
UTM Y (Meters): 4137758.5
Elevation: 154 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map:	5640636 CALAVERAS RESERVOIR, CA
Version Date:	2012
Southeast Map:	5640414 SAN JOSE EAST, CA
Version Date:	2012
Southwest Map:	5640416 SAN JOSE WEST, CA
Version Date:	2012
Northwest Map:	5640070 MILPITAS, CA
Version Date:	2012

AERIAL PHOTOGRAPHY IN THIS REPORT

Portions of Photo from:	20140606
Source:	USDA

MAPPED SITES SUMMARY

Target Property Address:
 905 NORTH CAPITOL AVENUE
 SAN JOSE, CA 95133

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
1	DOGGY NEXT DOOR	2677 HERON CT	EDR Hist Auto	Lower	46, 0.009, West
2	CREEKSIDE STN AT BER	2501 HERON CT	EDR Hist Auto	Lower	358, 0.068, SW
3	MUNE FARMS INC.	941 N CAPITOL AVE	HIST UST	Higher	586, 0.111, NNW
A4	CAPITOL SUBARU	920 CAPITOL	RCRA NonGen / NLR	Higher	662, 0.125, ESE
B5	OUT OF BUSINESS	2191 ROCKROSE CT CA1	HAZMAT	Lower	755, 0.143, SW
B6	OUT OF BUSINESS	2191 ROCKROSE CT SUI	HAZMAT	Lower	755, 0.143, SW
A7	SHELL	898 CAPITOL	HIST CORTESE	Higher	890, 0.169, SE
8	RON SANTA ELENA	1085 FAIRBROOK CT.	RCRA NonGen / NLR	Higher	984, 0.186, North
9	CLEARWIRE	2223 DAHLIA CT	HAZMAT	Lower	1086, 0.206, WSW
10	SPRINT PCS SF54XC424	2399 MOSSDALE WY	HAZMAT	Lower	1104, 0.209, SSW
C11	VALERO #6775	1111 CAPITOL	LUST, Cortese, HIST CORTESE, CERS	Lower	1229, 0.233, NNW
C12	EXXON RAS NO 73627	1111 N CAPITAL AVE	RCRA-SQG, LUST, HIST LUST, CERS HAZ WASTE, SWEEPS	Lower	1233, 0.234, NW
C13	BERRY BLUE VALERO	1111 N CAPITOL AV	UST	Lower	1233, 0.234, NW
C14	CAPITOL CHEVRON	1111 N CAPITOL AV	UST	Lower	1233, 0.234, NW
C15	ROADRUNNER PETROLEUM	1111 NORTH CAPITOL A	RCRA NonGen / NLR	Lower	1233, 0.234, NW
C16	BERRY BLUE AUTO REPA	1111 N CAPITOL AV	CUPA Listings	Lower	1233, 0.234, NW
C17	VALERO STORE #7-3627	1111 N CAPITOL AV	CUPA Listings	Lower	1233, 0.234, NW
C18	EXXON #7-3627	1111 N CAPITOL AVE	LUST, HIST LUST, Cortese	Lower	1233, 0.234, NW
D19	LECIA R PRANG DC	2470 BERRYESSA RD A	CUPA Listings	Lower	1263, 0.239, NW
D20	OUT OF BUSINESS	2470 BERRYESSA RD	HAZMAT	Lower	1263, 0.239, NW
C21	CHEVRON #9-3837	1140 N CAPITOL AVE	LUST, HIST LUST, SWEEPS UST, HIST UST, Cortese,...	Lower	1323, 0.251, NNW
E22	EAST SIDE UNION HIGH	830 NORTH CAPITOL AV	LUST, CUPA Listings, HAZNET, NPDES, HAZMAT, CIWQS,...	Lower	1564, 0.296, SE
E23	EAST SIDE UNION HIGH	830 CAPITOL	SWEEPS UST, HIST CORTESE	Lower	1564, 0.296, SE
E24	EASTSIDE UNION HIGH	830 N CAPITOL AVE	LUST, HIST LUST, Cortese, WDS	Lower	1564, 0.296, SE
F25	ARCO SERVICE STATION	1145 NORTH CAPITOL A	Notify 65	Lower	1595, 0.302, NW
F26	ARCO	1145 CAPITOL	LUST, Cortese, HIST CORTESE, CERS	Lower	1595, 0.302, NW
F27	ARCO #0674	1145 N CAPITOL AVE	LUST, HIST LUST, SWEEPS UST, HIST UST	Lower	1595, 0.302, NW
G28	JOSEPH V. TERRITO	13100 BERRYESSA RD	LUST, HIST UST	Lower	1906, 0.361, West
G29	PRIVATE RESIDENCE	PRIVATE RESIDENCE	LUST	Lower	1936, 0.367, WSW
30	TEXACO	790 CAPITOL AVE	LUST	Lower	1948, 0.369, SE
H31	ROYAL CLEANERS	1192 N. CAPITOL AVEN	CPS-SLIC, CERS	Lower	2054, 0.389, NNW
H32	ROYAL CLEANERS/BERRY	1192-1198 NORTH CAPI	CPS-SLIC, CERS	Lower	2054, 0.389, NNW

EXECUTIVE SUMMARY

TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR.

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL..... National Priority List
Proposed NPL..... Proposed National Priority List Sites
NPL LIENS..... Federal Superfund Liens

Federal Delisted NPL site list

Delisted NPL..... National Priority List Deletions

Federal CERCLIS list

FEDERAL FACILITY..... Federal Facility Site Information listing
SEMS..... Superfund Enterprise Management System

Federal CERCLIS NFRAP site list

SEMS-ARCHIVE..... Superfund Enterprise Management System Archive

Federal RCRA CORRACTS facilities list

CORRACTS..... Corrective Action Report

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF..... RCRA - Treatment, Storage and Disposal

Federal RCRA generators list

RCRA-LQG..... RCRA - Large Quantity Generators
RCRA-VSQG..... RCRA - Very Small Quantity Generators (Formerly Conditionally Exempt Small Quantity Generators)

Federal institutional controls / engineering controls registries

LUCIS..... Land Use Control Information System
US ENG CONTROLS..... Engineering Controls Sites List

EXECUTIVE SUMMARY

US INST CONTROLS..... Institutional Controls Sites List

Federal ERNS list

ERNS..... Emergency Response Notification System

State- and tribal - equivalent NPL

RESPONSE..... State Response Sites

State- and tribal - equivalent CERCLIS

ENVIROSTOR..... EnviroStor Database

State and tribal landfill and/or solid waste disposal site lists

SWF/LF..... Solid Waste Information System

State and tribal leaking storage tank lists

INDIAN LUST..... Leaking Underground Storage Tanks on Indian Land

State and tribal registered storage tank lists

FEMA UST..... Underground Storage Tank Listing

AST..... Aboveground Petroleum Storage Tank Facilities

INDIAN UST..... Underground Storage Tanks on Indian Land

State and tribal voluntary cleanup sites

INDIAN VCP..... Voluntary Cleanup Priority Listing

VCP..... Voluntary Cleanup Program Properties

State and tribal Brownfields sites

BROWNFIELDS..... Considered Brownfields Sites Listing

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS..... A Listing of Brownfields Sites

Local Lists of Landfill / Solid Waste Disposal Sites

WMUDS/SWAT..... Waste Management Unit Database

SWRCY..... Recycler Database

HAULERS..... Registered Waste Tire Haulers Listing

INDIAN ODI..... Report on the Status of Open Dumps on Indian Lands

ODI..... Open Dump Inventory

DEBRIS REGION 9..... Torres Martinez Reservation Illegal Dump Site Locations

IHS OPEN DUMPS..... Open Dumps on Indian Land

Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL..... Delisted National Clandestine Laboratory Register

EXECUTIVE SUMMARY

HIST Cal-Sites.....	Historical Calsites Database
SCH.....	School Property Evaluation Program
CDL.....	Clandestine Drug Labs
Toxic Pits.....	Toxic Pits Cleanup Act Sites
US CDL.....	National Clandestine Laboratory Register
PFAS.....	PFAS Contamination Site Location Listing

Local Lists of Registered Storage Tanks

CA FID UST.....	Facility Inventory Database
-----------------	-----------------------------

Local Land Records

LIENS.....	Environmental Liens Listing
LIENS 2.....	CERCLA Lien Information
DEED.....	Deed Restriction Listing

Records of Emergency Release Reports

HMIRS.....	Hazardous Materials Information Reporting System
CHMIRS.....	California Hazardous Material Incident Report System
LDS.....	Land Disposal Sites Listing
MCS.....	Military Cleanup Sites Listing
SPILLS 90.....	SPILLS 90 data from FirstSearch

Other Ascertainable Records

FUDS.....	Formerly Used Defense Sites
DOD.....	Department of Defense Sites
SCRD DRYCLEANERS.....	State Coalition for Remediation of Drycleaners Listing
US FIN ASSUR.....	Financial Assurance Information
EPA WATCH LIST.....	EPA WATCH LIST
2020 COR ACTION.....	2020 Corrective Action Program List
TSCA.....	Toxic Substances Control Act
TRIS.....	Toxic Chemical Release Inventory System
SSTS.....	Section 7 Tracking Systems
ROD.....	Records Of Decision
RMP.....	Risk Management Plans
RAATS.....	RCRA Administrative Action Tracking System
PRP.....	Potentially Responsible Parties
PADS.....	PCB Activity Database System
ICIS.....	Integrated Compliance Information System
FTTS.....	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
MLTS.....	Material Licensing Tracking System
COAL ASH DOE.....	Steam-Electric Plant Operation Data
COAL ASH EPA.....	Coal Combustion Residues Surface Impoundments List
PCB TRANSFORMER.....	PCB Transformer Registration Database
RADINFO.....	Radiation Information Database
HIST FTTS.....	FIFRA/TSCA Tracking System Administrative Case Listing
DOT OPS.....	Incident and Accident Data
CONSENT.....	Superfund (CERCLA) Consent Decrees
INDIAN RESERV.....	Indian Reservations
FUSRAP.....	Formerly Utilized Sites Remedial Action Program
UMTRA.....	Uranium Mill Tailings Sites

EXECUTIVE SUMMARY

LEAD SMELTERS.....	Lead Smelter Sites
US AIRS.....	Aerometric Information Retrieval System Facility Subsystem
US MINES.....	Mines Master Index File
ABANDONED MINES.....	Abandoned Mines
FINDS.....	Facility Index System/Facility Registry System
ECHO.....	Enforcement & Compliance History Information
DOCKET HWC.....	Hazardous Waste Compliance Docket Listing
UXO.....	Unexploded Ordnance Sites
FUELS PROGRAM.....	EPA Fuels Program Registered Listing
CA BOND EXP. PLAN.....	Bond Expenditure Plan
DRYCLEANERS.....	Cleaner Facilities
EMI.....	Emissions Inventory Data
ENF.....	Enforcement Action Listing
Financial Assurance.....	Financial Assurance Information Listing
HAZNET.....	Facility and Manifest Data
ICE.....	ICE
HWP.....	EnviroStor Permitted Facilities Listing
HWT.....	Registered Hazardous Waste Transporter Database
MINES.....	Mines Site Location Listing
MWMP.....	Medical Waste Management Program Listing
NPDES.....	NPDES Permits Listing
PEST LIC.....	Pesticide Regulation Licenses Listing
PROC.....	Certified Processors Database
UIC.....	UIC Listing
UIC GEO.....	UIC GEO (GEOTRACKER)
WASTEWATER PITS.....	Oil Wastewater Pits Listing
WDS.....	Waste Discharge System
WIP.....	Well Investigation Program Case List
MILITARY PRIV SITES.....	MILITARY PRIV SITES (GEOTRACKER)
PROJECT.....	PROJECT (GEOTRACKER)
WDR.....	Waste Discharge Requirements Listing
CIWQS.....	California Integrated Water Quality System
CERS.....	CERS
NON-CASE INFO.....	NON-CASE INFO (GEOTRACKER)
OTHER OIL GAS.....	OTHER OIL & GAS (GEOTRACKER)
PROD WATER PONDS.....	PROD WATER PONDS (GEOTRACKER)
SAMPLING POINT.....	SAMPLING POINT (GEOTRACKER)
WELL STIM PROJ.....	Well Stimulation Project (GEOTRACKER)
MINES MRDS.....	Mineral Resources Data System
HWTS.....	Hazardous Waste Tracking System

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP.....	EDR Proprietary Manufactured Gas Plants
EDR Hist Cleaner.....	EDR Exclusive Historical Cleaners

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA LF.....	Recovered Government Archive Solid Waste Facilities List
-------------	--

EXECUTIVE SUMMARY

RGA LUST..... Recovered Government Archive Leaking Underground Storage Tank

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.

Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

STANDARD ENVIRONMENTAL RECORDS

Federal RCRA generators list

RCRA-SQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

A review of the RCRA-SQG list, as provided by EDR, and dated 06/15/2020 has revealed that there is 1 RCRA-SQG site within approximately 0.25 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<i>EXXON RAS NO 73627</i> EPA ID:: CAD981410616	<i>1111 N CAPITAL AVE</i>	<i>NW 1/8 - 1/4 (0.234 mi.)</i>	<i>C12</i>	<i>21</i>

State and tribal leaking storage tank lists

LUST: Leaking Underground Storage Tank (LUST) Sites included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

A review of the LUST list, as provided by EDR, has revealed that there are 11 LUST sites within approximately 0.5 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<i>VALERO #6775</i> Database: LUST, Date of Government Version: 09/08/2020 Status: Completed - Case Closed Global Id: T0608541779	<i>1111 CAPITOL</i>	<i>NNW 1/8 - 1/4 (0.233 mi.)</i>	<i>C11</i>	<i>16</i>
<i>EXXON RAS NO 73627</i> Database: LUST REG 2, Date of Government Version: 09/30/2004 Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014 Database: LUST, Date of Government Version: 09/08/2020	<i>1111 N CAPITAL AVE</i>	<i>NW 1/8 - 1/4 (0.234 mi.)</i>	<i>C12</i>	<i>21</i>

EXECUTIVE SUMMARY

Status: Completed - Case Closed
 Facility Status: Preliminary site assessment underway
 Date Closed: 05/28/1999
 Date Closed: 05/03/1995
 Date Closed: 07/08/2011
 Global Id: T0608502346
 Global Id: T0608500563
 SCVWD ID: 06S1E28A03F
 SCVWD ID: 06S1E28A01F
 SCVWD ID: 06S1E28A04F

EXXON #7-3627	1111 N CAPITOL AVE	NW 1/8 - 1/4 (0.234 mi.)	C18	79
Database: LUST REG 2, Date of Government Version: 09/30/2004 Facility Status: Case Closed date9: 5/28/1999 date9: 5/3/1995				
CHEVRON #9-3837	1140 N CAPITOL AVE	NNW 1/4 - 1/2 (0.251 mi.)	C21	82
Database: LUST REG 2, Date of Government Version: 09/30/2004 Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014 Database: LUST, Date of Government Version: 09/08/2020 Status: Completed - Case Closed Facility Status: Case Closed Date Closed: 06/30/2003 Global Id: T0608500332 SCVWD ID: 06S1E27D01F date9: 6/30/2003				
EAST SIDE UNION HIGH	830 NORTH CAPITOL AV	SE 1/4 - 1/2 (0.296 mi.)	E22	92
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014 Database: LUST, Date of Government Version: 09/08/2020 Status: Completed - Case Closed Date Closed: 11/14/1994 Global Id: T0608557739 SCVWD ID: 06S1E27F01F				
EASTSIDE UNION HIGH	830 N CAPITOL AVE	SE 1/4 - 1/2 (0.296 mi.)	E24	108
Database: LUST REG 2, Date of Government Version: 09/30/2004 Facility Status: Case Closed date9: 11/14/1994				
ARCO	1145 CAPITOL	NW 1/4 - 1/2 (0.302 mi.)	F26	110
Database: LUST, Date of Government Version: 09/08/2020 Status: Completed - Case Closed Global Id: T0608533095				
ARCO #0674	1145 N CAPITOL AVE	NW 1/4 - 1/2 (0.302 mi.)	F27	119
Database: LUST REG 2, Date of Government Version: 09/30/2004 Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014 Facility Status: Pollution Characterization SCVWD ID: 06S1E28A02F				
JOSEPH V. TERRITO	13100 BERRYESSA RD	W 1/4 - 1/2 (0.361 mi.)	G28	124
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014 SCVWD ID: 06S1E28K01F				
PRIVATE RESIDENCE	PRIVATE RESIDENCE	WSW 1/4 - 1/2 (0.367 mi.)	G29	125
Database: LUST, Date of Government Version: 09/08/2020 Status: Completed - Case Closed Global Id: T0608550578				
TEXACO	790 CAPITOL AVE	SE 1/4 - 1/2 (0.369 mi.)	30	130
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014				

EXECUTIVE SUMMARY

Date Closed: 01/28/1997
 SCVWD ID: 06S1E17P01F

CPS-SLIC: Cleanup Program Sites (CPS; also known as Site Cleanups [SC] and formerly known as Spills, Leaks, Investigations, and Cleanups [SLIC] sites) included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

A review of the CPS-SLIC list, as provided by EDR, has revealed that there are 2 CPS-SLIC sites within approximately 0.5 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
ROYAL CLEANERS Database: CPS-SLIC, Date of Government Version: 09/08/2020 Facility Status: Open - Assessment & Interim Remedial Action Global Id: T10000011479	1192 N. CAPITOL AVEN	NNW 1/4 - 1/2 (0.389 mi.)	H31	130
ROYAL CLEANERS/BERRY Database: CPS-SLIC, Date of Government Version: 09/08/2020 Facility Status: Completed - Case Closed Global Id: T10000007713	1192-1198 NORTH CAPI	NNW 1/4 - 1/2 (0.389 mi.)	H32	131

HIST LUST: A listing of open and closed leaking underground storage tanks. This listing is no longer updated by the county. Leaking underground storage tanks are now handled by the Department of Environmental Health.

A review of the HIST LUST list, as provided by EDR, and dated 03/29/2005 has revealed that there are 5 HIST LUST sites within approximately 0.5 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
EXXON RAS NO 73627 SCVWD ID: 06S1E28A04	1111 N CAPITAL AVE	NW 1/8 - 1/4 (0.234 mi.)	C12	21
EXXON #7-3627 SCVWD ID: 06S1E28A01 SCVWD ID: 06S1E28A03	1111 N CAPITOL AVE	NW 1/8 - 1/4 (0.234 mi.)	C18	79
CHEVRON #9-3837 SCVWD ID: 06S1E27D01	1140 N CAPITAL AVE	NNW 1/4 - 1/2 (0.251 mi.)	C21	82
EASTSIDE UNION HIGH SCVWD ID: 06S1E27F01	830 N CAPITAL AVE	SE 1/4 - 1/2 (0.296 mi.)	E24	108
ARCO #0674 SCVWD ID: 06S1E28A02	1145 N CAPITAL AVE	NW 1/4 - 1/2 (0.302 mi.)	F27	119

State and tribal registered storage tank lists

UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the State Water Resources Control Board's Hazardous Substance Storage Container Database.

A review of the UST list, as provided by EDR, has revealed that there are 2 UST sites within

EXECUTIVE SUMMARY

approximately 0.25 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
BERRY BLUE VALERO Database: UST, Date of Government Version: 09/08/2020 Facility Id: FA0264235	1111 N CAPITOL AV	NW 1/8 - 1/4 (0.234 mi.)	C13	75
CAPITOL CHEVRON Database: UST, Date of Government Version: 09/08/2020 Facility Id: FA0264235	1111 N CAPITOL AV	NW 1/8 - 1/4 (0.234 mi.)	C14	76

ADDITIONAL ENVIRONMENTAL RECORDS

Local Lists of Hazardous waste / Contaminated Sites

CERS HAZ WASTE: List of sites in the California Environmental Protection Agency (CalEPA) Regulated Site Portal which fall under the Hazardous Chemical Management, Hazardous Waste Onsite Treatment, Household Hazardous Waste Collection, Hazardous Waste Generator, and RCRA LQ HW Generator programs.

A review of the CERS HAZ WASTE list, as provided by EDR, and dated 07/20/2020 has revealed that there is 1 CERS HAZ WASTE site within approximately 0.25 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
EXXON RAS NO 73627	1111 N CAPITAL AVE	NW 1/8 - 1/4 (0.234 mi.)	C12	21

Local Lists of Registered Storage Tanks

SWEEPS UST: Statewide Environmental Evaluation and Planning System. This underground storage tank listing was updated and maintained by a company contacted by the SWRCB in the early 1990's. The listing is no longer updated or maintained. The local agency is the contact for more information on a site on the SWEEPS list.

A review of the SWEEPS UST list, as provided by EDR, and dated 06/01/1994 has revealed that there is 1 SWEEPS UST site within approximately 0.25 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
EXXON RAS NO 73627 Status: A Tank Status: A Comp Number: 400850	1111 N CAPITAL AVE	NW 1/8 - 1/4 (0.234 mi.)	C12	21

HIST UST: Historical UST Registered Database.

A review of the HIST UST list, as provided by EDR, and dated 10/15/1990 has revealed that there are 2 HIST UST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
MUNE FARMS INC.	941 N CAPITOL AVE	NNW 0 - 1/8 (0.111 mi.)	3	9

EXECUTIVE SUMMARY

Facility Id: 00000023127

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
EXXON RAS NO 73627 Facility Id: 00000023976	1111 N CAPITAL AVE	NW 1/8 - 1/4 (0.234 mi.)	C12	21

CERS TANKS: List of sites in the California Environmental Protection Agency (CalEPA) Regulated Site Portal which fall under the Aboveground Petroleum Storage and Underground Storage Tank regulatory programs.

A review of the CERS TANKS list, as provided by EDR, and dated 07/20/2020 has revealed that there is 1 CERS TANKS site within approximately 0.25 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
EXXON RAS NO 73627	1111 N CAPITAL AVE	NW 1/8 - 1/4 (0.234 mi.)	C12	21

Other Ascertainable Records

RCRA NonGen / NLR: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

A review of the RCRA NonGen / NLR list, as provided by EDR, and dated 06/15/2020 has revealed that there are 3 RCRA NonGen / NLR sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CAPITOL SUBARU EPA ID:: CAC002969152	920 CAPITOL	ESE 1/8 - 1/4 (0.125 mi.)	A4	10
RON SANTA ELENA EPA ID:: CAC002985995	1085 FAIRBROOK CT.	N 1/8 - 1/4 (0.186 mi.)	8	13

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
ROADRUNNER PETROLEUM EPA ID:: CAL000442429	1111 NORTH CAPITOL A	NW 1/8 - 1/4 (0.234 mi.)	C15	76

Cortese: The sites for the list are designated by the State Water Resource Control Board (LUST), the Integrated Waste Board (SWF/LS), and the Department of Toxic Substances Control (Cal-Sites).

A review of the Cortese list, as provided by EDR, and dated 06/22/2020 has revealed that there are 5 Cortese sites within approximately 0.5 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
VALERO #6775 Cleanup Status: COMPLETED - CASE CLOSED	1111 CAPITOL	NNW 1/8 - 1/4 (0.233 mi.)	C11	16
EXXON #7-3627	1111 N CAPITAL AVE	NW 1/8 - 1/4 (0.234 mi.)	C18	79

EXECUTIVE SUMMARY

Cleanup Status: COMPLETED - CASE CLOSED

CHEVRON #9-3837	1140 N CAPITOL AVE	NNW 1/4 - 1/2 (0.251 mi.)	C21	82
Cleanup Status: COMPLETED - CASE CLOSED				
EASTSIDE UNION HIGH	830 N CAPITOL AVE	SE 1/4 - 1/2 (0.296 mi.)	E24	108
Cleanup Status: COMPLETED - CASE CLOSED				
ARCO	1145 CAPITOL	NW 1/4 - 1/2 (0.302 mi.)	F26	110
Cleanup Status: COMPLETED - CASE CLOSED				

CUPA Listings: A listing of sites included in the county's Certified Unified Program Agency database. California's Secretary for Environmental Protection established the unified hazardous materials and hazardous waste regulatory program as required by chapter 6.11 of the California Health and Safety Code. The Unified Program consolidates the administration, permits, inspections, and enforcement activities.

A review of the CUPA Listings list, as provided by EDR, has revealed that there are 4 CUPA Listings sites within approximately 0.25 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
EXXON RAS NO 73627	1111 N CAPITAL AVE	NW 1/8 - 1/4 (0.234 mi.)	C12	21
Database: CUPA SANTA CLARA, Date of Government Version: 08/20/2020				
BERRY BLUE AUTO REPA	1111 N CAPITOL AV	NW 1/8 - 1/4 (0.234 mi.)	C16	79
Database: CUPA SANTA CLARA, Date of Government Version: 08/20/2020				
VALERO STORE #7-3627	1111 N CAPITOL AV	NW 1/8 - 1/4 (0.234 mi.)	C17	79
Database: CUPA SANTA CLARA, Date of Government Version: 08/20/2020				
LECIA R PRANG DC	2470 BERRYESSA RD A	NW 1/8 - 1/4 (0.239 mi.)	D19	81
Database: CUPA SANTA CLARA, Date of Government Version: 08/20/2020				

HIST CORTESE: The sites for the list are designated by the State Water Resource Control Board [LUST], the Integrated Waste Board [SWF/LS], and the Department of Toxic Substances Control [CALSTITES]. This listing is no longer updated by the state agency.

A review of the HIST CORTESE list, as provided by EDR, and dated 04/01/2001 has revealed that there are 4 HIST CORTESE sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
SHELL	898 CAPITOL	SE 1/8 - 1/4 (0.169 mi.)	A7	13
Reg Id: 43-1333				
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
VALERO #6775	1111 CAPITOL	NNW 1/8 - 1/4 (0.233 mi.)	C11	16
Reg Id: 43-0519				
EAST SIDE UNION HIGH	830 CAPITOL	SE 1/4 - 1/2 (0.296 mi.)	E23	106
Reg Id: 43-1771				
ARCO	1145 CAPITOL	NW 1/4 - 1/2 (0.302 mi.)	F26	110
Reg Id: 43-0090				

EXECUTIVE SUMMARY

Notify 65: Listings of all Proposition 65 incidents reported to counties by the State Water Resources Control Board and the Regional Water Quality Control Board. This database is no longer updated by the reporting agency.

A review of the Notify 65 list, as provided by EDR, and dated 12/07/2020 has revealed that there is 1 Notify 65 site within approximately 1 mile of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
ARCO SERVICE STATION	1145 NORTH CAPITOL A	NW 1/4 - 1/2 (0.302 mi.)	F25	110

HAZMAT: San Jose Hazmat Facilities.

A review of the HAZMAT list, as provided by EDR, has revealed that there are 6 HAZMAT sites within approximately 0.25 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
OUT OF BUSINESS Database: SAN JOSE HAZMAT, Date of Government Version: 07/30/2020 File Num: 409212	2191 ROCKROSE CT CA1	SW 1/8 - 1/4 (0.143 mi.)	B5	12
OUT OF BUSINESS Database: SAN JOSE HAZMAT, Date of Government Version: 07/30/2020 File Num: 409212	2191 ROCKROSE CT SUI	SW 1/8 - 1/4 (0.143 mi.)	B6	12
CLEARWIRE Database: SAN JOSE HAZMAT, Date of Government Version: 07/30/2020 File Num: 600656	2223 DAHLIA CT	WSW 1/8 - 1/4 (0.206 mi.)	9	15
SPRINT PCS SF54XC424 Database: SAN JOSE HAZMAT, Date of Government Version: 07/30/2020 File Num: 410586	2399 MOSSDALE WY	SSW 1/8 - 1/4 (0.209 mi.)	10	16
EXXON RAS NO 73627 Database: SAN JOSE HAZMAT, Date of Government Version: 07/30/2020 File Num: 400850	1111 N CAPITAL AVE	NW 1/8 - 1/4 (0.234 mi.)	C12	21
OUT OF BUSINESS Database: SAN JOSE HAZMAT, Date of Government Version: 07/30/2020 File Num: 408372	2470 BERRYESSA RD	NW 1/8 - 1/4 (0.239 mi.)	D20	82

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR Hist Auto: EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

A review of the EDR Hist Auto list, as provided by EDR, has revealed that there are 2 EDR Hist Auto

EXECUTIVE SUMMARY


sites within approximately 0.125 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
DOGGY NEXT DOOR	2677 HERON CT	W 0 - 1/8 (0.009 mi.)	1	9
CREEKSIDE STN AT BER	2501 HERON CT	SW 0 - 1/8 (0.068 mi.)	2	9


EXECUTIVE SUMMARY


There were no unmapped sites in this report.

OVERVIEW MAP - 06296265.2R



 Target Property

 Sites at elevations higher than or equal to the target property

 Sites at elevations lower than the target property


 Manufactured Gas Plants

 National Priority List Sites

 Dept. Defense Sites



 Indian Reservations BIA

 Areas of Concern

 Power transmission lines

 Special Flood Hazard Area (1%)

 0.2% Annual Chance Flood Hazard

 National Wetland Inventory

 State Wetlands




This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: 905 North Capitol Avenue
 ADDRESS: 905 North Capitol Avenue
 San Jose CA 95133
 LAT/LONG: 37.382905 / 121.85769

CLIENT: Engeo Inc.
 CONTACT: DIVYA BHARGAVA
 INQUIRY #: 06296265.2r
 DATE: December 11, 2020 3:44 pm

DETAIL MAP - 06296265.2R



Target Property

Sites at elevations higher than or equal to the target property

Sites at elevations lower than the target property

Manufactured Gas Plants

Sensitive Receptors

National Priority List Sites

Dept. Defense Sites

Indian Reservations BIA

Power transmission lines

Special Flood Hazard Area (1%)

0.2% Annual Chance Flood Hazard

Areas of Concern



This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: 905 North Capitol Avenue
 ADDRESS: 905 North Capitol Avenue
 San Jose CA 95133
 LAT/LONG: 37.382905 / 121.85769

CLIENT: Engeo Inc.
 CONTACT: DIVYA BHARGAVA
 INQUIRY #: 06296265.2r
 DATE: December 11, 2020 3:46 pm

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
STANDARD ENVIRONMENTAL RECORDS								
<i>Federal NPL site list</i>								
NPL	1.000		0	0	0	0	NR	0
Proposed NPL	1.000		0	0	0	0	NR	0
NPL LIENS	1.000		0	0	0	0	NR	0
<i>Federal Delisted NPL site list</i>								
Delisted NPL	1.000		0	0	0	0	NR	0
<i>Federal CERCLIS list</i>								
FEDERAL FACILITY	0.500		0	0	0	NR	NR	0
SEMS	0.500		0	0	0	NR	NR	0
<i>Federal CERCLIS NFRAP site list</i>								
SEMS-ARCHIVE	0.500		0	0	0	NR	NR	0
<i>Federal RCRA CORRACTS facilities list</i>								
CORRACTS	1.000		0	0	0	0	NR	0
<i>Federal RCRA non-CORRACTS TSD facilities list</i>								
RCRA-TSDF	0.500		0	0	0	NR	NR	0
<i>Federal RCRA generators list</i>								
RCRA-LQG	0.250		0	0	NR	NR	NR	0
RCRA-SQG	0.250		0	1	NR	NR	NR	1
RCRA-VSQG	0.250		0	0	NR	NR	NR	0
<i>Federal institutional controls / engineering controls registries</i>								
LUCIS	0.500		0	0	0	NR	NR	0
US ENG CONTROLS	0.500		0	0	0	NR	NR	0
US INST CONTROLS	0.500		0	0	0	NR	NR	0
<i>Federal ERNS list</i>								
ERNS	0.001		0	NR	NR	NR	NR	0
<i>State- and tribal - equivalent NPL RESPONSE</i>								
RESPONSE	1.000		0	0	0	0	NR	0
<i>State- and tribal - equivalent CERCLIS ENVIROSTOR</i>								
ENVIROSTOR	1.000		0	0	0	0	NR	0
<i>State and tribal landfill and/or solid waste disposal site lists</i>								
SWF/LF	0.500		0	0	0	NR	NR	0
<i>State and tribal leaking storage tank lists</i>								
LUST	0.500		0	3	8	NR	NR	11

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
INDIAN LUST	0.500		0	0	0	NR	NR	0
CPS-SLIC	0.500		0	0	2	NR	NR	2
HIST LUST	0.500		0	2	3	NR	NR	5
<i>State and tribal registered storage tank lists</i>								
FEMA UST	0.250		0	0	NR	NR	NR	0
UST	0.250		0	2	NR	NR	NR	2
AST	0.250		0	0	NR	NR	NR	0
INDIAN UST	0.250		0	0	NR	NR	NR	0
<i>State and tribal voluntary cleanup sites</i>								
INDIAN VCP	0.500		0	0	0	NR	NR	0
VCP	0.500		0	0	0	NR	NR	0
<i>State and tribal Brownfields sites</i>								
BROWNFIELDS	0.500		0	0	0	NR	NR	0
<u>ADDITIONAL ENVIRONMENTAL RECORDS</u>								
<i>Local Brownfield lists</i>								
US BROWNFIELDS	0.500		0	0	0	NR	NR	0
<i>Local Lists of Landfill / Solid Waste Disposal Sites</i>								
WMUDS/SWAT	0.500		0	0	0	NR	NR	0
SWRCY	0.500		0	0	0	NR	NR	0
HAULERS	0.001		0	NR	NR	NR	NR	0
INDIAN ODI	0.500		0	0	0	NR	NR	0
ODI	0.500		0	0	0	NR	NR	0
DEBRIS REGION 9	0.500		0	0	0	NR	NR	0
IHS OPEN DUMPS	0.500		0	0	0	NR	NR	0
<i>Local Lists of Hazardous waste / Contaminated Sites</i>								
US HIST CDL	0.001		0	NR	NR	NR	NR	0
HIST Cal-Sites	1.000		0	0	0	0	NR	0
SCH	0.250		0	0	NR	NR	NR	0
CDL	0.001		0	NR	NR	NR	NR	0
Toxic Pits	1.000		0	0	0	0	NR	0
CERS HAZ WASTE	0.250		0	1	NR	NR	NR	1
US CDL	0.001		0	NR	NR	NR	NR	0
PFAS	0.500		0	0	0	NR	NR	0
<i>Local Lists of Registered Storage Tanks</i>								
SWEEPS UST	0.250		0	1	NR	NR	NR	1
HIST UST	0.250		1	1	NR	NR	NR	2
CA FID UST	0.250		0	0	NR	NR	NR	0
CERS TANKS	0.250		0	1	NR	NR	NR	1
<i>Local Land Records</i>								
LIENS	0.001		0	NR	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
LIENS 2	0.001		0	NR	NR	NR	NR	0
DEED	0.500		0	0	0	NR	NR	0
Records of Emergency Release Reports								
HMIRS	0.001		0	NR	NR	NR	NR	0
CHMIRS	0.001		0	NR	NR	NR	NR	0
LDS	0.001		0	NR	NR	NR	NR	0
MCS	0.001		0	NR	NR	NR	NR	0
SPILLS 90	0.001		0	NR	NR	NR	NR	0
Other Ascertainable Records								
RCRA NonGen / NLR	0.250		0	3	NR	NR	NR	3
FUDS	1.000		0	0	0	0	NR	0
DOD	1.000		0	0	0	0	NR	0
SCRD DRYCLEANERS	0.500		0	0	0	NR	NR	0
US FIN ASSUR	0.001		0	NR	NR	NR	NR	0
EPA WATCH LIST	0.001		0	NR	NR	NR	NR	0
2020 COR ACTION	0.250		0	0	NR	NR	NR	0
TSCA	0.001		0	NR	NR	NR	NR	0
TRIS	0.001		0	NR	NR	NR	NR	0
SSTS	0.001		0	NR	NR	NR	NR	0
ROD	1.000		0	0	0	0	NR	0
RMP	0.001		0	NR	NR	NR	NR	0
RAATS	0.001		0	NR	NR	NR	NR	0
PRP	0.001		0	NR	NR	NR	NR	0
PADS	0.001		0	NR	NR	NR	NR	0
ICIS	0.001		0	NR	NR	NR	NR	0
FTTS	0.001		0	NR	NR	NR	NR	0
MLTS	0.001		0	NR	NR	NR	NR	0
COAL ASH DOE	0.001		0	NR	NR	NR	NR	0
COAL ASH EPA	0.500		0	0	0	NR	NR	0
PCB TRANSFORMER	0.001		0	NR	NR	NR	NR	0
RADINFO	0.001		0	NR	NR	NR	NR	0
HIST FTTS	0.001		0	NR	NR	NR	NR	0
DOT OPS	0.001		0	NR	NR	NR	NR	0
CONSENT	1.000		0	0	0	0	NR	0
INDIAN RESERV	1.000		0	0	0	0	NR	0
FUSRAP	1.000		0	0	0	0	NR	0
UMTRA	0.500		0	0	0	NR	NR	0
LEAD SMELTERS	0.001		0	NR	NR	NR	NR	0
US AIRS	0.001		0	NR	NR	NR	NR	0
US MINES	0.250		0	0	NR	NR	NR	0
ABANDONED MINES	0.250		0	0	NR	NR	NR	0
FINDS	0.001		0	NR	NR	NR	NR	0
ECHO	0.001		0	NR	NR	NR	NR	0
DOCKET HWC	0.001		0	NR	NR	NR	NR	0
UXO	1.000		0	0	0	0	NR	0
FUELS PROGRAM	0.250		0	0	NR	NR	NR	0
CA BOND EXP. PLAN	1.000		0	0	0	0	NR	0
Cortese	0.500		0	2	3	NR	NR	5
CUPA Listings	0.250		0	4	NR	NR	NR	4

MAP FINDINGS SUMMARY

<u>Database</u>	<u>Search Distance (Miles)</u>	<u>Target Property</u>	<u>< 1/8</u>	<u>1/8 - 1/4</u>	<u>1/4 - 1/2</u>	<u>1/2 - 1</u>	<u>> 1</u>	<u>Total Plotted</u>
DRYCLEANERS	0.250		0	0	NR	NR	NR	0
EMI	0.001		0	NR	NR	NR	NR	0
ENF	0.001		0	NR	NR	NR	NR	0
Financial Assurance	0.001		0	NR	NR	NR	NR	0
HAZNET	0.001		0	NR	NR	NR	NR	0
ICE	0.001		0	NR	NR	NR	NR	0
HIST CORTESE	0.500		0	2	2	NR	NR	4
HWP	1.000		0	0	0	0	NR	0
HWT	0.250		0	0	NR	NR	NR	0
MINES	0.250		0	0	NR	NR	NR	0
MWMP	0.250		0	0	NR	NR	NR	0
NPDES	0.001		0	NR	NR	NR	NR	0
PEST LIC	0.001		0	NR	NR	NR	NR	0
PROC	0.500		0	0	0	NR	NR	0
Notify 65	1.000		0	0	1	0	NR	1
HAZMAT	0.250		0	6	NR	NR	NR	6
UIC	0.001		0	NR	NR	NR	NR	0
UIC GEO	0.001		0	NR	NR	NR	NR	0
WASTEWATER PITS	0.500		0	0	0	NR	NR	0
WDS	0.001		0	NR	NR	NR	NR	0
WIP	0.250		0	0	NR	NR	NR	0
MILITARY PRIV SITES	0.001		0	NR	NR	NR	NR	0
PROJECT	0.001		0	NR	NR	NR	NR	0
WDR	0.001		0	NR	NR	NR	NR	0
CIWQS	0.001		0	NR	NR	NR	NR	0
CERS	0.001		0	NR	NR	NR	NR	0
NON-CASE INFO	0.001		0	NR	NR	NR	NR	0
OTHER OIL GAS	0.001		0	NR	NR	NR	NR	0
PROD WATER PONDS	0.001		0	NR	NR	NR	NR	0
SAMPLING POINT	0.001		0	NR	NR	NR	NR	0
WELL STIM PROJ	0.001		0	NR	NR	NR	NR	0
MINES MRDS	0.001		0	NR	NR	NR	NR	0
HWTS	TP		NR	NR	NR	NR	NR	0

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP	1.000		0	0	0	0	NR	0
EDR Hist Auto	0.125		2	NR	NR	NR	NR	2
EDR Hist Cleaner	0.125		0	NR	NR	NR	NR	0

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA LF	0.001		0	NR	NR	NR	NR	0
RGA LUST	0.001		0	NR	NR	NR	NR	0

- Totals -- 0 3 29 19 0 0 51

MAP FINDINGS SUMMARY

<u>Database</u>	<u>Search Distance (Miles)</u>	<u>Target Property</u>	<u>< 1/8</u>	<u>1/8 - 1/4</u>	<u>1/4 - 1/2</u>	<u>1/2 - 1</u>	<u>> 1</u>	<u>Total Plotted</u>
-----------------	--	----------------------------	-----------------	------------------	------------------	----------------	---------------	--------------------------

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

MAP FINDINGS

Map ID			EDR ID Number
Direction			EPA ID Number
Distance			
Elevation	Site	Database(s)	

1 West < 1/8 0.009 mi. 46 ft.	DOGGY NEXT DOOR 2677 HERON CT SAN JOSE, CA 95133	EDR Hist Auto	1020477913 N/A
--	---	---------------	-------------------

Relative: Lower	EDR Hist Auto		
Actual: 151 ft.	Year:	Name:	Type:
	2011	DOGGY NEXT DOOR	Gasoline Service Stations
	2012	DOGGY NEXT DOOR	Gasoline Service Stations
	2013	DOGGY NEXT DOOR	Gasoline Service Stations
	2014	DOGGY NEXT DOOR	Gasoline Service Stations

2 SW < 1/8 0.068 mi. 358 ft.	CREEKSIDE STN AT BERRYESSA OA 2501 HERON CT SAN JOSE, CA 95133	EDR Hist Auto	1021725108 N/A
---	---	---------------	-------------------

Relative: Lower	EDR Hist Auto		
Actual: 146 ft.	Year:	Name:	Type:
	2014	CREEKSIDE STN AT BERRYESSA OA	Gasoline Service Stations

3 NNW < 1/8 0.111 mi. 586 ft.	MUNE FARMS INC. 941 N CAPITOL AVE SAN JOSE, CA 95133	HIST UST	U001603108 N/A
--	---	----------	-------------------

Relative: Higher	HIST UST:		
Actual: 155 ft.	Name:	MUNE FARMS INC.	
	Address:	941 N CAPITOL AVE	
	City,State,Zip:	SAN JOSE, CA 95133	
	File Number:	Not reported	
	URL:	Not reported	
	Region:	STATE	
	Facility ID:	00000023127	
	Facility Type:	Other	
	Other Type:	FARM	
	Contact Name:	Not reported	
	Telephone:	4082584528	
	Owner Name:	MUNE FARMS INC.	
	Owner Address:	941 N. CAPITOL AVE.	
	Owner City,St,Zip:	SAN JOSE, CA 95133	
	Total Tanks:	0001	
	Tank Num:	001	
	Container Num:	1	
	Year Installed:	Not reported	
	Tank Capacity:	00000550	
	Tank Used for:	PRODUCT	
	Type of Fuel:	REGULAR	
	Container Construction Thickness:	Not reported	
	Leak Detection:	None	

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

A4
ESE
1/8-1/4
0.125 mi.
662 ft.

CAPITOL SUBARU
920 CAPITOL
SAN JOSE, CA 95136
Site 1 of 2 in cluster A

RCRA NonGen / NLR **1024749366**
CAC002969152

Relative:
Higher
Actual:
156 ft.

RCRA NonGen / NLR:		2018-07-02 00:00:00.0
Date Form Received by Agency:		
Handler Name:	CAPITOL SUBARU	
Handler Address:	920 CAPITOL	
Handler City,State,Zip:	SAN JOSE, CA 95136	
EPA ID:	CAC002969152	
Contact Name:	GUADALUPE GARCIA	
Contact Address:	920 CAPITOL	
Contact City,State,Zip:	SAN JOSE, CA 95136	
Contact Telephone:	408-723-9500	
Contact Fax:	Not reported	
Contact Email:	GUADALUPE.GARCIA@DGDG.COM	
Contact Title:	Not reported	
EPA Region:	09	
Land Type:	Not reported	
Federal Waste Generator Description:	Not a generator, verified	
Non-Notifier:	Not reported	
Biennial Report Cycle:	Not reported	
Accessibility:	Not reported	
Active Site Indicator:	Handler Activities	
State District Owner:	Not reported	
State District:	Not reported	
Mailing Address:	911 CAPITOL EXPRESSWAY AUTO MALL	
Mailing City,State,Zip:	SAN JOSE, CA 95136	
Owner Name:	RALPH YAMASAKI	
Owner Type:	Other	
Operator Name:	GUADALUPE GARCIA	
Operator Type:	Other	
Short-Term Generator Activity:	No	
Importer Activity:	No	
Mixed Waste Generator:	No	
Transporter Activity:	No	
Transfer Facility Activity:	No	
Recycler Activity with Storage:	No	
Small Quantity On-Site Burner Exemption:	No	
Smelting Melting and Refining Furnace Exemption:	No	
Underground Injection Control:	No	
Off-Site Waste Receipt:	No	
Universal Waste Indicator:	Yes	
Universal Waste Destination Facility:	Yes	
Federal Universal Waste:	No	
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported	
Active Site Converter Treatment storage and Disposal Facility:	Not reported	
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported	
Active Site State-Reg Handler:	---	
Federal Facility Indicator:	Not reported	
Hazardous Secondary Material Indicator:	N	
Sub-Part K Indicator:	Not reported	
Commercial TSD Indicator:	No	
Treatment Storage and Disposal Type:	Not reported	
2018 GPRA Permit Baseline:	Not on the Baseline	
2018 GPRA Renewals Baseline:	Not on the Baseline	
Permit Renewals Workload Universe:	Not reported	

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

CAPITOL SUBARU (Continued)

1024749366

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2018-08-31 17:15:11.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	GUADALUPE GARCIA
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	920 CAPITOL
Owner/Operator City,State,Zip:	SAN JOSE, CA 95136
Owner/Operator Telephone:	408-723-9500
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	RALPH YAMASAKI
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	920 CAPITOL
Owner/Operator City,State,Zip:	SAN JOSE, CA 95136
Owner/Operator Telephone:	408-723-9500
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CAPITOL SUBARU (Continued)

1024749366

Historic Generators:

Receive Date: 2018-07-02 00:00:00.0
Handler Name: CAPITOL SUBARU
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:

NAICS Code: 811111
NAICS Description: GENERAL AUTOMOTIVE REPAIR

Facility Has Received Notices of Violations:

Violations: No Violations Found

Evaluation Action Summary:

Evaluations: No Evaluations Found

**B5
SW
1/8-1/4
0.143 mi.
755 ft.**

**OUT OF BUSINESS
2191 ROCKROSE CT CA191
SAN JOSE, CA 95113
Site 1 of 2 in cluster B**

**HAZMAT S122499556
N/A**

**Relative:
Lower
Actual:
140 ft.**

SAN JOSE HAZMAT:
Name: OUT OF BUSINESS
Address: 2191 ROCKROSE CT CA191
City,State,Zip: SAN JOSE, CA 95113
Region: SAN JOSE
File Num: 409212
Class: Misc. Complex firms and labs

**B6
SW
1/8-1/4
0.143 mi.
755 ft.**

**OUT OF BUSINESS
2191 ROCKROSE CT SUITE CA191
SAN JOSE, CA 95113
Site 2 of 2 in cluster B**

**HAZMAT S115780544
N/A**

**Relative:
Lower
Actual:
140 ft.**

SAN JOSE HAZMAT:
Name: OUT OF BUSINESS
Address: 2191 ROCKROSE CT SUITE CA191
City,State,Zip: SAN JOSE, CA 95113
Date of Data: AS OF 02/07/2014
Region: SAN JOSE
File Num: 409212
Class: Misc. Complex firms and labs

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

A7
SE
1/8-1/4
0.169 mi.
890 ft.

SHELL
898 CAPITOL
SAN JOSE, CA 95136
Site 2 of 2 in cluster A

HIST CORTESE **S110060330**
N/A

Relative: HIST CORTESE:
Higher edr_fname: SHELL
 edr_fadd1: 898 CAPITOL
Actual: City,State,Zip: SAN JOSE, CA 95136
156 ft. Region: CORTESE
 Facility County Code: 43
 Reg By: LTNKA
 Reg Id: 43-1333

8
North
1/8-1/4
0.186 mi.
984 ft.

RON SANTA ELENA
1085 FAIRBROOK CT.
SAN JOSE, CA 95132

RCRA NonGen / NLR **1024766126**
CAC002985995

Relative: RCRA NonGen / NLR:
Higher
Actual: Date Form Received by Agency: 2018-10-22 00:00:00.0
155 ft. Handler Name: RON SANTA ELENA
 Handler Address: 1085 FAIRBROOK CT.
 Handler City,State,Zip: SAN JOSE, CA 95132
 EPA ID: CAC002985995
 Contact Name: RON SANTA ELENA
 Contact Address: 1085 FAIRBROOK CT.
 Contact City,State,Zip: SAN JOSE, CA 95132
 Contact Telephone: 408-838-7446
 Contact Fax: Not reported
 Contact Email: LILIAN.RAMOS@SYNERGYCOMPANIES.ORG
 Contact Title: Not reported
 EPA Region: 09
 Land Type: Not reported
 Federal Waste Generator Description: Not a generator, verified
 Non-Notifier: Not reported
 Biennial Report Cycle: Not reported
 Accessibility: Not reported
 Active Site Indicator: Handler Activities
 State District Owner: Not reported
 State District: Not reported
 Mailing Address: 1085 FAIRBROOK CT.
 Mailing City,State,Zip: SAN JOSE, CA 95132
 Owner Name: RON SANTA ELENA
 Owner Type: Other
 Operator Name: RON SANTA ELENA
 Operator Type: Other
 Short-Term Generator Activity: No
 Importer Activity: No
 Mixed Waste Generator: No
 Transporter Activity: No
 Transfer Facility Activity: No
 Recycler Activity with Storage: No
 Small Quantity On-Site Burner Exemption: No
 Smelting Melting and Refining Furnace Exemption: No
 Underground Injection Control: No
 Off-Site Waste Receipt: No
 Universal Waste Indicator: Yes

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

RON SANTA ELENA (Continued)

1024766126

Universal Waste Destination Facility:	Yes
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDs Where RCRA CA has Been Imposed Universe:	No
TSDs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2018-11-20 16:30:09.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	RON SANTA ELENA
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	1085 FAIRBROOK CT.
Owner/Operator City,State,Zip:	SAN JOSE, CA 95132
Owner/Operator Telephone:	408-838-7446
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RON SANTA ELENA (Continued)

1024766126

Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: RON SANTA ELENA
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 1085 FAIRBROOK CT.
Owner/Operator City, State, Zip: SAN JOSE, CA 95132
Owner/Operator Telephone: 408-838-7446
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 2018-10-22 00:00:00.0
Handler Name: RON SANTA ELENA
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:

NAICS Code: 56299
NAICS Description: ALL OTHER WASTE MANAGEMENT SERVICES

Facility Has Received Notices of Violations:

Violations: No Violations Found

Evaluation Action Summary:

Evaluations: No Evaluations Found

9
WSW
1/8-1/4
0.206 mi.
1086 ft.

CLEARWIRE
2223 DAHLIA CT
SAN JOSE, CA 95133

HAZMAT **S111217164**
N/A

Relative:
Lower
Actual:
134 ft.

SAN JOSE HAZMAT:
Name: CLEARWIRE
Address: 2223 DAHLIA CT
City, State, Zip: SAN JOSE, CA 95133
Region: SAN JOSE
File Num: 600656
Class: Auto Wrecking/Misc Simple Facility

MAP FINDINGS

Map ID			EDR ID Number
Direction			EPA ID Number
Distance			
Elevation	Site	Database(s)	

10 SSW 1/8-1/4 0.209 mi. 1104 ft.	SPRINT PCS SF54XC424 2399 MOSSDALE WY SAN JOSE, CA 95133	HAZMAT	S107030435 N/A
--	---	---------------	---------------------------------

Relative: SAN JOSE HAZMAT:

Lower Name: SPRINT PCS SF54XC424

Actual: Address: 2399 MOSSDALE WY

133 ft. City,State,Zip: SAN JOSE, CA 95133

Region: SAN JOSE

File Num: 410586

Class: Misc. Complex firms and labs

C11 NNW 1/8-1/4 0.233 mi. 1229 ft.	VALERO #6775 1111 CAPITOL SAN JOSE, CA 95133 Site 1 of 9 in cluster C	LUST Cortese HIST CORTESE CERS	S101303881 N/A
---	--	---	---------------------------------

Relative: LUST:

Lower Name: VALERO #6775

Actual: Address: 1111 CAPITOL

152 ft. City,State,Zip: SAN JOSE, CA 95133

Lead Agency: SANTA CLARA COUNTY LOP

Case Type: LUST Cleanup Site

Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608541779

Global Id: T0608541779

Latitude: 37.385914

Longitude: -121.860458

Status: Completed - Case Closed

Status Date: 07/08/2011

Case Worker: Not reported

RB Case Number: 14-625

Local Agency: Not reported

File Location: All Files are on GeoTracker or in the Local Agency Database

Local Case Number: 06S1E28A04f

Potential Media Affect: Other Groundwater (uses other than drinking water)

Potential Contaminants of Concern: Gasoline

Site History: The subject property (hereafter referred to as the "site" or "property") is located on the southwest corner of the intersection of North Capitol Avenue and Berryessa Road in a commercial and industrial area of San Jose, California. Site facilities include a convenience store, two fuel dispenser islands, and three underground storage tanks (USTs) located near the northern corner of the property. The site is bounded by North Capitol Avenue to the east, Berryessa Road to the north and west, and a restaurant to the south. A USA Petroleum Service Station (formerly operated as Chevron station # 9-3837) is located to the northwest across Berryessa Road from the site. Following an investigation by EA Engineering in April 2002, where EA advanced four (4) temporary soil borings (GP-1 through GP5) and identified elevated concentrations of MTBE in groundwater from GP-4, Horizon Environmental, Inc. (Horizon) advanced two borings (B-1 and B-2) to approximately 70 feet below ground surface (bgs) in October of 2002. Groundwater was encountered at approximately 69 feet bgs in both Horizon borings. Several soil samples were analyzed for total petroleum hydrocarbons as gasoline (TPH-g) benzene, toluene, ethylbenzene total xylenes (BTEX), and the fuel oxygenates methyl tertiary butyl ether (MTBE) tertiary butyl alcohol (TBA), did-isopropyl ether (DIPE), ethyl tertiary butyl ether (ETBE), and

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VALERO #6775 (Continued)

S101303881

tertiary amyl methyl ether (TAME). MTBE was only detected in a sixty-foot sample at a concentration of 0.82 milligrams per kilogram (mg/kg). AEI installed a single groundwater monitoring well (MW-1) at the site in June of 2003 at the request of the Santa Clara Valley Water District (SCVWD). The well location was selected by the SCVWD based on the results of the Horizon drilling activities conducted in October of 2002. Refer to AEI's Well Installation and Groundwater Monitoring Report dated July 31, 2003, for more detailed history pertaining to the site. During the initial monitoring event conducted on June 27, 2003, BTEX and MTBE were detected concentrations of 0.52 micrograms per liter (ug/L), 2.4 ug/L, 0.65 ug/L, and 1.7 ug/L, respectively. The direction of groundwater flow was reported by Horizon to be to the west based on data from a nearby Chevron site. Based on the results of EA and Horizon borings, Horizon concluded that the source of dissolved BTEX and MTBE was most likely located offsite and to the east-northeast of the subject site.

LUST:

Global Id: T0608541779
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

LUST:

Global Id: T0608541779
Action Type: ENFORCEMENT
Date: 05/13/2005
Action: Other Report

Global Id: T0608541779
Action Type: RESPONSE
Date: 07/25/2003
Action: Soil and Water Investigation Report

Global Id: T0608541779
Action Type: RESPONSE
Date: 12/15/2001
Action: Other Report / Document

Global Id: T0608541779
Action Type: Other
Date: 06/22/2001
Action: Leak Reported

Global Id: T0608541779
Action Type: RESPONSE
Date: 02/21/2003
Action: Soil and Water Investigation Workplan

Global Id: T0608541779
Action Type: ENFORCEMENT
Date: 08/12/2009
Action: Staff Letter

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VALERO #6775 (Continued)

S101303881

Global Id: T0608541779
Action Type: RESPONSE
Date: 10/19/2001
Action: Soil and Water Investigation Workplan

Global Id: T0608541779
Action Type: RESPONSE
Date: 12/06/2002
Action: Soil and Water Investigation Report

Global Id: T0608541779
Action Type: ENFORCEMENT
Date: 07/08/2011
Action: Closure/No Further Action Letter

Global Id: T0608541779
Action Type: ENFORCEMENT
Date: 03/23/2011
Action: Staff Letter

Global Id: T0608541779
Action Type: RESPONSE
Date: 01/31/2010
Action: Monitoring Report - Semi-Annually

Global Id: T0608541779
Action Type: RESPONSE
Date: 07/31/2010
Action: Monitoring Report - Semi-Annually

Global Id: T0608541779
Action Type: ENFORCEMENT
Date: 03/17/2011
Action: Staff Letter

Global Id: T0608541779
Action Type: ENFORCEMENT
Date: 12/15/2010
Action: Staff Letter

Global Id: T0608541779
Action Type: RESPONSE
Date: 05/11/2011
Action: Well Destruction Report

Global Id: T0608541779
Action Type: RESPONSE
Date: 12/05/2002
Action: Soil and Water Investigation Report

Global Id: T0608541779
Action Type: RESPONSE
Date: 05/13/2005
Action: Other Report / Document

Global Id: T0608541779
Action Type: RESPONSE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VALERO #6775 (Continued)

S101303881

Date: 09/27/2002
Action: Other Workplan

Global Id: T0608541779
Action Type: RESPONSE
Date: 01/01/2000
Action: Correspondence

Global Id: T0608541779
Action Type: RESPONSE
Date: 06/25/2003
Action: Other Report / Document

Global Id: T0608541779
Action Type: RESPONSE
Date: 02/01/2011
Action: Monitoring Report - Semi-Annually

Global Id: T0608541779
Action Type: RESPONSE
Date: 11/12/2001
Action: Other Report / Document

Global Id: T0608541779
Action Type: RESPONSE
Date: 05/13/2005
Action: Other Report / Document

Global Id: T0608541779
Action Type: RESPONSE
Date: 07/31/2003
Action: Well Installation Report

Global Id: T0608541779
Action Type: RESPONSE
Date: 07/31/2003
Action: Monitoring Report - Quarterly

Global Id: T0608541779
Action Type: RESPONSE
Date: 05/30/2001
Action: Preliminary Site Assessment Report

Global Id: T0608541779
Action Type: ENFORCEMENT
Date: 08/24/2001
Action: Staff Letter - #38581

Global Id: T0608541779
Action Type: ENFORCEMENT
Date: 10/15/2001
Action: Staff Letter - #38583

Global Id: T0608541779
Action Type: ENFORCEMENT
Date: 09/03/2002
Action: Warning Letter - #38665

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VALERO #6775 (Continued)

S101303881

Global Id: T0608541779
Action Type: ENFORCEMENT
Date: 10/11/2002
Action: Staff Letter - #40500

Global Id: T0608541779
Action Type: ENFORCEMENT
Date: 01/13/2003
Action: Staff Letter - #41366

Global Id: T0608541779
Action Type: ENFORCEMENT
Date: 05/22/2003
Action: Staff Letter - #41369

Global Id: T0608541779
Action Type: Other
Date: 04/27/2001
Action: Leak Discovery

Global Id: T0608541779
Action Type: RESPONSE
Date: 05/27/2011
Action: Well Destruction Report

LUST:

Global Id: T0608541779
Status: Completed - Case Closed
Status Date: 04/25/2001

Global Id: T0608541779
Status: Open - Case Begin Date
Status Date: 04/25/2001

Global Id: T0608541779
Status: Open - Site Assessment
Status Date: 04/25/2001

Global Id: T0608541779
Status: Completed - Case Closed
Status Date: 07/08/2011

CORTESE:

Name: VALERO #6775
Address: 1111 CAPITOL
City,State,Zip: SAN JOSE, CA 95133
Region: CORTESE
Envirostor Id: Not reported
Global ID: T0608541779
Site/Facility Type: LUST CLEANUP SITE
Cleanup Status: COMPLETED - CASE CLOSED
Status Date: Not reported
Site Code: Not reported
Latitude: Not reported
Longitude: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VALERO #6775 (Continued)

S101303881

Owner: Not reported
Enf Type: Not reported
Swat R: Not reported
Flag: active
Order No: Not reported
Waste Discharge System No: Not reported
Effective Date: Not reported
Region 2: Not reported
WID Id: Not reported
Solid Waste Id No: Not reported
Waste Management Uit Name: Not reported
File Name: Active Open

HIST CORTESE:

edr_fname: EXXON
edr_fadd1: 1111 CAPITOL
City,State,Zip: SAN JOSE, CA 94133
Region: CORTESE
Facility County Code: 43
Reg By: LTNKA
Reg Id: 43-0519

CERS:

Name: VALERO #6775
Address: 1111 CAPITOL
City,State,Zip: SAN JOSE, CA 95133
Site ID: 211822
CERS ID: T0608541779
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

C12 EXXON RAS NO 73627
NW 1111 N CAPITAL AVE
1/8-1/4 SAN JOSE, CA 95133
0.234 mi.
1233 ft. Site 2 of 9 in cluster C
Relative:
Lower
Actual:
149 ft.

RCRA-SQG 1000337826
LUST CAD981410616
HIST LUST
CERS HAZ WASTE
SWEEPS UST
HIST UST
CERS TANKS
CUPA Listings
HAZMAT
CERS

RCRA-SQG:

Date Form Received by Agency: 2000-07-26 00:00:00.0
Handler Name: EXXON RAS NO 73627
Handler Address: 1111 N CAPITAL AVE

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

Handler City,State,Zip:	SAN JOSE, CA 95133
EPA ID:	CAD981410616
Contact Name:	ALDA S POOL
Contact Address:	1200 TIMBERLOCH PL
Contact City,State,Zip:	THE WOODLANDS, TX 77380-4999
Contact Telephone:	281-296-3579
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	09
Land Type:	Private
Federal Waste Generator Description:	Small Quantity Generator
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Handler Activities
State District Owner:	Not reported
State District:	Not reported
Mailing Address:	1200 TIMBERLOCH PL
Mailing City,State,Zip:	THE WOODLANDS, TX 77380-4999
Owner Name:	EXXON MOBIL
Owner Type:	Private
Operator Name:	NOT REQUIRED
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2002-10-07 16:37:58.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Hazardous Waste Summary:

Waste Code:	D001
Waste Description:	IGNITABLE WASTE
Waste Code:	D018
Waste Description:	BENZENE

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	EXXON MOBIL
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	3225 GALLOW RD
Owner/Operator City,State,Zip:	FAIRFAX, VA 22037-0001
Owner/Operator Telephone:	281-296-3655
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	NOT REQUIRED
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, ME 99999
Owner/Operator Telephone:	415-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

Historic Generators:

Receive Date: 2000-07-26 00:00:00.0
Handler Name: EXXON RAS NO 73627
Federal Waste Generator Description: Small Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 1992-02-24 00:00:00.0
Handler Name: EXXON CO USA #73627
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:

NAICS Code: 4471
NAICS Description: GASOLINE STATIONS

Facility Has Received Notices of Violations:

Violations: No Violations Found

Evaluation Action Summary:

Evaluations: No Evaluations Found

LUST REG 2:

Region: 2
Facility Id: Not reported
Facility Status: Preliminary site assessment underway
Case Number: 06S1E28A04f
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assessment Workplan Submitted: Not reported
Preliminary Site Assessment Began: 4/25/2001
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

LUST SANTA CLARA:

Name: EXXON #7-3627
Address: 1111 N CAPITOL AVE
City,State,Zip: SAN JOSE, CA
Region: SANTA CLARA
SCVWD ID: 06S1E28A03F
Date Closed: 05/28/1999
EDR Link ID: 06S1E28A03F

Name: EXXON #7-3627
Address: 1111 N CAPITOL AVE
City,State,Zip: SAN JOSE, CA
Region: SANTA CLARA
SCVWD ID: 06S1E28A01F
Date Closed: 05/03/1995
EDR Link ID: 06S1E28A01F

Name: VALERO #6775
Address: 1111 N CAPITOL AVE
City,State,Zip: SAN JOSE, CA
Region: SANTA CLARA
SCVWD ID: 06S1E28A04F
Date Closed: 07/08/2011
EDR Link ID: 06S1E28A04F

LUST:

Name: EXXON #7-3627
Address: 1111 N CAPITOL AVE
City,State,Zip: SAN JOSE, CA 95133
Lead Agency: SANTA CLARA COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608502346
Global Id: T0608502346
Latitude: 37.385914
Longitude: -121.860458
Status: Completed - Case Closed
Status Date: 05/28/1999
Case Worker: UST
RB Case Number: Not reported
Local Agency: SANTA CLARA COUNTY LOP
File Location: All Files are on GeoTracker or in the Local Agency Database
Local Case Number: Not reported
Potential Media Affect: Soil
Potential Contaminants of Concern: Gasoline
Site History: Not reported

LUST:

Global Id: T0608502346
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

Global Id: T0608502346

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

Contact Type: Local Agency Caseworker
Contact Name: UST CASE WORKER
Organization Name: SANTA CLARA COUNTY LOP
Address: 1555 Berger Drive, Suite 300
City: SAN JOSE
Email: Not reported
Phone Number: 4089183400

LUST:

Global Id: T0608502346
Action Type: ENFORCEMENT
Date: 05/28/1999
Action: Closure/No Further Action Letter

Global Id: T0608502346
Action Type: Other
Date: 08/05/1997
Action: Leak Reported

Global Id: T0608502346
Action Type: RESPONSE
Date: 05/28/1999
Action: Other Report / Document

Global Id: T0608502346
Action Type: ENFORCEMENT
Date: 05/21/1998
Action: Staff Letter - #34281

Global Id: T0608502346
Action Type: RESPONSE
Date: 08/12/1998
Action: Soil and Water Investigation Report

LUST:

Global Id: T0608502346
Status: Open - Case Begin Date
Status Date: 02/18/1997

Global Id: T0608502346
Status: Open - Site Assessment
Status Date: 02/18/1997

Global Id: T0608502346
Status: Completed - Case Closed
Status Date: 05/28/1999

Name: EXXON #7-3627
Address: 1111 N CAPITOL AVE
City,State,Zip: SAN JOSE, CA 95101
Lead Agency: SANTA CLARA COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608500563
Global Id: T0608500563
Latitude: 37.3861001141144

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

Longitude: -121.860587596893
Status: Completed - Case Closed
Status Date: 05/03/1995
Case Worker: UST
RB Case Number: Not reported
Local Agency: SANTA CLARA COUNTY LOP
File Location: All Files are on GeoTracker or in the Local Agency Database
Local Case Number: Not reported
Potential Media Affect: Soil
Potential Contaminants of Concern: Gasoline
Site History: Not reported

LUST:

Global Id: T0608500563
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

Global Id: T0608500563
Contact Type: Local Agency Caseworker
Contact Name: UST CASE WORKER
Organization Name: SANTA CLARA COUNTY LOP
Address: 1555 Berger Drive, Suite 300
City: SAN JOSE
Email: Not reported
Phone Number: 4089183400

LUST:

Global Id: T0608500563
Action Type: RESPONSE
Date: 01/01/1985
Action: Other Report / Document

Global Id: T0608500563
Action Type: RESPONSE
Date: 01/01/1985
Action: Other Report / Document

Global Id: T0608500563
Action Type: RESPONSE
Date: 01/01/1985
Action: Other Report / Document

Global Id: T0608500563
Action Type: RESPONSE
Date: 01/01/1985
Action: Other Report / Document

Global Id: T0608500563
Action Type: RESPONSE
Date: 01/01/1985
Action: Other Report / Document

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

Global Id: T0608500563
Action Type: RESPONSE
Date: 01/01/1985
Action: Other Report / Document

Global Id: T0608500563
Action Type: RESPONSE
Date: 01/01/1985
Action: Other Report / Document

Global Id: T0608500563
Action Type: RESPONSE
Date: 01/01/1985
Action: Other Report / Document

Global Id: T0608500563
Action Type: Other
Date: 02/01/1984
Action: Leak Reported

Global Id: T0608500563
Action Type: ENFORCEMENT
Date: 01/14/1991
Action: Notice of Responsibility - #39169

Global Id: T0608500563
Action Type: REMEDIATION
Date: 11/03/1989
Action: Excavation

Global Id: T0608500563
Action Type: ENFORCEMENT
Date: 05/21/1998
Action: Staff Letter - #34251

Global Id: T0608500563
Action Type: ENFORCEMENT
Date: 05/03/1995
Action: Closure/No Further Action Letter

Global Id: T0608500563
Action Type: RESPONSE
Date: 08/12/1998
Action: Soil and Water Investigation Report

LUST:

Global Id: T0608500563
Status: Open - Case Begin Date
Status Date: 02/01/1984

Global Id: T0608500563
Status: Open - Site Assessment
Status Date: 01/08/1990

Global Id: T0608500563
Status: Completed - Case Closed
Status Date: 05/03/1995

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

HIST LUST SANTA CLARA:

Name: Valero #6775
Address: 1111 N Capitol Ave
City: San Jose
Region: SANTA CLARA
Region Code: 2
SCVWD ID: 06S1E28A04
Oversite Agency: SCCDEH
Date Listed: 2001-06-25 00:00:00
Closed Date: Not reported

CERS HAZ WASTE:

Name: CAPITOL CHEVRON
Address: 1111 N CAPITOL AV
City,State,Zip: SAN JOSE, CA 95133-2703
Site ID: 11884
CERS ID: 10344523
CERS Description: Hazardous Waste Generator

SWEEPS UST:

Name: BRICK, PAT EXXON
Address: 1111 N CAPITOL AVE
City: SAN JOSE
Status: Active
Comp Number: 400850
Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 09-08-92
Created Date: 02-29-88
Owner Tank Id: Not reported
SWRCB Tank Id: 43-060-400850-000002
Tank Status: A
Capacity: 1000
Active Date: Not reported
Tank Use: OIL
STG: W
Content: Not reported
Number Of Tanks: 4

Name: BRICK, PAT EXXON
Address: 1111 N CAPITOL AVE
City: SAN JOSE
Status: Active
Comp Number: 400850
Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 09-08-92
Created Date: 02-29-88
Owner Tank Id: Not reported
SWRCB Tank Id: 43-060-400850-000003
Tank Status: A
Capacity: 8000
Active Date: Not reported
Tank Use: M.V. FUEL

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

STG: P
Content: LEADED
Number Of Tanks: Not reported

Name: BRICK, PAT EXXON
Address: 1111 N CAPITOL AVE
City: SAN JOSE
Status: Active
Comp Number: 400850
Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 09-08-92
Created Date: 02-29-88
Owner Tank Id: Not reported
SWRCB Tank Id: 43-060-400850-000004
Tank Status: A
Capacity: 12000
Active Date: Not reported
Tank Use: M.V. FUEL
STG: P
Content: REG UNLEADED
Number Of Tanks: Not reported

Name: BRICK, PAT EXXON
Address: 1111 N CAPITOL AVE
City: SAN JOSE
Status: Active
Comp Number: 400850
Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 09-08-92
Created Date: 02-29-88
Owner Tank Id: Not reported
SWRCB Tank Id: 43-060-400850-000005
Tank Status: A
Capacity: 12000
Active Date: Not reported
Tank Use: M.V. FUEL
STG: P
Content: REG UNLEADED
Number Of Tanks: Not reported

Name: BRICK, PAT EXXON
Address: 1111 N CAPITOL AVE
City: SAN JOSE
Status: Not reported
Comp Number: 400850
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 43-060-400850-000001
Tank Status: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

Capacity: 1000
Active Date: Not reported
Tank Use: OIL
STG: WASTE
Content: Not reported
Number Of Tanks: 1

HIST UST:

Name: EXXON SERVICE STATION
Address: 1111 N CAPITOL AVE
City,State,Zip: SAN JOSE, CA 95133
File Number: Not reported
URL: Not reported
Region: STATE
Facility ID: 00000023976
Facility Type: Gas Station
Other Type: Not reported
Contact Name: PAT BRICK, JR.
Telephone: 4089264224
Owner Name: EXXON COMPANY U.S.A.
Owner Address: 16945 NORTHCHASE BLVD/P.O. BOX
Owner City,St,Zip: HOUSTON, TX 77210
Total Tanks: 0008

Tank Num: 001
Container Num: 1
Year Installed: 1984
Tank Capacity: 00012000
Tank Used for: PRODUCT
Type of Fuel: UNLEADED
Container Construction Thickness: Not reported
Leak Detection: Stock Inventor

Tank Num: 002
Container Num: 2
Year Installed: 1984
Tank Capacity: 00008000
Tank Used for: PRODUCT
Type of Fuel: REGULAR
Container Construction Thickness: Not reported
Leak Detection: Stock Inventor

Tank Num: 003
Container Num: 3
Year Installed: 1984
Tank Capacity: 00008000
Tank Used for: PRODUCT
Type of Fuel: PREMIUM
Container Construction Thickness: Not reported
Leak Detection: Stock Inventor

Tank Num: 004
Container Num: 4
Year Installed: 1984
Tank Capacity: 00001000
Tank Used for: PRODUCT
Type of Fuel: WASTE OIL

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

Container Construction Thickness: Not reported
Leak Detection: Stock Inventor

Tank Num: 005
Container Num: 1
Year Installed: 1971
Tank Capacity: 00010000
Tank Used for: PRODUCT
Type of Fuel: UNLEADED
Container Construction Thickness: Not reported
Leak Detection: Stock Inventor

Tank Num: 006
Container Num: 2
Year Installed: 1971
Tank Capacity: 00008000
Tank Used for: PRODUCT
Type of Fuel: REGULAR
Container Construction Thickness: Not reported
Leak Detection: Stock Inventor

Tank Num: 007
Container Num: 3
Year Installed: 1971
Tank Capacity: 00006000
Tank Used for: PRODUCT
Type of Fuel: PREMIUM
Container Construction Thickness: Not reported
Leak Detection: Stock Inventor

Tank Num: 008
Container Num: 4
Year Installed: 1971
Tank Capacity: 00001000
Tank Used for: PRODUCT
Type of Fuel: WASTE OIL
Container Construction Thickness: Not reported
Leak Detection: Stock Inventor

CERS TANKS:

Name: CAPITOL CHEVRON
Address: 1111 N CAPITOL AV
City,State,Zip: SAN JOSE, CA 95133-2703
Site ID: 11884
CERS ID: 10344523
CERS Description: Underground Storage Tank

CUPA SANTA CLARA:

Name: CAPITOL CHEVRON
Address: 1111 N CAPITOL AV
City,State,Zip: SAN JOSE, CA 951332703
Region: SANTA CLARA
PE#: 2202
Program Description: GENERATES < 100 KG/YR
Latitude: 37.385976
Longitude: -121.860613

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

Record ID: PR0398012
Facility ID: FA0264235

Name: CAPITOL CHEVRON
Address: 1111 N CAPITOL AV
City,State,Zip: SAN JOSE, CA 951332703
Region: SANTA CLARA
PE#: Not reported
Program Description: HMBP FACILITY, 1-3 CHEMICALS
Latitude: 37.385976
Longitude: -121.860613
Record ID: PR0398014
Facility ID: FA0264235

Name: CAPITOL CHEVRON
Address: 1111 N CAPITOL AV
City,State,Zip: SAN JOSE, CA 951332703
Region: SANTA CLARA
PE#: 2399
Program Description: UNDERGROUND STORAGE TANK PROGRAM RECORD
Latitude: 37.385976
Longitude: -121.860613
Record ID: PR0398013
Facility ID: FA0264235

SAN JOSE HAZMAT:

Name: CAPITOL CHEVRON
Address: 1111 N CAPITOL AV
City,State,Zip: SAN JOSE, CA 95133
Region: SAN JOSE
File Num: 400850
Class: Gasoline Station

CERS:

Name: EXXON #7-3627
Address: 1111 N CAPITOL AVE
City,State,Zip: SAN JOSE, CA 95133
Site ID: 240845
CERS ID: T0608502346
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc: Local Agency Caseworker
Entity Name: UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 4089183400

Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Name: CAPITOL CHEVRON
Address: 1111 N CAPITOL AV
City,State,Zip: SAN JOSE, CA 95133-2703
Site ID: 11884
CERS ID: 10344523
CERS Description: Chemical Storage Facilities

Violations:

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 9/20/2018
Citation: HSC 6.7 25291(a)(1) - California Health and Safety Code, Chapter 6.7, Section(s) 25291(a)(1)

Violation Description: Failure to construct, operate, and maintain primary containment as product-tight.

Violation Notes: Observed approximately 1-2 gallons of fuel in the 87 STP sump. Observed approximately 0.25-0.5 gallons of fuel in the 91 STP sump. Observed approximately 0.5-1 gallon of fuel in the Diesel STP sump. Within 30 days, remove fuel from sumps, troubleshoot the source of the releases, and notify our agency of any repairs. Note that a repair permit may be required.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 3/2/2015
Citation: HSC 6.7 25292.1(a) - California Health and Safety Code, Chapter 6.7, Section(s) 25292.1(a)

Violation Description: Failure to operate the UST system to prevent spills and/or overfills.
Violation Notes: Returned to compliance on 01/05/2017. . Dispenser # 3/4 was destroyed on December 24, 2014, when a car drove through the dispenser island and hit the dispenser. The dispenser was removed from the location and placed inside the service bay. The pipe within the dispenser is now capped. The UDC is monitored by an electronic sensor (208) same as before. Submit a project scope of work to repair, replace, or close the dispenser at this location within 7 days to this office, c/o Andrew Dyer. A permit may be required. A determination will be made at that time. .

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 5/31/2016
Citation: HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34

Violation Description: Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.

Violation Notes: Returned to compliance on 01/05/2017. Facility unable to provide an

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

updated CFO letter.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 8/11/2016
Citation: HSC 6.7 25290.1(c), 25290.2(c), 25291(a)(2), 25292(e) - California Health and Safety Code, Chapter 6.7, Section(s) 25290.1(c), 25290.2(c), 25291(a)(2), 25292(e)
Violation Description: Failure to maintain secondary containment (e.g. failure of secondary containment testing).
Violation Notes: Returned to compliance on 01/05/2017. Multiple failures or inability to test.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 4/23/2015
Citation: HSC 6.7 25292(e) - California Health and Safety Code, Chapter 6.7, Section(s) 25292(e)
Violation Description: Failure to maintain secondary containment, as evidenced by failure of secondary containment testing.
Violation Notes: Returned to compliance on 01/05/2017. The Secondary Containment System continues to be without determination as to why the testing of 5/27/2014 failed for each component. The Under Dispenser Containment at dispenser 11/12 was found to be leaking. Immediately provide resources to test, service, repair, and/or discontinue the use of the UST System.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 9/20/2018
Citation: 22 CCR 12 66262.12 - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.12
Violation Description: Failure to obtain an Identification Number prior to treating, storing, disposing of, transporting or offering for transportation any hazardous waste.
Violation Notes: Facility acquired a temporary California ID number (CAC002891180) during the time of the current underground storage tank system was installed, however this number has since expired. Since the facility generates hazardous waste in the form of fuel-contaminated absorbent as well as fuel-contaminated hoses, a permanent California EPA ID number is required. To acquire an ID number, submit DTSC form 1358 preferably by email to the following email address: idnumber@dtsc.ca.gov

Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 11884

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

Site Name: CAPITOL CHEVRON
Violation Date: 1/4/2019
Citation: HSC 6.7 25290.1(e) - California Health and Safety Code, Chapter 6.7, Section(s) 25290.1(e)
Violation Description: Failure to maintain the interstitial space such that a breach in the primary or secondary containment is detected before the liquid or vapor phase of the hazardous substance stored in the UST tank is released into the environment, i.e., vapor, pressure, hydrostatic (VPH) monitoring.
Violation Notes: 87 annular sensor and 87 smart sensor (S9) failed to trigger a no vacuum alarm. Note that if sensor is replaced like-for-like no repair permit is required.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 5/29/2014
Citation: HSC 6.7 25292(e) - California Health and Safety Code, Chapter 6.7, Section(s) 25292(e)
Violation Description: Failure to maintain secondary containment, as evidenced by failure of secondary containment testing.
Violation Notes: Returned to compliance on 09/17/2014. THE SECONDARY CONTAINMENT TESTING (SB-989) CONDUCTED ON MAY 27, 2014, BY BRYAN SELF OF CONFIDENCE UST SERVICES (THE CONTRACTOR) IDENTIFIED THAT MULTIPLE COMPONENTS OF THE UNDERGROUND STORAGE TANK (UST) SYSTEM FAILED DURING THAT TESTING. THESE INCLUDE; THE UNDER DISPENSER CONTAINMENT (UDC) FOR DISPENSERS #1/2, #3/4, #5/6, #7/8, AND #9,10. FAILED THE WATER TEST, THE 87 GASOLINE SUBMERSIBLE TURBINE PUMP (STP) SUMP FAILED THE WATER TEST. THE 87 GASOLINE AND DIESEL SECONDARY PIPING LINES FROM THE TANKS TO THE DISPENSERS FAILED THE AIR PRESSURE TEST. IMMEDIATELY, THE OWNERS/OPERATORS OF BERRY BLUE VALERO, SHALL DETERMINE THE CAUSE OF THE FAILURES, SHALL IDENTIFY A PLAN OF ACTION TO CORRECT THESE FAILURES, AND SHALL SUBMIT A WORK PLAN AND PERMIT APPLICATION, AS MAY BE REQUIRED, TO SERVICE, REPAIR, REPLACE, OR REMOVE FROM SERVICE EACH FAILED COMPONENT.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 7/2/2014
Citation: 23 CCR 16 2641(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(a)
Violation Description: Failure of sensor to be located in the proper position/location.
Violation Notes: Returned to compliance on 09/17/2014. THE DIESEL TANK ANNULAR SPACE SHALL BE CLEARED OF ALL LIQUID AND THE MONITOR SENSOR RETURNED TO ITS PROPER POSITION, TO BE ABLE TO DETECT ANY FURTHER INTRUSION OF LIQUID IN THE CONTAINMENT SYSTEM.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

Violation Date: 9/26/2019
Citation: 23 CCR 16 2638(d) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2638(d)
Violation Description: Failure to submit the G Monitoring System Certification FormG to the UPA within 30 days of completion of the test.
Violation Notes: Facility failed to submit the following Annual Monitoring Certifications: 1-4-2019 9-20-2018
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 9/20/2018
Citation: 23 CCR 16 2712(b) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)
Violation Description: Failure to maintain records of repairs, lining, and upgrades on site, or off site if approved by the UPA, for the life of the UST.
Violation Notes: During a telephone conversation with the facility operator today, Mr. Soroush Hajian, he stated that the alarms noted in violation T100 were a result of settling, and that at some point over the past year the lines had been purged which mainly corrected the issue. However, no maintenance records documenting this or any other troubleshooting or repair efforts connected to these alarms were found. Within 30 days provide a copy of work orders or other associated maintenance records.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 7/2/2014
Citation: 22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description: Failure to properly label hazardous waste accumulation containers with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes: Returned to compliance on 07/02/2014. THE USED OIL FILTER 55-GALLON OPEN TOP DRUM WAS DISCOVERED TODAY TO BE HALF FILLED WITH A USED OIL WATER MIXTURE WITH USED OIL FILTERS AND DEBRIS. THIS DOES NOT MEET THE REQUIREMENTS FOR USED OIL COLLECTION AND IS HAZARDOUS WASTE. THE DRUM WAS LABELED AS HAZARDOUS WASTE AND WILL BE MANAGED AS SUCH. THIS VIOLATION WAS CORRECTED WHILE ON SITE.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 9/20/2018
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to establish and electronically submit an adequate emergency response plan and procedures for a release or threatened release of a hazardous material.
Violation Notes: Returned to compliance on 01/03/2019. The following sections of the

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

emergency response plan submitted to CERS are incomplete: -Section C: Internal facility emergency communications, notification to neighboring facilities, and telephone number of regional water quality control board -Emergency containment & clean-up procedures -Arrangement for emergency services -Earthquake vulnerability Within 30 days revise these sections and resubmit the emergency response plan to CERS.

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 3/2/2015
Citation: HSC 6.7 25298 - California Health and Safety Code, Chapter 6.7, Section(s) 25298

Violation Description: Failure to comply with temporary closure requirements.
Violation Notes: Returned to compliance on 01/05/2017. . As part of the Temporary Closure of the Diesel UST at this facility, Berry Blue Valero is required to identify the direction this facility will be taking within the year to address the leak found in the Diesel UST. Submit a proposed scope of work and time-line for that scope of work to this office, c/o Andre Dyer within 30 days.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 4/23/2015
Citation: HSC 6.7 25299 - California Health and Safety Code, Chapter 6.7, Section(s) 25299

Violation Description: Failure to comply with one or more of the operating permit conditions.
Violation Notes: Returned to compliance on 01/05/2017. Berry Blue Valero and Auto Repair is operating the UST systems, 87 and 91 Octane storage and dispensing systems, in violation of Operating Permit conditions.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 1/4/2019
Citation: HSC 6.7 25291(a)(1) - California Health and Safety Code, Chapter 6.7, Section(s) 25291(a)(1)

Violation Description: Failure to construct, operate, and maintain primary containment as product-tight.
Violation Notes: Observed approximately 4 ounces of fuel in the bottom of the 91 STP sump as well as the bottom of the Diesel STP sump. Within 30 days, remove the fuel, make arrangements to have the source of the fuel leaks investigated, and then make repairs as needed. Note that a repair permit may be required from our agency. This violation was previously cited on 9/20/18 and remains uncorrected.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 5/31/2016
Citation: 23 CCR 16 2715 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715
Violation Description: Failure to comply with one or more of the designated operator monthly inspection requirements: failed to inspect the monthly alarm history report; attach a copy of the alarm history; failed to inspect for the presence of liquid or debris in the spill container/spill bucket and under dispenser containment; failed to inspect the under dispenser containment to ensure that monitoring equipment is placed in the proper position; failure to inspect for liquid or debris in the containment sump where an alarm occurred or for which there is no record of a service visit; or failure to check that all testing and maintenance has been completed and documented.
Violation Notes: Returned to compliance on 06/02/2016. Designated operator (Aneil Chand) indicated that he was unable to do his monthly inspection in April, 2016 due to physical barrier to entry (fence).
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 7/16/2015
Citation: HSC 6.7 25299 - California Health and Safety Code, Chapter 6.7, Section(s) 25299
Violation Description: Failure to comply with one or more of the operating permit conditions.
Violation Notes: Returned to compliance on 08/18/2015. Facility has not paid permit fees which is a requirement under the conditions to operate. Submit payment within 30 days.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 7/2/2014
Citation: HSC 6.7 29295 - California Health and Safety Code, Chapter 6.7, Section(s) 29295
Violation Description: Failure to record and/or report suspected or actual unauthorized release in appropriate time frame.
Violation Notes: Returned to compliance on 09/17/2014. BERRY BLUE VALERO HAS FAILED TO SUBMIT A REPORT OF THE CONDITION OF THE DIESEL FUEL IN THE SECONDARY CONTAINMENT OF THE UST ON THIS SITE. A REPORT FORMAT WAS PROVIDED IN JUNE 2014 AND SHALL BE COMPLETED TO THE BEST OF YOUR ABILITY TO THIS OFFICE BY JULY 7, 2014.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 5/31/2016
Citation: 23 CCR 16 2715 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715
Violation Description: The owner/operator has failed to comply with one or more of the

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

Violation Notes: following: to maintain a copy of the designated operator monthly inspections for the last 12 months and/or maintain a list of trained employees on-site or off-site at a readily available location, if approved by the CUPA.
Returned to compliance on 06/02/2016. Documented monthly inspections were not available at time of inspection. Owner and DO are unaware of the location of the documentation.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 7/2/2014
Citation: HSC 6.5 Multiple Sections - California Health and Safety Code, Chapter 6.5, Section(s) Multiple Sections

Violation Description: Haz Waste Generator Program - Operations/Maintenance - General
Violation Notes: Returned to compliance on 07/02/2014. THE TWO (2) ROLL-AROUND USED OIL COLLECTION CONTAINERS WERE DISCOVERED WITH OIL REMAINING IN THEM TODAY, MORE THAN A MONTH AFTER THE AUTO SHOP STOPPED OPERATIONS. THESE TWO (2) ROLL-AROUND USED OIL COLLECTION CONTAINERS WERE EMPTIED INTO THE WASTE OIL TANK WHILE I WAS ON SITE AND WERE LEFT AS EMPTY. THIS VIOLATION WAS IMMEDIATELY CORRECTED.

Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 9/26/2019
Citation: HSC 6.7 25291(a)(1) - California Health and Safety Code, Chapter 6.7, Section(s) 25291(a)(1)

Violation Description: Failure to construct, operate, and maintain primary containment as product-tight.

Violation Notes: Observed the following areas of the underground storage tank (UST) that contained a liquid: Under Dispenser Containment 11/12 with approximately 1/4 inch of liquid (assumed to be fuel based on odor). 91 STP sump - approximately 1/4 inch of liquid in portion of sump. Diesel STP sump - approximately 1/4 inch of liquid in portion of sump. REPEAT VIOLATION FROM 9-20-18 and 1-4-2019 INSPECTIONS.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 7/2/2014
Citation: 22 CCR 12 66262.40(c) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.40(c)

Violation Description: Failure to determine if the waste generated is a hazardous waste and to maintain analysis results for three years.

Violation Notes: Returned to compliance on 07/02/2014. ONE BLUE, CLOSED, 55 GALLON DRUM IS IN THE WASTE COLLECTION AREA OUTSIDE. THIS MAY BE HAZARDOUS WASTE, BUT NO DETERMINATION HAS BEEN MADE. MAKE A DETERMINATION AND MANAGE PROPERLY.

Violation Division: Santa Clara County Environmental Health
Violation Program: HW

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 7/16/2015
Citation: 23 CCR 16 2711(a)(8) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2711(a)(8)
Violation Description: Failure to submit, obtain approval, or maintain a complete/accurate plot plan.
Violation Notes: Returned to compliance on 07/16/2015. No monitoring site plan is available or submitted on CERS. CORRECTED AT TIME OF INSPECTION. NO FURTHER ACTION REQUIRED.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 9/20/2018
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit a site map with all required content.
Violation Notes: Returned to compliance on 01/03/2019. Facility failed to submit a complete HMBP site map. Instead, a UST plot plan was submitted. Note that this plan does not contain all of the required elements of a HMBP site map. Within 30 days submit a complete HMBP site map to CERS.
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 8/20/2014
Citation: HSC 6.7 25292(e) - California Health and Safety Code, Chapter 6.7, Section(s) 25292(e)
Violation Description: Failure to maintain secondary containment, as evidenced by failure of secondary containment testing.
Violation Notes: Returned to compliance on 09/17/2014. THE SECONDARY CONTAINMENT TESTING (SB-989) CONDUCTED ON MAY 27, 2014, BY BRYAN SELF OF CONFIDENCE UST SERVICES (THE CONTRACTOR) IDENTIFIED THAT MULTIPLE COMPONENTS OF THE UNDERGROUND STORAGE TANK (UST) SYSTEM FAILED DURING THAT TESTING. THESE INCLUDE; THE UNDER DISPENSER CONTAINMENT (UDC) FOR DISPENSERS #1/2, #3/4, #5/6, #7/8, AND #9,10. FAILED THE WATER TEST, THE 87 GASOLINE SUBMERSIBLE TURBINE PUMP (STP) SUMP FAILED THE WATER TEST. THE 87 GASOLINE AND DIESEL SECONDARY PIPING LINES FROM THE TANKS TO THE DISPENSERS FAILED THE AIR PRESSURE TEST. IMMEDIATELY, THE OWNERS/OPERATORS OF BERRY BLUE VALERO, SHALL DETERMINE THE CAUSE OF THE FAILURES, SHALL IDENTIFY A PLAN OF ACTION TO CORRECT THESE FAILURES, AND SHALL SUBMIT A WORK PLAN AND PERMIT APPLICATION, AS MAY BE REQUIRED, TO SERVICE, REPAIR, REPLACE, OR REMOVE FROM SERVICE EACH FAILED COMPONENT.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 11884

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

Site Name: CAPITOL CHEVRON
Violation Date: 9/17/2014
Citation: 23 CCR 16 2631.1 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2631.1
Violation Description: UST system is not made of or lined with materials that are compatible with the substance stored in the underground storage tank system.
Violation Notes: Returned to compliance on 09/17/2014. THERE HAS BEEN NO SUBMITTAL TO ADDRESS THIS OUTSTANDING ISSUE FROM 5/29/2014 AS OF 9:00 AM TODAY, 9/17/2014.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 9/26/2019
Citation: 23 CCR 16 2716(a) through (e) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2716(a) through (e)
Violation Description: For designated operator (DO) monthly inspections conducted before October 1, 2018, failure to comply with one or more of the following requirements: Be performed by an ICC certified DO. Inspect monthly alarm history report, check that alarms are documented and responded to appropriately, and attach a copy. Inspect for the presence of liquid/debris in spill containers. Inspect for the presence of liquid/debris in under dispenser containment (UDC) and ensure that the monitoring equipment is positioned correctly. Inspect for liquid or debris in containment sumps where an alarm occurred with no service visit. Check that all testing and maintenance has been completed and documented. Verify that all facility employees have been trained in accordance with 23 CCR 2715(c). For designated operator (DO) 30 day inspections conducted on and after October 1, 2018, failure to conduct the designated UST operator visual inspection at least once every 30 days.
Violation Notes: Designated operator (DO), Terek Naward failed to acknowledge all smart sensor alarms including but not limited to: S9 87 Vacuum Product - high liquid alarm and no vacuum alarm on 5-8-19. Not addressed in DO inspection on 5-19-19. S10 87 Vacuum Vapor - high liquid alarm 5-8-19. Not addressed in DO inspection on 5-19-19. S11 87-91 Vent - no vacuum alarm 6-20-19. Not addressed in DO inspection on 7-17-19. S11 87-91 Vent - high liquid alarm 5-08-19. Not addressed in DO inspection on 5-19-19. S12 87 Vacuum Annular - no vacuum alarm 6-20-19. Not addressed in DO inspection on 7-17-19. S12 87 Vacuum Annular - sensor fault, no vacuum alarm 3-18-19. Not addressed in DO inspection on 3-21-19. S14 Diesel 91 Vacuum Annular - no vacuum alarm 9-22-19. Not addressed in DO inspection on 8-16-19 S14 Diesel 91 Vacuum Annular - no vacuum alarm 7-08-19. Not addressed in DO inspection on 7-17-19 S15 91 Vacuum Product - high liquid, sensor fault alarm 7-3-19. Not addressed in DO [Truncated]
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 1/4/2019
Citation: 23 CCR 16 2715(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(f)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

Violation Description: Failure to have a properly qualified service technician test leak detection equipment as required every 12 months (vapor, pressure, hydrostatic (VPH) system, sensors, line-leak detectors (LLD), automatic tank gauge (ATG), etc.).

Violation Notes: Returned to compliance on 01/04/2019. Facility failed to have annual monitoring certification test performed every 12 months as required. Ensure that the this test is performed no later than the month of September (testing anniversary month). This violation was corrected at time of inspection.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 9/17/2014
Citation: HSC 6.7 25292(e) - California Health and Safety Code, Chapter 6.7, Section(s) 25292(e)

Violation Description: Failure to maintain secondary containment, as evidenced by failure of secondary containment testing.

Violation Notes: Returned to compliance on 09/17/2014. THERE HAS BEEN NO SUBMITTAL TO ADDRESS THIS OUTSTANDING ISSUE FROM 5/29/2014 AS OF 9:00 AM TODAY, 9/17/2014.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 5/29/2014
Citation: 23 CCR 16 2631.1 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2631.1

Violation Description: UST system is not made of or lined with materials that are compatible with the substance stored in the underground storage tank system.

Violation Notes: Returned to compliance on 09/17/2014. THE SECONDARY CONTAINMENT TESTING (SB-989) CONDUCTED ON MAY 27, 2014, BY BRYAN SELF OF CONFIDENCE UST SERVICES (THE CONTRACTOR) IDENTIFIED THAT THE DIESEL UST PRIMARY TANK WAS LEAKING DIESEL FUEL INTO THE SECONDARY TANK. THIS WAS CONFIRMED BY THE CONTRACTOR REMOVING APPROXIMATELY 150 GALLONS OF FUEL FROM SECONDARY CONTAINMENT AND OBSERVING THE CORRESPONDING CHANGE IN TANK VOLUME ON THE VEEDER-ROOT MONITORING SYSTEM. IMMEDIATELY, THE OWNERS/OPERATORS OF BERRY BLUE VALERO, SHALL REMOVE ALL DIESEL FUEL AND LIQUIDS FROM THE PRIMARY AND SECONDARY CONTAINMENT OF THE DIESEL TANK AND TANK SYSTEM. IMMEDIATELY, THE OWNERS/OPERATORS OF BERRY BLUE VALERO, SHALL DETERMINE THE CAUSE OF THE FAILURE, SHALL IDENTIFY A PLAN OF ACTION TO CORRECT THE FAILURES, AND SHALL SUBMIT A WORK PLAN AND PERMIT APPLICATION, AS REQUIRED, TO SERVICE, REPAIR, REPLACE, OR REMOVE FROM SERVICE THE DIESEL TANK AND TANK SYSTEM.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 10/22/2015
Citation: HSC 6.7 25292(e) - California Health and Safety Code, Chapter 6.7, Section(s) 25292(e)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

Violation Description: Failure to maintain secondary containment, as evidenced by failure of secondary containment testing.

Violation Notes: Returned to compliance on 01/05/2017. Secondary containment failures have not been addressed since failure during testing on 5-27-14. This is a Significant UST Violation which impairs the ability of the UST systems to detect or contain a release and is a repeated violation from inspections performed on on 9-17-14 and 7-16-15. This violation shall be corrected within 7 days as required by Health & Safety Code 25292.3(b). If these corrections are not made to the satisfaction of the local agency (Santa Clara County Department of Environmental Health - Hazardous Materials Compliance Division), a red tag shall be affixed, in plain view, to the fill pipe of the noncompliant underground storage tank system to provide notice that delivery of petroleum into the system is prohibited.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 9/20/2018
Citation: HSC 6.7 25290.1(e) - California Health and Safety Code, Chapter 6.7, Section(s) 25290.1(e)

Violation Description: Failure to maintain the interstitial space such that a breach in the primary or secondary containment is detected before the liquid or vapor phase of the hazardous substance stored in the UST tank is released into the environment, i.e., vapor, pressure, hydrostatic (VPH) monitoring.

Violation Notes: Returned to compliance on 10/31/2018. Interstitial sensor reservoir and associated manometer in UDC 9/10 were observed as completely dry, and as a result, the interstitial sensor was non-functional. Within 30 days, troubleshoot the source of the releases, and notify our agency of any repairs. Note that a repair permit may be required. Interstitial sensor reservoir for 91 fill sump sensor was dry yet failed to alarm. Within 30 days, troubleshoot the source of the releases, why sensor is non-functional, and notify our agency of any repairs. Note that a repair permit may be required.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 3/2/2015
Citation: HSC 6.7 25292(e) - California Health and Safety Code, Chapter 6.7, Section(s) 25292(e)

Violation Description: Failure to maintain secondary containment, as evidenced by failure of secondary containment testing.

Violation Notes: Returned to compliance on 01/05/2017. . This is a re-issuance of this violation after the previous project scope and timeline was not met. No activity has been conducted to service, repair, or replace piping and Under Dispenser Containment (UDC) that have been identified as leaking on this UST system at this site. Submit an updated project detail, within 7 days to this office, to include the contractor, scope of work, and time line to start and complete the work to be done on the UST system at this location. .

Violation Division: Santa Clara County Environmental Health

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

Violation Program: UST
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 5/31/2016
Citation: HSC 6.7 25299 - California Health and Safety Code, Chapter 6.7, Section(s) 25299

Violation Description: Failure to comply with one or more of the operating permit conditions.
Violation Notes: Returned to compliance on 01/05/2017. Facility has not paid most recent invoice relating to UST permit to operate. As of March 2015, facility is financially non-compliant. Owner provided new address for invoices.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 1/4/2019
Citation: 23 CCR 16 2712(b)(1)(G) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)(1)(G)

Violation Description: Failure to comply with one or more of the following overfill prevention equipment requirements: Alert the transfer operator when the tank is 90 percent full by restricting the flow into the tank or triggering an audible and visual alarm; or Restrict delivery of flow to the tank at least 30 minutes before the tank overfills, provided the restriction occurs when the tank is filled to no more than 95 percent of capacity; and activate an audible alarm at least five minutes before the tank overfills; or Provide positive shut-off of flow to the tank when the tank is filled to no more than 95 percent of capacity; or Provide positive shut-off of flow to the tank so that none of the fittings located on the top of the tank are exposed to product due to overfilling. Install/retrofit overfill prevention equipment that does not use flow restrictors on vent piping to meet overfill prevention equipment requirements when the overfill prevention equipment is installed, repaired, or replaced on and after October 1,- 2018. For USTs installed before October 1, 2018, perform an inspection by October 13, 2018 and every 36 months thereafter. For USTs installed on and after October- 1,- 2018, perform an inspection at installation and every 36 months thereafter. Inspected within 30 days after a repair to the overfill prevention equipment. Inspected using an applicable manufacturer guidelines, industry codes, engineering standards, or a method approved by a professional engineer. Inspected by a certified UST service technician. Maintain records of overfill prevention equipment inspection for 36 months.

Violation Notes: Facility has not tested overfill prevention equipment.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 12/2/2013
Citation: HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34

Violation Description: Failure to submit and maintain complete and current Certification of

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

Violation Notes: Financial Responsibility or other mechanism of financial assurance. Returned to compliance on 12/07/2013. - BERRY BLUE VALERO SHALL UPDATE AND RESUBMIT THE LETTER FROM THE CHIEF FINANCIAL OFFICER TO THIS OFFICE, C/O ANDREW DYER WITHIN 30 DAYS. -

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 8/11/2016
Citation: HSC 6.7 29291(b) - California Health and Safety Code, Chapter 6.7, Section(s) 29291(b)

Violation Description: Failure of the UST system to be designed and constructed with a monitoring system capable of detecting the entry of the hazardous substance into the secondary containment.

Violation Notes: Returned to compliance on 01/05/2017. Observed the TLS-350 Monitoring panel missing all electronic components. The UST piping is not currently being monitored.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 7/16/2015
Citation: 23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)

Violation Description: Failure to maintain on site an approved monitoring plan.

Violation Notes: Returned to compliance on 07/16/2015. UST monitoring plan identifies wrong sensors for annular spaces (eg. 409 sensor for annular spaces). CORRECTED AT TIME OF INSPECTION. NO FURTHER ACTION REQUIRED.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 9/26/2019
Citation: 23 CCR 16 2712(b)(1)(G) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)(1)(G)

Violation Description: Failure to comply with one or more of the following overfill prevention equipment requirements: Alert the transfer operator when the tank is 90 percent full by restricting the flow into the tank or triggering an audible and visual alarm; or Restrict delivery of flow to the tank at least 30 minutes before the tank overfills, provided the restriction occurs when the tank is filled to no more than 95 percent of capacity; and activate an audible alarm at least five minutes before the tank overfills; or Provide positive shut-off of flow to the tank when the tank is filled to no more than 95 percent of capacity; or Provide positive shut-off of flow to the tank so that none of the fittings located on the top of the tank are exposed to product due to overfilling. Install/retrofit overfill prevention equipment that does not use flow restrictors on vent piping to meet overfill prevention equipment requirements when the overfill prevention equipment is installed, repaired, or replaced on and after October 1, 2018. For USTs installed before October 1, 2018, perform

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

Violation Notes: an inspection by October 13, 2018 and every 36 months thereafter. For USTs installed on and after October- 1,- 2018, perform an inspection at installation and every 36 months thereafter. Inspected within 30 days after a repair to the overfill prevention equipment. Inspected using an applicable manufacturer guidelines, industry codes, engineering standards, or a method approved by a professional engineer. Inspected by a certified UST service technician. Maintain records of overfill prevention equipment inspection for 36 months. 91 tank utilizes a flapper valve as a means of overfill; however, technician determined it is currently set to provide restriction at 96.5% fullness. Submit a permit application to repair or replace this flapper valve to ensure it initiates restriction no later than 95% fullness.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 9/20/2018
Citation: 23 CCR 16 2641(h) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(h)

Violation Description: Failure to have an approved UST Monitoring Plan.
Violation Notes: Returned to compliance on 01/03/2019. UST monitoring plans for all tanks inaccurately lists the fill sump interstitial sensor and STP piping sump interstitial sensor as a 332175-001. Correct this in all applicable sections to state 794380-304.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 8/20/2014
Citation: Un-Specified
Violation Description: UST Program - Administration/Documentation - For use of Local Ordinance only
Violation Notes: Returned to compliance on 09/17/2014. SEE VC (VIOLATION CODE) U330 ON OFFICIAL NOTICE OF VIOLATION & NOTICE TO COMPLY ISSUED BY THIS OFFICE ON 5/29/2014. SEE VIOLATION NUMBER 23T530, "SECONDARY CONTAINMENT NOT PRODUCT-TIGHT".

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 9/26/2019
Citation: HSC 6.7 25290.1(e) - California Health and Safety Code, Chapter 6.7, Section(s) 25290.1(e)

Violation Description: Failure to maintain the interstitial space such that a breach in the primary or secondary containment is detected before the liquid or vapor phase of the hazardous substance stored in the UST tank is released into the environment, i.e., vapor, pressure, hydrostatic (VPH) monitoring.
Violation Notes: Returned to compliance on 09/26/2019. S10 87 "vacuum vapor" smart sensor failed to provide a "no vacuum" alarm when vacuum was released.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

Replaced like-for-like at time of inspection. NO FURTHER ACTION REQUIRED.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 1/4/2019
Citation: 23 CCR 16 2712(b) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)

Violation Description: Failure to maintain records of repairs and upgrades on site, or off site if approved by the UPA, for the life of the UST.

Violation Notes: During a telephone conversation with Mr. Soroush Hajian on 9/20/18, as well as a conversation on-site on 10/30/18 with Mr. Byron Molina, it was mentioned that at some point in 2018, the product lines had been purged to attempt to correct the recurring monitoring fluid loss issue, however no maintenance records documenting these activities could be located and were ever provided to our agency. Ensure that all maintenance records are retained for a minimum of 5 years, and that documentation of the activities noted above are provided to our agency within 30 days. This violation was previously cited on 9/20/18 and remains uncorrected.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 5/29/2014
Citation: HSC 6.7 25292.1(a) - California Health and Safety Code, Chapter 6.7, Section(s) 25292.1(a)

Violation Description: Failure to operate the UST system to prevent spills and/or overfills.

Violation Notes: Returned to compliance on 09/17/2014. THE DIESEL METER AT DISPENSER #11/12 CONTINUES TO LEAK. THIS IS A REPEAT VIOLATION FROM MAY 1, 2014. (SEE NOV DATED 5/1/2014). IMMEDIATELY REMOVE ANY AND ALL FUEL FROM THIS UNDER DISPENSER CONTAINMENT (UDC) AND MANAGE THE WASTE PROPERLY. SERVICE, REPAIR, OR REPLACE THIS SYSTEM AS NEEDED, PRIOR TO RETURNING TO OPERATION AND USE.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 9/20/2018
Citation: HSC 6.5 Multiple - California Health and Safety Code, Chapter 6.5, Section(s) Multiple

Violation Description: Hazardous Waste Generator Program - Abandonment/Illegal Disposal/Unauthorized Treatment - General

Violation Notes: Returned to compliance on 01/04/2019. Based upon observations made during the site walk-through, facility personnel are not managing fuel-contaminated absorbent as a hazardous waste. Instead, contaminated absorbent is left to dry in the sun until any fuel present has evaporated. Once dry, absorbent is placed back into gated enclosure for future use. Note that this practice of evaporating fuel constitutes illegal treatment of a hazardous waste. Immediately cease

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

Violation Division: this practice and begin containerizing all waste absorbent.
Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 9/26/2019
Citation: 23 CCR 16 2716(a) through (e) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2716(a) through (e)
Violation Description: For designated operator (DO) monthly inspections conducted before October 1, 2018, failure to comply with one or more of the following requirements: Be performed by an ICC certified DO. Inspect monthly alarm history report, check that alarms are documented and responded to appropriately, and attach a copy. Inspect for the presence of liquid/debris in spill containers. Inspect for the presence of liquid/debris in under dispenser containment (UDC) and ensure that the monitoring equipment is positioned correctly. Inspect for liquid or debris in containment sumps where an alarm occurred with no service visit. Check that all testing and maintenance has been completed and documented. Verify that all facility employees have been trained in accordance with 23 CCR 2715(c). For designated operator (DO) 30 day inspections conducted on and after October 1, 2018, failure to conduct the designated UST operator visual inspection at least once every 30 days.
Violation Notes: Owner/operator failed to indicate in section V, corrective actions taken to address compliance issues identified in section III, and/or failed to print sign, and date section VI of the report: DO inspection report dated 7-17-2019 - no printed name or date signed. DO inspection report dated 4-20-2019 - no printed name, signature, or date signed. DO inspection report dated 3-21-2019 - no printed name, signature, or date signed. DO inspection report dated 12-22-2018 - no printed name, signature, or date signed. DO inspection report dated 11-23-2018 - no printed name, signature, or date signed.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 7/16/2015
Citation: HSC 6.7 25292(e) - California Health and Safety Code, Chapter 6.7, Section(s) 25292(e)
Violation Description: Failure to maintain secondary containment, as evidenced by failure of secondary containment testing.
Violation Notes: Returned to compliance on 08/18/2015. Secondary containment failures have not been addressed since failure during testing on 5-27-14. Arrange for repairs and re-testing.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 5/1/2014
Citation: HSC 6.7 25292.1(a) - California Health and Safety Code, Chapter 6.7, Section(s) 25292.1(a)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

Violation Description: Failure to operate the UST system to prevent spills and/or overfills.
Violation Notes: Returned to compliance on 09/17/2014. THE DIESEL DISPENSING METER/FILTER EQUIPMENT INSIDE DISPENSER #11/12 IS SEEPING FROM THE FACE PLATE AND/OR FILTER, RESULTING IN DIESEL FUEL COLLECTING INSIDE THE UNDER DISPENSER CONTAINMENT (UDC). APROXIMATELY 1/2 INCH OF DIESEL WAS OBSERVED WHILE ON SITE TODAY. IMMEDIATELY CLEAN THIS FUEL FROM THE UDC, SERVICE, REPAIR OR REPLACE DISPENSING PARTS AS NEEDED, AND MAINTAIN A CLEAN AND DRY UDC.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 8/20/2014
Citation: HSC 6.7 29295 - California Health and Safety Code, Chapter 6.7, Section(s) 29295

Violation Description: Failure to record and/or report suspected or actual unauthorized release in appropriate time frame.
Violation Notes: Returned to compliance on 09/17/2014. BERRY BLUE VALERO & AUTO REPAIR HAS NOT PREPARED A REPORT AS REQUIRED AND DETAILED BY THIS OFFICE IN THE OFFICIAL NOTICE OF INSPECTION DATED 5/29/2014. IMMEDIATELY, COMPLETE A WRITTEN STATUS REPORT IN RESPONSE TO THE UNDERGROUND STORAGE TANK SYSTEM FAILURES IDENTIFIED IN THE SECONDARY CONTAINMENT TESTING REPORT DATED 5/27/2014, PERFORMED AND SUBMITTED BY CONFIDENCE UST SERVICES. THE COMPLETE UNAUTHORIZED RELEASE REPORT SHALL BE COMPLETE AND SUBMITTED TO THIS OFFICE BY 5:00 P.M. ON 8/27/2014.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 9/20/2018
Citation: 23 CCR 16 2641(j) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(j)

Violation Description: Failure of the leak detection equipment to be installed, calibrated, operated, and/or maintained properly.
Violation Notes: A review of monthly designated UST operator inspections as well as the repair log showed the following alarms, all of which were addressed by adding "brine": -L14, 87 STP sump sensor, 2-3 ounces were added on 11/9/17, 1 ounce was added on 12/21/17 -L16, 87 annular sensor, 4 ounces was added on 11/3/17, 6 ounces was added on 12/27/17 -L18, Diesel STP sump sensor, 2 ounces was added on 12/11/17 -L20, Diesel fill sump annular, 3 ounces was added on 11/5/17, unspecified amount was added on 7/13/18 -L22, 91 STP sump annular, 3-4 ounces was added on 11/28/17 -L24, 91 fill sump annular, 2-3 ounces was added on 11/7/17, 2 ounces was added on 4/3/18, 2 ounces was added on 4/20/18 Begin troubleshooting the source of monitoring fluid losses and notify our agency of any repairs. Note that a repair permit may be required.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 8/11/2016

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

Citation: HSC 6.7 29291(b) - California Health and Safety Code, Chapter 6.7, Section(s) 29291(b)

Violation Description: Failure of the UST system to be designed and constructed with a monitoring system capable of detecting the entry of the hazardous substance into the secondary containment.

Violation Notes: Returned to compliance on 01/05/2017. Observed the TLS-350 Monitoring panel missing all electronic components. The UST tanks are not currently being monitored.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 7/16/2015
Citation: 23 CCR 16 2715(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(a)

Violation Description: The owner/operator has failed to designate an UST operator or to inform the CUPA or any change in the designated UST operator(s) within 30 days after a change.

Violation Notes: Returned to compliance on 07/16/2015. Facility changed DOs approximately 1 year ago from confidence UST to Pinnacle Fuel Compliance Service but form was never submitted to the County. CORRECTED AT TIME OF INSPECTION. NO FURTHER ACTION REQUIRED.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Violation Date: 9/26/2019
Citation: 23 CCR 16 2712(b)(1)(G) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)(1)(G)

Violation Description: Failure to comply with one or more of the following overfill prevention equipment requirements: Alert the transfer operator when the tank is 90 percent full by restricting the flow into the tank or triggering an audible and visual alarm; or Restrict delivery of flow to the tank at least 30 minutes before the tank overfills, provided the restriction occurs when the tank is filled to no more than 95 percent of capacity; and activate an audible alarm at least five minutes before the tank overfills; or Provide positive shut-off of flow to the tank when the tank is filled to no more than 95 percent of capacity; or Provide positive shut-off of flow to the tank so that none of the fittings located on the top of the tank are exposed to product due to overfilling. Install/retrofit overfill prevention equipment that does not use flow restrictors on vent piping to meet overfill prevention equipment requirements when the overfill prevention equipment is installed, repaired, or replaced on and after October 1,- 2018. For USTs installed before October 1, 2018, perform an inspection by October 13, 2018 and every 36 months thereafter. For USTs installed on and after October- 1,- 2018, perform an inspection at installation and every 36 months thereafter. Inspected within 30 days after a repair to the overfill prevention equipment. Inspected using an applicable manufacturer guidelines, industry codes, engineering standards, or a method approved by a professional engineer. Inspected by a certified UST service technician. Maintain records of overfill prevention equipment inspection for 36 months.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

Violation Notes: Returned to compliance on 09/26/2019. Overfill prevention equipment was not inspected as required on or before 10-13-2018. Repeat violation from inspection performed on 1-4-2019. Inspection performed today, NO FURTHER ACTION REQUIRED.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Evaluation:
Eval General Type: Other/Unknown
Eval Date: 01-04-2019
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: The following hazardous materials business plan violations cited on 9/20/18 were observed as corrected today: -B107, HMBP site map incomplete, a revised site map was submitted to CERS on 1/3/19 -B108, HMBP emergency response plan incomplete, a revise emergency response plan was submitted to CERS on 1/3/19

Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 03-02-2017
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: I was on site to confirm the permitted underground storage tank removal and soil sampling. Willie Molina was on site to identify the sample locations. Don Kellar and Tiffany Tona of FR were on site to perform the soil sampling. Brass sleeves were used to collect samples at 7 locations. See Map as drawn (attached). Soil samples were collected, identified, tracked on chain of custody, and delivered to the lab for analysis by the end of day. See permit and chain of custody for sampling analysis details. All tanks was flushed and washed free of gasoline and diesel, confirmed cleaned (see Haz Waste Tank Closure Cert. attached.). All tanks loaded and hauled as non-hazardous.

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 04-06-2017
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: On site to witness the 9/10 UDC vacuum test. UDC 9/10, Vacuum to 24 in Hg, t-1 = 24 vac, t-1+60 min = 24, no drop in vacuum observed, PASS

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 04-22-2015
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: On site, 1111 N Capitol, Berry Blue Valerri, for re-test of Secondary Piping and UDCs. Anil Chand, Pinnacle Fuel Compliance ICC 5119959-UT

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

Exp. 6/7/2016 Caldwell, # Exp. 12/1/2017 3 product piping runs between 6 dispensers and 3 tanks. Water test of entire pipe system from sump test boots to all UDCs. Water introduced into UDC #3/4. Confirmed communication at tanks. Air pressure, then water, flowed from valve port at each sump. Relieved piping test boots, water to flow into each sump from piping. Filling and settling to be done today. Inspector to return tomorrow after noon to witness Caldwell accelerated tests.

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 04-23-2015
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: SB-989 - System Unable to hold pressure / water, TBD
Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-01-2014
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: ON SITE FOR UST MONITORING SYSTEM CERTIFICATION. BAO NGUYEN, CO-OWNER ON SITE TO ALLOW FACILITY ACCESS AND RECORDS REVIEW. Confidence UST Services Chris Bishop, ICC SERVICE TECH ICC 8057545-UT EXP. 5/18/2014 VR B36744 EXP. 6/7/2014 VMI# 2697 EXP. 6/7/2014 VR B36744 EXP. 7/30/2014 SYSTEM SET-UP PROVIDED, OK ALARM HISTORY PROVIDED, OK, SEE DUSTO REPORT REVIEW, BELOW SPILL BUCKET TEST, 60 MINUTES, OK SENSOR TESTING, 3 STP SUMP SENSORS, STP SHUTDOWN, AUDIO AND VISUAL (A AND V) ALARM, PRINT, OK 3 TANK ANNULAR SENSORS TESTED, A AND V ALARM, PRINT, OK 6 UDC STAND ALONE SENSORS, ALL SHUTDOWN DISPENSER, OK SENSOR OUT, STP SHUTDOWN, A AND V ALARM, PRINT, OK POWER OUT, STP SHUTDOWN, OK ESO, STP AND DISPENSERS SHUTDOWN, OK MLLD TESTING FROM DISPENSER 11/12. NOTE: THE DIESEL DISPENSING METER/FILTER EQUIPMENT INSIDE DISPENSER #11/12 IS SEEPING FROM THE FACE PLATE AND/OR FILTER, RESULTING IN DIESEL FUEL COLLECTING INSIDE THE UNDER [Truncated]

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 05-25-2017
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: I am on site to see second ELD test of entire piping and UST space, primary and secondary. Ricardo Gonzalez, Field Project Manager, Leak Detection Technologies, in on site to conduct the testing ICC#5313846, expires 5/8/2019 SWRCB, Licence # 04-1695, Expires 5/31/2017 NOTE: The Vacuum on the Two USTs is at 20 inches. OK At this time, the primary and secondary lines are being drawn down to purge the system Testing will be done over the next 24 hours. Inspector will not be on site for the extent of this testing. NOTE: Prior to placing fuel in the USTs, the following items must be confirmed and approved by this office; Functional Test of Leak Detection System Confirmation of all Vacuum Zones Continuity Testing of Spill Buckets Visual Inspection and

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

measurement confirmation of the overfill prevention valves
Confirmation of Ball Float Valve placement. UDC Liquid Filled Sumps
shall be completely loaded, stabilized with communications complete.
Vent [Truncated]

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 05-27-2014
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 05-29-2014
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: ON SITE TO FOLLOW-UP THE SECONDARY CONTAINMENT TESTING CONDUCTED ON
TUESDAY, MAY 27, 2014, BY BRYAN SELF, CONFIDENCE UST SERVICES. ANH LE,
ON SITE AT 9:00 TO PROVIDE ACCESS TO OFFICE AND REPORT FILES. BAO
NGUYEN ON SITE AT 9:30 TO PROVIDE ACCESS TO REPORT FILES. REVIEWED THE
NOTES FROM BRIAN SELF, MADE ON SITE ON 5/27/2014. THE NOTES INCLUDE
THE FOLLOWING ITEMS; 1. ALL UDC'S FAILED, EXCEPT DISPENSER 11/12 2.
THE DIESEL UST ANNULAR FAILED (EVIDENCED BY 150 GALLONS OF FUEL
REMOVED FROM SECONDARY CONTAINMENT) 3. THE 87 STP SUMP FAILED. 4. THE
87 AND DIESEL SECONDARY PIPING LINES FAILED. 5. THE DIESEL METER AT
DISPENSER 11/12 CONTINUES TO LEAK. (SEE NOV DATED 5/1/2014). I
REVIEWED THIS TESTING REPORT WITH BAO NGUYEN TO IDENTIFY THE
CONDITIONS AND PRIORITIES FOR COMPLIANCE. I SHOWED BAO THE CONTRACTOR
SEARCH TOOL ON UNIDOC'S AT WWW.UNIDOC'S.ORG. ACTION TAKEN ON 5/27/2014
BY BRYAN SELF, ON BEHALF OF BERRY BLUE VALERO INCLUDED PLACING AN "OUT
OF SERVICE" FUEL [Truncated]

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 06-03-2014
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: ON SITE TO CONFIRM DIESEL FUEL LEVEL. T-2 DIESEL TANK AT 384 GALLONS
AT 6:01 AM. VEEDER-ROOT IN ALARM FOR T-2 LOW FUEL DROP TUBE HAS "NO
FUEL" LABEL ON TOP OF CAP IN SPILL BUCKET VEEDER-ROOT L-10 (DIESEL
TANK) FUEL ALARM IN ALARM, LIQUID IN SECONDARY TANK. CALL TO BAO
NGUYEN REGARDING THE TANK FUEL LEVEL REMAINING. BAO STATED THAT ANEIL
CHAND WILL BE REMOVING THE REMAINING 300 GALLONS TODAY. BAO WILL
CONTACT ANEIL TO HAVE HIM CONTACT ME REGARDING THE TIMING OF THE
REMOVAL.

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

Eval Date: 08-26-2016
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Inspection began 8-16-16 to follow up on inspection performed by Matthew Burge on 8-11-16. Inspection completed and report issued today, 8-26-16. Prior violations: T200/T300 Tank and Piping Monitoring: Inspection report from 8-11-16 indicated that the underground storage tank systems were not monitored. This was due to tampering/vandalism to the TLS 350 monitoring panel. Contractor, Aneil Chand, obtained a used panel and restored operation August 13th, 2016. Obtain a permit for this already performed repair. T530 Secondary Containment: Inspection report from 8-11-16 indicated that all three annular spaces failed secondary containment testing. On 8-16-16, contractor Aneil Chand was able to pull 5.5 inches of hg vacuum on the 91 tank annular and the vacuum had no loss over a 1 hour test. 87 Annular was unable to hold vacuum. Due to continued failure of the owner/operator of the underground storage tanks (USTs) at this facility to correct significant UST violations [Truncated]

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 09-06-2017
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: I am on site, 1111 N. Capitol Ave, San Jose, to identify final issues for testing and confirmation prior to final sign-off of the UST installation permit. NOTE: The Monitoring System Testing to be done will require Confined Space Entry. This Confined Space issue was discussed between Byron and Angel Molina and myself. NOTE: The testing and working valve rack for the vacuum monitoring system is located deep within the sumps, to the point where the UST Service Tech, that is conducting annual testing, must enter the Confined Space to conduct the work. Outstanding Issues; The dispenser frames need to have filler around the electrical conduit to provide the slope into the UDC. The bulkheads are to be used as off-set guides to establish the correct slope. This detail was discussed with Byron Molina. The Veeder-Root, PLLD sensors, Q1, Q2, Q3. were set with 100 feet as the piping length. This was changed to 180 feet to reflect the actual piping system length. The [Truncated]

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 09-08-2017
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: I am on site, 1111 N. Capitol Ave, San Jose, for Final Monitoring System Certification, and to confirm final issues for testing and confirmation prior to final sign-off of the UST installation permit requirements. On site today is; Byron Molina, W&M Inc. ICC Service Tech, 5268627, exp. 5/18/2018 Veeder-Root, A27999, exp. 10/31/2018 Incon #1014143708, exp. 9/29/2018 VMI #2770, exp. 3/5/2019, verified with Vaporless Manufacturing. Testing done today; Overfill Prevention Probes set to 90% Tank Capacity., 3 UST probes, OK Functional Testing

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

of liquid sensors L-1 through L-26, see below, OK Communication Testing of all vacuum zones, s-9 through s-16, see below, OK Zone Map received (attached), OK, this will be modified for clarity. Issues identified today; The sumps shall have a means of testing liquid communication installed and finished. The San Jose Fire Department, Hazardous Materials Division shall be contacted to confirm permit [Truncated]

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 09-17-2014
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes:

ON SITE TO FOLLOW-UP WITH OUTSTANDING VIOLATIONS AND NON-COMPLIANCE FOLLOWING SECONDARY CONTAINMENT TESTING FAILURES. SEE EMAIL WITH NOTIFICATION OF ENFORCEMENT STATUS TO BAO NGUYEN ON 9/16/2014. THE FOLLOWING ITEMS MUST BE ADDRESSED IMMEDIATELY TO AVOID FURTHER ENFORCEMENT STEPS. 1. THE RELEASE REPORT SHALL BE COMPLETED AND SUBMITTED TO THIS OFFICE TODAY, 9/17/2014. 2. THE SECONDARY CONTAINMENT REPORT, DATED 5/27/2014, SHALL HAVE ALL ITEMS OF FAILURE ADDRESSED. PROVIDE AN ACTION PLAN TO ADDRESS EACH ITEM, INCLUDING: A. TANK #DSL (TANK ID #43-000-264235-368651) SHALL BE CLOSED, TEMPORARY, UP TO ONE YEAR OR PERMANENT. IDENTIFY DETAILS OF THE ACTION PLAN FOR THIS. B. PIPING RUN #87 (87 LINE SECONDARY CONTAINMENT) SHALL HAVE THE FAILURE IDENTIFIED (BOOT FAILURE ?) AND REPAIRED. C. PIPING RUN # DSL (DIESEL LINE SECONDARY CONTAINMENT) SHALL HAVE THE FAILURE IDENTIFIED (BOOT FAILURE ?) AND REPAIRED. D. SUMP # 87 (87 STP SUMP) SHALL HAVE THE [Truncated]

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 10-30-2014
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes:

ON SITE TO CONFIRM TEMPORARY CLOSURE OF DIESEL TANK. ANIEL CHAND ON SITE TO CONFIRM THE PROPER CONDITIONS FOR TEMPORARY CLOSURE OF THE DIESEL UST. REVIEWED PROPOSAL. CONFIRMED STATUS OF SITE AND PROJECT. INSPECTOR TO RETURN FOR WORK ON SITE, 11/6/2014.

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 11-06-2014
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes:

ON SITE TO PROVIDE ACCESS TO THE DIESEL UST FUEL TANK RAD BAG IS IN PLACE FUEL LEVEL TODAY IS 3.25"-, THIS IS THE SAME AS RECORDED AT THE TIME OF PLACEMENT ON THE DROP TUBE. ANIEL CHAND, UST SERVICE TECH, PINNACLE FUEL COMPLIANCE, on site to oversee UST System activity. REMOVAL OF RED BAG. 10:30 RED TAG / RED BAG #0428, REMOVAL BY MYSELF, ANDREW DYER. PLACED IN HAZ MAT BAG, TO BE DISPOSED AT END OF DAY. UST TO HAVE ALL REMAINING FUEL CLEANED OUT, LEL CONFIRMED TO BE BELOW 10%

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

OF LEL. INSPECTOR TO RETURN LATER TODAY TO CONFIRM LEL. RANDY SCOTT, FUELFILTRATION - WEST, INC. ON SITE TO REMOVE PRODUCT AND CLEAN THE DIESEL (MIDDLE) UST . SOAP/WATER, HIGH PRESSURE SPRAY WAND WITH DIRECTIONAL NOZZLE, ACCESSED THROUGH FILL PORT AND VAPOR RETURN PORTS. LEL READINGS, 1:00 - TOP 8%, MID 9%, BOTTOM 9% O2 READINGS, 1:00 - TOP 20%, MID 20%, BOTTOM 20% OK FOR TEMPORARY CLOSURE OF THIS TANK. NOTE: THE STATUS OF THE TANK AND SYSTEM UNDER "TEMPORARY [Truncated]

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 04-10-2017
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes:

I was on site to observe the secondary containment testing for all piping. Vent T-87, time1 (t-1) = 12 psi, t-1+60 min = 12, no drop in pressure observed, PASS Vent T-91, time1 (t-1) = 12 psi, t-1+60 min = 12, no drop in pressure observed, PASS Vent T-Diesel, time1 (t-1) = 12 psi, t-1+60 min = 12, no drop in pressure observed, PASS Product - 87, time1 (t-1) = 12 psi, t-1+60 min = 12, no drop in pressure observed, PASS Product - 91, time1 (t-1) = 12 psi, t-1+60 min = 12, no drop in pressure observed, PASS Product - Diesel, time1 (t-1) = 12 psi, t-1+60 min = 12, no drop in pressure observed, PASS Vapor Recovery, time1 (t-1) = 12 psi, t-1+60 min = 12, no drop in pressure observed, PASS NOTE: discussion of testing to be done was reviewed with Mr. Molina. NEXT Testing, The liquids in the UDCs and Vent Transition sump are being loaded. This shall be observed once complete. The Vacuum on the tanks shall remain until the Veeder-Root 420 sensor is introduced. [Truncated]

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 07-09-2014
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes:

ON SITE TO CONFIRM DIESEL FUEL TANK HAS HAD ALL REMAINING FUEL REMOVED FROM PRIMARY AND SECONDARY TANKS. THERE IS NO DIESEL FUEL OR OTHER LIQUIDS VISIBLE THROUGH THE DROP TUBE AND THE SECONDARY CONTAINMENT SENSOR SHOWS NO LIQUID IN THE SECONDARY CONTAINMENT SYSTEM.

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 07-16-2015
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-16-2015

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: On-site today to oversee annual monitoring certification testing. Technician Jeff Conger with Pinnacle Fuel Compliance Service has valid ICC, Veeder Root, and VMI certifications. Site consists of: 1 Regular (87) tank 1 Diesel tank - non operable due to compromised primary steel tank 1 Premium (91) tank 5 dispenser pairs Regular Tank annular space is dry and monitored by Veeder-Root 420 sensor. Premium tank is monitored by a Veeder-Root 344 sensor. Sensors triggered audible and visual alarms. UDC and STP sumps are monitored by Veeder-Root 208 sensors and performed as designed. Sensors provided positive shutdown in addition to audible and visual alarms. Mechanical line leak detectors provided slow flow when a simulated leak of 3 gallons per hour at 10 PSI was detected. Sensor Out/Power out provided positive shutdown of turbines. Overfill is provided by flapper valves inside the drop tubes. Note: Upon arrival observed approximately 25 gallons of fuel/water in the [Truncated]

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 08-11-2016
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Limited inspection. Facility is currently closed and fenced off pending repairs/remodeling. Observed the TLS-350 Monitoring panel missing all electronic components. The UST system is not currently being monitored. New operator for this site. Apply for a UST permit by submitting all required information to the California Environmental Reporting System (cers.calepa.ca.gov).

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 09-20-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Facility generates spent fuel-contaminated absorbent from clean-up activities of fuel spills. NOTES: -CAC002891180 (temporary ID number) is INACTIVE -Facility contact: roadrunnerpetro@gmail.com

Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 09-20-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: On-site to conduct a UST compliance inspection. Annual monitoring system testing was performed by UST service technician Aneil Chand from Pinnacle Fuel Services. Mr. Chand had all of the required certifications. During testing of monitoring equipment the following was observed: -Secondary containment test boots were observed as pulled-back prior to testing. -Mechanical overfill devices (flapper valves) were verified on all tanks. -Fail-safe and sensor out was

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

demonstrated on all tanks. -The 87, 91, and Diesel spill buckets were hydrostatically tested with 5 gallons of water for 60 minutes and passed. -The 87, 91, and Diesel STP sump sensors (Veeder Root 794380-208) were tested in water and produced an audible and visual alarm at the monitoring panel as well as positive shutdown of the turbines. -The 87, 91, and Diesel STP sump interstitial sensors (Veeder Root 794380-304) were tested by removing them from monitoring fluid which triggered produced an audible and [Truncated]

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 09-20-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: The following hazardous materials are handled on-site at hazardous materials business plan reporting thresholds: -Gasoline: 2 x underground storage tanks -Diesel: 1 x underground storage tank NOTES:

Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 10-03-2017
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Today, I am attempting to confirm all systems are in place and ready for testing. The entire system is not ready to be tested. I will return after 2:00 today. Testing will continue tomorrow. The PLLD,s (3), struggled and failed. Suspect air in system. The testing equipment is to be moved and tested at Dispenser #7/8. Snap tabs will be installed. The UST system was loaded with fuels on 8/21/2017. See receipt attached. See CERS for reporting details.

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 10-31-2018
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Follow-up inspection began on 10/30/18 and concludes today with issuance of the Notice of Inspection. Met in the morning with the facility owner and his UST consultant Mr. Douglas Nunn to discuss violations observed during annual monitoring system certification testing on 9/20/18. According to Mr. Nunn, he had visited the site twice (on approximately 10/9/18 and 10/16/18) and had done the following: -Changed S11 sensor (like for like) -Added approximately 12-16 ounces of monitoring fluid to the L10 sensor reservoir -Added approximately 8 ounces of monitoring fluid to the L14 sensor reservoir -Added approximately 8-12 ounces of monitoring fluid to the L24 sensor reservoir Met in the early afternoon with Mr. Byron Molina, a technician with the UST installer (W & M Inc.), to witness troubleshooting efforts. STP sumps were opened, but could not be entered due to the odor of gasoline vapors and personnel not having a

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

LEL meter. Activities for the day ceased at that [Truncated]
Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 12-02-2013
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: ON SITE WITH KHOAN NGUYEN, MANAGER, TO REVIEW CERS DRAFT, PREPARE FOR SUBMITTAL, SUBMIT, AND COMPLETE RETURN TO COMPLIANCE INSPECTION RECORD. ACCESSED CERS, AMENDED INFORMATION THROUGHOUT, SUBMITTED. INSPECTOR TO REVIEW. RETURN TO COMPLIANCE STATUS - INCOMPLETE , REVIEWED ALL ITEMS , OUTSTANDING ITEM IS THE CURRENT CERTIFICATION OF FINANCIAL RESPONSABILITY. SEE VIOLATION. UST OPERATIONAL PERMIT MAY NOT BE ISSUED UNTIL ALL OUTSTANDING VIOLATIONS ARE BROUGHT INTO COMPLIANCE. .

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 01-04-2019
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: On-site to conduct a UST follow-up inspection. Annual monitoring certification was partially performed on 9/20/18 but could not be completed due to the presence of fuel in the STP sumps as well as repeated alarms associated with recurring monitoring fluid losses. Mr. Byron Molina, a technician with the UST installer (W & M Inc.) was met on-site on 10/30 & 10/31/18 to troubleshoot the recurring monitoring fluid loss issue and to perform associated repairs. Mr. Aneil Chand was on-site today to attempt to complete the annual monitoring system certification testing. The following monitoring equipment was tested: -Annular sensors for 87, 91, and Diesel tank (see violation T240). -Smart sensors for 87, 91, and Diesel product lines as well as vent and vapor recovery lines. -Vacuum zone communication for 91, Diesel, and vapor recovery. 87 line could not be tested due to non-functional sensors (see violation T240). The following violations cited on 9/20/18 were observed [Truncated]

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 03-02-2015
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: On site to follow-up on the outstanding violations at this location. The proposal from Pinnacle Fuel Compliance on 9/7/2014 identified the scope of work to be commenced and completed by 10/7/2014. No activity has been done to follow-through with this time-line and proposal for the Piping secondary containment. Since that time, dispenser 3/4 was involved in a car accident. on 12/24/2014, a car hit and destroyed the dispenser. Police on site but no report was created. Currently the product lines are capped in the UDC. No follow-up activity has been conducted. NOTE: A list of UST contractors was provided to Bao Nguyen,

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

Co-Owner, Berry Blue Valerro, at this time. Contact Andrew Dyer at this office if you have any questions regarding these matters.

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 04-12-2017
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Recording the inspections, 4/5, 4/6, and 4/10/2017.

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 04-23-2015
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: On site, Berry Blue Valero and Auto Repair, inspection by Aneil Chand today identified the UDC #11/12 if failing. Unable to perform Piping Secondary Containment testing. Immediately contact Mr. and Mrs. Bao Nguyen, Both Co-Owners of Berry Blue Valero and Auto Repair. Berry Blue Valero and Auto Repair shall prepare a Failure Response Plan to address the Secondary Containment test failures. This plan shall also contain the timeline and milestones of all work to the UST system, including te Diesel UST that is now in temporary closure. This plan shall be submitted to this office within 15 days, by end of day, Friday, May 8th. NOTE: The response to non-compliance has been slower than acceptable. Further inactivity or delay in taking responsible action may result in increasing level of enforcement. NGUYEN BAO & LE ANH Phone - 408-821-5429 email - bao9779@gmail.com Mailing Address - 1111 N CAPITOL AVSAN JOSE, CA 95133-2703

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 05-11-2015
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: On site to confirm UST status. 90 day Temporary Closed UST Inspection is Past Due. The UST Monitoring System Certification is Due now. The Secondary Containment testing is still pending and past due. Mr. Bao is attempting to provide information about the UST that is now Temporary Closed to the UST manufacturer,

Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 11-14-2013
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: CERS SUBMITTAL AND RTC REVIEW
Eval Division: Santa Clara County Environmental Health
Eval Program: UST

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 12-02-2013
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: ON SITE TO CONFIRM COMPLIANCE WITH VIOLAIONS DATED 5/31/2013. RTC PROVIDED, OK

Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 01-04-2019
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: The following hazardous waste violations cited on 9/20/18 were observed as corrected today: -G013, illegal treatment of hazardous waste, the practice of drying fuel-contaminated absorbent in the sun has ceased and waste is now being stored in 1 x 55 gallon drum The following violation cited on 9/20/18 remains uncorrected: -G002, Inactive EPA ID number, the request was submitted per documentation provided by email and is awaiting review by DTSC

Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 02-24-2017
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: I was on site at 1111 N Capitol, Roadrunner Petroleum, (Berry Blue Valero) to confirm UST compliance and remove the Red Tag (Drop Tube Bags and labels) on all 3 USTs. Willie Molina, Owner W&M Inc., Permit Contractor for UST removal, was on site to facilitate fuel level confirmation. The USTs have not been used since before the bags were placed on this system. Recorded fuel/liquid levels on 8/26/2016 Tag #0423, 87 Octane, 10 inches. Tag #0424, Diesel, 0". Tag #0429, 91 Octane, 11 inches. Recorded fuel/liquid levels on 2/24/2017 Tag #0423, 87 Octane, 1 inches. Tag #0424, Diesel, 0". Tag #0429, 91 Octane, 2 inches. The Tags were removed, see photos of bags as removed. All 3 USTs have been uncovered to expose the 24 inch access-ways for cleaning operations. All pipes were purged with nitrogen gas and flushed back to tank for clean-out.

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 03-17-2017
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: On site to observe the preparation of UST bed and installation of two new USTs. NOTE, One set of stamped approved plans delivered to the job site and given to Willie Molina. NOTE: E-mail sent to 'soroush hajian' at roadrunnerpetro@gmail.com to update the CERS system to reflect the closed tanks and these new tanks, Ownership, and Operational

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

responsible parties. Both Tanks, Modern Welding, Glassteel II, arrived this am with vacuum of 21 inches Hg on both gages. Tanks set to prepared bed of pea gravel. To be set with 12 inches of clarence to all walls and between tanks. Confirm with pictures and certification of manufacturers installation checklist. Both tanks set to 7 feet below grade/deck, 6 foot below the to be level of bottom of concrete that is to be poured at a later date. Tanks secured in the pit with pea gravel to top of tanks. see pictures. Note: Call this office 48 hours prior to next inspection of system component testing (Primary [Truncated])

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 04-05-2017
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes:

. On site, 1111 N Capitol, for the primary pipe testing. Willie Molina, W&M INc. On site to facilitate construction testing. Included are all 7 primary pipe lines, 6 - UDCs, and vent transition box for testing today. The following conditions were observed. 87 primary pipe, time1 (t-1) = 72 psi, t-1+60 min = 72, no drop in pressure observed, PASS 91 primary pipe, t-1 = 72 psi, t-1+60 min = 72, no drop in pressure observed, PASS Diesel primary pipe, t-1 = 72 psi, t-1+60 min = 72, no drop in pressure observed, PASS Vapor Recovery primary pipe, t-1 = 72 psi, t-1+60 min = 72, no drop in pressure observed, PASS Vent pipe, 87 Octane UST, t-1 = 72 psi, t-1+60 min = 72, no drop in pressure observed, PASS Vent pipe, 91 Octane UST, t-1 = 72 psi, t-1+60 min = 72, no drop in pressure observed, PASS Vent pipe, Diesel UST, t-1 = 72 psi, t-1+60 min = 72, no drop in pressure observed, PASS Vent pipe transition box, Vacuum to 24 in Hg, t-1 [Truncated]

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 04-06-2017
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes:

On site to confirm with Soroush and Aniel Chand, Pinnacle Fuel Compliance, the details of the new USTs and Dispenser layout for the CERS Permit Application and Tank Information submittal. Entered information for new tanks into CERS. The remaining information shall be submitted into CERS within 30 of dropping fuel into the UST systems. The remaining segments within CERS (HMBP/IS) shall also be updated on that same schedule.

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 03-01-2017
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes:

I was on site to confirm the permitted underground piping removal and soil sampling. Willie Molina was on site to identify the sample

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

locations. Don Kellar and Tiffany Tona of FR were on site to perform the soil sampling. Brass sleeves were used to collect samples at 14 locations. See Map as drawn (attached). Soil samples were collected, identified, tracked on chain of custody, and delivered to the lab for analysis by the end of day. See permit and chain of custody for sampling analysis details. All piping was flushed and washed free of gasoline and diesel, confirmed, and are to be hauled as non-hazardous waste. The USTs are to be removed on Wednesday 3/2/2017.

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 04-17-2017
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: I'm on site, 1111 N Capitol to get signatures for project Inspection Notices Also to witness the ELD Testing. Rick Gonzalez, Leak Detection Technologies, GONZALEZ, RICARDO Certified under this name: RICARDO GONZALEZ Address: 18170 Sequoia Ave City, State Zip: Hesperia, CA 92345 Phone: (760)949-0069 Certification Type(s): California UST Service Technician (expires 05/13/2017) UST Tank Tightness Testing (expires 03/14/2017)

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-01-2014
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: ON SITE TO CONFIRM HAZARDOUS WASTE GENERATOR STATUS BAO NGUYEN ON SITE TO PROVIDE UPDATE, FACILITY ACCESS AND RECORDS REVIEW. THE HAZARDOUS WASTE GENERATION PROCESS HAS BEEN STOPPED. THE AUTO REPAIR SHOP IS NO LONGER IN OPERATION, AND IS TO BE DISCONTINUED. THE WASTE OIL TANK AND USED FILTERS DRUM REMAINS IN THE HAZARDOUS WASTE STORAGE AREA. PROVIDE DETAILS AS TO THE PLANNED DISPOSITION AND MANAGEMENT OF THE USED FILTER DRUM, THE USED OIL TANK, AND ALL CONTENTS WITHIN. THESE SHALL BE MANAGED PROPERLY, IN A TIMELY MANNER, AS HAZARDOUS WASTE AND RELATED EQUIPMENT. WASTE OIL AND WASTE FILTER RECEIPTS REVIEWED, OK

Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-01-2014
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: ON SITE TODAY FOR A SITE INSPECTION AND HAZARDOUS MATERIALS BUSINESS PLAN (HMBP) AND INVENTORY STATEMENT CONFIRMATION. THE REPAIR SHOP HAS BEEN SHUT DOWN AND IS NO LONGER IN OPERATION. USE IS INTENDED TO BE CHANGED. THE HAZARDOUS WASTE GENERATED FROM THIS SHOP IS NO LONGER BEING GENERATED. THE CONTAINERS AND TANK REMAIN ON SITE AT THIS TIME. SEE HAZARDOUS WASTE INSPECTION REPORT FOR DETAILS OF THE MANAGEMENT OF THESE ITEMS. THE HMBP INVENTORY STATEMENT SHALL BE UPDATED WHEN THE INVENTORY OF HAZARDOUS WASTE AND THE CONTAINERS AND TANK IS REMOVED FROM THIS SITE. THE MOST RECENT CALIFORNIA ENVIRONMENTAL REPORTING

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

SYSTEM (CERS) SUBMITTALS HAVE BEEN APPROVED. UPDATE THESE RECORDS AS NEEDED IF THERE ARE MANAGEMENT AND EMERGENCY CONTACT NAME AND NUMBER CHANGES OR ANY OTHER CHANGES.

Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-31-2016
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: On-site today to witness annual monitoring certification, spill bucket testing, and to perform an inspection of the underground storage tank system. Testing performed by Aneil Chand with Pinnacle Fuel Compliance. Mr. Chand has all required certifications. Site is not currently in operation due to numerous secondary containment piping/udc failures and a compromised primary diesel tank (currently in temporary closure). Testing entire system with exception of line leak detectors and fail-safe shutdown (sensor out and power out conditions). Point of sale has been removed and dispensers do not operate. All components tested performed as designed. Paperwork was not available for review. NOTE 1: UST system is no longer capable of demonstrating fail-safe shutdown (exemption condition from annual pipe tightness testing) as turbines cannot be powered on. NOTE 2: Secondary containment not product tight violations (T530) remains active. Contractor Aneil Chand states [Truncated]

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 06-17-2015
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: . On site with Aneil Chand, Pinnacle Fuel Compliance, email to Mr. Bao Nguyen. See NOI dated 3/2/2015. Facility has been re-assigned to John Blazo, HMS, of this office. Owner/Operator speaks Vietnamese as primary language. CERS is to be Updated. See CERS system notification.

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 07-02-2014
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: ON SITE TO FOLLOW-UP FROM THE 5/1/2014 HAZARDOUS WASTE PERMIT INSPECTION. THE SHOP IS SHUT DOWN AND VARIOUS NEW AND USED PETROLEUM PRODUCTS REMAIN ON SITE THE USED/WASTE INVENTORY INCLUDE; USED OIL IN THE CRUSHER COLLECTION 5 GALLON PAIL (INSIDE), USED OIL, WATER, OIL FILTERS, AND DEBRIS IN THE USED OIL FILTER DRUM (OUTSIDE), USED OIL AND DEBRIS IN THE SECONDARY CONTAINMENT TANK OF THE USED OIL TANK (OUTSIDE), USED OIL IN THE TWO (2) ROLL-AROUND COLLECTION CONTAINER (MARKED AS TO BE EMPTIED DAILY) (INSIDE), WATER CONTAMINATED WITH DIESEL FUEL IN A 55 GALLON DRUM WITH START DATE OF 5/1/2014, (OUTSIDE) ONE 55-GALLON DRUM WITH NO MARKING, UNKNOWN CONTENTS, NO LABEL. ALL

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

USED OIL AND USED OIL CONTAMINATED DEBRIS WILL BE CONSOLIDATED INTO THE USED OIL FILTER COLLECTION DRUM. THIS WILL BE LABELED AS HAZARDOUS WASTE AND IS TO BE PROPERLY MANAGED AS SUCH. A HAZARDOUS WASTE. THE WASTE OIL TANK IS TO REMAIN AS EMPTY, AVAILABLE FOR USE IN ASSOCIATION WITH THE [Truncated]

Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 07-11-2017
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: On site at 1111 N Capitol Ave to confirm system status. The UST Monitoring System is in place and is to be tested on Monday 7/17/2017, Starting in the 12:00 hour when I arrive on site. The UDC's will be checked Wednesday 7/12/2017 when I stop by.

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 07-12-2017
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: I am on site, 1111 N Capitol, today to confirm the liquid in the UDCs. Liquid is full, with air trapped in lines to system risers. These riser connections are connected in reverse order as shown in the manufacturers installation instructions. The manufacturer shows the sensor riser attached to the upper port and the confirmation riser "narrow riser tube" attached at the bottom port within the UDC. Confirm the proper connection, with minimal sags and no looping, as required by the manufacturer. Re-connect as needed. After confirmation as installed per manufacturers directions, contact this office for confirmation inspection of this UDC system.

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 07-16-2015
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 07-26-2017
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

Eval General Type: Other/Unknown
Eval Date: 08-11-2016
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: On site for secondary containment testing to set a new three year testing cycle. Ricardo Martinez Del Real Testing (CSLB 899854, ICC UST Technician 8390911 10/8/2017, Incon tester 9217893701 1/8/2018) Diesel annular- No vacuum able to be maintained. 87 annular- No vacuum able to be maintained. 91 annular- Only able to pull 5 inHG and unable to maintain. At the southwest dispenser (deep under dispenser containment or UDC) the test boots are all missing test valves. All product lines untestable. Diesel and 91 sump failed Incon Accelerated test. 87 sump showed one passing result. All UDCs would not hold water above the product penetration, so no Incon Accelerated tests were not performed. Spill buckets were also tested with the Incon Accelerated test and all failed. roadrunnerpetro@gmail.com

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 09-14-2017
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: On site today, 1111 N Capitol. Inspection requested at 9:00. I was able to arrive on site at 10:30. Byron Molina is on site today W&M Inc. ICC Service Tech, 5268627, exp. 5/18/2018 Veeder-Root, A27999, exp. 10/31/2018 Incon #1014143708, exp. 9/29/2018 System Set-up and Monitoring History provided. Overspill Bucket Testing, The sump lid assemblies have been put together for testing. Incon accelerated testing, water in buckets, 3 testing at once. slight breeze at 10:53. two 15 minute tests for each bucket, All Pass - OK Overfill prevention; Positive shut-off is installed to activate at below 95%. The installation calculations and measurements as installed confirm. Modern Welding Tank Calibration Charts provided and are filed on site. The OPW drop tubes were installed below the following minimum levels (95%) 87 Drop Tube, The flapper shall be set at or below 75 inches below the top of the "Face Seal Adaptor" as installed. Confirmed. OK 91 Drop [Truncated]

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 09-26-2019
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: On-site to witness annual monitoring certification, spill bucket testing, and to perform an inspection of the underground storage tank (UST) systems. Testing performed by Aneil Chand with Pinnacle Fuel Compliance Services. Mr. Chand has all required certifications to perform testing (eg. ICC, VMI tester, VR tech). Additionally, witnessed a portion of the overfill equipment inspection performed today. System performed as designed with any exceptions noted in the violations. Spill bucket testing had not begun prior to inspector's departure from the site. Reviewed the following documentation: UST Operator Permit Monitoring Plan Response Plan Dusto Agreement

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

Financial Responsibility Monthly DO Inspections Training Records
System Set-up Alarm History NOTE 1: Training records should include full names of employees. Most recent training in 2019 uses first names only. NOTE 2: Observed that the speaker for the alarm annunciator on the Veeder-Root TLS [Truncated]

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 07-02-2014
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes:

ON SITE WITH ANIEL CHAND, UST SERVICE TECH, PINNACLE FUEL COMPLIANCE TO IDENTIFY THE OUTSTANDING ISSUES AND THE WORK PLAN TO CORRECT THE FAILURES IDENTIFIED IN THE SECONDARY CONTAINMENT SYSTEM TESTING REPORT CONDUCTED ON 5/27/2014 BY BRYAN A. SELF, CONFIDENCE UST SERVICES. THE REPORT WAS RECEIVED BY THIS OFFICE VIA EMAIL ON JULY 1, 2014. ON SITE VERIFICATION THAT NO DIESEL HAS BEEN ADDED. THE VEEDER-ROOT PANEL CONTINUES TO SHOW 385 GALLONS. THIS IS THE LIMIT TO WHAT THE TURBINE SUMPS HAVE BEEN ABLE TO REMOVE. THE PANEL ALSO SHOWS THE SENSOR L-10, DIESEL TANK ANNULAR SPACE IN ALARM, LIQUID REMAINS IN THE ANNULAR SPACE. ALL REMAINING DIESEL SHALL BE REMOVED IMMEDIATELY. THE SENSOR SHALL BE PLACED BACK INTO POSITION AND ABLE TO DETECT ANY FURTHER LIQUID INTRUSION INTO THE SECONDARY CONTAINMENT OF THIS DIESEL TANK. (SEE VIOLATION), ALL SECONDARY PIPING THAT FAILED THE TESTING ON 5/27/2014 SHALL BE REPAIRED AND RE-TESTED, ALL UNDER DISPENSER CONTAINMENT THAT FAILED [Truncated]

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 07-16-2015
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 07-17-2017
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: I'm on site to witness functional test of the liquid sensors throughout the UST system. There is no fuel in the USTs at this time. Provide the details of the measures and cuts for the installation of the Drop Tubes. The OPW 7150 Overfill Prevention Valves Installation Guidelines have details that do not provide positive shut-off at 95%. NOTE: This must be compensated and adjusted to provide positive shut off at 95%. Also, an Outside Audio and Visual Alarm is provided for the overfill. This functioned properly when tested. Veeder-Root TLS 350 Testing: Partial System Set-up provided. NOTE: The vacuum systems in the UST and piping is not yet in place, as the turbine pumps are not supplied with fuel. The UST liquid sensors (2) are confirmed to work, Audio and Visual and Print (AV&P) OK. NOTE: (these are in place

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

as alternative for liquid in the VPH vacuum zone, for earliest opportunity. LG-113 approved.), S-11-87 Octane, and S-14-91/Diesel, NOTE: At [Truncated]

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 08-20-2014
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: ON SITE TO CONFIRM COMPLIANCE STATUS WITH CORRECTION ITEMS IDENTIFIED ON THE OFFICIAL NOTICE OF INSPECTION ISSUED BY THIS OFFICE ON 5/29/2014. THIS OFFICE HAS RECEIVED NO RESPONSE FROM BERRY BLUE VALERO & AUTO REPAIR ADDRESSING THE VIOLATIONS IDENTIFIED IN THE 5/29/2014 OFFICIAL NOTICE OF INSPECTION. SEE VIOLATION "REPORTING: UNAUTHORIZED RELEASE". IMMEDIATELY, THE OWNERS/OPERATORS OF BERRY BLUE VALERO, SHALL DETERMINE THE CAUSE OF THE FAILURE, SHALL IDENTIFY A PLAN OF ACTION TO CORRECT THE FAILURES, AND SHALL SUBMIT A WORK PLAN AND PERMIT APPLICATION, AS REQUIRED, TO SERVICE, REPAIR, REPLACE, OR REMOVE FROM SERVICE THE DIESEL TANK AND TANK SYSTEM. SEE THE OFFICIAL NOTICE OF INSPECTION ISSUED BY THIS OFFICE ON 5/29/2014. SEE VIOLATION "SECONDARY CONTAINMENT NOT PRODUCT-TIGHT". NOTE: AS DIRECTED BY THIS OFFICE ON 5/29/2014, ALL FUEL WAS REMOVED FROM THE DIESEL FUEL TANK. THIS WAS CONFIRMED BY THIS OFFICE ON 7/9/2014.

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 08-21-2014
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: ON SITE TO DELIVER OFFICIAL NOTICE OF INSPECTION DATED 8/20/2014 TO BAO NGUYEN. ALSO ON SITE TO AFFIX RED TAG TO THE DIESEL FUEL TANK ON THIS SITE; TODAY, 8/21/2014, AN UNDERGROUND STORAGE TANK (UST) RED TAG #0248 SWRCB, AND RED BAG WERE AFFIXED TO THE FILL PIPE OF THE DIESEL UST. NO PERSON MAY DEPOSIT PETROLEUM INTO A UST SYSTEM THAT HAS A RED TAG AFFIXED TO ITS FILL PIPE. ALLOWING THE DEPOSIT OF PETROLEUM INTO A UST SYSTEM THAT HAS A RED TAG AFFIXED TO THE FILL PIPE IS PROHIBITED. NO PERSON SHALL REMOVE, DEFACE, ALTER, OR OTHERWISE TAMPER WITH A RED TAG SO THAT THE INFORMATION CONTAINED ON THE TAG IS NOT LEGIBLE. ACCORDING TO THE TLS-350 UST MONITORING SYSTEM, THE LEVEL OF STORED PRODUCT CURRENTLY IN THE TANK IS ZERO (0) GALLONS. ALL PRODUCT HAS BEEN REMOVED. THE SECONDARY CONTAINMENT IS DRY.

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 09-07-2017
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: I am on site, 1111 N. Capitol Ave, San Jose, for Final Monitoring System Certification, and to confirm final issues for testing and confirmation prior to final sign-off of the UST installation permit requirements. On site today is; Byron Molina, W&M Inc. ICC Service

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

Tech, 5268627, exp. 5/18/2018 Veeder-Root, A27999, exp. 10/31/2018 Incon #1014143708, exp. 9/29/2018 VMI #2770, exp. 3/5/2019, verified with Vaporless Manufacturing via email today. Testing done today; PLLD, 87, 89, and Diesel were tested at dispenser 7/8. All 3 were calibrated, tested, 87 and 91 functioned properly. The Diesel was not functioning properly, FAIL. The liquid sensors were tested at dispenser 1/2. The set up identification was reversed between L-1 and L-2. FAIL Correctly identify each sensor in the system and verify correct functionality. The Spill buckets were verified to hold 5 gallons capacity. - OK NOTE: The spill bucket integrity testing shall be done when [Truncated]

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 09-13-2017
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes:

On site today, 1111 N Capitol. Inspection requested at 8:30 was moved to 10:00 10:00 was moved to when ready to be inspected. 1:15, returned to site to witness remaining outstanding items for Final Approval of this permit. Byron Molina is on site today W&M Inc. ICC Service Tech, 5268627, exp. 5/18/2018 Veeder-Root, A27999, exp. 10/31/2018 Incon #1014143708, exp. 9/29/2018 VMI #2770, exp. 3/5/2019, verified with Vaporless Manufacturing via email today. The order of esting today will be PLLSD - Diesel Vacuum high liquid and vacuum loss for STP shutdown and Alarms. 420 sesors in USTs, PLLD - Diesel, Calibrated, test, OK S-14, Diesel-91 UST Annular, Vacuum loss, STPs (Diesel and 91) shutdown, 420 sensor water test, Alarm, OK S-11, 87 annular Vacuum, s-12 87 420 Sensor - To be changed to reflect as s-12 is the 87 UST Annular Vacuum and 420 liquid sensor and s-11 is the 87-91 Vacuum Vent. Re-test, s-12, 87 UST Annular, Vacuum loss, STP [Truncated]

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 10-22-2015
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes:

NOTE: If violation is not corrected within 7 days and a red tag is affixed: No owner or operator of a facility may deposit or allow the deposit of petroleum into an underground storage tank system that has a red tag affixed to the system's fill pipe. No person may deposit petroleum into an underground storage tank system that has a red tag affixed to its fill pipe. No person shall remove, deface, alter, or otherwise tamper with a red tag so that the information contained on the tag is not legible.

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Enforcement Action:
Site ID: 11884
Site Name: CAPITOL CHEVRON

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

Site Address: 1111 N CAPITOL AV
Site City: SAN JOSE
Site Zip: 95133-2703
Enf Action Date: 03-02-2015
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: UST
Enf Action Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Site Address: 1111 N CAPITOL AV
Site City: SAN JOSE
Site Zip: 95133-2703
Enf Action Date: 05-01-2014
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: UST
Enf Action Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Site Address: 1111 N CAPITOL AV
Site City: SAN JOSE
Site Zip: 95133-2703
Enf Action Date: 05-29-2014
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: UST
Enf Action Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Site Address: 1111 N CAPITOL AV
Site City: SAN JOSE
Site Zip: 95133-2703
Enf Action Date: 07-02-2014
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: HW
Enf Action Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Site Address: 1111 N CAPITOL AV
Site City: SAN JOSE
Site Zip: 95133-2703
Enf Action Date: 07-02-2014
Enf Action Type: Notice of Violation (Unified Program)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: UST
Enf Action Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Site Address: 1111 N CAPITOL AV
Site City: SAN JOSE
Site Zip: 95133-2703
Enf Action Date: 07-16-2015
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: UST
Enf Action Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Site Address: 1111 N CAPITOL AV
Site City: SAN JOSE
Site Zip: 95133-2703
Enf Action Date: 08-20-2014
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: UST
Enf Action Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Site Address: 1111 N CAPITOL AV
Site City: SAN JOSE
Site Zip: 95133-2703
Enf Action Date: 09-17-2014
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: UST
Enf Action Source: CERS

Site ID: 11884
Site Name: CAPITOL CHEVRON
Site Address: 1111 N CAPITOL AV
Site City: SAN JOSE
Site Zip: 95133-2703
Enf Action Date: 12-02-2013
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: UST
Enf Action Source: CERS

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

Affiliation:

Affiliation Type Desc: Environmental Contact
Entity Name: Soroush Hajian
Entity Title: Not reported
Affiliation Address: 7896 Winged Foot Ct
Affiliation City: Pleasanton
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 94588
Affiliation Phone: Not reported

Affiliation Type Desc: Identification Signer
Entity Name: Soroush Hajian
Entity Title: OWNER
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: UST Permit Applicant
Entity Name: Khoan Nguyen
Entity Title: Manager
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: (408) 926-1531

Affiliation Type Desc: Document Preparer
Entity Name: Soroush Hajian
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 7896 Winged Foot Ct
Affiliation City: Pleasanton
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 94588
Affiliation Phone: Not reported

Affiliation Type Desc: UST Property Owner Name
Entity Name: Bao Nguyen
Entity Title: Not reported
Affiliation Address: 2704 Clover Meadow Ct.
Affiliation City: San Jose
Affiliation State: CA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

Affiliation Country: United States
Affiliation Zip: Not reported
Affiliation Phone: (408) 821-5429

Affiliation Type Desc: CUPA District
Entity Name: Santa Clara County Environmental Health
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: San Jose
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95112-2716
Affiliation Phone: (408) 918-3400

Affiliation Type Desc: Legal Owner
Entity Name: Roadrunner Petroleum Inc.
Entity Title: Not reported
Affiliation Address: 7896 Winged Foot Ct
Affiliation City: Pleasanton
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 94588
Affiliation Phone: (408) 313-3662

Affiliation Type Desc: Property Owner
Entity Name: Bao Nguyen
Entity Title: Not reported
Affiliation Address: 2704 Clovermeadow Ct
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 95135
Affiliation Phone: (669) 265-5557

Affiliation Type Desc: UST Tank Operator
Entity Name: Roadrunner Petroleum Inc.
Entity Title: Not reported
Affiliation Address: 1111 N. Capitol Ave.
Affiliation City: San Jose
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 95133
Affiliation Phone: (408) 313-3662

Affiliation Type Desc: Operator
Entity Name: CAPITOL CHEVRON
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: (408) 313-3662

Affiliation Type Desc: Parent Corporation
Entity Name: ROADRUNNER PETROLEUM INC DBA CAPITOL CHEVRON
Entity Title: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON RAS NO 73627 (Continued)

1000337826

Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: UST Tank Owner
Entity Name: Roadrunner Petroleum Inc.
Entity Title: Not reported
Affiliation Address: 7986 Winged Foot Ct.
Affiliation City: Pleasanton
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 94588
Affiliation Phone: (408) 313-3662

Name: EXXON #7-3627
Address: 1111 N CAPITOL AVE
City,State,Zip: SAN JOSE, CA 95101
Site ID: 218948
CERS ID: T0608500563
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Local Agency Caseworker
Entity Name: UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 4089183400

**C13
NW
1/8-1/4
0.234 mi.
1233 ft.**

**BERRY BLUE VALERO
1111 N CAPITOL AV
SAN JOSE, CA 95133
Site 3 of 9 in cluster C**

**UST U004264605
N/A**

**Relative:
Lower
Actual:
149 ft.**

UST:
Name: BERRY BLUE VALERO
Address: 1111 N CAPITOL AV
City,State,Zip: SAN JOSE, CA 95133-2703
Facility ID: FA0264235

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BERRY BLUE VALERO (Continued)

U004264605

Permitting Agency: Santa Clara County Environmental Health
Latitude: 37.38597
Longitude: -121.86061

**C14
NW
1/8-1/4
0.234 mi.
1233 ft.**

**CAPITOL CHEVRON
1111 N CAPITOL AV
SAN JOSE, CA 95133
Site 4 of 9 in cluster C**

**UST U004274269
N/A**

**Relative:
Lower**

UST:
Name: CAPITOL CHEVRON
Address: 1111 N CAPITOL AV
City,State,Zip: SAN JOSE, CA 95133-2703
Facility ID: FA0264235
Permitting Agency: Santa Clara County Environmental Health
Latitude: 37.38597
Longitude: -121.86061

**Actual:
149 ft.**

**C15
NW
1/8-1/4
0.234 mi.
1233 ft.**

**ROADRUNNER PETROLEUM INC
1111 NORTH CAPITOL AVE
SAN JOSE, CA 95133
Site 5 of 9 in cluster C**

**RCRA NonGen / NLR 1024873777
CAL000442429**

**Relative:
Lower**

RCRA NonGen / NLR:
Date Form Received by Agency: 2019-01-16 00:00:00.0
Handler Name: ROADRUNNER PETROLEUM INC
Handler Address: 1111 NORTH CAPITOL AVE
Handler City,State,Zip: SAN JOSE, CA 95133
EPA ID: CAL000442429
Contact Name: SOROUGH HAJIAN
Contact Address: 1111 NORTH CAPITOL AVE
Contact City,State,Zip: SAN JOSE, CA 95133
Contact Telephone: 408-313-3662
Contact Fax: 669-284-9947
Contact Email: ROADRUNNERPETRO@GMAIL.COM
Contact Title: Not reported
EPA Region: 09
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Handler Activities
State District Owner: Not reported
State District: Not reported
Mailing Address: 1111 NORTH CAPITOL AVE
Mailing City,State,Zip: SAN JOSE, CA 95133
Owner Name: SOROUGH HAJIAN
Owner Type: Other
Operator Name: SOROUGH HAJIAN
Operator Type: Other
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No

**Actual:
149 ft.**

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

ROADRUNNER PETROLEUM INC (Continued)

1024873777

Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	Yes
Universal Waste Destination Facility:	Yes
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRC Permit Baseline:	Not on the Baseline
2018 GPRC Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRC Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDs Where RCRA CA has Been Imposed Universe:	No
TSDs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2019-02-22 19:42:12.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:

Owner/Operator Name:

Operator

SOROUSH HAJIAN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROADRUNNER PETROLEUM INC (Continued)

1024873777

Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	1111 NORTH CAPITOL AVE
Owner/Operator City,State,Zip:	SAN JOSE, CA 95133
Owner/Operator Telephone:	408-313-3662
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	SOROUGH HAJIAN
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	7986 WINGED FOOT COURT
Owner/Operator City,State,Zip:	SAN JOSE, CA 94588
Owner/Operator Telephone:	408-313-3662
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2019-01-16 00:00:00.0
Handler Name:	ROADRUNNER PETROLEUM INC
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Code:	447190
NAICS Description:	OTHER GASOLINE STATIONS

Facility Has Received Notices of Violations:

Violations:	No Violations Found
-------------	---------------------

Evaluation Action Summary:

Evaluations:	No Evaluations Found
--------------	----------------------

MAP FINDINGS

Map ID			EDR ID Number
Direction			EPA ID Number
Distance			
Elevation	Site	Database(s)	

C16 NW 1/8-1/4 0.234 mi. 1233 ft.	BERRY BLUE AUTO REPAIR 1111 N CAPITOL AV SAN JOSE, CA 95133 Site 6 of 9 in cluster C	CUPA Listings	S121474287 N/A
--	---	----------------------	---------------------------------

Relative: Lower Actual: 149 ft.	CUPA SANTA CLARA: Name: BERRY BLUE AUTO REPAIR Address: 1111 N CAPITOL AV City,State,Zip: SAN JOSE, CA 95133 Region: SANTA CLARA PE#: 2205 Program Description: GENERATES 100 KG YR TO <5 TONS/YR Latitude: 37.385967 Longitude: -121.860594 Record ID: PR0391158 Facility ID: FA0265176 Name: BERRY BLUE AUTO REPAIR Address: 1111 N CAPITOL AV City,State,Zip: SAN JOSE, CA 95133 Region: SANTA CLARA PE#: Not reported Program Description: HMBP FACILITY, 1-3 CHEMICALS Latitude: 37.385967 Longitude: -121.860594 Record ID: PR0397827 Facility ID: FA0265176		
--	---	--	--

C17 NW 1/8-1/4 0.234 mi. 1233 ft.	VALERO STORE #7-3627 1111 N CAPITOL AV SAN JOSE, CA 95133 Site 7 of 9 in cluster C	CUPA Listings	S121469255 N/A
--	---	----------------------	---------------------------------

Relative: Lower Actual: 149 ft.	CUPA SANTA CLARA: Name: VALERO STORE #7-3627 Address: 1111 N CAPITOL AV City,State,Zip: SAN JOSE, CA 95133 Region: SANTA CLARA PE#: 2205 Program Description: GENERATES 100 KG YR TO <5 TONS/YR Latitude: 37.385904 Longitude: -121.860219 Record ID: PR0313084 Facility ID: FA0205564		
--	---	--	--

C18 NW 1/8-1/4 0.234 mi. 1233 ft.	EXXON #7-3627 1111 N CAPITOL AVE SAN JOSE, CA 95101 Site 8 of 9 in cluster C	LUST HIST LUST Cortese	S103880629 N/A
--	---	---	---------------------------------

Relative: Lower Actual: 149 ft.	LUST REG 2: Region: 2 Facility Id: Not reported Facility Status: Case Closed Case Number: 06S1E28A01f		
--	--	--	--

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON #7-3627 (Continued)

S103880629

How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assessment Workplan Submitted: Not reported
Preliminary Site Assessment Began: 1/8/1990
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

Region: 2
Facility Id: Not reported
Facility Status: Case Closed
Case Number: 06S1E28A03f
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assessment Workplan Submitted: Not reported
Preliminary Site Assessment Began: 2/18/1997
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

HIST LUST SANTA CLARA:

Name: Exxon #7-3627
Address: 1111 N Capitol Ave
City: San Jose
Region: SANTA CLARA
Region Code: 2
SCVWD ID: 06S1E28A01
Oversite Agency: SCVWD
Date Listed: 1985-01-01 00:00:00
Closed Date: 1995-05-03 00:00:00

Name: Exxon #7-3627
Address: 1111 N Capitol Ave
City: San Jose
Region: SANTA CLARA
Region Code: 2
SCVWD ID: 06S1E28A03
Oversite Agency: SCVWD
Date Listed: 1997-08-15 00:00:00
Closed Date: 1999-05-28 00:00:00

CORTESE:

Name: EXXON #7-3627
Address: 1111 N CAPITOL AVE
City,State,Zip: SAN JOSE, CA 95101
Region: CORTESE
Envirostor Id: Not reported
Global ID: T0608500563

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

EXXON #7-3627 (Continued)

S103880629

Site/Facility Type: LUST CLEANUP SITE
 Cleanup Status: COMPLETED - CASE CLOSED
 Status Date: Not reported
 Site Code: Not reported
 Latitude: Not reported
 Longitude: Not reported
 Owner: Not reported
 Enf Type: Not reported
 Swat R: Not reported
 Flag: active
 Order No: Not reported
 Waste Discharge System No: Not reported
 Effective Date: Not reported
 Region 2: Not reported
 WID Id: Not reported
 Solid Waste Id No: Not reported
 Waste Management Uit Name: Not reported
 File Name: Active Open

Name: EXXON #7-3627
 Address: 1111 N CAPITOL AVE
 City,State,Zip: SAN JOSE, CA 95133
 Region: CORTESE
 Envirostor Id: Not reported
 Global ID: T0608502346
 Site/Facility Type: LUST CLEANUP SITE
 Cleanup Status: COMPLETED - CASE CLOSED
 Status Date: Not reported
 Site Code: Not reported
 Latitude: Not reported
 Longitude: Not reported
 Owner: Not reported
 Enf Type: Not reported
 Swat R: Not reported
 Flag: active
 Order No: Not reported
 Waste Discharge System No: Not reported
 Effective Date: Not reported
 Region 2: Not reported
 WID Id: Not reported
 Solid Waste Id No: Not reported
 Waste Management Uit Name: Not reported
 File Name: Active Open

**D19
 NW
 1/8-1/4
 0.239 mi.
 1263 ft.**

**LECIA R PRANG DC
 2470 BERRYESSA RD A
 SAN JOSE, CA 95133**

**CUPA Listings S121469702
 N/A**

Site 1 of 2 in cluster D

**Relative:
 Lower
 Actual:
 144 ft.**

CUPA SANTA CLARA:
 Name: LECIA R PRANG DC
 Address: 2470 BERRYESSA RD A
 City,State,Zip: SAN JOSE, CA 95133
 Region: SANTA CLARA
 PE#: 2271
 Program Description: SILVER WASTE ONLY <100 KG/YR
 Latitude: 37.385963

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LECIA R PRANG DC (Continued)

S121469702

Longitude: -121.861006
Record ID: PR0317593
Facility ID: FA0208057

**D20
NW
1/8-1/4
0.239 mi.
1263 ft.**

**OUT OF BUSINESS
2470 BERRYESSA RD
SAN JOSE, CA 95133
Site 2 of 2 in cluster D**

**HAZMAT S115780520
N/A**

**Relative:
Lower
Actual:
144 ft.**

SAN JOSE HAZMAT:
Name: OUT OF BUSINESS
Address: 2470 BERRYESSA RD
City,State,Zip: SAN JOSE, CA 95133
Region: SAN JOSE
File Num: 408372
Class: Misc. Complex firms and labs

Name: OUT OF BUSINESS
Address: 2470 BERRYESSA RD
City,State,Zip: SAN JOSE, CA 95133
Date of Data: AS OF 02/07/2014
Region: SAN JOSE
File Num: 408372
Class: Misc. Complex firms and labs

**C21
NNW
1/4-1/2
0.251 mi.
1323 ft.**

**CHEVRON #9-3837
1140 N CAPITOL AVE
SAN JOSE, CA 95133
Site 9 of 9 in cluster C**

**LUST U001603070
HIST LUST N/A
SWEEPS UST
HIST UST
Cortese
HAZMAT
CERS**

**Relative:
Lower
Actual:
153 ft.**

LUST REG 2:
Region: 2
Facility Id: Not reported
Facility Status: Case Closed
Case Number: 06S1E27D01f
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: 12/17/1990
Pollution Characterization Began: 7/15/1999
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

LUST SANTA CLARA:
Name: CHEVRON #9-3837
Address: 1140 N CAPITOL AVE
City,State,Zip: SAN JOSE, CA
Region: SANTA CLARA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHEVRON #9-3837 (Continued)

U001603070

SCVWD ID: 06S1E27D01F
Date Closed: 06/30/2003
EDR Link ID: 06S1E27D01F

LUST:

Name: CHEVRON #9-3837
Address: 1140 N CAPITOL AVE
City, State, Zip: SAN JOSE, CA 95133
Lead Agency: SANTA CLARA COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608500332
Global Id: T0608500332
Latitude: 37.3864581517035
Longitude: -121.859922409058
Status: Completed - Case Closed
Status Date: 06/30/2003
Case Worker: UST
RB Case Number: Not reported
Local Agency: SANTA CLARA COUNTY LOP
File Location: All Files are on GeoTracker or in the Local Agency Database
Local Case Number: Not reported
Potential Media Affect: Aquifer used for drinking water supply
Potential Contaminants of Concern: Stoddard solvent / Mineral Spruits / Distillates
Site History: Not reported

LUST:

Global Id: T0608500332
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

Global Id: T0608500332
Contact Type: Local Agency Caseworker
Contact Name: UST CASE WORKER
Organization Name: SANTA CLARA COUNTY LOP
Address: 1555 Berger Drive, Suite 300
City: SAN JOSE
Email: Not reported
Phone Number: 4089183400

LUST:

Global Id: T0608500332
Action Type: Other
Date: 09/24/1986
Action: Leak Reported

Global Id: T0608500332
Action Type: RESPONSE
Date: 10/31/2000
Action: Monitoring Report - Quarterly

Global Id: T0608500332
Action Type: RESPONSE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHEVRON #9-3837 (Continued)

U001603070

Date: 01/30/2002
Action: Monitoring Report - Quarterly

Global Id: T0608500332
Action Type: RESPONSE
Date: 01/30/2003
Action: Monitoring Report - Quarterly

Global Id: T0608500332
Action Type: RESPONSE
Date: 09/20/1991
Action: Soil and Water Investigation Workplan

Global Id: T0608500332
Action Type: ENFORCEMENT
Date: 12/17/1990
Action: Notice of Responsibility - #39168

Global Id: T0608500332
Action Type: ENFORCEMENT
Date: 07/15/1999
Action: Staff Letter - #34227

Global Id: T0608500332
Action Type: ENFORCEMENT
Date: 09/16/2000
Action: Staff Letter - #34238

Global Id: T0608500332
Action Type: ENFORCEMENT
Date: 05/01/2002
Action: Staff Letter - #38240

Global Id: T0608500332
Action Type: ENFORCEMENT
Date: 08/03/1999
Action: Staff Letter - #34230

Global Id: T0608500332
Action Type: ENFORCEMENT
Date: 05/30/1999
Action: Staff Letter - #34224

Global Id: T0608500332
Action Type: ENFORCEMENT
Date: 11/19/1999
Action: Staff Letter - #34222

Global Id: T0608500332
Action Type: ENFORCEMENT
Date: 06/30/2003
Action: Closure/No Further Action Letter

Global Id: T0608500332
Action Type: RESPONSE
Date: 05/25/1999
Action: Tank Removal Report / UST Sampling Report

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHEVRON #9-3837 (Continued)

U001603070

Global Id: T0608500332
Action Type: RESPONSE
Date: 12/13/2002
Action: Monitoring Report - Quarterly

Global Id: T0608500332
Action Type: RESPONSE
Date: 12/30/1991
Action: Other Report / Document

Global Id: T0608500332
Action Type: RESPONSE
Date: 06/24/2003
Action: Well Destruction Report

Global Id: T0608500332
Action Type: RESPONSE
Date: 06/16/1999
Action: Soil and Water Investigation Workplan

Global Id: T0608500332
Action Type: RESPONSE
Date: 12/15/1999
Action: Soil and Water Investigation Workplan

Global Id: T0608500332
Action Type: RESPONSE
Date: 11/26/2002
Action: Correspondence

Global Id: T0608500332
Action Type: RESPONSE
Date: 12/06/2001
Action: Request for Closure

Global Id: T0608500332
Action Type: RESPONSE
Date: 08/04/1999
Action: Soil and Water Investigation Report

Global Id: T0608500332
Action Type: RESPONSE
Date: 07/28/1999
Action: Unauthorized Release Form

Global Id: T0608500332
Action Type: RESPONSE
Date: 02/10/1999
Action: Other Report / Document

Global Id: T0608500332
Action Type: RESPONSE
Date: 03/15/2000
Action: Remedial Progress Report

Global Id: T0608500332
Action Type: RESPONSE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHEVRON #9-3837 (Continued)

U001603070

Date: 12/22/1995
Action: Verbal Communication

Global Id: T0608500332
Action Type: RESPONSE
Date: 06/02/1999
Action: Correspondence

Global Id: T0608500332
Action Type: RESPONSE
Date: 12/13/1990
Action: Other Report / Document

Global Id: T0608500332
Action Type: RESPONSE
Date: 06/02/1999
Action: Correspondence

Global Id: T0608500332
Action Type: RESPONSE
Date: 09/28/1999
Action: Other Report / Document

Global Id: T0608500332
Action Type: RESPONSE
Date: 09/18/1991
Action: Other Workplan

Global Id: T0608500332
Action Type: RESPONSE
Date: 07/21/1999
Action: Soil and Water Investigation Report

Global Id: T0608500332
Action Type: RESPONSE
Date: 08/12/1999
Action: Interim Remedial Action Report

Global Id: T0608500332
Action Type: RESPONSE
Date: 09/27/1999
Action: Other Report / Document

Global Id: T0608500332
Action Type: RESPONSE
Date: 02/06/1991
Action: Tank Removal Report / UST Sampling Report

Global Id: T0608500332
Action Type: REMEDIATION
Date: 12/13/1990
Action: Excavation

Global Id: T0608500332
Action Type: REMEDIATION
Date: 12/13/1990
Action: Soil Vapor Extraction (SVE)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHEVRON #9-3837 (Continued)

U001603070

Global Id:	T0608500332
Action Type:	ENFORCEMENT
Date:	08/12/1999
Action:	Staff Letter - #34232
Global Id:	T0608500332
Action Type:	ENFORCEMENT
Date:	09/27/1999
Action:	Staff Letter - #34234
Global Id:	T0608500332
Action Type:	ENFORCEMENT
Date:	09/17/1991
Action:	Staff Letter - #34219
Global Id:	T0608500332
Action Type:	RESPONSE
Date:	07/26/1999
Action:	Soil and Water Investigation Report
Global Id:	T0608500332
Action Type:	RESPONSE
Date:	08/13/1999
Action:	Interim Remedial Action Plan
Global Id:	T0608500332
Action Type:	RESPONSE
Date:	01/30/2001
Action:	Monitoring Report - Quarterly
Global Id:	T0608500332
Action Type:	RESPONSE
Date:	04/30/2001
Action:	Monitoring Report - Quarterly
Global Id:	T0608500332
Action Type:	RESPONSE
Date:	07/30/2001
Action:	Monitoring Report - Quarterly
Global Id:	T0608500332
Action Type:	RESPONSE
Date:	10/30/2001
Action:	Monitoring Report - Quarterly
Global Id:	T0608500332
Action Type:	RESPONSE
Date:	04/30/2002
Action:	Monitoring Report - Quarterly
Global Id:	T0608500332
Action Type:	RESPONSE
Date:	07/30/2002
Action:	Monitoring Report - Quarterly
Global Id:	T0608500332
Action Type:	RESPONSE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHEVRON #9-3837 (Continued)

U001603070

Date: 10/30/2002
Action: Monitoring Report - Quarterly

Global Id: T0608500332
Action Type: RESPONSE
Date: 10/08/1999
Action: Soil and Water Investigation Report

Global Id: T0608500332
Action Type: RESPONSE
Date: 08/06/1999
Action: Soil and Water Investigation Workplan

Global Id: T0608500332
Action Type: RESPONSE
Date: 07/14/1999
Action: Soil and Water Investigation Workplan

Global Id: T0608500332
Action Type: RESPONSE
Date: 11/26/1991
Action: Preliminary Site Assessment Report

LUST:

Global Id: T0608500332
Status: Open - Case Begin Date
Status Date: 09/24/1986

Global Id: T0608500332
Status: Open - Site Assessment
Status Date: 12/17/1990

Global Id: T0608500332
Status: Open - Site Assessment
Status Date: 07/15/1999

Global Id: T0608500332
Status: Completed - Case Closed
Status Date: 06/30/2003

HIST LUST SANTA CLARA:

Name: Chevron #9-3837
Address: 1140 N Capitol Ave
City: San Jose
Region: SANTA CLARA
Region Code: 2
SCVWD ID: 06S1E27D01
Oversite Agency: SCVWD
Date Listed: 1987-01-01 00:00:00
Closed Date: 2003-06-30 00:00:00

SWEEPS UST:

Name: CAPITOL AVE CHEVRON
Address: 1140 N CAPITOL AVE
City: SAN JOSE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHEVRON #9-3837 (Continued)

U001603070

Status: Active
Comp Number: 400849
Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 09-08-92
Created Date: 02-29-88
Owner Tank Id: Not reported
SWRCB Tank Id: 43-060-400849-000001
Tank Status: A
Capacity: 10000
Active Date: Not reported
Tank Use: M.V. FUEL
STG: P
Content: REG UNLEADED
Number Of Tanks: 4

Name: CAPITOL AVE CHEVRON
Address: 1140 N CAPITOL AVE
City: SAN JOSE
Status: Active
Comp Number: 400849
Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 09-08-92
Created Date: 02-29-88
Owner Tank Id: Not reported
SWRCB Tank Id: 43-060-400849-000002
Tank Status: A
Capacity: 10000
Active Date: Not reported
Tank Use: M.V. FUEL
STG: P
Content: REG UNLEADED
Number Of Tanks: Not reported

Name: CAPITOL AVE CHEVRON
Address: 1140 N CAPITOL AVE
City: SAN JOSE
Status: Active
Comp Number: 400849
Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 09-08-92
Created Date: 02-29-88
Owner Tank Id: Not reported
SWRCB Tank Id: 43-060-400849-000003
Tank Status: A
Capacity: 5000
Active Date: Not reported
Tank Use: M.V. FUEL
STG: P
Content: LEADED
Number Of Tanks: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHEVRON #9-3837 (Continued)

U001603070

Name: CAPITOL AVE CHEVRON
Address: 1140 N CAPITOL AVE
City: SAN JOSE
Status: Active
Comp Number: 400849
Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 09-08-92
Created Date: 02-29-88
Owner Tank Id: Not reported
SWRCB Tank Id: 43-060-400849-000005
Tank Status: A
Capacity: 1000
Active Date: Not reported
Tank Use: OIL
STG: W
Content: Not reported
Number Of Tanks: Not reported

Name: CAPITOL AVE CHEVRON
Address: 1140 N CAPITOL AVE
City: SAN JOSE
Status: Not reported
Comp Number: 400849
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 43-060-400849-000004
Tank Status: Not reported
Capacity: 1000
Active Date: Not reported
Tank Use: OIL
STG: WASTE
Content: Not reported
Number Of Tanks: 1

HIST UST:

Name: 93837
Address: 1140 N CAPITOL AVE
City,State,Zip: SAN JOSE, CA 95132
File Number: 0002D037
URL: <http://geotracker.waterboards.ca.gov/ustpdfs/pdf/0002D037.pdf>
Region: STATE
Facility ID: 00000062518
Facility Type: Gas Station
Other Type: Not reported
Contact Name: DORRELL, JOHN D
Telephone: 4083733200
Owner Name: CHEVRON U.S.A. INC.
Owner Address: 575 MARKET
Owner City,St,Zip: SAN FRANCISCO, CA 94105
Total Tanks: 0004

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHEVRON #9-3837 (Continued)

U001603070

Tank Num: 001
Container Num: 1
Year Installed: 1970
Tank Capacity: 00010000
Tank Used for: PRODUCT
Type of Fuel: Not reported
Container Construction Thickness: 0000250
Leak Detection: Stock Inventor

Tank Num: 002
Container Num: 2
Year Installed: 1970
Tank Capacity: 00005000
Tank Used for: PRODUCT
Type of Fuel: Not reported
Container Construction Thickness: 0000250
Leak Detection: Stock Inventor

Tank Num: 003
Container Num: 3
Year Installed: 1970
Tank Capacity: 00010000
Tank Used for: PRODUCT
Type of Fuel: Not reported
Container Construction Thickness: 0000250
Leak Detection: Stock Inventor

Tank Num: 004
Container Num: 4
Year Installed: 1970
Tank Capacity: 00001000
Tank Used for: WASTE
Type of Fuel: Not reported
Container Construction Thickness: 0000130
Leak Detection: Stock Inventor

[Click here for Geo Tracker PDF:](#)

CORTESE:

Name: CHEVRON #9-3837
Address: 1140 N CAPITOL AVE
City,State,Zip: SAN JOSE, CA 95133
Region: CORTESE
Envirostor Id: Not reported
Global ID: T0608500332
Site/Facility Type: LUST CLEANUP SITE
Cleanup Status: COMPLETED - CASE CLOSED
Status Date: Not reported
Site Code: Not reported
Latitude: Not reported
Longitude: Not reported
Owner: Not reported
Enf Type: Not reported
Swat R: Not reported
Flag: active
Order No: Not reported
Waste Discharge System No: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHEVRON #9-3837 (Continued)

U001603070

Effective Date: Not reported
Region 2: Not reported
WID Id: Not reported
Solid Waste Id No: Not reported
Waste Management Uit Name: Not reported
File Name: Active Open

SAN JOSE HAZMAT:

Name: TESORO SHELL #68206
Address: 1140 N CAPITOL AV
City,State,Zip: SAN JOSE, CA 95127
Region: SAN JOSE
File Num: 400849
Class: Gasoline Station

CERS:

Name: CHEVRON #9-3837
Address: 1140 N CAPITOL AVE
City,State,Zip: SAN JOSE, CA 95133
Site ID: 239094
CERS ID: T0608500332
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc: Local Agency Caseworker
Entity Name: UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 4089183400

Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

E22
SE
1/4-1/2
0.296 mi.
1564 ft.
Relative:
Lower
Actual:
152 ft.

EAST SIDE UNION HIGH SCHOOL DISTRICT
830 NORTH CAPITOL AVE
SAN JOSE, CA 95133
Site 1 of 3 in cluster E

LUST SANTA CLARA:
Name: EASTSIDE UNION HIGH SCHOOL
Address: 830 N CAPITOL AVE

LUST **S111216948**
CUPA Listings **N/A**
HAZNET
NPDES
HAZMAT
CIWQS
CERS
HWTS

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EAST SIDE UNION HIGH SCHOOL DISTRICT (Continued)

S111216948

City,State,Zip: SAN JOSE, CA
Region: SANTA CLARA
SCVWD ID: 06S1E27F01F
Date Closed: 11/14/1994
EDR Link ID: 06S1E27F01F

LUST:

Name: EASTSIDE UNION HIGH SCHOOL
Address: 830 N CAPITOL AVE
City,State,Zip: SAN JOSE, CA 95113
Lead Agency: SANTA CLARA COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608557739
Global Id: T0608557739
Latitude: 37.3825353803818
Longitude: -121.853768171967
Status: Completed - Case Closed
Status Date: 11/14/1994
Case Worker: UST
RB Case Number: Not reported
Local Agency: SANTA CLARA COUNTY LOP
File Location: All Files are on GeoTracker or in the Local Agency Database
Local Case Number: Not reported
Potential Media Affect: Soil
Potential Contaminants of Concern: Not reported
Site History: Not reported

LUST:

Global Id: T0608557739
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

Global Id: T0608557739
Contact Type: Local Agency Caseworker
Contact Name: UST CASE WORKER
Organization Name: SANTA CLARA COUNTY LOP
Address: 1555 Berger Drive, Suite 300
City: SAN JOSE
Email: Not reported
Phone Number: 4089183400

LUST:

Global Id: T0608557739
Action Type: ENFORCEMENT
Date: 11/14/1994
Action: Closure/No Further Action Letter

Global Id: T0608557739
Action Type: RESPONSE
Date: 07/14/1994
Action: Other Report / Document

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EAST SIDE UNION HIGH SCHOOL DISTRICT (Continued)

S111216948

Global Id: T0608557739
Action Type: Other
Date: 01/01/1993
Action: Leak Reported

Global Id: T0608557739
Action Type: RESPONSE
Date: 07/22/2017
Action: Other Report / Document

Global Id: T0608557739
Action Type: RESPONSE
Date: 07/25/2017
Action: Tank Removal Report / UST Sampling Report

Global Id: T0608557739
Action Type: RESPONSE
Date: 07/22/2017
Action: Unauthorized Release Form

LUST:

Global Id: T0608557739
Status: Open - Case Begin Date
Status Date: 01/01/1993

Global Id: T0608557739
Status: Completed - Case Closed
Status Date: 11/14/1994

CUPA SANTA CLARA:

Name: EAST SIDE UNION HIGH SCHOOL DIST
Address: 830 N CAPITOL AV
City,State,Zip: SAN JOSE, CA 951331316
Region: SANTA CLARA
PE#: 2205
Program Description: GENERATES 100 KG YR TO <5 TONS/YR
Latitude: 37.3806461
Longitude: -121.8538295
Record ID: PR0313480
Facility ID: FA0268182

Name: EAST SIDE UNION HIGH SCHOOL DIST
Address: 830 N CAPITOL AV
City,State,Zip: SAN JOSE, CA 951331316
Region: SANTA CLARA
PE#: 2011
Program Description: APSA FACILITY-SPCC TEMPLATE (<10,000 GAL CAP)
Latitude: 37.3806461
Longitude: -121.8538295
Record ID: PR0399706
Facility ID: FA0268182

Name: EAST SIDE UNION HIGH SCHOOL DIST
Address: 830 N CAPITOL AV
City,State,Zip: SAN JOSE, CA 951331316

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EAST SIDE UNION HIGH SCHOOL DISTRICT (Continued)

S111216948

Region: SANTA CLARA
PE#: 2399
Program Description: UNDERGROUND STORAGE TANK PROGRAM RECORD
Latitude: 37.3806461
Longitude: -121.8538295
Record ID: PR0395968
Facility ID: FA0268182

Name: EAST SIDE UNION HIGH SCHOOL DIST
Address: 830 N CAPITOL AV
City,State,Zip: SAN JOSE, CA 951331316
Region: SANTA CLARA
PE#: Not reported
Program Description: HMBP FAC, \$152 FOR EACH ADDITIONAL 6 CHEMS
Latitude: 37.3806461
Longitude: -121.8538295
Record ID: PR0395969
Facility ID: FA0268182

Name: EAST SIDE UNION HIGH SCHOOL DIST
Address: 830 N CAPITOL AV
City,State,Zip: SAN JOSE, CA 951331316
Region: SANTA CLARA
PE#: Not reported
Program Description: HMBP FACILITY, 22+ CHEMICALS
Latitude: 37.3806461
Longitude: -121.8538295
Record ID: PR0395779
Facility ID: FA0268182

HAZNET:

Name: EAST SIDE UNION HIGH SCHOOL DISTRICT
Address: 830 NORTH CAPITOL AVE
Address 2: Not reported
City,State,Zip: SAN JOSE, CA 95133
Contact: JEREMY BRIGHT
Telephone: 4083475107
Mailing Name: Not reported
Mailing Address: 830 NORTH CAPITOL AVE

Year: 2017
Gepaid: CAC002916578
TSD EPA ID: CAD009466392
CA Waste Code: 512 - Other empty containers 30 gallons or more
Disposal Method: H129 - Other Treatment
Tons: 5

Year: 2017
Gepaid: CAC002916578
TSD EPA ID: CAT080013352
CA Waste Code: 343 - Unspecified organic liquid mixture
Disposal Method: H039 - Other Recovery Of Reclamation For Reuse Including Acid
Regeneration, Organics Recovery Ect
Tons: 0.136

Year: 2017
Gepaid: CAC002916578

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EAST SIDE UNION HIGH SCHOOL DISTRICT (Continued)

S111216948

TSD EPA ID: CAT080013352
CA Waste Code: 134 - Aqueous solution with total organic residues less than 10 percent
Disposal Method: H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Tons: 0.84

Additional Info:

Year: 2017
Gen EPA ID: CAC002916578

Shipment Date: 20170727
Creation Date: 5/20/2018 18:31:29
Receipt Date: 20170803
Manifest ID: 010650210FLE
Trans EPA ID: CAR000183913
Trans Name: BELSHIRE
Trans 2 EPA ID: CAT080016116
Trans 2 Name: NIETO AND SONS TRUCKING INC
TSD EPA ID: CAT080013352
Trans Name: DEMENNO KERDOON
TSD Alt EPA ID: Not reported
TSD Alt Name: Not reported
Waste Code Description: 134 - Aqueous solution with <10% total organic residues
RCRA Code: Not reported
Meth Code: H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons: 0.84
Waste Quantity: 200
Quantity Unit: G
Additional Code 1: Not reported
Additional Code 2: Not reported
Additional Code 3: Not reported
Additional Code 4: Not reported
Additional Code 5: Not reported

Shipment Date: 20170727
Creation Date: 5/20/2018 18:31:29
Receipt Date: 20170803
Manifest ID: 010650210FLE
Trans EPA ID: CAR000183913
Trans Name: BELSHIRE
Trans 2 EPA ID: CAT080016116
Trans 2 Name: NIETO AND SONS TRUCKING INC
TSD EPA ID: CAT080013352
Trans Name: DEMENNO KERDOON
TSD Alt EPA ID: Not reported
TSD Alt Name: Not reported
Waste Code Description: 343 - Unspecified organic liquid mixture
RCRA Code: Not reported
Meth Code: H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons: 0.136
Waste Quantity: 40
Quantity Unit: G
Additional Code 1: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EAST SIDE UNION HIGH SCHOOL DISTRICT (Continued)

S111216948

Additional Code 2: Not reported
Additional Code 3: Not reported
Additional Code 4: Not reported
Additional Code 5: Not reported

Shipment Date: 20170724
Creation Date: 6/13/2018 18:31:31
Receipt Date: 20170724
Manifest ID: 017117826JJK
Trans EPA ID: CAD053866794
Trans Name: PATRIOT ENVIRONMENTAL SERVICES
Trans 2 EPA ID: Not reported
Trans 2 Name: Not reported
TSDf EPA ID: CAD009466392
Trans Name: ECOLOGY CONTROL INDUSTRIES
TSDf Alt EPA ID: Not reported
TSDf Alt Name: Not reported
Waste Code Description: 512 - Other empty containers 30 gallons or more
RCRA Code: Not reported
Meth Code: H129 - Other Treatment
Quantity Tons: 5
Waste Quantity: 10000
Quantity Unit: P
Additional Code 1: Not reported
Additional Code 2: Not reported
Additional Code 3: Not reported
Additional Code 4: Not reported
Additional Code 5: Not reported

NPDES:

Name: EASTSIDE UNION HIGH SCHOOL DISTRICT
Address: 830 N CAPITOL AVE
City,State,Zip: SAN JOSE, CA 95133
Facility Status: Not reported
NPDES Number: Not reported
Region: Not reported
Agency Number: Not reported
Regulatory Measure ID: Not reported
Place ID: Not reported
Order Number: Not reported
WDID: 2 43I006544
Regulatory Measure Type: Industrial
Program Type: Not reported
Adoption Date Of Regulatory Measure: Not reported
Effective Date Of Regulatory Measure: Not reported
Termination Date Of Regulatory Measure: Not reported
Expiration Date Of Regulatory Measure: Not reported
Discharge Address: Not reported
Discharge Name: Not reported
Discharge City: Not reported
Discharge State: Not reported
Discharge Zip: Not reported
Status: Active
Status Date: 04/28/1992
Operator Name: Eastside Union High School District
Operator Address: 830 N Capitol Ave
Operator City: San Jose

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EAST SIDE UNION HIGH SCHOOL DISTRICT (Continued)

S111216948

Operator State: California
Operator Zip: 95133
NPDES as of 03/2018:
NPDES Number: CAS000001
Status: Active
Agency Number: 0
Region: 2
Regulatory Measure ID: 183840
Order Number: 97-03-DWQ
Regulatory Measure Type: Enrollee
Place ID: Not reported
WDID: 2 43I006544
Program Type: Industrial
Adoption Date Of Regulatory Measure: Not reported
Effective Date Of Regulatory Measure: 04/28/1992
Expiration Date Of Regulatory Measure: Not reported
Termination Date Of Regulatory Measure: Not reported
Discharge Name: Eastside Union High School District
Discharge Address: 830 N Capitol Ave
Discharge City: San Jose
Discharge State: California
Discharge Zip: 95133
Received Date: Not reported
Processed Date: Not reported
Status: Not reported
Status Date: Not reported
Place Size: Not reported
Place Size Unit: Not reported
Contact: Not reported
Contact Title: Not reported
Contact Phone: Not reported
Contact Phone Ext: Not reported
Contact Email: Not reported
Operator Name: Not reported
Operator Address: Not reported
Operator City: Not reported
Operator State: Not reported
Operator Zip: Not reported
Operator Contact: Not reported
Operator Contact Title: Not reported
Operator Contact Phone: Not reported
Operator Contact Phone Ext: Not reported
Operator Contact Email: Not reported
Operator Type: Not reported
Developer: Not reported
Developer Address: Not reported
Developer City: Not reported
Developer State: Not reported
Developer Zip: Not reported
Developer Contact: Not reported
Developer Contact Title: Not reported
Constype Linear Utility Ind: Not reported
Emergency Phone: Not reported
Emergency Phone Ext: Not reported
Constype Above Ground Ind: Not reported
Constype Below Ground Ind: Not reported
Constype Cable Line Ind: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EAST SIDE UNION HIGH SCHOOL DISTRICT (Continued)

S111216948

Constype Comm Line Ind:	Not reported
Constype Commercial Ind:	Not reported
Constype Electrical Line Ind:	Not reported
Constype Gas Line Ind:	Not reported
Constype Industrial Ind:	Not reported
Constype Other Description:	Not reported
Constype Other Ind:	Not reported
Constype Recons Ind:	Not reported
Constype Residential Ind:	Not reported
Constype Transport Ind:	Not reported
Constype Utility Description:	Not reported
Constype Utility Ind:	Not reported
Constype Water Sewer Ind:	Not reported
Dir Discharge Uswater Ind:	Not reported
Receiving Water Name:	Not reported
Certifier:	Not reported
Certifier Title:	Not reported
Certification Date:	Not reported
Primary Sic:	Not reported
Secondary Sic:	Not reported
Tertiary Sic:	Not reported
NPDES Number:	Not reported
Status:	Not reported
Agency Number:	Not reported
Region:	2
Regulatory Measure ID:	183840
Order Number:	Not reported
Regulatory Measure Type:	Industrial
Place ID:	Not reported
WDID:	2 43I006544
Program Type:	Not reported
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	Not reported
Discharge Name:	Not reported
Discharge Address:	Not reported
Discharge City:	Not reported
Discharge State:	Not reported
Discharge Zip:	Not reported
Received Date:	05/09/2008
Processed Date:	04/28/1992
Status:	Active
Status Date:	04/28/1992
Place Size:	24
Place Size Unit:	Acres
Contact:	Kathy Lanford
Contact Title:	Assistant Director
Contact Phone:	408-347-5108
Contact Phone Ext:	Not reported
Contact Email:	lanfordk@esuhsd.org
Operator Name:	Eastside Union High School District
Operator Address:	830 N Capitol Ave
Operator City:	San Jose
Operator State:	California
Operator Zip:	95133

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EAST SIDE UNION HIGH SCHOOL DISTRICT (Continued)

S111216948

Operator Contact: Edward Bright
Operator Contact Title: Lead Groundskeeper
Operator Contact Phone: 408-640-1548
Operator Contact Phone Ext: Not reported
Operator Contact Email: brighte@esuhsd.org
Operator Type: Other
Developer: Not reported
Developer Address: Not reported
Developer City: Not reported
Developer State: California
Developer Zip: Not reported
Developer Contact: Not reported
Developer Contact Title: Not reported
Constype Linear Utility Ind: Not reported
Emergency Phone: Not reported
Emergency Phone Ext: Not reported
Constype Above Ground Ind: Not reported
Constype Below Ground Ind: Not reported
Constype Cable Line Ind: Not reported
Constype Comm Line Ind: Not reported
Constype Commercial Ind: Not reported
Constype Electrical Line Ind: Not reported
Constype Gas Line Ind: Not reported
Constype Industrial Ind: Not reported
Constype Other Description: Not reported
Constype Other Ind: Not reported
Constype Recons Ind: Not reported
Constype Residential Ind: Not reported
Constype Transport Ind: Not reported
Constype Utility Description: Not reported
Constype Utility Ind: Not reported
Constype Water Sewer Ind: Not reported
Dir Discharge Uswater Ind: N
Receiving Water Name: Penitencia Creek
Certifier: Kathy Lanford
Certifier Title: Senior Project Manager
Certification Date: 17-SEP-15
Primary Sic: 4151-School Buses
Secondary Sic: Not reported
Tertiary Sic: Not reported

Name: EASTSIDE UNION HIGH SCHOOL DISTRICT
Address: 830 N CAPITOL AVE
City, State, Zip: SAN JOSE, CA 95133
Facility Status: Active
NPDES Number: CAS000001
Region: 2
Agency Number: 0
Regulatory Measure ID: 183840
Place ID: Not reported
Order Number: 97-03-DWQ
WDID: 2 43I006544
Regulatory Measure Type: Enrollee
Program Type: Industrial
Adoption Date Of Regulatory Measure: Not reported
Effective Date Of Regulatory Measure: 04/28/1992

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EAST SIDE UNION HIGH SCHOOL DISTRICT (Continued)

S111216948

Termination Date Of Regulatory Measure: Not reported
Expiration Date Of Regulatory Measure: Not reported
Discharge Address: 830 N Capitol Ave
Discharge Name: Eastside Union High School District
Discharge City: San Jose
Discharge State: California
Discharge Zip: 95133
Status: Not reported
Status Date: Not reported
Operator Name: Not reported
Operator Address: Not reported
Operator City: Not reported
Operator State: Not reported
Operator Zip: Not reported

NPDES as of 03/2018:
NPDES Number: CAS000001
Status: Active
Agency Number: 0
Region: 2
Regulatory Measure ID: 183840
Order Number: 97-03-DWQ
Regulatory Measure Type: Enrollee
Place ID: Not reported
WDID: 2 43I006544
Program Type: Industrial
Adoption Date Of Regulatory Measure: Not reported
Effective Date Of Regulatory Measure: 04/28/1992
Expiration Date Of Regulatory Measure: Not reported
Termination Date Of Regulatory Measure: Not reported
Discharge Name: Eastside Union High School District
Discharge Address: 830 N Capitol Ave
Discharge City: San Jose
Discharge State: California
Discharge Zip: 95133
Received Date: Not reported
Processed Date: Not reported
Status: Not reported
Status Date: Not reported
Place Size: Not reported
Place Size Unit: Not reported
Contact: Not reported
Contact Title: Not reported
Contact Phone: Not reported
Contact Phone Ext: Not reported
Contact Email: Not reported
Operator Name: Not reported
Operator Address: Not reported
Operator City: Not reported
Operator State: Not reported
Operator Zip: Not reported
Operator Contact: Not reported
Operator Contact Title: Not reported
Operator Contact Phone: Not reported
Operator Contact Phone Ext: Not reported
Operator Contact Email: Not reported
Operator Type: Not reported
Developer: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EAST SIDE UNION HIGH SCHOOL DISTRICT (Continued)

S111216948

Developer Address:	Not reported
Developer City:	Not reported
Developer State:	Not reported
Developer Zip:	Not reported
Developer Contact:	Not reported
Developer Contact Title:	Not reported
Constype Linear Utility Ind:	Not reported
Emergency Phone:	Not reported
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	Not reported
Constype Below Ground Ind:	Not reported
Constype Cable Line Ind:	Not reported
Constype Comm Line Ind:	Not reported
Constype Commercial Ind:	Not reported
Constype Electrical Line Ind:	Not reported
Constype Gas Line Ind:	Not reported
Constype Industrial Ind:	Not reported
Constype Other Description:	Not reported
Constype Other Ind:	Not reported
Constype Recons Ind:	Not reported
Constype Residential Ind:	Not reported
Constype Transport Ind:	Not reported
Constype Utility Description:	Not reported
Constype Utility Ind:	Not reported
Constype Water Sewer Ind:	Not reported
Dir Discharge Uswater Ind:	Not reported
Receiving Water Name:	Not reported
Certifier:	Not reported
Certifier Title:	Not reported
Certification Date:	Not reported
Primary Sic:	Not reported
Secondary Sic:	Not reported
Tertiary Sic:	Not reported
NPDES Number:	Not reported
Status:	Not reported
Agency Number:	Not reported
Region:	2
Regulatory Measure ID:	183840
Order Number:	Not reported
Regulatory Measure Type:	Industrial
Place ID:	Not reported
WDID:	2 43I006544
Program Type:	Not reported
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	Not reported
Discharge Name:	Not reported
Discharge Address:	Not reported
Discharge City:	Not reported
Discharge State:	Not reported
Discharge Zip:	Not reported
Received Date:	05/09/2008
Processed Date:	04/28/1992
Status:	Active
Status Date:	04/28/1992

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EAST SIDE UNION HIGH SCHOOL DISTRICT (Continued)

S111216948

Place Size: 24
Place Size Unit: Acres
Contact: Kathy Lanford
Contact Title: Assistant Director
Contact Phone: 408-347-5108
Contact Phone Ext: Not reported
Contact Email: lanfordk@esuhsd.org
Operator Name: Eastside Union High School District
Operator Address: 830 N Capitol Ave
Operator City: San Jose
Operator State: California
Operator Zip: 95133
Operator Contact: Edward Bright
Operator Contact Title: Lead Groundskeeper
Operator Contact Phone: 408-640-1548
Operator Contact Phone Ext: Not reported
Operator Contact Email: brighte@esuhsd.org
Operator Type: Other
Developer: Not reported
Developer Address: Not reported
Developer City: Not reported
Developer State: California
Developer Zip: Not reported
Developer Contact: Not reported
Developer Contact Title: Not reported
Constype Linear Utility Ind: Not reported
Emergency Phone: Not reported
Emergency Phone Ext: Not reported
Constype Above Ground Ind: Not reported
Constype Below Ground Ind: Not reported
Constype Cable Line Ind: Not reported
Constype Comm Line Ind: Not reported
Constype Commercial Ind: Not reported
Constype Electrical Line Ind: Not reported
Constype Gas Line Ind: Not reported
Constype Industrial Ind: Not reported
Constype Other Description: Not reported
Constype Other Ind: Not reported
Constype Recons Ind: Not reported
Constype Residential Ind: Not reported
Constype Transport Ind: Not reported
Constype Utility Description: Not reported
Constype Utility Ind: Not reported
Constype Water Sewer Ind: Not reported
Dir Discharge Uswater Ind: N
Receiving Water Name: Penitencia Creek
Certifier: Kathy Lanford
Certifier Title: Senior Project Manager
Certification Date: 17-SEP-15
Primary Sic: 4151-School Buses
Secondary Sic: Not reported
Tertiary Sic: Not reported

SAN JOSE HAZMAT:

Name: EASTSIDE UNION DIST SCHOOL
Address: 830 N CAPITOL AV

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EAST SIDE UNION HIGH SCHOOL DISTRICT (Continued)

S111216948

City,State,Zip: SAN JOSE, CA 95132
Region: SAN JOSE
File Num: 401562
Class: Misc. Complex firms and labs

CIWQS:

Name: EASTSIDE UNION HIGH SCHOOL DISTRICT
Address: 830 N CAPITOL AVE
City,State,Zip: SAN JOSE, CA 95133
Agency: Eastside Union High School District
Agency Address: 830 N Capitol Ave, San Jose, CA 95133
Place/Project Type: Industrial - School Buses
SIC/NAICS: 4151
Region: 2
Program: INDSTW
Regulatory Measure Status: Active
Regulatory Measure Type: Storm water industrial
Order Number: 2014-0057-DWQ
WDID: 2 43I006544
NPDES Number: CAS000001
Adoption Date: Not reported
Effective Date: 04/28/1992
Termination Date: Not reported
Expiration/Review Date: Not reported
Design Flow: Not reported
Major/Minor: Not reported
Complexity: Not reported
TTWQ: Not reported
Enforcement Actions within 5 years: 0
Violations within 5 years: 0
Latitude: 37.37959
Longitude: -121.85265

CERS:

Name: EASTSIDE UNION HIGH SCHOOL DISTRICT
Address: 830 N CAPITOL AVE
City,State,Zip: SAN JOSE, CA 95133
Site ID: 531043
CERS ID: 223341
CERS Description: Industrial Facility Storm Water

Evaluation:

Eval General Type: Compliance Evaluation Inspection
Eval Date: 04-12-2018
Violations Found: No
Eval Type: Industrial Storm Water Compliance Evaluation
Eval Notes: No violations observed. The storm drain inlets are fitted with filter fabric to reduce TSS. Buses are not washed at this location. No USTs on site. Paved asphalt parking lot for school buses. The bus maintenance is conducted indoor and floor drains are sealed. No process water in the maintenance shop. Hazardous waste is the waste oil and the oil is stored in a waste oil tank inside the maintenance shop.
Eval Division: Water Boards
Eval Program: INDSTW
Eval Source: SMARTS

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EAST SIDE UNION HIGH SCHOOL DISTRICT (Continued)

S111216948

Affiliation:

Affiliation Type Desc: Owner/Operator
Entity Name: Eastside Union High School District
Entity Title: Operator
Affiliation Address: 830 N Capitol Ave
Affiliation City: San Jose
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95133
Affiliation Phone: Not reported

Name: EASTSIDE UNION HIGH SCHOOL
Address: 830 N CAPITOL AVE
City,State,Zip: SAN JOSE, CA 95113
Site ID: 204584
CERS ID: T0608557739
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc: Local Agency Caseworker
Entity Name: UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 4089183400

Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

HWTS:

Name: EAST SIDE UNION HIGH SCHOOL DISTRICT
Address: 830 NORTH CAPITOL AVE
Address 2: Not reported
City,State,Zip: SAN JOSE, CA 95133
EPA ID: CAC002916578
Inactive Date: 09/27/2017
Create Date: 06/27/2017
Last Act Date: 09/27/2017
Mailing Name: Not reported
Mailing Address: 830 NORTH CAPITOL AVE
Mailing Address 2: Not reported
Mailing City,State,Zip: SAN JOSE, CA 95133
Owner Name: EAST SIDE UNION HIGH SCHOOL DIST.
Owner Address: 830 NORTH CAPITOL AVE
Owner Address 2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EAST SIDE UNION HIGH SCHOOL DISTRICT (Continued)

S111216948

Owner City,State,Zip: SAN JOSE, CA 95133
Contact Name: JEREMY BRIGHT
Contact Address: 830 NORTH CAPITOL AVE
Contact Address 2: Not reported
City,State,Zip: SAN JOSE, CA 95133

E23
SE
1/4-1/2
0.296 mi.
1564 ft.

EAST SIDE UNION HIGH SCOO
830 CAPITOL
SAN JOSE, CA 95133

SWEEPS UST **S103890820**
HIST CORTESE **N/A**

Site 2 of 3 in cluster E

Relative:
Lower
Actual:
152 ft.

SWEEPS UST:
Name: EAST SIDE UNION H S DISTRI
Address: 830 N CAPITOL AVE
City: SAN JOSE
Status: Active
Comp Number: 401562
Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 09-08-92
Created Date: 02-29-88
Owner Tank Id: Not reported
SWRCB Tank Id: 43-060-401562-000001
Tank Status: A
Capacity: 12000
Active Date: Not reported
Tank Use: M.V. FUEL
STG: P
Content: DIESEL
Number Of Tanks: 5

Name: EAST SIDE UNION H S DISTRI
Address: 830 N CAPITOL AVE
City: SAN JOSE
Status: Active
Comp Number: 401562
Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 09-08-92
Created Date: 02-29-88
Owner Tank Id: Not reported
SWRCB Tank Id: 43-060-401562-000002
Tank Status: A
Capacity: 6000
Active Date: Not reported
Tank Use: M.V. FUEL
STG: P
Content: REG UNLEADED
Number Of Tanks: Not reported

Name: EAST SIDE UNION H S DISTRI
Address: 830 N CAPITOL AVE
City: SAN JOSE
Status: Active
Comp Number: 401562

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EAST SIDE UNION HIGH SCOO (Continued)

S103890820

Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 09-08-92
Created Date: 02-29-88
Owner Tank Id: Not reported
SWRCB Tank Id: 43-060-401562-000003
Tank Status: A
Capacity: 12000
Active Date: Not reported
Tank Use: M.V. FUEL
STG: P
Content: DIESEL
Number Of Tanks: Not reported

Name: EAST SIDE UNION H S DISTRI
Address: 830 N CAPITOL AVE
City: SAN JOSE
Status: Active
Comp Number: 401562
Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 09-08-92
Created Date: 02-29-88
Owner Tank Id: Not reported
SWRCB Tank Id: 43-060-401562-000004
Tank Status: A
Capacity: 1000
Active Date: Not reported
Tank Use: OIL
STG: W
Content: Not reported
Number Of Tanks: Not reported

Name: EAST SIDE UNION H S DISTRI
Address: 830 N CAPITOL AVE
City: SAN JOSE
Status: Active
Comp Number: 401562
Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 09-08-92
Created Date: 02-29-88
Owner Tank Id: Not reported
SWRCB Tank Id: 43-060-401562-000005
Tank Status: A
Capacity: 250
Active Date: Not reported
Tank Use: PETROLEUM
STG: P
Content: Not reported
Number Of Tanks: Not reported

HIST CORTESE:

edr_fname: EAST SIDE UNION HIGH SCOO

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EAST SIDE UNION HIGH SCOO (Continued)

S103890820

edr_fadd1: 830 CAPITOL
City,State,Zip: SAN JOSE, CA 95133
Region: CORTESE
Facility County Code: 43
Reg By: LTNKA
Reg Id: 43-1771

**E24
SE
1/4-1/2
0.296 mi.
1564 ft.**

**EASTSIDE UNION HIGH SCHOOL
830 N CAPITOL AVE
SAN JOSE, CA 95113**

**LUST S103880628
HIST LUST N/A
Cortese
WDS**

Site 3 of 3 in cluster E

**Relative:
Lower
Actual:
152 ft.**

LUST REG 2:
Region: 2
Facility Id: Not reported
Facility Status: Case Closed
Case Number: 06S1E27F01f
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

HIST LUST SANTA CLARA:

Name: Eastside Union High School
Address: 830 N Capitol Ave
City: San Jose
Region: SANTA CLARA
Region Code: 2
SCVWD ID: 06S1E27F01
Oversite Agency: SCVWD
Date Listed: 1994-01-10 00:00:00
Closed Date: 1994-11-14 00:00:00

CORTESE:

Name: EASTSIDE UNION HIGH SCHOOL
Address: 830 N CAPITOL AVE
City,State,Zip: SAN JOSE, CA 95113
Region: CORTESE
Envirostor Id: Not reported
Global ID: T0608557739
Site/Facility Type: LUST CLEANUP SITE
Cleanup Status: COMPLETED - CASE CLOSED
Status Date: Not reported
Site Code: Not reported
Latitude: Not reported
Longitude: Not reported
Owner: Not reported
Enf Type: Not reported
Swat R: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EASTSIDE UNION HIGH SCHOOL (Continued)

S103880628

Flag: active
Order No: Not reported
Waste Discharge System No: Not reported
Effective Date: Not reported
Region 2: Not reported
WID Id: Not reported
Solid Waste Id No: Not reported
Waste Management Unit Name: Not reported
File Name: Active Open

WDS:

Name: EASTSIDE UNION HS DIST
Address: 830 N Capitol Ave
City: SAN JOSE
Facility ID: San Francisco Bay 431006544
Facility Type: Industrial - Facility that treats and/or disposes of liquid or semisolid wastes from any servicing, producing, manufacturing or processing operation of whatever nature, including mining, gravel washing, geothermal operations, air conditioning, ship building and repairing, oil production, storage and disposal operations, water pumping.
Facility Status: Active - Any facility with a continuous or seasonal discharge that is under Waste Discharge Requirements.
NPDES Number: CAS000001 The 1st 2 characters designate the state. The remaining 7 are assigned by the Regional Board
Subregion: 2
Facility Telephone: 4082726401
Facility Contact: QUOCK STEVE
Agency Name: EASTSIDE UNION HS DIST
Agency Address: 830 N Capitol Ave
Agency City,St,Zip: San Jose 951331398
Agency Contact: DOBBS STAN
Agency Telephone: 4082726401
Agency Type: ?
SIC Code: 0
SIC Code 2: Not reported
Primary Waste Type: Not reported
Primary Waste: Not reported
Waste Type2: Not reported
Waste2: Not reported
Primary Waste Type: Not reported
Secondary Waste: Not reported
Secondary Waste Type: Not reported
Design Flow: 0
Baseline Flow: 0
Reclamation: Not reported
POTW: Not reported
Treat To Water: Minor Threat to Water Quality. A violation of a regional board order should cause a relatively minor impairment of beneficial uses compared to a major or minor threat. Not: All nurds without a TTWQ will be considered a minor threat to water quality unless coded at a higher Level. A Zero (0) may be used to code those NURDS that are found to represent no threat to water quality.
Complexity: Category C - Facilities having no waste treatment systems, such as cooling water dischargers or those who must comply through best management practices, facilities with passive waste treatment and disposal systems, such as septic systems with subsurface disposal, or

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

EASTSIDE UNION HIGH SCHOOL (Continued)

S103880628

dischargers having waste storage systems with land disposal such as dairy waste ponds.

**F25
 NW
 1/4-1/2
 0.302 mi.
 1595 ft.**

**ARCO SERVICE STATION #674
 1145 NORTH CAPITOL AVENUE
 SAN JOSE, CA 93212**

**Notify 65 S100179112
 N/A**

Site 1 of 3 in cluster F

**Relative:
 Lower**

NOTIFY 65:

**Actual:
 148 ft.**

Name: ARCO SERVICE STATION #674
 Address: 1145 NORTH CAPITOL AVENUE
 City,State,Zip: SAN JOSE, CA 93212
 Date Reported: Not reported
 Staff Initials: Not reported
 Board File Number: Not reported
 Facility Type: Not reported
 Discharge Date: Not reported
 Issue Date: Not reported
 Incident Description: Not reported
 Global ID: Not reported
 Status: Not reported

**F26
 NW
 1/4-1/2
 0.302 mi.
 1595 ft.**

**ARCO
 1145 CAPITOL
 SAN JOSE, CA 95132**

**LUST S104396991
 Cortese N/A
 HIST CORTESE
 CERS**

Site 2 of 3 in cluster F

**Relative:
 Lower**

LUST:

**Actual:
 148 ft.**

Name: ARCO #0674
 Address: 1145 CAPITOL AVE.
 City,State,Zip: SAN JOSE, CA 95132
 Lead Agency: SANTA CLARA COUNTY LOP
 Case Type: LUST Cleanup Site
 Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608533095
 Global Id: T0608533095
 Latitude: 37.3866670061742
 Longitude: -121.861247420311
 Status: Completed - Case Closed
 Status Date: 02/09/2016
 Case Worker: GOR
 RB Case Number: 01-036
 Local Agency: SANTA CLARA COUNTY LOP
 File Location: All Files are on GeoTracker or in the Local Agency Database
 Local Case Number: 06S1E28A02f
 Potential Media Affect: Aquifer used for drinking water supply
 Potential Contaminants of Concern: Gasoline
 Site History: The Site is an active ARCO service station located on the northwest corner of the intersection of North Capitol Avenue and Berryessa Road. The Site is relatively flat asphalt and concrete covered lot at an elevation of approximately 50 feet above mean sea level (USGS, 1980). The Site is located in a mixed residential/commercial area. The Site features consist of an AM/PM Food Mart, dispenser island kiosk, three dispenser islands, and four 10,000 gallon underground storage tanks (UST's) Ten groundwater-monitoring wells (MW-2R, MW-3R,

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ARCO (Continued)

S104396991

MW-4,MW-5A,MW-6,MW-7,MW-9,MW-10D and MW-11D), and three vadoze-zone wells (VW-2,VW-3 and VW-4) are located at and in the vicinity of the site. On Site wells MW-2,MW-3,EX-1, and VW-1) were properly destroyed in accordance with the SCVWD Guidelines on April 26, 2004 and May 27, 2004. Well destruction details are documented within URS's Well Destruction Report dated June 2, 2004. ARCO service station No. 674, is currently occupied by an operating ARCO retail gasoline outlet center. The site includes four dispenser islands, four gasoline underground storage tanks, and a station building that includes a mini-market. The Site is currently an active ARCO service station located on the west corner of North Capitol Avenue and Berryessa Road in San Jose, California. The Site is located in a mixed commercial and residential area. Current Site facilities include a service station building, three dispenser islands, and four 10,000-gallon gasoline underground storage tanks. Groundwater monitoring and sampling has been conducted at the Site since 1995. Based on information contained in historical Site reports, depth to groundwater beneath the Site ranges from approximately 55 to 65 feet below ground surface. Groundwater flow direction is to the northwest.

LUST:

Global Id: T0608533095
Contact Type: Local Agency Caseworker
Contact Name: Gerald O'Regan
Organization Name: SANTA CLARA COUNTY LOP
Address: 1555 BERGER DRIVE STE 300
City: SAN JOSE
Email: gerald.o'regan@deh.sccgov.org
Phone Number: Not reported

Global Id: T0608533095
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

LUST:

Global Id: T0608533095
Action Type: RESPONSE
Date: 07/07/2003
Action: Monitoring Report - Quarterly

Global Id: T0608533095
Action Type: ENFORCEMENT
Date: 08/04/2009
Action: Staff Letter

Global Id: T0608533095
Action Type: Other
Date: 07/25/1986
Action: Leak Reported

Global Id: T0608533095
Action Type: RESPONSE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ARCO (Continued)

S104396991

Date: 02/28/2004
Action: Soil and Water Investigation Report

Global Id: T0608533095
Action Type: RESPONSE
Date: 03/30/2004
Action: Monitoring Report - Quarterly

Global Id: T0608533095
Action Type: ENFORCEMENT
Date: 06/12/2014
Action: Staff Letter

Global Id: T0608533095
Action Type: ENFORCEMENT
Date: 04/15/2015
Action: Staff Letter

Global Id: T0608533095
Action Type: RESPONSE
Date: 06/07/2002
Action: Monitoring Report - Quarterly

Global Id: T0608533095
Action Type: RESPONSE
Date: 10/30/2003
Action: Monitoring Report - Quarterly

Global Id: T0608533095
Action Type: RESPONSE
Date: 06/07/2002
Action: Interim Remedial Action Plan

Global Id: T0608533095
Action Type: RESPONSE
Date: 09/07/2002
Action: Monitoring Report - Quarterly

Global Id: T0608533095
Action Type: RESPONSE
Date: 10/15/1995
Action: Soil and Water Investigation Report

Global Id: T0608533095
Action Type: RESPONSE
Date: 03/25/1997
Action: Monitoring Report - Quarterly

Global Id: T0608533095
Action Type: RESPONSE
Date: 05/01/2004
Action: Corrective Action Plan / Remedial Action Plan

Global Id: T0608533095
Action Type: RESPONSE
Date: 10/29/2014
Action: Email Correspondence

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ARCO (Continued)

S104396991

Global Id:	T0608533095
Action Type:	ENFORCEMENT
Date:	07/06/2011
Action:	Staff Letter
Global Id:	T0608533095
Action Type:	ENFORCEMENT
Date:	03/13/2015
Action:	State Water Board Closure Order
Global Id:	T0608533095
Action Type:	ENFORCEMENT
Date:	10/01/2014
Action:	Notification - Public Notice of Case Closure
Global Id:	T0608533095
Action Type:	ENFORCEMENT
Date:	09/21/2014
Action:	Clean Up Fund - Case Closure Review Summary Report (RSR)
Global Id:	T0608533095
Action Type:	RESPONSE
Date:	04/30/2010
Action:	Monitoring Report - Semi-Annually
Global Id:	T0608533095
Action Type:	RESPONSE
Date:	02/28/2002
Action:	Soil and Water Investigation Report
Global Id:	T0608533095
Action Type:	RESPONSE
Date:	12/13/1999
Action:	Monitoring Report - Quarterly
Global Id:	T0608533095
Action Type:	RESPONSE
Date:	12/20/1996
Action:	Monitoring Report - Quarterly
Global Id:	T0608533095
Action Type:	RESPONSE
Date:	06/30/2004
Action:	Monitoring Report - Quarterly
Global Id:	T0608533095
Action Type:	ENFORCEMENT
Date:	04/18/2014
Action:	Staff Letter
Global Id:	T0608533095
Action Type:	RESPONSE
Date:	10/31/2009
Action:	Monitoring Report - Semi-Annually
Global Id:	T0608533095
Action Type:	RESPONSE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ARCO (Continued)

S104396991

Date: 09/13/2015
Action: Well Destruction Report

Global Id: T0608533095
Action Type: RESPONSE
Date: 06/30/2014
Action: Other Workplan

Global Id: T0608533095
Action Type: RESPONSE
Date: 09/28/2015
Action: Email Correspondence

Global Id: T0608533095
Action Type: RESPONSE
Date: 10/21/2015
Action: Email Correspondence

Global Id: T0608533095
Action Type: RESPONSE
Date: 01/24/1992
Action: Soil and Water Investigation Report

Global Id: T0608533095
Action Type: RESPONSE
Date: 08/12/1991
Action: Tank Removal Report / UST Sampling Report

Global Id: T0608533095
Action Type: RESPONSE
Date: 05/13/2005
Action: Other Report / Document

Global Id: T0608533095
Action Type: RESPONSE
Date: 01/01/1990
Action: Correspondence

Global Id: T0608533095
Action Type: RESPONSE
Date: 09/18/2003
Action: Other Report / Document

Global Id: T0608533095
Action Type: ENFORCEMENT
Date: 11/05/2015
Action: Closure/No Further Action Letter

Global Id: T0608533095
Action Type: RESPONSE
Date: 10/31/2010
Action: Monitoring Report - Semi-Annually

Global Id: T0608533095
Action Type: RESPONSE
Date: 04/30/2011
Action: Monitoring Report - Semi-Annually

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ARCO (Continued)

S104396991

Global Id:	T0608533095
Action Type:	RESPONSE
Date:	03/20/1992
Action:	Other Report / Document
Global Id:	T0608533095
Action Type:	RESPONSE
Date:	02/13/1990
Action:	Unauthorized Release Form
Global Id:	T0608533095
Action Type:	RESPONSE
Date:	04/15/1992
Action:	Monitoring Report - Quarterly
Global Id:	T0608533095
Action Type:	RESPONSE
Date:	12/31/1992
Action:	Other Report / Document
Global Id:	T0608533095
Action Type:	RESPONSE
Date:	12/24/1992
Action:	Remedial Progress Report
Global Id:	T0608533095
Action Type:	RESPONSE
Date:	04/29/2011
Action:	Monitoring Report - Quarterly
Global Id:	T0608533095
Action Type:	RESPONSE
Date:	06/02/2004
Action:	Well Destruction Report
Global Id:	T0608533095
Action Type:	RESPONSE
Date:	06/11/1991
Action:	Other Workplan
Global Id:	T0608533095
Action Type:	RESPONSE
Date:	09/30/2003
Action:	CAP/RAP - Other Report
Global Id:	T0608533095
Action Type:	RESPONSE
Date:	05/21/2012
Action:	Request for Closure
Global Id:	T0608533095
Action Type:	RESPONSE
Date:	05/13/2005
Action:	Other Report / Document
Global Id:	T0608533095
Action Type:	RESPONSE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ARCO (Continued)

S104396991

Date: 06/26/1992
Action: Other Report / Document

Global Id: T0608533095
Action Type: RESPONSE
Date: 01/28/1991
Action: Other Report / Document

Global Id: T0608533095
Action Type: RESPONSE
Date: 08/02/2013
Action: Other Workplan - Regulator Responded

Global Id: T0608533095
Action Type: RESPONSE
Date: 04/29/2013
Action: Request for Closure - Regulator Responded

Global Id: T0608533095
Action Type: RESPONSE
Date: 03/05/2014
Action: Request for Closure - Regulator Responded

Global Id: T0608533095
Action Type: ENFORCEMENT
Date: 02/11/1991
Action: Notice of Responsibility - #39170

Global Id: T0608533095
Action Type: ENFORCEMENT
Date: 12/16/1996
Action: Staff Letter - #34262

Global Id: T0608533095
Action Type: ENFORCEMENT
Date: 12/08/1999
Action: Staff Letter - #34270

Global Id: T0608533095
Action Type: ENFORCEMENT
Date: 12/03/2001
Action: Staff Letter - #34276

Global Id: T0608533095
Action Type: ENFORCEMENT
Date: 06/19/2003
Action: Warning Letter - #41590

Global Id: T0608533095
Action Type: ENFORCEMENT
Date: 11/12/2003
Action: Staff Letter - #42584

Global Id: T0608533095
Action Type: Other
Date: 01/15/1991
Action: Leak Discovery

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ARCO (Continued)

S104396991

Global Id: T0608533095
Action Type: RESPONSE
Date: 09/05/2011
Action: Site Assessment Report

Global Id: T0608533095
Action Type: REMEDIATION
Date: 01/29/1991
Action: Excavation

Global Id: T0608533095
Action Type: ENFORCEMENT
Date: 07/17/1995
Action: Staff Letter - #34255

Global Id: T0608533095
Action Type: ENFORCEMENT
Date: 03/21/1997
Action: Staff Letter - #34264

Global Id: T0608533095
Action Type: ENFORCEMENT
Date: 03/05/2002
Action: Staff Letter - #34278

Global Id: T0608533095
Action Type: ENFORCEMENT
Date: 03/04/2004
Action: Staff Letter - #44349

Global Id: T0608533095
Action Type: ENFORCEMENT
Date: 05/22/2013
Action: Staff Letter

Global Id: T0608533095
Action Type: ENFORCEMENT
Date: 05/13/2005
Action: Other Report

Global Id: T0608533095
Action Type: Other
Date: 01/15/1991
Action: Leak Stopped

LUST:

Global Id: T0608533095
Status: Open - Case Begin Date
Status Date: 07/25/1986

Global Id: T0608533095
Status: Open - Site Assessment
Status Date: 06/29/1991

Global Id: T0608533095
Status: Open - Site Assessment
Status Date: 02/06/1992

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ARCO (Continued)

S104396991

Global Id: T0608533095
Status: Completed - Case Closed
Status Date: 02/09/2016

CORTESE:

Name: ARCO #0674
Address: 1145 CAPITOL AVE.
City,State,Zip: SAN JOSE, CA 95132
Region: CORTESE
Envirostor Id: Not reported
Global ID: T0608533095
Site/Facility Type: LUST CLEANUP SITE
Cleanup Status: COMPLETED - CASE CLOSED
Status Date: Not reported
Site Code: Not reported
Latitude: Not reported
Longitude: Not reported
Owner: Not reported
Enf Type: Not reported
Swat R: Not reported
Flag: active
Order No: Not reported
Waste Discharge System No: Not reported
Effective Date: Not reported
Region 2: Not reported
WID Id: Not reported
Solid Waste Id No: Not reported
Waste Management Uit Name: Not reported
File Name: Active Open

HIST CORTESE:

edr_fname: ARCO
edr_fadd1: 1145 CAPITOL
City,State,Zip: SAN JOSE, CA 95132
Region: CORTESE
Facility County Code: 43
Reg By: LTNKA
Reg Id: 43-0090

CERS:

Name: ARCO #0674
Address: 1145 CAPITOL AVE.
City,State,Zip: SAN JOSE, CA 95132
Site ID: 236818
CERS ID: T0608533095
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc: Local Agency Caseworker
Entity Name: Gerald O'Regan - SANTA CLARA COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1555 BERGER DRIVE STE 300
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ARCO (Continued)

S104396991

Affiliation Zip: Not reported
 Affiliation Phone: Not reported

Affiliation Type Desc: Regional Board Caseworker
 Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
 Entity Title: Not reported
 Affiliation Address: 1515 CLAY ST SUITE 1400
 Affiliation City: OAKLAND
 Affiliation State: CA
 Affiliation Country: Not reported
 Affiliation Zip: Not reported
 Affiliation Phone: Not reported

**F27
NW
1/4-1/2
0.302 mi.
1595 ft.**

**ARCO #0674
1145 N CAPITOL AVE
SAN JOSE, CA 95132
Site 3 of 3 in cluster F**

**LUST U001603082
HIST LUST N/A
SWEEPS UST
HIST UST**

**Relative:
Lower
Actual:
148 ft.**

LUST REG 2:
 Region: 2
 Facility Id: Not reported
 Facility Status: Pollution Characterization
 Case Number: 06S1E28A02f
 How Discovered: Not reported
 Leak Cause: Not reported
 Leak Source: Not reported
 Date Leak Confirmed: Not reported
 Oversight Program: LUST
 Prelim. Site Assessment Wokplan Submitted: Not reported
 Preliminary Site Assessment Began: 6/29/1991
 Pollution Characterization Began: 2/6/1992
 Pollution Remediation Plan Submitted: Not reported
 Date Remediation Action Underway: Not reported
 Date Post Remedial Action Monitoring Began: Not reported

LUST SANTA CLARA:

Name: ARCO #0674
 Address: 1145 N CAPITOL AVE
 City,State,Zip: SAN JOSE, CA
 Region: SANTA CLARA
 SCVWD ID: 06S1E28A02F
 Date Closed: Not reported
 EDR Link ID: 06S1E28A02F

HIST LUST SANTA CLARA:

Name: Arco #0674
 Address: 1145 N Capitol Ave
 City: San Jose
 Region: SANTA CLARA
 Region Code: 2
 SCVWD ID: 06S1E28A02
 Oversight Agency: SCCDEH
 Date Listed: 1987-01-01 00:00:00
 Closed Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ARCO #0674 (Continued)

U001603082

SWEEPS UST:

Name: ARCO #674
Address: 1145 N CAPITOL AVE
City: SAN JOSE
Status: Active
Comp Number: 401234
Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 09-08-92
Created Date: 02-29-88
Owner Tank Id: Not reported
SWRCB Tank Id: 43-060-401234-000006
Tank Status: A
Capacity: 10000
Active Date: Not reported
Tank Use: M.V. FUEL
STG: P
Content: REG UNLEADED
Number Of Tanks: 4

Name: ARCO #674
Address: 1145 N CAPITOL AVE
City: SAN JOSE
Status: Active
Comp Number: 401234
Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 09-08-92
Created Date: 02-29-88
Owner Tank Id: Not reported
SWRCB Tank Id: 43-060-401234-000007
Tank Status: A
Capacity: 10000
Active Date: Not reported
Tank Use: M.V. FUEL
STG: P
Content: REG UNLEADED
Number Of Tanks: Not reported

Name: ARCO #674
Address: 1145 N CAPITOL AVE
City: SAN JOSE
Status: Active
Comp Number: 401234
Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 09-08-92
Created Date: 02-29-88
Owner Tank Id: Not reported
SWRCB Tank Id: 43-060-401234-000008
Tank Status: A
Capacity: 10000
Active Date: Not reported
Tank Use: M.V. FUEL

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ARCO #0674 (Continued)

U001603082

STG: P
Content: REG UNLEADED
Number Of Tanks: Not reported

Name: ARCO #674
Address: 1145 N CAPITOL AVE
City: SAN JOSE
Status: Active
Comp Number: 401234
Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 09-08-92
Created Date: 02-29-88
Owner Tank Id: Not reported
SWRCB Tank Id: 43-060-401234-000009
Tank Status: A
Capacity: 10000
Active Date: Not reported
Tank Use: M.V. FUEL
STG: P
Content: REG UNLEADED
Number Of Tanks: Not reported

Name: ARCO #674
Address: 1145 N CAPITOL AVE
City: SAN JOSE
Status: Not reported
Comp Number: 401234
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 43-060-401234-000001
Tank Status: Not reported
Capacity: 10000
Active Date: Not reported
Tank Use: M.V. FUEL
STG: PRODUCT
Content: REG UNLEADED
Number Of Tanks: 6

Name: ARCO #674
Address: 1145 N CAPITOL AVE
City: SAN JOSE
Status: Not reported
Comp Number: 401234
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 43-060-401234-000002
Tank Status: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ARCO #0674 (Continued)

U001603082

Capacity: 10000
Active Date: Not reported
Tank Use: M.V. FUEL
STG: PRODUCT
Content: REG UNLEADED
Number Of Tanks: Not reported

Name: ARCO #674
Address: 1145 N CAPITOL AVE
City: SAN JOSE
Status: Not reported
Comp Number: 401234
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 43-060-401234-000003
Tank Status: Not reported
Capacity: 8000
Active Date: Not reported
Tank Use: M.V. FUEL
STG: PRODUCT
Content: REG UNLEADED
Number Of Tanks: Not reported

Name: ARCO #674
Address: 1145 N CAPITOL AVE
City: SAN JOSE
Status: Not reported
Comp Number: 401234
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 43-060-401234-000004
Tank Status: Not reported
Capacity: 4000
Active Date: Not reported
Tank Use: M.V. FUEL
STG: PRODUCT
Content: REG UNLEADED
Number Of Tanks: Not reported

Name: ARCO #674
Address: 1145 N CAPITOL AVE
City: SAN JOSE
Status: Not reported
Comp Number: 401234
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ARCO #0674 (Continued)

U001603082

Owner Tank Id: Not reported
SWRCB Tank Id: 43-060-401234-000005
Tank Status: Not reported
Capacity: 250
Active Date: Not reported
Tank Use: OIL
STG: WASTE
Content: Not reported
Number Of Tanks: Not reported

Name: ARCO #674
Address: 1145 N CAPITOL AVE
City: SAN JOSE
Status: Not reported
Comp Number: 401234
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 43-060-401234-000010
Tank Status: Not reported
Capacity: 100
Active Date: Not reported
Tank Use: UNKNOWN
STG: PRODUCT
Content: Not reported
Number Of Tanks: Not reported

HIST UST:

Name: PRESTIGE STATIONS INC 568
Address: 1145 N CAPITOL
City,State,Zip: SAN JOSE, CA 95132
File Number: 0002CDF2
URL: <http://geotracker.waterboards.ca.gov/ustpdfs/pdf/0002CDF2.pdf>
Region: STATE
Facility ID: 00000026952
Facility Type: Gas Station
Other Type: Not reported
Contact Name: Not reported
Telephone: 0000000000
Owner Name: ARCO PETROLEUM PRODUCTS CO.
Owner Address: 515 SOUTH FLOWER STREET
Owner City,St,Zip: LOS ANGELES, CA 90071
Total Tanks: 0005

Tank Num: 001
Container Num: 0000000001
Year Installed: 1981
Tank Capacity: 00010000
Tank Used for: PRODUCT
Type of Fuel: 06
Container Construction Thickness: Not reported
Leak Detection: Stock Inventor, 10

Tank Num: 002

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ARCO #0674 (Continued)

U001603082

Container Num: 0000000002
Year Installed: 1981
Tank Capacity: 00010000
Tank Used for: PRODUCT
Type of Fuel: 06
Container Construction Thickness: Not reported
Leak Detection: Stock Inventor, 10

Tank Num: 003
Container Num: 0000000003
Year Installed: 1981
Tank Capacity: 00008000
Tank Used for: PRODUCT
Type of Fuel: 06
Container Construction Thickness: Not reported
Leak Detection: Stock Inventor, 10

Tank Num: 004
Container Num: 0000000004
Year Installed: 1956
Tank Capacity: 00004000
Tank Used for: PRODUCT
Type of Fuel: 06
Container Construction Thickness: 0000167
Leak Detection: Stock Inventor, 10

Tank Num: 005
Container Num: 0000000005
Year Installed: 1956
Tank Capacity: 00000250
Tank Used for: PRODUCT
Type of Fuel: WASTE OIL
Container Construction Thickness: 0000093
Leak Detection: Stock Inventor

[Click here for Geo Tracker PDF:](#)

G28
West
1/4-1/2
0.361 mi.
1906 ft.

JOSEPH V. TERRITO
13100 BERRYESSA RD
SAN JOSE, CA 95133

LUST **U001603104**
HIST UST **N/A**

Site 1 of 2 in cluster G

Relative:
Lower
Actual:
127 ft.

LUST SANTA CLARA:
Name: PUHLTE HOMES
Address: 13100 BERRYESSA ROAD
City,State,Zip: SAN JOSE, CA
Region: SANTA CLARA
SCVWD ID: 06S1E28K01F
Date Closed: Not reported
EDR Link ID: 06S1E28K01F

HIST UST:
Name: JOSEPH V. TERRITO
Address: 13100 BERRYESSA RD
City,State,Zip: SAN JOSE, CA 95133
File Number: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

JOSEPH V. TERRITO (Continued)

U001603104

URL: Not reported
 Region: STATE
 Facility ID: 00000053488
 Facility Type: Other
 Other Type: FARM
 Contact Name: Not reported
 Telephone: 4082584425
 Owner Name: JOSEPH V. TERRITO
 Owner Address: 13100 BERRYESSA RD
 Owner City,St,Zip: SAN JOSE, CA 95133
 Total Tanks: 0002

Tank Num: 001
 Container Num: 1
 Year Installed: 1977
 Tank Capacity: 00000500
 Tank Used for: PRODUCT
 Type of Fuel: REGULAR
 Container Construction Thickness: Not reported
 Leak Detection: None

Tank Num: 002
 Container Num: 2
 Year Installed: 1977
 Tank Capacity: 00001000
 Tank Used for: PRODUCT
 Type of Fuel: DIESEL
 Container Construction Thickness: Not reported
 Leak Detection: None

G29
WSW
1/4-1/2
0.367 mi.
1936 ft.

PRIVATE RESIDENCE
PRIVATE RESIDENCE
SAN JOSE, CA 95133

LUST S110655464
N/A

Site 2 of 2 in cluster G

Relative:
Lower
Actual:
126 ft.

LUST:
 Name: PRIVATE RESIDENCE
 Address: PRIVATE RESIDENCE
 City,State,Zip: SAN JOSE, CA 95133-1239
 Lead Agency: SANTA CLARA COUNTY LOP
 Case Type: LUST Cleanup Site
 Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608550578
 Global Id: T0608550578
 Latitude: 37.381546
 Longitude: -121.865026
 Status: Completed - Case Closed
 Status Date: 04/16/2014
 Case Worker: GOR
 RB Case Number: 14-785
 Local Agency: SANTA CLARA COUNTY LOP
 File Location: All Files are on GeoTracker or in the Local Agency Database
 Local Case Number: 06S1E28K01f
 Potential Media Affect: Other Groundwater (uses other than drinking water), Soil
 Potential Contaminants of Concern: Diesel
 Site History: In May 2005 Terrasearch collected 8 discrete soil samples (S-1 through S-8) at depth from 0.5 to 2 feet below ground surface (bgs) and analyzed for organochloride pesticides and the metals arsenic,

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PRIVATE RESIDENCE (Continued)

S110655464

lead and mercury. In addition Terrasearch collected 4 discrete soil samples (M1- through M-4) from approximately 0.5 ft bgs and analyzed for CAM 17 Metals. Note that residual levels of pesticides and metals will be referred to the Department of Toxic Substances Control. In July 2005 Terrasearch drilled four borings (B1 to B4) at the Site to evaluate soil and ground water quality in the approximate area of each former UST (Terrasearch, 2005b). Confirmation soil samples (T1 and T2) also were collected beneath the 500- or 550- gallon gasoline UST (13060 Berryessa Road) following its removal. Based on the results, no gasoline- (TPHg), diesel- (TPHd), oil-range hydrocarbons (TPHo), volatile organic compounds (VOCs), benzene, toluene, ethylbenzene, xylenes (BTEX), and MTBE were detected above reporting limits in the soil samples. Laboratory analyses of the grab ground water samples revealed diesel- (up to 150 parts per billion [ppb]) and oil-range hydrocarbons (up to 1,200 ppb) in water samples collected from borings B1 (13120 Berryessa Rd) and B2 (13100 Berryessa Rd). No silica gel cleanup was performed prior to TPHd/o analyses. With exception of low concentrations (below residential environmental screening levels [ESLs] and drinking water maximum contaminant levels [MCLs]) of four VOCs detected in the B1 water sample, no VOCs, BTEX, or MTBE were detected above reporting limits in the ground water samples. In May 2006 Engeo drilled four borings (1-B1 to 1-B4) at the Site to better evaluate soil and ground water quality conditions (Engeo, 2006). Borings 1-B1, 1-B2, and 1-B3 were drilled within approximately 50 feet of Terrasearch's B2 boring where slightly elevated oil-range hydrocarbons were detected in ground water; and boring 1-B4 was drilled in the assumed down-gradient ground water flow direction (assumed flow direction is southwest) from Terrasearch's B1 boring where low concentrations of VOCs and diesel-range hydrocarbons were detected in ground water. Based on the results, no gasoline-, diesel-, and oil-range hydrocarbons, VOCs, BTEX, and MTBE were detected in the soil and ground water samples. A silica-gel cleanup was not performed for the TPHd and TPHo analysis. Engeo concluded the petroleum hydrocarbon and VOC concentrations detected in ground water were limited in extent and did not pose a significant risk to human health and the environment. In August 2006 ERM drilled four borings (B-1 to B-4) at the Site to further evaluate soil and ground water conditions (ERM, 2006). Borings B-1 and B-3 were drilled near previous Terrasearch borings B4 and B2; and borings B-2 and B-4 were drilled within approximately 75 feet of Terrasearch's B2 location where slightly elevated oil-range hydrocarbons were detected in ground water. Based on the results, no gasoline-, diesel-, oil-range hydrocarbons, BTEX, and MTBE were detected in the soil and ground water samples with exception of oil-range hydrocarbons detected in ground water from B-1 and B-3 (up to 1,400 ppb). Although oil-range hydrocarbons were detected in the B-1 boring, previous ground water samples collected from borings drilled within approximately 10 feet of the B-1 location did not reveal oil-range hydrocarbons. The oil-range hydrocarbons in the B-3 boring were similar in magnitude to concentrations found during the Terrasearch investigation. No silica gel cleanup was performed prior to TPHd/o analyses. In August 2008, to further evaluate the lateral extent of soil and ground water impacts in the presumed down-gradient ground water flow direction (reported west-southwest), three exploratory borings were drilled to a depth of approximately 45 feet. Exploratory borings EB-1, EB-2 and EB-3 were advanced west-southwest of the reported former UST areas. Soil samples were collected from

MAP FINDINGS

PRIVATE RESIDENCE (Continued)

S110655464

each boring at approximately 5-foot intervals and were screened in the field using an organic vapor meter (OVM). OVM measurements ranged from 0 ppm to 0.1 ppm and appeared typical of background conditions. Ground water was encountered in exploratory borings EB-1 and EB-3 at approximately 41 feet. Ground water was not encountered in boring EB-2 to a maximum depth explored of 45 feet. Soil samples submitted for analyses were collected from the upper approximately 10 feet of soil and from immediately above the water table surface. These samples were analyzed for BTEX, TPHg, and fuel oxygenates including MTBE, 1,2-dibromoethane (EDB), 1,2-dichloroethane (EDC), ethyl tert-butyl ether (ETBE), tert-butyl alcohol (TBA) and tert-amyl methyl ether (TAME) (EPA Test Method 8260B). Since ground water was not encountered in EB-2, an additional three soil samples were collected from the presumed approximate depth of the water-bearing zone (approximately 30 to 40 feet). The samples were collected from approximate depths of 29%-30 feet, 34%-35 feet and 39%-40 feet and were analyzed for TPHd and TPHo (EPA Test Method 8015M), and VOCs including fuel oxygenates and BTEX compounds (EPA Test Method 8260). A silica gel cleanup was performed for the TPHd and TPHo analyses. Based on the results, with exception TPHd detected in one soil sample at 2.15 ppm, no petroleum hydrocarbons or VOCs were detected in the selected soil samples. In addition, laboratory analyses of the grab ground water samples did not detect petroleum hydrocarbons or VOCs above their respective laboratory detection limits.

LUST:

Global Id: T0608550578
Contact Type: Local Agency Caseworker
Contact Name: Gerald O'Regan
Organization Name: SANTA CLARA COUNTY LOP
Address: 1555 BERGER DRIVE STE 300
City: SAN JOSE
Email: gerald.o'regan@deh.sccgov.org
Phone Number: Not reported

Global Id: T0608550578
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

LUST:

Global Id: T0608550578
Action Type: ENFORCEMENT
Date: 08/13/2008
Action: Staff Letter

Global Id: T0608550578
Action Type: ENFORCEMENT
Date: 08/18/2008
Action: Staff Letter

Global Id: T0608550578
Action Type: ENFORCEMENT

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PRIVATE RESIDENCE (Continued)

S110655464

Date: 08/06/2008
Action: Staff Letter - #800268

Global Id: T0608550578
Action Type: ENFORCEMENT
Date: 04/09/2008
Action: Other Report

Global Id: T0608550578
Action Type: ENFORCEMENT
Date: 10/20/2008
Action: Staff Letter

Global Id: T0608550578
Action Type: Other
Date: 03/03/2008
Action: Leak Reported

Global Id: T0608550578
Action Type: RESPONSE
Date: 10/11/2013
Action: Other Report / Document

Global Id: T0608550578
Action Type: ENFORCEMENT
Date: 08/13/2008
Action: Staff Letter

Global Id: T0608550578
Action Type: ENFORCEMENT
Date: 04/16/2014
Action: Closure/No Further Action Letter

Global Id: T0608550578
Action Type: RESPONSE
Date: 11/06/2008
Action: Preliminary Site Assessment Workplan

Global Id: T0608550578
Action Type: RESPONSE
Date: 12/24/2013
Action: Email Correspondence

Global Id: T0608550578
Action Type: ENFORCEMENT
Date: 12/02/2010
Action: Staff Letter

Global Id: T0608550578
Action Type: RESPONSE
Date: 05/31/2005
Action: Preliminary Site Assessment Report

Global Id: T0608550578
Action Type: RESPONSE
Date: 11/06/2013
Action: Request for Closure

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PRIVATE RESIDENCE (Continued)

S110655464

Global Id:	T0608550578
Action Type:	RESPONSE
Date:	05/27/2005
Action:	Other Report / Document
Global Id:	T0608550578
Action Type:	RESPONSE
Date:	05/05/2008
Action:	Other Report / Document
Global Id:	T0608550578
Action Type:	RESPONSE
Date:	03/03/2008
Action:	Unauthorized Release Form
Global Id:	T0608550578
Action Type:	RESPONSE
Date:	04/28/2006
Action:	Soil and Water Investigation Report
Global Id:	T0608550578
Action Type:	RESPONSE
Date:	01/01/2008
Action:	Correspondence
Global Id:	T0608550578
Action Type:	RESPONSE
Date:	05/29/2008
Action:	Other Workplan
Global Id:	T0608550578
Action Type:	RESPONSE
Date:	09/21/2012
Action:	Well Destruction Report - Regulator Responded
Global Id:	T0608550578
Action Type:	ENFORCEMENT
Date:	07/18/2012
Action:	Staff Letter
Global Id:	T0608550578
Action Type:	Other
Date:	07/18/2005
Action:	Leak Discovery
Global Id:	T0608550578
Action Type:	ENFORCEMENT
Date:	08/31/2012
Action:	Staff Letter
Global Id:	T0608550578
Action Type:	ENFORCEMENT
Date:	07/18/2013
Action:	Staff Letter
Global Id:	T0608550578
Action Type:	Other

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PRIVATE RESIDENCE (Continued)

S110655464

Date: 08/01/1984
Action: Leak Stopped

LUST:

Global Id: T0608550578
Status: Open - Case Begin Date
Status Date: 08/01/1984

Global Id: T0608550578
Status: Open - Site Assessment
Status Date: 07/18/2005

Global Id: T0608550578
Status: Open - Eligible for Closure
Status Date: 04/10/2014

Global Id: T0608550578
Status: Completed - Case Closed
Status Date: 04/16/2014

**30
SE
1/4-1/2
0.369 mi.
1948 ft.**

**TEXACO
790 CAPITOL AVE
SAN JOSE, CA**

**LUST S108086582
N/A**

**Relative:
Lower
Actual:
151 ft.**

LUST SANTA CLARA:
Name: TEXACO
Address: 790 CAPITOL AVE
City,State,Zip: SAN JOSE, CA
Region: SANTA CLARA
SCVWD ID: 06S1E17P01F
Date Closed: 01/28/1997
EDR Link ID: 06S1E17P01F

**H31
NNW
1/4-1/2
0.389 mi.
2054 ft.**

**ROYAL CLEANERS
1192 N. CAPITOL AVENUE
SAN JOSE, CA**

**CPS-SLIC S121785154
CERS N/A**

Site 1 of 2 in cluster H

**Relative:
Lower
Actual:
145 ft.**

CPS-SLIC:
Name: ROYAL CLEANERS
Address: 1192 N. CAPITOL AVENUE
City,State,Zip: SAN JOSE, CA
Region: STATE
Facility Status: Open - Assessment & Interim Remedial Action
Status Date: 01/25/2019
Global Id: T10000011479
Lead Agency: SANTA CLARA COUNTY LOP
Lead Agency Case Number: 2018-06s
Latitude: 37.38861
Longitude: -121.86133
Case Type: Cleanup Program Site
Case Worker: TLF

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

ROYAL CLEANERS (Continued)

S121785154

Local Agency: SANTA CLARA COUNTY LOP
 RB Case Number: Not reported
 File Location: All Files are on GeoTracker or in the Local Agency Database
 Potential Media Affected: Aquifer used for drinking water supply, Indoor Air, Other Groundwater (uses other than drinking water), Soil, Soil Vapor
 Potential Contaminants of Concern: Not reported
 Site History: Not reported

[Click here to access the California GeoTracker records for this facility:](#)

CERS:

Name: ROYAL CLEANERS
 Address: 1192 N. CAPITOL AVENUE
 City,State,Zip: SAN JOSE, CA
 Site ID: 435870
 CERS ID: T10000011479
 CERS Description: Cleanup Program Site

Affiliation:

Affiliation Type Desc: Local Agency Caseworker
 Entity Name: TRAVIS L. FLORA - SANTA CLARA COUNTY LOP
 Entity Title: Not reported
 Affiliation Address: 1555 Berger Dr.
 Affiliation City: SAN JOSE
 Affiliation State: CA
 Affiliation Country: Not reported
 Affiliation Zip: Not reported
 Affiliation Phone: 4089183486

**H32
 NNW
 1/4-1/2
 0.389 mi.
 2054 ft.**

**ROYAL CLEANERS/BERRYESSA SHOPPING CENTER
 1192-1198 NORTH CAPITAL AVENUE
 SAN JOSE, CA 95132**

**CPS-SLIC S118172400
 CERS N/A**

Site 2 of 2 in cluster H

**Relative:
 Lower
 Actual:
 145 ft.**

CPS-SLIC:
 Name: ROYAL CLEANERS/BERRYESSA SHOPPING CENTER
 Address: 1192-1198 NORTH CAPITAL AVENUE
 City,State,Zip: SAN JOSE, CA 95132
 Region: STATE
Facility Status: Completed - Case Closed
 Status Date: 01/28/1997
 Global Id: T10000007713
 Lead Agency: SAN FRANCISCO BAY RWQCB (REGION 2)
 Lead Agency Case Number: Not reported
 Latitude: 37.38821
 Longitude: -121.86197
 Case Type: Cleanup Program Site
 Case Worker: UUU
 Local Agency: Not reported
 RB Case Number: Not reported
 File Location: Not reported
 Potential Media Affected: Not reported
 Potential Contaminants of Concern: Not reported
 Site History: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROYAL CLEANERS/BERRYESSA SHOPPING CENTER (Continued)

S118172400

[Click here to access the California GeoTracker records for this facility:](#)

CERS:
Name: ROYAL CLEANERS/BERRYESSA SHOPPING CENTER
Address: 1192-1198 NORTH CAPITAL AVENUE
City,State,Zip: SAN JOSE, CA 95132
Site ID: 358342
CERS ID: T10000007713
CERS Description: Cleanup Program Site

Affiliation:
Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Count: 0 records.

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
NO SITES FOUND					

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 10/28/2020	Source: EPA
Date Data Arrived at EDR: 11/05/2020	Telephone: N/A
Date Made Active in Reports: 11/25/2020	Last EDR Contact: 12/02/2020
Number of Days to Update: 20	Next Scheduled EDR Contact: 01/11/2021
	Data Release Frequency: Quarterly

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)
Telephone: 202-564-7333

EPA Region 1
Telephone 617-918-1143

EPA Region 6
Telephone: 214-655-6659

EPA Region 3
Telephone 215-814-5418

EPA Region 7
Telephone: 913-551-7247

EPA Region 4
Telephone 404-562-8033

EPA Region 8
Telephone: 303-312-6774

EPA Region 5
Telephone 312-886-6686

EPA Region 9
Telephone: 415-947-4246

EPA Region 10
Telephone 206-553-8665

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 10/28/2020	Source: EPA
Date Data Arrived at EDR: 11/05/2020	Telephone: N/A
Date Made Active in Reports: 11/25/2020	Last EDR Contact: 12/02/2020
Number of Days to Update: 20	Next Scheduled EDR Contact: 01/11/2021
	Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 10/15/1991
Date Data Arrived at EDR: 02/02/1994
Date Made Active in Reports: 03/30/1994
Number of Days to Update: 56

Source: EPA
Telephone: 202-564-4267
Last EDR Contact: 08/15/2011
Next Scheduled EDR Contact: 11/28/2011
Data Release Frequency: No Update Planned

Federal Delisted NPL site list

Delisted NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 10/28/2020
Date Data Arrived at EDR: 11/05/2020
Date Made Active in Reports: 11/25/2020
Number of Days to Update: 20

Source: EPA
Telephone: N/A
Last EDR Contact: 12/02/2020
Next Scheduled EDR Contact: 01/11/2021
Data Release Frequency: Quarterly

Federal CERCLIS list

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 04/03/2019
Date Data Arrived at EDR: 04/05/2019
Date Made Active in Reports: 05/14/2019
Number of Days to Update: 39

Source: Environmental Protection Agency
Telephone: 703-603-8704
Last EDR Contact: 10/02/2020
Next Scheduled EDR Contact: 01/11/2021
Data Release Frequency: Varies

SEMS: Superfund Enterprise Management System

SEMS (Superfund Enterprise Management System) tracks hazardous waste sites, potentially hazardous waste sites, and remedial activities performed in support of EPA's Superfund Program across the United States. The list was formerly known as CERCLIS, renamed to SEMS by the EPA in 2015. The list contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). This dataset also contains sites which are either proposed to or on the National Priorities List (NPL) and the sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 10/28/2020
Date Data Arrived at EDR: 11/05/2020
Date Made Active in Reports: 11/25/2020
Number of Days to Update: 20

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 12/02/2020
Next Scheduled EDR Contact: 01/25/2021
Data Release Frequency: Quarterly

Federal CERCLIS NFRAP site list

SEMS-ARCHIVE: Superfund Enterprise Management System Archive

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

SEMS-ARCHIVE (Superfund Enterprise Management System Archive) tracks sites that have no further interest under the Federal Superfund Program based on available information. The list was formerly known as the CERCLIS-NFRAP, renamed to SEMS ARCHIVE by the EPA in 2015. EPA may perform a minimal level of assessment work at a site while it is archived if site conditions change and/or new information becomes available. Archived sites have been removed and archived from the inventory of SEMS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list the site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. The decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be potential NPL site.

Date of Government Version: 10/28/2020	Source: EPA
Date Data Arrived at EDR: 11/05/2020	Telephone: 800-424-9346
Date Made Active in Reports: 11/25/2020	Last EDR Contact: 12/02/2020
Number of Days to Update: 20	Next Scheduled EDR Contact: 01/25/2021
	Data Release Frequency: Quarterly

Federal RCRA CORRACTS facilities list

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 06/15/2020	Source: EPA
Date Data Arrived at EDR: 06/22/2020	Telephone: 800-424-9346
Date Made Active in Reports: 09/17/2020	Last EDR Contact: 09/22/2020
Number of Days to Update: 87	Next Scheduled EDR Contact: 01/04/2021
	Data Release Frequency: Quarterly

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 06/15/2020	Source: Environmental Protection Agency
Date Data Arrived at EDR: 06/22/2020	Telephone: (415) 495-8895
Date Made Active in Reports: 09/18/2020	Last EDR Contact: 09/22/2020
Number of Days to Update: 88	Next Scheduled EDR Contact: 01/04/2021
	Data Release Frequency: Quarterly

Federal RCRA generators list

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 06/15/2020	Source: Environmental Protection Agency
Date Data Arrived at EDR: 06/22/2020	Telephone: (415) 495-8895
Date Made Active in Reports: 09/18/2020	Last EDR Contact: 09/22/2020
Number of Days to Update: 88	Next Scheduled EDR Contact: 01/04/2021
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 06/15/2020	Source: Environmental Protection Agency
Date Data Arrived at EDR: 06/22/2020	Telephone: (415) 495-8895
Date Made Active in Reports: 09/18/2020	Last EDR Contact: 09/22/2020
Number of Days to Update: 88	Next Scheduled EDR Contact: 01/04/2021
	Data Release Frequency: Quarterly

RCRA-VSQG: RCRA - Very Small Quantity Generators (Formerly Conditionally Exempt Small Quantity Generators)

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Very small quantity generators (VSQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 06/15/2020	Source: Environmental Protection Agency
Date Data Arrived at EDR: 06/22/2020	Telephone: (415) 495-8895
Date Made Active in Reports: 09/18/2020	Last EDR Contact: 09/22/2020
Number of Days to Update: 88	Next Scheduled EDR Contact: 01/04/2021
	Data Release Frequency: Quarterly

Federal institutional controls / engineering controls registries

LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 08/06/2020	Source: Department of the Navy
Date Data Arrived at EDR: 08/21/2020	Telephone: 843-820-7326
Date Made Active in Reports: 11/11/2020	Last EDR Contact: 11/05/2020
Number of Days to Update: 82	Next Scheduled EDR Contact: 02/22/2021
	Data Release Frequency: Varies

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 10/28/2020	Source: Environmental Protection Agency
Date Data Arrived at EDR: 11/05/2020	Telephone: 703-603-0695
Date Made Active in Reports: 11/18/2020	Last EDR Contact: 11/05/2020
Number of Days to Update: 13	Next Scheduled EDR Contact: 03/08/2021
	Data Release Frequency: Varies

US INST CONTROLS: Institutional Controls Sites List

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 10/28/2020	Source: Environmental Protection Agency
Date Data Arrived at EDR: 11/05/2020	Telephone: 703-603-0695
Date Made Active in Reports: 11/18/2020	Last EDR Contact: 11/05/2020
Number of Days to Update: 13	Next Scheduled EDR Contact: 03/08/2021
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Federal ERNS list

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 06/15/2020

Date Data Arrived at EDR: 06/22/2020

Date Made Active in Reports: 09/17/2020

Number of Days to Update: 87

Source: National Response Center, United States Coast Guard

Telephone: 202-267-2180

Last EDR Contact: 09/22/2020

Next Scheduled EDR Contact: 01/04/2021

Data Release Frequency: Quarterly

State- and tribal - equivalent NPL

RESPONSE: State Response Sites

Identifies confirmed release sites where DTSC is involved in remediation, either in a lead or oversight capacity. These confirmed release sites are generally high-priority and high potential risk.

Date of Government Version: 07/27/2020

Date Data Arrived at EDR: 07/27/2020

Date Made Active in Reports: 10/08/2020

Number of Days to Update: 73

Source: Department of Toxic Substances Control

Telephone: 916-323-3400

Last EDR Contact: 10/26/2020

Next Scheduled EDR Contact: 02/08/2021

Data Release Frequency: Quarterly

State- and tribal - equivalent CERCLIS

ENVIROSTOR: EnviroStor Database

The Department of Toxic Substances Control's (DTSC's) Site Mitigation and Brownfields Reuse Program's (SMBRP's) EnviroStor database identifies sites that have known contamination or sites for which there may be reasons to investigate further. The database includes the following site types: Federal Superfund sites (National Priorities List (NPL)); State Response, including Military Facilities and State Superfund; Voluntary Cleanup; and School sites. EnviroStor provides similar information to the information that was available in CalSites, and provides additional site information, including, but not limited to, identification of formerly-contaminated properties that have been released for reuse, properties where environmental deed restrictions have been recorded to prevent inappropriate land uses, and risk characterization information that is used to assess potential impacts to public health and the environment at contaminated sites.

Date of Government Version: 07/27/2020

Date Data Arrived at EDR: 07/27/2020

Date Made Active in Reports: 10/08/2020

Number of Days to Update: 73

Source: Department of Toxic Substances Control

Telephone: 916-323-3400

Last EDR Contact: 10/26/2020

Next Scheduled EDR Contact: 02/08/2021

Data Release Frequency: Quarterly

State and tribal landfill and/or solid waste disposal site lists

SWF/LF (SWIS): Solid Waste Information System

Active, Closed and Inactive Landfills. SWF/LF records typically contain an inventory of solid waste disposal facilities or landfills. These may be active or inactive facilities or open dumps that failed to meet RCRA Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 05/11/2020

Date Data Arrived at EDR: 05/12/2020

Date Made Active in Reports: 07/27/2020

Number of Days to Update: 76

Source: Department of Resources Recycling and Recovery

Telephone: 916-341-6320

Last EDR Contact: 11/10/2020

Next Scheduled EDR Contact: 02/22/2021

Data Release Frequency: Quarterly

State and tribal leaking storage tank lists

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

LUST REG 9: Leaking Underground Storage Tank Report

Orange, Riverside, San Diego counties. For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 03/01/2001
Date Data Arrived at EDR: 04/23/2001
Date Made Active in Reports: 05/21/2001
Number of Days to Update: 28

Source: California Regional Water Quality Control Board San Diego Region (9)
Telephone: 858-637-5595
Last EDR Contact: 09/26/2011
Next Scheduled EDR Contact: 01/09/2012
Data Release Frequency: No Update Planned

LUST REG 1: Active Toxic Site Investigation

Del Norte, Humboldt, Lake, Mendocino, Modoc, Siskiyou, Sonoma, Trinity counties. For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 02/01/2001
Date Data Arrived at EDR: 02/28/2001
Date Made Active in Reports: 03/29/2001
Number of Days to Update: 29

Source: California Regional Water Quality Control Board North Coast (1)
Telephone: 707-570-3769
Last EDR Contact: 08/01/2011
Next Scheduled EDR Contact: 11/14/2011
Data Release Frequency: No Update Planned

LUST REG 8: Leaking Underground Storage Tanks

California Regional Water Quality Control Board Santa Ana Region (8). For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 02/14/2005
Date Data Arrived at EDR: 02/15/2005
Date Made Active in Reports: 03/28/2005
Number of Days to Update: 41

Source: California Regional Water Quality Control Board Santa Ana Region (8)
Telephone: 909-782-4496
Last EDR Contact: 08/15/2011
Next Scheduled EDR Contact: 11/28/2011
Data Release Frequency: No Update Planned

LUST REG 6V: Leaking Underground Storage Tank Case Listing

Leaking Underground Storage Tank locations. Inyo, Kern, Los Angeles, Mono, San Bernardino counties.

Date of Government Version: 06/07/2005
Date Data Arrived at EDR: 06/07/2005
Date Made Active in Reports: 06/29/2005
Number of Days to Update: 22

Source: California Regional Water Quality Control Board Victorville Branch Office (6)
Telephone: 760-241-7365
Last EDR Contact: 09/12/2011
Next Scheduled EDR Contact: 12/26/2011
Data Release Frequency: No Update Planned

LUST REG 6L: Leaking Underground Storage Tank Case Listing

For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 09/09/2003
Date Data Arrived at EDR: 09/10/2003
Date Made Active in Reports: 10/07/2003
Number of Days to Update: 27

Source: California Regional Water Quality Control Board Lahontan Region (6)
Telephone: 530-542-5572
Last EDR Contact: 09/12/2011
Next Scheduled EDR Contact: 12/26/2011
Data Release Frequency: No Update Planned

LUST REG 2: Fuel Leak List

Leaking Underground Storage Tank locations. Alameda, Contra Costa, Marin, Napa, San Francisco, San Mateo, Santa Clara, Solano, Sonoma counties.

Date of Government Version: 09/30/2004
Date Data Arrived at EDR: 10/20/2004
Date Made Active in Reports: 11/19/2004
Number of Days to Update: 30

Source: California Regional Water Quality Control Board San Francisco Bay Region (2)
Telephone: 510-622-2433
Last EDR Contact: 09/19/2011
Next Scheduled EDR Contact: 01/02/2012
Data Release Frequency: No Update Planned

LUST REG 3: Leaking Underground Storage Tank Database

Leaking Underground Storage Tank locations. Monterey, San Benito, San Luis Obispo, Santa Barbara, Santa Cruz counties.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 05/19/2003
Date Data Arrived at EDR: 05/19/2003
Date Made Active in Reports: 06/02/2003
Number of Days to Update: 14

Source: California Regional Water Quality Control Board Central Coast Region (3)
Telephone: 805-542-4786
Last EDR Contact: 07/18/2011
Next Scheduled EDR Contact: 10/31/2011
Data Release Frequency: No Update Planned

LUST REG 4: Underground Storage Tank Leak List

Los Angeles, Ventura counties. For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 09/07/2004
Date Data Arrived at EDR: 09/07/2004
Date Made Active in Reports: 10/12/2004
Number of Days to Update: 35

Source: California Regional Water Quality Control Board Los Angeles Region (4)
Telephone: 213-576-6710
Last EDR Contact: 09/06/2011
Next Scheduled EDR Contact: 12/19/2011
Data Release Frequency: No Update Planned

LUST: Leaking Underground Fuel Tank Report (GEOTRACKER)

Leaking Underground Storage Tank (LUST) Sites included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

Date of Government Version: 09/08/2020
Date Data Arrived at EDR: 09/08/2020
Date Made Active in Reports: 11/30/2020
Number of Days to Update: 83

Source: State Water Resources Control Board
Telephone: see region list
Last EDR Contact: 12/04/2020
Next Scheduled EDR Contact: 03/22/2021
Data Release Frequency: Quarterly

LUST REG 5: Leaking Underground Storage Tank Database

Leaking Underground Storage Tank locations. Alameda, Alpine, Amador, Butte, Colusa, Contra Costa, Calveras, El Dorado, Fresno, Glenn, Kern, Kings, Lake, Lassen, Madera, Mariposa, Merced, Modoc, Napa, Nevada, Placer, Plumas, Sacramento, San Joaquin, Shasta, Solano, Stanislaus, Sutter, Tehama, Tulare, Tuolumne, Yolo, Yuba counties.

Date of Government Version: 07/01/2008
Date Data Arrived at EDR: 07/22/2008
Date Made Active in Reports: 07/31/2008
Number of Days to Update: 9

Source: California Regional Water Quality Control Board Central Valley Region (5)
Telephone: 916-464-4834
Last EDR Contact: 07/01/2011
Next Scheduled EDR Contact: 10/17/2011
Data Release Frequency: No Update Planned

LUST REG 7: Leaking Underground Storage Tank Case Listing

Leaking Underground Storage Tank locations. Imperial, Riverside, San Diego, Santa Barbara counties.

Date of Government Version: 02/26/2004
Date Data Arrived at EDR: 02/26/2004
Date Made Active in Reports: 03/24/2004
Number of Days to Update: 27

Source: California Regional Water Quality Control Board Colorado River Basin Region (7)
Telephone: 760-776-8943
Last EDR Contact: 08/01/2011
Next Scheduled EDR Contact: 11/14/2011
Data Release Frequency: No Update Planned

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 04/08/2020
Date Data Arrived at EDR: 05/20/2020
Date Made Active in Reports: 08/12/2020
Number of Days to Update: 84

Source: Environmental Protection Agency
Telephone: 415-972-3372
Last EDR Contact: 10/23/2020
Next Scheduled EDR Contact: 02/01/2021
Data Release Frequency: Varies

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land

A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 04/29/2020
Date Data Arrived at EDR: 05/20/2020
Date Made Active in Reports: 08/12/2020
Number of Days to Update: 84

Source: EPA Region 1
Telephone: 617-918-1313
Last EDR Contact: 10/23/2020
Next Scheduled EDR Contact: 02/01/2021
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 04/08/2020	Source: EPA Region 6
Date Data Arrived at EDR: 05/20/2020	Telephone: 214-665-6597
Date Made Active in Reports: 08/12/2020	Last EDR Contact: 10/23/2020
Number of Days to Update: 84	Next Scheduled EDR Contact: 02/01/2021
	Data Release Frequency: Varies

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 04/15/2020	Source: EPA Region 7
Date Data Arrived at EDR: 05/20/2020	Telephone: 913-551-7003
Date Made Active in Reports: 08/12/2020	Last EDR Contact: 10/23/2020
Number of Days to Update: 84	Next Scheduled EDR Contact: 02/01/2021
	Data Release Frequency: Varies

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 04/14/2020	Source: EPA Region 10
Date Data Arrived at EDR: 05/20/2020	Telephone: 206-553-2857
Date Made Active in Reports: 08/12/2020	Last EDR Contact: 10/23/2020
Number of Days to Update: 84	Next Scheduled EDR Contact: 02/01/2021
	Data Release Frequency: Varies

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 04/14/2020	Source: EPA Region 8
Date Data Arrived at EDR: 05/20/2020	Telephone: 303-312-6271
Date Made Active in Reports: 08/12/2020	Last EDR Contact: 10/23/2020
Number of Days to Update: 84	Next Scheduled EDR Contact: 02/01/2021
	Data Release Frequency: Varies

INDIAN LUST R5: Leaking Underground Storage Tanks on Indian Land Leaking underground storage tanks located on Indian Land in Michigan, Minnesota and Wisconsin.

Date of Government Version: 04/14/2020	Source: EPA, Region 5
Date Data Arrived at EDR: 05/20/2020	Telephone: 312-886-7439
Date Made Active in Reports: 08/12/2020	Last EDR Contact: 10/23/2020
Number of Days to Update: 84	Next Scheduled EDR Contact: 02/01/2021
	Data Release Frequency: Varies

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 04/14/2020	Source: EPA Region 4
Date Data Arrived at EDR: 05/26/2020	Telephone: 404-562-8677
Date Made Active in Reports: 08/12/2020	Last EDR Contact: 10/23/2020
Number of Days to Update: 78	Next Scheduled EDR Contact: 02/01/2021
	Data Release Frequency: Varies

CPS-SLIC: Statewide SLIC Cases (GEOTRACKER)

Cleanup Program Sites (CPS; also known as Site Cleanups [SC] and formerly known as Spills, Leaks, Investigations, and Cleanups [SLIC] sites) included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

Date of Government Version: 09/08/2020	Source: State Water Resources Control Board
Date Data Arrived at EDR: 09/08/2020	Telephone: 866-480-1028
Date Made Active in Reports: 11/30/2020	Last EDR Contact: 12/04/2020
Number of Days to Update: 83	Next Scheduled EDR Contact: 03/22/2021
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

SLIC REG 1: Active Toxic Site Investigations

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 04/03/2003
Date Data Arrived at EDR: 04/07/2003
Date Made Active in Reports: 04/25/2003
Number of Days to Update: 18

Source: California Regional Water Quality Control Board, North Coast Region (1)
Telephone: 707-576-2220
Last EDR Contact: 08/01/2011
Next Scheduled EDR Contact: 11/14/2011
Data Release Frequency: No Update Planned

SLIC REG 2: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 09/30/2004
Date Data Arrived at EDR: 10/20/2004
Date Made Active in Reports: 11/19/2004
Number of Days to Update: 30

Source: Regional Water Quality Control Board San Francisco Bay Region (2)
Telephone: 510-286-0457
Last EDR Contact: 09/19/2011
Next Scheduled EDR Contact: 01/02/2012
Data Release Frequency: No Update Planned

SLIC REG 3: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 05/18/2006
Date Data Arrived at EDR: 05/18/2006
Date Made Active in Reports: 06/15/2006
Number of Days to Update: 28

Source: California Regional Water Quality Control Board Central Coast Region (3)
Telephone: 805-549-3147
Last EDR Contact: 07/18/2011
Next Scheduled EDR Contact: 10/31/2011
Data Release Frequency: No Update Planned

SLIC REG 4: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 11/17/2004
Date Data Arrived at EDR: 11/18/2004
Date Made Active in Reports: 01/04/2005
Number of Days to Update: 47

Source: Region Water Quality Control Board Los Angeles Region (4)
Telephone: 213-576-6600
Last EDR Contact: 07/01/2011
Next Scheduled EDR Contact: 10/17/2011
Data Release Frequency: No Update Planned

SLIC REG 5: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 04/01/2005
Date Data Arrived at EDR: 04/05/2005
Date Made Active in Reports: 04/21/2005
Number of Days to Update: 16

Source: Regional Water Quality Control Board Central Valley Region (5)
Telephone: 916-464-3291
Last EDR Contact: 09/12/2011
Next Scheduled EDR Contact: 12/26/2011
Data Release Frequency: No Update Planned

SLIC REG 6V: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 05/24/2005
Date Data Arrived at EDR: 05/25/2005
Date Made Active in Reports: 06/16/2005
Number of Days to Update: 22

Source: Regional Water Quality Control Board, Victorville Branch
Telephone: 619-241-6583
Last EDR Contact: 08/15/2011
Next Scheduled EDR Contact: 11/28/2011
Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

SLIC REG 6L: SLIC Sites

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 09/07/2004
Date Data Arrived at EDR: 09/07/2004
Date Made Active in Reports: 10/12/2004
Number of Days to Update: 35

Source: California Regional Water Quality Control Board, Lahontan Region
Telephone: 530-542-5574
Last EDR Contact: 08/15/2011
Next Scheduled EDR Contact: 11/28/2011
Data Release Frequency: No Update Planned

SLIC REG 7: SLIC List

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 11/24/2004
Date Data Arrived at EDR: 11/29/2004
Date Made Active in Reports: 01/04/2005
Number of Days to Update: 36

Source: California Regional Quality Control Board, Colorado River Basin Region
Telephone: 760-346-7491
Last EDR Contact: 08/01/2011
Next Scheduled EDR Contact: 11/14/2011
Data Release Frequency: No Update Planned

SLIC REG 8: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 04/03/2008
Date Data Arrived at EDR: 04/03/2008
Date Made Active in Reports: 04/14/2008
Number of Days to Update: 11

Source: California Region Water Quality Control Board Santa Ana Region (8)
Telephone: 951-782-3298
Last EDR Contact: 09/12/2011
Next Scheduled EDR Contact: 12/26/2011
Data Release Frequency: No Update Planned

SLIC REG 9: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 09/10/2007
Date Data Arrived at EDR: 09/11/2007
Date Made Active in Reports: 09/28/2007
Number of Days to Update: 17

Source: California Regional Water Quality Control Board San Diego Region (9)
Telephone: 858-467-2980
Last EDR Contact: 08/08/2011
Next Scheduled EDR Contact: 11/21/2011
Data Release Frequency: No Update Planned

State and tribal registered storage tank lists

FEMA UST: Underground Storage Tank Listing

A listing of all FEMA owned underground storage tanks.

Date of Government Version: 07/21/2020
Date Data Arrived at EDR: 09/03/2020
Date Made Active in Reports: 11/25/2020
Number of Days to Update: 83

Source: FEMA
Telephone: 202-646-5797
Last EDR Contact: 10/01/2020
Next Scheduled EDR Contact: 01/18/2021
Data Release Frequency: Varies

UST CLOSURE: Proposed Closure of Underground Storage Tank (UST) Cases

UST cases that are being considered for closure by either the State Water Resources Control Board or the Executive Director have been posted for a 60-day public comment period. UST Case Closures being proposed for consideration by the State Water Resources Control Board. These are primarily UST cases that meet closure criteria under the decisional framework in State Water Board Resolution No. 92-49 and other Board orders. UST Case Closures proposed for consideration by the Executive Director pursuant to State Water Board Resolution No. 2012-0061. These are cases that meet the criteria of the Low-Threat UST Case Closure Policy. UST Case Closure Review Denials and Approved Orders.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 09/03/2020
Date Data Arrived at EDR: 09/08/2020
Date Made Active in Reports: 12/03/2020
Number of Days to Update: 86

Source: State Water Resources Control Board
Telephone: 916-327-7844
Last EDR Contact: 12/08/2020
Next Scheduled EDR Contact: 03/22/2021
Data Release Frequency: Varies

UST: Active UST Facilities

Active UST facilities gathered from the local regulatory agencies

Date of Government Version: 09/08/2020
Date Data Arrived at EDR: 09/08/2020
Date Made Active in Reports: 11/30/2020
Number of Days to Update: 83

Source: SWRCB
Telephone: 916-341-5851
Last EDR Contact: 12/04/2020
Next Scheduled EDR Contact: 03/22/2021
Data Release Frequency: Semi-Annually

MILITARY UST SITES: Military UST Sites (GEOTRACKER)

Military ust sites

Date of Government Version: 09/08/2020
Date Data Arrived at EDR: 09/08/2020
Date Made Active in Reports: 11/30/2020
Number of Days to Update: 83

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 12/04/2020
Next Scheduled EDR Contact: 03/22/2021
Data Release Frequency: Varies

AST: Aboveground Petroleum Storage Tank Facilities

A listing of aboveground storage tank petroleum storage tank locations.

Date of Government Version: 07/06/2016
Date Data Arrived at EDR: 07/12/2016
Date Made Active in Reports: 09/19/2016
Number of Days to Update: 69

Source: California Environmental Protection Agency
Telephone: 916-327-5092
Last EDR Contact: 12/09/2020
Next Scheduled EDR Contact: 03/29/2021
Data Release Frequency: Varies

INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 04/29/2020
Date Data Arrived at EDR: 05/20/2020
Date Made Active in Reports: 08/12/2020
Number of Days to Update: 84

Source: EPA, Region 1
Telephone: 617-918-1313
Last EDR Contact: 10/23/2020
Next Scheduled EDR Contact: 02/01/2021
Data Release Frequency: Varies

INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 04/14/2020
Date Data Arrived at EDR: 05/20/2020
Date Made Active in Reports: 08/13/2020
Number of Days to Update: 85

Source: EPA Region 8
Telephone: 303-312-6137
Last EDR Contact: 10/23/2020
Next Scheduled EDR Contact: 02/01/2021
Data Release Frequency: Varies

INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 04/14/2020
Date Data Arrived at EDR: 05/26/2020
Date Made Active in Reports: 08/12/2020
Number of Days to Update: 78

Source: EPA Region 4
Telephone: 404-562-9424
Last EDR Contact: 10/23/2020
Next Scheduled EDR Contact: 02/01/2021
Data Release Frequency: Varies

INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 04/14/2020
Date Data Arrived at EDR: 05/20/2020
Date Made Active in Reports: 08/12/2020
Number of Days to Update: 84

Source: EPA Region 5
Telephone: 312-886-6136
Last EDR Contact: 10/23/2020
Next Scheduled EDR Contact: 02/01/2021
Data Release Frequency: Varies

INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 04/14/2020
Date Data Arrived at EDR: 05/20/2020
Date Made Active in Reports: 08/12/2020
Number of Days to Update: 84

Source: EPA Region 10
Telephone: 206-553-2857
Last EDR Contact: 10/23/2020
Next Scheduled EDR Contact: 02/01/2021
Data Release Frequency: Varies

INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 04/08/2020
Date Data Arrived at EDR: 05/20/2020
Date Made Active in Reports: 08/12/2020
Number of Days to Update: 84

Source: EPA Region 9
Telephone: 415-972-3368
Last EDR Contact: 10/23/2020
Next Scheduled EDR Contact: 02/01/2021
Data Release Frequency: Varies

INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 04/03/2020
Date Data Arrived at EDR: 05/20/2020
Date Made Active in Reports: 08/12/2020
Number of Days to Update: 84

Source: EPA Region 7
Telephone: 913-551-7003
Last EDR Contact: 10/23/2020
Next Scheduled EDR Contact: 02/01/2021
Data Release Frequency: Varies

INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 04/08/2020
Date Data Arrived at EDR: 05/20/2020
Date Made Active in Reports: 08/12/2020
Number of Days to Update: 84

Source: EPA Region 6
Telephone: 214-665-7591
Last EDR Contact: 10/23/2020
Next Scheduled EDR Contact: 02/01/2021
Data Release Frequency: Varies

State and tribal voluntary cleanup sites

INDIAN VCP R1: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 07/27/2015
Date Data Arrived at EDR: 09/29/2015
Date Made Active in Reports: 02/18/2016
Number of Days to Update: 142

Source: EPA, Region 1
Telephone: 617-918-1102
Last EDR Contact: 09/16/2020
Next Scheduled EDR Contact: 01/04/2021
Data Release Frequency: Varies

VCP: Voluntary Cleanup Program Properties

Contains low threat level properties with either confirmed or unconfirmed releases and the project proponents have request that DTSC oversee investigation and/or cleanup activities and have agreed to provide coverage for DTSC's costs.

Date of Government Version: 07/27/2020
Date Data Arrived at EDR: 07/27/2020
Date Made Active in Reports: 10/08/2020
Number of Days to Update: 73

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 10/26/2020
Next Scheduled EDR Contact: 02/08/2021
Data Release Frequency: Quarterly

INDIAN VCP R7: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008
Date Data Arrived at EDR: 04/22/2008
Date Made Active in Reports: 05/19/2008
Number of Days to Update: 27

Source: EPA, Region 7
Telephone: 913-551-7365
Last EDR Contact: 04/20/2009
Next Scheduled EDR Contact: 07/20/2009
Data Release Frequency: Varies

State and tribal Brownfields sites

BROWNFIELDS: Considered Brownfields Sites Listing

A listing of sites the SWRCB considers to be Brownfields since these are sites have come to them through the MOA Process.

Date of Government Version: 06/22/2020
Date Data Arrived at EDR: 06/22/2020
Date Made Active in Reports: 09/04/2020
Number of Days to Update: 74

Source: State Water Resources Control Board
Telephone: 916-323-7905
Last EDR Contact: 09/22/2020
Next Scheduled EDR Contact: 01/04/2021
Data Release Frequency: Quarterly

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: A Listing of Brownfields Sites

Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties takes development pressures off of undeveloped, open land, and both improves and protects the environment. Assessment, Cleanup and Redevelopment Exchange System (ACRES) stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions. A listing of ACRES Brownfield sites is obtained from Cleanups in My Community. Cleanups in My Community provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

Date of Government Version: 09/14/2020
Date Data Arrived at EDR: 09/15/2020
Date Made Active in Reports: 12/10/2020
Number of Days to Update: 86

Source: Environmental Protection Agency
Telephone: 202-566-2777
Last EDR Contact: 09/15/2020
Next Scheduled EDR Contact: 12/28/2020
Data Release Frequency: Semi-Annually

Local Lists of Landfill / Solid Waste Disposal Sites

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

WMUDS/SWAT: Waste Management Unit Database

Waste Management Unit Database System. WMUDS is used by the State Water Resources Control Board staff and the Regional Water Quality Control Boards for program tracking and inventory of waste management units. WMUDS is composed of the following databases: Facility Information, Scheduled Inspections Information, Waste Management Unit Information, SWAT Program Information, SWAT Report Summary Information, SWAT Report Summary Data, Chapter 15 (formerly Subchapter 15) Information, Chapter 15 Monitoring Parameters, TPCA Program Information, RCRA Program Information, Closure Information, and Interested Parties Information.

Date of Government Version: 04/01/2000	Source: State Water Resources Control Board
Date Data Arrived at EDR: 04/10/2000	Telephone: 916-227-4448
Date Made Active in Reports: 05/10/2000	Last EDR Contact: 10/20/2020
Number of Days to Update: 30	Next Scheduled EDR Contact: 02/08/2021
	Data Release Frequency: No Update Planned

SWRCY: Recycler Database

A listing of recycling facilities in California.

Date of Government Version: 09/08/2020	Source: Department of Conservation
Date Data Arrived at EDR: 09/08/2020	Telephone: 916-323-3836
Date Made Active in Reports: 11/30/2020	Last EDR Contact: 12/08/2020
Number of Days to Update: 83	Next Scheduled EDR Contact: 03/22/2021
	Data Release Frequency: Quarterly

HAULERS: Registered Waste Tire Haulers Listing

A listing of registered waste tire haulers.

Date of Government Version: 05/28/2020	Source: Integrated Waste Management Board
Date Data Arrived at EDR: 05/29/2020	Telephone: 916-341-6422
Date Made Active in Reports: 08/12/2020	Last EDR Contact: 11/05/2020
Number of Days to Update: 75	Next Scheduled EDR Contact: 02/22/2021
	Data Release Frequency: Varies

INDIAN ODI: Report on the Status of Open Dumps on Indian Lands

Location of open dumps on Indian land.

Date of Government Version: 12/31/1998	Source: Environmental Protection Agency
Date Data Arrived at EDR: 12/03/2007	Telephone: 703-308-8245
Date Made Active in Reports: 01/24/2008	Last EDR Contact: 10/20/2020
Number of Days to Update: 52	Next Scheduled EDR Contact: 02/08/2021
	Data Release Frequency: Varies

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009	Source: EPA, Region 9
Date Data Arrived at EDR: 05/07/2009	Telephone: 415-947-4219
Date Made Active in Reports: 09/21/2009	Last EDR Contact: 10/13/2020
Number of Days to Update: 137	Next Scheduled EDR Contact: 02/01/2021
	Data Release Frequency: No Update Planned

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985	Source: Environmental Protection Agency
Date Data Arrived at EDR: 08/09/2004	Telephone: 800-424-9346
Date Made Active in Reports: 09/17/2004	Last EDR Contact: 06/09/2004
Number of Days to Update: 39	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

IHS OPEN DUMPS: Open Dumps on Indian Land

A listing of all open dumps located on Indian Land in the United States.

Date of Government Version: 04/01/2014	Source: Department of Health & Human Services, Indian Health Service
Date Data Arrived at EDR: 08/06/2014	Telephone: 301-443-1452
Date Made Active in Reports: 01/29/2015	Last EDR Contact: 10/30/2020
Number of Days to Update: 176	Next Scheduled EDR Contact: 02/08/2021
	Data Release Frequency: Varies

Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL: National Clandestine Laboratory Register

A listing of clandestine drug lab locations that have been removed from the DEAs National Clandestine Laboratory Register.

Date of Government Version: 03/18/2020	Source: Drug Enforcement Administration
Date Data Arrived at EDR: 03/19/2020	Telephone: 202-307-1000
Date Made Active in Reports: 06/09/2020	Last EDR Contact: 11/16/2020
Number of Days to Update: 82	Next Scheduled EDR Contact: 03/08/2021
	Data Release Frequency: No Update Planned

HIST CAL-SITES: Calsites Database

The Calsites database contains potential or confirmed hazardous substance release properties. In 1996, California EPA reevaluated and significantly reduced the number of sites in the Calsites database. No longer updated by the state agency. It has been replaced by ENVIROSTOR.

Date of Government Version: 08/08/2005	Source: Department of Toxic Substance Control
Date Data Arrived at EDR: 08/03/2006	Telephone: 916-323-3400
Date Made Active in Reports: 08/24/2006	Last EDR Contact: 02/23/2009
Number of Days to Update: 21	Next Scheduled EDR Contact: 05/25/2009
	Data Release Frequency: No Update Planned

SCH: School Property Evaluation Program

This category contains proposed and existing school sites that are being evaluated by DTSC for possible hazardous materials contamination. In some cases, these properties may be listed in the CalSites category depending on the level of threat to public health and safety or the environment they pose.

Date of Government Version: 07/27/2020	Source: Department of Toxic Substances Control
Date Data Arrived at EDR: 07/27/2020	Telephone: 916-323-3400
Date Made Active in Reports: 10/08/2020	Last EDR Contact: 10/26/2020
Number of Days to Update: 73	Next Scheduled EDR Contact: 02/08/2021
	Data Release Frequency: Quarterly

CDL: Clandestine Drug Labs

A listing of drug lab locations. Listing of a location in this database does not indicate that any illegal drug lab materials were or were not present there, and does not constitute a determination that the location either requires or does not require additional cleanup work.

Date of Government Version: 06/30/2019	Source: Department of Toxic Substances Control
Date Data Arrived at EDR: 05/28/2020	Telephone: 916-255-6504
Date Made Active in Reports: 08/12/2020	Last EDR Contact: 11/11/2020
Number of Days to Update: 76	Next Scheduled EDR Contact: 01/18/2021
	Data Release Frequency: Varies

TOXIC PITS: Toxic Pits Cleanup Act Sites

Toxic PITS Cleanup Act Sites. TOXIC PITS identifies sites suspected of containing hazardous substances where cleanup has not yet been completed.

Date of Government Version: 07/01/1995	Source: State Water Resources Control Board
Date Data Arrived at EDR: 08/30/1995	Telephone: 916-227-4364
Date Made Active in Reports: 09/26/1995	Last EDR Contact: 01/26/2009
Number of Days to Update: 27	Next Scheduled EDR Contact: 04/27/2009
	Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

CERS HAZ WASTE: CERS HAZ WASTE

List of sites in the California Environmental Protection Agency (CalEPA) Regulated Site Portal which fall under the Hazardous Chemical Management, Hazardous Waste Onsite Treatment, Household Hazardous Waste Collection, Hazardous Waste Generator, and RCRA LQ HW Generator programs.

Date of Government Version: 07/20/2020	Source: CalEPA
Date Data Arrived at EDR: 07/21/2020	Telephone: 916-323-2514
Date Made Active in Reports: 10/07/2020	Last EDR Contact: 10/19/2020
Number of Days to Update: 78	Next Scheduled EDR Contact: 02/01/2021
	Data Release Frequency: Quarterly

US CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 03/18/2020	Source: Drug Enforcement Administration
Date Data Arrived at EDR: 03/19/2020	Telephone: 202-307-1000
Date Made Active in Reports: 06/09/2020	Last EDR Contact: 11/16/2020
Number of Days to Update: 82	Next Scheduled EDR Contact: 03/08/2021
	Data Release Frequency: Quarterly

PFAS: PFAS Contamination Site Location Listing

A listing of PFAS contaminated sites included in the GeoTracker database.

Date of Government Version: 09/08/2020	Source: State Water Resources Control Board
Date Data Arrived at EDR: 09/08/2020	Telephone: 866-480-1028
Date Made Active in Reports: 12/01/2020	Last EDR Contact: 12/08/2020
Number of Days to Update: 84	Next Scheduled EDR Contact: 03/22/2021
	Data Release Frequency: Varies

Local Lists of Registered Storage Tanks

SWEEPS UST: SWEEPS UST Listing

Statewide Environmental Evaluation and Planning System. This underground storage tank listing was updated and maintained by a company contacted by the SWRCB in the early 1990's. The listing is no longer updated or maintained. The local agency is the contact for more information on a site on the SWEEPS list.

Date of Government Version: 06/01/1994	Source: State Water Resources Control Board
Date Data Arrived at EDR: 07/07/2005	Telephone: N/A
Date Made Active in Reports: 08/11/2005	Last EDR Contact: 06/03/2005
Number of Days to Update: 35	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

UST MENDOCINO: Mendocino County UST Database

A listing of underground storage tank locations in Mendocino County.

Date of Government Version: 05/20/2020	Source: Department of Public Health
Date Data Arrived at EDR: 05/20/2020	Telephone: 707-463-4466
Date Made Active in Reports: 08/06/2020	Last EDR Contact: 11/16/2020
Number of Days to Update: 78	Next Scheduled EDR Contact: 03/08/2021
	Data Release Frequency: Annually

HIST UST: Hazardous Substance Storage Container Database

The Hazardous Substance Storage Container Database is a historical listing of UST sites. Refer to local/county source for current data.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 10/15/1990
Date Data Arrived at EDR: 01/25/1991
Date Made Active in Reports: 02/12/1991
Number of Days to Update: 18

Source: State Water Resources Control Board
Telephone: 916-341-5851
Last EDR Contact: 07/26/2001
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

SAN FRANCISCO AST: Aboveground Storage Tank Site Listing Aboveground storage tank sites

Date of Government Version: 08/03/2020
Date Data Arrived at EDR: 08/05/2020
Date Made Active in Reports: 10/22/2020
Number of Days to Update: 78

Source: San Francisco County Department of Public Health
Telephone: 415-252-3896
Last EDR Contact: 10/28/2020
Next Scheduled EDR Contact: 02/15/2021
Data Release Frequency: Varies

CERS TANKS: California Environmental Reporting System (CERS) Tanks

List of sites in the California Environmental Protection Agency (CalEPA) Regulated Site Portal which fall under the Aboveground Petroleum Storage and Underground Storage Tank regulatory programs.

Date of Government Version: 07/20/2020
Date Data Arrived at EDR: 07/21/2020
Date Made Active in Reports: 10/07/2020
Number of Days to Update: 78

Source: California Environmental Protection Agency
Telephone: 916-323-2514
Last EDR Contact: 10/19/2020
Next Scheduled EDR Contact: 02/01/2021
Data Release Frequency: Quarterly

CA FID UST: Facility Inventory Database

The Facility Inventory Database (FID) contains a historical listing of active and inactive underground storage tank locations from the State Water Resource Control Board. Refer to local/county source for current data.

Date of Government Version: 10/31/1994
Date Data Arrived at EDR: 09/05/1995
Date Made Active in Reports: 09/29/1995
Number of Days to Update: 24

Source: California Environmental Protection Agency
Telephone: 916-341-5851
Last EDR Contact: 12/28/1998
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

Local Land Records

LIENS: Environmental Liens Listing

A listing of property locations with environmental liens for California where DTSC is a lien holder.

Date of Government Version: 08/26/2020
Date Data Arrived at EDR: 08/28/2020
Date Made Active in Reports: 11/17/2020
Number of Days to Update: 81

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 11/23/2020
Next Scheduled EDR Contact: 03/15/2021
Data Release Frequency: Varies

LIENS 2: CERCLA Lien Information

A Federal CERCLA ('Superfund') lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 10/28/2020
Date Data Arrived at EDR: 11/05/2020
Date Made Active in Reports: 11/25/2020
Number of Days to Update: 20

Source: Environmental Protection Agency
Telephone: 202-564-6023
Last EDR Contact: 12/02/2020
Next Scheduled EDR Contact: 01/11/2021
Data Release Frequency: Semi-Annually

DEED: Deed Restriction Listing

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Site Mitigation and Brownfields Reuse Program Facility Sites with Deed Restrictions & Hazardous Waste Management Program Facility Sites with Deed / Land Use Restriction. The DTSC Site Mitigation and Brownfields Reuse Program (SMBRP) list includes sites cleaned up under the program's oversight and generally does not include current or former hazardous waste facilities that required a hazardous waste facility permit. The list represents deed restrictions that are active. Some sites have multiple deed restrictions. The DTSC Hazardous Waste Management Program (HWMP) has developed a list of current or former hazardous waste facilities that have a recorded land use restriction at the local county recorder's office. The land use restrictions on this list were required by the DTSC HWMP as a result of the presence of hazardous substances that remain on site after the facility (or part of the facility) has been closed or cleaned up. The types of land use restriction include deed notice, deed restriction, or a land use restriction that binds current and future owners.

Date of Government Version: 08/31/2020	Source: DTSC and SWRCB
Date Data Arrived at EDR: 08/31/2020	Telephone: 916-323-3400
Date Made Active in Reports: 11/20/2020	Last EDR Contact: 12/01/2020
Number of Days to Update: 81	Next Scheduled EDR Contact: 03/15/2021
	Data Release Frequency: Semi-Annually

Records of Emergency Release Reports

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 06/22/2020	Source: U.S. Department of Transportation
Date Data Arrived at EDR: 06/23/2020	Telephone: 202-366-4555
Date Made Active in Reports: 09/17/2020	Last EDR Contact: 09/22/2020
Number of Days to Update: 86	Next Scheduled EDR Contact: 01/04/2021
	Data Release Frequency: Quarterly

CHMIRS: California Hazardous Material Incident Report System

California Hazardous Material Incident Reporting System. CHMIRS contains information on reported hazardous material incidents (accidental releases or spills).

Date of Government Version: 06/30/2020	Source: Office of Emergency Services
Date Data Arrived at EDR: 07/21/2020	Telephone: 916-845-8400
Date Made Active in Reports: 10/07/2020	Last EDR Contact: 10/19/2020
Number of Days to Update: 78	Next Scheduled EDR Contact: 02/01/2021
	Data Release Frequency: Semi-Annually

LDS: Land Disposal Sites Listing (GEOTRACKER)

Land Disposal sites (Landfills) included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

Date of Government Version: 09/08/2020	Source: State Water Quality Control Board
Date Data Arrived at EDR: 09/08/2020	Telephone: 866-480-1028
Date Made Active in Reports: 11/30/2020	Last EDR Contact: 12/04/2020
Number of Days to Update: 83	Next Scheduled EDR Contact: 03/22/2021
	Data Release Frequency: Quarterly

MCS: Military Cleanup Sites Listing (GEOTRACKER)

Military sites (consisting of: Military UST sites; Military Privatized sites; and Military Cleanup sites [formerly known as DoD non UST]) included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

Date of Government Version: 09/08/2020	Source: State Water Resources Control Board
Date Data Arrived at EDR: 09/08/2020	Telephone: 866-480-1028
Date Made Active in Reports: 11/30/2020	Last EDR Contact: 12/04/2020
Number of Days to Update: 83	Next Scheduled EDR Contact: 03/22/2021
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

SPILLS 90: SPILLS90 data from FirstSearch

Spills 90 includes those spill and release records available exclusively from FirstSearch databases. Typically, they may include chemical, oil and/or hazardous substance spills recorded after 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 90.

Date of Government Version: 06/06/2012	Source: FirstSearch
Date Data Arrived at EDR: 01/03/2013	Telephone: N/A
Date Made Active in Reports: 02/22/2013	Last EDR Contact: 01/03/2013
Number of Days to Update: 50	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

Other Ascertainable Records

RCRA NonGen / NLR: RCRA - Non Generators / No Longer Regulated

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 06/15/2020	Source: Environmental Protection Agency
Date Data Arrived at EDR: 06/22/2020	Telephone: (415) 495-8895
Date Made Active in Reports: 09/18/2020	Last EDR Contact: 09/22/2020
Number of Days to Update: 88	Next Scheduled EDR Contact: 01/04/2021
	Data Release Frequency: Quarterly

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 08/05/2020	Source: U.S. Army Corps of Engineers
Date Data Arrived at EDR: 08/13/2020	Telephone: 202-528-4285
Date Made Active in Reports: 10/21/2020	Last EDR Contact: 11/17/2020
Number of Days to Update: 69	Next Scheduled EDR Contact: 03/01/2021
	Data Release Frequency: Varies

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2005	Source: USGS
Date Data Arrived at EDR: 11/10/2006	Telephone: 888-275-8747
Date Made Active in Reports: 01/11/2007	Last EDR Contact: 10/13/2020
Number of Days to Update: 62	Next Scheduled EDR Contact: 01/25/2021
	Data Release Frequency: Semi-Annually

FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 04/02/2018	Source: U.S. Geological Survey
Date Data Arrived at EDR: 04/11/2018	Telephone: 888-275-8747
Date Made Active in Reports: 11/06/2019	Last EDR Contact: 10/08/2020
Number of Days to Update: 574	Next Scheduled EDR Contact: 01/18/2021
	Data Release Frequency: N/A

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 01/01/2017
Date Data Arrived at EDR: 02/03/2017
Date Made Active in Reports: 04/07/2017
Number of Days to Update: 63

Source: Environmental Protection Agency
Telephone: 615-532-8599
Last EDR Contact: 11/09/2020
Next Scheduled EDR Contact: 02/22/2021
Data Release Frequency: Varies

US FIN ASSUR: Financial Assurance Information

All owners and operators of facilities that treat, store, or dispose of hazardous waste are required to provide proof that they will have sufficient funds to pay for the clean up, closure, and post-closure care of their facilities.

Date of Government Version: 06/15/2020
Date Data Arrived at EDR: 06/22/2020
Date Made Active in Reports: 09/10/2020
Number of Days to Update: 80

Source: Environmental Protection Agency
Telephone: 202-566-1917
Last EDR Contact: 09/22/2020
Next Scheduled EDR Contact: 01/04/2021
Data Release Frequency: Quarterly

EPA WATCH LIST: EPA WATCH LIST

EPA maintains a "Watch List" to facilitate dialogue between EPA, state and local environmental agencies on enforcement matters relating to facilities with alleged violations identified as either significant or high priority. Being on the Watch List does not mean that the facility has actually violated the law only that an investigation by EPA or a state or local environmental agency has led those organizations to allege that an unproven violation has in fact occurred. Being on the Watch List does not represent a higher level of concern regarding the alleged violations that were detected, but instead indicates cases requiring additional dialogue between EPA, state and local agencies - primarily because of the length of time the alleged violation has gone unaddressed or unresolved.

Date of Government Version: 08/30/2013
Date Data Arrived at EDR: 03/21/2014
Date Made Active in Reports: 06/17/2014
Number of Days to Update: 88

Source: Environmental Protection Agency
Telephone: 617-520-3000
Last EDR Contact: 11/02/2020
Next Scheduled EDR Contact: 02/15/2021
Data Release Frequency: Quarterly

2020 COR ACTION: 2020 Corrective Action Program List

The EPA has set ambitious goals for the RCRA Corrective Action program by creating the 2020 Corrective Action Universe. This RCRA cleanup baseline includes facilities expected to need corrective action. The 2020 universe contains a wide variety of sites. Some properties are heavily contaminated while others were contaminated but have since been cleaned up. Still others have not been fully investigated yet, and may require little or no remediation. Inclusion in the 2020 Universe does not necessarily imply failure on the part of a facility to meet its RCRA obligations.

Date of Government Version: 09/30/2017
Date Data Arrived at EDR: 05/08/2018
Date Made Active in Reports: 07/20/2018
Number of Days to Update: 73

Source: Environmental Protection Agency
Telephone: 703-308-4044
Last EDR Contact: 11/06/2020
Next Scheduled EDR Contact: 02/15/2021
Data Release Frequency: Varies

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2016
Date Data Arrived at EDR: 06/17/2020
Date Made Active in Reports: 09/10/2020
Number of Days to Update: 85

Source: EPA
Telephone: 202-260-5521
Last EDR Contact: 09/18/2020
Next Scheduled EDR Contact: 12/28/2020
Data Release Frequency: Every 4 Years

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/31/2018
Date Data Arrived at EDR: 08/14/2020
Date Made Active in Reports: 11/04/2020
Number of Days to Update: 82

Source: EPA
Telephone: 202-566-0250
Last EDR Contact: 11/17/2020
Next Scheduled EDR Contact: 03/01/2021
Data Release Frequency: Annually

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 07/20/2020
Date Data Arrived at EDR: 07/21/2020
Date Made Active in Reports: 10/08/2020
Number of Days to Update: 79

Source: EPA
Telephone: 202-564-4203
Last EDR Contact: 10/19/2020
Next Scheduled EDR Contact: 02/01/2021
Data Release Frequency: Annually

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 10/28/2020
Date Data Arrived at EDR: 11/05/2020
Date Made Active in Reports: 11/25/2020
Number of Days to Update: 20

Source: EPA
Telephone: 703-416-0223
Last EDR Contact: 12/02/2020
Next Scheduled EDR Contact: 03/15/2021
Data Release Frequency: Annually

RMP: Risk Management Plans

When Congress passed the Clean Air Act Amendments of 1990, it required EPA to publish regulations and guidance for chemical accident prevention at facilities using extremely hazardous substances. The Risk Management Program Rule (RMP Rule) was written to implement Section 112(r) of these amendments. The rule, which built upon existing industry codes and standards, requires companies of all sizes that use certain flammable and toxic substances to develop a Risk Management Program, which includes a(n): Hazard assessment that details the potential effects of an accidental release, an accident history of the last five years, and an evaluation of worst-case and alternative accidental releases; Prevention program that includes safety precautions and maintenance, monitoring, and employee training measures; and Emergency response program that spells out emergency health care, employee training measures and procedures for informing the public and response agencies (e.g the fire department) should an accident occur.

Date of Government Version: 07/24/2020
Date Data Arrived at EDR: 08/03/2020
Date Made Active in Reports: 10/21/2020
Number of Days to Update: 79

Source: Environmental Protection Agency
Telephone: 202-564-8600
Last EDR Contact: 10/14/2020
Next Scheduled EDR Contact: 02/01/2021
Data Release Frequency: Varies

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995
Date Data Arrived at EDR: 07/03/1995
Date Made Active in Reports: 08/07/1995
Number of Days to Update: 35

Source: EPA
Telephone: 202-564-4104
Last EDR Contact: 06/02/2008
Next Scheduled EDR Contact: 09/01/2008
Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

PRP: Potentially Responsible Parties

A listing of verified Potentially Responsible Parties

Date of Government Version: 04/27/2020	Source: EPA
Date Data Arrived at EDR: 05/06/2020	Telephone: 202-564-6023
Date Made Active in Reports: 06/09/2020	Last EDR Contact: 12/02/2020
Number of Days to Update: 34	Next Scheduled EDR Contact: 02/15/2021
	Data Release Frequency: Quarterly

PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 10/09/2019	Source: EPA
Date Data Arrived at EDR: 10/11/2019	Telephone: 202-566-0500
Date Made Active in Reports: 12/20/2019	Last EDR Contact: 10/02/2020
Number of Days to Update: 70	Next Scheduled EDR Contact: 01/18/2021
	Data Release Frequency: Annually

ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 11/18/2016	Source: Environmental Protection Agency
Date Data Arrived at EDR: 11/23/2016	Telephone: 202-564-2501
Date Made Active in Reports: 02/10/2017	Last EDR Contact: 10/01/2020
Number of Days to Update: 79	Next Scheduled EDR Contact: 01/18/2021
	Data Release Frequency: Quarterly

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009	Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 08/18/2017
Number of Days to Update: 25	Next Scheduled EDR Contact: 12/04/2017
	Data Release Frequency: No Update Planned

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009	Source: EPA
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 08/18/2017
Number of Days to Update: 25	Next Scheduled EDR Contact: 12/04/2017
	Data Release Frequency: No Update Planned

MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 08/05/2020	Source: Nuclear Regulatory Commission
Date Data Arrived at EDR: 08/10/2020	Telephone: 301-415-7169
Date Made Active in Reports: 10/08/2020	Last EDR Contact: 10/12/2020
Number of Days to Update: 59	Next Scheduled EDR Contact: 01/31/2021
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

COAL ASH DOE: Steam-Electric Plant Operation Data

A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2018	Source: Department of Energy
Date Data Arrived at EDR: 12/04/2019	Telephone: 202-586-8719
Date Made Active in Reports: 01/15/2020	Last EDR Contact: 12/01/2020
Number of Days to Update: 42	Next Scheduled EDR Contact: 03/15/2021
	Data Release Frequency: Varies

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List

A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 01/12/2017	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/05/2019	Telephone: N/A
Date Made Active in Reports: 11/11/2019	Last EDR Contact: 11/30/2020
Number of Days to Update: 251	Next Scheduled EDR Contact: 03/15/2021
	Data Release Frequency: Varies

PCB TRANSFORMER: PCB Transformer Registration Database

The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 09/13/2019	Source: Environmental Protection Agency
Date Data Arrived at EDR: 11/06/2019	Telephone: 202-566-0517
Date Made Active in Reports: 02/10/2020	Last EDR Contact: 11/06/2021
Number of Days to Update: 96	Next Scheduled EDR Contact: 02/15/2021
	Data Release Frequency: Varies

RADINFO: Radiation Information Database

The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 07/01/2019	Source: Environmental Protection Agency
Date Data Arrived at EDR: 07/01/2019	Telephone: 202-343-9775
Date Made Active in Reports: 09/23/2019	Last EDR Contact: 09/24/2020
Number of Days to Update: 84	Next Scheduled EDR Contact: 01/11/2021
	Data Release Frequency: Quarterly

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing

A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/01/2007	Telephone: 202-564-2501
Date Made Active in Reports: 04/10/2007	Last EDR Contact: 12/17/2007
Number of Days to Update: 40	Next Scheduled EDR Contact: 03/17/2008
	Data Release Frequency: No Update Planned

HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing

A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2008
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

DOT OPS: Incident and Accident Data

Department of Transportation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 01/02/2020
Date Data Arrived at EDR: 01/28/2020
Date Made Active in Reports: 04/17/2020
Number of Days to Update: 80

Source: Department of Transportation, Office of Pipeline Safety
Telephone: 202-366-4595
Last EDR Contact: 10/27/2020
Next Scheduled EDR Contact: 02/08/2021
Data Release Frequency: Quarterly

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 06/30/2020
Date Data Arrived at EDR: 07/15/2020
Date Made Active in Reports: 07/21/2020
Number of Days to Update: 6

Source: Department of Justice, Consent Decree Library
Telephone: Varies
Last EDR Contact: 10/01/2020
Next Scheduled EDR Contact: 01/18/2021
Data Release Frequency: Varies

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2017
Date Data Arrived at EDR: 06/22/2020
Date Made Active in Reports: 11/20/2020
Number of Days to Update: 151

Source: EPA/NTIS
Telephone: 800-424-9346
Last EDR Contact: 09/22/2020
Next Scheduled EDR Contact: 01/04/2021
Data Release Frequency: Biennially

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2014
Date Data Arrived at EDR: 07/14/2015
Date Made Active in Reports: 01/10/2017
Number of Days to Update: 546

Source: USGS
Telephone: 202-208-3710
Last EDR Contact: 10/06/2020
Next Scheduled EDR Contact: 01/18/2021
Data Release Frequency: Semi-Annually

FUSRAP: Formerly Utilized Sites Remedial Action Program

DOE established the Formerly Utilized Sites Remedial Action Program (FUSRAP) in 1974 to remediate sites where radioactive contamination remained from Manhattan Project and early U.S. Atomic Energy Commission (AEC) operations.

Date of Government Version: 08/08/2017
Date Data Arrived at EDR: 09/11/2018
Date Made Active in Reports: 09/14/2018
Number of Days to Update: 3

Source: Department of Energy
Telephone: 202-586-3559
Last EDR Contact: 11/06/2020
Next Scheduled EDR Contact: 02/15/2021
Data Release Frequency: Varies

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 08/30/2019
Date Data Arrived at EDR: 11/15/2019
Date Made Active in Reports: 01/28/2020
Number of Days to Update: 74

Source: Department of Energy
Telephone: 505-845-0011
Last EDR Contact: 11/20/2020
Next Scheduled EDR Contact: 03/01/2021
Data Release Frequency: Varies

LEAD SMELTER 1: Lead Smelter Sites

A listing of former lead smelter site locations.

Date of Government Version: 10/28/2020
Date Data Arrived at EDR: 11/05/2020
Date Made Active in Reports: 11/25/2020
Number of Days to Update: 20

Source: Environmental Protection Agency
Telephone: 703-603-8787
Last EDR Contact: 12/02/2020
Next Scheduled EDR Contact: 01/11/2021
Data Release Frequency: Varies

LEAD SMELTER 2: Lead Smelter Sites

A list of several hundred sites in the U.S. where secondary lead smelting was done from 1931 and 1964. These sites may pose a threat to public health through ingestion or inhalation of contaminated soil or dust

Date of Government Version: 04/05/2001
Date Data Arrived at EDR: 10/27/2010
Date Made Active in Reports: 12/02/2010
Number of Days to Update: 36

Source: American Journal of Public Health
Telephone: 703-305-6451
Last EDR Contact: 12/02/2009
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

US AIRS (AFS): Aerometric Information Retrieval System Facility Subsystem (AFS)

The database is a sub-system of Aerometric Information Retrieval System (AIRS). AFS contains compliance data on air pollution point sources regulated by the U.S. EPA and/or state and local air regulatory agencies. This information comes from source reports by various stationary sources of air pollution, such as electric power plants, steel mills, factories, and universities, and provides information about the air pollutants they produce. Action, air program, air program pollutant, and general level plant data. It is used to track emissions and compliance data from industrial plants.

Date of Government Version: 10/12/2016
Date Data Arrived at EDR: 10/26/2016
Date Made Active in Reports: 02/03/2017
Number of Days to Update: 100

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 09/26/2017
Next Scheduled EDR Contact: 01/08/2018
Data Release Frequency: Annually

US AIRS MINOR: Air Facility System Data

A listing of minor source facilities.

Date of Government Version: 10/12/2016
Date Data Arrived at EDR: 10/26/2016
Date Made Active in Reports: 02/03/2017
Number of Days to Update: 100

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 09/26/2017
Next Scheduled EDR Contact: 01/08/2018
Data Release Frequency: Annually

MINES VIOLATIONS: MSHA Violation Assessment Data

Mines violation and assessment information. Department of Labor, Mine Safety & Health Administration.

Date of Government Version: 09/10/2020
Date Data Arrived at EDR: 09/15/2020
Date Made Active in Reports: 11/20/2020
Number of Days to Update: 66

Source: DOL, Mine Safety & Health Admi
Telephone: 202-693-9424
Last EDR Contact: 11/24/2020
Next Scheduled EDR Contact: 03/15/2021
Data Release Frequency: Quarterly

US MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 08/04/2020
Date Data Arrived at EDR: 08/25/2020
Date Made Active in Reports: 11/18/2020
Number of Days to Update: 85

Source: Department of Labor, Mine Safety and Health Administration
Telephone: 303-231-5959
Last EDR Contact: 11/23/2020
Next Scheduled EDR Contact: 03/08/2021
Data Release Frequency: Semi-Annually

US MINES 2: Ferrous and Nonferrous Metal Mines Database Listing

This map layer includes ferrous (ferrous metal mines are facilities that extract ferrous metals, such as iron ore or molybdenum) and nonferrous (Nonferrous metal mines are facilities that extract nonferrous metals, such as gold, silver, copper, zinc, and lead) metal mines in the United States.

Date of Government Version: 05/06/2020
Date Data Arrived at EDR: 05/27/2020
Date Made Active in Reports: 08/13/2020
Number of Days to Update: 78

Source: USGS
Telephone: 703-648-7709
Last EDR Contact: 11/25/2020
Next Scheduled EDR Contact: 03/08/2021
Data Release Frequency: Varies

US MINES 3: Active Mines & Mineral Plants Database Listing

Active Mines and Mineral Processing Plant operations for commodities monitored by the Minerals Information Team of the USGS.

Date of Government Version: 04/14/2011
Date Data Arrived at EDR: 06/08/2011
Date Made Active in Reports: 09/13/2011
Number of Days to Update: 97

Source: USGS
Telephone: 703-648-7709
Last EDR Contact: 11/25/2020
Next Scheduled EDR Contact: 03/08/2021
Data Release Frequency: Varies

ABANDONED MINES: Abandoned Mines

An inventory of land and water impacted by past mining (primarily coal mining) is maintained by OSMRE to provide information needed to implement the Surface Mining Control and Reclamation Act of 1977 (SMCRA). The inventory contains information on the location, type, and extent of AML impacts, as well as, information on the cost associated with the reclamation of those problems. The inventory is based upon field surveys by State, Tribal, and OSMRE program officials. It is dynamic to the extent that it is modified as new problems are identified and existing problems are reclaimed.

Date of Government Version: 09/16/2020
Date Data Arrived at EDR: 09/17/2020
Date Made Active in Reports: 12/10/2020
Number of Days to Update: 84

Source: Department of Interior
Telephone: 202-208-2609
Last EDR Contact: 12/10/2020
Next Scheduled EDR Contact: 03/22/2021
Data Release Frequency: Quarterly

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 09/04/2020
Date Data Arrived at EDR: 09/15/2020
Date Made Active in Reports: 11/20/2020
Number of Days to Update: 66

Source: EPA
Telephone: (415) 947-8000
Last EDR Contact: 12/01/2020
Next Scheduled EDR Contact: 03/15/2021
Data Release Frequency: Quarterly

DOCKET HWC: Hazardous Waste Compliance Docket Listing

A complete list of the Federal Agency Hazardous Waste Compliance Docket Facilities.

Date of Government Version: 05/31/2018
Date Data Arrived at EDR: 07/26/2018
Date Made Active in Reports: 10/05/2018
Number of Days to Update: 71

Source: Environmental Protection Agency
Telephone: 202-564-0527
Last EDR Contact: 11/17/2020
Next Scheduled EDR Contact: 03/08/2021
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

UXO: Unexploded Ordnance Sites

A listing of unexploded ordnance site locations

Date of Government Version: 12/31/2018	Source: Department of Defense
Date Data Arrived at EDR: 07/02/2020	Telephone: 703-704-1564
Date Made Active in Reports: 09/17/2020	Last EDR Contact: 10/08/2020
Number of Days to Update: 77	Next Scheduled EDR Contact: 01/25/2021
	Data Release Frequency: Varies

ECHO: Enforcement & Compliance History Information

ECHO provides integrated compliance and enforcement information for about 800,000 regulated facilities nationwide.

Date of Government Version: 06/27/2020	Source: Environmental Protection Agency
Date Data Arrived at EDR: 07/02/2020	Telephone: 202-564-2280
Date Made Active in Reports: 09/28/2020	Last EDR Contact: 10/06/2020
Number of Days to Update: 88	Next Scheduled EDR Contact: 01/18/2021
	Data Release Frequency: Quarterly

FUELS PROGRAM: EPA Fuels Program Registered Listing

This listing includes facilities that are registered under the Part 80 (Code of Federal Regulations) EPA Fuels Programs. All companies now are required to submit new and updated registrations.

Date of Government Version: 08/17/2020	Source: EPA
Date Data Arrived at EDR: 08/17/2020	Telephone: 800-385-6164
Date Made Active in Reports: 10/21/2020	Last EDR Contact: 11/13/2020
Number of Days to Update: 65	Next Scheduled EDR Contact: 03/01/2021
	Data Release Frequency: Quarterly

CA BOND EXP. PLAN: Bond Expenditure Plan

Department of Health Services developed a site-specific expenditure plan as the basis for an appropriation of Hazardous Substance Cleanup Bond Act funds. It is not updated.

Date of Government Version: 01/01/1989	Source: Department of Health Services
Date Data Arrived at EDR: 07/27/1994	Telephone: 916-255-2118
Date Made Active in Reports: 08/02/1994	Last EDR Contact: 05/31/1994
Number of Days to Update: 6	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

CORTESE: "Cortese" Hazardous Waste & Substances Sites List

The sites for the list are designated by the State Water Resource Control Board (LUST), the Integrated Waste Board (SWF/LS), and the Department of Toxic Substances Control (Cal-Sites).

Date of Government Version: 06/22/2020	Source: CAL EPA/Office of Emergency Information
Date Data Arrived at EDR: 06/22/2020	Telephone: 916-323-3400
Date Made Active in Reports: 09/04/2020	Last EDR Contact: 09/23/2020
Number of Days to Update: 74	Next Scheduled EDR Contact: 01/04/2021
	Data Release Frequency: Quarterly

CUPA LIVERMORE-PLEASANTON: CUPA Facility Listing

list of facilities associated with the various CUPA programs in Livermore-Pleasanton

Date of Government Version: 05/01/2019	Source: Livermore-Pleasanton Fire Department
Date Data Arrived at EDR: 05/14/2019	Telephone: 925-454-2361
Date Made Active in Reports: 07/17/2019	Last EDR Contact: 11/13/2020
Number of Days to Update: 64	Next Scheduled EDR Contact: 02/22/2021
	Data Release Frequency: Varies

DRYCLEAN SOUTH COAST: South Coast Air Quality Management District Drycleaner Listing

A listing of dry cleaners in the South Coast Air Quality Management District

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 08/19/2020
Date Data Arrived at EDR: 08/21/2020
Date Made Active in Reports: 09/04/2020
Number of Days to Update: 14

Source: South Coast Air Quality Management District
Telephone: 909-396-3211
Last EDR Contact: 11/16/2020
Next Scheduled EDR Contact: 03/08/2021
Data Release Frequency: Varies

DRYCLEANERS: Cleaner Facilities

A list of drycleaner related facilities that have EPA ID numbers. These are facilities with certain SIC codes: power laundries, family and commercial; garment pressing and cleaner's agents; linen supply; coin-operated laundries and cleaning; drycleaning plants, except rugs; carpet and upholster cleaning; industrial launderers; laundry and garment services.

Date of Government Version: 08/06/2020
Date Data Arrived at EDR: 08/28/2020
Date Made Active in Reports: 11/17/2020
Number of Days to Update: 81

Source: Department of Toxic Substance Control
Telephone: 916-327-4498
Last EDR Contact: 11/23/2020
Next Scheduled EDR Contact: 03/15/2021
Data Release Frequency: Annually

DRYCLEAN AVAQMD: Antelope Valley Air Quality Management District Drycleaner Listing

A listing of dry cleaners in the Antelope Valley Air Quality Management District.

Date of Government Version: 08/25/2020
Date Data Arrived at EDR: 08/26/2020
Date Made Active in Reports: 11/13/2020
Number of Days to Update: 79

Source: Antelope Valley Air Quality Management District
Telephone: 661-723-8070
Last EDR Contact: 11/23/2020
Next Scheduled EDR Contact: 03/15/2021
Data Release Frequency: Varies

EMI: Emissions Inventory Data

Toxics and criteria pollutant emissions data collected by the ARB and local air pollution agencies.

Date of Government Version: 12/31/2018
Date Data Arrived at EDR: 06/16/2020
Date Made Active in Reports: 08/28/2020
Number of Days to Update: 73

Source: California Air Resources Board
Telephone: 916-322-2990
Last EDR Contact: 09/18/2020
Next Scheduled EDR Contact: 12/28/2020
Data Release Frequency: Varies

ENF: Enforcement Action Listing

A listing of Water Board Enforcement Actions. Formal is everything except Oral/Verbal Communication, Notice of Violation, Expedited Payment Letter, and Staff Enforcement Letter.

Date of Government Version: 07/20/2020
Date Data Arrived at EDR: 07/21/2020
Date Made Active in Reports: 10/07/2020
Number of Days to Update: 78

Source: State Water Resources Control Board
Telephone: 916-445-9379
Last EDR Contact: 10/19/2020
Next Scheduled EDR Contact: 02/01/2021
Data Release Frequency: Varies

Financial Assurance 1: Financial Assurance Information Listing

Financial Assurance information

Date of Government Version: 07/13/2020
Date Data Arrived at EDR: 07/16/2020
Date Made Active in Reports: 09/29/2020
Number of Days to Update: 75

Source: Department of Toxic Substances Control
Telephone: 916-255-3628
Last EDR Contact: 10/13/2020
Next Scheduled EDR Contact: 02/01/2021
Data Release Frequency: Varies

Financial Assurance 2: Financial Assurance Information Listing

A listing of financial assurance information for solid waste facilities. Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 08/05/2020
Date Data Arrived at EDR: 08/05/2020
Date Made Active in Reports: 10/23/2020
Number of Days to Update: 79

Source: California Integrated Waste Management Board
Telephone: 916-341-6066
Last EDR Contact: 11/04/2020
Next Scheduled EDR Contact: 02/22/2021
Data Release Frequency: Varies

HAZNET: Facility and Manifest Data

Facility and Manifest Data. The data is extracted from the copies of hazardous waste manifests received each year by the DTSC. The annual volume of manifests is typically 700,000 - 1,000,000 annually, representing approximately 350,000 - 500,000 shipments. Data are from the manifests submitted without correction, and therefore many contain some invalid values for data elements such as generator ID, TSD ID, waste category, and disposal method. This database begins with calendar year 1993.

Date of Government Version: 12/31/2019
Date Data Arrived at EDR: 04/15/2020
Date Made Active in Reports: 07/02/2020
Number of Days to Update: 78

Source: California Environmental Protection Agency
Telephone: 916-255-1136
Last EDR Contact: 10/05/2020
Next Scheduled EDR Contact: 01/18/2021
Data Release Frequency: Annually

ICE: ICE

Contains data pertaining to the Permitted Facilities with Inspections / Enforcements sites tracked in Envirostor.

Date of Government Version: 08/17/2020
Date Data Arrived at EDR: 08/17/2020
Date Made Active in Reports: 11/05/2020
Number of Days to Update: 80

Source: Department of Toxic Substances Control
Telephone: 877-786-9427
Last EDR Contact: 11/13/2020
Next Scheduled EDR Contact: 03/01/2021
Data Release Frequency: Quarterly

HIST CORTESE: Hazardous Waste & Substance Site List

The sites for the list are designated by the State Water Resource Control Board [LUST], the Integrated Waste Board [SWF/LS], and the Department of Toxic Substances Control [CALSITES]. This listing is no longer updated by the state agency.

Date of Government Version: 04/01/2001
Date Data Arrived at EDR: 01/22/2009
Date Made Active in Reports: 04/08/2009
Number of Days to Update: 76

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 01/22/2009
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

HWP: EnviroStor Permitted Facilities Listing

Detailed information on permitted hazardous waste facilities and corrective action ("cleanups") tracked in EnviroStor.

Date of Government Version: 08/17/2020
Date Data Arrived at EDR: 08/17/2020
Date Made Active in Reports: 11/05/2020
Number of Days to Update: 80

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 11/13/2020
Next Scheduled EDR Contact: 03/01/2021
Data Release Frequency: Quarterly

HWT: Registered Hazardous Waste Transporter Database

A listing of hazardous waste transporters. In California, unless specifically exempted, it is unlawful for any person to transport hazardous wastes unless the person holds a valid registration issued by DTSC. A hazardous waste transporter registration is valid for one year and is assigned a unique registration number.

Date of Government Version: 07/06/2020
Date Data Arrived at EDR: 07/07/2020
Date Made Active in Reports: 09/17/2020
Number of Days to Update: 72

Source: Department of Toxic Substances Control
Telephone: 916-440-7145
Last EDR Contact: 10/06/2020
Next Scheduled EDR Contact: 01/18/2021
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

MINES: Mines Site Location Listing

A listing of mine site locations from the Office of Mine Reclamation.

Date of Government Version: 09/08/2020	Source: Department of Conservation
Date Data Arrived at EDR: 09/08/2020	Telephone: 916-322-1080
Date Made Active in Reports: 11/30/2020	Last EDR Contact: 12/08/2020
Number of Days to Update: 83	Next Scheduled EDR Contact: 03/22/2021
	Data Release Frequency: Quarterly

MWMP: Medical Waste Management Program Listing

The Medical Waste Management Program (MWMP) ensures the proper handling and disposal of medical waste by permitting and inspecting medical waste Offsite Treatment Facilities (PDF) and Transfer Stations (PDF) throughout the state. MWMP also oversees all Medical Waste Transporters.

Date of Government Version: 08/31/2020	Source: Department of Public Health
Date Data Arrived at EDR: 08/31/2020	Telephone: 916-558-1784
Date Made Active in Reports: 11/20/2020	Last EDR Contact: 12/01/2020
Number of Days to Update: 81	Next Scheduled EDR Contact: 03/15/2021
	Data Release Frequency: Varies

NPDES: NPDES Permits Listing

A listing of NPDES permits, including stormwater.

Date of Government Version: 08/10/2020	Source: State Water Resources Control Board
Date Data Arrived at EDR: 08/10/2020	Telephone: 916-445-9379
Date Made Active in Reports: 10/29/2020	Last EDR Contact: 11/09/2020
Number of Days to Update: 80	Next Scheduled EDR Contact: 02/22/2021
	Data Release Frequency: Quarterly

PEST LIC: Pesticide Regulation Licenses Listing

A listing of licenses and certificates issued by the Department of Pesticide Regulation. The DPR issues licenses and/or certificates to: Persons and businesses that apply or sell pesticides; Pest control dealers and brokers; Persons who advise on agricultural pesticide applications.

Date of Government Version: 08/31/2020	Source: Department of Pesticide Regulation
Date Data Arrived at EDR: 08/31/2020	Telephone: 916-445-4038
Date Made Active in Reports: 11/20/2020	Last EDR Contact: 12/01/2020
Number of Days to Update: 81	Next Scheduled EDR Contact: 03/15/2021
	Data Release Frequency: Quarterly

PROC: Certified Processors Database

A listing of certified processors.

Date of Government Version: 09/08/2020	Source: Department of Conservation
Date Data Arrived at EDR: 09/08/2020	Telephone: 916-323-3836
Date Made Active in Reports: 12/01/2020	Last EDR Contact: 12/08/2020
Number of Days to Update: 84	Next Scheduled EDR Contact: 03/22/2021
	Data Release Frequency: Quarterly

NOTIFY 65: Proposition 65 Records

Listings of all Proposition 65 incidents reported to counties by the State Water Resources Control Board and the Regional Water Quality Control Board. This database is no longer updated by the reporting agency.

Date of Government Version: 12/07/2020	Source: State Water Resources Control Board
Date Data Arrived at EDR: 12/09/2020	Telephone: 916-445-3846
Date Made Active in Reports: 12/10/2020	Last EDR Contact: 12/07/2020
Number of Days to Update: 1	Next Scheduled EDR Contact: 03/29/2021
	Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

UIC: UIC Listing

A listing of wells identified as underground injection wells, in the California Oil and Gas Wells database.

Date of Government Version: 09/08/2020	Source: Department of Conservation
Date Data Arrived at EDR: 09/08/2020	Telephone: 916-445-2408
Date Made Active in Reports: 12/01/2020	Last EDR Contact: 12/08/2020
Number of Days to Update: 84	Next Scheduled EDR Contact: 03/22/2021
	Data Release Frequency: Varies

UIC GEO: Underground Injection Control Sites (GEOTRACKER)

Underground control injection sites

Date of Government Version: 09/08/2020	Source: State Water Resource Control Board
Date Data Arrived at EDR: 09/08/2020	Telephone: 866-480-1028
Date Made Active in Reports: 11/30/2020	Last EDR Contact: 12/04/2020
Number of Days to Update: 83	Next Scheduled EDR Contact: 03/22/2021
	Data Release Frequency: Varies

WASTEWATER PITS: Oil Wastewater Pits Listing

Water officials discovered that oil producers have been dumping chemical-laden wastewater into hundreds of unlined pits that are operating without proper permits. Inspections completed by the Central Valley Regional Water Quality Control Board revealed the existence of previously unidentified waste sites. The water boards review found that more than one-third of the region's active disposal pits are operating without permission.

Date of Government Version: 11/19/2019	Source: RWQCB, Central Valley Region
Date Data Arrived at EDR: 01/07/2020	Telephone: 559-445-5577
Date Made Active in Reports: 03/09/2020	Last EDR Contact: 10/09/2020
Number of Days to Update: 62	Next Scheduled EDR Contact: 01/18/2021
	Data Release Frequency: Varies

WDS: Waste Discharge System

Sites which have been issued waste discharge requirements.

Date of Government Version: 06/19/2007	Source: State Water Resources Control Board
Date Data Arrived at EDR: 06/20/2007	Telephone: 916-341-5227
Date Made Active in Reports: 06/29/2007	Last EDR Contact: 11/13/2020
Number of Days to Update: 9	Next Scheduled EDR Contact: 03/01/2021
	Data Release Frequency: No Update Planned

WIP: Well Investigation Program Case List

Well Investigation Program case in the San Gabriel and San Fernando Valley area.

Date of Government Version: 07/03/2009	Source: Los Angeles Water Quality Control Board
Date Data Arrived at EDR: 07/21/2009	Telephone: 213-576-6726
Date Made Active in Reports: 08/03/2009	Last EDR Contact: 09/16/2020
Number of Days to Update: 13	Next Scheduled EDR Contact: 01/04/2021
	Data Release Frequency: No Update Planned

MILITARY PRIV SITES: Military Privatized Sites (GEOTRACKER)

Military privatized sites

Date of Government Version: 09/08/2020	Source: State Water Resources Control Board
Date Data Arrived at EDR: 09/08/2020	Telephone: 866-480-1028
Date Made Active in Reports: 11/30/2020	Last EDR Contact: 12/04/2020
Number of Days to Update: 83	Next Scheduled EDR Contact: 03/22/2021
	Data Release Frequency: Varies

PROJECT: Project Sites (GEOTRACKER)

Projects sites

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 09/08/2020
Date Data Arrived at EDR: 09/08/2020
Date Made Active in Reports: 11/30/2020
Number of Days to Update: 83

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 12/04/2020
Next Scheduled EDR Contact: 03/22/2021
Data Release Frequency: Varies

WDR: Waste Discharge Requirements Listing

In general, the Waste Discharge Requirements (WDRs) Program (sometimes also referred to as the "Non Chapter 15 (Non 15) Program") regulates point discharges that are exempt pursuant to Subsection 20090 of Title 27 and not subject to the Federal Water Pollution Control Act. Exemptions from Title 27 may be granted for nine categories of discharges (e.g., sewage, wastewater, etc.) that meet, and continue to meet, the preconditions listed for each specific exemption. The scope of the WDRs Program also includes the discharge of wastes classified as inert, pursuant to section 20230 of Title 27.

Date of Government Version: 09/08/2020
Date Data Arrived at EDR: 09/08/2020
Date Made Active in Reports: 12/01/2020
Number of Days to Update: 84

Source: State Water Resources Control Board
Telephone: 916-341-5810
Last EDR Contact: 12/08/2020
Next Scheduled EDR Contact: 03/22/2021
Data Release Frequency: Quarterly

CIWQS: California Integrated Water Quality System

The California Integrated Water Quality System (CIWQS) is a computer system used by the State and Regional Water Quality Control Boards to track information about places of environmental interest, manage permits and other orders, track inspections, and manage violations and enforcement activities.

Date of Government Version: 08/31/2020
Date Data Arrived at EDR: 08/31/2020
Date Made Active in Reports: 11/20/2020
Number of Days to Update: 81

Source: State Water Resources Control Board
Telephone: 866-794-4977
Last EDR Contact: 12/01/2020
Next Scheduled EDR Contact: 03/01/2021
Data Release Frequency: Varies

CERS: CalEPA Regulated Site Portal Data

The CalEPA Regulated Site Portal database combines data about environmentally regulated sites and facilities in California into a single database. It combines data from a variety of state and federal databases, and provides an overview of regulated activities across the spectrum of environmental programs for any given location in California. These activities include hazardous materials and waste, state and federal cleanups, impacted ground and surface waters, and toxic materials

Date of Government Version: 07/20/2020
Date Data Arrived at EDR: 07/21/2020
Date Made Active in Reports: 10/07/2020
Number of Days to Update: 78

Source: California Environmental Protection Agency
Telephone: 916-323-2514
Last EDR Contact: 10/19/2020
Next Scheduled EDR Contact: 02/01/2021
Data Release Frequency: Varies

NON-CASE INFO: Non-Case Information Sites (GEOTRACKER)

Non-Case Information sites

Date of Government Version: 09/08/2020
Date Data Arrived at EDR: 09/08/2020
Date Made Active in Reports: 11/30/2020
Number of Days to Update: 83

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 12/04/2020
Next Scheduled EDR Contact: 03/22/2021
Data Release Frequency: Varies

OTHER OIL GAS: Other Oil & Gas Projects Sites (GEOTRACKER)

Other Oil & Gas Projects sites

Date of Government Version: 09/08/2020
Date Data Arrived at EDR: 09/08/2020
Date Made Active in Reports: 11/30/2020
Number of Days to Update: 83

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 12/04/2020
Next Scheduled EDR Contact: 03/22/2021
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

PROD WATER PONDS: Produced Water Ponds Sites (GEOTRACKER)

Produced water ponds sites

Date of Government Version: 09/08/2020
Date Data Arrived at EDR: 09/08/2020
Date Made Active in Reports: 11/30/2020
Number of Days to Update: 83

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 12/04/2020
Next Scheduled EDR Contact: 03/22/2021
Data Release Frequency: Varies

SAMPLING POINT: Sampling Point ? Public Sites (GEOTRACKER)

Sampling point - public sites

Date of Government Version: 09/08/2020
Date Data Arrived at EDR: 09/08/2020
Date Made Active in Reports: 11/30/2020
Number of Days to Update: 83

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 12/04/2020
Next Scheduled EDR Contact: 03/22/2021
Data Release Frequency: Varies

WELL STIM PROJ: Well Stimulation Project (GEOTRACKER)

Includes areas of groundwater monitoring plans, a depiction of the monitoring network, and the facilities, boundaries, and subsurface characteristics of the oilfield and the features (oil and gas wells, produced water ponds, UIC wells, water supply wells, etc?) being monitored

Date of Government Version: 09/08/2020
Date Data Arrived at EDR: 09/08/2020
Date Made Active in Reports: 11/30/2020
Number of Days to Update: 83

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 12/04/2020
Next Scheduled EDR Contact: 03/22/2021
Data Release Frequency: Varies

PCS: Permit Compliance System

PCS is a computerized management information system that contains data on National Pollutant Discharge Elimination System (NPDES) permit holding facilities. PCS tracks the permit, compliance, and enforcement status of NPDES facilities.

Date of Government Version: 07/14/2011
Date Data Arrived at EDR: 08/05/2011
Date Made Active in Reports: 09/29/2011
Number of Days to Update: 55

Source: EPA, Office of Water
Telephone: 202-564-2496
Last EDR Contact: 10/02/2020
Next Scheduled EDR Contact: 01/18/2021
Data Release Frequency: Semi-Annually

PCS INACTIVE: Listing of Inactive PCS Permits

An inactive permit is a facility that has shut down or is no longer discharging.

Date of Government Version: 11/05/2014
Date Data Arrived at EDR: 01/06/2015
Date Made Active in Reports: 05/06/2015
Number of Days to Update: 120

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 10/02/2020
Next Scheduled EDR Contact: 01/18/2021
Data Release Frequency: Semi-Annually

PCS ENF: Enforcement data

No description is available for this data

Date of Government Version: 12/31/2014
Date Data Arrived at EDR: 02/05/2015
Date Made Active in Reports: 03/06/2015
Number of Days to Update: 29

Source: EPA
Telephone: 202-564-2497
Last EDR Contact: 10/02/2020
Next Scheduled EDR Contact: 01/18/2021
Data Release Frequency: Varies

MINES MRDS: Mineral Resources Data System

Mineral Resources Data System

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 04/06/2018
Date Data Arrived at EDR: 10/21/2019
Date Made Active in Reports: 10/24/2019
Number of Days to Update: 3

Source: USGS
Telephone: 703-648-6533
Last EDR Contact: 11/25/2020
Next Scheduled EDR Contact: 03/08/2021
Data Release Frequency: Varies

HWTS: Hazardous Waste Tracking System

DTSC maintains the Hazardous Waste Tracking System that stores ID number information since the early 1980s and manifest data since 1993. The system collects both manifest copies from the generator and destination facility.

Date of Government Version: 10/13/2020
Date Data Arrived at EDR: 10/14/2020
Date Made Active in Reports: 11/03/2020
Number of Days to Update: 20

Source: Department of Toxic Substances Control
Telephone: 916-324-2444
Last EDR Contact: 10/01/2020
Next Scheduled EDR Contact: 01/18/2021
Data Release Frequency: Varies

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

EDR Hist Auto: EDR Exclusive Historical Auto Stations

EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR Hist Cleaner: EDR Exclusive Historical Cleaners

EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA LF: Recovered Government Archive Solid Waste Facilities List

The EDR Recovered Government Archive Landfill database provides a list of landfills derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Resources Recycling and Recovery in California.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 01/13/2014
Number of Days to Update: 196

Source: Department of Resources Recycling and Recovery
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

RGA LUST: Recovered Government Archive Leaking Underground Storage Tank

The EDR Recovered Government Archive Leaking Underground Storage Tank database provides a list of LUST incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the State Water Resources Control Board in California.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 12/30/2013
Number of Days to Update: 182

Source: State Water Resources Control Board
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

COUNTY RECORDS

ALAMEDA COUNTY:

CS ALAMEDA: Contaminated Sites

A listing of contaminated sites overseen by the Toxic Release Program (oil and groundwater contamination from chemical releases and spills) and the Leaking Underground Storage Tank Program (soil and ground water contamination from leaking petroleum USTs).

Date of Government Version: 01/09/2019
Date Data Arrived at EDR: 01/11/2019
Date Made Active in Reports: 03/05/2019
Number of Days to Update: 53

Source: Alameda County Environmental Health Services
Telephone: 510-567-6700
Last EDR Contact: 10/01/2020
Next Scheduled EDR Contact: 01/18/2021
Data Release Frequency: Semi-Annually

UST ALAMEDA: Underground Tanks

Underground storage tank sites located in Alameda county.

Date of Government Version: 06/30/2020
Date Data Arrived at EDR: 07/01/2020
Date Made Active in Reports: 07/17/2020
Number of Days to Update: 16

Source: Alameda County Environmental Health Services
Telephone: 510-567-6700
Last EDR Contact: 10/01/2020
Next Scheduled EDR Contact: 01/18/2021
Data Release Frequency: Semi-Annually

AMADOR COUNTY:

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

CUPA AMADOR: CUPA Facility List Cupa Facility List

Date of Government Version: 05/18/2020
Date Data Arrived at EDR: 05/19/2020
Date Made Active in Reports: 06/01/2020
Number of Days to Update: 13

Source: Amador County Environmental Health
Telephone: 209-223-6439
Last EDR Contact: 10/19/2020
Next Scheduled EDR Contact: 02/15/2021
Data Release Frequency: Varies

BUTTE COUNTY:

CUPA BUTTE: CUPA Facility Listing Cupa facility list.

Date of Government Version: 04/21/2017
Date Data Arrived at EDR: 04/25/2017
Date Made Active in Reports: 08/09/2017
Number of Days to Update: 106

Source: Public Health Department
Telephone: 530-538-7149
Last EDR Contact: 10/01/2020
Next Scheduled EDR Contact: 01/18/2021
Data Release Frequency: No Update Planned

CALVERAS COUNTY:

CUPA CALVERAS: CUPA Facility Listing Cupa Facility Listing

Date of Government Version: 06/17/2020
Date Data Arrived at EDR: 06/18/2020
Date Made Active in Reports: 09/02/2020
Number of Days to Update: 76

Source: Calveras County Environmental Health
Telephone: 209-754-6399
Last EDR Contact: 10/01/2020
Next Scheduled EDR Contact: 01/04/2021
Data Release Frequency: Quarterly

COLUSA COUNTY:

CUPA COLUSA: CUPA Facility List Cupa facility list.

Date of Government Version: 04/06/2020
Date Data Arrived at EDR: 04/23/2020
Date Made Active in Reports: 07/10/2020
Number of Days to Update: 78

Source: Health & Human Services
Telephone: 530-458-0396
Last EDR Contact: 10/28/2020
Next Scheduled EDR Contact: 02/15/2021
Data Release Frequency: Semi-Annually

CONTRA COSTA COUNTY:

SL CONTRA COSTA: Site List

List includes sites from the underground tank, hazardous waste generator and business plan/2185 programs.

Date of Government Version: 07/16/2020
Date Data Arrived at EDR: 07/22/2020
Date Made Active in Reports: 10/08/2020
Number of Days to Update: 78

Source: Contra Costa Health Services Department
Telephone: 925-646-2286
Last EDR Contact: 10/20/2020
Next Scheduled EDR Contact: 02/08/2021
Data Release Frequency: Semi-Annually

DEL NORTE COUNTY:

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

CUPA DEL NORTE: CUPA Facility List Cupa Facility list

Date of Government Version: 06/08/2020
Date Data Arrived at EDR: 08/13/2020
Date Made Active in Reports: 10/22/2020
Number of Days to Update: 70

Source: Del Norte County Environmental Health Division
Telephone: 707-465-0426
Last EDR Contact: 10/20/2020
Next Scheduled EDR Contact: 02/08/2021
Data Release Frequency: Varies

EL DORADO COUNTY:

CUPA EL DORADO: CUPA Facility List CUPA facility list.

Date of Government Version: 08/13/2020
Date Data Arrived at EDR: 08/13/2020
Date Made Active in Reports: 10/22/2020
Number of Days to Update: 70

Source: El Dorado County Environmental Management Department
Telephone: 530-621-6623
Last EDR Contact: 10/20/2020
Next Scheduled EDR Contact: 02/08/2021
Data Release Frequency: Varies

FRESNO COUNTY:

CUPA FRESNO: CUPA Resources List

Certified Unified Program Agency. CUPA's are responsible for implementing a unified hazardous materials and hazardous waste management regulatory program. The agency provides oversight of businesses that deal with hazardous materials, operate underground storage tanks or aboveground storage tanks.

Date of Government Version: 06/30/2020
Date Data Arrived at EDR: 07/01/2020
Date Made Active in Reports: 09/17/2020
Number of Days to Update: 78

Source: Dept. of Community Health
Telephone: 559-445-3271
Last EDR Contact: 10/02/2020
Next Scheduled EDR Contact: 01/11/2021
Data Release Frequency: Semi-Annually

GLENN COUNTY:

CUPA GLENN: CUPA Facility List Cupa facility list

Date of Government Version: 01/22/2018
Date Data Arrived at EDR: 01/24/2018
Date Made Active in Reports: 03/14/2018
Number of Days to Update: 49

Source: Glenn County Air Pollution Control District
Telephone: 830-934-6500
Last EDR Contact: 10/13/2020
Next Scheduled EDR Contact: 02/01/2021
Data Release Frequency: No Update Planned

HUMBOLDT COUNTY:

CUPA HUMBOLDT: CUPA Facility List CUPA facility list.

Date of Government Version: 08/13/2020
Date Data Arrived at EDR: 08/17/2020
Date Made Active in Reports: 11/05/2020
Number of Days to Update: 80

Source: Humboldt County Environmental Health
Telephone: N/A
Last EDR Contact: 11/11/2020
Next Scheduled EDR Contact: 03/01/2021
Data Release Frequency: Semi-Annually

IMPERIAL COUNTY:

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

CUPA IMPERIAL: CUPA Facility List Cupa facility list.

Date of Government Version: 07/14/2020
Date Data Arrived at EDR: 07/16/2020
Date Made Active in Reports: 09/29/2020
Number of Days to Update: 75

Source: San Diego Border Field Office
Telephone: 760-339-2777
Last EDR Contact: 10/13/2020
Next Scheduled EDR Contact: 02/01/2021
Data Release Frequency: Varies

INYO COUNTY:

CUPA INYO: CUPA Facility List Cupa facility list.

Date of Government Version: 04/02/2018
Date Data Arrived at EDR: 04/03/2018
Date Made Active in Reports: 06/14/2018
Number of Days to Update: 72

Source: Inyo County Environmental Health Services
Telephone: 760-878-0238
Last EDR Contact: 11/11/2020
Next Scheduled EDR Contact: 03/01/2021
Data Release Frequency: Varies

KERN COUNTY:

CUPA KERN: CUPA Facility List

A listing of sites included in the Kern County Hazardous Material Business Plan.

Date of Government Version: 07/28/2020
Date Data Arrived at EDR: 07/30/2020
Date Made Active in Reports: 10/13/2020
Number of Days to Update: 75

Source: Kern County Public Health
Telephone: 661-321-3000
Last EDR Contact: 10/28/2020
Next Scheduled EDR Contact: 02/15/2021
Data Release Frequency: Varies

UST KERN: Underground Storage Tank Sites & Tank Listing Kern County Sites and Tanks Listing.

Date of Government Version: 07/28/2020
Date Data Arrived at EDR: 07/30/2020
Date Made Active in Reports: 10/14/2020
Number of Days to Update: 76

Source: Kern County Environment Health Services Department
Telephone: 661-862-8700
Last EDR Contact: 10/28/2020
Next Scheduled EDR Contact: 02/15/2021
Data Release Frequency: Quarterly

KINGS COUNTY:

CUPA KINGS: CUPA Facility List

A listing of sites included in the county's Certified Unified Program Agency database. California's Secretary for Environmental Protection established the unified hazardous materials and hazardous waste regulatory program as required by chapter 6.11 of the California Health and Safety Code. The Unified Program consolidates the administration, permits, inspections, and enforcement activities.

Date of Government Version: 05/11/2020
Date Data Arrived at EDR: 05/12/2020
Date Made Active in Reports: 07/27/2020
Number of Days to Update: 76

Source: Kings County Department of Public Health
Telephone: 559-584-1411
Last EDR Contact: 12/03/2020
Next Scheduled EDR Contact: 03/01/2021
Data Release Frequency: Varies

LAKE COUNTY:

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

CUPA LAKE: CUPA Facility List Cupa facility list

Date of Government Version: 08/13/2020
Date Data Arrived at EDR: 08/13/2020
Date Made Active in Reports: 10/23/2020
Number of Days to Update: 71

Source: Lake County Environmental Health
Telephone: 707-263-1164
Last EDR Contact: 10/07/2020
Next Scheduled EDR Contact: 01/25/2021
Data Release Frequency: Varies

LASSEN COUNTY:

CUPA LASSEN: CUPA Facility List Cupa facility list

Date of Government Version: 07/31/2020
Date Data Arrived at EDR: 08/21/2020
Date Made Active in Reports: 11/09/2020
Number of Days to Update: 80

Source: Lassen County Environmental Health
Telephone: 530-251-8528
Last EDR Contact: 10/13/2020
Next Scheduled EDR Contact: 02/01/2021
Data Release Frequency: Varies

LOS ANGELES COUNTY:

AOCONCERN: Key Areas of Concerns in Los Angeles County

San Gabriel Valley areas where VOC contamination is at or above the MCL as designated by region 9 EPA office. Date of Government Version: 3/30/2009 Exide Site area is a cleanup plan of lead-impacted soil surrounding the former Exide Facility as designated by the DTSC. Date of Government Version: 7/17/2017

Date of Government Version: 03/30/2009
Date Data Arrived at EDR: 03/31/2009
Date Made Active in Reports: 10/23/2009
Number of Days to Update: 206

Source: N/A
Telephone: N/A
Last EDR Contact: 12/09/2020
Next Scheduled EDR Contact: 03/29/2021
Data Release Frequency: No Update Planned

HMS LOS ANGELES: HMS: Street Number List

Industrial Waste and Underground Storage Tank Sites.

Date of Government Version: 07/06/2020
Date Data Arrived at EDR: 07/10/2020
Date Made Active in Reports: 09/28/2020
Number of Days to Update: 80

Source: Department of Public Works
Telephone: 626-458-3517
Last EDR Contact: 10/01/2020
Next Scheduled EDR Contact: 01/18/2021
Data Release Frequency: Semi-Annually

LF LOS ANGELES: List of Solid Waste Facilities Solid Waste Facilities in Los Angeles County.

Date of Government Version: 07/13/2020
Date Data Arrived at EDR: 07/13/2020
Date Made Active in Reports: 09/29/2020
Number of Days to Update: 78

Source: La County Department of Public Works
Telephone: 818-458-5185
Last EDR Contact: 10/09/2020
Next Scheduled EDR Contact: 01/25/2021
Data Release Frequency: Varies

LF LOS ANGELES CITY: City of Los Angeles Landfills

Landfills owned and maintained by the City of Los Angeles.

Date of Government Version: 12/31/2019
Date Data Arrived at EDR: 08/17/2020
Date Made Active in Reports: 11/05/2020
Number of Days to Update: 80

Source: Engineering & Construction Division
Telephone: 213-473-7869
Last EDR Contact: 10/07/2020
Next Scheduled EDR Contact: 01/25/2021
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

LOS ANGELES AST: Active & Inactive AST Inventory

A listing of active & inactive above ground petroleum storage tank site locations, located in the City of Los Angeles.

Date of Government Version: 06/01/2019	Source: Los Angeles Fire Department
Date Data Arrived at EDR: 06/25/2019	Telephone: 213-978-3800
Date Made Active in Reports: 08/22/2019	Last EDR Contact: 09/25/2020
Number of Days to Update: 58	Next Scheduled EDR Contact: 01/04/2021
	Data Release Frequency: Varies

LOS ANGELES CO LF METHANE: Methane Producing Landfills

This data was created on April 30, 2012 to represent known disposal sites in Los Angeles County that may produce and emanate methane gas. The shapefile contains disposal sites within Los Angeles County that once accepted degradable refuse material. Information used to create this data was extracted from a landfill survey performed by County Engineers (Major Waste System Map, 1973) as well as historical records from CalRecycle, Regional Water Quality Control Board, and Los Angeles County Department of Public Health

Date of Government Version: 04/30/2012	Source: Los Angeles County Department of Public Works
Date Data Arrived at EDR: 04/17/2019	Telephone: 626-458-6973
Date Made Active in Reports: 05/29/2019	Last EDR Contact: 10/12/2020
Number of Days to Update: 42	Next Scheduled EDR Contact: 01/25/2021
	Data Release Frequency: No Update Planned

LOS ANGELES HM: Active & Inactive Hazardous Materials Inventory

A listing of active & inactive hazardous materials facility locations, located in the City of Los Angeles.

Date of Government Version: 06/01/2019	Source: Los Angeles Fire Department
Date Data Arrived at EDR: 06/25/2019	Telephone: 213-978-3800
Date Made Active in Reports: 08/22/2019	Last EDR Contact: 09/25/2020
Number of Days to Update: 58	Next Scheduled EDR Contact: 01/04/2021
	Data Release Frequency: Varies

LOS ANGELES UST: Active & Inactive UST Inventory

A listing of active & inactive underground storage tank site locations and underground storage tank historical sites, located in the City of Los Angeles.

Date of Government Version: 06/01/2019	Source: Los Angeles Fire Department
Date Data Arrived at EDR: 06/25/2019	Telephone: 213-978-3800
Date Made Active in Reports: 08/22/2019	Last EDR Contact: 09/25/2020
Number of Days to Update: 58	Next Scheduled EDR Contact: 01/04/2021
	Data Release Frequency: Varies

SITE MIT LOS ANGELES: Site Mitigation List

Industrial sites that have had some sort of spill or complaint.

Date of Government Version: 03/25/2020	Source: Community Health Services
Date Data Arrived at EDR: 04/14/2020	Telephone: 323-890-7806
Date Made Active in Reports: 07/01/2020	Last EDR Contact: 10/09/2020
Number of Days to Update: 78	Next Scheduled EDR Contact: 01/25/2021
	Data Release Frequency: Annually

UST EL SEGUNDO: City of El Segundo Underground Storage Tank

Underground storage tank sites located in El Segundo city.

Date of Government Version: 01/21/2017	Source: City of El Segundo Fire Department
Date Data Arrived at EDR: 04/19/2017	Telephone: 310-524-2236
Date Made Active in Reports: 05/10/2017	Last EDR Contact: 10/07/2020
Number of Days to Update: 21	Next Scheduled EDR Contact: 01/25/2021
	Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

UST LONG BEACH: City of Long Beach Underground Storage Tank
Underground storage tank sites located in the city of Long Beach.

Date of Government Version: 04/22/2019	Source: City of Long Beach Fire Department
Date Data Arrived at EDR: 04/23/2019	Telephone: 562-570-2563
Date Made Active in Reports: 06/27/2019	Last EDR Contact: 10/13/2020
Number of Days to Update: 65	Next Scheduled EDR Contact: 02/01/2021
	Data Release Frequency: Varies

UST TORRANCE: City of Torrance Underground Storage Tank
Underground storage tank sites located in the city of Torrance.

Date of Government Version: 06/27/2019	Source: City of Torrance Fire Department
Date Data Arrived at EDR: 07/30/2019	Telephone: 310-618-2973
Date Made Active in Reports: 10/02/2019	Last EDR Contact: 10/05/2020
Number of Days to Update: 64	Next Scheduled EDR Contact: 02/01/2021
	Data Release Frequency: Semi-Annually

MADERA COUNTY:

CUPA MADERA: CUPA Facility List

A listing of sites included in the county's Certified Unified Program Agency database. California's Secretary for Environmental Protection established the unified hazardous materials and hazardous waste regulatory program as required by chapter 6.11 of the California Health and Safety Code. The Unified Program consolidates the administration, permits, inspections, and enforcement activities.

Date of Government Version: 08/10/2020	Source: Madera County Environmental Health
Date Data Arrived at EDR: 08/12/2020	Telephone: 559-675-7823
Date Made Active in Reports: 10/23/2020	Last EDR Contact: 11/11/2020
Number of Days to Update: 72	Next Scheduled EDR Contact: 03/01/2021
	Data Release Frequency: Varies

MARIN COUNTY:

UST MARIN: Underground Storage Tank Sites
Currently permitted USTs in Marin County.

Date of Government Version: 09/26/2018	Source: Public Works Department Waste Management
Date Data Arrived at EDR: 10/04/2018	Telephone: 415-473-6647
Date Made Active in Reports: 11/02/2018	Last EDR Contact: 09/23/2020
Number of Days to Update: 29	Next Scheduled EDR Contact: 01/11/2021
	Data Release Frequency: Semi-Annually

MERCED COUNTY:

CUPA MERCED: CUPA Facility List
CUPA facility list.

Date of Government Version: 07/28/2020	Source: Merced County Environmental Health
Date Data Arrived at EDR: 07/30/2020	Telephone: 209-381-1094
Date Made Active in Reports: 07/31/2020	Last EDR Contact: 11/11/2020
Number of Days to Update: 1	Next Scheduled EDR Contact: 03/01/2021
	Data Release Frequency: Varies

MONO COUNTY:

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

CUPA MONO: CUPA Facility List CUPA Facility List

Date of Government Version: 08/20/2020
Date Data Arrived at EDR: 08/24/2020
Date Made Active in Reports: 11/09/2020
Number of Days to Update: 77

Source: Mono County Health Department
Telephone: 760-932-5580
Last EDR Contact: 11/15/2020
Next Scheduled EDR Contact: 03/08/3021
Data Release Frequency: Varies

MONTEREY COUNTY:

CUPA MONTEREY: CUPA Facility Listing CUPA Program listing from the Environmental Health Division.

Date of Government Version: 07/13/2020
Date Data Arrived at EDR: 07/15/2020
Date Made Active in Reports: 07/31/2020
Number of Days to Update: 16

Source: Monterey County Health Department
Telephone: 831-796-1297
Last EDR Contact: 09/23/2020
Next Scheduled EDR Contact: 01/11/2021
Data Release Frequency: Varies

NAPA COUNTY:

LUST NAPA: Sites With Reported Contamination A listing of leaking underground storage tank sites located in Napa county.

Date of Government Version: 01/09/2017
Date Data Arrived at EDR: 01/11/2017
Date Made Active in Reports: 03/02/2017
Number of Days to Update: 50

Source: Napa County Department of Environmental Management
Telephone: 707-253-4269
Last EDR Contact: 11/16/2020
Next Scheduled EDR Contact: 03/08/2021
Data Release Frequency: No Update Planned

UST NAPA: Closed and Operating Underground Storage Tank Sites Underground storage tank sites located in Napa county.

Date of Government Version: 09/05/2019
Date Data Arrived at EDR: 09/09/2019
Date Made Active in Reports: 10/31/2019
Number of Days to Update: 52

Source: Napa County Department of Environmental Management
Telephone: 707-253-4269
Last EDR Contact: 11/16/2020
Next Scheduled EDR Contact: 03/08/2021
Data Release Frequency: No Update Planned

NEVADA COUNTY:

CUPA NEVADA: CUPA Facility List CUPA facility list.

Date of Government Version: 07/29/2020
Date Data Arrived at EDR: 07/30/2020
Date Made Active in Reports: 10/13/2020
Number of Days to Update: 75

Source: Community Development Agency
Telephone: 530-265-1467
Last EDR Contact: 10/20/2020
Next Scheduled EDR Contact: 02/08/2021
Data Release Frequency: Varies

ORANGE COUNTY:

IND_SITE ORANGE: List of Industrial Site Cleanups Petroleum and non-petroleum spills.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 06/10/2020
Date Data Arrived at EDR: 08/03/2020
Date Made Active in Reports: 10/19/2020
Number of Days to Update: 77

Source: Health Care Agency
Telephone: 714-834-3446
Last EDR Contact: 11/02/2020
Next Scheduled EDR Contact: 02/15/2021
Data Release Frequency: Annually

LUST ORANGE: List of Underground Storage Tank Cleanups
Orange County Underground Storage Tank Cleanups (LUST).

Date of Government Version: 07/02/2020
Date Data Arrived at EDR: 08/05/2020
Date Made Active in Reports: 10/23/2020
Number of Days to Update: 79

Source: Health Care Agency
Telephone: 714-834-3446
Last EDR Contact: 11/02/2020
Next Scheduled EDR Contact: 02/15/2021
Data Release Frequency: Quarterly

UST ORANGE: List of Underground Storage Tank Facilities
Orange County Underground Storage Tank Facilities (UST).

Date of Government Version: 07/01/2020
Date Data Arrived at EDR: 08/03/2020
Date Made Active in Reports: 10/19/2020
Number of Days to Update: 77

Source: Health Care Agency
Telephone: 714-834-3446
Last EDR Contact: 11/03/2020
Next Scheduled EDR Contact: 02/15/2021
Data Release Frequency: Quarterly

PLACER COUNTY:

MS PLACER: Master List of Facilities

List includes aboveground tanks, underground tanks and cleanup sites.

Date of Government Version: 11/24/2020
Date Data Arrived at EDR: 11/24/2020
Date Made Active in Reports: 11/25/2020
Number of Days to Update: 1

Source: Placer County Health and Human Services
Telephone: 530-745-2363
Last EDR Contact: 11/23/2020
Next Scheduled EDR Contact: 03/15/2021
Data Release Frequency: Semi-Annually

PLUMAS COUNTY:

CUPA PLUMAS: CUPA Facility List

Plumas County CUPA Program facilities.

Date of Government Version: 03/31/2019
Date Data Arrived at EDR: 04/23/2019
Date Made Active in Reports: 06/26/2019
Number of Days to Update: 64

Source: Plumas County Environmental Health
Telephone: 530-283-6355
Last EDR Contact: 10/13/2020
Next Scheduled EDR Contact: 02/01/2021
Data Release Frequency: Varies

RIVERSIDE COUNTY:

LUST RIVERSIDE: Listing of Underground Tank Cleanup Sites
Riverside County Underground Storage Tank Cleanup Sites (LUST).

Date of Government Version: 10/06/2020
Date Data Arrived at EDR: 10/07/2020
Date Made Active in Reports: 11/03/2020
Number of Days to Update: 27

Source: Department of Environmental Health
Telephone: 951-358-5055
Last EDR Contact: 12/09/2020
Next Scheduled EDR Contact: 03/29/2021
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

UST RIVERSIDE: Underground Storage Tank Tank List

Underground storage tank sites located in Riverside county.

Date of Government Version: 10/06/2020
Date Data Arrived at EDR: 10/07/2020
Date Made Active in Reports: 11/03/2020
Number of Days to Update: 27

Source: Department of Environmental Health
Telephone: 951-358-5055
Last EDR Contact: 12/09/2020
Next Scheduled EDR Contact: 03/29/2021
Data Release Frequency: Quarterly

SACRAMENTO COUNTY:

CS SACRAMENTO: Toxic Site Clean-Up List

List of sites where unauthorized releases of potentially hazardous materials have occurred.

Date of Government Version: 02/18/2020
Date Data Arrived at EDR: 03/31/2020
Date Made Active in Reports: 06/15/2020
Number of Days to Update: 76

Source: Sacramento County Environmental Management
Telephone: 916-875-8406
Last EDR Contact: 10/02/2020
Next Scheduled EDR Contact: 01/11/2021
Data Release Frequency: Quarterly

ML SACRAMENTO: Master Hazardous Materials Facility List

Any business that has hazardous materials on site - hazardous material storage sites, underground storage tanks, waste generators.

Date of Government Version: 02/24/2020
Date Data Arrived at EDR: 03/31/2020
Date Made Active in Reports: 06/17/2020
Number of Days to Update: 78

Source: Sacramento County Environmental Management
Telephone: 916-875-8406
Last EDR Contact: 10/02/2020
Next Scheduled EDR Contact: 01/11/2021
Data Release Frequency: Quarterly

SAN BENITO COUNTY:

CUPA SAN BENITO: CUPA Facility List

Cupa facility list

Date of Government Version: 08/04/2020
Date Data Arrived at EDR: 08/05/2020
Date Made Active in Reports: 10/22/2020
Number of Days to Update: 78

Source: San Benito County Environmental Health
Telephone: N/A
Last EDR Contact: 10/28/2020
Next Scheduled EDR Contact: 02/15/2021
Data Release Frequency: Varies

SAN BERNARDINO COUNTY:

PERMITS SAN BERNARDINO: Hazardous Material Permits

This listing includes underground storage tanks, medical waste handlers/generators, hazardous materials handlers, hazardous waste generators, and waste oil generators/handlers.

Date of Government Version: 08/04/2020
Date Data Arrived at EDR: 08/05/2020
Date Made Active in Reports: 10/26/2020
Number of Days to Update: 82

Source: San Bernardino County Fire Department Hazardous Materials Division
Telephone: 909-387-3041
Last EDR Contact: 10/28/2020
Next Scheduled EDR Contact: 02/15/2021
Data Release Frequency: Quarterly

SAN DIEGO COUNTY:

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

HMMD SAN DIEGO: Hazardous Materials Management Division Database

The database includes: HE58 - This report contains the business name, site address, business phone number, establishment 'H' permit number, type of permit, and the business status. HE17 - In addition to providing the same information provided in the HE58 listing, HE17 provides inspection dates, violations received by the establishment, hazardous waste generated, the quantity, method of storage, treatment/disposal of waste and the hauler, and information on underground storage tanks. Unauthorized Release List - Includes a summary of environmental contamination cases in San Diego County (underground tank cases, non-tank cases, groundwater contamination, and soil contamination are included.)

Date of Government Version: 08/31/2020
Date Data Arrived at EDR: 08/31/2020
Date Made Active in Reports: 11/23/2020
Number of Days to Update: 84

Source: Hazardous Materials Management Division
Telephone: 619-338-2268
Last EDR Contact: 12/01/2020
Next Scheduled EDR Contact: 03/15/2021
Data Release Frequency: Quarterly

LF SAN DIEGO: Solid Waste Facilities

San Diego County Solid Waste Facilities.

Date of Government Version: 04/18/2018
Date Data Arrived at EDR: 04/24/2018
Date Made Active in Reports: 06/19/2018
Number of Days to Update: 56

Source: Department of Health Services
Telephone: 619-338-2209
Last EDR Contact: 11/16/2020
Next Scheduled EDR Contact: 02/01/2021
Data Release Frequency: Varies

SAN DIEGO CO LOP: Local Oversight Program Listing

A listing of all LOP release sites that are or were under the County of San Diego's jurisdiction. Included are closed or transferred cases, open cases, and cases that did not have a case type indicated. The cases without a case type are mostly complaints; however, some of them could be LOP cases.

Date of Government Version: 07/14/2020
Date Data Arrived at EDR: 07/16/2020
Date Made Active in Reports: 09/29/2020
Number of Days to Update: 75

Source: Department of Environmental Health
Telephone: 858-505-6874
Last EDR Contact: 10/13/2020
Next Scheduled EDR Contact: 02/01/2021
Data Release Frequency: Varies

SAN DIEGO CO SAM: Environmental Case Listing

The listing contains all underground tank release cases and projects pertaining to properties contaminated with hazardous substances that are actively under review by the Site Assessment and Mitigation Program.

Date of Government Version: 03/23/2010
Date Data Arrived at EDR: 06/15/2010
Date Made Active in Reports: 07/09/2010
Number of Days to Update: 24

Source: San Diego County Department of Environmental Health
Telephone: 619-338-2371
Last EDR Contact: 11/23/2020
Next Scheduled EDR Contact: 03/15/2021
Data Release Frequency: No Update Planned

SAN FRANCISCO COUNTY:

CUPA SAN FRANCISCO CO: CUPA Facility Listing

Cupa facilities

Date of Government Version: 08/03/2020
Date Data Arrived at EDR: 08/05/2020
Date Made Active in Reports: 10/22/2020
Number of Days to Update: 78

Source: San Francisco County Department of Environmental Health
Telephone: 415-252-3896
Last EDR Contact: 10/28/2020
Next Scheduled EDR Contact: 02/15/2021
Data Release Frequency: Varies

LUST SAN FRANCISCO: Local Oversight Facilities

A listing of leaking underground storage tank sites located in San Francisco county.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 09/19/2008
Date Data Arrived at EDR: 09/19/2008
Date Made Active in Reports: 09/29/2008
Number of Days to Update: 10

Source: Department Of Public Health San Francisco County
Telephone: 415-252-3920
Last EDR Contact: 10/28/2020
Next Scheduled EDR Contact: 02/15/2021
Data Release Frequency: No Update Planned

UST SAN FRANCISCO: Underground Storage Tank Information

Underground storage tank sites located in San Francisco county.

Date of Government Version: 08/03/2020
Date Data Arrived at EDR: 08/05/2020
Date Made Active in Reports: 10/26/2020
Number of Days to Update: 82

Source: Department of Public Health
Telephone: 415-252-3920
Last EDR Contact: 10/28/2020
Next Scheduled EDR Contact: 02/15/2021
Data Release Frequency: Quarterly

SAN JOAQUIN COUNTY:

UST SAN JOAQUIN: San Joaquin Co. UST

A listing of underground storage tank locations in San Joaquin county.

Date of Government Version: 06/22/2018
Date Data Arrived at EDR: 06/26/2018
Date Made Active in Reports: 07/11/2018
Number of Days to Update: 15

Source: Environmental Health Department
Telephone: N/A
Last EDR Contact: 12/09/2020
Next Scheduled EDR Contact: 03/29/2021
Data Release Frequency: Semi-Annually

SAN LUIS OBISPO COUNTY:

CUPA SAN LUIS OBISPO: CUPA Facility List

Cupa Facility List.

Date of Government Version: 07/27/2020
Date Data Arrived at EDR: 08/12/2020
Date Made Active in Reports: 10/26/2020
Number of Days to Update: 75

Source: San Luis Obispo County Public Health Department
Telephone: 805-781-5596
Last EDR Contact: 11/11/2020
Next Scheduled EDR Contact: 03/01/2021
Data Release Frequency: Varies

SAN MATEO COUNTY:

BI SAN MATEO: Business Inventory

List includes Hazardous Materials Business Plan, hazardous waste generators, and underground storage tanks.

Date of Government Version: 02/20/2020
Date Data Arrived at EDR: 02/20/2020
Date Made Active in Reports: 04/24/2020
Number of Days to Update: 64

Source: San Mateo County Environmental Health Services Division
Telephone: 650-363-1921
Last EDR Contact: 09/11/2020
Next Scheduled EDR Contact: 12/21/2020
Data Release Frequency: Annually

LUST SAN MATEO: Fuel Leak List

A listing of leaking underground storage tank sites located in San Mateo county.

Date of Government Version: 03/29/2019
Date Data Arrived at EDR: 03/29/2019
Date Made Active in Reports: 05/29/2019
Number of Days to Update: 61

Source: San Mateo County Environmental Health Services Division
Telephone: 650-363-1921
Last EDR Contact: 12/01/2020
Next Scheduled EDR Contact: 03/22/2021
Data Release Frequency: Semi-Annually

SANTA BARBARA COUNTY:

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

CUPA SANTA BARBARA: CUPA Facility Listing

CUPA Program Listing from the Environmental Health Services division.

Date of Government Version: 09/08/2011
Date Data Arrived at EDR: 09/09/2011
Date Made Active in Reports: 10/07/2011
Number of Days to Update: 28

Source: Santa Barbara County Public Health Department
Telephone: 805-686-8167
Last EDR Contact: 11/11/2020
Next Scheduled EDR Contact: 03/01/2021
Data Release Frequency: No Update Planned

SANTA CLARA COUNTY:

CUPA SANTA CLARA: Cupa Facility List

Cupa facility list

Date of Government Version: 08/20/2020
Date Data Arrived at EDR: 08/20/2020
Date Made Active in Reports: 11/09/2020
Number of Days to Update: 81

Source: Department of Environmental Health
Telephone: 408-918-1973
Last EDR Contact: 11/11/2020
Next Scheduled EDR Contact: 03/01/2021
Data Release Frequency: Varies

HIST LUST SANTA CLARA: HIST LUST - Fuel Leak Site Activity Report

A listing of open and closed leaking underground storage tanks. This listing is no longer updated by the county. Leaking underground storage tanks are now handled by the Department of Environmental Health.

Date of Government Version: 03/29/2005
Date Data Arrived at EDR: 03/30/2005
Date Made Active in Reports: 04/21/2005
Number of Days to Update: 22

Source: Santa Clara Valley Water District
Telephone: 408-265-2600
Last EDR Contact: 03/23/2009
Next Scheduled EDR Contact: 06/22/2009
Data Release Frequency: No Update Planned

LUST SANTA CLARA: LOP Listing

A listing of leaking underground storage tanks located in Santa Clara county.

Date of Government Version: 03/03/2014
Date Data Arrived at EDR: 03/05/2014
Date Made Active in Reports: 03/18/2014
Number of Days to Update: 13

Source: Department of Environmental Health
Telephone: 408-918-3417
Last EDR Contact: 11/16/2020
Next Scheduled EDR Contact: 03/08/2021
Data Release Frequency: No Update Planned

SAN JOSE HAZMAT: Hazardous Material Facilities

Hazardous material facilities, including underground storage tank sites.

Date of Government Version: 07/30/2020
Date Data Arrived at EDR: 07/31/2020
Date Made Active in Reports: 10/16/2020
Number of Days to Update: 77

Source: City of San Jose Fire Department
Telephone: 408-535-7694
Last EDR Contact: 10/28/2020
Next Scheduled EDR Contact: 02/15/2021
Data Release Frequency: Annually

SANTA CRUZ COUNTY:

CUPA SANTA CRUZ: CUPA Facility List

CUPA facility listing.

Date of Government Version: 01/21/2017
Date Data Arrived at EDR: 02/22/2017
Date Made Active in Reports: 05/23/2017
Number of Days to Update: 90

Source: Santa Cruz County Environmental Health
Telephone: 831-464-2761
Last EDR Contact: 11/11/2020
Next Scheduled EDR Contact: 03/01/2021
Data Release Frequency: Varies

SHASTA COUNTY:

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

CUPA SHASTA: CUPA Facility List Cupa Facility List.

Date of Government Version: 06/15/2017
Date Data Arrived at EDR: 06/19/2017
Date Made Active in Reports: 08/09/2017
Number of Days to Update: 51

Source: Shasta County Department of Resource Management
Telephone: 530-225-5789
Last EDR Contact: 11/11/2020
Next Scheduled EDR Contact: 03/01/2021
Data Release Frequency: Varies

SOLANO COUNTY:

LUST SOLANO: Leaking Underground Storage Tanks

A listing of leaking underground storage tank sites located in Solano county.

Date of Government Version: 06/04/2019
Date Data Arrived at EDR: 06/06/2019
Date Made Active in Reports: 08/13/2019
Number of Days to Update: 68

Source: Solano County Department of Environmental Management
Telephone: 707-784-6770
Last EDR Contact: 06/03/2019
Next Scheduled EDR Contact: 03/15/2021
Data Release Frequency: Quarterly

UST SOLANO: Underground Storage Tanks

Underground storage tank sites located in Solano county.

Date of Government Version: 08/25/2020
Date Data Arrived at EDR: 08/26/2020
Date Made Active in Reports: 09/16/2020
Number of Days to Update: 21

Source: Solano County Department of Environmental Management
Telephone: 707-784-6770
Last EDR Contact: 12/03/2020
Next Scheduled EDR Contact: 03/15/2021
Data Release Frequency: Quarterly

SONOMA COUNTY:

CUPA SONOMA: Cupa Facility List Cupa Facility list

Date of Government Version: 07/07/2020
Date Data Arrived at EDR: 07/08/2020
Date Made Active in Reports: 09/25/2020
Number of Days to Update: 79

Source: County of Sonoma Fire & Emergency Services Department
Telephone: 707-565-1174
Last EDR Contact: 09/16/2020
Next Scheduled EDR Contact: 01/04/2021
Data Release Frequency: Varies

LUST SONOMA: Leaking Underground Storage Tank Sites

A listing of leaking underground storage tank sites located in Sonoma county.

Date of Government Version: 07/01/2020
Date Data Arrived at EDR: 07/02/2020
Date Made Active in Reports: 09/17/2020
Number of Days to Update: 77

Source: Department of Health Services
Telephone: 707-565-6565
Last EDR Contact: 09/16/2020
Next Scheduled EDR Contact: 01/04/2021
Data Release Frequency: Quarterly

STANISLAUS COUNTY:

CUPA STANISLAUS: CUPA Facility List Cupa facility list

Date of Government Version: 02/04/2020
Date Data Arrived at EDR: 02/05/2020
Date Made Active in Reports: 04/15/2020
Number of Days to Update: 70

Source: Stanislaus County Department of Environmental Protection
Telephone: 209-525-6751
Last EDR Contact: 10/02/2020
Next Scheduled EDR Contact: 01/25/2021
Data Release Frequency: Varies

SUTTER COUNTY:

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

UST SUTTER: Underground Storage Tanks

Underground storage tank sites located in Sutter county.

Date of Government Version: 08/25/2020
Date Data Arrived at EDR: 08/26/2020
Date Made Active in Reports: 11/17/2020
Number of Days to Update: 83

Source: Sutter County Environmental Health Services
Telephone: 530-822-7500
Last EDR Contact: 11/23/2020
Next Scheduled EDR Contact: 03/15/2021
Data Release Frequency: Semi-Annually

TEHAMA COUNTY:

CUPA TEHAMA: CUPA Facility List

Cupa facilities

Date of Government Version: 08/11/2020
Date Data Arrived at EDR: 08/12/2020
Date Made Active in Reports: 10/26/2020
Number of Days to Update: 75

Source: Tehama County Department of Environmental Health
Telephone: 530-527-8020
Last EDR Contact: 11/11/2020
Next Scheduled EDR Contact: 02/15/2021
Data Release Frequency: Varies

TRINITY COUNTY:

CUPA TRINITY: CUPA Facility List

Cupa facility list

Date of Government Version: 07/14/2020
Date Data Arrived at EDR: 07/16/2020
Date Made Active in Reports: 09/29/2020
Number of Days to Update: 75

Source: Department of Toxic Substances Control
Telephone: 760-352-0381
Last EDR Contact: 10/13/2020
Next Scheduled EDR Contact: 02/01/2021
Data Release Frequency: Varies

TULARE COUNTY:

CUPA TULARE: CUPA Facility List

Cupa program facilities

Date of Government Version: 08/06/2020
Date Data Arrived at EDR: 08/06/2020
Date Made Active in Reports: 10/26/2020
Number of Days to Update: 81

Source: Tulare County Environmental Health Services Division
Telephone: 559-624-7400
Last EDR Contact: 10/28/2020
Next Scheduled EDR Contact: 02/15/2021
Data Release Frequency: Varies

TUOLUMNE COUNTY:

CUPA TUOLUMNE: CUPA Facility List

Cupa facility list

Date of Government Version: 04/23/2018
Date Data Arrived at EDR: 04/25/2018
Date Made Active in Reports: 06/25/2018
Number of Days to Update: 61

Source: Division of Environmental Health
Telephone: 209-533-5633
Last EDR Contact: 10/13/2020
Next Scheduled EDR Contact: 02/01/2021
Data Release Frequency: Varies

VENTURA COUNTY:

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

BWT VENTURA: Business Plan, Hazardous Waste Producers, and Operating Underground Tanks

The BWT list indicates by site address whether the Environmental Health Division has Business Plan (B), Waste Producer (W), and/or Underground Tank (T) information.

Date of Government Version: 07/10/2020	Source: Ventura County Environmental Health Division
Date Data Arrived at EDR: 07/22/2020	Telephone: 805-654-2813
Date Made Active in Reports: 10/08/2020	Last EDR Contact: 10/19/2020
Number of Days to Update: 78	Next Scheduled EDR Contact: 02/01/2021
	Data Release Frequency: Quarterly

LF VENTURA: Inventory of Illegal Abandoned and Inactive Sites

Ventura County Inventory of Closed, Illegal Abandoned, and Inactive Sites.

Date of Government Version: 12/01/2011	Source: Environmental Health Division
Date Data Arrived at EDR: 12/01/2011	Telephone: 805-654-2813
Date Made Active in Reports: 01/19/2012	Last EDR Contact: 09/23/2020
Number of Days to Update: 49	Next Scheduled EDR Contact: 01/11/2021
	Data Release Frequency: No Update Planned

LUST VENTURA: Listing of Underground Tank Cleanup Sites

Ventura County Underground Storage Tank Cleanup Sites (LUST).

Date of Government Version: 05/29/2008	Source: Environmental Health Division
Date Data Arrived at EDR: 06/24/2008	Telephone: 805-654-2813
Date Made Active in Reports: 07/31/2008	Last EDR Contact: 11/05/2020
Number of Days to Update: 37	Next Scheduled EDR Contact: 02/22/2021
	Data Release Frequency: No Update Planned

MED WASTE VENTURA: Medical Waste Program List

To protect public health and safety and the environment from potential exposure to disease causing agents, the Environmental Health Division Medical Waste Program regulates the generation, handling, storage, treatment and disposal of medical waste throughout the County.

Date of Government Version: 07/10/2020	Source: Ventura County Resource Management Agency
Date Data Arrived at EDR: 07/22/2020	Telephone: 805-654-2813
Date Made Active in Reports: 10/07/2020	Last EDR Contact: 10/19/2020
Number of Days to Update: 77	Next Scheduled EDR Contact: 02/01/2021
	Data Release Frequency: Quarterly

UST VENTURA: Underground Tank Closed Sites List

Ventura County Operating Underground Storage Tank Sites (UST)/Underground Tank Closed Sites List.

Date of Government Version: 08/26/2020	Source: Environmental Health Division
Date Data Arrived at EDR: 09/08/2020	Telephone: 805-654-2813
Date Made Active in Reports: 12/01/2020	Last EDR Contact: 12/08/2020
Number of Days to Update: 84	Next Scheduled EDR Contact: 03/22/2021
	Data Release Frequency: Quarterly

YOLO COUNTY:

UST YOLO: Underground Storage Tank Comprehensive Facility Report

Underground storage tank sites located in Yolo county.

Date of Government Version: 06/23/2020	Source: Yolo County Department of Health
Date Data Arrived at EDR: 06/29/2020	Telephone: 530-666-8646
Date Made Active in Reports: 09/15/2020	Last EDR Contact: 10/07/2020
Number of Days to Update: 78	Next Scheduled EDR Contact: 01/11/2021
	Data Release Frequency: Annually

YUBA COUNTY:

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

CUPA YUBA: CUPA Facility List

CUPA facility listing for Yuba County.

Date of Government Version: 08/06/2020
Date Data Arrived at EDR: 08/07/2020
Date Made Active in Reports: 10/26/2020
Number of Days to Update: 80

Source: Yuba County Environmental Health Department
Telephone: 530-749-7523
Last EDR Contact: 11/03/2020
Next Scheduled EDR Contact: 02/08/2021
Data Release Frequency: Varies

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 08/10/2020
Date Data Arrived at EDR: 10/20/2020
Date Made Active in Reports: 11/02/2020
Number of Days to Update: 13

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3375
Last EDR Contact: 11/09/2020
Next Scheduled EDR Contact: 02/22/2021
Data Release Frequency: No Update Planned

NJ MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2018
Date Data Arrived at EDR: 04/10/2019
Date Made Active in Reports: 05/16/2019
Number of Days to Update: 36

Source: Department of Environmental Protection
Telephone: N/A
Last EDR Contact: 10/09/2020
Next Scheduled EDR Contact: 01/18/2021
Data Release Frequency: Annually

NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 01/01/2019
Date Data Arrived at EDR: 04/29/2020
Date Made Active in Reports: 07/10/2020
Number of Days to Update: 72

Source: Department of Environmental Conservation
Telephone: 518-402-8651
Last EDR Contact: 10/30/2020
Next Scheduled EDR Contact: 02/08/2021
Data Release Frequency: Quarterly

PA MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 06/30/2018
Date Data Arrived at EDR: 07/19/2019
Date Made Active in Reports: 09/10/2019
Number of Days to Update: 53

Source: Department of Environmental Protection
Telephone: 717-783-8990
Last EDR Contact: 10/07/2020
Next Scheduled EDR Contact: 01/25/2021
Data Release Frequency: Annually

RI MANIFEST: Manifest information

Hazardous waste manifest information

Date of Government Version: 12/31/2018
Date Data Arrived at EDR: 10/02/2019
Date Made Active in Reports: 12/10/2019
Number of Days to Update: 69

Source: Department of Environmental Management
Telephone: 401-222-2797
Last EDR Contact: 11/11/2020
Next Scheduled EDR Contact: 03/01/2021
Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

WI MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 05/31/2018
Date Data Arrived at EDR: 06/19/2019
Date Made Active in Reports: 09/03/2019
Number of Days to Update: 76

Source: Department of Natural Resources
Telephone: N/A
Last EDR Contact: 12/03/2020
Next Scheduled EDR Contact: 03/22/2021
Data Release Frequency: Annually

Oil/Gas Pipelines

Source: Endeavor Business Media

Petroleum Bundle (Crude Oil, Refined Products, Petrochemicals, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)) N = Natural Gas Bundle (Natural Gas, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)). This map includes information copyrighted by Endeavor Business Media. This information is provided on a best effort basis and Endeavor Business Media does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of Endeavor Business Media.

Electric Power Transmission Line Data

Source: Endeavor Business Media

This map includes information copyrighted by Endeavor Business Media. This information is provided on a best effort basis and Endeavor Business Media does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of Endeavor Business Media.

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:

Source: American Hospital Association, Inc.
Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing

Source: Centers for Medicare & Medicaid Services
Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes

Source: National Institutes of Health
Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools

Source: National Center for Education Statistics
Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

Private Schools

Source: National Center for Education Statistics
Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

Daycare Centers: Licensed Facilities

Source: Department of Social Services
Telephone: 916-657-4041

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.

Source: FEMA
Telephone: 877-336-2627
Date of Government Version: 2003, 2015

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetland Inventory
Source: Department of Fish and Wildlife
Telephone: 916-445-0411

Current USGS 7.5 Minute Topographic Map
Source: U.S. Geological Survey

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK[®] - PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

905 NORTH CAPITOL AVENUE
905 NORTH CAPITOL AVENUE
SAN JOSE, CA 95133

TARGET PROPERTY COORDINATES

Latitude (North): 37.382905 - 37° 22' 58.46"
Longitude (West): 121.85769 - 121° 51' 27.68"
Universal Transverse Mercator: Zone 10
UTM X (Meters): 601130.6
UTM Y (Meters): 4137758.5
Elevation: 154 ft. above sea level

USGS TOPOGRAPHIC MAP

Target Property Map: 5640636 CALAVERAS RESERVOIR, CA
Version Date: 2012

Southeast Map: 5640414 SAN JOSE EAST, CA
Version Date: 2012

Southwest Map: 5640416 SAN JOSE WEST, CA
Version Date: 2012

Northwest Map: 5640070 MILPITAS, CA
Version Date: 2012

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General WSW

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

<u>Flood Plain Panel at Target Property</u>	<u>FEMA Source Type</u>
06001C0650G	FEMA FIRM Flood data
<u>Additional Panels in search area:</u>	<u>FEMA Source Type</u>
06085C0069H	FEMA FIRM Flood data
06085C0251J	FEMA FIRM Flood data
06085C0252J	FEMA FIRM Flood data

NATIONAL WETLAND INVENTORY

<u>NWI Quad at Target Property</u>	<u>NWI Electronic Data Coverage</u>
CALAVERAS RESERVOIR	YES - refer to the Overview Map and Detail Map

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Site-Specific Hydrogeological Data*:

Search Radius:	1.25 miles
Status:	Not found

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

<u>MAP ID</u>	<u>LOCATION FROM TP</u>	<u>GENERAL DIRECTION GROUNDWATER FLOW</u>
Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT

Era: Cenozoic
System: Quaternary
Series: Quaternary
Code: Q (*decoded above as Era, System & Series*)

GEOLOGIC AGE IDENTIFICATION

Category: Stratified Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps. The following information is based on Soil Conservation Service STATSGO data.

Soil Component Name: BOTELLA

Soil Surface Texture: clay loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class: Not reported

Hydric Status: Soil does not meet the requirements for a hydric soil.

Corrosion Potential - Uncoated Steel: MODERATE

Depth to Bedrock Min: > 60 inches

Depth to Bedrock Max: > 60 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Permeability Rate (in/hr)	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	9 inches	clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay Soils.	Max: 0.60 Min: 0.20	Max: 7.30 Min: 5.60
2	9 inches	41 inches	silty clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay Soils.	Max: 0.60 Min: 0.20	Max: 7.80 Min: 5.60
3	41 inches	76 inches	sandy clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand.	Max: 0.60 Min: 0.20	Max: 7.80 Min: 5.60

OTHER SOIL TYPES IN AREA

Based on Soil Conservation Service STATSGO data, the following additional subordinant soil types may appear within the general area of target property.

Soil Surface Textures: No Other Soil Types

Surficial Soil Types: No Other Soil Types

Shallow Soil Types: No Other Soil Types

Deeper Soil Types: No Other Soil Types

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

<u>DATABASE</u>	<u>SEARCH DISTANCE (miles)</u>
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

FEDERAL USGS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
No Wells Found		

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
No PWS System Found		

Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION


MAP ID	WELL ID	LOCATION FROM TP
A1	CADWR8000034308	0 - 1/8 Mile SE
A2	CADWR0000005008	1/8 - 1/4 Mile SE
B3	CAEDF0000134850	1/4 - 1/2 Mile NNW
B4	CAEDF0000005041	1/4 - 1/2 Mile NNW
B5	CAEDF0000022020	1/4 - 1/2 Mile NNW
B6	CAEDF0000071602	1/4 - 1/2 Mile NNW
B7	CAEDF0000135592	1/4 - 1/2 Mile NNW
B8	CAEDF0000081706	1/4 - 1/2 Mile NW
B9	CAEDF0000125321	1/4 - 1/2 Mile NW
B10	CAEDF0000098279	1/4 - 1/2 Mile NW
B11	CAEDF0000091413	1/4 - 1/2 Mile NW
C12	CAEDF0000051304	1/4 - 1/2 Mile NW
B13	CAEDF0000045366	1/4 - 1/2 Mile NW
B14	CAEDF0000110855	1/4 - 1/2 Mile NW
C15	CAEDF0000115946	1/4 - 1/2 Mile NW
C16	CAEDF0000119645	1/4 - 1/2 Mile NW
C17	CAEDF0000068949	1/4 - 1/2 Mile NW
C18	CAEDF0000089467	1/4 - 1/2 Mile NW
C19	CAEDF0000021344	1/4 - 1/2 Mile NW
C20	CAEDF0000073898	1/4 - 1/2 Mile NW
C21	CAEDF0000123038	1/4 - 1/2 Mile NW
C22	CAEDF0000142766	1/4 - 1/2 Mile NW
23	CADWR0000007163	1/4 - 1/2 Mile North
C24	CAEDF0000038833	1/4 - 1/2 Mile NW
25	CADWR0000012284	1/4 - 1/2 Mile NNE
26	CADWR0000021297	1/4 - 1/2 Mile SSE
27	CADWR0000012285	1/2 - 1 Mile NW
28	CADWR0000032547	1/2 - 1 Mile NE
29	CADWR8000034281	1/2 - 1 Mile SE
30	CADWR0000005700	1/2 - 1 Mile NNE
31	CADWR0000002273	1/2 - 1 Mile East
32	CADWR0000037041	1/2 - 1 Mile NNW
33	CADWR0000027800	1/2 - 1 Mile NE
34	CADWR0000015800	1/2 - 1 Mile NW
D35	CADWR0000015507	1/2 - 1 Mile NE
D36	CADWR0000017034	1/2 - 1 Mile NE

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
37	CADWR0000010291	1/2 - 1 Mile SSW
E38	CAEDF0000078434	1/2 - 1 Mile SSE
E39	CAEDF0000064023	1/2 - 1 Mile SSE
E40	CAEDF0000080456	1/2 - 1 Mile SSE
E41	CAEDF0000093935	1/2 - 1 Mile SSE
E42	CAEDF0000093612	1/2 - 1 Mile SSE
E43	CAEDF0000010917	1/2 - 1 Mile SSE
E44	CAEDF0000001238	1/2 - 1 Mile SSE
E45	CAEDF0000021488	1/2 - 1 Mile SSE
E46	CAEDF0000063020	1/2 - 1 Mile SSE
E47	CAEDF0000057844	1/2 - 1 Mile SSE
E48	CAEDF0000137043	1/2 - 1 Mile SSE
E49	CAEDF0000139645	1/2 - 1 Mile SSE
E50	CAEDF0000139927	1/2 - 1 Mile SSE
E51	CAEDF0000100070	1/2 - 1 Mile SSE
E52	CAEDF0000103144	1/2 - 1 Mile SSE
E53	CAEDF0000117703	1/2 - 1 Mile SSE

PHYSICAL SETTING SOURCE MAP - 06296265.2r



- County Boundary
- Major Roads
- Contour Lines
- Earthquake Fault Lines
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons

- Groundwater Flow Direction
- Indeterminate Groundwater Flow at Location
- Groundwater Flow Varies at Location
- Closest Hydrogeological Data
- Oil, gas or related wells



<p>SITE NAME: 905 North Capitol Avenue ADDRESS: 905 North Capitol Avenue San Jose CA 95133 LAT/LONG: 37.382905 / 121.85769</p>	<p>CLIENT: Engeo Inc. CONTACT: DIVYA BHARGAVA INQUIRY #: 06296265.2r DATE: December 11, 2020 3:46 pm</p>
---	---

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

A1
SE
0 - 1/8 Mile
Higher

CA WELLS CADWR8000034308

State Well #:	06S01E27M006M	Station ID:	52335
Well Name:	06S01E27M006	Well Use:	Irrigation
Well Type:	Single Well	Well Depth:	262
Basin Name:	Santa Clara	Well Completion Rpt #:	NA

A2
SE
1/8 - 1/4 Mile
Higher

CA WELLS CADWR0000005008

Well ID:	06S01E27L003M	Well Type:	UNK
Source:	Department of Water Resources		
Other Name:	06S01E27L003M	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=06S01E27L003M&store_num=		
GeoTracker Data:	Not Reported		

B3
NNW
1/4 - 1/2 Mile
Higher

CA WELLS CAEDF0000134850

Well ID:	T0608500332-MW-6	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-6
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0608500332&assigned_name=MW-6&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0608500332&assigned_name=MW-6		

B4
NNW
1/4 - 1/2 Mile
Higher

CA WELLS CAEDF0000005041

Well ID:	T0608500332-MW-3	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-3
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0608500332&assigned_name=MW-3&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0608500332&assigned_name=MW-3		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

B5
NNW
1/4 - 1/2 Mile
Higher

CA WELLS CAEDF0000022020

Well ID:	T0608500332-MW-4	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-4
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0608500332&assigned_name=MW-4&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0608500332&assigned_name=MW-4		

B6
NNW
1/4 - 1/2 Mile
Higher

CA WELLS CAEDF0000071602

Well ID:	T0608500332-MW-2	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-2
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0608500332&assigned_name=MW-2&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0608500332&assigned_name=MW-2		

B7
NNW
1/4 - 1/2 Mile
Higher

CA WELLS CAEDF0000135592

Well ID:	T0608500332-MW-5	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-5
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0608500332&assigned_name=MW-5&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0608500332&assigned_name=MW-5		

B8
NW
1/4 - 1/2 Mile
Lower

CA WELLS CAEDF0000081706

Well ID:	T0608533095-MW-11D	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-11D
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0608533095&assigned_name=MW-11D&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0608533095&assigned_name=MW-11D		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

B9
NW
1/4 - 1/2 Mile
Lower

CA WELLS CAEDF0000125321

Well ID:	T0608533095-VW-3	Well Type:	MONITORING
Source:	EDF	Other Name:	VW-3
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0608533095&assigned_name=VW-3&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0608533095&assigned_name=VW-3		

B10
NW
1/4 - 1/2 Mile
Lower

CA WELLS CAEDF0000098279

Well ID:	T0608533095-MW-4	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-4
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0608533095&assigned_name=MW-4&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0608533095&assigned_name=MW-4		

B11
NW
1/4 - 1/2 Mile
Lower

CA WELLS CAEDF0000091413

Well ID:	T0608533095-MW-8D	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-8D
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0608533095&assigned_name=MW-8D&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0608533095&assigned_name=MW-8D		

C12
NW
1/4 - 1/2 Mile
Lower

CA WELLS CAEDF0000051304

Well ID:	T0608533095-MW-5A	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-5A
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0608533095&assigned_name=MW-5A&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0608533095&assigned_name=MW-5A		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

B13
NW
1/4 - 1/2 Mile
Lower

CA WELLS CAEDF0000045366

Well ID:	T0608533095-VW-2	Well Type:	MONITORING
Source:	EDF	Other Name:	VW-2
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0608533095&assigned_name=VW-2&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0608533095&assigned_name=VW-2		

B14
NW
1/4 - 1/2 Mile
Lower

CA WELLS CAEDF0000110855

Well ID:	T0608533095-VW-4	Well Type:	MONITORING
Source:	EDF	Other Name:	VW-4
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0608533095&assigned_name=VW-4&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0608533095&assigned_name=VW-4		

C15
NW
1/4 - 1/2 Mile
Lower

CA WELLS CAEDF0000115946

Well ID:	T0608533095-MW-9	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-9
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0608533095&assigned_name=MW-9&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0608533095&assigned_name=MW-9		

C16
NW
1/4 - 1/2 Mile
Lower

CA WELLS CAEDF0000119645

Well ID:	T0608533095-MW-10D	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-10D
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0608533095&assigned_name=MW-10D&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0608533095&assigned_name=MW-10D		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

C17
NW
1/4 - 1/2 Mile
Lower

CA WELLS CAEDF0000068949

Well ID:	T0608533095-EX-1	Well Type:	MONITORING
Source:	EDF	Other Name:	EX-1
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0608533095&assigned_name=EX-1&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0608533095&assigned_name=EX-1		

C18
NW
1/4 - 1/2 Mile
Lower

CA WELLS CAEDF0000089467

Well ID:	T0608533095-MW-3R	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-3R
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0608533095&assigned_name=MW-3R&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0608533095&assigned_name=MW-3R		

C19
NW
1/4 - 1/2 Mile
Lower

CA WELLS CAEDF0000021344

Well ID:	T0608533095-MW-3	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-3
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0608533095&assigned_name=MW-3&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0608533095&assigned_name=MW-3		

C20
NW
1/4 - 1/2 Mile
Lower

CA WELLS CAEDF0000073898

Well ID:	T0608533095-MW-2R	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-2R
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0608533095&assigned_name=MW-2R&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0608533095&assigned_name=MW-2R		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

C21
NW
1/4 - 1/2 Mile
Lower

CA WELLS CAEDF0000123038

Well ID:	T0608533095-MW-2	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-2
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0608533095&assigned_name=MW-2&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0608533095&assigned_name=MW-2		

C22
NW
1/4 - 1/2 Mile
Lower

CA WELLS CAEDF0000142766

Well ID:	T0608533095-MW-7	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-7
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0608533095&assigned_name=MW-7&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0608533095&assigned_name=MW-7		

23
North
1/4 - 1/2 Mile
Higher

CA WELLS CADWR0000007163

Well ID:	06S01E27D001M	Well Type:	UNK
Source:	Department of Water Resources		
Other Name:	06S01E27D001M	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=06S01E27D001M&store_num=		
GeoTracker Data:	Not Reported		

C24
NW
1/4 - 1/2 Mile
Lower

CA WELLS CAEDF0000038833

Well ID:	T0608533095-MW-6	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-6
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0608533095&assigned_name=MW-6&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0608533095&assigned_name=MW-6		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

25
NNE
1/4 - 1/2 Mile
Higher

CA WELLS CADWR0000012284

Well ID:	06S01E27C002M	Well Type:	UNK
Source:	Department of Water Resources		
Other Name:	06S01E27C002M	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=06S01E27C002M&store_num=		
GeoTracker Data:	Not Reported		

26
SSE
1/4 - 1/2 Mile
Lower

CA WELLS CADWR0000021297

Well ID:	06S01E27P002M	Well Type:	UNK
Source:	Department of Water Resources		
Other Name:	06S01E27P002M	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=06S01E27P002M&store_num=		
GeoTracker Data:	Not Reported		

27
NW
1/2 - 1 Mile
Lower

CA WELLS CADWR0000012285

Well ID:	06S01E28A004M	Well Type:	UNK
Source:	Department of Water Resources		
Other Name:	06S01E28A004M	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=06S01E28A004M&store_num=		
GeoTracker Data:	Not Reported		

28
NE
1/2 - 1 Mile
Higher

CA WELLS CADWR0000032547

Well ID:	06S01E27B002M	Well Type:	UNK
Source:	Department of Water Resources		
Other Name:	06S01E27B002M	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=06S01E27B002M&store_num=		
GeoTracker Data:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

29
SE
1/2 - 1 Mile
Lower

CA WELLS CADWR8000034281

State Well #:	06S01E27P002M	Station ID:	47596
Well Name:	06S01E27P002	Well Use:	Observation
Well Type:	Single Well	Well Depth:	389
Basin Name:	Santa Clara	Well Completion Rpt #:	Not Reported

30
NNE
1/2 - 1 Mile
Higher

CA WELLS CADWR0000005700

Well ID:	06S01E22P001M	Well Type:	UNK
Source:	Department of Water Resources		
Other Name:	06S01E22P001M	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=06S01E22P001M&store_num=		
GeoTracker Data:	Not Reported		

31
East
1/2 - 1 Mile
Higher

CA WELLS CADWR0000002273

Well ID:	06S01E27H001M	Well Type:	UNK
Source:	Department of Water Resources		
Other Name:	06S01E27H001M	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=06S01E27H001M&store_num=		
GeoTracker Data:	Not Reported		

32
NNW
1/2 - 1 Mile
Lower

CA WELLS CADWR0000037041

Well ID:	06S01E21R001M	Well Type:	UNK
Source:	Department of Water Resources		
Other Name:	06S01E21R001M	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=06S01E21R001M&store_num=		
GeoTracker Data:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

33
NE
1/2 - 1 Mile
Higher

CA WELLS CADWR0000027800

Well ID:	06S01E22Q001M	Well Type:	UNK
Source:	Department of Water Resources		
Other Name:	06S01E22Q001M	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=06S01E22Q001M&store_num=		
GeoTracker Data:	Not Reported		

34
NW
1/2 - 1 Mile
Lower

CA WELLS CADWR0000015800

Well ID:	06S01E21Q001M	Well Type:	UNK
Source:	Department of Water Resources		
Other Name:	06S01E21Q001M	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=06S01E21Q001M&store_num=		
GeoTracker Data:	Not Reported		

D35
NE
1/2 - 1 Mile
Higher

CA WELLS CADWR0000015507

Well ID:	06S01E22R001M	Well Type:	UNK
Source:	Department of Water Resources		
Other Name:	06S01E22R001M	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=06S01E22R001M&store_num=		
GeoTracker Data:	Not Reported		

D36
NE
1/2 - 1 Mile
Higher

CA WELLS CADWR0000017034

Well ID:	06S01E22R010M	Well Type:	UNK
Source:	Department of Water Resources		
Other Name:	06S01E22R010M	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=06S01E22R010M&store_num=		
GeoTracker Data:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

37
SSW
1/2 - 1 Mile
Lower

CA WELLS CADWR0000010291

Well ID:	06S01E33H001M	Well Type:	UNK
Source:	Department of Water Resources		
Other Name:	06S01E33H001M	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=06S01E33H001M&store_num=		
GeoTracker Data:	Not Reported		

E38
SSE
1/2 - 1 Mile
Lower

CA WELLS CAEDF0000078434

Well ID:	T0608501600-TSG-MW-20	Well Type:	MONITORING
Source:	EDF	Other Name:	TSG-MW-20
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0608501600&assigned_name=TSG-MW-20&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0608501600&assigned_name=TSG-MW-20		

E39
SSE
1/2 - 1 Mile
Lower

CA WELLS CAEDF0000064023

Well ID:	T0608501600-TSG-MW-15B	Well Type:	MONITORING
Source:	EDF	Other Name:	TSG-MW-15B
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0608501600&assigned_name=TSG-MW-15B&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0608501600&assigned_name=TSG-MW-15B		

E40
SSE
1/2 - 1 Mile
Lower

CA WELLS CAEDF0000080456

Well ID:	T0608501600-TSG-MW-16A	Well Type:	MONITORING
Source:	EDF	Other Name:	TSG-MW-16A
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0608501600&assigned_name=TSG-MW-16A&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0608501600&assigned_name=TSG-MW-16A		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

E41
SSE
1/2 - 1 Mile
Lower

CA WELLS CAEDF0000093935

Well ID:	T0608501600-TSG-MW-14B	Well Type:	MONITORING
Source:	EDF	Other Name:	TSG-MW-14B
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0608501600&assigned_name=TSG-MW-14B&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0608501600&assigned_name=TSG-MW-14B		

E42
SSE
1/2 - 1 Mile
Lower

CA WELLS CAEDF0000093612

Well ID:	T0608501600-TSG-MW-15C	Well Type:	MONITORING
Source:	EDF	Other Name:	TSG-MW-15C
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0608501600&assigned_name=TSG-MW-15C&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0608501600&assigned_name=TSG-MW-15C		

E43
SSE
1/2 - 1 Mile
Lower

CA WELLS CAEDF0000010917

Well ID:	T0608501600-TSG-MW-16B	Well Type:	MONITORING
Source:	EDF	Other Name:	TSG-MW-16B
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0608501600&assigned_name=TSG-MW-16B&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0608501600&assigned_name=TSG-MW-16B		

E44
SSE
1/2 - 1 Mile
Lower

CA WELLS CAEDF0000001238

Well ID:	T0608501600-TSG-MW-14D	Well Type:	MONITORING
Source:	EDF	Other Name:	TSG-MW-14D
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0608501600&assigned_name=TSG-MW-14D&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0608501600&assigned_name=TSG-MW-14D		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

E45
SSE
1/2 - 1 Mile
Lower

CA WELLS CAEDF0000021488

Well ID:	T0608501600-TSG-MW-17A	Well Type:	MONITORING
Source:	EDF	Other Name:	TSG-MW-17A
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0608501600&assigned_name=TSG-MW-17A&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0608501600&assigned_name=TSG-MW-17A		

E46
SSE
1/2 - 1 Mile
Lower

CA WELLS CAEDF0000063020

Well ID:	T0608501600-TSG-MW-16C	Well Type:	MONITORING
Source:	EDF	Other Name:	TSG-MW-16C
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0608501600&assigned_name=TSG-MW-16C&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0608501600&assigned_name=TSG-MW-16C		

E47
SSE
1/2 - 1 Mile
Lower

CA WELLS CAEDF0000057844

Well ID:	T0608501600-TSG-MW-22	Well Type:	MONITORING
Source:	EDF	Other Name:	TSG-MW-22
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0608501600&assigned_name=TSG-MW-22&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0608501600&assigned_name=TSG-MW-22		

E48
SSE
1/2 - 1 Mile
Lower

CA WELLS CAEDF0000137043

Well ID:	T0608501600-TSG-MW-16D	Well Type:	MONITORING
Source:	EDF	Other Name:	TSG-MW-16D
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0608501600&assigned_name=TSG-MW-16D&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0608501600&assigned_name=TSG-MW-16D		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

E49
SSE
1/2 - 1 Mile
Lower

CA WELLS CAEDF0000139645

Well ID:	T0608501600-TSG-MW-15A	Well Type:	MONITORING
Source:	EDF	Other Name:	TSG-MW-15A
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0608501600&assigned_name=TSG-MW-15A&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0608501600&assigned_name=TSG-MW-15A		

E50
SSE
1/2 - 1 Mile
Lower

CA WELLS CAEDF0000139927

Well ID:	T0608501600-TSG-MW-14C	Well Type:	MONITORING
Source:	EDF	Other Name:	TSG-MW-14C
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0608501600&assigned_name=TSG-MW-14C&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0608501600&assigned_name=TSG-MW-14C		

E51
SSE
1/2 - 1 Mile
Lower

CA WELLS CAEDF0000100070

Well ID:	T0608501600-TSG-MW-15D	Well Type:	MONITORING
Source:	EDF	Other Name:	TSG-MW-15D
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0608501600&assigned_name=TSG-MW-15D&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0608501600&assigned_name=TSG-MW-15D		

E52
SSE
1/2 - 1 Mile
Lower

CA WELLS CAEDF0000103144

Well ID:	T0608501600-TSG-MW-21	Well Type:	MONITORING
Source:	EDF	Other Name:	TSG-MW-21
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0608501600&assigned_name=TSG-MW-21&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0608501600&assigned_name=TSG-MW-21		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

E53
SSE
1/2 - 1 Mile
Lower

CA WELLS CAEDF0000117703

Well ID: Source: GAMA PFAS Testing: Groundwater Quality Data: GeoTracker Data:	T0608501600-TSG-MW-14A EDF Not Reported https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0608501600&assigned_name=TSG-MW-14A&store_num= https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0608501600&assigned_name=TSG-MW-14A	Well Type: Other Name:	MONITORING TSG-MW-14A
--	---	---------------------------	--------------------------

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS RADON

AREA RADON INFORMATION

State Database: CA Radon

Radon Test Results

Zipcode	Num Tests	> 4 pCi/L
95133	3	0

Federal EPA Radon Zone for SANTA CLARA County: 2

- Note: Zone 1 indoor average level > 4 pCi/L.
 : Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
 : Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for Zip Code: 95133

Number of sites tested: 1

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area - 1st Floor	0.600 pCi/L	100%	0%	0%
Living Area - 2nd Floor	Not Reported	Not Reported	Not Reported	Not Reported
Basement	Not Reported	Not Reported	Not Reported	Not Reported

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Current USGS 7.5 Minute Topographic Map

Source: U.S. Geological Survey

HYDROLOGIC INFORMATION

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.

Source: FEMA

Telephone: 877-336-2627

Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetland Inventory

Source: Department of Fish and Wildlife

Telephone: 916-445-0411

HYDROGEOLOGIC INFORMATION

AQUIFLOW^R Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Service, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

OTHER STATE DATABASE INFORMATION

Groundwater Ambient Monitoring & Assessment Program

State Water Resources Control Board

Telephone: 916-341-5577

The GAMA Program is California's comprehensive groundwater quality monitoring program. GAMA collects data by testing the untreated, raw water in different types of wells for naturally-occurring and man-made chemicals. The GAMA data includes Domestic, Monitoring and Municipal well types from the following sources, Department of Water Resources, Department of Health Services, EDF, Agricultural Lands, Lawrence Livermore National Laboratory, Department of Pesticide Regulation, United States Geological Survey, Groundwater Ambient Monitoring and Assessment Program and Local Groundwater Projects.

Water Well Database

Source: Department of Water Resources

Telephone: 916-651-9648

California Drinking Water Quality Database

Source: Department of Public Health

Telephone: 916-324-2319

The database includes all drinking water compliance and special studies monitoring for the state of California since 1984. It consists of over 3,200,000 individual analyses along with well and water system information.

California Oil and Gas Well Locations

Source: Dept of Conservation, Geologic Energy Management Division

Telephone: 916-323-1779

Oil and Gas well locations in the state.

California Earthquake Fault Lines

Source: California Division of Mines and Geology

The fault lines displayed on EDR's Topographic map are digitized quaternary fault lines prepared in 1975 by the United State Geological Survey. Additional information (also from 1975) regarding activity at specific fault lines comes from California's Preliminary Fault Activity Map prepared by the California Division of Mines and Geology.

RADON

State Database: CA Radon

Source: Department of Public Health

Telephone: 916-210-8558

Radon Database for California

PHYSICAL SETTING SOURCE RECORDS SEARCHED

Area Radon Information

Source: USGS

Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones

Source: EPA

Telephone: 703-356-4020

Sections 307 & 309 of IRRA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

OTHER

Airport Landing Facilities: Private and public use landing facilities

Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater

Source: Department of Commerce, National Oceanic and Atmospheric Administration

California Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary fault lines, prepared in 1975 by the United State Geological Survey. Additional information (also from 1975) regarding activity at specific fault lines comes from California's Preliminary Fault Activity Map prepared by the California Division of Mines and Geology.

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.



APPENDIX B

FIRST AMERICAN TITLE COMPANY

Commitment for Title Insurance



First American

Commitment

ALTA Commitment for Title Insurance

ISSUED BY

First American Title Insurance Company

File No: NCS-1025302-HOU1

COMMITMENT FOR TITLE INSURANCE

Issued By

FIRST AMERICAN TITLE INSURANCE COMPANY

NOTICE

IMPORTANT-READ CAREFULLY: THIS COMMITMENT IS AN OFFER TO ISSUE ONE OR MORE TITLE INSURANCE POLICIES. ALL CLAIMS OR REMEDIES SOUGHT AGAINST THE COMPANY INVOLVING THE CONTENT OF THIS COMMITMENT OR THE POLICY MUST BE BASED SOLELY IN CONTRACT.

THIS COMMITMENT IS NOT AN ABSTRACT OF TITLE, REPORT OF THE CONDITION OF TITLE, LEGAL OPINION, OPINION OF TITLE, OR OTHER REPRESENTATION OF THE STATUS OF TITLE. THE PROCEDURES USED BY THE COMPANY TO DETERMINE INSURABILITY OF THE TITLE, INCLUDING ANY SEARCH AND EXAMINATION, ARE PROPRIETARY TO THE COMPANY, WERE PERFORMED SOLELY FOR THE BENEFIT OF THE COMPANY, AND CREATE NO EXTRACTIONAL LIABILITY TO ANY PERSON, INCLUDING A PROPOSED INSURED.

THE COMPANY'S OBLIGATION UNDER THIS COMMITMENT IS TO ISSUE A POLICY TO A PROPOSED INSURED IDENTIFIED IN SCHEDULE A IN ACCORDANCE WITH THE TERMS AND PROVISIONS OF THIS COMMITMENT. THE COMPANY HAS NO LIABILITY OR OBLIGATION INVOLVING THE CONTENT OF THIS COMMITMENT TO ANY OTHER PERSON.

COMMITMENT TO ISSUE POLICY

Subject to the Notice; Schedule B, Part I-Requirements; Schedule B, Part II-Exceptions; and the Commitment Conditions, ***First American Title Insurance Company***, a Nebraska Corporation (the "Company"), commits to issue the Policy according to the terms and provisions of this Commitment. This Commitment is effective as of the Commitment Date shown in Schedule A for each Policy described in Schedule A, only when the Company has entered in Schedule A both the specified dollar amount as the Proposed Policy Amount and the name of the Proposed Insured.

If all of the Schedule B, Part I-Requirements have not been met within six months after the Commitment Date, this Commitment terminates and the Company's liability and obligation end.

First American Title Insurance Company

Dennis J. Gilmore, President

Greg L. Smith, Secretary

If this jacket was created electronically, it constitutes an original document.

This page is only a part of a 2016 ALTA® Commitment for Title Insurance issued by First American Title Insurance Company. This Commitment is not valid without the Notice; the Commitment to Issue Policy; the Commitment Conditions; Schedule A; Schedule B, Part I-Requirements; Schedule B, Part II-Exceptions.

Copyright 2006-2016 American Land Title Association. All rights reserved.

The use of this Form (or any derivative thereof) is restricted to ALTA licensees and ALTA members in good standing as of the date of use. All other uses are prohibited. Reprinted under license from the American Land Title Association.

COMMITMENT CONDITIONS

1. DEFINITIONS

- (a) "Knowledge" or "Known": Actual or imputed knowledge, but not constructive notice imparted by the Public Records.
- (b) "Land": The land described in Schedule A and affixed improvements that by law constitute real property. The term "Land" does not include any property beyond the lines of the area described in Schedule A, nor any right, title, interest, estate, or easement in abutting streets, roads, avenues, alleys, lanes, ways, or waterways, but this does not modify or limit the extent that a right of access to and from the Land is to be insured by the Policy.
- (c) "Mortgage": A mortgage, deed of trust, or other security instrument, including one evidenced by electronic means authorized by law.
- (d) "Policy": Each contract of title insurance, in a form adopted by the American Land Title Association, issued or to be issued by the Company pursuant to this Commitment.
- (e) "Proposed Insured": Each person identified in Schedule A as the Proposed Insured of each Policy to be issued pursuant to this Commitment.
- (f) "Proposed Policy Amount": Each dollar amount specified in Schedule A as the Proposed Policy Amount of each Policy to be issued pursuant to this Commitment.
- (g) "Public Records": Records established under state statutes at the Commitment Date for the purpose of imparting constructive notice of matters relating to real property to purchasers for value and without Knowledge.
- (h) "Title": The estate or interest described in Schedule A.

2. If all of the Schedule B, Part I—Requirements have not been met within the time period specified in the Commitment to Issue Policy, this Commitment terminates and the Company's liability and obligation end.

3. The Company's liability and obligation is limited by and this Commitment is not valid without:

- (a) the Notice;
- (b) the Commitment to Issue Policy;
- (c) the Commitment Conditions;
- (d) Schedule A;
- (e) Schedule B, Part I—Requirements; and
- (f) Schedule B, Part II—Exceptions.

4. COMPANY'S RIGHT TO AMEND

The Company may amend this Commitment at any time. If the Company amends this Commitment to add a defect, lien, encumbrance, adverse claim, or other matter recorded in the Public Records prior to the Commitment Date, any liability of the Company is limited by Commitment Condition 5. The Company shall not be liable for any other amendment to this Commitment.

5. LIMITATIONS OF LIABILITY

- (a) The Company's liability under Commitment Condition 4 is limited to the Proposed Insured's actual expense incurred in the interval between the Company's delivery to the Proposed Insured of the Commitment and the delivery of the amended Commitment, resulting from the Proposed Insured's good faith reliance to:
 - (i) comply with the Schedule B, Part I—Requirements;
 - (ii) eliminate, with the Company's written consent, any Schedule B, Part II—Exceptions; or
 - (iii) acquire the Title or create the Mortgage covered by this Commitment.
- (b) The Company shall not be liable under Commitment Condition 5(a) if the Proposed Insured requested the amendment or had Knowledge of the matter and did not notify the Company about it in writing.
- (c) The Company will only have liability under Commitment Condition 4 if the Proposed Insured would not have incurred the expense had the Commitment included the added matter when the Commitment was first delivered to the Proposed Insured.
- (d) The Company's liability shall not exceed the lesser of the Proposed Insured's actual expense incurred in good faith and described in Commitment Conditions 5(a)(i) through 5(a)(iii) or the Proposed Policy Amount.
- (e) The Company shall not be liable for the content of the Transaction Identification Data, if any.
- (f) In no event shall the Company be obligated to issue the Policy referred to in this Commitment unless all of the Schedule B, Part I—Requirements have been met to the satisfaction of the Company.
- (g) In any event, the Company's liability is limited by the terms and provisions of the Policy.

This page is only a part of a 2016 ALTA® Commitment for Title Insurance issued by First American Title Insurance Company. This Commitment is not valid without the Notice; the Commitment to Issue Policy; the Commitment Conditions; Schedule A; Schedule B, Part I-Requirements; Schedule B, Part II-Exceptions.

Copyright 2006-2016 American Land Title Association. All rights reserved.

The use of this Form (or any derivative thereof) is restricted to ALTA licensees and ALTA members in good standing as of the date of use. All other uses are prohibited. Reprinted under license from the American Land Title Association.

6. LIABILITY OF THE COMPANY MUST BE BASED ON THIS COMMITMENT

- (a) Only a Proposed Insured identified in Schedule A, and no other person, may make a claim under this Commitment.
- (b) Any claim must be based in contract and must be restricted solely to the terms and provisions of this Commitment.
- (c) Until the Policy is issued, this Commitment, as last revised, is the exclusive and entire agreement between the parties with respect to the subject matter of this Commitment and supersedes all prior commitment negotiations, representations, and proposals of any kind, whether written or oral, express or implied, relating to the subject matter of this Commitment.
- (d) The deletion or modification of any Schedule B, Part II—Exception does not constitute an agreement or obligation to provide coverage beyond the terms and provisions of this Commitment or the Policy.
- (e) Any amendment or endorsement to this Commitment must be in writing and authenticated by a person authorized by the Company.
- (f) When the Policy is issued, all liability and obligation under this Commitment will end and the Company's only liability will be under the Policy.

7. IF THIS COMMITMENT HAS BEEN ISSUED BY AN ISSUING AGENT

The issuing agent is the Company's agent only for the limited purpose of issuing title insurance commitments and policies. The issuing agent is not the Company's agent for the purpose of providing closing or settlement services.

8. PRO-FORMA POLICY

The Company may provide, at the request of a Proposed Insured, a pro-forma policy illustrating the coverage that the Company may provide. A pro-forma policy neither reflects the status of Title at the time that the pro-forma policy is delivered to a Proposed Insured, nor is it a commitment to insure.

9. ARBITRATION

Arbitration provision intentionally removed.

This page is only a part of a 2016 ALTA® Commitment for Title Insurance issued by First American Title Insurance Company. This Commitment is not valid without the Notice; the Commitment to Issue Policy; the Commitment Conditions; Schedule A; Schedule B, Part I-Requirements; Schedule B, Part II-Exceptions.

Copyright 2006-2016 American Land Title Association. All rights reserved.

The use of this Form (or any derivative thereof) is restricted to ALTA licensees and ALTA members in good standing as of the date of use. All other uses are prohibited. Reprinted under license from the American Land Title Association.



First American

Schedule A

ALTA Commitment for Title Insurance

ISSUED BY

First American Title Insurance Company

File No: NCS-1025302-HOU1

Transaction Identification Data for reference only:

Issuing Agent: First American Title Insurance Company National Commercial Services

Commitment No.: NCS-1025302-HOU1

Property Address: 905 North Capital Avenue, San Jose, CA

Revision No.:

Issuing Office: 601 Travis, Suite 1875, Houston, TX 77002

Issuing Office File No.: NCS-1025302-HOU1

Escrow Officer/Assistant: Elvira Fuentes/

Phone: (713)850-0455/

Email: efuentes@firstam.com/

Title Officer/Assistant: Elena Fitzgerald/

Phone: /

Email: efitzgerald@firstam.com/

SCHEDULE A

1. Commitment Date: August 15, 2020 at 7:30 A.M.
2. Policy to be issued:
 - (a) ALTA Extended Owner's Policy 1402.06 (6-17-06)
Proposed Insured: Hanover R. S. Limited Partnership
Proposed Policy Amount: \$ 1,000.00
 - (b) ALTA Loan Policy 1056.6 (6-17-06)
Proposed Insured: To Be Determined
Proposed Policy Amount: \$ 1,000.00
 - (c) 2006 ALTA® Policy
Proposed Insured:
Proposed Policy Amount: \$
3. The estate or interest in the Land described or referred to in this Commitment is

Fee Simple
4. The Title is, [at the Commitment Date, vested in:](#)

The Yoneda Enterprises, L.P., a California limited partnership
5. The Land is described as follows:

See Exhibit "A" attached hereto and made a part hereof

This page is only a part of a 2016 ALTA® Commitment for Title Insurance issued by First American Title Insurance Company. This Commitment is not valid without the Notice; the Commitment to Issue Policy; the Commitment Conditions; Schedule A; Schedule B, Part I-Requirements; Schedule B, Part II-Exceptions.

Copyright 2006-2016 American Land Title Association. All rights reserved.

The use of this Form (or any derivative thereof) is restricted to ALTA licensees and ALTA members in good standing as of the date of use. All other uses are prohibited. Reprinted under license from the American Land Title Association.



First American

Schedule BI & BII

ALTA Commitment for Title Insurance

ISSUED BY

First American Title Insurance Company

File No: NCS-1025302-HOU1

Commitment No.: NCS-1025302-HOU1

SCHEDULE B, PART I

Requirements

All of the following Requirements must be met:

- A. The Proposed Insured must notify the Company in writing of the name of any party not referred to in this Commitment who will obtain an interest in the Land or who will make a loan on the Land. The Company may then make additional Requirements or Exceptions.
- B. Pay the agreed amount for the estate or interest to be insured.
- C. Pay the premiums, fees, and charges for the Policy to the Company.
- D. Documents satisfactory to the Company that convey the Title or create the Mortgage to be insured, or both, must be properly authorized, executed, delivered, and recorded in the Public Records.
- E. Releases(s) or Reconveyance(s) of Item(s): None
- F. Other: None
- G. You must give us the following information:
 - a. Any off record leases, surveys, etc.
 - b. Statement(s) of Identity, all parties.
 - c. Other:

A satisfactory affidavit-death of trustee for the 1993 Yoneda Trust dated April 26, 1993 establishing the fact of death of Masato Yoneda and Fusa Yoneda be recorded in the public records.

The following additional requirements, as indicated by "X", must be met:

- H. Provide information regarding any off-record matters, which may include, but are not limited to: leases, recent works of improvement, or commitment statements in effect under the Environmental Responsibility Acceptance Act, Civil Code Section 850, et seq.

The Company's Owner's Affidavit form (as provided by the company) must be completed and submitted prior to close in order to satisfy this requirement. This Commitment will then be subject to such further exceptions and/or requirements as may be deemed necessary.

- I. An ALTA/NSPS survey of recent date, which complies with the current minimum standard detail requirements for ALTA/NSPS land title surveys, must be submitted to the Company

This page is only a part of a 2016 ALTA® Commitment for Title Insurance issued by First American Title Insurance Company. This Commitment is not valid without the Notice; the Commitment to Issue Policy; the Commitment Conditions; Schedule A; Schedule B, Part I-Requirements; Schedule B, Part II-Exceptions.

Copyright 2006-2016 American Land Title Association. All rights reserved.

The use of this Form (or any derivative thereof) is restricted to ALTA licensees and ALTA members in good standing as of the date of use. All other uses are prohibited. Reprinted under license from the American Land Title Association.

for review. This Commitment will then be subject to such further exceptions and/or requirements as may be deemed necessary.

- J. The following LLC documentation is required from:
 - (i) a copy of the Articles of Organization
 - (ii) a copy of the Operating Agreement, if applicable
 - (iii) a Certificate of Good Standing and/or other evidence of current Authority to Conduct Business within the State
 - (iv) express Company Consent to the current transaction

- K. The following partnership documentation is required :
 - (i) a copy of the partnership agreement, including all applicable amendments thereto
 - (ii) a Certificate of Good Standing and/or other evidence of current Authority to Conduct Business within the State
 - (iii) express Partnership Consent to the current transaction

- L. The following corporation documentation is required:
 - (i) a copy of the Articles of Incorporation
 - (ii) a copy of the Bylaws, including all applicable Amendments thereto
 - (iii) a Certificate of Good Standing and/or other evidence of current Authority to Conduct Business within the State
 - (iv) express Corporate Resolution consenting to the current transaction

- M. Based upon the Company's review of that certain partnership/operating agreement dated **Not disclosed** for the proposed insured herein, the following requirements must be met:
Any further amendments to said agreement must be submitted to the Company, together with an affidavit from one of the general partners or members stating that it is a true copy, that said partnership or limited liability company is in full force and effect, and that there have been no further amendments to the agreement. This Commitment will then be subject to such further requirements as may be deemed necessary.

- N. A copy of the complete lease, as referenced in Schedule A, #3 herein, together with any amendments and/or assignments thereto, must be submitted to the Company for review, along with an affidavit executed by the present lessee stating that it is a true copy, that the lease is in full force and effect, and that there have been no further amendments to the lease. This Commitment will then be subject to such further requirements as may be deemed necessary.

- O. Approval from the Company's Underwriting Department must be obtained for issuance of the policy contemplated herein and any endorsements requested thereunder. This Commitment will then be subject to such further requirements as may be required to obtain such approval.

- P. Potential additional requirements, if ALTA Extended coverage is contemplated hereunder, and work on the land has commenced prior to close, some or all of the following requirements, and any other requirements which may be deemed necessary, may need to be met:

This page is only a part of a 2016 ALTA® Commitment for Title Insurance issued by First American Title Insurance Company. This Commitment is not valid without the Notice; the Commitment to Issue Policy; the Commitment Conditions; Schedule A; Schedule B, Part I-Requirements; Schedule B, Part II-Exceptions.

Copyright 2006-2016 American Land Title Association. All rights reserved.

The use of this Form (or any derivative thereof) is restricted to ALTA licensees and ALTA members in good standing as of the date of use. All other uses are prohibited. Reprinted under license from the American Land Title Association.

- Q. The Company's "Indemnity Agreement I" must be executed by the appropriate parties.
- R. Financial statements from the appropriate parties must be submitted to the Company for review.
- S. A copy of the construction contract must be submitted to the Company for review.
- T. An inspection of the Land must be performed by the Company for verification of the phase of construction.
- U. The Company's "Mechanic's Lien Risk Addendum" form must be completed by a Company employee, based upon information furnished by the appropriate parties involved.

This page is only a part of a 2016 ALTA® Commitment for Title Insurance issued by First American Title Insurance Company. This Commitment is not valid without the Notice; the Commitment to Issue Policy; the Commitment Conditions; Schedule A; Schedule B, Part I-Requirements; Schedule B, Part II-Exceptions.

Copyright 2006-2016 American Land Title Association. All rights reserved.

The use of this Form (or any derivative thereof) is restricted to ALTA licensees and ALTA members in good standing as of the date of use. All other uses are prohibited. Reprinted under license from the American Land Title Association.



First American

Schedule BI & BII (Cont.)

ALTA Commitment for Title Insurance

ISSUED BY

First American Title Insurance Company

File No: NCS-1025302-HOU1

Commitment No.: NCS-1025302-HOU1

SCHEDULE B, PART II

Exceptions

THIS COMMITMENT DOES NOT REPUBLISH ANY COVENANT, CONDITION, RESTRICTION, OR LIMITATION CONTAINED IN ANY DOCUMENT REFERRED TO IN THIS COMMITMENT TO THE EXTENT THAT THE SPECIFIC COVENANT, CONDITION, RESTRICTION, OR LIMITATION VIOLATES STATE OR FEDERAL LAW BASED ON RACE, COLOR, RELIGION, SEX, SEXUAL ORIENTATION, GENDER IDENTITY, HANDICAP, FAMILIAL STATUS, OR NATIONAL ORIGIN.

The Policy will not insure against loss or damage resulting from the terms and provisions of any lease or easement identified in Schedule A, and will include the following Exceptions unless cleared to the satisfaction of the Company:

1. Any defect, lien, encumbrance, adverse claim, or other matter that appears for the first time in the Public Records or is created, attaches, or is disclosed between the Commitment Date and the date on which all of the Schedule B, Part I-Requirements are met.
2. (a) Taxes or assessments that are not shown as existing liens by the records of any taxing authority that levies taxes or assessments on real property or by the Public Records; (b) proceedings by a public agency that may result in taxes or assessments, or notices of such proceedings, whether or not shown by the records of such agency or by the Public Records.
3. Any facts, rights, interests, or claims that are not shown by the Public Records but that could be ascertained by an inspection of the Land or that may be asserted by persons in possession of the Land.
4. Easements, liens or encumbrances, or claims thereof, not shown by the Public Records.
5. Any encroachment, encumbrance, violation, variation, or adverse circumstance affecting the Title that would be disclosed by an accurate and complete land survey of the Land and not shown by the Public Records.
6. (a) Unpatented mining claims; (b) reservations or exceptions in patents or in Acts authorizing the issuance thereof; (c) water rights, claims or title to water, whether or not the matters excepted under (a), (b), or (c) are shown by the Public Records.
7. General and special taxes and assessments for the fiscal year 2020-2021, a lien not yet due or payable.

This page is only a part of a 2016 ALTA® Commitment for Title Insurance issued by First American Title Insurance Company. This Commitment is not valid without the Notice; the Commitment to Issue Policy; the Commitment Conditions; Schedule A; Schedule B, Part I-Requirements; Schedule B, Part II-Exceptions.

Copyright 2006-2016 American Land Title Association. All rights reserved.

The use of this Form (or any derivative thereof) is restricted to ALTA licensees and ALTA members in good standing as of the date of use. All other uses are prohibited. Reprinted under license from the American Land Title Association.

8. The lien of special tax assessed pursuant to Chapter 2.5 commencing with Section 53311 of the California Government Code for Community Facilities District No. 2013-1, as disclosed by Notice of Special Tax Lien recorded January 22, 2014 as Instrument No. [22502535](#) of Official Records.
9. The lien of supplemental taxes, if any, assessed pursuant to Chapter 3.5 commencing with Section 75 of the California Revenue and Taxation Code.
10. An easement for public service and incidental purposes, recorded March 21, 2002 as Instrument No. [16169468](#) of Official Records.
 In Favor of: Santa Clara Valley Transportation Authority
 Affects: As described therein

The terms and provisions contained in the document entitled "Assignment Deed" recorded July 17, 2006 as Instrument No. [19022759](#) of Official Records.

The terms and provisions contained in the document entitled "Assignment Deed" recorded July 17, 2006 as Instrument No. [19022760](#) of Official Records.

11. An easement for public service and incidental purposes, recorded May 24, 2004 as Instrument No. [17806121](#) of Official Records.
 In Favor of: The Santa Clara Valley Transportation Authority
 Affects: As described therein

The terms and provisions contained in the document entitled "Assignment Deed" recorded July 17, 2006 as Instrument No. [19022761](#) of Official Records.

12. TERMS AND CONDITIONS of that certain Permit
 File No.: PD04-038
 Disclosed By: Certificate of Permit
 Recorded: December 14, 2004 as Instrument No. [18145539](#), Official Records

Reference is hereby made to the record for particulars.

13. An easement shown or dedicated on the map filed or recorded March 23, 2005 in [Book 782, Pages 39-40](#) of Parcel Maps
 For: public service and incidental purposes and incidental purposes.
14. The terms and provisions contained in the document entitled "Post-Closing Agreement Regarding Purchase and Sale of Real Property" recorded May 27, 2005 as Instrument No. [18393347](#) of Official Records. By and between The Yoneda Enterprises, L.P., a California limited partnership and Taylor Woodrow Homes, Inc., a California corporation
15. An easement for sidewalk and incidental purposes, recorded January 27, 2006 as Instrument No. [18785960](#) of Official Records.
 In Favor of: The City of San Jose, a municipal corporation
 Affects: As described therein
16. Any facts, rights, interests or claims which would be disclosed by a correct ALTA/NSPS survey.

This page is only a part of a 2016 ALTA® Commitment for Title Insurance issued by First American Title Insurance Company. This Commitment is not valid without the Notice; the Commitment to Issue Policy; the Commitment Conditions; Schedule A; Schedule B, Part I-Requirements; Schedule B, Part II-Exceptions.

Copyright 2006-2016 American Land Title Association. All rights reserved.

The use of this Form (or any derivative thereof) is restricted to ALTA licensees and ALTA members in good standing as of the date of use. All other uses are prohibited. Reprinted under license from the American Land Title Association.

INFORMATIONAL NOTES

ALERT - CA Senate Bill 2 imposes an additional fee of \$75 up to \$225 at the time of recording on certain transactions effective January 1, 2018. Please contact your First American Title representative for more information on how this may affect your closing.

1. Taxes for proration purposes only for the fiscal year 2019-2020.

First Installment: \$575.30, PAID
 Second Installment: \$575.30, PAID
 Tax Rate Area: 017-010
 APN: 254-29-026

(Affects Parcel One)

2. Taxes for proration purposes only for the fiscal year 2019-2020.

First Installment: \$2,165.44, PAID
 Second Installment: \$2,165.44, PAID
 Tax Rate Area: 017-010
 APN: 254-29-028

(Affects Parcel Two)

3. According to the latest available equalized assessment roll in the office of the county tax assessor, there is located on the land a(n) Single Family Residence known as 905 North Capital Avenue, San Jose, California.
4. According to the public records, there has been no conveyance of the land within a period of twenty-four months prior to the date of this report, except as follows:
- None
5. This preliminary report/commitment was prepared based upon an application for a policy of title insurance that identified land by street address or assessor's parcel number only. It is the responsibility of the applicant to determine whether the land referred to herein is in fact the land that is to be described in the policy or policies to be issued.

The map attached, if any, may or may not be a survey of the land depicted thereon. First American Title Insurance Company expressly disclaims any liability for loss or damage which may result from reliance on this map except to the extent coverage for such loss or damage is expressly provided by the terms and provisions of this Commitment or the Policy, if any, to which the map is attached.

This page is only a part of a 2016 ALTA® Commitment for Title Insurance issued by First American Title Insurance Company. This Commitment is not valid without the Notice; the Commitment to Issue Policy; the Commitment Conditions; Schedule A; Schedule B, Part I-Requirements; Schedule B, Part II-Exceptions.

Copyright 2006-2016 American Land Title Association. All rights reserved.

The use of this Form (or any derivative thereof) is restricted to ALTA licensees and ALTA members in good standing as of the date of use. All other uses are prohibited. Reprinted under license from the American Land Title Association.



First American

ISSUED BY

First American Title Insurance Company

File No: NCS-1025302-HOU1

Exhibit A

File No.: NCS-1025302-HOU1

The Land referred to herein below is situated in the City of San Jose, County of Santa Clara, State of California, and is described as follows:

PARCEL ONE:

BEING ALL OF PARCEL 3, AS SHOWN ON THE PARCEL MAP FILED ON MARCH 23, 2005 IN [BOOK 782 OF MAPS AT PAGES 39 AND 40](#), SANTA CLARA COUNTY RECORDS.

PARCEL TWO:

PARCEL A, AS SHOWN ON LOT LINE ADJUSTMENT, AS EVIDENCED BY DOCUMENT RECORDED APRIL 25, 2012 AS INSTRUMENT NO. [21638528](#) OF OFFICIAL RECORDS, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

ALL OF PARCEL 2, AS SHOWN ON THE PARCEL MAP FILED ON MARCH 23, 2005 IN [BOOK 782 OF MAPS AT PAGES 39 AND 40](#), SANTA CLARA COUNTY RECORDS.

AND, EXCEPTING THEREFROM, THE FOLLOWING AREA:

BEGINNING AT THE MOST SOUTHERLY CORNER OF PARCEL NO. 1, AS DESCRIBED IN THE TRUST TRANSFER DEED FROM ANNA CHELSTOWSKI, AN UNMARRIED WOMAN TO ANNA CHELSTOWSKI, AS TRUSTEE OF THE CHELSTOWSKI 1990 LIVING TRUST, RECORDED ON JULY 09, 1990 IN [BOOK L411 OF OFFICIAL RECORDS AT PAGE 1521](#), SAID SANTA CLARA COUNTY RECORDS.

THENCE, FROM SAID POINT OF BEGINNING, ALONG THE SOUTHWESTERLY LINE OF SAID PARCEL NO. 1, NORTH 40° 00' 53" WEST, 2.54 FEET TO THE TRUE POINT OF BEGINNING;

THENCE LEAVING SAID SOUTHWESTERLY LINE, SOUTH 49° 05' 35" WEST, 3.89 FEET;

THENCE PARALLEL WITH SAID SOUTHWESTERLY LINE, NORTH 40° 00' 53" WEST, 80.78 FEET TO A POINT IN THE NORTHWESTERLY LINE OF SAID PARCEL 2;

THENCE LEAVING SAID PARALLEL LINE, ALONG THE NORTHWESTERLY LINE OF SAID PARCEL 2, NORTH 49° 15' 22" EAST, 3.89 FEET TO THE MOST WESTERLY CORNER OF SAID PARCEL NO. 1;

THENCE LEAVING SAID NORTHWESTERLY LINE, ALONG THE SAID SOUTHWESTERLY LINE OF PARCEL NO. 1, SOUTH 40° 00' 53" EAST, 80.77 FEET TO THE TRUE POINT OF BEGINNING.

AND, IN ADDITION THERETO, THE FOLLOWING AREA:

BEGINNING AT THE MOST SOUTHERLY CORNER OF THAT CERTAIN PARCEL OF LAND AS DESCRIBED IN THE GRANT DEED FROM ANNA CHELSTOWSKI, AS TRUSTEE OF THE CHELSTOWSKI 1990 LIVING TRUST TO THE SANTA CLARA VALLEY TRANSPORTATION AUTHORITY, RECORDED ON APRIL 05, 2001 AS DOCUMENT NO. [15621624](#) OF OFFICIAL RECORDS, SAID SANTA CLARA COUNTY RECORDS;

THENCE ALONG THE SOUTHEASTERLY LINE OF PARCEL NO. 2 AND PARCEL NO. 1, AS BOTH PARCELS ARE DESCRIBED

This page is only a part of a 2016 ALTA® Commitment for Title Insurance issued by First American Title Insurance Company. This Commitment is not valid without the Notice; the Commitment to Issue Policy; the Commitment Conditions; Schedule A; Schedule B, Part I-Requirements; Schedule B, Part II-Exceptions.

Copyright 2006-2016 American Land Title Association. All rights reserved.

The use of this Form (or any derivative thereof) is restricted to ALTA licensees and ALTA members in good standing as of the date of use. All other uses are prohibited. Reprinted under license from the American Land Title Association.

IN SAID TRUST TRANSFER DEED FROM ANNA CHELSTOWSKI, AN UNMARRIED WOMAN TO ANNA CHELSTOWSKI, AS TRUSTEE OF THE CHELSTOWSKI 1990 LIVING TRUST, SOUTH 48° 30' 22" WEST, 247.54 FEET TO THE MOST SOUTHERLY CORNER OF SAID PARCEL NO. 1;

THENCE LEAVING SAID SOUTHEASTERLY LINE, ALONG THE SOUTHWESTERLY LINE OF SAID PARCEL NO. 1, NORTH 40° 00' 53" WEST, 2.54 FEET;

THENCE LEAVING SAID SOUTHWESTERLY LINE, NORTH 49° 05' 35" EAST, 247.49 FEET TO THE POINT OF BEGINNING.

For conveyancing purposes only: APN(S) 254-29-026 (Parcel One) and 254-29-028 (Parcel Two)

This page is only a part of a 2016 ALTA® Commitment for Title Insurance issued by First American Title Insurance Company. This Commitment is not valid without the Notice; the Commitment to Issue Policy; the Commitment Conditions; Schedule A; Schedule B, Part I-Requirements; Schedule B, Part II-Exceptions.

Copyright 2006-2016 American Land Title Association. All rights reserved.

The use of this Form (or any derivative thereof) is restricted to ALTA licensees and ALTA members in good standing as of the date of use. All other uses are prohibited. Reprinted under license from the American Land Title Association.



APPENDIX C

ENVIRONMENTAL DATA RESOURCES, INC.

Historical Topographic Map Report

905 North Capitol Avenue

905 North Capitol Avenue

San Jose, CA 95133

Inquiry Number: 6296265.4

December 09, 2020

EDR Historical Topo Map Report

with QuadMatch™



6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

EDR Historical Topo Map Report

12/09/20

Site Name:

905 North Capitol Avenue
905 North Capitol Avenue
San Jose, CA 95133
EDR Inquiry # 6296265.4

Client Name:

Engeo Inc.
2010 Crow Canyon Place
San Ramon, CA 94583
Contact: DIVYA BHARGAVA



EDR Topographic Map Library has been searched by EDR and maps covering the target property location as provided by Engeo Inc. were identified for the years listed below. EDR's Historical Topo Map Report is designed to assist professionals in evaluating potential liability on a target property resulting from past activities. EDR's Historical Topo Map Report includes a search of a collection of public and private color historical topographic maps, dating back to the late 1800s.

Search Results:**Coordinates:**

P.O.#	18124.000.001	Latitude:	37.382905 37° 22' 58" North
Project:	905 North Capitol Avenue	Longitude:	-121.85769 -121° 51' 28" West
		UTM Zone:	Zone 10 North
		UTM X Meters:	601128.10
		UTM Y Meters:	4137962.74
		Elevation:	153.59' above sea level

Maps Provided:

2012 1889
1980
1973
1968
1961
1953
1899
1897

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.


Copyright 2020 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.


Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.


2012 Source Sheets



Calaveras Reservoir
2012
7.5-minute, 24000



San Jose West
2012
7.5-minute, 24000



Milpitas
2012
7.5-minute, 24000



San Jose East
2012
7.5-minute, 24000


1980 Source Sheets




San Jose East
1980
7.5-minute, 24000
Aerial Photo Revised 1978



Calaveras Reservoir
1980
7.5-minute, 24000
Aerial Photo Revised 1978



San Jose West
1980
7.5-minute, 24000
Aerial Photo Revised 1979




Milpitas
1980
7.5-minute, 24000
Aerial Photo Revised 1979

1973 Source Sheets



San Jose East
1973
7.5-minute, 24000
Aerial Photo Revised 1973



Milpitas
1973
7.5-minute, 24000
Aerial Photo Revised 1973




San Jose West
1973
7.5-minute, 24000
Aerial Photo Revised 1973



Calaveras Reservoir
1973
7.5-minute, 24000
Aerial Photo Revised 1973


1968 Source Sheets




Milpitas
1968
7.5-minute, 24000
Aerial Photo Revised 1968



San Jose East
1968
7.5-minute, 24000
Aerial Photo Revised 1968



Calaveras Reservoir
1968
7.5-minute, 24000
Aerial Photo Revised 1968




San Jose West
1968
7.5-minute, 24000
Aerial Photo Revised 1968


Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.


1961 Source Sheets




San Jose East
1961
7.5-minute, 24000
Aerial Photo Revised 1960



Milpitas
1961
7.5-minute, 24000
Aerial Photo Revised 1960



San Jose West
1961
7.5-minute, 24000
Aerial Photo Revised 1960




Calaveras Reservoir
1961
7.5-minute, 24000
Aerial Photo Revised 1960


1953 Source Sheets




Calaveras Reservoir
1953
7.5-minute, 24000
Aerial Photo Revised 1948



Milpitas
1953
7.5-minute, 24000
Aerial Photo Revised 1948




San Jose East
1953
7.5-minute, 24000
Aerial Photo Revised 1948



San Jose West
1953
7.5-minute, 24000
Aerial Photo Revised 1948

1899 Source Sheets



San Jose
1899
15-minute, 62500

1897 Source Sheets



San Jose
1897
15-minute, 62500


Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.



1889 Source Sheets



San Jose
1889
15-minute, 62500




This report includes information from the following map sheet(s).





TP, Calaveras Reservoir, 2012, 7.5-minute
 SE, San Jose East, 2012, 7.5-minute
 SW, San Jose West, 2012, 7.5-minute
 NW, Milpitas, 2012, 7.5-minute

SITE NAME: 905 North Capitol Avenue
ADDRESS: 905 North Capitol Avenue
 San Jose, CA 95133
CLIENT: Engeo Inc.






This report includes information from the following map sheet(s).




TP, Calaveras Reservoir, 1980, 7.5-minute
 SE, San Jose East, 1980, 7.5-minute
 SW, San Jose West, 1980, 7.5-minute
 NW, Milpitas, 1980, 7.5-minute

SITE NAME: 905 North Capitol Avenue
ADDRESS: 905 North Capitol Avenue
 San Jose, CA 95133
CLIENT: Engeo Inc.






This report includes information from the following map sheet(s).





TP, Calaveras Reservoir, 1973, 7.5-minute
 SE, San Jose East, 1973, 7.5-minute
 SW, San Jose West, 1973, 7.5-minute
 NW, Milpitas, 1973, 7.5-minute

SITE NAME: 905 North Capitol Avenue
ADDRESS: 905 North Capitol Avenue
 San Jose, CA 95133
CLIENT: Engco Inc.






This report includes information from the following map sheet(s).





TP, Calaveras Reservoir, 1968, 7.5-minute
 SE, San Jose East, 1968, 7.5-minute
 SW, San Jose West, 1968, 7.5-minute
 NW, Milpitas, 1968, 7.5-minute

SITE NAME: 905 North Capitol Avenue
ADDRESS: 905 North Capitol Avenue
 San Jose, CA 95133
CLIENT: Engco Inc.






This report includes information from the following map sheet(s).




TP, Calaveras Reservoir, 1961, 7.5-minute
 SE, San Jose East, 1961, 7.5-minute
 SW, San Jose West, 1961, 7.5-minute
 NW, Milpitas, 1961, 7.5-minute

SITE NAME: 905 North Capitol Avenue
ADDRESS: 905 North Capitol Avenue
 San Jose, CA 95133
CLIENT: Engeo Inc.






This report includes information from the following map sheet(s).




TP, Calaveras Reservoir, 1953, 7.5-minute
 SE, San Jose East, 1953, 7.5-minute
 SW, San Jose West, 1953, 7.5-minute
 NW, Milpitas, 1953, 7.5-minute

SITE NAME: 905 North Capitol Avenue
ADDRESS: 905 North Capitol Avenue
 San Jose, CA 95133
CLIENT: Engeo Inc.






This report includes information from the following map sheet(s).




TP, San Jose, 1899, 15-minute

SITE NAME: 905 North Capitol Avenue
ADDRESS: 905 North Capitol Avenue
San Jose, CA 95133
CLIENT: Engeo Inc.





This report includes information from the following map sheet(s).




TP, San Jose, 1897, 15-minute

SITE NAME: 905 North Capitol Avenue
ADDRESS: 905 North Capitol Avenue
San Jose, CA 95133
CLIENT: Engeo Inc.





This report includes information from the following map sheet(s).



TP, San Jose, 1889, 15-minute

SITE NAME: 905 North Capitol Avenue
ADDRESS: 905 North Capitol Avenue
San Jose, CA 95133
CLIENT: Engeo Inc.





APPENDIX D

ENVIRONMENTAL DATA RESOURCES, INC.

Aerial Photo Decade Package



905 North Capitol Avenue

905 North Capitol Avenue

San Jose, CA 95133

Inquiry Number: 6296265.8

December 09, 2020

The EDR Aerial Photo Decade Package



6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

EDR Aerial Photo Decade Package

12/09/20

Site Name:

905 North Capitol Avenue
905 North Capitol Avenue
San Jose, CA 95133
EDR Inquiry # 6296265.8

Client Name:

Engeo Inc.
2010 Crow Canyon Place
San Ramon, CA 94583
Contact: DIVYA BHARGAVA



Environmental Data Resources, Inc. (EDR) Aerial Photo Decade Package is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's professional researchers provide digitally reproduced historical aerial photographs, and when available, provide one photo per decade.

Search Results:

<u>Year</u>	<u>Scale</u>	<u>Details</u>	<u>Source</u>
2016	1"=500'	Flight Year: 2016	USDA/NAIP
2012	1"=500'	Flight Year: 2012	USDA/NAIP
2009	1"=500'	Flight Year: 2009	USDA/NAIP
2006	1"=500'	Flight Year: 2006	USDA/NAIP
1998	1"=500'	Flight Date: August 27, 1998	USDA
1982	1"=500'	Flight Date: July 05, 1982	USDA
1974	1"=500'	Flight Date: October 14, 1974	USGS
1968	1"=500'	Flight Date: June 14, 1968	USGS
1963	1"=500'	Flight Date: June 24, 1963	EDR Proprietary Aerial Viewpoint
1956	1"=500'	Flight Date: June 12, 1956	USDA
1950	1"=500'	Flight Date: April 01, 1950	USDA
1948	1"=500'	Flight Date: September 26, 1948	USDA
1940	1"=500'	Flight Date: June 12, 1940	USDA
1939	1"=500'	Flight Date: July 31, 1939	USDA


When delivered electronically by EDR, the aerial photo images included with this report are for ONE TIME USE ONLY. Further reproduction of these aerial photo images is prohibited without permission from EDR. For more information contact your EDR Account Executive.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2020 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.



INQUIRY #: 6296265.8

YEAR: 2016

— = 500'





INQUIRY #: 6296265.8

YEAR: 2012

— = 500'






INQUIRY #: 6296265.8

YEAR: 2009

— = 500'





INQUIRY #: 6296265.8

YEAR: 2006

— = 500'





INQUIRY #: 6296265.8

YEAR: 1998

— = 500'





INQUIRY #: 6296265.8

YEAR: 1982

 = 500'





INQUIRY #: 6296265.8

YEAR: 1974

— = 500'





INQUIRY #: 6296265.8

YEAR: 1968

 = 500'





INQUIRY #: 6296265.8

YEAR: 1963

— = 500'





INQUIRY #: 6296265.8

YEAR: 1956

 = 500'





INQUIRY #: 6296265.8

YEAR: 1950

— = 500'





INQUIRY #: 6296265.8

YEAR: 1948

— = 500'





INQUIRY #: 6296265.8

YEAR: 1940

— = 500'





INQUIRY #: 6296265.8

YEAR: 1939

— = 500'





APPENDIX E

ENVIRONMENTAL DATA RESOURCES, INC.

Sanborn Map Report

905 North Capitol Avenue

905 North Capitol Avenue

San Jose, CA 95133

Inquiry Number: 6296265.3

December 09, 2020

Certified Sanborn® Map Report



6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

Certified Sanborn® Map Report

12/09/20

Site Name:

905 North Capitol Avenue
905 North Capitol Avenue
San Jose, CA 95133
EDR Inquiry # 6296265.3

Client Name:

Engeo Inc.
2010 Crow Canyon Place
San Ramon, CA 94583
Contact: DIVYA BHARGAVA



The Sanborn Library has been searched by EDR and maps covering the target property location as provided by Engeo Inc. were identified for the years listed below. The Sanborn Library is the largest, most complete collection of fire insurance maps. The collection includes maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow, and others. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by the Sanborn Library LLC, the copyright holder for the collection. Results can be authenticated by visiting www.edrnet.com/sanborn.

The Sanborn Library is continually enhanced with newly identified map archives. This report accesses all maps in the collection as of the day this report was generated.

Certified Sanborn Results:

Certification # 69A4-4BA2-9FE1
PO # 18124.000.001
Project 905 North Capitol Avenue

UNMAPPED PROPERTY

This report certifies that the complete holdings of the Sanborn Library, LLC collection have been searched based on client supplied target property information, and fire insurance maps covering the target property were not found.



Sanborn® Library search results

Certification #: 69A4-4BA2-9FE1

The Sanborn Library includes more than 1.2 million fire insurance maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow and others which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

- Library of Congress
- University Publications of America
- EDR Private Collection

The Sanborn Library LLC Since 1866™

Limited Permission To Make Copies

Engeo Inc. (the client) is permitted to make up to FIVE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice. Copyright 2020 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.



APPENDIX F

ENVIRONMENTAL DATA RESOURCES, INC.

City Directory

905 North Capitol Avenue

905 North Capitol Avenue
San Jose, CA 95133

Inquiry Number: 6296265.5
December 11, 2020

The EDR-City Directory Abstract

TABLE OF CONTENTS

SECTION

Executive Summary

Findings

City Directory Images

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2020 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

DESCRIPTION

Environmental Data Resources, Inc.'s (EDR) City Directory Abstract is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's City Directory Abstract includes a search and abstract of available city directory data. For each address, the directory lists the name of the corresponding occupant at five year intervals.

Business directories including city, cross reference and telephone directories were reviewed, if available, at approximately five year intervals for the years spanning 1922 through 2017. This report compiles information gathered in this review by geocoding the latitude and longitude of properties identified and gathering information about properties within 660 feet of the target property.

A summary of the information obtained is provided in the text of this report.

RECORD SOURCES

EDR's Digital Archive combines historical directory listings from sources such as Cole Information and Dun & Bradstreet. These standard sources of property information complement and enhance each other to provide a more comprehensive report.

EDR is licensed to reproduce certain City Directory works by the copyright holders of those works. The purchaser of this EDR City Directory Report may include it in report(s) delivered to a customer. Reproduction of City Directories without permission of the publisher or licensed vendor may be a violation of copyright.

Data by

infoUSA[®]

Copyright©2008
All Rights Reserved

RESEARCH SUMMARY

The following research sources were consulted in the preparation of this report. An "X" indicates where information was identified in the source and provided in this report.

<u>Year</u>	<u>Source</u>	<u>TP</u>	<u>Adjoining</u>	<u>Text Abstract</u>	<u>Source Image</u>
2017	Cole Information Services	-	X	X	-
2014	Cole Information Services	X	X	X	-
2009	Cole Information Services	X	X	X	-
2006	Haines Company, Inc.	-	X	X	-
	Haines Company, Inc.	X	X	X	-
2004	Cole Information Services	X	X	X	-
2001	Haines Company, Inc.	-	-	-	-
2000	Haines & Company	-	X	X	-
	Haines & Company	X	X	X	-
1999	Cole Information Services	-	X	X	-
1996	Pacific Bell	-	X	X	-
	Pacific Bell	X	X	X	-

EXECUTIVE SUMMARY

<u>Year</u>	<u>Source</u>	<u>TP</u>	<u>Adjoining</u>	<u>Text Abstract</u>	<u>Source Image</u>
1994	Cole Information Services	X	X	X	-
1991	PACIFIC BELL WHITE PAGES	-	X	X	-
	PACIFIC BELL WHITE PAGES	X	X	X	-
1986	Pacific Bell	-	X	X	-
	Pacific Bell	X	X	X	-
1985	Pacific Bell	-	X	X	-
	Pacific Bell	X	X	X	-
1982	Pacific Telephone	-	X	X	-
1980	Pacific Telephone	-	X	X	-
	Pacific Telephone	X	X	X	-
1978	R. L. Polk & Co.	-	-	-	-
1975	Pacific Telephone	-	X	X	-
	Pacific Telephone	X	X	X	-
1974	R. L. Polk Co.	-	-	-	-
1970	R. L. Polk & Co.	-	X	X	-
1968	R. L. Polk Co.	-	-	-	-
1966	R. L. Polk & Co.	-	X	X	-
1965	R. L. Polk Co.	-	-	-	-
1964	R. L. Polk Co.	-	-	-	-
1963	Pacific Telephone	-	X	X	-
1962	R. L. Polk & Co.	-	-	-	-
1960	R. L. Polk Co.	-	-	-	-
1957	R. L. Polk Co.	-	-	-	-
1955	R.L. Polk and Co Publishers	-	-	-	-
1950	R. L. Polk Co.	-	-	-	-
1946	R. L. Polk Co.	-	-	-	-
1945	R. L. Polk Co.	-	-	-	-
1942	R.L. Polk	-	-	-	-
1940	R. L. Polk Co.	-	-	-	-
1936	R. L. Polk Co.	-	-	-	-
1935	R. L. Polk Co.	-	-	-	-
1931	R. L. Polk Co.	-	-	-	-
1930	R. L. Polk Co. of California	-	-	-	-
1926	R. L. Polk Co.	-	-	-	-
1925	R. L. Polk Co.	-	-	-	-
1922	R. L. Polk Co.	-	-	-	-

FINDINGS

TARGET PROPERTY INFORMATION

ADDRESS

905 North Capitol Avenue
San Jose, CA 95133

FINDINGS DETAIL

Target Property research detail.

CAPITOL AVE N

905 CAPITOL AVE N

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2000	YONEDA M	Haines & Company
1996	Yoneda M	Pacific Bell
1975	Yoneda Mary	Pacific Telephone

N CAPITOL AVE

905 N CAPITOL AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2014	OCCUPANT UNKNOWN	Cole Information Services
2009	OCCUPANT UNKNOWN	Cole Information Services
2006	YONEDAM	Haines Company, Inc.
2004	OCCUPANT UNKNOWN	Cole Information Services
1994	YONEDA, MARY A	Cole Information Services
1991	Yoneda M	PACIFIC BELL WHITE PAGES
1986	Yaneda M	Pacific Bell
	YONEDA GARY E	Pacific Bell
1985	YONEDA M	Pacific Bell
1980	Yoneda M	Pacific Telephone
1975	YONEDA M	Pacific Telephone

FINDINGS

ADJOINING PROPERTY DETAIL

The following Adjoining Property addresses were researched for this report. Detailed findings are provided for each address.

BELFORD DR

1001 BELFORD DR

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	LOIS YODA	Cole Information Services
2014	LOIS YODA	Cole Information Services
2006	c YODAYoshm	Haines Company, Inc.
2004	YOSHI YODA	Cole Information Services
2000	YODA Yoshiro	Haines & Company
1980	Edmonds Carl M	Pacific Telephone
	Edmonds Carl M	Pacific Telephone
1975	Mac Neil Donald Jr	Pacific Telephone

1006 BELFORD DR

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	DUC TRAN	Cole Information Services
2014	DUC TRAN	Cole Information Services
2009	RICHARD DUNKLE	Cole Information Services
2004	RICHARD DUNKLE	Cole Information Services
2000	MALMQUIST Lai San	Haines & Company
	MALMQUIST Eric	Haines & Company
1999	ERIC MALMQUIST	Cole Information Services
	RICHARD DUNKLE	Cole Information Services
1996	Malmqutst i Er lc & Lal San	Pacific Bell
1994	MALMQUIST, ERIC	Cole Information Services
1975	Chin Harry	Pacific Telephone

1009 BELFORD DR

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	PIN WANG	Cole Information Services
2014	PIN WANG	Cole Information Services
2009	FONG WANG	Cole Information Services
2006	AWAN Sa 9id	Haines Company, Inc.
2004	SAJID AWAN	Cole Information Services
2000	CHAUDHRY Imtiaz	Haines & Company

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1999	FONG WANG	Cole Information Services
1975	CLASEN D J	Pacific Telephone
	Hoover Phil	Pacific Telephone

1014 BELFORD DR

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	PEI LIAO	Cole Information Services
2014	LUONG LUU	Cole Information Services
2009	LUONG LUU	Cole Information Services
2006	OATKINSON Thomas	Haines Company, Inc.
2004	THOMAS ATKINSON	Cole Information Services
2000	GONZALES Martin	Haines & Company
1999	LUONG LUU	Cole Information Services
1975	Basemann Geo	Pacific Telephone

1017 BELFORD DR

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1991	SICVE MANUEL M	PACIFIC BELL WHITE PAGES

CAPITOL AVE

849 CAPITOL AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1980	Whitehurst Ozie	Pacific Telephone

CAPITOL AVE N

859 CAPITOL AVE N

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2000	NO CURRENT LISTING	Haines & Company
1975	Reveles Raymond C	Pacific Telephone
	Rear Vacant	Pacific Telephone
1970	Romero Gabriel B	R. L. Polk & Co.
	Naranio Ramon	R. L. Polk & Co.
1966	ROMERO FLAVIO F	R. L. Polk & Co.

863 CAPITOL AVE N

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1975	Ramirez Mary Mrs	Pacific Telephone
1966	PACIAS BENNY	R. L. Polk & Co.

FINDINGS

881 CAPITOL AVE N

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2000	NO CURRENT LISTING	Haines & Company
1975	Barrientes Arnulfo	Pacific Telephone
1970	Barrientes Maria E Mrs	R. L. Polk & Co.

889 CAPITOL AVE N

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2000	NO CURRENT LISTING	Haines & Company

907 CAPITOL AVE N

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2000	CHELSTOWSKI Anna	Haines & Company
1975	Bella Vista Plumbing	Pacific Telephone
	Chelstowski Alex	Pacific Telephone
1970	Bella Vista Plumbing	R. L. Polk & Co.
	Chelstowski Alex	R. L. Polk & Co.
1966	CHELSTOWSKI ALEX	R. L. Polk & Co.
	BELLA VISTA PLUMBING	R. L. Polk & Co.

933 CAPITOL AVE N

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2000	NO CURRENT LISTING	Haines & Company
1975	Sparacino Dominic P	Pacific Telephone
	Berryessa Florist	Pacific Telephone
1970	Sparacino Dominic P	R. L. Polk & Co.
	Berryessa Florist	R. L. Polk & Co.
1966	BERRYESSA FLORIST	R. L. Polk & Co.
	SPARACINO DOMINIC P	R. L. Polk & Co.

941 CAPITOL AVE N

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2000	NO CURRENT LISTING	Haines & Company
1975	Mune Tom	Pacific Telephone

950 CAPITOL AVE N

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1970	Vacant	R. L. Polk & Co.
1966	MURRAY ROSCOE	R. L. Polk & Co.

FINDINGS

951 CAPITOL AVE N

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1966	DOWNEY DOROTHY L MRS REAR VACANT	R. L. Polk & Co. R. L. Polk & Co.

952 CAPITOL AVE N

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2000	LIN Li XUE Wendy Yinshing	Haines & Company Haines & Company

1016 CAPITOL AVE N

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2000	HALLEN Kenneth	Haines & Company

1018 CAPITOL AVE N

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2000	VUONG Johnny	Haines & Company

1020 CAPITOL AVE N

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2000	WAY Teresa	Haines & Company

1022 CAPITOL AVE N

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2000	MENDOZA Andy A LU Russ	Haines & Company Haines & Company

1024 CAPITOL AVE N

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2000	THAKKAR Dipak	Haines & Company

1026 CAPITOL AVE N

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2000	YOUNG May	Haines & Company

1028 CAPITOL AVE N

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2000	ROSE Stephen	Haines & Company
1996	Khor Teang	Pacific Bell

FINDINGS

1030 CAPITOL AVE N

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2000	SANABRIA J Don	Haines & Company

1034 CAPITOL AVE N

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2000	LU Sun	Haines & Company

1036 CAPITOL AVE N

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2000	LOUIE Josaph	Haines & Company

1038 CAPITOL AVE N

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2000	NGUYEN Thuong B	Haines & Company
	VUONG Dan	Haines & Company

1040 CAPITOL AVE N

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2000	OLIVAS R	Haines & Company
1996	Olivas R	Pacific Bell

1042 CAPITOL AVE N

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2000	SU Stanley	Haines & Company

1044 CAPITOL AVE N

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2000	NICHOLS Lawrence	Haines & Company

1046 CAPITOL AVE N

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2000	TRUONG Dat	Haines & Company

1048 CAPITOL AVE N

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2000	YAO Tony	Haines & Company
1996	So Quang	Pacific Bell

1050 CAPITOL AVE N

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2000	GRANT Edward	Haines & Company

FINDINGS

1052 CAPITOL AVE N

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2000	BUI Ho	Haines & Company

1054 CAPITOL AVE N

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2000	LO Manaco	Haines & Company

1056 CAPITOL AVE N

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2000	GUERRERO Fernando Sr	Haines & Company
	STEWART Robert	Haines & Company

1058 CAPITOL AVE N

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2000	BROOKS Robert	Haines & Company

1060 CAPITOL AVE N

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2000	REITER Robert	Haines & Company

1062 CAPITOL AVE N

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2000	CHAN Estella	Haines & Company
	LIU Xm	Haines & Company

1064 CAPITOL AVE N

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2000	SUNDQUIST Kathryn	Haines & Company

HERON CT

2534 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	MARIA GUIANG	Cole Information Services
2014	MARIA GUIANG	Cole Information Services
2009	MARIA GUIANG	Cole Information Services
1999	MARIA GUIANG	Cole Information Services

2537 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	ASHTON BONOAN	Cole Information Services

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2014	ASHTON BONOAN	Cole Information Services
2009	ANTONIO BONOAN	Cole Information Services
1999	ANTONIO BONOAN	Cole Information Services

2538 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	JOSHUA CADRUVI	Cole Information Services
2014	MONIQUE NGUYEN	Cole Information Services
2009	MONIQUE NGUYEN	Cole Information Services
1999	MONIQUE NGUYEN	Cole Information Services

2541 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	NIKHIL MARRAPU	Cole Information Services
2009	LANCE SCIMECA	Cole Information Services
1999	LANCE SCIMECA	Cole Information Services

2542 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	JOHNNY GUTIERREZ	Cole Information Services
2014	OCCUPANT UNKNOWN	Cole Information Services
2009	PHUOC HUYNH	Cole Information Services
1999	PHUOC HUYNH	Cole Information Services

2545 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	DANIEL JONES	Cole Information Services
2014	DANIEL JONES	Cole Information Services
2009	PAUL WEIL	Cole Information Services
1999	PAUL WEIL	Cole Information Services

2546 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	DINA CUNHA	Cole Information Services
	CREEKSIDE STATION AT BERRYESSA OA	Cole Information Services
2014	CREEKSIDE STATION AT BERRYESSA OA	Cole Information Services
	DANIEL LEE	Cole Information Services
2009	DANIEL LEE	Cole Information Services
1999	DANIEL LEE	Cole Information Services

FINDINGS

2549 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2014	ROLAND BELLA	Cole Information Services
2009	ROLAND BELLA	Cole Information Services
1999	ROLAND BELLA	Cole Information Services

2550 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	KATHLEEN QUAN	Cole Information Services
	TAYLOR WOODROW HOMES	Cole Information Services
2014	TAYLOR WOODROW HOMES	Cole Information Services
	KATHLEEN QUAN	Cole Information Services
2009	KATHLEEN QUAN	Cole Information Services
1999	KATHLEEN QUAN	Cole Information Services

2553 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	LIANG CHI	Cole Information Services
2014	DERMING FUNG	Cole Information Services
2009	JOHN BALUYOT	Cole Information Services
1999	JOHN BALUYOT	Cole Information Services

2554 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2014	OCCUPANT UNKNOWN	Cole Information Services
2009	RAPHAEL CASTRO	Cole Information Services
1999	RAPHAEL CASTRO	Cole Information Services

2556 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	LE TRINH	Cole Information Services

2557 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	STEWART WESTBROOK	Cole Information Services
2014	STUART WESTBROOK	Cole Information Services
2009	STUART WESTBROOK	Cole Information Services
1999	STUART WESTBROOK	Cole Information Services

FINDINGS

2560 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	SANJEEV SAMARASINGHE	Cole Information Services
2014	SANJEEV SAMARASINGHE	Cole Information Services
2009	SANJEEV SAMARASINGHE	Cole Information Services
1999	SANJEEV SAMARASINGHE	Cole Information Services

2561 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	MONICA URZUA	Cole Information Services
2014	MONICA URZUA	Cole Information Services
2009	MONICA URZUA	Cole Information Services
1999	MONICA URZUA	Cole Information Services

2564 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	EDEN WU	Cole Information Services
2014	EDEN WU	Cole Information Services
2009	HAZEL LIM	Cole Information Services
1999	HAZEL LIM	Cole Information Services

2565 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2014	ALEX CHAN	Cole Information Services
2009	JOSEPH LOANZON	Cole Information Services
1999	JOSEPH LOANZON	Cole Information Services

2568 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	JEROME JOSEPH	Cole Information Services
2014	ANUP KEESARA	Cole Information Services
2009	MANUEL AVILA	Cole Information Services
1999	MANUEL AVILA	Cole Information Services

2569 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	STEVEN DIEP	Cole Information Services
2014	NICHOLAS BENDLER	Cole Information Services
2009	BINH QUACH	Cole Information Services
1999	BINH QUACH	Cole Information Services

FINDINGS

2572 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	JIM DANG	Cole Information Services
2014	SALES ALDRICH	Cole Information Services
2009	JACOB LOGAN	Cole Information Services
1999	JACOB LOGAN	Cole Information Services

2573 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	JEFF DORENDORF	Cole Information Services
	TAYLOR WOODROW HOMES	Cole Information Services
2014	JEFF DORENDORF	Cole Information Services
	TAYLOR WOODROW HOMES	Cole Information Services
2009	JEFF DORENDORF	Cole Information Services
1999	JEFF DORENDORF	Cole Information Services

2576 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	MILIND GOKHALE	Cole Information Services
2014	STEPHANIE TRAN	Cole Information Services
2009	SAMUEL GALEY	Cole Information Services
1999	SAMUEL GALEY	Cole Information Services

2577 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	RAMASWAMY KRISHNAMOORTHY	Cole Information Services
	CREEKSIDE STATION	Cole Information Services
2014	MALLORY IGNACIO	Cole Information Services
	CREEKSIDE STATION	Cole Information Services
2009	JOSEPH NGUYEN	Cole Information Services
1999	JOSEPH NGUYEN	Cole Information Services

2580 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	KHALLY DHANANI	Cole Information Services
2014	LESLIE PICKERING	Cole Information Services
2009	SARA GOLEMON	Cole Information Services
1999	SARA GOLEMON	Cole Information Services

FINDINGS

2581 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	DAVID THIPPHAVONG	Cole Information Services
2014	DAVID THIPPHAVONG	Cole Information Services
2009	DAVID THIPPHAVONG	Cole Information Services
1999	DAVID THIPPHAVONG	Cole Information Services

2584 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	JIMMY CHAN	Cole Information Services
2014	OCCUPANT UNKNOWN	Cole Information Services
2009	OCCUPANT UNKNOWN	Cole Information Services

2585 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	MICHAEL PARK	Cole Information Services
2014	MICHAEL PARK	Cole Information Services
2009	TOM NGUYEN	Cole Information Services
1999	TOM NGUYEN	Cole Information Services

2588 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	ALLAN HOM	Cole Information Services
2014	OCCUPANT UNKNOWN	Cole Information Services
2009	YIN HOM	Cole Information Services
1999	YIN HOM	Cole Information Services

2589 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2014	OCCUPANT UNKNOWN	Cole Information Services
2009	RONALD SUVA	Cole Information Services
1999	RONALD SUVA	Cole Information Services

2593 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2014	ANDY CHEN	Cole Information Services
2009	NAKUL SOOD	Cole Information Services
1999	NAKUL SOOD	Cole Information Services

FINDINGS

2597 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	SUNDARI VANKAMAMIDI	Cole Information Services
2014	CHIH CHANG	Cole Information Services
2009	CHIH CHANG	Cole Information Services
1999	CHIH CHANG	Cole Information Services

2601 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	ARTHUR CHEN	Cole Information Services
2014	OCCUPANT UNKNOWN	Cole Information Services
2009	ARTHUR CHEN	Cole Information Services
1999	ARTHUR CHEN	Cole Information Services

2605 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	ROBERT SCHILLER	Cole Information Services
2014	OCCUPANT UNKNOWN	Cole Information Services
2009	ROBERT SCHILLER	Cole Information Services
1999	ROBERT SCHILLER	Cole Information Services

2609 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	FENGYUH JUANG	Cole Information Services
2014	OCCUPANT UNKNOWN	Cole Information Services
2009	JOSEPH LOTKO	Cole Information Services
1999	JOSEPH LOTKO	Cole Information Services

2613 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	CHRISTOPHER SUEN	Cole Information Services
2014	KATY LAU	Cole Information Services
2009	CHRISTOPHER SUEN	Cole Information Services
1999	CHRISTOPHER SUEN	Cole Information Services

2617 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	YONG WON	Cole Information Services
2014	OCCUPANT UNKNOWN	Cole Information Services
2009	SRINIVAS BODAPATI	Cole Information Services
1999	SRINIVAS BODAPATI	Cole Information Services

FINDINGS

2621 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	DEEPANKAR SAPRA	Cole Information Services
2014	LYDIA LEE	Cole Information Services
2009	LYDIA LEE	Cole Information Services
1999	LYDIA LEE	Cole Information Services

2625 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	ZOHIRUL SHARIF	Cole Information Services
2014	MONICA COLMENARES	Cole Information Services
2009	JESSICA COLMENARES	Cole Information Services
1999	JESSICA COLMENARES	Cole Information Services

2629 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2014	ANI TIWARI	Cole Information Services
2009	CHIA LIN	Cole Information Services
1999	CHIA LIN	Cole Information Services

2633 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2014	JEE PIK	Cole Information Services
2009	VINH NGUYEN	Cole Information Services
1999	VINH NGUYEN	Cole Information Services

2637 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2014	AJIT NAIR	Cole Information Services
2009	AJIT NAIR	Cole Information Services
1999	AJIT NAIR	Cole Information Services

2641 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	DANIEL PHAN	Cole Information Services
2014	DAVID PHAN	Cole Information Services
2009	FRANCES IBAY	Cole Information Services
1999	FRANCES IBAY	Cole Information Services

FINDINGS

2645 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	CREEKSIDE STATION	Cole Information Services
2014	CREEKSIDE STATION	Cole Information Services
	OCCUPANT UNKNOWN	Cole Information Services
2009	THOMAS FANN	Cole Information Services
1999	THOMAS FANN	Cole Information Services

2649 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	PAVITHRA RAJKUMAR	Cole Information Services
2014	DUSTIN DO	Cole Information Services
2009	DUSTIN DO	Cole Information Services
1999	DUSTIN DO	Cole Information Services

2653 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2014	HUE DUONG	Cole Information Services
2009	HUE DUONG	Cole Information Services
1999	HUE DUONG	Cole Information Services

2657 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	RICHARD ALDOVER	Cole Information Services
2014	NARDO CABRERA	Cole Information Services
2009	NARDO CABRERA	Cole Information Services
1999	NARDO CABRERA	Cole Information Services

2661 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	HOWARD HSU	Cole Information Services
2014	ELIZABETH LIM	Cole Information Services
2009	KURT COWAN	Cole Information Services
1999	KURT COWAN	Cole Information Services

2665 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2014	OCCUPANT UNKNOWN	Cole Information Services
2009	JOSEPH NGAI	Cole Information Services
1999	JOSEPH NGAI	Cole Information Services

FINDINGS

2669 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	XIANG HE	Cole Information Services
2014	WINNIE LAM	Cole Information Services
2009	IRENEO GUTIERREZ	Cole Information Services
1999	IRENEO GUTIERREZ	Cole Information Services

2673 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	CHELSEA CHEN	Cole Information Services
2014	CHELSEA CHEN	Cole Information Services
2009	JEFFREY CARR	Cole Information Services
1999	JEFFREY CARR	Cole Information Services

2677 HERON CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	KEVIN KEEFE	Cole Information Services
2014	THIERRY LU	Cole Information Services
2009	PAUL CHIU	Cole Information Services
1999	PAUL CHIU	Cole Information Services

KESTRAL WAY

911 KESTRAL WAY

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	EDMUND WONG	Cole Information Services
2014	EDMUND WONG	Cole Information Services
2009	EDMUND WONG	Cole Information Services
1999	EDMUND WONG	Cole Information Services

917 KESTRAL WAY

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	NARCI CORIPPO	Cole Information Services
2014	NARCI CORIPPO	Cole Information Services
2009	PAUL BELENA	Cole Information Services
1999	PAUL BELENA	Cole Information Services

923 KESTRAL WAY

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	CHUN WONG	Cole Information Services
2014	NINEVEH BABELLA	Cole Information Services

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2009	NINEV NISSAN	Cole Information Services
1999	NINEV NISSAN	Cole Information Services

929 KESTRAL WAY

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	WILL CHUANG	Cole Information Services
2014	OCCUPANT UNKNOWN	Cole Information Services
2009	LONG JIANG	Cole Information Services
1999	LONG JIANG	Cole Information Services

935 KESTRAL WAY

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	JULIA LIN	Cole Information Services
2014	JIMMY LIN	Cole Information Services
2009	JIMMY LIN	Cole Information Services
1999	JIMMY LIN	Cole Information Services

941 KESTRAL WAY

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	ERIC CULATON	Cole Information Services
2014	ERIC CULATON	Cole Information Services
2009	ERIC CULATON	Cole Information Services
1999	ERIC CULATON	Cole Information Services

947 KESTRAL WAY

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	KURT BERGAMASCO	Cole Information Services
	CREEKSIDE STATION AT BERRYESSA OWNER	Cole Information Services
2014	CREEKSIDE STATION AT BERRYESSA OWNER	Cole Information Services
	BONIFACIO DEGUZMAN	Cole Information Services
2009	EILEEN YENKO	Cole Information Services
1999	EILEEN YENKO	Cole Information Services

953 KESTRAL WAY

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	ROSEMARY GALINATO	Cole Information Services
2014	ROSEMARY GALINATO	Cole Information Services
2009	ROSEMARY GALINATO	Cole Information Services
1999	ROSEMARY GALINATO	Cole Information Services

FINDINGS

959 KESTRAL WAY

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	SAI HUI	Cole Information Services
2014	SAI HUI	Cole Information Services
2009	SAI HUI	Cole Information Services
1999	SAI HUI	Cole Information Services

965 KESTRAL WAY

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2014	OCCUPANT UNKNOWN	Cole Information Services
2009	TOSHIO MIYAIRI	Cole Information Services
1999	TOSHIO MIYAIRI	Cole Information Services

971 KESTRAL WAY

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	JOSE SALAZAR	Cole Information Services
2014	JOSE SALAZAR	Cole Information Services
2009	ANDREW PHAN	Cole Information Services
1999	ANDREW PHAN	Cole Information Services

977 KESTRAL WAY

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	ANKIT AGARWAL	Cole Information Services
2014	SHYAM MADIREDDY	Cole Information Services
2009	HARMANDEEP SINGH	Cole Information Services
1999	HARMANDEEP SINGH	Cole Information Services

N CAPITOL AVE

863 N CAPITOL AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1975	RAM I REZ JES	Pacific Telephone

881 N CAPITOL AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1999	OCCUPANT UNKNOWN	Cole Information Services
1994	TIZOC, ROSA	Cole Information Services
1991	VOSS C F	PACIFIC BELL WHITE PAGES
	Voss C F	PACIFIC BELL WHITE PAGES
1975	BARRIENTES ARNULFO	Pacific Telephone
1963	Vaianisi Jos	Pacific Telephone

FINDINGS

907 N CAPITOL AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	WILLIAM HOANG	Cole Information Services
2014	WILLIAM HOANG	Cole Information Services
2006	CHELSTOWSKI Anna	Haines Company, Inc.
	ROSOWSKI Jaycek	Haines Company, Inc.
1980	Chelstowski Alex	Pacific Telephone
	Bella Vista Plumbing Co	Pacific Telephone
1975	LOEW ROBT	Pacific Telephone
	CHELSTOWSKI ALEX	Pacific Telephone
	CHELSTOWSKI ALEX	Pacific Telephone
	BELLS VISTA PLUMBING CO	Pacific Telephone
1963	Chelstowski Alex	Pacific Telephone

933 N CAPITOL AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1980	Berryessa Florist & Gift Shop	Pacific Telephone
1975	BERRYESSA FLORIST & GIFT SHOP	Pacific Telephone

941 N CAPITOL AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1986	MUNE FARM NURSERY	Pacific Bell
	Mune Farm Produce Stand	Pacific Bell
	Mune Tom	Pacific Bell
1985	MUNE FARM PRODUCE STAND	Pacific Bell
	MUNE TOM	Pacific Bell
	MUNE FARM NURSERY	Pacific Bell
1975	MUNE TOM	Pacific Telephone

950 N CAPITOL AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1963	Murray Roscoe Sr	Pacific Telephone

951 N CAPITOL AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1975	BYR JIM L	Pacific Telephone
	DOWNEY DOROTHY L	Pacific Telephone

1016 N CAPITOL AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	CESAR TRUJEQUE	Cole Information Services

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2014	CESAR TRUJEQUE	Cole Information Services
2009	OCCUPANT UNKNOWN	Cole Information Services
2006	GRANAOS Ncy	Haines Company, Inc.
2004	RAMON FERRER	Cole Information Services
1994	CRUZFIGUEROA, JESS	Cole Information Services
1991	Geren William J	PACIFIC BELL WHITE PAGES
	GEREN WILLIAM J	PACIFIC BELL WHITE PAGES
1986	Geren William J	Pacific Bell
1985	GEREN WILLIAM J	Pacific Bell

1018 N CAPITOL AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	JOHNNY VUONG	Cole Information Services
2014	JOHNNY VUONG	Cole Information Services
2009	JOHNNY VUONG	Cole Information Services
2006	VJUONGJohnny	Haines Company, Inc.
2004	JOHNNY VUONG	Cole Information Services
1999	JOHNNY VUONG	Cole Information Services

1020 N CAPITOL AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	HUONG PHAN	Cole Information Services
2014	MARTIN NGUYEN	Cole Information Services
2009	NHUT NGO	Cole Information Services
2004	TU MAI	Cole Information Services
1999	NHUT NGO	Cole Information Services
1985	KARKOV R	Pacific Bell

1022 N CAPITOL AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	LIANG HSIAO	Cole Information Services
2014	LIANG HSIAO	Cole Information Services
2009	RUSS LU	Cole Information Services
2006	ROSETEJose lo	Haines Company, Inc.
2004	ADNAN HODZID	Cole Information Services
	DIAMOND STAR CARE HOME CORP	Cole Information Services
	BEAVER CREEK RESIDENTIAL	Cole Information Services
1999	RUSS LU	Cole Information Services
1994	LU, DENNIS	Cole Information Services

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1991	LU DENNIS	PACIFIC BELL WHITE PAGES
	Lu Dennis	PACIFIC BELL WHITE PAGES
1986	Lu Dennis	Pacific Bell
1985	LU DENNIS	Pacific Bell

1024 N CAPITOL AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	DIPAK THAKKAR	Cole Information Services
2014	DIPAK THAKKAR	Cole Information Services
2009	DIPAK THAKKAR	Cole Information Services
2006	THAKKARDpak	Haines Company, Inc.
2004	DIPAK THAKKAR	Cole Information Services
1999	DIPAK THAKKAR	Cole Information Services
1986	Molina Tom E	Pacific Bell
1985	MOLINA TOM E	Pacific Bell

1026 N CAPITOL AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	FRANCISCO DURAN	Cole Information Services
2014	JESUS HOYA	Cole Information Services
2009	FRANCISCO DURAN	Cole Information Services
2006	e DURANFrancico	Haines Company, Inc.
2004	FRANCISCO DURAN	Cole Information Services
1999	FRANCISCO DURAN	Cole Information Services
1991	Elston Mark	PACIFIC BELL WHITE PAGES
	ELSTON MARK	PACIFIC BELL WHITE PAGES

1028 N CAPITOL AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2014	TINA NGUYEN	Cole Information Services
2009	PAMELA DEPOLD	Cole Information Services
2006	HOAHGAndy	Haines Company, Inc.
2004	CHRISTOPHER BAO	Cole Information Services
	VIEN LIEN COMMUNICATIONS	Cole Information Services
1999	PAMELA DEPOLD	Cole Information Services
1986	Naicker Sanmogam	Pacific Bell
1985	NAICKER SANMOGAM	Pacific Bell
1980	Morlin D C	Pacific Telephone

FINDINGS

1030 N CAPITOL AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2014	OCCUPANT UNKNOWN	Cole Information Services
2009	OCCUPANT UNKNOWN	Cole Information Services
2006	OLVAJesus	Haines Company, Inc.
2004	MONICA MARINE	Cole Information Services

1034 N CAPITOL AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	HAO TRAN	Cole Information Services
2014	HAO TRAN	Cole Information Services
2009	HAO TRAN	Cole Information Services
2006	e TRANHao	Haines Company, Inc.
2004	HAO TRAN	Cole Information Services
1999	HAO TRAN	Cole Information Services
	S CARDENES	Cole Information Services
1991	Lu Chih Ming	PACIFIC BELL WHITE PAGES
	LU CHIH-MING	PACIFIC BELL WHITE PAGES
1986	Lu Chih Ming	Pacific Bell
1985	LU CHIH-MING	Pacific Bell
1980	Lu Chih Ming	Pacific Telephone

1036 N CAPITOL AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	DENISE SAMATUA	Cole Information Services
2009	JR SAMATUA	Cole Information Services
2006	LOUIE Josep	Haines Company, Inc.
2004	JR SAMATUA	Cole Information Services
1999	JR SAMATUA	Cole Information Services

1038 N CAPITOL AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	MARIA ESCALONA	Cole Information Services
2014	MARIA ESCALONA	Cole Information Services
2009	CECILLE ESCALONA	Cole Information Services
2006	e MENAROSMay	Haines Company, Inc.
2004	NGUYEN QUACH	Cole Information Services
1999	CECILLE ESCALONA	Cole Information Services
1994	YU, ADAM S	Cole Information Services
1991	Yu Adam S	PACIFIC BELL WHITE PAGES

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1991	YU ADAM S	PACIFIC BELL WHITE PAGES
1980	Taylor Dlane	Pacific Telephone

1040 N CAPITOL AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	ELISA HORSLEY	Cole Information Services
2014	OCCUPANT UNKNOWN	Cole Information Services
2009	ROLLIN ANDREWS	Cole Information Services
2006	OLVAS Eva	Haines Company, Inc.
2004	R OLIVAS	Cole Information Services
1999	ROLLIN ANDREWS	Cole Information Services
1994	OLIVAS, R	Cole Information Services
1991	Olivas R	PACIFIC BELL WHITE PAGES
	OLIVAS R	PACIFIC BELL WHITE PAGES
1986	Holiday L B	Pacific Bell

1042 N CAPITOL AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	ALEXIS CHU	Cole Information Services
2014	TRACY CHU	Cole Information Services
2009	JENNY HERNANDEZ	Cole Information Services
2006	HERNANDEZJenny	Haines Company, Inc.
	CHU Victr	Haines Company, Inc.
2004	PAMELA RAMIREZ	Cole Information Services
1999	OCCUPANT UNKNOWN	Cole Information Services
	JENNY HERNANDEZ	Cole Information Services

1044 N CAPITOL AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	LAWRENCE NICHOLS	Cole Information Services
2014	LAWRENCE NICHOLS	Cole Information Services
2009	LAWRENCE NICHOLS	Cole Information Services
2006	NICHOLS Lawrence	Haines Company, Inc.
2004	LAWRENCE NICHOLS	Cole Information Services
1999	LAWRENCE NICHOLS	Cole Information Services

1046 N CAPITOL AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	JIMMY HERNANDEZ	Cole Information Services
2014	JIMMY HERNANDEZ	Cole Information Services

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2009	JIMMY HERNANDEZ	Cole Information Services
2004	JIM HERNANDEZ	Cole Information Services
1999	JIMMY HERNANDEZ	Cole Information Services
1986	Rupnarain Parashram A	Pacific Bell
1985	RAPNARAIN PARASHRAM A	Pacific Bell

1048 N CAPITOL AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	WEI YAO	Cole Information Services
2014	TONY YAO	Cole Information Services
2009	TONY YAO	Cole Information Services
2006	YAO Tony e HERNANDEZ Denise	Haines Company, Inc. Haines Company, Inc.
2004	TONY YAO	Cole Information Services
1999	TONY YAO	Cole Information Services
1991	GLUCKSMAN DAVID Glucksman David	PACIFIC BELL WHITE PAGES PACIFIC BELL WHITE PAGES
1986	Callas Jack Jr	Pacific Bell
1985	CALLAS JACK JR	Pacific Bell

1050 N CAPITOL AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	RICHARD YIN	Cole Information Services
2014	SAM YIN	Cole Information Services
2009	AGUSTIN AGUILERA AGUSTIN SALAS JUAN QUINTERO	Cole Information Services Cole Information Services Cole Information Services
2006	QUINTERO Juan AGUILERA Agustin	Haines Company, Inc. Haines Company, Inc.
2004	OCCUPANT UNKNOWN	Cole Information Services
1999	AGUSTIN SALAS AGUSTIN AGUILERA JUAN QUINTERO	Cole Information Services Cole Information Services Cole Information Services
1994	CRAFTON, RANAE	Cole Information Services
1991	CRAFTON RENAE Crafton Renae	PACIFIC BELL WHITE PAGES PACIFIC BELL WHITE PAGES

FINDINGS

1052 N CAPITOL AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	QUY LA	Cole Information Services
2014	QUY LA	Cole Information Services
2009	QUY LA	Cole Information Services
2006	BUIHo	Haines Company, Inc.
2004	BANG QUACH	Cole Information Services
1999	QUY LA	Cole Information Services
1994	BUI, H	Cole Information Services
1991	Bui H	PACIFIC BELL WHITE PAGES
	BUI H	PACIFIC BELL WHITE PAGES
1986	Bui H	Pacific Bell
1985	BUI H	Pacific Bell
1980	Bui H	Pacific Telephone

1054 N CAPITOL AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	JULIAN BARAJAS	Cole Information Services
2014	JULIAN BARAJAS	Cole Information Services
2009	CHRISTIAN HRISTU	Cole Information Services
2006	e NHRISTUlinca	Haines Company, Inc.
2004	MONACO LO	Cole Information Services
1999	OCCUPANT UNKNOWN	Cole Information Services
	CHRISTIAN HRISTU	Cole Information Services
1986	Lo Monaco Bud	Pacific Bell
1985	LO MONACO BUD	Pacific Bell
1980	Lo Monaco Bud	Pacific Telephone

1056 N CAPITOL AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	TRANG NGUYEN	Cole Information Services
2006	STEWART Roberit	Haines Company, Inc.
2004	CAROLINA PAPA	Cole Information Services
1991	MANALO HERMY	PACIFIC BELL WHITE PAGES
	Manalo Hermly	PACIFIC BELL WHITE PAGES

1058 N CAPITOL AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	TRUNG NGO	Cole Information Services
2014	ROSE BIRD	Cole Information Services

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2014	TRUNG NGO	Cole Information Services
2009	TRUNG NGO	Cole Information Services
2006	o NGOTrung	Haines Company, Inc.
2004	SRINIVASA KONDAVEETI	Cole Information Services
1999	TRUNG NGO	Cole Information Services
1994	HORAN, C J	Cole Information Services
1991	Horan CJ	PACIFIC BELL WHITE PAGES
	HORAN CJ	PACIFIC BELL WHITE PAGES
1986	i Horan CJ	Pacific Bell
	Horak T	Pacific Bell
1985	HORAN C J	Pacific Bell
1980	Horal Randall	Pacific Telephone
	Koran CJ	Pacific Telephone

1060 N CAPITOL AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	MELINDA PLUMMER	Cole Information Services
2014	MELINDA PLUMMER	Cole Information Services
2009	OCCUPANT UNKNOWN	Cole Information Services
2006	TANGSOMBATVISI	Haines Company, Inc.
	ROJAS Luis	Haines Company, Inc.
	Boochal	Haines Company, Inc.
2004	CHRISTOPHER RICHARDS	Cole Information Services
1999	OCCUPANT UNKNOWN	Cole Information Services
1994	SMITH, CHARLES E	Cole Information Services
1986	Smith Chas E E	Pacific Bell
1985	SMITH CHAS E E	Pacific Bell
1980	Edgar LI	Pacific Telephone

1062 N CAPITOL AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	HELENE DOAN	Cole Information Services
2014	KARI ARMENTA	Cole Information Services
2009	PHONG NGUYEN	Cole Information Services
	PARTNER PLUMBING	Cole Information Services
2006	VANDERHOEK	Haines Company, Inc.
	e MOORE Jason	Haines Company, Inc.
	Caroline	Haines Company, Inc.
2004	LASHAWN SIMMS	Cole Information Services

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1999	OCCUPANT UNKNOWN	Cole Information Services
	PHONG NGUYEN	Cole Information Services

1064 N CAPITOL AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	KATHRYN SUNDQUIST	Cole Information Services
2014	KATHRYN SUNDQUIST	Cole Information Services
2009	KATHRYN SUNDQUIST	Cole Information Services
2006	SUNDQUIST Kathryn	Haines Company, Inc.
2004	KATHRYN SUNDQUIST	Cole Information Services
1999	KATHRYN SUNDQUIST	Cole Information Services
1980	Robinson Don & Maria	Pacific Telephone

PENITENCIA CREEK RD

2621 PENITENCIA CREEK RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	P BUI	Cole Information Services
2014	MARIBETH TULUA	Cole Information Services
2009	VI LAM	Cole Information Services
2006	MCCAULEY Edward	Haines Company, Inc.
2004	ALONZO OWENS	Cole Information Services
2000	COYNE Dorothy	Haines & Company
1999	VI LAM	Cole Information Services

2627 PENITENCIA CREEK RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	JESS VALDEZ	Cole Information Services
2014	JESS VALDEZ	Cole Information Services
2009	JESS VALDEZ	Cole Information Services
2006	a SABATEN Segmundo	Haines Company, Inc.
2004	SEGMUNDO SABATEN	Cole Information Services
2000	SABATEN Segmundo	Haines & Company
1999	JESS VALDEZ	Cole Information Services
1986	Fox Robert J	Pacific Bell
1980	Matson S	Pacific Telephone

2633 PENITENCIA CREEK RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2014	OREN ARIELI	Cole Information Services

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2009	NHU TRAN	Cole Information Services
2006	TRANTruc Giang	Haines Company, Inc.
2004	NHU TRAN	Cole Information Services
2000	LI Waller	Haines & Company
1999	NHU TRAN	Cole Information Services
	OCCUPANT UNKNOWN	Cole Information Services
1986	Ha Tran To	Pacific Bell
1985	HA TRAN TO	Pacific Bell

2639 PENITENCIA CREEK RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	SHALLY TIET	Cole Information Services
2014	MYDUNG NGUYEN	Cole Information Services
2009	VINH DANG	Cole Information Services
2006	a DANG Vrh	Haines Company, Inc.
2004	DUNG NGUYEN	Cole Information Services
2000	DANGVinh	Haines & Company
1999	VINH DANG	Cole Information Services
1991	STUCKER DAVID	PACIFIC BELL WHITE PAGES
	Stucker David	PACIFIC BELL WHITE PAGES
1986	Florence Geo & Jeff	Pacific Bell

2663 PENITENCIA CREEK RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	PATRICIA HERNANDEZ	Cole Information Services
2014	PATRICIA HERNANDEZ	Cole Information Services
2006	TRANG David	Haines Company, Inc.
2004	MONTE COUGHENNOWER	Cole Information Services
2000	COUGHENNOWER Monle	Haines & Company
1999	MONTE COUGHENNOWER	Cole Information Services
1996	Coughenlower Monte	Pacific Bell
1994	COUGHENNOWER, MONTE	Cole Information Services
1991	Coughenlower Monte	PACIFIC BELL WHITE PAGES
	COUGHENNOWER MONTE	PACIFIC BELL WHITE PAGES
1986	Coughenlower Monte & Diana	Pacific Bell
1985	COUGHENNOWER MONTE & DIANA	Pacific Bell
1975	Neyt Ronald J	Pacific Telephone
	NEYT RONALD J	Pacific Telephone

FINDINGS

2677 PENITENCIA CREEK RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	LAN NGUYEN	Cole Information Services
2014	QUYEN NGUYEN	Cole Information Services
2009	QUYEN NGUYEN	Cole Information Services
2006	NGUYEN Quyan	Haines Company, Inc.
2004	QUYEN NGUYEN	Cole Information Services
2000	NGUYENQuyen	Haines & Company
1999	OCCUPANT UNKNOWN	Cole Information Services
	QUYEN NGUYEN	Cole Information Services
1994	CAO, TUNG	Cole Information Services
1991	MARSH L	PACIFIC BELL WHITE PAGES
	Marsh L	PACIFIC BELL WHITE PAGES
1975	Springer Henry E	Pacific Telephone

2691 PENITENCIA CREEK RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	WILLIAM WESTCOAT	Cole Information Services
2014	WILLIAM WESTCOAT	Cole Information Services
2009	KEN HUTCHISON	Cole Information Services
2006	HUTCHISON A	Haines Company, Inc.
	WESTCOAT William	Haines Company, Inc.
2004	SALLY ESCAMILLA	Cole Information Services
2000	ESCAMILLASally	Haines & Company
1999	KEN HUTCHISON	Cole Information Services
1975	ESCAMILLA R	Pacific Telephone
	Escamilla Ruben	Pacific Telephone

2705 PENITENCIA CREEK RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	DERROL BLANCHARD	Cole Information Services
2014	DERROL BLANCHARD	Cole Information Services
2009	DERROL BLANCHARD	Cole Information Services
2006	a BLANCHARD Derrol	Haines Company, Inc.
2004	DERROL BLANCHARD	Cole Information Services
2000	BLANCHARDDerrol	Haines & Company
1999	DERROL BLANCHARD	Cole Information Services

FINDINGS

RAGE DR

1054 RAGE DR

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1986	Silvey Calvhn	Pacific Bell

RIPARIAN CT

2555 RIPARIAN CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	AJIT CHATTHA	Cole Information Services
	CREEKSIDE STATION	Cole Information Services
2014	AJIT CHATTHA	Cole Information Services
	CREEKSIDE STATION	Cole Information Services
2009	JESS CHATTHA	Cole Information Services
1999	JESS CHATTHA	Cole Information Services

2559 RIPARIAN CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	BRADLEY TSUTSUI	Cole Information Services
2014	BRADLEY TSUTSUI	Cole Information Services
2009	BRADLEY TSUTSUI	Cole Information Services
1999	BRADLEY TSUTSUI	Cole Information Services

2563 RIPARIAN CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	BRIAN LUONG	Cole Information Services
2014	BRIAN LUONG	Cole Information Services
2009	BRIAN LUONG	Cole Information Services
1999	BRIAN LUONG	Cole Information Services

2567 RIPARIAN CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	VICTOR MERACAP	Cole Information Services
2014	VICTOR MERACAP	Cole Information Services
2009	VICTOR MERACAP	Cole Information Services
1999	VICTOR MERACAP	Cole Information Services

2571 RIPARIAN CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	ROBERT CASTRO	Cole Information Services

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2014	ROBERT CASTRO	Cole Information Services
2009	ROBERT CASTRO	Cole Information Services
1999	ROBERT CASTRO	Cole Information Services

2575 RIPARIAN CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	KAREN TRINH	Cole Information Services
2014	KAREN TRINH	Cole Information Services
2009	KAREN TRINH	Cole Information Services
1999	KAREN TRINH	Cole Information Services

2579 RIPARIAN CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	GIUSEPPE SELLI	Cole Information Services
2014	GIUSEPPE SELLI	Cole Information Services
2009	SYZETTE YBANEZ	Cole Information Services
1999	SYZETTE YBANEZ	Cole Information Services

2583 RIPARIAN CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	CHRISTOPHER LAI	Cole Information Services
2014	CHRISTOPHER LAI	Cole Information Services
2009	CHRISTOPHER LAI	Cole Information Services
1999	CHRISTOPHER LAI	Cole Information Services

2587 RIPARIAN CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	ASHLEY HIGASHI-NAKACHI	Cole Information Services
2014	ASHLEY HIGASHI-NAKACHI	Cole Information Services
2009	DONATO GALBADORES	Cole Information Services
1999	DONATO GALBADORES	Cole Information Services

2591 RIPARIAN CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	SZUHSIEN WU	Cole Information Services
2014	SZUHSIEN WU	Cole Information Services
2009	KAREN CHUNG	Cole Information Services
1999	KAREN CHUNG	Cole Information Services

FINDINGS

2595 RIPARIAN CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	ZIYIN WANG	Cole Information Services
2014	JOSEPH REYNA	Cole Information Services
2009	ZHEN WONG	Cole Information Services
1999	ZHEN WONG	Cole Information Services

2601 RIPARIAN CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	CREEKSIDE STATION AT BERRYESSA OA	Cole Information Services
2014	CREEKSIDE STATION AT BERRYESSA OA	Cole Information Services

2602 RIPARIAN CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	JOANNE GATMAITAN	Cole Information Services
	CREEKSIDE STATION	Cole Information Services
2014	CREEKSIDE STATION	Cole Information Services
	JOHN ABENINA	Cole Information Services
2009	VANESSA TAM	Cole Information Services
1999	VANESSA TAM	Cole Information Services

2606 RIPARIAN CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	JENNIFER VUONG	Cole Information Services
2014	JENNIFER VUONG	Cole Information Services
2009	KANG CHEN	Cole Information Services
1999	KANG CHEN	Cole Information Services

2610 RIPARIAN CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	DANIEL NGO	Cole Information Services
2014	HAO NGO	Cole Information Services

2614 RIPARIAN CT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	EDWARD CHAVEZ	Cole Information Services
2014	EDWARD CHAVEZ	Cole Information Services
2009	EDWARD CHAVEZ	Cole Information Services
1999	EDWARD CHAVEZ	Cole Information Services

FINDINGS

ROGE DR

1005 ROGE DR

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1991	Drewick Geo E	PACIFIC BELL WHITE PAGES

1050 ROGE DR

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1980	Korienek Geo A	Pacific Telephone

RUGA DR

1041 RUGA DR

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1975	RYNEARSON RICHARD J	Pacific Telephone

RUGE DR

1001 RUGE DR

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	TIM PHAN	Cole Information Services
2014	TIM PHAN	Cole Information Services
2009	TIM PHAN	Cole Information Services
2006	PHAN Trffany a NGUYEN David	Haines Company, Inc. Haines Company, Inc.
2004	OCCUPANT UNKNOWN	Cole Information Services
2000	NGUYEN David	Haines & Company
1999	TIM PHAN	Cole Information Services
1975	Racho Pelagio	Pacific Telephone

1005 RUGE DR

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	CUONG LUONG	Cole Information Services
2014	CUONG LUONG	Cole Information Services
2009	CUONG LUONG	Cole Information Services
2006	LUONG Cuog	Haines Company, Inc.
2004	OCCUPANT UNKNOWN	Cole Information Services
2000	DREWICKGeoe	Haines & Company
1999	CUONG LUONG	Cole Information Services
1994	DREWICK, GEORGE E	Cole Information Services
1986	Drewick Geo E	Pacific Bell

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1985	DREWICK GEO E	Pacific Bell
1975	Drewick George E	Pacific Telephone
	DREWICK GEO E	Pacific Telephone

1009 RUGE DR

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	RANDY GIESICK	Cole Information Services
2014	ROBERT GIESICK	Cole Information Services
2009	ROBERT GIESICK	Cole Information Services
2006	a GIESICK Robert	Haines Company, Inc.
2004	ROBERT GIESICK	Cole Information Services
2000	GIESICKRobert	Haines & Company
1999	ROBERT GIESICK	Cole Information Services
1975	Giesick Robt	Pacific Telephone

1011 RUGE DR

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2014	AURELIO CORREIA	Cole Information Services
2009	AURELIO CORREIA	Cole Information Services
2006	No Current Listing	Haines Company, Inc.
2004	OCCUPANT UNKNOWN	Cole Information Services
2000	CORREIAAurelio	Haines & Company
1999	AURELIO CORRCIA	Cole Information Services
	AURELIO CORREIA	Cole Information Services
1975	Eggert Wayne	Pacific Telephone

1017 RUGE DR

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	JULIO CAETANO	Cole Information Services
2014	OCCUPANT UNKNOWN	Cole Information Services
2009	JULIO CAETANO	Cole Information Services
2006	CAETANOJuro	Haines Company, Inc.
2004	JULIO CAETANO	Cole Information Services
2000	CAETANOJUlo	Haines & Company
1999	JULIO CAETANO	Cole Information Services
1986	Mc Cubbin David R	Pacific Bell
1985	MC CUBBIN DAVID R	Pacific Bell
1975	Card Paul	Pacific Telephone

FINDINGS

1021 RUGE DR

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2014	VICTORIAN HO	Cole Information Services
2009	OCCUPANT UNKNOWN	Cole Information Services
2006	WLUCuong	Haines Company, Inc.
2004	CHUONG THAI	Cole Information Services
2000	LUMuoa	Haines & Company
1996	Lu Muoi	Pacific Bell
1994	LU, MUOI	Cole Information Services
1975	Baldwin Ronald	Pacific Telephone

1027 RUGE DR

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	PETER CHAN	Cole Information Services
2014	PETER CHAN	Cole Information Services
2009	OCCUPANT UNKNOWN	Cole Information Services
2006	a CCHANCheuk sang	Haines Company, Inc.
2004	PETER CHAN	Cole Information Services
2000	CHANCheuk	Haines & Company
1999	OCCUPANT UNKNOWN	Cole Information Services
1975	CHAN PETER	Pacific Telephone
	Chan Peter	Pacific Telephone

1031 RUGE DR

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	WILLEM MULDER	Cole Information Services
2014	OCCUPANT UNKNOWN	Cole Information Services
2009	HUNTER MULDER	Cole Information Services
2006	No Current Listing	Haines Company, Inc.
2004	WILLEM MULDER	Cole Information Services
2000	MULOERJil Oh	Haines & Company
1999	HUNTER MULDER	Cole Information Services
1975	Rauch Ronald	Pacific Telephone

1037 RUGE DR

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	LUIS BRUM	Cole Information Services
2014	LUIS BRUM	Cole Information Services
2009	LUIS BRUM	Cole Information Services
2006	OBRUMLuis	Haines Company, Inc.

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2004	LUIS BRUM	Cole Information Services
2000	BRUMLUos	Haines & Company
1999	LUIS BRUM	Cole Information Services
1996	Brum Steve	Pacific Bell
1994	BRUM, LUIS	Cole Information Services
1986	Brum Luis	Pacific Bell
1985	BRUM LUIS	Pacific Bell
1980	Brum Luis	Pacific Telephone
1975	OLIVEIRA COSMO	Pacific Telephone
	Oliveira Cosmo	Pacific Telephone

1041 RUGE DR

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	JUSTIN PANTALEON	Cole Information Services
2014	CHUAN TAN	Cole Information Services
2009	THEODORE PANTALEON	Cole Information Services
2006	Bemadette a PANTALEON	Haines Company, Inc. Haines Company, Inc.
2004	THEODORE PANTALEON	Cole Information Services
2000	MANDINDi NAngeh la PANTALEON B	Haines & Company
1999	THEODORE PANTALEON	Cole Information Services
1996	Pantaleon Bernadette	Pacific Bell
1994	PANTALEON, B	Cole Information Services
1991	Riley Marcl RILEY MARCL	PACIFIC BELL WHITE PAGES PACIFIC BELL WHITE PAGES
1986	Hawn William ALARM RESPONSE SECURITY & PATROL	Pacific Bell Pacific Bell
1985	HAWN WILLIAM ALARM RESPONSE SECURITY & PATROL	Pacific Bell Pacific Bell
1975	Rynearson Richd J	Pacific Telephone

1046 RUGE DR

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	JORGE FERNANDEZ	Cole Information Services
2014	JORGE FERNANDEZ	Cole Information Services
2009	YANET MIRAMONTES	Cole Information Services
2006	FERNANDEZJorge	Haines Company, Inc.
2004	JORGE FERNANDEZ	Cole Information Services

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2000	FARIAJoaquin	Haines & Company
1999	YANET MIRAMONTES	Cole Information Services
1975	Faria Joaquin	Pacific Telephone

1050 RUGE DR

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2014	OCCUPANT UNKNOWN	Cole Information Services
2009	OCCUPANT UNKNOWN	Cole Information Services
2006	a KORi ENEK Rosemary	Haines Company, Inc.
2004	GEORGE KORIENEK	Cole Information Services
2000	KORIENEK Rosemary	Haines & Company
1985	KORIENEK GEO A	Pacific Bell
1975	Korienek Geo A	Pacific Telephone

1054 RUGE DR

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	MINH DUONG	Cole Information Services
2014	OCCUPANT UNKNOWN	Cole Information Services
2009	MINH DUONG	Cole Information Services
2006	DUONGMinh	Haines Company, Inc.
2004	MINH DUONG	Cole Information Services
2000	KAWAHARATHomas	Haines & Company
	ODUONGMmh	Haines & Company
1999	PHUONG MA	Cole Information Services
	MINH DUONG	Cole Information Services
1985	SILVEY CALVIN	Pacific Bell
1980	Slvey Calvin	Pacific Telephone
	Silvestri Thos A Mrs	Pacific Telephone
1975	Nielson Gary L	Pacific Telephone

01009 RUGE DR

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1975	GIESICK ROBT	Pacific Telephone

RUSSO DR

1009 RUSSO DR

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1982	Mead Merrill H	Pacific Telephone

FINDINGS

WILSHAM DR

1006 WILSHAM DR

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1975	GURGIOLO LOUIS	Pacific Telephone

1011 WILSHAM DR

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	MIKKY WU	Cole Information Services
2014	MIKKY WU	Cole Information Services
2009	WILLIAM SIEGEL	Cole Information Services
2006	SIEGEL Jacob	Haines Company, Inc.
2004	JACOB SIEGEL	Cole Information Services
2000	SIEGEL Jacob	Haines & Company
1999	WILLIAM SIEGEL	Cole Information Services
1996	Siegel Jacob	Pacific Bell
1994	SIEGEL, JACOB	Cole Information Services
1991	Siegel Jacob	PACIFIC BELL WHITE PAGES
	SIEGEL JACOB	PACIFIC BELL WHITE PAGES
1986	Siegel Jacob	Pacific Bell
1985	SIEGEL JACOB	Pacific Bell
1980	Siegel Jacob	Pacific Telephone
1975	Siegal Jacob	Pacific Telephone
	SEGAL JACOB	Pacific Telephone

1012 WILSHAM DR

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	RONALD SCOTT	Cole Information Services
2014	RONALD SCOTT	Cole Information Services
2009	RONALD SCOTT	Cole Information Services
2006	a SCOTT Ronald L	Haines Company, Inc.
2004	RONALD SCOTT	Cole Information Services
2000	SCOTT Ronald L	Haines & Company
1999	RONALD SCOTT	Cole Information Services
1996	Scott Ronald L	Pacific Bell
1994	SCOTT, RONALD L	Cole Information Services
1985	SCOTT RONALD L	Pacific Bell
1975	Gresa Michl F	Pacific Telephone
	GRESS MICHAEL F	Pacific Telephone

FINDINGS

1015 WILSHAM DR

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	DANIEL SHULL	Cole Information Services
2014	VICENTE EBERT	Cole Information Services
2009	OCCUPANT UNKNOWN	Cole Information Services
2006	a MURPHY Thomas	Haines Company, Inc.
2004	OCCUPANT UNKNOWN	Cole Information Services
2000	MURPHY Thomas	Haines & Company
1999	OCCUPANT UNKNOWN	Cole Information Services
1986	Crane Harold	Pacific Bell
1985	CRANE HAROLD	Pacific Bell
1975	Gentry Jack	Pacific Telephone

1016 WILSHAM DR

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	MICHELE VACCARO	Cole Information Services
2014	MICHELE VACCARO	Cole Information Services
2009	OCCUPANT UNKNOWN	Cole Information Services
2006	KOCH Kelly	Haines Company, Inc.
	KWONG Lawrence	Haines Company, Inc.
2004	KELLY KWONG	Cole Information Services
2000	KWONG Lawrence	Haines & Company
1999	OCCUPANT UNKNOWN	Cole Information Services
1986	Maggio Mar	Pacific Bell
1985	MAGGIO MARK	Pacific Bell
1980	Maurer Andrew J	Pacific Telephone
	Gurgiolo Louis	Pacific Telephone
1975	Gurgiolo Louis	Pacific Telephone

1019 WILSHAM DR

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	SUSAN POST	Cole Information Services
2014	OCCUPANT UNKNOWN	Cole Information Services
2009	ALEX MINDER	Cole Information Services
2006	a MINDER Alex	Haines Company, Inc.
2004	ALEX MINDER	Cole Information Services
2000	MINDER Alex	Haines & Company
1999	ALEX MINDER	Cole Information Services
1980	Dias Jos R	Pacific Telephone
1975	Dias Joseph R	Pacific Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1975	MEDEIROS DEODATO	Pacific Telephone

FINDINGS

ADJOINING PROPERTY: ADDRESSES NOT IDENTIFIED IN RESEARCH SOURCE

The following Adjoining Property addresses were researched for this report, and the addresses were not identified in research source.

<u>Address Researched</u>	<u>Address Not Identified in Research Source</u>
01009 RUGE DR	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
1001 BELFORD DR	2017, 2014, 2009, 2004, 2001, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
1001 BELFORD DR	2009, 2006, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
1001 RUGE DR	2006, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
1001 RUGE DR	2017, 2014, 2009, 2004, 2001, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
1005 ROGE DR	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
1005 RUGE DR	2017, 2014, 2009, 2004, 2001, 1999, 1996, 1994, 1991, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
1005 RUGE DR	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
1006 BELFORD DR	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
1006 BELFORD DR	2017, 2014, 2009, 2006, 2004, 2001, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
1006 WILSHAM DR	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
1009 BELFORD DR	2017, 2014, 2009, 2004, 2001, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
1009 BELFORD DR	2006, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
1009 RUGE DR	2006, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
1009 RUGE DR	2017, 2014, 2009, 2004, 2001, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched

965 KESTRAL WAY

971 KESTRAL WAY

977 KESTRAL WAY

Address Not Identified in Research Source

2017, 2006, 2004, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

2006, 2004, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

2006, 2004, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

TARGET PROPERTY: ADDRESS NOT IDENTIFIED IN RESEARCH SOURCE

The following Target Property addresses were researched for this report, and the addresses were not identified in the research source.

Address Researched

905 North Capitol Avenue

Address Not Identified in Research Source

2017, 2001, 1999, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922



APPENDIX G

ENVIRONMENTAL SITE ASSESSMENT QUESTIONNAIRE

Project Name:

Project No.



**ENVIRONMENTAL SITE ASSESSMENT QUESTIONNAIRE
FOR KEY SITE MANAGER**

To evaluate the potential for possible environmentally related impacts and site contamination the following information is requested. This questionnaire is to be preferably completed by the current property owner, or owner representative, leasing agent, or other person having good knowledge of the uses and physical characteristics of the property (Key Site Manager).

PART I

1. Property Address/Location and Assessor's Parcel Number (APN):

254-29-028 North parcel

254-29-026 South parcel

2. Current property owner (name, address, voice/fax number):

Yoneda Enterprises LP

1029 Eastwood Dr.

Los Altos, CA 94024

650 964-4992

3. Date current property owner assumed title of property:

Approx. Aug 26, 2001

4. Current property development/improvements:

North parcel - house, shed, greenhouse

5. Past property use, development/improvements:

walnut orchard, chili pepper farm

South parcel - farmhouse, sheds

6. Neighboring property uses:

residential

SCV Water District

PART II - The following questions should be answered to the best of your knowledge.

1. Is/has the *property* or any adjoining property used/been used for industrial purposes? Yes No
2. Has the *property* or any adjoining property been used as a gasoline station, motor repair facility, commercial printing facility, dry cleaners, photo developing laboratory, junkyard or landfill, or as a waste treatment, storage, disposal, processing, or recycling facility? Yes No
3. Are there currently, or have there been previously, any damaged or discarded automotive or industrial batteries, or pesticides, paints, or other chemicals in individual containers of greater than 5 gal in volume or 50 gal in the aggregate, stored on or used at the *property* or at the facility? Yes No
4. Has undocumented soil been brought onto the property at any time? If yes, estimated quantity is 2 cubic yards. Yes No
5. Has soil been brought onto the property that originated from a contaminated site or that is of an unknown origin? Yes No
6. Are there currently, or have there been previously, any pits, ponds, or lagoons located on the *property* in connection with waste treatment or waste disposal? Yes No
7. Is there currently, or has there been previously, any stained soil on the *property*? Yes No
8. Are there currently, or have there been previously, any registered or unregistered storage tanks (above or underground) located on the *property*? Yes No
9. Are there currently, or have there been previously, any vent pipes, fill pipes, or access ways indicating a fill pipe protruding from the ground on the *property* or adjacent to any structure located on the *property*? Yes No
10. Are there currently, or have there been previously, any flooring, drains, or walls located within the facility that are stained by substances other than water or are emitting foul odors? Yes No
11. Are there any domestic, irrigation or monitoring wells on the property? Yes No
12. If the *property* is served by a private well or non-public water system, have contaminants been identified in the well or system that exceed guidelines applicable to the water system or has the well been designated as contaminated by any government environmental/health agency? Yes No
13. Have you been informed of the past or current existence of *hazardous substances* or *petroleum products* or environmental violations with respect to the *property* or any facility located on the *property*? Yes No
14. Have there been any *environmental site assessments* of the *property* or facility that indicated the presence of *hazardous substances* or *petroleum products* on, or contamination of, the *property* or recommended further assessment of the *property*? Yes No
15. Have there been any past, threatened, or pending lawsuits or administrative proceedings concerning a release or threatened release of any *hazardous substance* or *petroleum products* involving the *property*? Yes No
16. Has there been any past agricultural use of the *property*, such as orchards or seed crop cultivation? Yes No
17. Have any *hazardous substances* or *petroleum products*, unidentified waste materials, tires, automotive or industrial batteries or any other waste materials been dumped above grade, buried and/or burned on the *property*? Yes No
18. Is there a transformer, capacitor, or any hydraulic equipment for which there are any records indicating the presence of PCBs? Yes No

If a "Yes" response was provided to any of the above questions, please provide details below:

4. Townhouse developer in rear built up the site so there is slight embankment along their wall and along the street, This is clean dirt,
13. When the old farmhouse on South parcel was demolished years ago they found one piece of asbestos pipe about two feet long. They removed it for proper disposal,
14. See CBRE broker Mark Russell for prior environmental and geotechnical studies by prospective buyers,
16. Walnut orchard until early 1970s. Then pepper farm for about 10 years. Some pumpkins grown about 5 years ending in early 2000s.

I certify that the information herein is true and correct to the best of my knowledge as of the date signed below.

Name (Printed/Typed): Chuck Yoneda

Signature: *Chuck Yoneda*

Date: 12/14/2020



APPENDIX H

QUALIFICATIONS OF ENVIRONMENTAL PROFESSIONAL

JEFFREY ADAMS, PHD, PE
Principal Engineer

EDUCATION

BS, Civil Engineering, University of Illinois at Chicago, 1994
MS, Civil Engineering, University of Illinois at Chicago, 1996
PhD, Civil Engineering, University of Illinois at Chicago, 1999
MBA, Concentration in Real Estate and Finance, University of Washington, 2004

EXPERIENCE

Years with ENGEO: 17

REGISTRATIONS & CERTIFICATIONS

Professional Engineer, CA, 69633
Environmental Manager, NV, 2150
40 Hour HAZWOPER Training, CA, 12100257636

SPECIALIZATIONS

- Environmental & Stormwater Permitting
- Environmental Assessments and Remediation
- Environmental Restoration
- Geologic Hazard Abatement Districts (GHADs)
- Groundwater Modeling
- MS Project

Jeff joined ENGEO in 1999 and is a Principal Engineer directing environmental assessment, characterization, and remediation projects, geotechnical field reconnaissance and explorations, and engineering design and analyses. Jeff has provided financial analyses on real estate development projects as well as project cost-benefit analyses. He also is heavily involved in our Entitlement and Permitting Support services as well as our programs for Geologic Hazard Abatement Districts.

Jeff has performed numerous Phase I and II Environmental Site Assessments and site characterizations, as well as a number of analyses and studies utilizing federal, state, and local directives. He specializes in Brownfield redevelopment projects requiring integrated solutions for the mitigation of geotechnical and environmental hazards. Jeff is experienced in developing financial models, cash flow projections and budgets for a variety of projects requiring innovative financial solutions.

Select Project Experience

Foster City Civic Center—Foster City, CA

Group Leader, Assistant Project Manager. Jeff provided technical oversight for phase one environmental site assessment for the Foster City Civic Center site and environmental characterization operations for the site, which was suspected of having been affected by unauthorized petroleum hydrocarbon releases within the subsurface. Following the completion of a soil gas survey, Jeff and team demonstrated that vapor intrusion mitigation systems were not necessary for proposed development, providing a significant cost savings to the project. The project consists of a multi-use urban infill development.

Alameda Landing—Alameda, CA

Group Leader, Project Manager. Jeff managed the completion of a phase one environmental site assessment for the Alameda Landing site. He also directed recent environmental characterization operations for the site, which was suspected of having been affected by naturally-occurring methane deposits within the subsurface. Working closely with innovative protocols, Jeff was able to demonstrate to regulatory oversight officials that expensive vapor intrusion mitigation systems were not necessary for proposed residential structures, potentially saving millions of dollars to the site developer. The project consists of a multi-phased single-family and multi-family residential housing development.

1000 Howe Road—Martinez, CA

Project Engineer. Jeff provided a phase-one environmental site assessment for the project. In addition, he provided a preliminary geotechnical report for this property that has been used as a trucking company's storage yard. The project is a residential development that consists of single- and multiple-story detached residential units.

Jefferson Street Development—Oakland, CA

Project Manager. Jeff served as Project Manager. He provided comprehensive environmental and geotechnical consultation services for a Brownfields redevelopment project in downtown Oakland. The project included several challenges, including limited site access due to onsite business activities, environmental impact related to previous site use, and the presence of several adjacent mid-rise structures. Jeff developed cost effective remedial value engineering solutions to mitigate the presence of geotechnically and environmentally-constraining subsurface solutions. Jeff worked with the design team to establish cost-effective retaining wall and foundation systems, designed and observed a subsurface environmental mitigation program, and assisted in the design of a structure wide vapor barrier. The project, serving as a cornerstone of the revitalization of downtown Oakland, is an excellent example of Jeff's proficiency in delivering cost effective solutions to facilitate Brownfields redevelopment. The project consists of a multi-story residential condominium structure.

San Ramon Village Plaza—Dublin, CA

Project Manager. Jeff served as Project Engineer. He contributed to an environmental peer review of previous land uses, which included a former dry cleaner. Further investigation identified impact due to former site operations. Jeff assisted in a remediation program, closely collaborating with other consultants representing differed parties of the property transaction. The site was efficiently remediated, allowing for redevelopment. The project consists of a high-density residential development within the 4.68-acre mixed-use San Ramon Village Plaza site. The project consists of a high-density residential development within the 4.68-acre mixed-use San Ramon Village Plaza site.

Los Banos Airport—Los Banos, CA

Project Engineer. Jeff provided a Phase I Environmental Site Assessment and a Conceptual Soil Remediation Work Plan as part of a multi-phase development. In addition to the Phase I Environmental Site Assessment he provided a soil and groundwater characterization program. The Los Banos Airport project measures approximately 112 acres in area.

Questa @ Neighborhood H - Mountain House—Mountain House, CA

Project Manager. Jeff served as project manager. He assisted in the preparation a phase one environmental site assessment in fall 2010. Under Jeff's leadership, the project team was able to effectively navigate through the complex historic records and ownership legacy associated with the property. The report that satisfied the demands and deadline of both the ownership entity and the financial institutions associated with the property. ENGEO performed a phase I environmental site assessment on the finished lots within Questa @ Neighborhood H of the Mountain House project.

Lockheed Martin Storm Water Pond No 4—Sunnyvale, CA

Project Manager. Jeff provided permitting consultation services, including the federal and state permitting required for the maintenance of a stormwater detention system. Jeff has also provided geotechnical and environmental support to evaluate the geotechnical conditions of the site. He also determined the absence of environmentally impacted materials within the site area. The site consists of a stormwater detention basin measuring approximately 4.5 acres in area and located adjacent to sensitive habitat.



Phase II Reports

Project No.
18124.000.001

August 11, 2021

Ms. Kristen Gates, PE
Hanover R.S. Limited Partnership
1780 South Post Oak Lane
Houston, TX 77056

Subject: 905 N. Capitol Avenue
San Jose, California

PHASE II ENVIRONMENTAL SITE ASSESSMENT

Dear Ms. Gates:

We are pleased to submit the findings of our phase II environmental site assessment (ESA) performed at the subject property (Property) in San Jose, California. The purpose of this assessment was to evaluate potential impacts from past agricultural use of the Property, as well as to characterize soil for offhaul.

1.0 LOCATION AND BACKGROUND

The Property located at 905 N. Capitol Avenue in San Jose, California (Figures 1 and 2). The approximately 2.1-acre Property is identified as Assessor's Parcel Number (APN) 254-290-028. The Property currently consists of one residence, along with associated storage sheds, a greenhouse, and vacant vegetated land. Review of historical records indicates that the Property had been cultivated with row crops or orchards dating to at least 1939 to approximately the late 1970s. The structures located on the Property were built between 1968 and 1974.

2.0 FIELD EXPLORATION

Field sampling activities associated with the phase II ESA were performed on January 29 and February 1, 2021. Prior to drilling, an ENGEO representative contacted USA North Service Alert for identification of underground utilities at the Property. A C-57 licensed drilling contractor was retained to advance soil borings at the Property.

2.1 Soil Sampling Around Perimeter Structures & Base of Greenhouse

A total of ten borings were advanced to a depth of approximately 5 feet below ground surface (HA-1 through HA-10), around the perimeter of the structures to evaluate potential impacts due to lead-based paint and herbicides. Two of the ten borings (HA-9 and HA-10) were installed inside the greenhouse (Figure 2). Three soil samples were collected from each of the borings, at depths of 1, 3, and 5 feet below ground surface. The laboratory was instructed to hold the deepest samples pending results of the shallow samples. Borings were grouted upon completion of sampling.

The samples were labeled to indicate a unique sample number, sample location, time and date collected, and the sampler's identification. Samples were preserved in a chilled cooler and transported to Torrent Laboratory, Inc., a State-certified laboratory, in Milpitas, California under documented chain-of-custody.

Samples collected from borings around the perimeter of the structures and from the base of the greenhouse were analyzed on a discrete basis for:

- Organochlorine pesticides (OCPs) (EPA Method 8081)
- Total arsenic and lead (EPA Method 6010)

In addition, the samples collected from the base of the greenhouse were analyzed for asbestos (CARB 435).

2.2 Soil Sampling to Characterize Soil for Offhaul

In addition, nine borings were advanced to a depth of approximately 5 feet below ground surface), (S-1 through S-9), to characterize the soil for offhaul. Sample locations are presented on Figure 2.

Three soil samples were collected from each of the borings, at depths of 1, 3, and 5 feet below ground surface. The laboratory was instructed to hold the deepest samples pending results of the shallow samples. The samples were labeled to indicate a unique sample number, sample location, time and date collected, and the sampler's identification. Samples were preserved in a chilled cooler and transported to Torrent Laboratory, Inc., a State-certified laboratory, in Milpitas, California under documented chain-of-custody. Borings were grouted upon completion of sampling.

Samples were analyzed on a discrete basis for the following:

- Organochlorine pesticides (OCPs) (EPA Method 8081)
- CAM-17 Metals (EPA Method 6010)
- Total petroleum hydrocarbons (TPH) as gasoline (TPH-g) and full-suite volatile organic compounds (VOCs) (EPA Method 8260B)
- TPH as diesel (TPH-d) and TPH as motor oil (TPH-mo) (EPA Method 8015M)
- Semi-volatile organic compounds (SVOCs) (EPA Method 8270)
- Polychlorinated biphenyls (PCBs) (EPA Method 8082)

3.0 ANALYTICAL RESULTS

3.1 Soil Sampling Around Perimeter Structures & Base of Greenhouse

Soil sample results were compared to the San Francisco Regional Water Quality Control Board's (RWQCB) Environmental Screenings Levels (ESLs) for residential land use¹. The reported arsenic concentrations are within typical naturally occurring background concentrations in the general vicinity of the Property. The reported concentrations for OCPs and lead are all below the

¹ San Francisco Regional Water Quality Control Board (Environmental Screening Levels (ESLs), Direct Exposure Human Health Risk Levels (Table S-1), Shallow Soil, Residential Exposure and Commercial/Industrial Exposure, January 2019, Rev 2.

applicable ESLs for residential soil, with the exception of DDE in one sample. Following is a summary of the laboratory results.

- DDE was detected at a concentration of 2.16 milligrams per kilograms (mg/kg) in one soil sample HA-10@1' (collected inside the base of the greenhouse), exceeding the corresponding residential screening level of 1.8 mg/kg. DDE concentration in the deeper sample at that location (HA-10@3') exhibited DDE at a concentration below the corresponding residential screening level.
- Arsenic concentrations ranged from 5.3 to 7.25 mg/kg. Although results exceeded residential ESLs, concentrations are within background concentrations observed in the San Francisco Bay Area (11 mg/kg).
- Lead concentrations ranged from 5.4 to 41.4 mg/kg, which are below the current residential screening level of 80 mg/kg.
- The cumulative concentrations of DDD/DDT/DDE exceeded 1 mg/kg, the Total Threshold Limit Concentration (TTLC) established by Title 22 of the California Code of Regulations (CCR) in three samples collected around the perimeter of the structures (HA-3@1', HA-4@1', HA-6@1') and one sample collected at the base of the greenhouse (HA-10@1'). The soil at these locations would be categorized as Class I hazardous material.
- Asbestos was not detected in the samples collected from the base of the greenhouse (HA-9@1', HA-9@3', HA-10@1', HA-10@3').

A summary of sample results is presented in Table A. The laboratory analytical report is presented in its entirety in Appendix A.

3.2 Soil Sampling to Characterize Soil for Offhaul

In the soil samples collected from the Property to characterize the soil for offhaul, metals, TPH-g, TPH-d, and TPH-mo were detected at concentrations below the corresponding residential screening levels and/or within background concentrations.

PCBs and VOCs were not detected in any of the soil samples. SVOCs were detected at concentrations below the corresponding residential screening levels in all samples, with the exception of one sample S-5@1; in which the benzo(a)pyrene concentration (0.172) exceeded its corresponding residential screening level of 0.11 mg/kg.

OCPs including DDD, DDE, DDT, and endrin aldehyde were detected in the soil samples, all at concentrations below the corresponding residential screening levels. The cumulative concentrations of DDD/DDT/DDE exceeded 1 mg/kg, the TTLC limit established by Title 22 of the CCR in three shallow soil samples (S-1@1', S-4@1', and S-7@1').

A summary of sample results is presented in Table A. The laboratory analytical report is presented in its entirety in Appendix A.

A statistical evaluation was conducted on the data set for the cumulative DDD/DDT/DDE. A 95 percent upper confidence level (UCL) concentration was calculated for the cumulative DDE concentrations following the methods established by the United States Environmental Protection Agency (USEPA). A 95 percent UCL represents a threshold concentration with the following characteristic: the true mean concentration of the analyte within the study area has a 95 percent

probability of being less than or equal to the UCL concentration. The analysis was performed using USEPA's ProUCL Version 5.1 software. The UCL for cumulative DDE was calculated to be 0.642 mg/kg, which is below the TTLC concentration of 1 mg/kg. The UCL worksheet is presented in Appendix B.

CONCLUSIONS


Based on the review of the laboratory test results, slightly elevated concentration of DDE was detected in one shallow soil sample collected from the base of the greenhouse. Benzo(a)pyrene was detected in one shallow sample, slightly exceeding its corresponding residential screening.

Cumulative DDD/DDE/DDT was detected at concentrations exceeding the TTLC of 1 mg/kg in a total of six shallow soil samples collected across the Property, however, the UCL was calculated to be 0.642 mg/kg. Based on this, the shallow soil at the Property would likely not be considered Class I hazardous material as an aggregate. The soil analytical reports should be provided to the receiving facility prior to offhaul.

If you have any questions or comments regarding this letter, please call and we will be glad to discuss them with you.

Sincerely,

ENGEO Incorporated



Divya Bhargava, PE





Shawn Munger, CHG

Attachments: Figures 1 and 2
Table A – Summary of Soil Analytical Results
Appendix A – Torrent Laboratory, Inc. Laboratory Analytical Report
Appendix B – UCL worksheet

FIGURES

Figure 1: Vicinity Map
Figure 2: Site Map

COPYRIGHT © 2021 BY ENGEO INCORPORATED. THIS DOCUMENT MAY NOT BE REPRODUCED IN WHOLE OR IN PART BY ANY MEANS WHATSOEVER, NOR MAY IT BE QUOTED WITHOUT THE EXPRESS WRITTEN CONSENT OF ENGEO INCORPORATED.



BASEMAP SOURCE: GOOGLE EARTH MAPPING SERVICE 2019




VICINITY MAP
905 N. CAPITOL AVENUE
SAN JOSE, CALIFORNIA

PROJECT NO. :	18124.001.001
SCALE:	AS SHOWN
DRAWN BY: MAT	CHECKED BY: DB



FIGURE NO.
1

COPYRIGHT © 2021 BY ENGEO INCORPORATED. THIS DOCUMENT MAY NOT BE REPRODUCED IN WHOLE OR IN PART BY ANY MEANS WHATSOEVER, NOR MAY IT BE QUOTED WITHOUT THE EXPRESS WRITTEN CONSENT OF ENGEO INCORPORATED.



EXPLANATION

ALL LOCATIONS ARE APPROXIMATE

-  TASK 1 BORING (ENGEO, 2021)
-  TASK 2 BORING (ENGEO, 2021)

BASEMAP SOURCE: GOOGLE EARTH WEB MAPPING SERVICE 2018



SITE PLAN
 905 N. CAPITOL AVENUE
 SAN JOSE, CALIFORNIA

PROJECT NO. : 18124.001.001	
SCALE: AS SHOWN	
DRAWN BY: MAT	CHECKED BY: DB

FIGURE NO:
2

TABLE A
Summary of Soil Analytical Results

Table A - Summary of Soil Sampling Results

Parameters	RWQCB Residential ESL (Jan 2019 Rev.2)	Sample Location Sample Date Media Units	S-1 @ 1'	S-1 @ 3'	S-2 @ 1'	S-2 @ 3'	S-3 @ 1'	S-3 @ 3'	S-4 @ 1'	S-4 @ 3'	S-5 @ 1'	S-5 @ 3'	S-6 @ 1'	S-6 @ 3'	S-7 @ 1'	S-7 @ 3'	S-8 @ 1'	S-8 @ 3'	S-9 @ 1'	S-9 @ 3'	HA-1 @ 1'	HA-1 @ 2'	HA-2 @ 1'	HA-2 @ 2'		
			1/29/2021 Soil	1/29/2021 Soil	1/29/2021 Soil	1/29/2021 Soil	1/29/2021 Soil	1/29/2021 Soil	1/29/2021 Soil	1/29/2021 Soil	1/29/2021 Soil	1/29/2021 Soil	1/29/2021 Soil	1/29/2021 Soil	1/29/2021 Soil	1/29/2021 Soil	1/29/2021 Soil	1/29/2021 Soil	1/29/2021 Soil	1/29/2021 Soil	1/29/2021 Soil	1/29/2021 Soil	1/29/2021 Soil	1/29/2021 Soil	1/29/2021 Soil	1/29/2021 Soil
			Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result
Metals (SW6010B)																										
Arsenic ²	6.70E-02	mg/kg	6.5	7.25	5.85	6.25	5.7	6.4	6.15	6.25	6.15	6.6	5.4	5.4	5.6	4.81	6.2	5.8	6.45	5.75	5.3	6.05	5.8	6.35		
Barium	1.50E+04	mg/kg	172	270	406	272	171	318	170	236	202	234	181	212	176	151	187	223	188	192	N/A	N/A	N/A	N/A		
Chromium	1.20E+05	mg/kg	39.8	51.5	35.1	38.9	36.5	42.3	37.9	40.4	39.4	42.9	37.4	36.4	39.9	34.4	38.7	40.2	42.7	38.8	N/A	N/A	N/A	N/A		
Cobalt	2.30E+01	mg/kg	11.3	14.3	10.8	11.6	10.4	12.6	10.8	12.3	11.7	12.9	10.8	11	10.7	7.85	11.1	11.8	11.6	11.4	N/A	N/A	N/A	N/A		
Copper	3.10E+03	mg/kg	67.5	36.4	54	35.6	53.5	34.1	67.5	32.4	42.6	34.3	42	28.6	50.5	20	54	30.7	47	32.7	N/A	N/A	N/A	N/A		
Lead	8.00E+01	mg/kg	18.6	10.3	14.4	8.95	16	9.75	21.7	9.4	13.6	10.2	16.2	8.45	19.7	7.15	14.6	9.05	18.3	9.45	17.3	8.95	11	8.9		
Nickel	8.20E+02	mg/kg	55	84	50.5	54.5	50	60	52.5	56	56.5	65	52.5	51	53.5	41.7	52.5	55.5	64.5	53	N/A	N/A	N/A	N/A		
Vanadium	3.90E+02	mg/kg	32.7	37.9	29.2	33.1	30.1	34.6	31.5	33.3	34	34.9	31.5	30	31.4	30	32.6	32.1	33.5	33.6	N/A	N/A	N/A	N/A		
Zinc	2.30E+04	mg/kg	63.5	63.5	56	56	61	61.5	69.5	61	57.5	62.5	62.5	53	60	45.8	57	57.5	182	57.5	N/A	N/A	N/A	N/A		
Total Petroleum Hydrocarbons (with Silica Gel Cleanup - SW8015B)																										
TPH (Gasoline)	4.30E+02	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	N/A	N/A	N/A	N/A	
TPH as Diesel (SG)	2.60E+02	mg/kg	2.45	ND	2.89	ND	ND	ND	2.22	ND	ND	ND	ND	ND	2.29	ND	4.56	ND	2.07	ND	N/A	N/A	N/A	N/A		
TPH as Motor Oil (SG)	1.20E+04	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	46.4	ND	ND	ND	N/A	N/A	N/A	N/A		
Organochlorine Pesticides (OCPs - SW8081)																										
DDD	2.70E+00	mg/kg	0.00649	ND	0.00246	ND	0.0038	ND	0.00351	ND	ND	ND	0.00231	ND	0.00451	ND	0.00469	ND	0.00634	ND	ND	ND	0.0108	ND		
DDE	1.80E+00	mg/kg	0.795	0.00363	0.712	0.00434	0.673	0.00917	1.09	0.00223	0.175	0.0049	0.704	0.00447	1.14	0.00829	0.241	ND	0.329	0.0197	0.0623	0.00355	0.266	0.000804		
DDT	1.90E+00	mg/kg	0.301	ND	0.172	ND	0.258	0.00248	0.243	ND	0.049	ND	0.178	ND	0.223	ND	0.0476	ND	0.0985	0.0037	0.0313	0.000864	0.0669	ND		
Endrin Aldehyde	--	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00317	ND	ND	ND	ND	ND	ND	ND	ND	ND		
Dieldrin	3.70E-02	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
Cumulative DDE ¹	1.10E+01	mg/kg	1.10249	0.00363	0.88646	0.00434	0.9348	0.01165	1.33651	0.00223	0.224	0.0049	0.88431	0.00447	1.36751	0.00829	0.29329	0	0.43384	0.0234	0.0936	0.004414	0.3437	0.000804		
Polycyclic Aromatic Hydrocarbons (PAHs - SW8270C)																										
1-Methylnaphthalene	--	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	N/A	N/A	N/A	N/A		
2-Methylnaphthalene	2.40E+02	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	N/A	N/A	N/A	N/A		
Acenaphthene	3.60E+03	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	N/A	N/A	N/A	N/A		
Acenaphthylene	--	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	N/A	N/A	N/A	N/A		
Anthracene	1.80E+04	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	N/A	N/A	N/A	N/A		
Benz[a]anthracene	1.10E+00	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND	0.189	ND	ND	ND	ND	ND	ND	ND	ND	ND	N/A	N/A	N/A	N/A		
Benzo[a]pyrene	1.10E-01	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND	0.172	ND	ND	ND	ND	ND	ND	ND	ND	ND	N/A	N/A	N/A	N/A		
Benzo[b]fluoranthene	1.10E+00	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND	0.191	ND	ND	ND	ND	ND	ND	ND	ND	ND	N/A	N/A	N/A	N/A		
Benzo[g,h,i]perylene	--	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	N/A	N/A	N/A	N/A		
Benzo[k]fluoranthene	1.10E+01	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	N/A	N/A	N/A	N/A		
Chrysene	1.10E+02	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND	0.158	ND	ND	ND	ND	ND	ND	ND	ND	ND	N/A	N/A	N/A	N/A		
Dibenz[a,h]anthracene	1.10E-01	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	N/A	N/A	N/A	N/A		
Fluoranthene	2.40E+03	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND	0.42	ND	ND	ND	ND	ND	ND	ND	ND	ND	N/A	N/A	N/A	N/A		
Fluorene	2.40E+03	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	N/A	N/A	N/A	N/A		
Indeno[1,2,3-cd]pyrene	1.10E+00	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	N/A	N/A	N/A	N/A		
Naphthalene	3.80E+00	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	N/A	N/A	N/A	N/A		
Phenanthrene	--	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND	0.318	ND	ND	ND	ND	ND	ND	ND	ND	ND	N/A	N/A	N/A	N/A		
Pyrene	1.80E+03	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND	0.354	ND	ND	ND	ND	ND	ND	ND	ND	ND	N/A	N/A	N/A	N/A		
Asbestos																										
			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
VOCs (8260)																										
			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	N/A	N/A	N/A	N/A	
PCBs (8082)																										
			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	N/A	N/A	N/A	N/A	

Notes:

- BOLD** Exceeds the Laboratory Reporting Limits
- Highlight** Exceeds Regional Water Quality Control Board (RWQCB), Direct Exposure Human Health (Table S-1), Residential Shallow Soil, 2019 (rev. 2)
- Red** Exceeds TTLC for Cumulative DDD/DDE/DDT

¹ Total Threshold Limit Concentration (TTLC) established by Title 22 of the California Code of Regulations (CCR).
² Even though arsenic concentrations exceed the residential ESL, reported concentrations are within background concentrations observed in the San Francisco Bay Area.
 N/A - Not analyzed
 ND - non-detect

Table A - Summary of Soil Sampling Results

Parameters	RWQCB Residential ESL (Jan 2019 Rev.2)	Sample Location Sample Date Media Units	HA-3 @ 1'	HA-3 @ 3'	HA-4 @ 1'	HA-4 @ 3'	HA-5 @ 1'	HA-5 @ 3'	HA-6 @ 1'	HA-6 @ 3'	HA-7 @ 1'	HA-7 @ 3'	HA-8 @ 1'	HA-8 @ 3'	HA-9 @ 1'	HA-9 @ 3'	HA-10 @ 1'	HA-10 @ 3'	
			2/1/2021 Soil	2/1/2021 Soil	2/1/2021 Soil	2/1/2021 Soil	1/29/2021 Soil	1/29/2021 Soil	1/29/2021 Soil	1/29/2021 Soil	1/29/2021 Soil	1/29/2021 Soil	1/29/2021 Soil	1/29/2021 Soil	1/29/2021 Soil	2/1/2021 Soil	2/1/2021 Soil	2/1/2021 Soil	2/1/2021 Soil
			Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result
Metals (SW6010B)																			
Arsenic ²	6.70E-02	mg/kg	7.25	6.05	7.2	6.4	6.55	6.45	6.65	6.25	6.15	6.95	6.05	5.9	7.2	6.25	6.9	6.65	
Barium	1.50E+04	mg/kg	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Chromium	1.20E+05	mg/kg	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Cobalt	2.30E+01	mg/kg	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Copper	3.10E+03	mg/kg	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Lead	8.00E+01	mg/kg	17.6	6.1	37.6	6.3	14.9	10.5	16.4	8.8	12.5	9	14.3	9.1	38.6	5.75	41.4	5.4	
Nickel	8.20E+02	mg/kg	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Vanadium	3.90E+02	mg/kg	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Zinc	2.30E+04	mg/kg	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Total Petroleum Hydrocarbons (with Silica Gel Cleanup - SW8015B)																			
TPH (Gasoline)	4.30E+02	mg/kg	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
TPH as Diesel (SG)	2.60E+02	mg/kg	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
TPH as Motor Oil (SG)	1.20E+04	mg/kg	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Organochlorine Pesticides (OCPs - SW8081)																			
DDD	2.70E+00	mg/kg	0.00925	ND	0.0865	ND	0.0112	ND	0.013	ND	ND	ND	ND	ND	0.00631	ND	0.0078	ND	
DDE	1.80E+00	mg/kg	0.956	0.0596	1.53	0.0685	0.36	0.0853	1.19	0.014	0.135	0.00591	0.356	0.00169	0.484	0.0323	2.16	0.0288	
DDT	1.90E+00	mg/kg	0.362	0.0173	0.825	0.0105	0.0984	0.0452	0.533	0.00596	0.0236	0.00115	0.0686	ND	0.13	0.0111	0.275	0.0082	
Endrin Aldehyde	--	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Dieldrin	3.70E-02	mg/kg	ND	ND	0.00219	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0015	ND	ND	ND	
Cumulative DDE ¹	1.10E+01	mg/kg	1.32725	0.0769	2.4415	0.079	0.4696	0.1305	1.736	0.01996	0.1586	0.00706	0.4246	0.00169	0.62031	0.0434	2.4428	0.037	
Polycyclic Aromatic Hydrocarbons (PAHs - SW8270C)																			
1-Methylnaphthalene	--	mg/kg	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
2-Methylnaphthalene	2.40E+02	mg/kg	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Acenaphthene	3.60E+03	mg/kg	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Acenaphthylene	--	mg/kg	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Anthracene	1.80E+04	mg/kg	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Benz[a]anthracene	1.10E+00	mg/kg	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Benzo[a]pyrene	1.10E-01	mg/kg	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Benzo[b]fluoranthene	1.10E+00	mg/kg	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Benzo[g,h,i]perylene	--	mg/kg	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Benzo[k]fluoranthene	1.10E+01	mg/kg	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Chrysene	1.10E+02	mg/kg	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Dibenz[a,h]anthracene	1.10E-01	mg/kg	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Fluoranthene	2.40E+03	mg/kg	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Fluorene	2.40E+03	mg/kg	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Indeno[1,2,3-cd]pyrene	1.10E+00	mg/kg	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Naphthalene	3.80E+00	mg/kg	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Phenanthrene	--	mg/kg	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Pyrene	1.80E+03	mg/kg	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Asbestos			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	
VOCs (8260)			N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
PCBs (8082)			N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

Notes:
BOLD Exceeds the Laboratory Reporting Limits
Highlight Exceeds Regional Water Quality Control Board
Red Exceeds TTL for Cumulative DDD/DDE/DDT

¹ Total Threshold Limit Concentration (TTL) established by
² Even though arsenic concentrations exceed the residential
N/A - Not analyzed
ND - non-detect

APPENDIX A

Torrent Laboratory, Inc.

Laboratory Analytical Report



Engeo (San Ramon)
2010 Crow Canyon Place,#250
San Ramon, California 94583
Tel: (925) 866-9000
Fax: (925) 866-0199
RE: 905 N.Capitol Ave

Work Order No.: 2101286

Dear Divya Bhargava:

Torrent Laboratory, Inc. received 20 sample(s) on January 29, 2021 for the analyses presented in the following Report.

Six samples were submitted on hold.

All data for associated QC met EPA or laboratory specification(s) except where noted in the case narrative.

Torrent Laboratory, Inc. is certified by the State of California, ELAP #1991. If you have any questions regarding these test results, please feel free to contact the Project Management Team at (408)263-5258; ext 204.

A handwritten signature in blue ink that reads "Kathie Evans". The signature is written in a cursive style and is positioned above a horizontal line.

Kathie Evans
Project Manager

February 04, 2021

Date



Date: 2/4/2021

Client: Engeo (San Ramon)

Project: 905 N.Capitol Ave

Work Order: 2101286

CASE NARRATIVE

Unless otherwise indicated in the following narrative, no issues encountered with the receiving, preparation, analysis or reporting of the results associated with this work order.

Unless otherwise indicated in the following narrative, no results have been method and/or field blank corrected.

Reported results relate only to the items/samples tested by the laboratory.

This report shall not be reproduced, except in full, without the written approval of Torrent Laboratory, Inc.



Sample Result Summary

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date Received: 01/29/21

Date Reported: 02/04/21

S-1@1'

2101286-001

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.30	6.50	mg/Kg
Barium	SW6010B	1	0.055	5.00	172	mg/Kg
Chromium	SW6010B	1	0.075	5.00	39.8	mg/Kg
Cobalt	SW6010B	1	0.070	5.00	11.3	mg/Kg
Copper	SW6010B	1	0.20	5.00	67.5	mg/Kg
Lead	SW6010B	1	0.10	3.00	18.6	mg/Kg
Nickel	SW6010B	1	0.50	5.00	55.0	mg/Kg
Vanadium	SW6010B	1	0.10	5.00	32.7	mg/Kg
Zinc	SW6010B	1	0.30	5.00	63.5	mg/Kg
TPH as Diesel (SG)	SW8015B	1	0.85	2.0	2.45	mg/Kg
4,4'-DDD	SW8081B	3	0.0017	0.0060	0.00649	mg/Kg
4,4'-DDE	SW8081B	30	0.0058	0.060	0.795	mg/Kg
4,4'-DDT	SW8081B	30	0.0039	0.060	0.301	mg/Kg

S-1@3'

2101286-002

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.30	7.25	mg/Kg
Barium	SW6010B	1	0.055	5.00	270	mg/Kg
Chromium	SW6010B	1	0.075	5.00	51.5	mg/Kg
Cobalt	SW6010B	1	0.070	5.00	14.3	mg/Kg
Copper	SW6010B	1	0.20	5.00	36.4	mg/Kg
Lead	SW6010B	1	0.10	3.00	10.3	mg/Kg
Nickel	SW6010B	1	0.50	5.00	84.0	mg/Kg
Vanadium	SW6010B	1	0.10	5.00	37.9	mg/Kg
Zinc	SW6010B	1	0.30	5.00	63.5	mg/Kg
4,4'-DDE	SW8081B	1	0.00019	0.0020	0.00363	mg/Kg

S-2@1'

2101286-004

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.30	5.85	mg/Kg
Barium	SW6010B	1	0.055	5.00	406	mg/Kg
Chromium	SW6010B	1	0.075	5.00	35.1	mg/Kg
Cobalt	SW6010B	1	0.070	5.00	10.8	mg/Kg
Copper	SW6010B	1	0.20	5.00	54.0	mg/Kg
Lead	SW6010B	1	0.10	3.00	14.4	mg/Kg
Nickel	SW6010B	1	0.50	5.00	50.5	mg/Kg
Vanadium	SW6010B	1	0.10	5.00	29.2	mg/Kg
Zinc	SW6010B	1	0.30	5.00	56.0	mg/Kg
TPH as Diesel (SG)	SW8015B	1	0.85	2.0	2.89	mg/Kg
4,4'-DDD	SW8081B	3	0.0017	0.0060	0.00246	mg/Kg
4,4'-DDE	SW8081B	30	0.0058	0.060	0.712	mg/Kg
4,4'-DDT	SW8081B	30	0.0039	0.060	0.172	mg/Kg



Sample Result Summary

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date Received: 01/29/21

Date Reported: 02/04/21

2101286-005

S-2@3'

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.30	6.25	mg/Kg
Barium	SW6010B	1	0.055	5.00	272	mg/Kg
Chromium	SW6010B	1	0.075	5.00	38.9	mg/Kg
Cobalt	SW6010B	1	0.070	5.00	11.6	mg/Kg
Copper	SW6010B	1	0.20	5.00	35.6	mg/Kg
Lead	SW6010B	1	0.10	3.00	8.95	mg/Kg
Nickel	SW6010B	1	0.50	5.00	54.5	mg/Kg
Vanadium	SW6010B	1	0.10	5.00	33.1	mg/Kg
Zinc	SW6010B	1	0.30	5.00	56.0	mg/Kg
4,4'-DDE	SW8081B	1	0.00019	0.0020	0.00434	mg/Kg

S-3@1'

2101286-007

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.30	5.70	mg/Kg
Barium	SW6010B	1	0.055	5.00	171	mg/Kg
Chromium	SW6010B	1	0.075	5.00	36.5	mg/Kg
Cobalt	SW6010B	1	0.070	5.00	10.4	mg/Kg
Copper	SW6010B	1	0.20	5.00	53.5	mg/Kg
Lead	SW6010B	1	0.10	3.00	16.0	mg/Kg
Nickel	SW6010B	1	0.50	5.00	50.0	mg/Kg
Vanadium	SW6010B	1	0.10	5.00	30.1	mg/Kg
Zinc	SW6010B	1	0.30	5.00	61.0	mg/Kg
4,4'-DDD	SW8081B	3	0.0017	0.0060	0.00380	mg/Kg
4,4'-DDE	SW8081B	30	0.0058	0.060	0.673	mg/Kg
4,4'-DDT	SW8081B	30	0.0039	0.060	0.258	mg/Kg

S-3@3'

2101286-008

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.30	6.40	mg/Kg
Barium	SW6010B	1	0.055	5.00	318	mg/Kg
Chromium	SW6010B	1	0.075	5.00	42.3	mg/Kg
Cobalt	SW6010B	1	0.070	5.00	12.6	mg/Kg
Copper	SW6010B	1	0.20	5.00	34.1	mg/Kg
Lead	SW6010B	1	0.10	3.00	9.75	mg/Kg
Nickel	SW6010B	1	0.50	5.00	60.0	mg/Kg
Vanadium	SW6010B	1	0.10	5.00	34.6	mg/Kg
Zinc	SW6010B	1	0.30	5.00	61.5	mg/Kg
4,4'-DDE	SW8081B	1	0.00019	0.0020	0.00917	mg/Kg
4,4'-DDT	SW8081B	1	0.00013	0.0020	0.00248	mg/Kg



Sample Result Summary

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date Received: 01/29/21

Date Reported: 02/04/21

2101286-010

S-4@1'

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.30	6.15	mg/Kg
Barium	SW6010B	1	0.055	5.00	170	mg/Kg
Chromium	SW6010B	1	0.075	5.00	37.9	mg/Kg
Cobalt	SW6010B	1	0.070	5.00	10.8	mg/Kg
Copper	SW6010B	1	0.20	5.00	67.5	mg/Kg
Lead	SW6010B	1	0.10	3.00	21.7	mg/Kg
Nickel	SW6010B	1	0.50	5.00	52.5	mg/Kg
Vanadium	SW6010B	1	0.10	5.00	31.5	mg/Kg
Zinc	SW6010B	1	0.30	5.00	69.5	mg/Kg
TPH as Diesel (SG)	SW8015B	1	0.85	2.0	2.22	mg/Kg
4,4'-DDD	SW8081B	3	0.0017	0.0060	0.00351	mg/Kg
4,4'-DDE	SW8081B	50	0.0097	0.10	1.09	mg/Kg
4,4'-DDT	SW8081B	50	0.0065	0.10	0.243	mg/Kg

2101286-011

S-4@3'

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.30	6.25	mg/Kg
Barium	SW6010B	1	0.055	5.00	236	mg/Kg
Chromium	SW6010B	1	0.075	5.00	40.4	mg/Kg
Cobalt	SW6010B	1	0.070	5.00	12.3	mg/Kg
Copper	SW6010B	1	0.20	5.00	32.4	mg/Kg
Lead	SW6010B	1	0.10	3.00	9.40	mg/Kg
Nickel	SW6010B	1	0.50	5.00	56.0	mg/Kg
Vanadium	SW6010B	1	0.10	5.00	33.3	mg/Kg
Zinc	SW6010B	1	0.30	5.00	61.0	mg/Kg
4,4'-DDE	SW8081B	1	0.00019	0.0020	0.00223	mg/Kg



Sample Result Summary

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date Received: 01/29/21

Date Reported: 02/04/21

2101286-013

S-5@1'

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.30	6.15	mg/Kg
Barium	SW6010B	1	0.055	5.00	202	mg/Kg
Chromium	SW6010B	1	0.075	5.00	39.4	mg/Kg
Cobalt	SW6010B	1	0.070	5.00	11.7	mg/Kg
Copper	SW6010B	1	0.20	5.00	42.6	mg/Kg
Lead	SW6010B	1	0.10	3.00	13.6	mg/Kg
Nickel	SW6010B	1	0.50	5.00	56.5	mg/Kg
Vanadium	SW6010B	1	0.10	5.00	34.0	mg/Kg
Zinc	SW6010B	1	0.30	5.00	57.5	mg/Kg
4,4'-DDT	SW8081B	3	0.00039	0.0060	0.0490	mg/Kg
4,4'-DDE	SW8081B	5	0.00097	0.010	0.175	mg/Kg
Phenanthrene	SW8270C	1	0.00932	0.144	0.318	mg/Kg
Fluoranthene	SW8270C	1	0.01000	0.144	0.420	mg/Kg
Pyrene	SW8270C	1	0.0120	0.144	0.354	mg/Kg
Benzo(a)anthracene	SW8270C	1	0.00980	0.144	0.189	mg/Kg
Chrysene	SW8270C	1	0.0152	0.144	0.158	mg/Kg
Benzo(b)fluorathene	SW8270C	1	0.0120	0.144	0.191	mg/Kg
Benzo(a)pyrene	SW8270C	1	0.00980	0.144	0.172	mg/Kg

S-5@3'

2101286-014

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.30	6.60	mg/Kg
Barium	SW6010B	1	0.055	5.00	234	mg/Kg
Chromium	SW6010B	1	0.075	5.00	42.9	mg/Kg
Cobalt	SW6010B	1	0.070	5.00	12.9	mg/Kg
Copper	SW6010B	1	0.20	5.00	34.3	mg/Kg
Lead	SW6010B	1	0.10	3.00	10.2	mg/Kg
Nickel	SW6010B	1	0.50	5.00	65.0	mg/Kg
Vanadium	SW6010B	1	0.10	5.00	34.9	mg/Kg
Zinc	SW6010B	1	0.30	5.00	62.5	mg/Kg
4,4'-DDE	SW8081B	1	0.00019	0.0020	0.00490	mg/Kg



Sample Result Summary

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date Received: 01/29/21

Date Reported: 02/04/21

2101286-016

S-6@1'

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.30	5.40	mg/Kg
Barium	SW6010B	1	0.055	5.00	181	mg/Kg
Chromium	SW6010B	1	0.075	5.00	37.4	mg/Kg
Cobalt	SW6010B	1	0.070	5.00	10.8	mg/Kg
Copper	SW6010B	1	0.20	5.00	42.0	mg/Kg
Lead	SW6010B	1	0.10	3.00	16.2	mg/Kg
Nickel	SW6010B	1	0.50	5.00	52.5	mg/Kg
Vanadium	SW6010B	1	0.10	5.00	31.5	mg/Kg
Zinc	SW6010B	1	0.30	5.00	62.5	mg/Kg
4,4'-DDD	SW8081B	3	0.0017	0.0060	0.00231	mg/Kg
4,4'-DDT	SW8081B	3	0.00039	0.0060	0.178	mg/Kg
4,4'-DDE	SW8081B	30	0.0058	0.060	0.704	mg/Kg

2101286-017

S-6@3'

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.30	5.40	mg/Kg
Barium	SW6010B	1	0.055	5.00	212	mg/Kg
Chromium	SW6010B	1	0.075	5.00	36.4	mg/Kg
Cobalt	SW6010B	1	0.070	5.00	11.0	mg/Kg
Copper	SW6010B	1	0.20	5.00	28.6	mg/Kg
Lead	SW6010B	1	0.10	3.00	8.45	mg/Kg
Nickel	SW6010B	1	0.50	5.00	51.0	mg/Kg
Vanadium	SW6010B	1	0.10	5.00	30.0	mg/Kg
Zinc	SW6010B	1	0.30	5.00	53.0	mg/Kg
4,4'-DDE	SW8081B	1	0.00019	0.0020	0.00447	mg/Kg

2101286-019

S-7@1'

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.30	5.60	mg/Kg
Barium	SW6010B	1	0.055	5.00	176	mg/Kg
Chromium	SW6010B	1	0.075	5.00	39.9	mg/Kg
Cobalt	SW6010B	1	0.070	5.00	10.7	mg/Kg
Copper	SW6010B	1	0.20	5.00	50.5	mg/Kg
Lead	SW6010B	1	0.10	3.00	19.7	mg/Kg
Nickel	SW6010B	1	0.50	5.00	53.5	mg/Kg
Vanadium	SW6010B	1	0.10	5.00	31.4	mg/Kg
Zinc	SW6010B	1	0.30	5.00	60.0	mg/Kg
TPH as Diesel (SG)	SW8015B	1	0.85	2.0	2.29	mg/Kg
4,4'-DDD	SW8081B	3	0.0017	0.0060	0.00451	mg/Kg
Endrin Aldehyde	SW8081B	3	0.00045	0.0060	0.00317	mg/Kg
4,4'-DDE	SW8081B	50	0.0097	0.10	1.14	mg/Kg
4,4'-DDT	SW8081B	50	0.0065	0.10	0.223	mg/Kg



Sample Result Summary

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date Received: 01/29/21

Date Reported: 02/04/21

2101286-020

S-7@3'

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.30	4.81	mg/Kg
Barium	SW6010B	1	0.055	5.00	151	mg/Kg
Chromium	SW6010B	1	0.075	5.00	34.4	mg/Kg
Cobalt	SW6010B	1	0.070	5.00	7.85	mg/Kg
Copper	SW6010B	1	0.20	5.00	20.0	mg/Kg
Lead	SW6010B	1	0.10	3.00	7.15	mg/Kg
Nickel	SW6010B	1	0.50	5.00	41.7	mg/Kg
Vanadium	SW6010B	1	0.10	5.00	30.0	mg/Kg
Zinc	SW6010B	1	0.30	5.00	45.8	mg/Kg
4,4'-DDE	SW8081B	1	0.00019	0.0020	0.00829	mg/Kg



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-1@1'	Lab Sample ID: 2101286-001A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 8:25	
SDG:	

Prep Method: 7471BP	Prep Batch Date/Time: 2/1/21	5:40:00PM
Prep Batch ID: 1128969	Prep Analyst: TNGU	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Mercury	SW7471B	1	0.083	0.50	ND		mg/Kg	02/02/21	15:27	BJAY	453987



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-1@1'	Lab Sample ID:	2101286-001A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 8:25		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/1/21	5:30:00PM
Prep Batch ID: 1128970	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Antimony	SW6010B	1	0.050	5.00	ND		mg/Kg	02/03/21	14:45	TUAN	454013
Arsenic	SW6010B	1	0.15	1.30	6.50		mg/Kg	02/03/21	14:45	TUAN	454013
Barium	SW6010B	1	0.055	5.00	172		mg/Kg	02/03/21	14:45	TUAN	454013
Beryllium	SW6010B	1	0.055	5.00	ND		mg/Kg	02/03/21	14:45	TUAN	454013
Cadmium	SW6010B	1	0.10	5.00	ND		mg/Kg	02/03/21	14:45	TUAN	454013
Chromium	SW6010B	1	0.075	5.00	39.8		mg/Kg	02/03/21	14:45	TUAN	454013
Cobalt	SW6010B	1	0.070	5.00	11.3		mg/Kg	02/03/21	14:45	TUAN	454013
Copper	SW6010B	1	0.20	5.00	67.5		mg/Kg	02/03/21	14:45	TUAN	454013
Lead	SW6010B	1	0.10	3.00	18.6		mg/Kg	02/03/21	14:45	TUAN	454013
Molybdenum	SW6010B	1	0.050	5.00	ND		mg/Kg	02/03/21	14:45	TUAN	454013
Nickel	SW6010B	1	0.50	5.00	55.0		mg/Kg	02/03/21	14:45	TUAN	454013
Selenium	SW6010B	1	0.22	5.00	ND		mg/Kg	02/03/21	14:45	TUAN	454013
Silver	SW6010B	1	0.15	5.00	ND		mg/Kg	02/03/21	14:45	TUAN	454013
Thallium	SW6010B	1	0.55	5.00	ND		mg/Kg	02/03/21	14:45	TUAN	454013
Vanadium	SW6010B	1	0.10	5.00	32.7		mg/Kg	02/03/21	14:45	TUAN	454013
Zinc	SW6010B	1	0.30	5.00	63.5		mg/Kg	02/03/21	14:45	TUAN	454013



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-1@1'	Lab Sample ID:	2101286-001A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 8:25		
SDG:			

Prep Method: 3546_PCB	Prep Batch Date/Time: 2/2/21	1:38:00PM
Prep Batch ID: 1128983	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Aroclor1016	SW8082A	1	0.0350	0.100	ND		mg/Kg	02/02/21	16:27	MK	453997
Aroclor1221	SW8082A	1	0.00500	0.100	ND		mg/Kg	02/02/21	16:27	MK	453997
Aroclor1232	SW8082A	1	0.0170	0.100	ND		mg/Kg	02/02/21	16:27	MK	453997
Aroclor1242	SW8082A	1	0.00300	0.100	ND		mg/Kg	02/02/21	16:27	MK	453997
Aroclor1248	SW8082A	1	0.00200	0.100	ND		mg/Kg	02/02/21	16:27	MK	453997
Aroclor1254	SW8082A	1	0.0140	0.100	ND		mg/Kg	02/02/21	16:27	MK	453997
Aroclor1260	SW8082A	1	0.0240	0.100	ND		mg/Kg	02/02/21	16:27	MK	453997
Acceptance Limits											
TCMX (S)	SW8082A		48 - 125		86.0		%	02/02/21	16:27	MK	453997
DCBP (S)	SW8082A		48 - 135		89.0		%	02/02/21	16:27	MK	453997



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-1@1'	Lab Sample ID:	2101286-001A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 8:25		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/2/21	12:49:00PM
Prep Batch ID: 1128982	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	3	0.00038	0.0060	ND		mg/Kg	02/03/21	0:30	MK	454030
gamma-BHC (Lindane)	SW8081B	3	0.00048	0.0060	ND		mg/Kg	02/03/21	0:30	MK	454030
beta-BHC	SW8081B	3	0.00095	0.0060	ND		mg/Kg	02/03/21	0:30	MK	454030
delta-BHC	SW8081B	3	0.00047	0.0060	ND		mg/Kg	02/03/21	0:30	MK	454030
Heptachlor	SW8081B	3	0.00032	0.0060	ND		mg/Kg	02/03/21	0:30	MK	454030
Aldrin	SW8081B	3	0.00059	0.0060	ND		mg/Kg	02/03/21	0:30	MK	454030
Heptachlor Epoxide	SW8081B	3	0.00023	0.0060	ND		mg/Kg	02/03/21	0:30	MK	454030
gamma-Chlordane	SW8081B	3	0.00049	0.0060	ND		mg/Kg	02/03/21	0:30	MK	454030
alpha-Chlordane	SW8081B	3	0.00052	0.0060	ND		mg/Kg	02/03/21	0:30	MK	454030
Endosulfan I	SW8081B	3	0.00055	0.0060	ND		mg/Kg	02/03/21	0:30	MK	454030
Dieldrin	SW8081B	3	0.00044	0.0060	ND		mg/Kg	02/03/21	0:30	MK	454030
Endrin	SW8081B	3	0.00056	0.0060	ND		mg/Kg	02/03/21	0:30	MK	454030
4,4'-DDD	SW8081B	3	0.0017	0.0060	0.00649		mg/Kg	02/03/21	0:30	MK	454030
Endosulfan II	SW8081B	3	0.0017	0.0060	ND		mg/Kg	02/03/21	0:30	MK	454030
Endrin Aldehyde	SW8081B	3	0.00045	0.0060	ND		mg/Kg	02/03/21	0:30	MK	454030
Methoxychlor	SW8081B	3	0.00060	0.0060	ND		mg/Kg	02/03/21	0:30	MK	454030
Endosulfan Sulfate	SW8081B	3	0.00035	0.0060	ND		mg/Kg	02/03/21	0:30	MK	454030
Endrin Ketone	SW8081B	3	0.00028	0.0060	ND		mg/Kg	02/03/21	0:30	MK	454030
Chlordane	SW8081B	3	0.0063	0.060	ND		mg/Kg	02/03/21	0:30	MK	454030
Toxaphene	SW8081B	3	0.026	0.15	ND		mg/Kg	02/03/21	0:30	MK	454030
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		73.0		%	02/03/21	0:30	MK	454030
DCBP (S)	SW8081B		38 - 135		71.0		%	02/03/21	0:30	MK	454030

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-1@1'	Lab Sample ID: 2101286-001A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 8:25	
SDG:	

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/2/21	12:49:00PM
Prep Batch ID: 1128982	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
4,4'-DDE	SW8081B	30	0.0058	0.060	0.795		mg/Kg	02/03/21	14:03	MK	454030
4,4'-DDT	SW8081B	30	0.0039	0.060	0.301		mg/Kg	02/03/21	14:03	MK	454030



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-1@1'	Lab Sample ID:	2101286-001A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 8:25		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
N-Nitrosodimethylamine	SW8270C	1	0.0469	0.720	ND		mg/Kg	02/02/21	15:01	MT	453975
Phenol	SW8270C	1	0.0438	0.288	ND		mg/Kg	02/02/21	15:01	MT	453975
Bis(2-chloroethyl)ether	SW8270C	1	0.0133	0.144	ND		mg/Kg	02/02/21	15:01	MT	453975
2-Chlorophenol	SW8270C	1	0.0477	0.288	ND		mg/Kg	02/02/21	15:01	MT	453975
1,3-Dichlorobenzene	SW8270C	1	0.0131	0.144	ND		mg/Kg	02/02/21	15:01	MT	453975
1,4-Dichlorobenzene	SW8270C	1	0.0146	0.144	ND		mg/Kg	02/02/21	15:01	MT	453975
Benzyl Alcohol	SW8270C	1	0.0205	0.288	ND		mg/Kg	02/02/21	15:01	MT	453975
1,2-Dichlorobenzene	SW8270C	1	0.0135	0.144	ND		mg/Kg	02/02/21	15:01	MT	453975
2-Methylphenol (o-Cresol)	SW8270C	1	0.0293	0.288	ND		mg/Kg	02/02/21	15:01	MT	453975
N-Methyl-2-Pyrrolidone (NMP)	SW8270C	1	0.0680	0.720	ND		mg/Kg	02/02/21	15:01	MT	453975
3-/4-Methylphenol (p-/m-Cresol)	SW8270C	1	0.0313	0.288	ND		mg/Kg	02/02/21	15:01	MT	453975
N-nitroso-di-n-propylamine	SW8270C	1	0.0132	0.144	ND		mg/Kg	02/02/21	15:01	MT	453975
Hexachloroethane	SW8270C	1	0.0171	0.144	ND		mg/Kg	02/02/21	15:01	MT	453975
Nitrobenzene	SW8270C	1	0.0128	0.144	ND		mg/Kg	02/02/21	15:01	MT	453975
Isophorone	SW8270C	1	0.0122	0.144	ND		mg/Kg	02/02/21	15:01	MT	453975
2-Nitrophenol	SW8270C	1	0.0254	0.288	ND		mg/Kg	02/02/21	15:01	MT	453975
2,4-Dimethylphenol	SW8270C	1	0.0228	0.288	ND		mg/Kg	02/02/21	15:01	MT	453975
Benzoic Acid	SW8270C	1	0.0417	0.288	ND		mg/Kg	02/02/21	15:01	MT	453975
Bis(2-Chloroethoxy)methane	SW8270C	1	0.00979	0.144	ND		mg/Kg	02/02/21	15:01	MT	453975
Bis(2-chloroisopropyl)ether	SW8270C	1	0.0126	0.144	ND		mg/Kg	02/02/21	15:01	MT	453975
2,4-Dichlorophenol	SW8270C	1	0.0393	0.288	ND		mg/Kg	02/02/21	15:01	MT	453975
1,2,4-Trichlorobenzene	SW8270C	1	0.0118	0.144	ND		mg/Kg	02/02/21	15:01	MT	453975
Naphthalene	SW8270C	1	0.0106	0.144	ND		mg/Kg	02/02/21	15:01	MT	453975
2,6-Dichlorophenol	SW8270C	1	0.0358	0.288	ND		mg/Kg	02/02/21	15:01	MT	453975
Hexachloro-1,3-butadiene	SW8270C	1	0.00834	0.144	ND		mg/Kg	02/02/21	15:01	MT	453975
4-Chloro-3-methylphenol	SW8270C	1	0.0338	0.288	ND		mg/Kg	02/02/21	15:01	MT	453975
2-Methylnaphthalene	SW8270C	1	0.0104	0.144	ND		mg/Kg	02/02/21	15:01	MT	453975
1-Methylnaphthalene	SW8270C	1	0.0122	0.144	ND		mg/Kg	02/02/21	15:01	MT	453975
Hexachlorocyclopentadiene	SW8270C	1	0.0129	0.144	ND		mg/Kg	02/02/21	15:01	MT	453975
2,4,6-Trichlorophenol	SW8270C	1	0.0359	0.288	ND		mg/Kg	02/02/21	15:01	MT	453975
2,4,5-Trichlorophenol	SW8270C	1	0.0334	0.288	ND		mg/Kg	02/02/21	15:01	MT	453975
2-Chloronaphthalene	SW8270C	1	0.0106	0.144	ND		mg/Kg	02/02/21	15:01	MT	453975
1,4-Dinitrobenzene	SW8270C	1	0.0103	0.144	ND		mg/Kg	02/02/21	15:01	MT	453975
Dimethyl phthalate	SW8270C	1	0.0142	0.720	ND		mg/Kg	02/02/21	15:01	MT	453975
1,3-Dinitrobenzene	SW8270C	1	0.0104	0.144	ND		mg/Kg	02/02/21	15:01	MT	453975
Acenaphthylene	SW8270C	1	0.00828	0.144	ND		mg/Kg	02/02/21	15:01	MT	453975
2,6-Dinitrotoluene	SW8270C	1	0.0113	0.144	ND		mg/Kg	02/02/21	15:01	MT	453975
1,2-Dinitrobenzene	SW8270C	1	0.0158	0.144	ND		mg/Kg	02/02/21	15:01	MT	453975
Acenaphthene	SW8270C	1	0.0107	0.144	ND		mg/Kg	02/02/21	15:01	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-1@1'	Lab Sample ID:	2101286-001A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 8:25		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
2,4-Dinitrophenol	SW8270C	1	0.0776	0.720	ND		mg/Kg	02/02/21	15:01	MT	453975
4-Nitrophenol	SW8270C	1	0.0547	0.720	ND		mg/Kg	02/02/21	15:01	MT	453975
Dibenzofuran	SW8270C	1	0.0112	0.144	ND		mg/Kg	02/02/21	15:01	MT	453975
2,4-Dinitrotoluene	SW8270C	1	0.0121	0.144	ND		mg/Kg	02/02/21	15:01	MT	453975
2,3,5,6-Tetrachlorophenol	SW8270C	1	0.0276	0.288	ND		mg/Kg	02/02/21	15:01	MT	453975
2,3,4,6-Tetrachlorophenol	SW8270C	1	0.0315	0.288	ND		mg/Kg	02/02/21	15:01	MT	453975
Diethylphthalate	SW8270C	1	0.0136	0.720	ND		mg/Kg	02/02/21	15:01	MT	453975
Fluorene	SW8270C	1	0.0103	0.144	ND		mg/Kg	02/02/21	15:01	MT	453975
4-Chlorophenyl-phenylether	SW8270C	1	0.00932	0.144	ND		mg/Kg	02/02/21	15:01	MT	453975
4,6-Dinitro-2-methylphenol	SW8270C	1	0.0134	0.288	ND		mg/Kg	02/02/21	15:01	MT	453975
Diphenylamine	SW8270C	1	0.0130	0.144	ND		mg/Kg	02/02/21	15:01	MT	453975
Azobenzene	SW8270C	1	0.114	0.144	ND		mg/Kg	02/02/21	15:01	MT	453975
4-Bromophenyl-phenylether	SW8270C	1	0.00823	0.144	ND		mg/Kg	02/02/21	15:01	MT	453975
Hexachlorobenzene	SW8270C	1	0.00866	0.144	ND		mg/Kg	02/02/21	15:01	MT	453975
Pentachlorophenol	SW8270C	1	0.0250	0.288	ND		mg/Kg	02/02/21	15:01	MT	453975
Phenanthrene	SW8270C	1	0.00932	0.144	ND		mg/Kg	02/02/21	15:01	MT	453975
Anthracene	SW8270C	1	0.00891	0.144	ND		mg/Kg	02/02/21	15:01	MT	453975
Carbazole	SW8270C	1	0.0107	0.144	ND		mg/Kg	02/02/21	15:01	MT	453975
Di-n-butylphthalate	SW8270C	1	0.0135	0.144	ND		mg/Kg	02/02/21	15:01	MT	453975
Fluoranthene	SW8270C	1	0.01000	0.144	ND		mg/Kg	02/02/21	15:01	MT	453975
Benzidine	SW8270C	1	0.147	0.144	ND		mg/Kg	02/02/21	15:01	MT	453975
Pyrene	SW8270C	1	0.0120	0.144	ND		mg/Kg	02/02/21	15:01	MT	453975
Butylbenzylphthalate	SW8270C	1	0.0210	0.720	ND		mg/Kg	02/02/21	15:01	MT	453975
Benzo(a)anthracene	SW8270C	1	0.00980	0.144	ND		mg/Kg	02/02/21	15:01	MT	453975
3,3-Dichlorobenzidine	SW8270C	1	0.118	0.144	ND		mg/Kg	02/02/21	15:01	MT	453975
Chrysene	SW8270C	1	0.0152	0.144	ND		mg/Kg	02/02/21	15:01	MT	453975
Bis(2-Ethylhexyl)phthalate	SW8270C	1	0.0153	0.720	ND		mg/Kg	02/02/21	15:01	MT	453975
Di-n-Octylphthalate	SW8270C	1	0.0123	0.144	ND		mg/Kg	02/02/21	15:01	MT	453975
Benzo(b)fluorathene	SW8270C	1	0.0120	0.144	ND		mg/Kg	02/02/21	15:01	MT	453975
benzo(k)fluorathene	SW8270C	1	0.00816	0.144	ND		mg/Kg	02/02/21	15:01	MT	453975
Benzo(a)pyrene	SW8270C	1	0.00980	0.144	ND		mg/Kg	02/02/21	15:01	MT	453975
Indeno(1,2,3-c,d)pyrene	SW8270C	1	0.0138	0.144	ND		mg/Kg	02/02/21	15:01	MT	453975
Dibenzo(a,h)anthracene	SW8270C	1	0.0127	0.144	ND		mg/Kg	02/02/21	15:01	MT	453975
Benzo(g,h,i)perylene	SW8270C	1	0.0167	0.144	ND		mg/Kg	02/02/21	15:01	MT	453975
Pyridine	SW8270C	1	0.0438	0.720	ND		mg/Kg	02/02/21	15:01	MT	453975
Acceptance Limits											
2-Fluorophenol (S)	SW8270C		25 - 121		57.6		%	02/02/21	15:01	MT	453975
Phenol-d6 (S)	SW8270C		24 - 113		61.8		%	02/02/21	15:01	MT	453975
2,4,6-Tribromophenol (S)	SW8270C		19 - 122		62.0		%	02/02/21	15:01	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-1@1'	Lab Sample ID:	2101286-001A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 8:25		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
2-Fluorobiphenyl (S)	SW8270C		45 - 143		72.5		%	02/02/21	15:01	MT	453975
Nitrobenzene-d5 (S)	SW8270C		23 - 120		69.6		%	02/02/21	15:01	MT	453975
Terphenyl-d14 (S)	SW8270C		18 - 137		75.5		%	02/02/21	15:01	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-1@1'	Lab Sample ID:	2101286-001A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 8:25		
SDG:			

Prep Method: 3546_TPHSG	Prep Batch Date/Time: 2/2/21	4:34:00PM
Prep Batch ID: 1128998	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
TPH as Diesel (SG)	SW8015B	1	0.85	2.0	2.45	x	mg/Kg	02/03/21	14:19	SN	454044
TPH as Motor Oil (SG)	SW8015B	1	3.2	10	ND		mg/Kg	02/03/21	14:19	SN	454044
Acceptance Limits											
Pentacosane (S)	SW8015B		40 - 129		73.0		%	02/03/21	14:19	SN	454044

NOTE: x- Chromatographic pattern does not resemble typical diesel reference standard; unknown organics within diesel range quantified as diesel



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-1@1'	Lab Sample ID:	2101286-001A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 8:25		
SDG:			

Prep Method: 5035	Prep Batch Date/Time: 2/3/21 12:10:00PM
Prep Batch ID: 1129046	Prep Analyst: JZHAO

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Dichlorodifluoromethane	SW8260B	1	0.0012	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
Chloromethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
Vinyl Chloride	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
Bromomethane	SW8260B	1	0.0027	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
Chloroethane	SW8260B	1	0.0030	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
Trichlorofluoromethane	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
1,1-Dichloroethene	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
Freon 113	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
Methylene Chloride	SW8260B	1	0.0071	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
trans-1,2-Dichloroethene	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
MTBE	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
TBA	SW8260B	1	0.012	0.050	ND		mg/Kg	02/03/21	18:58	JZ	454032
Diisopropyl ether	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
1,1-Dichloroethane	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
Ethyl tert-Butyl ether	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
cis-1,2-Dichloroethene	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
2,2-Dichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
Bromochloromethane	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
Chloroform	SW8260B	1	0.0024	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
Carbon Tetrachloride	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
1,1,1-Trichloroethane	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
1,1-Dichloropropene	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
Benzene	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
TAME	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
1,2-Dichloroethane	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
Trichloroethylene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
Dibromomethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
1,2-Dichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
Bromodichloromethane	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
cis-1,3-Dichloropropene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
Toluene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
Tetrachloroethylene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
trans-1,3-Dichloropropene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
1,1,2-Trichloroethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
Dibromochloromethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
1,3-Dichloropropane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
1,2-Dibromoethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
Chlorobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
Ethylbenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-1@1'	Lab Sample ID:	2101286-001A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 8:25		
SDG:			

Prep Method: 5035	Prep Batch Date/Time: 2/3/21 12:10:00PM
Prep Batch ID: 1129046	Prep Analyst: JZHAO

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
1,1,1,2-Tetrachloroethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
m,p-Xylene	SW8260B	1	0.0032	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
o-Xylene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
Styrene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
Bromoform	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
Isopropyl Benzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
n-Propylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
Bromobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
1,1,1,2-Tetrachloroethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
2-Chlorotoluene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
1,3,5-Trimethylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
1,2,3-Trichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
4-Chlorotoluene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
tert-Butylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
1,2,4-Trimethylbenzene	SW8260B	1	0.0014	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
sec-Butyl Benzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
p-Isopropyltoluene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
1,3-Dichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
1,4-Dichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
n-Butylbenzene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
1,2-Dichlorobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
1,2-Dibromo-3-Chloropropane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
Hexachlorobutadiene	SW8260B	1	0.0014	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
1,2,4-Trichlorobenzene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
Naphthalene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
1,2,3-Trichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	18:58	JZ	454032
2-Butanone	SW8260B	1	0.0023	0.0100	ND		mg/Kg	02/03/21	18:58	JZ	454032
(S) Dibromofluoromethane	SW8260B		59.8 - 148		140		%	02/03/21	18:58	JZ	454032
(S) Toluene-d8	SW8260B		55.2 - 133		118		%	02/03/21	18:58	JZ	454032
(S) 4-Bromofluorobenzene	SW8260B		55.8 - 141		105		%	02/03/21	18:58	JZ	454032



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-1@1'	Lab Sample ID: 2101286-001A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 8:25	
SDG:	

Prep Method: 5035GRO	Prep Batch Date/Time: 2/3/21	12:10:00PM
Prep Batch ID: 1129047	Prep Analyst: JZHAO	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
TPH as Gasoline	8260TPH	1	0.043	0.10	ND		mg/Kg	02/03/21	18:58	JZ	454032
(S) 4-Bromofluorobenzene	8260TPH		43.9 - 127		40.9	S	%	02/03/21	18:58	JZ	454032

NOTE: Surrogate recovery was outside the control limit due to matrix interference, confirmed by rerun.



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-1@3'	Lab Sample ID: 2101286-002A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 8:27	
SDG:	

Prep Method: 7471BP	Prep Batch Date/Time: 2/1/21	5:40:00PM
Prep Batch ID: 1128969	Prep Analyst: TNGU	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Mercury	SW7471B	1	0.083	0.50	ND		mg/Kg	02/02/21	15:29	BJAY	453987



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-1@3'	Lab Sample ID: 2101286-002A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 8:27	
SDG:	

Prep Method: 3050B	Prep Batch Date/Time: 2/1/21	5:30:00PM
Prep Batch ID: 1128970	Prep Analyst: TNGU	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Antimony	SW6010B	1	0.050	5.00	ND		mg/Kg	02/03/21	14:58	TUAN	454013
Arsenic	SW6010B	1	0.15	1.30	7.25		mg/Kg	02/03/21	14:58	TUAN	454013
Barium	SW6010B	1	0.055	5.00	270		mg/Kg	02/03/21	14:58	TUAN	454013
Beryllium	SW6010B	1	0.055	5.00	ND		mg/Kg	02/03/21	14:58	TUAN	454013
Cadmium	SW6010B	1	0.10	5.00	ND		mg/Kg	02/03/21	14:58	TUAN	454013
Chromium	SW6010B	1	0.075	5.00	51.5		mg/Kg	02/03/21	14:58	TUAN	454013
Cobalt	SW6010B	1	0.070	5.00	14.3		mg/Kg	02/03/21	14:58	TUAN	454013
Copper	SW6010B	1	0.20	5.00	36.4		mg/Kg	02/03/21	14:58	TUAN	454013
Lead	SW6010B	1	0.10	3.00	10.3		mg/Kg	02/03/21	14:58	TUAN	454013
Molybdenum	SW6010B	1	0.050	5.00	ND		mg/Kg	02/03/21	14:58	TUAN	454013
Nickel	SW6010B	1	0.50	5.00	84.0		mg/Kg	02/03/21	14:58	TUAN	454013
Selenium	SW6010B	1	0.22	5.00	ND		mg/Kg	02/03/21	14:58	TUAN	454013
Silver	SW6010B	1	0.15	5.00	ND		mg/Kg	02/03/21	14:58	TUAN	454013
Thallium	SW6010B	1	0.55	5.00	ND		mg/Kg	02/03/21	14:58	TUAN	454013
Vanadium	SW6010B	1	0.10	5.00	37.9		mg/Kg	02/03/21	14:58	TUAN	454013
Zinc	SW6010B	1	0.30	5.00	63.5		mg/Kg	02/03/21	14:58	TUAN	454013



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-1@3'	Lab Sample ID: 2101286-002A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 8:27	
SDG:	

Prep Method: 3546_PCB	Prep Batch Date/Time: 2/2/21	1:38:00PM
Prep Batch ID: 1128983	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Aroclor1016	SW8082A	1	0.0350	0.100	ND		mg/Kg	02/02/21	16:42	MK	453997
Aroclor1221	SW8082A	1	0.00500	0.100	ND		mg/Kg	02/02/21	16:42	MK	453997
Aroclor1232	SW8082A	1	0.0170	0.100	ND		mg/Kg	02/02/21	16:42	MK	453997
Aroclor1242	SW8082A	1	0.00300	0.100	ND		mg/Kg	02/02/21	16:42	MK	453997
Aroclor1248	SW8082A	1	0.00200	0.100	ND		mg/Kg	02/02/21	16:42	MK	453997
Aroclor1254	SW8082A	1	0.0140	0.100	ND		mg/Kg	02/02/21	16:42	MK	453997
Aroclor1260	SW8082A	1	0.0240	0.100	ND		mg/Kg	02/02/21	16:42	MK	453997
Acceptance Limits											
TCMX (S)	SW8082A		48 - 125		66.0		%	02/02/21	16:42	MK	453997
DCBP (S)	SW8082A		48 - 135		72.0		%	02/02/21	16:42	MK	453997



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-1@3'	Lab Sample ID:	2101286-002A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 8:27		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/2/21	12:49:00PM
Prep Batch ID: 1128982	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
alpha-BHC	SW8081B	1	0.00013	0.0020	ND		mg/Kg	02/03/21	0:43	MK	454030
gamma-BHC (Lindane)	SW8081B	1	0.00016	0.0020	ND		mg/Kg	02/03/21	0:43	MK	454030
beta-BHC	SW8081B	1	0.00032	0.0020	ND		mg/Kg	02/03/21	0:43	MK	454030
delta-BHC	SW8081B	1	0.00016	0.0020	ND		mg/Kg	02/03/21	0:43	MK	454030
Heptachlor	SW8081B	1	0.00011	0.0020	ND		mg/Kg	02/03/21	0:43	MK	454030
Aldrin	SW8081B	1	0.00020	0.0020	ND		mg/Kg	02/03/21	0:43	MK	454030
Heptachlor Epoxide	SW8081B	1	0.000078	0.0020	ND		mg/Kg	02/03/21	0:43	MK	454030
gamma-Chlordane	SW8081B	1	0.00016	0.0020	ND		mg/Kg	02/03/21	0:43	MK	454030
alpha-Chlordane	SW8081B	1	0.00017	0.0020	ND		mg/Kg	02/03/21	0:43	MK	454030
4,4'-DDE	SW8081B	1	0.00019	0.0020	0.00363		mg/Kg	02/03/21	0:43	MK	454030
Endosulfan I	SW8081B	1	0.00018	0.0020	ND		mg/Kg	02/03/21	0:43	MK	454030
Dieldrin	SW8081B	1	0.00015	0.0020	ND		mg/Kg	02/03/21	0:43	MK	454030
Endrin	SW8081B	1	0.00019	0.0020	ND		mg/Kg	02/03/21	0:43	MK	454030
4,4'-DDD	SW8081B	1	0.00057	0.0020	ND		mg/Kg	02/03/21	0:43	MK	454030
Endosulfan II	SW8081B	1	0.00058	0.0020	ND		mg/Kg	02/03/21	0:43	MK	454030
4,4'-DDT	SW8081B	1	0.00013	0.0020	ND		mg/Kg	02/03/21	0:43	MK	454030
Endrin Aldehyde	SW8081B	1	0.00015	0.0020	ND		mg/Kg	02/03/21	0:43	MK	454030
Methoxychlor	SW8081B	1	0.00020	0.0020	ND		mg/Kg	02/03/21	0:43	MK	454030
Endosulfan Sulfate	SW8081B	1	0.00012	0.0020	ND		mg/Kg	02/03/21	0:43	MK	454030
Endrin Ketone	SW8081B	1	0.000094	0.0020	ND		mg/Kg	02/03/21	0:43	MK	454030
Chlordane	SW8081B	1	0.0021	0.020	ND		mg/Kg	02/03/21	0:43	MK	454030
Toxaphene	SW8081B	1	0.0085	0.050	ND		mg/Kg	02/03/21	0:43	MK	454030
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		55.7		%	02/03/21	0:43	MK	454030
DCBP (S)	SW8081B		38 - 135		57.5		%	02/03/21	0:43	MK	454030



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-1@3'	Lab Sample ID:	2101286-002A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 8:27		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
N-Nitrosodimethylamine	SW8270C	1	0.0469	0.720	ND		mg/Kg	02/02/21	15:31	MT	453975
Phenol	SW8270C	1	0.0438	0.288	ND		mg/Kg	02/02/21	15:31	MT	453975
Bis(2-chloroethyl)ether	SW8270C	1	0.0133	0.144	ND		mg/Kg	02/02/21	15:31	MT	453975
2-Chlorophenol	SW8270C	1	0.0477	0.288	ND		mg/Kg	02/02/21	15:31	MT	453975
1,3-Dichlorobenzene	SW8270C	1	0.0131	0.144	ND		mg/Kg	02/02/21	15:31	MT	453975
1,4-Dichlorobenzene	SW8270C	1	0.0146	0.144	ND		mg/Kg	02/02/21	15:31	MT	453975
Benzyl Alcohol	SW8270C	1	0.0205	0.288	ND		mg/Kg	02/02/21	15:31	MT	453975
1,2-Dichlorobenzene	SW8270C	1	0.0135	0.144	ND		mg/Kg	02/02/21	15:31	MT	453975
2-Methylphenol (o-Cresol)	SW8270C	1	0.0293	0.288	ND		mg/Kg	02/02/21	15:31	MT	453975
N-Methyl-2-Pyrrolidone (NMP)	SW8270C	1	0.0680	0.720	ND		mg/Kg	02/02/21	15:31	MT	453975
3-/4-Methylphenol (p-/m-Cresol)	SW8270C	1	0.0313	0.288	ND		mg/Kg	02/02/21	15:31	MT	453975
N-nitroso-di-n-propylamine	SW8270C	1	0.0132	0.144	ND		mg/Kg	02/02/21	15:31	MT	453975
Hexachloroethane	SW8270C	1	0.0171	0.144	ND		mg/Kg	02/02/21	15:31	MT	453975
Nitrobenzene	SW8270C	1	0.0128	0.144	ND		mg/Kg	02/02/21	15:31	MT	453975
Isophorone	SW8270C	1	0.0122	0.144	ND		mg/Kg	02/02/21	15:31	MT	453975
2-Nitrophenol	SW8270C	1	0.0254	0.288	ND		mg/Kg	02/02/21	15:31	MT	453975
2,4-Dimethylphenol	SW8270C	1	0.0228	0.288	ND		mg/Kg	02/02/21	15:31	MT	453975
Benzoic Acid	SW8270C	1	0.0417	0.288	ND		mg/Kg	02/02/21	15:31	MT	453975
Bis(2-Chloroethoxy)methane	SW8270C	1	0.00979	0.144	ND		mg/Kg	02/02/21	15:31	MT	453975
Bis(2-chloroisopropyl)ether	SW8270C	1	0.0126	0.144	ND		mg/Kg	02/02/21	15:31	MT	453975
2,4-Dichlorophenol	SW8270C	1	0.0393	0.288	ND		mg/Kg	02/02/21	15:31	MT	453975
1,2,4-Trichlorobenzene	SW8270C	1	0.0118	0.144	ND		mg/Kg	02/02/21	15:31	MT	453975
Naphthalene	SW8270C	1	0.0106	0.144	ND		mg/Kg	02/02/21	15:31	MT	453975
2,6-Dichlorophenol	SW8270C	1	0.0358	0.288	ND		mg/Kg	02/02/21	15:31	MT	453975
Hexachloro-1,3-butadiene	SW8270C	1	0.00834	0.144	ND		mg/Kg	02/02/21	15:31	MT	453975
4-Chloro-3-methylphenol	SW8270C	1	0.0338	0.288	ND		mg/Kg	02/02/21	15:31	MT	453975
2-Methylnaphthalene	SW8270C	1	0.0104	0.144	ND		mg/Kg	02/02/21	15:31	MT	453975
1-Methylnaphthalene	SW8270C	1	0.0122	0.144	ND		mg/Kg	02/02/21	15:31	MT	453975
Hexachlorocyclopentadiene	SW8270C	1	0.0129	0.144	ND		mg/Kg	02/02/21	15:31	MT	453975
2,4,6-Trichlorophenol	SW8270C	1	0.0359	0.288	ND		mg/Kg	02/02/21	15:31	MT	453975
2,4,5-Trichlorophenol	SW8270C	1	0.0334	0.288	ND		mg/Kg	02/02/21	15:31	MT	453975
2-Chloronaphthalene	SW8270C	1	0.0106	0.144	ND		mg/Kg	02/02/21	15:31	MT	453975
1,4-Dinitrobenzene	SW8270C	1	0.0103	0.144	ND		mg/Kg	02/02/21	15:31	MT	453975
Dimethyl phthalate	SW8270C	1	0.0142	0.720	ND		mg/Kg	02/02/21	15:31	MT	453975
1,3-Dinitrobenzene	SW8270C	1	0.0104	0.144	ND		mg/Kg	02/02/21	15:31	MT	453975
Acenaphthylene	SW8270C	1	0.00828	0.144	ND		mg/Kg	02/02/21	15:31	MT	453975
2,6-Dinitrotoluene	SW8270C	1	0.0113	0.144	ND		mg/Kg	02/02/21	15:31	MT	453975
1,2-Dinitrobenzene	SW8270C	1	0.0158	0.144	ND		mg/Kg	02/02/21	15:31	MT	453975
Acenaphthene	SW8270C	1	0.0107	0.144	ND		mg/Kg	02/02/21	15:31	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-1@3'	Lab Sample ID:	2101286-002A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 8:27		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
2,4-Dinitrophenol	SW8270C	1	0.0776	0.720	ND		mg/Kg	02/02/21	15:31	MT	453975
4-Nitrophenol	SW8270C	1	0.0547	0.720	ND		mg/Kg	02/02/21	15:31	MT	453975
Dibenzofuran	SW8270C	1	0.0112	0.144	ND		mg/Kg	02/02/21	15:31	MT	453975
2,4-Dinitrotoluene	SW8270C	1	0.0121	0.144	ND		mg/Kg	02/02/21	15:31	MT	453975
2,3,5,6-Tetrachlorophenol	SW8270C	1	0.0276	0.288	ND		mg/Kg	02/02/21	15:31	MT	453975
2,3,4,6-Tetrachlorophenol	SW8270C	1	0.0315	0.288	ND		mg/Kg	02/02/21	15:31	MT	453975
Diethylphthalate	SW8270C	1	0.0136	0.720	ND		mg/Kg	02/02/21	15:31	MT	453975
Fluorene	SW8270C	1	0.0103	0.144	ND		mg/Kg	02/02/21	15:31	MT	453975
4-Chlorophenyl-phenylether	SW8270C	1	0.00932	0.144	ND		mg/Kg	02/02/21	15:31	MT	453975
4,6-Dinitro-2-methylphenol	SW8270C	1	0.0134	0.288	ND		mg/Kg	02/02/21	15:31	MT	453975
Diphenylamine	SW8270C	1	0.0130	0.144	ND		mg/Kg	02/02/21	15:31	MT	453975
Azobenzene	SW8270C	1	0.114	0.144	ND		mg/Kg	02/02/21	15:31	MT	453975
4-Bromophenyl-phenylether	SW8270C	1	0.00823	0.144	ND		mg/Kg	02/02/21	15:31	MT	453975
Hexachlorobenzene	SW8270C	1	0.00866	0.144	ND		mg/Kg	02/02/21	15:31	MT	453975
Pentachlorophenol	SW8270C	1	0.0250	0.288	ND		mg/Kg	02/02/21	15:31	MT	453975
Phenanthrene	SW8270C	1	0.00932	0.144	ND		mg/Kg	02/02/21	15:31	MT	453975
Anthracene	SW8270C	1	0.00891	0.144	ND		mg/Kg	02/02/21	15:31	MT	453975
Carbazole	SW8270C	1	0.0107	0.144	ND		mg/Kg	02/02/21	15:31	MT	453975
Di-n-butylphthalate	SW8270C	1	0.0135	0.144	ND		mg/Kg	02/02/21	15:31	MT	453975
Fluoranthene	SW8270C	1	0.01000	0.144	ND		mg/Kg	02/02/21	15:31	MT	453975
Benzidine	SW8270C	1	0.147	0.144	ND		mg/Kg	02/02/21	15:31	MT	453975
Pyrene	SW8270C	1	0.0120	0.144	ND		mg/Kg	02/02/21	15:31	MT	453975
Butylbenzylphthalate	SW8270C	1	0.0210	0.720	ND		mg/Kg	02/02/21	15:31	MT	453975
Benzo(a)anthracene	SW8270C	1	0.00980	0.144	ND		mg/Kg	02/02/21	15:31	MT	453975
3,3-Dichlorobenzidine	SW8270C	1	0.118	0.144	ND		mg/Kg	02/02/21	15:31	MT	453975
Chrysene	SW8270C	1	0.0152	0.144	ND		mg/Kg	02/02/21	15:31	MT	453975
Bis(2-Ethylhexyl)phthalate	SW8270C	1	0.0153	0.720	ND		mg/Kg	02/02/21	15:31	MT	453975
Di-n-Octylphthalate	SW8270C	1	0.0123	0.144	ND		mg/Kg	02/02/21	15:31	MT	453975
Benzo(b)fluorathene	SW8270C	1	0.0120	0.144	ND		mg/Kg	02/02/21	15:31	MT	453975
benzo(k)fluorathene	SW8270C	1	0.00816	0.144	ND		mg/Kg	02/02/21	15:31	MT	453975
Benzo(a)pyrene	SW8270C	1	0.00980	0.144	ND		mg/Kg	02/02/21	15:31	MT	453975
Indeno(1,2,3-c,d)pyrene	SW8270C	1	0.0138	0.144	ND		mg/Kg	02/02/21	15:31	MT	453975
Dibenzo(a,h)anthracene	SW8270C	1	0.0127	0.144	ND		mg/Kg	02/02/21	15:31	MT	453975
Benzo(g,h,i)perylene	SW8270C	1	0.0167	0.144	ND		mg/Kg	02/02/21	15:31	MT	453975
Pyridine	SW8270C	1	0.0438	0.720	ND		mg/Kg	02/02/21	15:31	MT	453975
Acceptance Limits											
2-Fluorophenol (S)	SW8270C		25 - 121		59.6		%	02/02/21	15:31	MT	453975
Phenol-d6 (S)	SW8270C		24 - 113		65.2		%	02/02/21	15:31	MT	453975
2,4,6-Tribromophenol (S)	SW8270C		19 - 122		65.6		%	02/02/21	15:31	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-1@3'	Lab Sample ID:	2101286-002A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 8:27		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
2-Fluorobiphenyl (S)	SW8270C		45 - 143		79.1		%	02/02/21	15:31	MT	453975
Nitrobenzene-d5 (S)	SW8270C		23 - 120		75.3		%	02/02/21	15:31	MT	453975
Terphenyl-d14 (S)	SW8270C		18 - 137		80.2		%	02/02/21	15:31	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-1@3'	Lab Sample ID:	2101286-002A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 8:27		
SDG:			

Prep Method: 3546_TPHSG	Prep Batch Date/Time: 2/2/21	4:34:00PM
Prep Batch ID: 1128998	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
TPH as Diesel (SG)	SW8015B	1	0.85	2.0	ND		mg/Kg	02/03/21	14:42	SN	454044
TPH as Motor Oil (SG)	SW8015B	1	3.2	10	ND		mg/Kg	02/03/21	14:42	SN	454044
			Acceptance Limits								
Pentacosane (S)	SW8015B		40 - 129		52.6		%	02/03/21	14:42	SN	454044



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-1@3'	Lab Sample ID:	2101286-002A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 8:27		
SDG:			

Prep Method: 5035	Prep Batch Date/Time: 2/3/21 12:10:00PM
Prep Batch ID: 1129046	Prep Analyst: JZHAO

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Dichlorodifluoromethane	SW8260B	1	0.0012	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
Chloromethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
Vinyl Chloride	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
Bromomethane	SW8260B	1	0.0027	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
Chloroethane	SW8260B	1	0.0030	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
Trichlorofluoromethane	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
1,1-Dichloroethene	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
Freon 113	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
Methylene Chloride	SW8260B	1	0.0071	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
trans-1,2-Dichloroethene	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
MTBE	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
TBA	SW8260B	1	0.012	0.050	ND		mg/Kg	02/03/21	19:56	JZ	454032
Diisopropyl ether	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
1,1-Dichloroethane	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
Ethyl tert-Butyl ether	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
cis-1,2-Dichloroethene	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
2,2-Dichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
Bromochloromethane	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
Chloroform	SW8260B	1	0.0024	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
Carbon Tetrachloride	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
1,1,1-Trichloroethane	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
1,1-Dichloropropene	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
Benzene	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
TAME	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
1,2-Dichloroethane	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
Trichloroethylene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
Dibromomethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
1,2-Dichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
Bromodichloromethane	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
cis-1,3-Dichloropropene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
Toluene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
Tetrachloroethylene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
trans-1,3-Dichloropropene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
1,1,2-Trichloroethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
Dibromochloromethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
1,3-Dichloropropane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
1,2-Dibromoethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
Chlorobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
Ethylbenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-1@3'	Lab Sample ID:	2101286-002A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 8:27		
SDG:			

Prep Method: 5035	Prep Batch Date/Time: 2/3/21 12:10:00PM
Prep Batch ID: 1129046	Prep Analyst: JZHAO

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
1,1,1,2-Tetrachloroethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
m,p-Xylene	SW8260B	1	0.0032	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
o-Xylene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
Styrene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
Bromoform	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
Isopropyl Benzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
n-Propylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
Bromobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
1,1,2,2-Tetrachloroethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
2-Chlorotoluene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
1,3,5-Trimethylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
1,2,3-Trichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
4-Chlorotoluene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
tert-Butylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
1,2,4-Trimethylbenzene	SW8260B	1	0.0014	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
sec-Butyl Benzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
p-Isopropyltoluene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
1,3-Dichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
1,4-Dichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
n-Butylbenzene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
1,2-Dichlorobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
1,2-Dibromo-3-Chloropropane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
Hexachlorobutadiene	SW8260B	1	0.0014	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
1,2,4-Trichlorobenzene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
Naphthalene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
1,2,3-Trichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	19:56	JZ	454032
2-Butanone	SW8260B	1	0.0023	0.0100	ND		mg/Kg	02/03/21	19:56	JZ	454032
(S) Dibromofluoromethane	SW8260B		59.8 - 148		120		%	02/03/21	19:56	JZ	454032
(S) Toluene-d8	SW8260B		55.2 - 133		94.9		%	02/03/21	19:56	JZ	454032
(S) 4-Bromofluorobenzene	SW8260B		55.8 - 141		83.6		%	02/03/21	19:56	JZ	454032



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-1@3'	Lab Sample ID: 2101286-002A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 8:27	
SDG:	

Prep Method: 5035GRO	Prep Batch Date/Time: 2/3/21	12:10:00PM
Prep Batch ID: 1129047	Prep Analyst: JZHAO	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
TPH as Gasoline	8260TPH	1	0.043	0.10	ND		mg/Kg	02/03/21	19:56	JZ	454032
(S) 4-Bromofluorobenzene	8260TPH		43.9 - 127		52.8		%	02/03/21	19:56	JZ	454032



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-2@1'	Lab Sample ID: 2101286-004A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 8:46	
SDG:	

Prep Method: 7471BP	Prep Batch Date/Time: 2/1/21	5:40:00PM
Prep Batch ID: 1128969	Prep Analyst: TNGU	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Mercury	SW7471B	1	0.083	0.50	ND		mg/Kg	02/02/21	15:32	BJAY	453987



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-2@1'	Lab Sample ID:	2101286-004A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 8:46		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/1/21	5:30:00PM
Prep Batch ID: 1128970	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Antimony	SW6010B	1	0.050	5.00	ND		mg/Kg	02/03/21	15:08	TUAN	454013
Arsenic	SW6010B	1	0.15	1.30	5.85		mg/Kg	02/03/21	15:08	TUAN	454013
Barium	SW6010B	1	0.055	5.00	406		mg/Kg	02/03/21	15:08	TUAN	454013
Beryllium	SW6010B	1	0.055	5.00	ND		mg/Kg	02/03/21	15:08	TUAN	454013
Cadmium	SW6010B	1	0.10	5.00	ND		mg/Kg	02/03/21	15:08	TUAN	454013
Chromium	SW6010B	1	0.075	5.00	35.1		mg/Kg	02/03/21	15:08	TUAN	454013
Cobalt	SW6010B	1	0.070	5.00	10.8		mg/Kg	02/03/21	15:08	TUAN	454013
Copper	SW6010B	1	0.20	5.00	54.0		mg/Kg	02/03/21	15:08	TUAN	454013
Lead	SW6010B	1	0.10	3.00	14.4		mg/Kg	02/03/21	15:08	TUAN	454013
Molybdenum	SW6010B	1	0.050	5.00	ND		mg/Kg	02/03/21	15:08	TUAN	454013
Nickel	SW6010B	1	0.50	5.00	50.5		mg/Kg	02/03/21	15:08	TUAN	454013
Selenium	SW6010B	1	0.22	5.00	ND		mg/Kg	02/03/21	15:08	TUAN	454013
Silver	SW6010B	1	0.15	5.00	ND		mg/Kg	02/03/21	15:08	TUAN	454013
Thallium	SW6010B	1	0.55	5.00	ND		mg/Kg	02/03/21	15:08	TUAN	454013
Vanadium	SW6010B	1	0.10	5.00	29.2		mg/Kg	02/03/21	15:08	TUAN	454013
Zinc	SW6010B	1	0.30	5.00	56.0		mg/Kg	02/03/21	15:08	TUAN	454013



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-2@1'	Lab Sample ID:	2101286-004A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 8:46		
SDG:			

Prep Method: 3546_PCB	Prep Batch Date/Time: 2/2/21	1:38:00PM
Prep Batch ID: 1128983	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Aroclor1016	SW8082A	1	0.0350	0.100	ND		mg/Kg	02/02/21	16:56	MK	453997
Aroclor1221	SW8082A	1	0.00500	0.100	ND		mg/Kg	02/02/21	16:56	MK	453997
Aroclor1232	SW8082A	1	0.0170	0.100	ND		mg/Kg	02/02/21	16:56	MK	453997
Aroclor1242	SW8082A	1	0.00300	0.100	ND		mg/Kg	02/02/21	16:56	MK	453997
Aroclor1248	SW8082A	1	0.00200	0.100	ND		mg/Kg	02/02/21	16:56	MK	453997
Aroclor1254	SW8082A	1	0.0140	0.100	ND		mg/Kg	02/02/21	16:56	MK	453997
Aroclor1260	SW8082A	1	0.0240	0.100	ND		mg/Kg	02/02/21	16:56	MK	453997
Acceptance Limits											
TCMX (S)	SW8082A		48 - 125		82.0		%	02/02/21	16:56	MK	453997
DCBP (S)	SW8082A		48 - 135		90.0		%	02/02/21	16:56	MK	453997



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-2@1'	Lab Sample ID:	2101286-004A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 8:46		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/2/21	12:49:00PM
Prep Batch ID: 1128982	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	3	0.00038	0.0060	ND		mg/Kg	02/03/21	0:58	MK	454030
gamma-BHC (Lindane)	SW8081B	3	0.00048	0.0060	ND		mg/Kg	02/03/21	0:58	MK	454030
beta-BHC	SW8081B	3	0.00095	0.0060	ND		mg/Kg	02/03/21	0:58	MK	454030
delta-BHC	SW8081B	3	0.00047	0.0060	ND		mg/Kg	02/03/21	0:58	MK	454030
Heptachlor	SW8081B	3	0.00032	0.0060	ND		mg/Kg	02/03/21	0:58	MK	454030
Aldrin	SW8081B	3	0.00059	0.0060	ND		mg/Kg	02/03/21	0:58	MK	454030
Heptachlor Epoxide	SW8081B	3	0.00023	0.0060	ND		mg/Kg	02/03/21	0:58	MK	454030
gamma-Chlordane	SW8081B	3	0.00049	0.0060	ND		mg/Kg	02/03/21	0:58	MK	454030
alpha-Chlordane	SW8081B	3	0.00052	0.0060	ND		mg/Kg	02/03/21	0:58	MK	454030
Endosulfan I	SW8081B	3	0.00055	0.0060	ND		mg/Kg	02/03/21	0:58	MK	454030
Dieldrin	SW8081B	3	0.00044	0.0060	ND		mg/Kg	02/03/21	0:58	MK	454030
Endrin	SW8081B	3	0.00056	0.0060	ND		mg/Kg	02/03/21	0:58	MK	454030
4,4'-DDD	SW8081B	3	0.0017	0.0060	0.00246	J	mg/Kg	02/03/21	0:58	MK	454030
Endosulfan II	SW8081B	3	0.0017	0.0060	ND		mg/Kg	02/03/21	0:58	MK	454030
Endrin Aldehyde	SW8081B	3	0.00045	0.0060	ND		mg/Kg	02/03/21	0:58	MK	454030
Methoxychlor	SW8081B	3	0.00060	0.0060	ND		mg/Kg	02/03/21	0:58	MK	454030
Endosulfan Sulfate	SW8081B	3	0.00035	0.0060	ND		mg/Kg	02/03/21	0:58	MK	454030
Endrin Ketone	SW8081B	3	0.00028	0.0060	ND		mg/Kg	02/03/21	0:58	MK	454030
Chlordane	SW8081B	3	0.0063	0.060	ND		mg/Kg	02/03/21	0:58	MK	454030
Toxaphene	SW8081B	3	0.026	0.15	ND		mg/Kg	02/03/21	0:58	MK	454030
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		69.3		%	02/03/21	0:58	MK	454030
DCBP (S)	SW8081B		38 - 135		69.0		%	02/03/21	0:58	MK	454030

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-2@1'	Lab Sample ID: 2101286-004A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 8:46	
SDG:	

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/2/21	12:49:00PM
Prep Batch ID: 1128982	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
4,4'-DDE	SW8081B	30	0.0058	0.060	0.712		mg/Kg	02/03/21	14:23	MK	454030
4,4'-DDT	SW8081B	30	0.0039	0.060	0.172		mg/Kg	02/03/21	14:23	MK	454030



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-2@1'	Lab Sample ID:	2101286-004A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 8:46		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
N-Nitrosodimethylamine	SW8270C	1	0.0469	0.720	ND		mg/Kg	02/02/21	16:01	MT	453975
Phenol	SW8270C	1	0.0438	0.288	ND		mg/Kg	02/02/21	16:01	MT	453975
Bis(2-chloroethyl)ether	SW8270C	1	0.0133	0.144	ND		mg/Kg	02/02/21	16:01	MT	453975
2-Chlorophenol	SW8270C	1	0.0477	0.288	ND		mg/Kg	02/02/21	16:01	MT	453975
1,3-Dichlorobenzene	SW8270C	1	0.0131	0.144	ND		mg/Kg	02/02/21	16:01	MT	453975
1,4-Dichlorobenzene	SW8270C	1	0.0146	0.144	ND		mg/Kg	02/02/21	16:01	MT	453975
Benzyl Alcohol	SW8270C	1	0.0205	0.288	ND		mg/Kg	02/02/21	16:01	MT	453975
1,2-Dichlorobenzene	SW8270C	1	0.0135	0.144	ND		mg/Kg	02/02/21	16:01	MT	453975
2-Methylphenol (o-Cresol)	SW8270C	1	0.0293	0.288	ND		mg/Kg	02/02/21	16:01	MT	453975
N-Methyl-2-Pyrrolidone (NMP)	SW8270C	1	0.0680	0.720	ND		mg/Kg	02/02/21	16:01	MT	453975
3-/4-Methylphenol (p-/m-Cresol)	SW8270C	1	0.0313	0.288	ND		mg/Kg	02/02/21	16:01	MT	453975
N-nitroso-di-n-propylamine	SW8270C	1	0.0132	0.144	ND		mg/Kg	02/02/21	16:01	MT	453975
Hexachloroethane	SW8270C	1	0.0171	0.144	ND		mg/Kg	02/02/21	16:01	MT	453975
Nitrobenzene	SW8270C	1	0.0128	0.144	ND		mg/Kg	02/02/21	16:01	MT	453975
Isophorone	SW8270C	1	0.0122	0.144	ND		mg/Kg	02/02/21	16:01	MT	453975
2-Nitrophenol	SW8270C	1	0.0254	0.288	ND		mg/Kg	02/02/21	16:01	MT	453975
2,4-Dimethylphenol	SW8270C	1	0.0228	0.288	ND		mg/Kg	02/02/21	16:01	MT	453975
Benzoic Acid	SW8270C	1	0.0417	0.288	ND		mg/Kg	02/02/21	16:01	MT	453975
Bis(2-Chloroethoxy)methane	SW8270C	1	0.00979	0.144	ND		mg/Kg	02/02/21	16:01	MT	453975
Bis(2-chloroisopropyl)ether	SW8270C	1	0.0126	0.144	ND		mg/Kg	02/02/21	16:01	MT	453975
2,4-Dichlorophenol	SW8270C	1	0.0393	0.288	ND		mg/Kg	02/02/21	16:01	MT	453975
1,2,4-Trichlorobenzene	SW8270C	1	0.0118	0.144	ND		mg/Kg	02/02/21	16:01	MT	453975
Naphthalene	SW8270C	1	0.0106	0.144	ND		mg/Kg	02/02/21	16:01	MT	453975
2,6-Dichlorophenol	SW8270C	1	0.0358	0.288	ND		mg/Kg	02/02/21	16:01	MT	453975
Hexachloro-1,3-butadiene	SW8270C	1	0.00834	0.144	ND		mg/Kg	02/02/21	16:01	MT	453975
4-Chloro-3-methylphenol	SW8270C	1	0.0338	0.288	ND		mg/Kg	02/02/21	16:01	MT	453975
2-Methylnaphthalene	SW8270C	1	0.0104	0.144	ND		mg/Kg	02/02/21	16:01	MT	453975
1-Methylnaphthalene	SW8270C	1	0.0122	0.144	ND		mg/Kg	02/02/21	16:01	MT	453975
Hexachlorocyclopentadiene	SW8270C	1	0.0129	0.144	ND		mg/Kg	02/02/21	16:01	MT	453975
2,4,6-Trichlorophenol	SW8270C	1	0.0359	0.288	ND		mg/Kg	02/02/21	16:01	MT	453975
2,4,5-Trichlorophenol	SW8270C	1	0.0334	0.288	ND		mg/Kg	02/02/21	16:01	MT	453975
2-Chloronaphthalene	SW8270C	1	0.0106	0.144	ND		mg/Kg	02/02/21	16:01	MT	453975
1,4-Dinitrobenzene	SW8270C	1	0.0103	0.144	ND		mg/Kg	02/02/21	16:01	MT	453975
Dimethyl phthalate	SW8270C	1	0.0142	0.720	ND		mg/Kg	02/02/21	16:01	MT	453975
1,3-Dinitrobenzene	SW8270C	1	0.0104	0.144	ND		mg/Kg	02/02/21	16:01	MT	453975
Acenaphthylene	SW8270C	1	0.00828	0.144	ND		mg/Kg	02/02/21	16:01	MT	453975
2,6-Dinitrotoluene	SW8270C	1	0.0113	0.144	ND		mg/Kg	02/02/21	16:01	MT	453975
1,2-Dinitrobenzene	SW8270C	1	0.0158	0.144	ND		mg/Kg	02/02/21	16:01	MT	453975
Acenaphthene	SW8270C	1	0.0107	0.144	ND		mg/Kg	02/02/21	16:01	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-2@1'	Lab Sample ID:	2101286-004A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 8:46		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
2,4-Dinitrophenol	SW8270C	1	0.0776	0.720	ND		mg/Kg	02/02/21	16:01	MT	453975
4-Nitrophenol	SW8270C	1	0.0547	0.720	ND		mg/Kg	02/02/21	16:01	MT	453975
Dibenzofuran	SW8270C	1	0.0112	0.144	ND		mg/Kg	02/02/21	16:01	MT	453975
2,4-Dinitrotoluene	SW8270C	1	0.0121	0.144	ND		mg/Kg	02/02/21	16:01	MT	453975
2,3,5,6-Tetrachlorophenol	SW8270C	1	0.0276	0.288	ND		mg/Kg	02/02/21	16:01	MT	453975
2,3,4,6-Tetrachlorophenol	SW8270C	1	0.0315	0.288	ND		mg/Kg	02/02/21	16:01	MT	453975
Diethylphthalate	SW8270C	1	0.0136	0.720	ND		mg/Kg	02/02/21	16:01	MT	453975
Fluorene	SW8270C	1	0.0103	0.144	ND		mg/Kg	02/02/21	16:01	MT	453975
4-Chlorophenyl-phenylether	SW8270C	1	0.00932	0.144	ND		mg/Kg	02/02/21	16:01	MT	453975
4,6-Dinitro-2-methylphenol	SW8270C	1	0.0134	0.288	ND		mg/Kg	02/02/21	16:01	MT	453975
Diphenylamine	SW8270C	1	0.0130	0.144	ND		mg/Kg	02/02/21	16:01	MT	453975
Azobenzene	SW8270C	1	0.114	0.144	ND		mg/Kg	02/02/21	16:01	MT	453975
4-Bromophenyl-phenylether	SW8270C	1	0.00823	0.144	ND		mg/Kg	02/02/21	16:01	MT	453975
Hexachlorobenzene	SW8270C	1	0.00866	0.144	ND		mg/Kg	02/02/21	16:01	MT	453975
Pentachlorophenol	SW8270C	1	0.0250	0.288	ND		mg/Kg	02/02/21	16:01	MT	453975
Phenanthrene	SW8270C	1	0.00932	0.144	ND		mg/Kg	02/02/21	16:01	MT	453975
Anthracene	SW8270C	1	0.00891	0.144	ND		mg/Kg	02/02/21	16:01	MT	453975
Carbazole	SW8270C	1	0.0107	0.144	ND		mg/Kg	02/02/21	16:01	MT	453975
Di-n-butylphthalate	SW8270C	1	0.0135	0.144	ND		mg/Kg	02/02/21	16:01	MT	453975
Fluoranthene	SW8270C	1	0.01000	0.144	ND		mg/Kg	02/02/21	16:01	MT	453975
Benzidine	SW8270C	1	0.147	0.144	ND		mg/Kg	02/02/21	16:01	MT	453975
Pyrene	SW8270C	1	0.0120	0.144	ND		mg/Kg	02/02/21	16:01	MT	453975
Butylbenzylphthalate	SW8270C	1	0.0210	0.720	ND		mg/Kg	02/02/21	16:01	MT	453975
Benzo(a)anthracene	SW8270C	1	0.00980	0.144	ND		mg/Kg	02/02/21	16:01	MT	453975
3,3-Dichlorobenzidine	SW8270C	1	0.118	0.144	ND		mg/Kg	02/02/21	16:01	MT	453975
Chrysene	SW8270C	1	0.0152	0.144	ND		mg/Kg	02/02/21	16:01	MT	453975
Bis(2-Ethylhexyl)phthalate	SW8270C	1	0.0153	0.720	ND		mg/Kg	02/02/21	16:01	MT	453975
Di-n-Octylphthalate	SW8270C	1	0.0123	0.144	ND		mg/Kg	02/02/21	16:01	MT	453975
Benzo(b)fluorathene	SW8270C	1	0.0120	0.144	ND		mg/Kg	02/02/21	16:01	MT	453975
benzo(k)fluorathene	SW8270C	1	0.00816	0.144	ND		mg/Kg	02/02/21	16:01	MT	453975
Benzo(a)pyrene	SW8270C	1	0.00980	0.144	ND		mg/Kg	02/02/21	16:01	MT	453975
Indeno(1,2,3-c,d)pyrene	SW8270C	1	0.0138	0.144	ND		mg/Kg	02/02/21	16:01	MT	453975
Dibenzo(a,h)anthracene	SW8270C	1	0.0127	0.144	ND		mg/Kg	02/02/21	16:01	MT	453975
Benzo(g,h,i)perylene	SW8270C	1	0.0167	0.144	ND		mg/Kg	02/02/21	16:01	MT	453975
Pyridine	SW8270C	1	0.0438	0.720	ND		mg/Kg	02/02/21	16:01	MT	453975
Acceptance Limits											
2-Fluorophenol (S)	SW8270C		25 - 121		66.8		%	02/02/21	16:01	MT	453975
Phenol-d6 (S)	SW8270C		24 - 113		70.5		%	02/02/21	16:01	MT	453975
2,4,6-Tribromophenol (S)	SW8270C		19 - 122		70.8		%	02/02/21	16:01	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-2@1'	Lab Sample ID:	2101286-004A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 8:46		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
2-Fluorobiphenyl (S)	SW8270C		45 - 143		80.5		%	02/02/21	16:01	MT	453975
Nitrobenzene-d5 (S)	SW8270C		23 - 120		80.0		%	02/02/21	16:01	MT	453975
Terphenyl-d14 (S)	SW8270C		18 - 137		81.1		%	02/02/21	16:01	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-2@1'	Lab Sample ID: 2101286-004A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 8:46	
SDG:	

Prep Method: 3546_TPHSG	Prep Batch Date/Time: 2/2/21	4:34:00PM
Prep Batch ID: 1128998	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
TPH as Diesel (SG)	SW8015B	1	0.85	2.0	2.89	x	mg/Kg	02/03/21	15:30	SN	454044
TPH as Motor Oil (SG)	SW8015B	1	3.2	10	ND		mg/Kg	02/03/21	15:30	SN	454044
Acceptance Limits											
Pentacosane (S)	SW8015B		40 - 129		75.6		%	02/03/21	15:30	SN	454044

NOTE: x- Chromatographic pattern does not resemble typical diesel reference standard; unknown organics within diesel range quantified as diesel



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-2@1'	Lab Sample ID:	2101286-004A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 8:46		
SDG:			

Prep Method: 5035	Prep Batch Date/Time: 2/3/21 12:10:00PM
Prep Batch ID: 1129046	Prep Analyst: JZHAO

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Dichlorodifluoromethane	SW8260B	1	0.0012	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
Chloromethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
Vinyl Chloride	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
Bromomethane	SW8260B	1	0.0027	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
Chloroethane	SW8260B	1	0.0030	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
Trichlorofluoromethane	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
1,1-Dichloroethene	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
Freon 113	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
Methylene Chloride	SW8260B	1	0.0071	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
trans-1,2-Dichloroethene	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
MTBE	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
TBA	SW8260B	1	0.012	0.050	ND		mg/Kg	02/03/21	19:27	JZ	454032
Diisopropyl ether	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
1,1-Dichloroethane	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
Ethyl tert-Butyl ether	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
cis-1,2-Dichloroethene	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
2,2-Dichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
Bromochloromethane	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
Chloroform	SW8260B	1	0.0024	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
Carbon Tetrachloride	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
1,1,1-Trichloroethane	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
1,1-Dichloropropene	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
Benzene	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
TAME	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
1,2-Dichloroethane	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
Trichloroethylene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
Dibromomethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
1,2-Dichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
Bromodichloromethane	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
cis-1,3-Dichloropropene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
Toluene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
Tetrachloroethylene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
trans-1,3-Dichloropropene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
1,1,2-Trichloroethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
Dibromochloromethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
1,3-Dichloropropane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
1,2-Dibromoethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
Chlorobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
Ethylbenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-2@1'	Lab Sample ID:	2101286-004A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 8:46		
SDG:			

Prep Method: 5035	Prep Batch Date/Time: 2/3/21 12:10:00PM
Prep Batch ID: 1129046	Prep Analyst: JZHAO

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
1,1,1,2-Tetrachloroethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
m,p-Xylene	SW8260B	1	0.0032	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
o-Xylene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
Styrene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
Bromoform	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
Isopropyl Benzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
n-Propylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
Bromobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
1,1,2,2-Tetrachloroethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
2-Chlorotoluene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
1,3,5-Trimethylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
1,2,3-Trichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
4-Chlorotoluene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
tert-Butylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
1,2,4-Trimethylbenzene	SW8260B	1	0.0014	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
sec-Butyl Benzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
p-Isopropyltoluene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
1,3-Dichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
1,4-Dichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
n-Butylbenzene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
1,2-Dichlorobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
1,2-Dibromo-3-Chloropropane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
Hexachlorobutadiene	SW8260B	1	0.0014	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
1,2,4-Trichlorobenzene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
Naphthalene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
1,2,3-Trichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	19:27	JZ	454032
2-Butanone	SW8260B	1	0.0023	0.0100	ND		mg/Kg	02/03/21	19:27	JZ	454032
(S) Dibromofluoromethane	SW8260B		59.8 - 148		143		%	02/03/21	19:27	JZ	454032
(S) Toluene-d8	SW8260B		55.2 - 133		114		%	02/03/21	19:27	JZ	454032
(S) 4-Bromofluorobenzene	SW8260B		55.8 - 141		104		%	02/03/21	19:27	JZ	454032



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-2@1'	Lab Sample ID: 2101286-004A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 8:46	
SDG:	

Prep Method: 5035GRO	Prep Batch Date/Time: 2/3/21	12:10:00PM
Prep Batch ID: 1129047	Prep Analyst: JZHAO	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
TPH as Gasoline	8260TPH	1	0.043	0.10	ND		mg/Kg	02/03/21	19:27	JZ	454032
(S) 4-Bromofluorobenzene	8260TPH		43.9 - 127		40.2	S	%	02/03/21	19:27	JZ	454032

NOTE: Surrogate recovery was outside the control limit due to matrix interference, confirmed by rerun.



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-2@3'	Lab Sample ID: 2101286-005A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 8:48	
SDG:	

Prep Method: 7471BP	Prep Batch Date/Time: 2/1/21	5:40:00PM
Prep Batch ID: 1128969	Prep Analyst: TNGU	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Mercury	SW7471B	1	0.083	0.50	ND		mg/Kg	02/02/21	15:34	BJAY	453987



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-2@3'	Lab Sample ID:	2101286-005A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 8:48		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/1/21	5:30:00PM
Prep Batch ID: 1128970	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Antimony	SW6010B	1	0.050	5.00	ND		mg/Kg	02/03/21	15:11	TUAN	454013
Arsenic	SW6010B	1	0.15	1.30	6.25		mg/Kg	02/03/21	15:11	TUAN	454013
Barium	SW6010B	1	0.055	5.00	272		mg/Kg	02/03/21	15:11	TUAN	454013
Beryllium	SW6010B	1	0.055	5.00	ND		mg/Kg	02/03/21	15:11	TUAN	454013
Cadmium	SW6010B	1	0.10	5.00	ND		mg/Kg	02/03/21	15:11	TUAN	454013
Chromium	SW6010B	1	0.075	5.00	38.9		mg/Kg	02/03/21	15:11	TUAN	454013
Cobalt	SW6010B	1	0.070	5.00	11.6		mg/Kg	02/03/21	15:11	TUAN	454013
Copper	SW6010B	1	0.20	5.00	35.6		mg/Kg	02/03/21	15:11	TUAN	454013
Lead	SW6010B	1	0.10	3.00	8.95		mg/Kg	02/03/21	15:11	TUAN	454013
Molybdenum	SW6010B	1	0.050	5.00	ND		mg/Kg	02/03/21	15:11	TUAN	454013
Nickel	SW6010B	1	0.50	5.00	54.5		mg/Kg	02/03/21	15:11	TUAN	454013
Selenium	SW6010B	1	0.22	5.00	ND		mg/Kg	02/03/21	15:11	TUAN	454013
Silver	SW6010B	1	0.15	5.00	ND		mg/Kg	02/03/21	15:11	TUAN	454013
Thallium	SW6010B	1	0.55	5.00	ND		mg/Kg	02/03/21	15:11	TUAN	454013
Vanadium	SW6010B	1	0.10	5.00	33.1		mg/Kg	02/03/21	15:11	TUAN	454013
Zinc	SW6010B	1	0.30	5.00	56.0		mg/Kg	02/03/21	15:11	TUAN	454013



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-2@3'	Lab Sample ID:	2101286-005A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 8:48		
SDG:			

Prep Method: 3546_PCB	Prep Batch Date/Time: 2/2/21	1:38:00PM
Prep Batch ID: 1128983	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Aroclor1016	SW8082A	1	0.0350	0.100	ND		mg/Kg	02/02/21	17:10	MK	453997
Aroclor1221	SW8082A	1	0.00500	0.100	ND		mg/Kg	02/02/21	17:10	MK	453997
Aroclor1232	SW8082A	1	0.0170	0.100	ND		mg/Kg	02/02/21	17:10	MK	453997
Aroclor1242	SW8082A	1	0.00300	0.100	ND		mg/Kg	02/02/21	17:10	MK	453997
Aroclor1248	SW8082A	1	0.00200	0.100	ND		mg/Kg	02/02/21	17:10	MK	453997
Aroclor1254	SW8082A	1	0.0140	0.100	ND		mg/Kg	02/02/21	17:10	MK	453997
Aroclor1260	SW8082A	1	0.0240	0.100	ND		mg/Kg	02/02/21	17:10	MK	453997
Acceptance Limits											
TCMX (S)	SW8082A		48 - 125		80.0		%	02/02/21	17:10	MK	453997
DCBP (S)	SW8082A		48 - 135		86.0		%	02/02/21	17:10	MK	453997



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-2@3'	Lab Sample ID:	2101286-005A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 8:48		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/2/21	12:49:00PM
Prep Batch ID: 1128982	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
alpha-BHC	SW8081B	1	0.00013	0.0020	ND		mg/Kg	02/03/21	1:10	MK	454030
gamma-BHC (Lindane)	SW8081B	1	0.00016	0.0020	ND		mg/Kg	02/03/21	1:10	MK	454030
beta-BHC	SW8081B	1	0.00032	0.0020	ND		mg/Kg	02/03/21	1:10	MK	454030
delta-BHC	SW8081B	1	0.00016	0.0020	ND		mg/Kg	02/03/21	1:10	MK	454030
Heptachlor	SW8081B	1	0.00011	0.0020	ND		mg/Kg	02/03/21	1:10	MK	454030
Aldrin	SW8081B	1	0.00020	0.0020	ND		mg/Kg	02/03/21	1:10	MK	454030
Heptachlor Epoxide	SW8081B	1	0.000078	0.0020	ND		mg/Kg	02/03/21	1:10	MK	454030
gamma-Chlordane	SW8081B	1	0.00016	0.0020	ND		mg/Kg	02/03/21	1:10	MK	454030
alpha-Chlordane	SW8081B	1	0.00017	0.0020	ND		mg/Kg	02/03/21	1:10	MK	454030
4,4'-DDE	SW8081B	1	0.00019	0.0020	0.00434		mg/Kg	02/03/21	1:10	MK	454030
Endosulfan I	SW8081B	1	0.00018	0.0020	ND		mg/Kg	02/03/21	1:10	MK	454030
Dieldrin	SW8081B	1	0.00015	0.0020	ND		mg/Kg	02/03/21	1:10	MK	454030
Endrin	SW8081B	1	0.00019	0.0020	ND		mg/Kg	02/03/21	1:10	MK	454030
4,4'-DDD	SW8081B	1	0.00057	0.0020	ND		mg/Kg	02/03/21	1:10	MK	454030
Endosulfan II	SW8081B	1	0.00058	0.0020	ND		mg/Kg	02/03/21	1:10	MK	454030
4,4'-DDT	SW8081B	1	0.00013	0.0020	ND		mg/Kg	02/03/21	1:10	MK	454030
Endrin Aldehyde	SW8081B	1	0.00015	0.0020	ND		mg/Kg	02/03/21	1:10	MK	454030
Methoxychlor	SW8081B	1	0.00020	0.0020	ND		mg/Kg	02/03/21	1:10	MK	454030
Endosulfan Sulfate	SW8081B	1	0.00012	0.0020	ND		mg/Kg	02/03/21	1:10	MK	454030
Endrin Ketone	SW8081B	1	0.000094	0.0020	ND		mg/Kg	02/03/21	1:10	MK	454030
Chlordane	SW8081B	1	0.0021	0.020	ND		mg/Kg	02/03/21	1:10	MK	454030
Toxaphene	SW8081B	1	0.0085	0.050	ND		mg/Kg	02/03/21	1:10	MK	454030
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		67.6		%	02/03/21	1:10	MK	454030
DCBP (S)	SW8081B		38 - 135		68.4		%	02/03/21	1:10	MK	454030



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-2@3'	Lab Sample ID:	2101286-005A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 8:48		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
N-Nitrosodimethylamine	SW8270C	1	0.0469	0.720	ND		mg/Kg	02/02/21	17:32	MT	453975
Phenol	SW8270C	1	0.0438	0.288	ND		mg/Kg	02/02/21	17:32	MT	453975
Bis(2-chloroethyl)ether	SW8270C	1	0.0133	0.144	ND		mg/Kg	02/02/21	17:32	MT	453975
2-Chlorophenol	SW8270C	1	0.0477	0.288	ND		mg/Kg	02/02/21	17:32	MT	453975
1,3-Dichlorobenzene	SW8270C	1	0.0131	0.144	ND		mg/Kg	02/02/21	17:32	MT	453975
1,4-Dichlorobenzene	SW8270C	1	0.0146	0.144	ND		mg/Kg	02/02/21	17:32	MT	453975
Benzyl Alcohol	SW8270C	1	0.0205	0.288	ND		mg/Kg	02/02/21	17:32	MT	453975
1,2-Dichlorobenzene	SW8270C	1	0.0135	0.144	ND		mg/Kg	02/02/21	17:32	MT	453975
2-Methylphenol (o-Cresol)	SW8270C	1	0.0293	0.288	ND		mg/Kg	02/02/21	17:32	MT	453975
N-Methyl-2-Pyrrolidone (NMP)	SW8270C	1	0.0680	0.720	ND		mg/Kg	02/02/21	17:32	MT	453975
3-/4-Methylphenol (p-/m-Cresol)	SW8270C	1	0.0313	0.288	ND		mg/Kg	02/02/21	17:32	MT	453975
N-nitroso-di-n-propylamine	SW8270C	1	0.0132	0.144	ND		mg/Kg	02/02/21	17:32	MT	453975
Hexachloroethane	SW8270C	1	0.0171	0.144	ND		mg/Kg	02/02/21	17:32	MT	453975
Nitrobenzene	SW8270C	1	0.0128	0.144	ND		mg/Kg	02/02/21	17:32	MT	453975
Isophorone	SW8270C	1	0.0122	0.144	ND		mg/Kg	02/02/21	17:32	MT	453975
2-Nitrophenol	SW8270C	1	0.0254	0.288	ND		mg/Kg	02/02/21	17:32	MT	453975
2,4-Dimethylphenol	SW8270C	1	0.0228	0.288	ND		mg/Kg	02/02/21	17:32	MT	453975
Benzoic Acid	SW8270C	1	0.0417	0.288	ND		mg/Kg	02/02/21	17:32	MT	453975
Bis(2-Chloroethoxy)methane	SW8270C	1	0.00979	0.144	ND		mg/Kg	02/02/21	17:32	MT	453975
Bis(2-chloroisopropyl)ether	SW8270C	1	0.0126	0.144	ND		mg/Kg	02/02/21	17:32	MT	453975
2,4-Dichlorophenol	SW8270C	1	0.0393	0.288	ND		mg/Kg	02/02/21	17:32	MT	453975
1,2,4-Trichlorobenzene	SW8270C	1	0.0118	0.144	ND		mg/Kg	02/02/21	17:32	MT	453975
Naphthalene	SW8270C	1	0.0106	0.144	ND		mg/Kg	02/02/21	17:32	MT	453975
2,6-Dichlorophenol	SW8270C	1	0.0358	0.288	ND		mg/Kg	02/02/21	17:32	MT	453975
Hexachloro-1,3-butadiene	SW8270C	1	0.00834	0.144	ND		mg/Kg	02/02/21	17:32	MT	453975
4-Chloro-3-methylphenol	SW8270C	1	0.0338	0.288	ND		mg/Kg	02/02/21	17:32	MT	453975
2-Methylnaphthalene	SW8270C	1	0.0104	0.144	ND		mg/Kg	02/02/21	17:32	MT	453975
1-Methylnaphthalene	SW8270C	1	0.0122	0.144	ND		mg/Kg	02/02/21	17:32	MT	453975
Hexachlorocyclopentadiene	SW8270C	1	0.0129	0.144	ND		mg/Kg	02/02/21	17:32	MT	453975
2,4,6-Trichlorophenol	SW8270C	1	0.0359	0.288	ND		mg/Kg	02/02/21	17:32	MT	453975
2,4,5-Trichlorophenol	SW8270C	1	0.0334	0.288	ND		mg/Kg	02/02/21	17:32	MT	453975
2-Chloronaphthalene	SW8270C	1	0.0106	0.144	ND		mg/Kg	02/02/21	17:32	MT	453975
1,4-Dinitrobenzene	SW8270C	1	0.0103	0.144	ND		mg/Kg	02/02/21	17:32	MT	453975
Dimethyl phthalate	SW8270C	1	0.0142	0.720	ND		mg/Kg	02/02/21	17:32	MT	453975
1,3-Dinitrobenzene	SW8270C	1	0.0104	0.144	ND		mg/Kg	02/02/21	17:32	MT	453975
Acenaphthylene	SW8270C	1	0.00828	0.144	ND		mg/Kg	02/02/21	17:32	MT	453975
2,6-Dinitrotoluene	SW8270C	1	0.0113	0.144	ND		mg/Kg	02/02/21	17:32	MT	453975
1,2-Dinitrobenzene	SW8270C	1	0.0158	0.144	ND		mg/Kg	02/02/21	17:32	MT	453975
Acenaphthene	SW8270C	1	0.0107	0.144	ND		mg/Kg	02/02/21	17:32	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-2@3'	Lab Sample ID:	2101286-005A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 8:48		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
2,4-Dinitrophenol	SW8270C	1	0.0776	0.720	ND		mg/Kg	02/02/21	17:32	MT	453975
4-Nitrophenol	SW8270C	1	0.0547	0.720	ND		mg/Kg	02/02/21	17:32	MT	453975
Dibenzofuran	SW8270C	1	0.0112	0.144	ND		mg/Kg	02/02/21	17:32	MT	453975
2,4-Dinitrotoluene	SW8270C	1	0.0121	0.144	ND		mg/Kg	02/02/21	17:32	MT	453975
2,3,5,6-Tetrachlorophenol	SW8270C	1	0.0276	0.288	ND		mg/Kg	02/02/21	17:32	MT	453975
2,3,4,6-Tetrachlorophenol	SW8270C	1	0.0315	0.288	ND		mg/Kg	02/02/21	17:32	MT	453975
Diethylphthalate	SW8270C	1	0.0136	0.720	ND		mg/Kg	02/02/21	17:32	MT	453975
Fluorene	SW8270C	1	0.0103	0.144	ND		mg/Kg	02/02/21	17:32	MT	453975
4-Chlorophenyl-phenylether	SW8270C	1	0.00932	0.144	ND		mg/Kg	02/02/21	17:32	MT	453975
4,6-Dinitro-2-methylphenol	SW8270C	1	0.0134	0.288	ND		mg/Kg	02/02/21	17:32	MT	453975
Diphenylamine	SW8270C	1	0.0130	0.144	ND		mg/Kg	02/02/21	17:32	MT	453975
Azobenzene	SW8270C	1	0.114	0.144	ND		mg/Kg	02/02/21	17:32	MT	453975
4-Bromophenyl-phenylether	SW8270C	1	0.00823	0.144	ND		mg/Kg	02/02/21	17:32	MT	453975
Hexachlorobenzene	SW8270C	1	0.00866	0.144	ND		mg/Kg	02/02/21	17:32	MT	453975
Pentachlorophenol	SW8270C	1	0.0250	0.288	ND		mg/Kg	02/02/21	17:32	MT	453975
Phenanthrene	SW8270C	1	0.00932	0.144	ND		mg/Kg	02/02/21	17:32	MT	453975
Anthracene	SW8270C	1	0.00891	0.144	ND		mg/Kg	02/02/21	17:32	MT	453975
Carbazole	SW8270C	1	0.0107	0.144	ND		mg/Kg	02/02/21	17:32	MT	453975
Di-n-butylphthalate	SW8270C	1	0.0135	0.144	ND		mg/Kg	02/02/21	17:32	MT	453975
Fluoranthene	SW8270C	1	0.01000	0.144	ND		mg/Kg	02/02/21	17:32	MT	453975
Benzidine	SW8270C	1	0.147	0.144	ND		mg/Kg	02/02/21	17:32	MT	453975
Pyrene	SW8270C	1	0.0120	0.144	ND		mg/Kg	02/02/21	17:32	MT	453975
Butylbenzylphthalate	SW8270C	1	0.0210	0.720	ND		mg/Kg	02/02/21	17:32	MT	453975
Benzo(a)anthracene	SW8270C	1	0.00980	0.144	ND		mg/Kg	02/02/21	17:32	MT	453975
3,3-Dichlorobenzidine	SW8270C	1	0.118	0.144	ND		mg/Kg	02/02/21	17:32	MT	453975
Chrysene	SW8270C	1	0.0152	0.144	ND		mg/Kg	02/02/21	17:32	MT	453975
Bis(2-Ethylhexyl)phthalate	SW8270C	1	0.0153	0.720	ND		mg/Kg	02/02/21	17:32	MT	453975
Di-n-Octylphthalate	SW8270C	1	0.0123	0.144	ND		mg/Kg	02/02/21	17:32	MT	453975
Benzo(b)fluorathene	SW8270C	1	0.0120	0.144	ND		mg/Kg	02/02/21	17:32	MT	453975
benzo(k)fluorathene	SW8270C	1	0.00816	0.144	ND		mg/Kg	02/02/21	17:32	MT	453975
Benzo(a)pyrene	SW8270C	1	0.00980	0.144	ND		mg/Kg	02/02/21	17:32	MT	453975
Indeno(1,2,3-c,d)pyrene	SW8270C	1	0.0138	0.144	ND		mg/Kg	02/02/21	17:32	MT	453975
Dibenzo(a,h)anthracene	SW8270C	1	0.0127	0.144	ND		mg/Kg	02/02/21	17:32	MT	453975
Benzo(g,h,i)perylene	SW8270C	1	0.0167	0.144	ND		mg/Kg	02/02/21	17:32	MT	453975
Pyridine	SW8270C	1	0.0438	0.720	ND		mg/Kg	02/02/21	17:32	MT	453975
Acceptance Limits											
2-Fluorophenol (S)	SW8270C		25 - 121		62.5		%	02/02/21	17:32	MT	453975
Phenol-d6 (S)	SW8270C		24 - 113		69.3		%	02/02/21	17:32	MT	453975
2,4,6-Tribromophenol (S)	SW8270C		19 - 122		61.0		%	02/02/21	17:32	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-2@3'	Lab Sample ID: 2101286-005A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 8:48	
SDG:	

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
2-Fluorobiphenyl (S)	SW8270C		45 - 143		79.8		%	02/02/21	17:32	MT	453975
Nitrobenzene-d5 (S)	SW8270C		23 - 120		77.9		%	02/02/21	17:32	MT	453975
Terphenyl-d14 (S)	SW8270C		18 - 137		82.3		%	02/02/21	17:32	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-2@3'	Lab Sample ID: 2101286-005A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 8:48	
SDG:	

Prep Method: 3546_TPHSG	Prep Batch Date/Time: 2/2/21	4:34:00PM
Prep Batch ID: 1128998	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
TPH as Diesel (SG)	SW8015B	1	0.85	2.0	ND		mg/Kg	02/03/21	15:53	SN	454044
TPH as Motor Oil (SG)	SW8015B	1	3.2	10	ND		mg/Kg	02/03/21	15:53	SN	454044
			Acceptance Limits								
Pentacosane (S)	SW8015B		40 - 129		65.5		%	02/03/21	15:53	SN	454044



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-2@3'	Lab Sample ID:	2101286-005A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 8:48		
SDG:			

Prep Method: 5035	Prep Batch Date/Time: 2/3/21 12:10:00PM
Prep Batch ID: 1129046	Prep Analyst: JZHAO

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Dichlorodifluoromethane	SW8260B	1	0.0012	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
Chloromethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
Vinyl Chloride	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
Bromomethane	SW8260B	1	0.0027	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
Chloroethane	SW8260B	1	0.0030	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
Trichlorofluoromethane	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
1,1-Dichloroethene	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
Freon 113	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
Methylene Chloride	SW8260B	1	0.0071	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
trans-1,2-Dichloroethene	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
MTBE	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
TBA	SW8260B	1	0.012	0.050	ND		mg/Kg	02/03/21	20:25	JZ	454032
Diisopropyl ether	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
1,1-Dichloroethane	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
Ethyl tert-Butyl ether	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
cis-1,2-Dichloroethene	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
2,2-Dichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
Bromochloromethane	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
Chloroform	SW8260B	1	0.0024	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
Carbon Tetrachloride	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
1,1,1-Trichloroethane	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
1,1-Dichloropropene	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
Benzene	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
TAME	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
1,2-Dichloroethane	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
Trichloroethylene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
Dibromomethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
1,2-Dichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
Bromodichloromethane	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
cis-1,3-Dichloropropene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
Toluene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
Tetrachloroethylene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
trans-1,3-Dichloropropene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
1,1,2-Trichloroethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
Dibromochloromethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
1,3-Dichloropropane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
1,2-Dibromoethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
Chlorobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
Ethylbenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-2@3'	Lab Sample ID:	2101286-005A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 8:48		
SDG:			

Prep Method: 5035	Prep Batch Date/Time: 2/3/21 12:10:00PM
Prep Batch ID: 1129046	Prep Analyst: JZHAO

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
1,1,1,2-Tetrachloroethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
m,p-Xylene	SW8260B	1	0.0032	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
o-Xylene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
Styrene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
Bromoform	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
Isopropyl Benzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
n-Propylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
Bromobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
1,1,2,2-Tetrachloroethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
2-Chlorotoluene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
1,3,5-Trimethylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
1,2,3-Trichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
4-Chlorotoluene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
tert-Butylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
1,2,4-Trimethylbenzene	SW8260B	1	0.0014	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
sec-Butyl Benzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
p-Isopropyltoluene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
1,3-Dichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
1,4-Dichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
n-Butylbenzene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
1,2-Dichlorobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
1,2-Dibromo-3-Chloropropane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
Hexachlorobutadiene	SW8260B	1	0.0014	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
1,2,4-Trichlorobenzene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
Naphthalene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
1,2,3-Trichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	20:25	JZ	454032
2-Butanone	SW8260B	1	0.0023	0.0100	ND		mg/Kg	02/03/21	20:25	JZ	454032
(S) Dibromofluoromethane	SW8260B		59.8 - 148		127		%	02/03/21	20:25	JZ	454032
(S) Toluene-d8	SW8260B		55.2 - 133		110		%	02/03/21	20:25	JZ	454032
(S) 4-Bromofluorobenzene	SW8260B		55.8 - 141		98.1		%	02/03/21	20:25	JZ	454032



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-2@3'	Lab Sample ID: 2101286-005A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 8:48	
SDG:	

Prep Method: 5035GRO	Prep Batch Date/Time: 2/3/21	12:10:00PM
Prep Batch ID: 1129047	Prep Analyst: JZHAO	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
TPH as Gasoline	8260TPH	1	0.043	0.10	ND		mg/Kg	02/03/21	20:25	JZ	454032
(S) 4-Bromofluorobenzene	8260TPH		43.9 - 127		59.6		%	02/03/21	20:25	JZ	454032



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-3@1'	Lab Sample ID: 2101286-007A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 8:56	
SDG:	

Prep Method: 7471BP	Prep Batch Date/Time: 2/1/21	5:40:00PM
Prep Batch ID: 1128969	Prep Analyst: TNGU	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Mercury	SW7471B	1	0.083	0.50	ND		mg/Kg	02/02/21	15:42	BJAY	453987



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-3@1'	Lab Sample ID:	2101286-007A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 8:56		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/1/21	5:30:00PM
Prep Batch ID: 1128970	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Antimony	SW6010B	1	0.050	5.00	ND		mg/Kg	02/03/21	15:15	TUAN	454013
Arsenic	SW6010B	1	0.15	1.30	5.70		mg/Kg	02/03/21	15:15	TUAN	454013
Barium	SW6010B	1	0.055	5.00	171		mg/Kg	02/03/21	15:15	TUAN	454013
Beryllium	SW6010B	1	0.055	5.00	ND		mg/Kg	02/03/21	15:15	TUAN	454013
Cadmium	SW6010B	1	0.10	5.00	ND		mg/Kg	02/03/21	15:15	TUAN	454013
Chromium	SW6010B	1	0.075	5.00	36.5		mg/Kg	02/03/21	15:15	TUAN	454013
Cobalt	SW6010B	1	0.070	5.00	10.4		mg/Kg	02/03/21	15:15	TUAN	454013
Copper	SW6010B	1	0.20	5.00	53.5		mg/Kg	02/03/21	15:15	TUAN	454013
Lead	SW6010B	1	0.10	3.00	16.0		mg/Kg	02/03/21	15:15	TUAN	454013
Molybdenum	SW6010B	1	0.050	5.00	ND		mg/Kg	02/03/21	15:15	TUAN	454013
Nickel	SW6010B	1	0.50	5.00	50.0		mg/Kg	02/03/21	15:15	TUAN	454013
Selenium	SW6010B	1	0.22	5.00	ND		mg/Kg	02/03/21	15:15	TUAN	454013
Silver	SW6010B	1	0.15	5.00	ND		mg/Kg	02/03/21	15:15	TUAN	454013
Thallium	SW6010B	1	0.55	5.00	ND		mg/Kg	02/03/21	15:15	TUAN	454013
Vanadium	SW6010B	1	0.10	5.00	30.1		mg/Kg	02/03/21	15:15	TUAN	454013
Zinc	SW6010B	1	0.30	5.00	61.0		mg/Kg	02/03/21	15:15	TUAN	454013



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-3@1'	Lab Sample ID:	2101286-007A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 8:56		
SDG:			

Prep Method: 3546_PCB	Prep Batch Date/Time: 2/2/21	1:38:00PM
Prep Batch ID: 1128983	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Aroclor1016	SW8082A	1	0.0350	0.100	ND		mg/Kg	02/02/21	17:24	MK	453997
Aroclor1221	SW8082A	1	0.00500	0.100	ND		mg/Kg	02/02/21	17:24	MK	453997
Aroclor1232	SW8082A	1	0.0170	0.100	ND		mg/Kg	02/02/21	17:24	MK	453997
Aroclor1242	SW8082A	1	0.00300	0.100	ND		mg/Kg	02/02/21	17:24	MK	453997
Aroclor1248	SW8082A	1	0.00200	0.100	ND		mg/Kg	02/02/21	17:24	MK	453997
Aroclor1254	SW8082A	1	0.0140	0.100	ND		mg/Kg	02/02/21	17:24	MK	453997
Aroclor1260	SW8082A	1	0.0240	0.100	ND		mg/Kg	02/02/21	17:24	MK	453997
Acceptance Limits											
TCMX (S)	SW8082A		48 - 125		81.0		%	02/02/21	17:24	MK	453997
DCBP (S)	SW8082A		48 - 135		86.0		%	02/02/21	17:24	MK	453997



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-3@1'	Lab Sample ID:	2101286-007A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 8:56		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/2/21	12:49:00PM
Prep Batch ID: 1128982	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	3	0.00038	0.0060	ND		mg/Kg	02/03/21	1:25	MK	454030
gamma-BHC (Lindane)	SW8081B	3	0.00048	0.0060	ND		mg/Kg	02/03/21	1:25	MK	454030
beta-BHC	SW8081B	3	0.00095	0.0060	ND		mg/Kg	02/03/21	1:25	MK	454030
delta-BHC	SW8081B	3	0.00047	0.0060	ND		mg/Kg	02/03/21	1:25	MK	454030
Heptachlor	SW8081B	3	0.00032	0.0060	ND		mg/Kg	02/03/21	1:25	MK	454030
Aldrin	SW8081B	3	0.00059	0.0060	ND		mg/Kg	02/03/21	1:25	MK	454030
Heptachlor Epoxide	SW8081B	3	0.00023	0.0060	ND		mg/Kg	02/03/21	1:25	MK	454030
gamma-Chlordane	SW8081B	3	0.00049	0.0060	ND		mg/Kg	02/03/21	1:25	MK	454030
alpha-Chlordane	SW8081B	3	0.00052	0.0060	ND		mg/Kg	02/03/21	1:25	MK	454030
Endosulfan I	SW8081B	3	0.00055	0.0060	ND		mg/Kg	02/03/21	1:25	MK	454030
Dieldrin	SW8081B	3	0.00044	0.0060	ND		mg/Kg	02/03/21	1:25	MK	454030
Endrin	SW8081B	3	0.00056	0.0060	ND		mg/Kg	02/03/21	1:25	MK	454030
4,4'-DDD	SW8081B	3	0.0017	0.0060	0.00380	J	mg/Kg	02/03/21	1:25	MK	454030
Endosulfan II	SW8081B	3	0.0017	0.0060	ND		mg/Kg	02/03/21	1:25	MK	454030
Endrin Aldehyde	SW8081B	3	0.00045	0.0060	ND		mg/Kg	02/03/21	1:25	MK	454030
Methoxychlor	SW8081B	3	0.00060	0.0060	ND		mg/Kg	02/03/21	1:25	MK	454030
Endosulfan Sulfate	SW8081B	3	0.00035	0.0060	ND		mg/Kg	02/03/21	1:25	MK	454030
Endrin Ketone	SW8081B	3	0.00028	0.0060	ND		mg/Kg	02/03/21	1:25	MK	454030
Chlordane	SW8081B	3	0.0063	0.060	ND		mg/Kg	02/03/21	1:25	MK	454030
Toxaphene	SW8081B	3	0.026	0.15	ND		mg/Kg	02/03/21	1:25	MK	454030
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		65.0		%	02/03/21	1:25	MK	454030
DCBP (S)	SW8081B		38 - 135		66.5		%	02/03/21	1:25	MK	454030

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-3@1'	Lab Sample ID: 2101286-007A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 8:56	
SDG:	

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/2/21	12:49:00PM
Prep Batch ID: 1128982	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
4,4'-DDE	SW8081B	30	0.0058	0.060	0.673		mg/Kg	02/03/21	14:39	MK	454030
4,4'-DDT	SW8081B	30	0.0039	0.060	0.258		mg/Kg	02/03/21	14:39	MK	454030



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-3@1'	Lab Sample ID:	2101286-007A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 8:56		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
N-Nitrosodimethylamine	SW8270C	1	0.0469	0.720	ND		mg/Kg	02/02/21	19:05	MT	453975
Phenol	SW8270C	1	0.0438	0.288	ND		mg/Kg	02/02/21	19:05	MT	453975
Bis(2-chloroethyl)ether	SW8270C	1	0.0133	0.144	ND		mg/Kg	02/02/21	19:05	MT	453975
2-Chlorophenol	SW8270C	1	0.0477	0.288	ND		mg/Kg	02/02/21	19:05	MT	453975
1,3-Dichlorobenzene	SW8270C	1	0.0131	0.144	ND		mg/Kg	02/02/21	19:05	MT	453975
1,4-Dichlorobenzene	SW8270C	1	0.0146	0.144	ND		mg/Kg	02/02/21	19:05	MT	453975
Benzyl Alcohol	SW8270C	1	0.0205	0.288	ND		mg/Kg	02/02/21	19:05	MT	453975
1,2-Dichlorobenzene	SW8270C	1	0.0135	0.144	ND		mg/Kg	02/02/21	19:05	MT	453975
2-Methylphenol (o-Cresol)	SW8270C	1	0.0293	0.288	ND		mg/Kg	02/02/21	19:05	MT	453975
N-Methyl-2-Pyrrolidone (NMP)	SW8270C	1	0.0680	0.720	ND		mg/Kg	02/02/21	19:05	MT	453975
3-/4-Methylphenol (p-/m-Cresol)	SW8270C	1	0.0313	0.288	ND		mg/Kg	02/02/21	19:05	MT	453975
N-nitroso-di-n-propylamine	SW8270C	1	0.0132	0.144	ND		mg/Kg	02/02/21	19:05	MT	453975
Hexachloroethane	SW8270C	1	0.0171	0.144	ND		mg/Kg	02/02/21	19:05	MT	453975
Nitrobenzene	SW8270C	1	0.0128	0.144	ND		mg/Kg	02/02/21	19:05	MT	453975
Isophorone	SW8270C	1	0.0122	0.144	ND		mg/Kg	02/02/21	19:05	MT	453975
2-Nitrophenol	SW8270C	1	0.0254	0.288	ND		mg/Kg	02/02/21	19:05	MT	453975
2,4-Dimethylphenol	SW8270C	1	0.0228	0.288	ND		mg/Kg	02/02/21	19:05	MT	453975
Benzoic Acid	SW8270C	1	0.0417	0.288	ND		mg/Kg	02/02/21	19:05	MT	453975
Bis(2-Chloroethoxy)methane	SW8270C	1	0.00979	0.144	ND		mg/Kg	02/02/21	19:05	MT	453975
Bis(2-chloroisopropyl)ether	SW8270C	1	0.0126	0.144	ND		mg/Kg	02/02/21	19:05	MT	453975
2,4-Dichlorophenol	SW8270C	1	0.0393	0.288	ND		mg/Kg	02/02/21	19:05	MT	453975
1,2,4-Trichlorobenzene	SW8270C	1	0.0118	0.144	ND		mg/Kg	02/02/21	19:05	MT	453975
Naphthalene	SW8270C	1	0.0106	0.144	ND		mg/Kg	02/02/21	19:05	MT	453975
2,6-Dichlorophenol	SW8270C	1	0.0358	0.288	ND		mg/Kg	02/02/21	19:05	MT	453975
Hexachloro-1,3-butadiene	SW8270C	1	0.00834	0.144	ND		mg/Kg	02/02/21	19:05	MT	453975
4-Chloro-3-methylphenol	SW8270C	1	0.0338	0.288	ND		mg/Kg	02/02/21	19:05	MT	453975
2-Methylnaphthalene	SW8270C	1	0.0104	0.144	ND		mg/Kg	02/02/21	19:05	MT	453975
1-Methylnaphthalene	SW8270C	1	0.0122	0.144	ND		mg/Kg	02/02/21	19:05	MT	453975
Hexachlorocyclopentadiene	SW8270C	1	0.0129	0.144	ND		mg/Kg	02/02/21	19:05	MT	453975
2,4,6-Trichlorophenol	SW8270C	1	0.0359	0.288	ND		mg/Kg	02/02/21	19:05	MT	453975
2,4,5-Trichlorophenol	SW8270C	1	0.0334	0.288	ND		mg/Kg	02/02/21	19:05	MT	453975
2-Chloronaphthalene	SW8270C	1	0.0106	0.144	ND		mg/Kg	02/02/21	19:05	MT	453975
1,4-Dinitrobenzene	SW8270C	1	0.0103	0.144	ND		mg/Kg	02/02/21	19:05	MT	453975
Dimethyl phthalate	SW8270C	1	0.0142	0.720	ND		mg/Kg	02/02/21	19:05	MT	453975
1,3-Dinitrobenzene	SW8270C	1	0.0104	0.144	ND		mg/Kg	02/02/21	19:05	MT	453975
Acenaphthylene	SW8270C	1	0.00828	0.144	ND		mg/Kg	02/02/21	19:05	MT	453975
2,6-Dinitrotoluene	SW8270C	1	0.0113	0.144	ND		mg/Kg	02/02/21	19:05	MT	453975
1,2-Dinitrobenzene	SW8270C	1	0.0158	0.144	ND		mg/Kg	02/02/21	19:05	MT	453975
Acenaphthene	SW8270C	1	0.0107	0.144	ND		mg/Kg	02/02/21	19:05	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-3@1'	Lab Sample ID: 2101286-007A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 8:56	
SDG:	

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
2,4-Dinitrophenol	SW8270C	1	0.0776	0.720	ND		mg/Kg	02/02/21	19:05	MT	453975
4-Nitrophenol	SW8270C	1	0.0547	0.720	ND		mg/Kg	02/02/21	19:05	MT	453975
Dibenzofuran	SW8270C	1	0.0112	0.144	ND		mg/Kg	02/02/21	19:05	MT	453975
2,4-Dinitrotoluene	SW8270C	1	0.0121	0.144	ND		mg/Kg	02/02/21	19:05	MT	453975
2,3,5,6-Tetrachlorophenol	SW8270C	1	0.0276	0.288	ND		mg/Kg	02/02/21	19:05	MT	453975
2,3,4,6-Tetrachlorophenol	SW8270C	1	0.0315	0.288	ND		mg/Kg	02/02/21	19:05	MT	453975
Diethylphthalate	SW8270C	1	0.0136	0.720	ND		mg/Kg	02/02/21	19:05	MT	453975
Fluorene	SW8270C	1	0.0103	0.144	ND		mg/Kg	02/02/21	19:05	MT	453975
4-Chlorophenyl-phenylether	SW8270C	1	0.00932	0.144	ND		mg/Kg	02/02/21	19:05	MT	453975
4,6-Dinitro-2-methylphenol	SW8270C	1	0.0134	0.288	ND		mg/Kg	02/02/21	19:05	MT	453975
Diphenylamine	SW8270C	1	0.0130	0.144	ND		mg/Kg	02/02/21	19:05	MT	453975
Azobenzene	SW8270C	1	0.114	0.144	ND		mg/Kg	02/02/21	19:05	MT	453975
4-Bromophenyl-phenylether	SW8270C	1	0.00823	0.144	ND		mg/Kg	02/02/21	19:05	MT	453975
Hexachlorobenzene	SW8270C	1	0.00866	0.144	ND		mg/Kg	02/02/21	19:05	MT	453975
Pentachlorophenol	SW8270C	1	0.0250	0.288	ND		mg/Kg	02/02/21	19:05	MT	453975
Phenanthrene	SW8270C	1	0.00932	0.144	ND		mg/Kg	02/02/21	19:05	MT	453975
Anthracene	SW8270C	1	0.00891	0.144	ND		mg/Kg	02/02/21	19:05	MT	453975
Carbazole	SW8270C	1	0.0107	0.144	ND		mg/Kg	02/02/21	19:05	MT	453975
Di-n-butylphthalate	SW8270C	1	0.0135	0.144	ND		mg/Kg	02/02/21	19:05	MT	453975
Fluoranthene	SW8270C	1	0.01000	0.144	ND		mg/Kg	02/02/21	19:05	MT	453975
Benzidine	SW8270C	1	0.147	0.144	ND		mg/Kg	02/02/21	19:05	MT	453975
Pyrene	SW8270C	1	0.0120	0.144	ND		mg/Kg	02/02/21	19:05	MT	453975
Butylbenzylphthalate	SW8270C	1	0.0210	0.720	ND		mg/Kg	02/02/21	19:05	MT	453975
Benzo(a)anthracene	SW8270C	1	0.00980	0.144	ND		mg/Kg	02/02/21	19:05	MT	453975
3,3-Dichlorobenzidine	SW8270C	1	0.118	0.144	ND		mg/Kg	02/02/21	19:05	MT	453975
Chrysene	SW8270C	1	0.0152	0.144	ND		mg/Kg	02/02/21	19:05	MT	453975
Bis(2-Ethylhexyl)phthalate	SW8270C	1	0.0153	0.720	ND		mg/Kg	02/02/21	19:05	MT	453975
Di-n-Octylphthalate	SW8270C	1	0.0123	0.144	ND		mg/Kg	02/02/21	19:05	MT	453975
Benzo(b)fluorathene	SW8270C	1	0.0120	0.144	ND		mg/Kg	02/02/21	19:05	MT	453975
benzo(k)fluorathene	SW8270C	1	0.00816	0.144	ND		mg/Kg	02/02/21	19:05	MT	453975
Benzo(a)pyrene	SW8270C	1	0.00980	0.144	ND		mg/Kg	02/02/21	19:05	MT	453975
Indeno(1,2,3-c,d)pyrene	SW8270C	1	0.0138	0.144	ND		mg/Kg	02/02/21	19:05	MT	453975
Dibenzo(a,h)anthracene	SW8270C	1	0.0127	0.144	ND		mg/Kg	02/02/21	19:05	MT	453975
Benzo(g,h,i)perylene	SW8270C	1	0.0167	0.144	ND		mg/Kg	02/02/21	19:05	MT	453975
Pyridine	SW8270C	1	0.0438	0.720	ND		mg/Kg	02/02/21	19:05	MT	453975
Acceptance Limits											
2-Fluorophenol (S)	SW8270C		25 - 121		64.3		%	02/02/21	19:05	MT	453975
Phenol-d6 (S)	SW8270C		24 - 113		68.2		%	02/02/21	19:05	MT	453975
2,4,6-Tribromophenol (S)	SW8270C		19 - 122		75.2		%	02/02/21	19:05	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-3@1'	Lab Sample ID:	2101286-007A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 8:56		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
2-Fluorobiphenyl (S)	SW8270C		45 - 143		76.1		%	02/02/21	19:05	MT	453975
Nitrobenzene-d5 (S)	SW8270C		23 - 120		73.8		%	02/02/21	19:05	MT	453975
Terphenyl-d14 (S)	SW8270C		18 - 137		78.1		%	02/02/21	19:05	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-3@1'	Lab Sample ID: 2101286-007A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 8:56	
SDG:	

Prep Method: 3546_TPHSG	Prep Batch Date/Time: 2/2/21	4:34:00PM
Prep Batch ID: 1128998	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
TPH as Diesel (SG)	SW8015B	1	0.85	2.0	ND		mg/Kg	02/03/21	16:17	SN	454044
TPH as Motor Oil (SG)	SW8015B	1	3.2	10	ND		mg/Kg	02/03/21	16:17	SN	454044
			Acceptance Limits								
Pentacosane (S)	SW8015B		40 - 129		62.3		%	02/03/21	16:17	SN	454044



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-3@1'	Lab Sample ID:	2101286-007A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 8:56		
SDG:			

Prep Method: 5035	Prep Batch Date/Time: 2/3/21 12:10:00PM
Prep Batch ID: 1129046	Prep Analyst: JZHAO

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Dichlorodifluoromethane	SW8260B	1	0.0012	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
Chloromethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
Vinyl Chloride	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
Bromomethane	SW8260B	1	0.0027	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
Chloroethane	SW8260B	1	0.0030	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
Trichlorofluoromethane	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
1,1-Dichloroethene	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
Freon 113	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
Methylene Chloride	SW8260B	1	0.0071	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
trans-1,2-Dichloroethene	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
MTBE	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
TBA	SW8260B	1	0.012	0.050	ND		mg/Kg	02/03/21	20:54	JZ	454032
Diisopropyl ether	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
1,1-Dichloroethane	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
Ethyl tert-Butyl ether	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
cis-1,2-Dichloroethene	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
2,2-Dichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
Bromochloromethane	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
Chloroform	SW8260B	1	0.0024	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
Carbon Tetrachloride	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
1,1,1-Trichloroethane	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
1,1-Dichloropropene	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
Benzene	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
TAME	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
1,2-Dichloroethane	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
Trichloroethylene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
Dibromomethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
1,2-Dichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
Bromodichloromethane	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
cis-1,3-Dichloropropene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
Toluene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
Tetrachloroethylene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
trans-1,3-Dichloropropene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
1,1,2-Trichloroethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
Dibromochloromethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
1,3-Dichloropropane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
1,2-Dibromoethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
Chlorobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
Ethylbenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-3@1'	Lab Sample ID:	2101286-007A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 8:56		
SDG:			

Prep Method: 5035	Prep Batch Date/Time: 2/3/21 12:10:00PM
Prep Batch ID: 1129046	Prep Analyst: JZHAO

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
1,1,1,2-Tetrachloroethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
m,p-Xylene	SW8260B	1	0.0032	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
o-Xylene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
Styrene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
Bromoform	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
Isopropyl Benzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
n-Propylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
Bromobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
1,1,2,2-Tetrachloroethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
2-Chlorotoluene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
1,3,5-Trimethylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
1,2,3-Trichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
4-Chlorotoluene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
tert-Butylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
1,2,4-Trimethylbenzene	SW8260B	1	0.0014	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
sec-Butyl Benzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
p-Isopropyltoluene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
1,3-Dichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
1,4-Dichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
n-Butylbenzene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
1,2-Dichlorobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
1,2-Dibromo-3-Chloropropane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
Hexachlorobutadiene	SW8260B	1	0.0014	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
1,2,4-Trichlorobenzene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
Naphthalene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
1,2,3-Trichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	20:54	JZ	454032
2-Butanone	SW8260B	1	0.0023	0.0100	ND		mg/Kg	02/03/21	20:54	JZ	454032
(S) Dibromofluoromethane	SW8260B		59.8 - 148		134		%	02/03/21	20:54	JZ	454032
(S) Toluene-d8	SW8260B		55.2 - 133		111		%	02/03/21	20:54	JZ	454032
(S) 4-Bromofluorobenzene	SW8260B		55.8 - 141		96.6		%	02/03/21	20:54	JZ	454032



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-3@1'	Lab Sample ID: 2101286-007A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 8:56	
SDG:	

Prep Method: 5035GRO	Prep Batch Date/Time: 2/3/21	12:10:00PM
Prep Batch ID: 1129047	Prep Analyst: JZHAO	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
TPH as Gasoline	8260TPH	1	0.043	0.10	ND		mg/Kg	02/03/21	20:54	JZ	454032
(S) 4-Bromofluorobenzene	8260TPH		43.9 - 127		53.1		%	02/03/21	20:54	JZ	454032



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-3@3'	Lab Sample ID: 2101286-008A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 8:58	
SDG:	

Prep Method: 7471BP	Prep Batch Date/Time: 2/1/21	5:40:00PM
Prep Batch ID: 1128969	Prep Analyst: TNGU	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Mercury	SW7471B	1	0.083	0.50	ND		mg/Kg	02/02/21	15:44	BJAY	453987



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-3@3'	Lab Sample ID:	2101286-008A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 8:58		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/1/21	5:30:00PM
Prep Batch ID: 1128970	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Antimony	SW6010B	1	0.050	5.00	ND		mg/Kg	02/03/21	15:18	TUAN	454013
Arsenic	SW6010B	1	0.15	1.30	6.40		mg/Kg	02/03/21	15:18	TUAN	454013
Barium	SW6010B	1	0.055	5.00	318		mg/Kg	02/03/21	15:18	TUAN	454013
Beryllium	SW6010B	1	0.055	5.00	ND		mg/Kg	02/03/21	15:18	TUAN	454013
Cadmium	SW6010B	1	0.10	5.00	ND		mg/Kg	02/03/21	15:18	TUAN	454013
Chromium	SW6010B	1	0.075	5.00	42.3		mg/Kg	02/03/21	15:18	TUAN	454013
Cobalt	SW6010B	1	0.070	5.00	12.6		mg/Kg	02/03/21	15:18	TUAN	454013
Copper	SW6010B	1	0.20	5.00	34.1		mg/Kg	02/03/21	15:18	TUAN	454013
Lead	SW6010B	1	0.10	3.00	9.75		mg/Kg	02/03/21	15:18	TUAN	454013
Molybdenum	SW6010B	1	0.050	5.00	ND		mg/Kg	02/03/21	15:18	TUAN	454013
Nickel	SW6010B	1	0.50	5.00	60.0		mg/Kg	02/03/21	15:18	TUAN	454013
Selenium	SW6010B	1	0.22	5.00	ND		mg/Kg	02/03/21	15:18	TUAN	454013
Silver	SW6010B	1	0.15	5.00	ND		mg/Kg	02/03/21	15:18	TUAN	454013
Thallium	SW6010B	1	0.55	5.00	ND		mg/Kg	02/03/21	15:18	TUAN	454013
Vanadium	SW6010B	1	0.10	5.00	34.6		mg/Kg	02/03/21	15:18	TUAN	454013
Zinc	SW6010B	1	0.30	5.00	61.5		mg/Kg	02/03/21	15:18	TUAN	454013



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-3@3'	Lab Sample ID:	2101286-008A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 8:58		
SDG:			

Prep Method: 3546_PCB	Prep Batch Date/Time: 2/2/21	1:38:00PM
Prep Batch ID: 1128983	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Aroclor1016	SW8082A	1	0.0350	0.100	ND		mg/Kg	02/02/21	17:39	MK	453997
Aroclor1221	SW8082A	1	0.00500	0.100	ND		mg/Kg	02/02/21	17:39	MK	453997
Aroclor1232	SW8082A	1	0.0170	0.100	ND		mg/Kg	02/02/21	17:39	MK	453997
Aroclor1242	SW8082A	1	0.00300	0.100	ND		mg/Kg	02/02/21	17:39	MK	453997
Aroclor1248	SW8082A	1	0.00200	0.100	ND		mg/Kg	02/02/21	17:39	MK	453997
Aroclor1254	SW8082A	1	0.0140	0.100	ND		mg/Kg	02/02/21	17:39	MK	453997
Aroclor1260	SW8082A	1	0.0240	0.100	ND		mg/Kg	02/02/21	17:39	MK	453997
Acceptance Limits											
TCMX (S)	SW8082A		48 - 125		67.0		%	02/02/21	17:39	MK	453997
DCBP (S)	SW8082A		48 - 135		73.0		%	02/02/21	17:39	MK	453997



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-3@3'	Lab Sample ID:	2101286-008A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 8:58		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/2/21	12:49:00PM
Prep Batch ID: 1128982	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
alpha-BHC	SW8081B	1	0.00013	0.0020	ND		mg/Kg	02/03/21	1:38	MK	454030
gamma-BHC (Lindane)	SW8081B	1	0.00016	0.0020	ND		mg/Kg	02/03/21	1:38	MK	454030
beta-BHC	SW8081B	1	0.00032	0.0020	ND		mg/Kg	02/03/21	1:38	MK	454030
delta-BHC	SW8081B	1	0.00016	0.0020	ND		mg/Kg	02/03/21	1:38	MK	454030
Heptachlor	SW8081B	1	0.00011	0.0020	ND		mg/Kg	02/03/21	1:38	MK	454030
Aldrin	SW8081B	1	0.00020	0.0020	ND		mg/Kg	02/03/21	1:38	MK	454030
Heptachlor Epoxide	SW8081B	1	0.000078	0.0020	ND		mg/Kg	02/03/21	1:38	MK	454030
gamma-Chlordane	SW8081B	1	0.00016	0.0020	ND		mg/Kg	02/03/21	1:38	MK	454030
alpha-Chlordane	SW8081B	1	0.00017	0.0020	ND		mg/Kg	02/03/21	1:38	MK	454030
4,4'-DDE	SW8081B	1	0.00019	0.0020	0.00917		mg/Kg	02/03/21	1:38	MK	454030
Endosulfan I	SW8081B	1	0.00018	0.0020	ND		mg/Kg	02/03/21	1:38	MK	454030
Dieldrin	SW8081B	1	0.00015	0.0020	ND		mg/Kg	02/03/21	1:38	MK	454030
Endrin	SW8081B	1	0.00019	0.0020	ND		mg/Kg	02/03/21	1:38	MK	454030
4,4'-DDD	SW8081B	1	0.00057	0.0020	ND		mg/Kg	02/03/21	1:38	MK	454030
Endosulfan II	SW8081B	1	0.00058	0.0020	ND		mg/Kg	02/03/21	1:38	MK	454030
4,4'-DDT	SW8081B	1	0.00013	0.0020	0.00248		mg/Kg	02/03/21	1:38	MK	454030
Endrin Aldehyde	SW8081B	1	0.00015	0.0020	ND		mg/Kg	02/03/21	1:38	MK	454030
Methoxychlor	SW8081B	1	0.00020	0.0020	ND		mg/Kg	02/03/21	1:38	MK	454030
Endosulfan Sulfate	SW8081B	1	0.00012	0.0020	ND		mg/Kg	02/03/21	1:38	MK	454030
Endrin Ketone	SW8081B	1	0.000094	0.0020	ND		mg/Kg	02/03/21	1:38	MK	454030
Chlordane	SW8081B	1	0.0021	0.020	ND		mg/Kg	02/03/21	1:38	MK	454030
Toxaphene	SW8081B	1	0.0085	0.050	ND		mg/Kg	02/03/21	1:38	MK	454030
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		54.2		%	02/03/21	1:38	MK	454030
DCBP (S)	SW8081B		38 - 135		57.0		%	02/03/21	1:38	MK	454030



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-3@3'	Lab Sample ID:	2101286-008A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 8:58		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
N-Nitrosodimethylamine	SW8270C	1	0.0469	0.720	ND		mg/Kg	02/02/21	19:35	MT	453975
Phenol	SW8270C	1	0.0438	0.288	ND		mg/Kg	02/02/21	19:35	MT	453975
Bis(2-chloroethyl)ether	SW8270C	1	0.0133	0.144	ND		mg/Kg	02/02/21	19:35	MT	453975
2-Chlorophenol	SW8270C	1	0.0477	0.288	ND		mg/Kg	02/02/21	19:35	MT	453975
1,3-Dichlorobenzene	SW8270C	1	0.0131	0.144	ND		mg/Kg	02/02/21	19:35	MT	453975
1,4-Dichlorobenzene	SW8270C	1	0.0146	0.144	ND		mg/Kg	02/02/21	19:35	MT	453975
Benzyl Alcohol	SW8270C	1	0.0205	0.288	ND		mg/Kg	02/02/21	19:35	MT	453975
1,2-Dichlorobenzene	SW8270C	1	0.0135	0.144	ND		mg/Kg	02/02/21	19:35	MT	453975
2-Methylphenol (o-Cresol)	SW8270C	1	0.0293	0.288	ND		mg/Kg	02/02/21	19:35	MT	453975
N-Methyl-2-Pyrrolidone (NMP)	SW8270C	1	0.0680	0.720	ND		mg/Kg	02/02/21	19:35	MT	453975
3-/4-Methylphenol (p-/m-Cresol)	SW8270C	1	0.0313	0.288	ND		mg/Kg	02/02/21	19:35	MT	453975
N-nitroso-di-n-propylamine	SW8270C	1	0.0132	0.144	ND		mg/Kg	02/02/21	19:35	MT	453975
Hexachloroethane	SW8270C	1	0.0171	0.144	ND		mg/Kg	02/02/21	19:35	MT	453975
Nitrobenzene	SW8270C	1	0.0128	0.144	ND		mg/Kg	02/02/21	19:35	MT	453975
Isophorone	SW8270C	1	0.0122	0.144	ND		mg/Kg	02/02/21	19:35	MT	453975
2-Nitrophenol	SW8270C	1	0.0254	0.288	ND		mg/Kg	02/02/21	19:35	MT	453975
2,4-Dimethylphenol	SW8270C	1	0.0228	0.288	ND		mg/Kg	02/02/21	19:35	MT	453975
Benzoic Acid	SW8270C	1	0.0417	0.288	ND		mg/Kg	02/02/21	19:35	MT	453975
Bis(2-Chloroethoxy)methane	SW8270C	1	0.00979	0.144	ND		mg/Kg	02/02/21	19:35	MT	453975
Bis(2-chloroisopropyl)ether	SW8270C	1	0.0126	0.144	ND		mg/Kg	02/02/21	19:35	MT	453975
2,4-Dichlorophenol	SW8270C	1	0.0393	0.288	ND		mg/Kg	02/02/21	19:35	MT	453975
1,2,4-Trichlorobenzene	SW8270C	1	0.0118	0.144	ND		mg/Kg	02/02/21	19:35	MT	453975
Naphthalene	SW8270C	1	0.0106	0.144	ND		mg/Kg	02/02/21	19:35	MT	453975
2,6-Dichlorophenol	SW8270C	1	0.0358	0.288	ND		mg/Kg	02/02/21	19:35	MT	453975
Hexachloro-1,3-butadiene	SW8270C	1	0.00834	0.144	ND		mg/Kg	02/02/21	19:35	MT	453975
4-Chloro-3-methylphenol	SW8270C	1	0.0338	0.288	ND		mg/Kg	02/02/21	19:35	MT	453975
2-Methylnaphthalene	SW8270C	1	0.0104	0.144	ND		mg/Kg	02/02/21	19:35	MT	453975
1-Methylnaphthalene	SW8270C	1	0.0122	0.144	ND		mg/Kg	02/02/21	19:35	MT	453975
Hexachlorocyclopentadiene	SW8270C	1	0.0129	0.144	ND		mg/Kg	02/02/21	19:35	MT	453975
2,4,6-Trichlorophenol	SW8270C	1	0.0359	0.288	ND		mg/Kg	02/02/21	19:35	MT	453975
2,4,5-Trichlorophenol	SW8270C	1	0.0334	0.288	ND		mg/Kg	02/02/21	19:35	MT	453975
2-Chloronaphthalene	SW8270C	1	0.0106	0.144	ND		mg/Kg	02/02/21	19:35	MT	453975
1,4-Dinitrobenzene	SW8270C	1	0.0103	0.144	ND		mg/Kg	02/02/21	19:35	MT	453975
Dimethyl phthalate	SW8270C	1	0.0142	0.720	ND		mg/Kg	02/02/21	19:35	MT	453975
1,3-Dinitrobenzene	SW8270C	1	0.0104	0.144	ND		mg/Kg	02/02/21	19:35	MT	453975
Acenaphthylene	SW8270C	1	0.00828	0.144	ND		mg/Kg	02/02/21	19:35	MT	453975
2,6-Dinitrotoluene	SW8270C	1	0.0113	0.144	ND		mg/Kg	02/02/21	19:35	MT	453975
1,2-Dinitrobenzene	SW8270C	1	0.0158	0.144	ND		mg/Kg	02/02/21	19:35	MT	453975
Acenaphthene	SW8270C	1	0.0107	0.144	ND		mg/Kg	02/02/21	19:35	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-3@3'	Lab Sample ID:	2101286-008A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 8:58		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
2,4-Dinitrophenol	SW8270C	1	0.0776	0.720	ND		mg/Kg	02/02/21	19:35	MT	453975
4-Nitrophenol	SW8270C	1	0.0547	0.720	ND		mg/Kg	02/02/21	19:35	MT	453975
Dibenzofuran	SW8270C	1	0.0112	0.144	ND		mg/Kg	02/02/21	19:35	MT	453975
2,4-Dinitrotoluene	SW8270C	1	0.0121	0.144	ND		mg/Kg	02/02/21	19:35	MT	453975
2,3,5,6-Tetrachlorophenol	SW8270C	1	0.0276	0.288	ND		mg/Kg	02/02/21	19:35	MT	453975
2,3,4,6-Tetrachlorophenol	SW8270C	1	0.0315	0.288	ND		mg/Kg	02/02/21	19:35	MT	453975
Diethylphthalate	SW8270C	1	0.0136	0.720	ND		mg/Kg	02/02/21	19:35	MT	453975
Fluorene	SW8270C	1	0.0103	0.144	ND		mg/Kg	02/02/21	19:35	MT	453975
4-Chlorophenyl-phenylether	SW8270C	1	0.00932	0.144	ND		mg/Kg	02/02/21	19:35	MT	453975
4,6-Dinitro-2-methylphenol	SW8270C	1	0.0134	0.288	ND		mg/Kg	02/02/21	19:35	MT	453975
Diphenylamine	SW8270C	1	0.0130	0.144	ND		mg/Kg	02/02/21	19:35	MT	453975
Azobenzene	SW8270C	1	0.114	0.144	ND		mg/Kg	02/02/21	19:35	MT	453975
4-Bromophenyl-phenylether	SW8270C	1	0.00823	0.144	ND		mg/Kg	02/02/21	19:35	MT	453975
Hexachlorobenzene	SW8270C	1	0.00866	0.144	ND		mg/Kg	02/02/21	19:35	MT	453975
Pentachlorophenol	SW8270C	1	0.0250	0.288	ND		mg/Kg	02/02/21	19:35	MT	453975
Phenanthrene	SW8270C	1	0.00932	0.144	ND		mg/Kg	02/02/21	19:35	MT	453975
Anthracene	SW8270C	1	0.00891	0.144	ND		mg/Kg	02/02/21	19:35	MT	453975
Carbazole	SW8270C	1	0.0107	0.144	ND		mg/Kg	02/02/21	19:35	MT	453975
Di-n-butylphthalate	SW8270C	1	0.0135	0.144	ND		mg/Kg	02/02/21	19:35	MT	453975
Fluoranthene	SW8270C	1	0.01000	0.144	ND		mg/Kg	02/02/21	19:35	MT	453975
Benzidine	SW8270C	1	0.147	0.144	ND		mg/Kg	02/02/21	19:35	MT	453975
Pyrene	SW8270C	1	0.0120	0.144	ND		mg/Kg	02/02/21	19:35	MT	453975
Butylbenzylphthalate	SW8270C	1	0.0210	0.720	ND		mg/Kg	02/02/21	19:35	MT	453975
Benzo(a)anthracene	SW8270C	1	0.00980	0.144	ND		mg/Kg	02/02/21	19:35	MT	453975
3,3-Dichlorobenzidine	SW8270C	1	0.118	0.144	ND		mg/Kg	02/02/21	19:35	MT	453975
Chrysene	SW8270C	1	0.0152	0.144	ND		mg/Kg	02/02/21	19:35	MT	453975
Bis(2-Ethylhexyl)phthalate	SW8270C	1	0.0153	0.720	ND		mg/Kg	02/02/21	19:35	MT	453975
Di-n-Octylphthalate	SW8270C	1	0.0123	0.144	ND		mg/Kg	02/02/21	19:35	MT	453975
Benzo(b)fluorathene	SW8270C	1	0.0120	0.144	ND		mg/Kg	02/02/21	19:35	MT	453975
benzo(k)fluorathene	SW8270C	1	0.00816	0.144	ND		mg/Kg	02/02/21	19:35	MT	453975
Benzo(a)pyrene	SW8270C	1	0.00980	0.144	ND		mg/Kg	02/02/21	19:35	MT	453975
Indeno(1,2,3-c,d)pyrene	SW8270C	1	0.0138	0.144	ND		mg/Kg	02/02/21	19:35	MT	453975
Dibenzo(a,h)anthracene	SW8270C	1	0.0127	0.144	ND		mg/Kg	02/02/21	19:35	MT	453975
Benzo(g,h,i)perylene	SW8270C	1	0.0167	0.144	ND		mg/Kg	02/02/21	19:35	MT	453975
Pyridine	SW8270C	1	0.0438	0.720	ND		mg/Kg	02/02/21	19:35	MT	453975
Acceptance Limits											
2-Fluorophenol (S)	SW8270C		25 - 121		60.5		%	02/02/21	19:35	MT	453975
Phenol-d6 (S)	SW8270C		24 - 113		66.9		%	02/02/21	19:35	MT	453975
2,4,6-Tribromophenol (S)	SW8270C		19 - 122		58.6		%	02/02/21	19:35	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-3@3'	Lab Sample ID:	2101286-008A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 8:58		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
2-Fluorobiphenyl (S)	SW8270C		45 - 143		75.5		%	02/02/21	19:35	MT	453975
Nitrobenzene-d5 (S)	SW8270C		23 - 120		76.0		%	02/02/21	19:35	MT	453975
Terphenyl-d14 (S)	SW8270C		18 - 137		78.4		%	02/02/21	19:35	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-3@3'	Lab Sample ID:	2101286-008A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 8:58		
SDG:			

Prep Method: 3546_TPHSG	Prep Batch Date/Time: 2/2/21	4:34:00PM
Prep Batch ID: 1128998	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
TPH as Diesel (SG)	SW8015B	1	0.85	2.0	ND		mg/Kg	02/03/21	16:55	SN	454044
TPH as Motor Oil (SG)	SW8015B	1	3.2	10	ND		mg/Kg	02/03/21	16:55	SN	454044
			Acceptance Limits								
Pentacosane (S)	SW8015B		40 - 129		55.5		%	02/03/21	16:55	SN	454044



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-3@3'	Lab Sample ID:	2101286-008A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 8:58		
SDG:			

Prep Method: 5035	Prep Batch Date/Time: 2/3/21 12:10:00PM
Prep Batch ID: 1129046	Prep Analyst: JZHAO

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Dichlorodifluoromethane	SW8260B	1	0.0012	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
Chloromethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
Vinyl Chloride	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
Bromomethane	SW8260B	1	0.0027	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
Chloroethane	SW8260B	1	0.0030	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
Trichlorofluoromethane	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
1,1-Dichloroethene	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
Freon 113	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
Methylene Chloride	SW8260B	1	0.0071	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
trans-1,2-Dichloroethene	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
MTBE	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
TBA	SW8260B	1	0.012	0.050	ND		mg/Kg	02/03/21	21:22	JZ	454032
Diisopropyl ether	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
1,1-Dichloroethane	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
Ethyl tert-Butyl ether	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
cis-1,2-Dichloroethene	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
2,2-Dichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
Bromochloromethane	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
Chloroform	SW8260B	1	0.0024	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
Carbon Tetrachloride	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
1,1,1-Trichloroethane	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
1,1-Dichloropropene	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
Benzene	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
TAME	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
1,2-Dichloroethane	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
Trichloroethylene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
Dibromomethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
1,2-Dichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
Bromodichloromethane	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
cis-1,3-Dichloropropene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
Toluene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
Tetrachloroethylene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
trans-1,3-Dichloropropene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
1,1,2-Trichloroethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
Dibromochloromethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
1,3-Dichloropropane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
1,2-Dibromoethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
Chlorobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
Ethylbenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-3@3'	Lab Sample ID:	2101286-008A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 8:58		
SDG:			

Prep Method: 5035	Prep Batch Date/Time: 2/3/21 12:10:00PM
Prep Batch ID: 1129046	Prep Analyst: JZHAO

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
1,1,1,2-Tetrachloroethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
m,p-Xylene	SW8260B	1	0.0032	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
o-Xylene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
Styrene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
Bromoform	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
Isopropyl Benzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
n-Propylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
Bromobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
1,1,2,2-Tetrachloroethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
2-Chlorotoluene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
1,3,5-Trimethylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
1,2,3-Trichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
4-Chlorotoluene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
tert-Butylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
1,2,4-Trimethylbenzene	SW8260B	1	0.0014	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
sec-Butyl Benzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
p-Isopropyltoluene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
1,3-Dichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
1,4-Dichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
n-Butylbenzene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
1,2-Dichlorobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
1,2-Dibromo-3-Chloropropane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
Hexachlorobutadiene	SW8260B	1	0.0014	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
1,2,4-Trichlorobenzene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
Naphthalene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
1,2,3-Trichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	21:22	JZ	454032
2-Butanone	SW8260B	1	0.0023	0.0100	ND		mg/Kg	02/03/21	21:22	JZ	454032
(S) Dibromofluoromethane	SW8260B		59.8 - 148		137		%	02/03/21	21:22	JZ	454032
(S) Toluene-d8	SW8260B		55.2 - 133		109		%	02/03/21	21:22	JZ	454032
(S) 4-Bromofluorobenzene	SW8260B		55.8 - 141		101		%	02/03/21	21:22	JZ	454032



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-3@3'	Lab Sample ID: 2101286-008A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 8:58	
SDG:	

Prep Method: 5035GRO	Prep Batch Date/Time: 2/3/21	12:10:00PM
Prep Batch ID: 1129047	Prep Analyst: JZHAO	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
TPH as Gasoline	8260TPH	1	0.043	0.10	ND		mg/Kg	02/03/21	21:22	JZ	454032
(S) 4-Bromofluorobenzene	8260TPH		43.9 - 127		47.9		%	02/03/21	21:22	JZ	454032



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-4@1'	Lab Sample ID: 2101286-010A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 9:14	
SDG:	

Prep Method: 7471BP	Prep Batch Date/Time: 2/1/21	5:40:00PM
Prep Batch ID: 1128969	Prep Analyst: TNGU	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Mercury	SW7471B	1	0.083	0.50	ND		mg/Kg	02/02/21	15:47	BJAY	453987



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-4@1'	Lab Sample ID:	2101286-010A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:14		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/1/21	5:30:00PM
Prep Batch ID: 1128970	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Antimony	SW6010B	1	0.050	5.00	ND		mg/Kg	02/03/21	15:21	TUAN	454013
Arsenic	SW6010B	1	0.15	1.30	6.15		mg/Kg	02/03/21	15:21	TUAN	454013
Barium	SW6010B	1	0.055	5.00	170		mg/Kg	02/03/21	15:21	TUAN	454013
Beryllium	SW6010B	1	0.055	5.00	ND		mg/Kg	02/03/21	15:21	TUAN	454013
Cadmium	SW6010B	1	0.10	5.00	ND		mg/Kg	02/03/21	15:21	TUAN	454013
Chromium	SW6010B	1	0.075	5.00	37.9		mg/Kg	02/03/21	15:21	TUAN	454013
Cobalt	SW6010B	1	0.070	5.00	10.8		mg/Kg	02/03/21	15:21	TUAN	454013
Copper	SW6010B	1	0.20	5.00	67.5		mg/Kg	02/03/21	15:21	TUAN	454013
Lead	SW6010B	1	0.10	3.00	21.7		mg/Kg	02/03/21	15:21	TUAN	454013
Molybdenum	SW6010B	1	0.050	5.00	ND		mg/Kg	02/03/21	15:21	TUAN	454013
Nickel	SW6010B	1	0.50	5.00	52.5		mg/Kg	02/03/21	15:21	TUAN	454013
Selenium	SW6010B	1	0.22	5.00	ND		mg/Kg	02/03/21	15:21	TUAN	454013
Silver	SW6010B	1	0.15	5.00	ND		mg/Kg	02/03/21	15:21	TUAN	454013
Thallium	SW6010B	1	0.55	5.00	ND		mg/Kg	02/03/21	15:21	TUAN	454013
Vanadium	SW6010B	1	0.10	5.00	31.5		mg/Kg	02/03/21	15:21	TUAN	454013
Zinc	SW6010B	1	0.30	5.00	69.5		mg/Kg	02/03/21	15:21	TUAN	454013



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-4@1'	Lab Sample ID:	2101286-010A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:14		
SDG:			

Prep Method: 3546_PCB	Prep Batch Date/Time: 2/2/21	1:38:00PM
Prep Batch ID: 1128983	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Aroclor1016	SW8082A	1	0.0350	0.100	ND		mg/Kg	02/02/21	17:54	MK	453997
Aroclor1221	SW8082A	1	0.00500	0.100	ND		mg/Kg	02/02/21	17:54	MK	453997
Aroclor1232	SW8082A	1	0.0170	0.100	ND		mg/Kg	02/02/21	17:54	MK	453997
Aroclor1242	SW8082A	1	0.00300	0.100	ND		mg/Kg	02/02/21	17:54	MK	453997
Aroclor1248	SW8082A	1	0.00200	0.100	ND		mg/Kg	02/02/21	17:54	MK	453997
Aroclor1254	SW8082A	1	0.0140	0.100	ND		mg/Kg	02/02/21	17:54	MK	453997
Aroclor1260	SW8082A	1	0.0240	0.100	ND		mg/Kg	02/02/21	17:54	MK	453997
Acceptance Limits											
TCMX (S)	SW8082A		48 - 125		86.0		%	02/02/21	17:54	MK	453997
DCBP (S)	SW8082A		48 - 135		93.0		%	02/02/21	17:54	MK	453997



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-4@1'	Lab Sample ID:	2101286-010A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:14		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/2/21	12:49:00PM
Prep Batch ID: 1128982	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	3	0.00038	0.0060	ND		mg/Kg	02/03/21	1:53	MK	454030
gamma-BHC (Lindane)	SW8081B	3	0.00048	0.0060	ND		mg/Kg	02/03/21	1:53	MK	454030
beta-BHC	SW8081B	3	0.00095	0.0060	ND		mg/Kg	02/03/21	1:53	MK	454030
delta-BHC	SW8081B	3	0.00047	0.0060	ND		mg/Kg	02/03/21	1:53	MK	454030
Heptachlor	SW8081B	3	0.00032	0.0060	ND		mg/Kg	02/03/21	1:53	MK	454030
Aldrin	SW8081B	3	0.00059	0.0060	ND		mg/Kg	02/03/21	1:53	MK	454030
Heptachlor Epoxide	SW8081B	3	0.00023	0.0060	ND		mg/Kg	02/03/21	1:53	MK	454030
gamma-Chlordane	SW8081B	3	0.00049	0.0060	ND		mg/Kg	02/03/21	1:53	MK	454030
alpha-Chlordane	SW8081B	3	0.00052	0.0060	ND		mg/Kg	02/03/21	1:53	MK	454030
Endosulfan I	SW8081B	3	0.00055	0.0060	ND		mg/Kg	02/03/21	1:53	MK	454030
Dieldrin	SW8081B	3	0.00044	0.0060	ND		mg/Kg	02/03/21	1:53	MK	454030
Endrin	SW8081B	3	0.00056	0.0060	ND		mg/Kg	02/03/21	1:53	MK	454030
4,4'-DDD	SW8081B	3	0.0017	0.0060	0.00351	J	mg/Kg	02/03/21	1:53	MK	454030
Endosulfan II	SW8081B	3	0.0017	0.0060	ND		mg/Kg	02/03/21	1:53	MK	454030
Endrin Aldehyde	SW8081B	3	0.00045	0.0060	ND		mg/Kg	02/03/21	1:53	MK	454030
Methoxychlor	SW8081B	3	0.00060	0.0060	ND		mg/Kg	02/03/21	1:53	MK	454030
Endosulfan Sulfate	SW8081B	3	0.00035	0.0060	ND		mg/Kg	02/03/21	1:53	MK	454030
Endrin Ketone	SW8081B	3	0.00028	0.0060	ND		mg/Kg	02/03/21	1:53	MK	454030
Chlordane	SW8081B	3	0.0063	0.060	ND		mg/Kg	02/03/21	1:53	MK	454030
Toxaphene	SW8081B	3	0.026	0.15	ND		mg/Kg	02/03/21	1:53	MK	454030
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		71.2		%	02/03/21	1:53	MK	454030
DCBP (S)	SW8081B		38 - 135		70.7		%	02/03/21	1:53	MK	454030

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-4@1'	Lab Sample ID: 2101286-010A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 9:14	
SDG:	

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/2/21	12:49:00PM
Prep Batch ID: 1128982	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
4,4'-DDE	SW8081B	50	0.0097	0.10	1.09		mg/Kg	02/03/21	14:53	MK	454030
4,4'-DDT	SW8081B	50	0.0065	0.10	0.243		mg/Kg	02/03/21	14:53	MK	454030



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-4@1'	Lab Sample ID:	2101286-010A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:14		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
N-Nitrosodimethylamine	SW8270C	1	0.0469	0.720	ND		mg/Kg	02/02/21	20:05	MT	453975
Phenol	SW8270C	1	0.0438	0.288	ND		mg/Kg	02/02/21	20:05	MT	453975
Bis(2-chloroethyl)ether	SW8270C	1	0.0133	0.144	ND		mg/Kg	02/02/21	20:05	MT	453975
2-Chlorophenol	SW8270C	1	0.0477	0.288	ND		mg/Kg	02/02/21	20:05	MT	453975
1,3-Dichlorobenzene	SW8270C	1	0.0131	0.144	ND		mg/Kg	02/02/21	20:05	MT	453975
1,4-Dichlorobenzene	SW8270C	1	0.0146	0.144	ND		mg/Kg	02/02/21	20:05	MT	453975
Benzyl Alcohol	SW8270C	1	0.0205	0.288	ND		mg/Kg	02/02/21	20:05	MT	453975
1,2-Dichlorobenzene	SW8270C	1	0.0135	0.144	ND		mg/Kg	02/02/21	20:05	MT	453975
2-Methylphenol (o-Cresol)	SW8270C	1	0.0293	0.288	ND		mg/Kg	02/02/21	20:05	MT	453975
N-Methyl-2-Pyrrolidone (NMP)	SW8270C	1	0.0680	0.720	ND		mg/Kg	02/02/21	20:05	MT	453975
3-/4-Methylphenol (p-/m-Cresol)	SW8270C	1	0.0313	0.288	ND		mg/Kg	02/02/21	20:05	MT	453975
N-nitroso-di-n-propylamine	SW8270C	1	0.0132	0.144	ND		mg/Kg	02/02/21	20:05	MT	453975
Hexachloroethane	SW8270C	1	0.0171	0.144	ND		mg/Kg	02/02/21	20:05	MT	453975
Nitrobenzene	SW8270C	1	0.0128	0.144	ND		mg/Kg	02/02/21	20:05	MT	453975
Isophorone	SW8270C	1	0.0122	0.144	ND		mg/Kg	02/02/21	20:05	MT	453975
2-Nitrophenol	SW8270C	1	0.0254	0.288	ND		mg/Kg	02/02/21	20:05	MT	453975
2,4-Dimethylphenol	SW8270C	1	0.0228	0.288	ND		mg/Kg	02/02/21	20:05	MT	453975
Benzoic Acid	SW8270C	1	0.0417	0.288	ND		mg/Kg	02/02/21	20:05	MT	453975
Bis(2-Chloroethoxy)methane	SW8270C	1	0.00979	0.144	ND		mg/Kg	02/02/21	20:05	MT	453975
Bis(2-chloroisopropyl)ether	SW8270C	1	0.0126	0.144	ND		mg/Kg	02/02/21	20:05	MT	453975
2,4-Dichlorophenol	SW8270C	1	0.0393	0.288	ND		mg/Kg	02/02/21	20:05	MT	453975
1,2,4-Trichlorobenzene	SW8270C	1	0.0118	0.144	ND		mg/Kg	02/02/21	20:05	MT	453975
Naphthalene	SW8270C	1	0.0106	0.144	ND		mg/Kg	02/02/21	20:05	MT	453975
2,6-Dichlorophenol	SW8270C	1	0.0358	0.288	ND		mg/Kg	02/02/21	20:05	MT	453975
Hexachloro-1,3-butadiene	SW8270C	1	0.00834	0.144	ND		mg/Kg	02/02/21	20:05	MT	453975
4-Chloro-3-methylphenol	SW8270C	1	0.0338	0.288	ND		mg/Kg	02/02/21	20:05	MT	453975
2-Methylnaphthalene	SW8270C	1	0.0104	0.144	ND		mg/Kg	02/02/21	20:05	MT	453975
1-Methylnaphthalene	SW8270C	1	0.0122	0.144	ND		mg/Kg	02/02/21	20:05	MT	453975
Hexachlorocyclopentadiene	SW8270C	1	0.0129	0.144	ND		mg/Kg	02/02/21	20:05	MT	453975
2,4,6-Trichlorophenol	SW8270C	1	0.0359	0.288	ND		mg/Kg	02/02/21	20:05	MT	453975
2,4,5-Trichlorophenol	SW8270C	1	0.0334	0.288	ND		mg/Kg	02/02/21	20:05	MT	453975
2-Chloronaphthalene	SW8270C	1	0.0106	0.144	ND		mg/Kg	02/02/21	20:05	MT	453975
1,4-Dinitrobenzene	SW8270C	1	0.0103	0.144	ND		mg/Kg	02/02/21	20:05	MT	453975
Dimethyl phthalate	SW8270C	1	0.0142	0.720	ND		mg/Kg	02/02/21	20:05	MT	453975
1,3-Dinitrobenzene	SW8270C	1	0.0104	0.144	ND		mg/Kg	02/02/21	20:05	MT	453975
Acenaphthylene	SW8270C	1	0.00828	0.144	ND		mg/Kg	02/02/21	20:05	MT	453975
2,6-Dinitrotoluene	SW8270C	1	0.0113	0.144	ND		mg/Kg	02/02/21	20:05	MT	453975
1,2-Dinitrobenzene	SW8270C	1	0.0158	0.144	ND		mg/Kg	02/02/21	20:05	MT	453975
Acenaphthene	SW8270C	1	0.0107	0.144	ND		mg/Kg	02/02/21	20:05	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-4@1'	Lab Sample ID:	2101286-010A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:14		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
2,4-Dinitrophenol	SW8270C	1	0.0776	0.720	ND		mg/Kg	02/02/21	20:05	MT	453975
4-Nitrophenol	SW8270C	1	0.0547	0.720	ND		mg/Kg	02/02/21	20:05	MT	453975
Dibenzofuran	SW8270C	1	0.0112	0.144	ND		mg/Kg	02/02/21	20:05	MT	453975
2,4-Dinitrotoluene	SW8270C	1	0.0121	0.144	ND		mg/Kg	02/02/21	20:05	MT	453975
2,3,5,6-Tetrachlorophenol	SW8270C	1	0.0276	0.288	ND		mg/Kg	02/02/21	20:05	MT	453975
2,3,4,6-Tetrachlorophenol	SW8270C	1	0.0315	0.288	ND		mg/Kg	02/02/21	20:05	MT	453975
Diethylphthalate	SW8270C	1	0.0136	0.720	ND		mg/Kg	02/02/21	20:05	MT	453975
Fluorene	SW8270C	1	0.0103	0.144	ND		mg/Kg	02/02/21	20:05	MT	453975
4-Chlorophenyl-phenylether	SW8270C	1	0.00932	0.144	ND		mg/Kg	02/02/21	20:05	MT	453975
4,6-Dinitro-2-methylphenol	SW8270C	1	0.0134	0.288	ND		mg/Kg	02/02/21	20:05	MT	453975
Diphenylamine	SW8270C	1	0.0130	0.144	ND		mg/Kg	02/02/21	20:05	MT	453975
Azobenzene	SW8270C	1	0.114	0.144	ND		mg/Kg	02/02/21	20:05	MT	453975
4-Bromophenyl-phenylether	SW8270C	1	0.00823	0.144	ND		mg/Kg	02/02/21	20:05	MT	453975
Hexachlorobenzene	SW8270C	1	0.00866	0.144	ND		mg/Kg	02/02/21	20:05	MT	453975
Pentachlorophenol	SW8270C	1	0.0250	0.288	ND		mg/Kg	02/02/21	20:05	MT	453975
Phenanthrene	SW8270C	1	0.00932	0.144	ND		mg/Kg	02/02/21	20:05	MT	453975
Anthracene	SW8270C	1	0.00891	0.144	ND		mg/Kg	02/02/21	20:05	MT	453975
Carbazole	SW8270C	1	0.0107	0.144	ND		mg/Kg	02/02/21	20:05	MT	453975
Di-n-butylphthalate	SW8270C	1	0.0135	0.144	ND		mg/Kg	02/02/21	20:05	MT	453975
Fluoranthene	SW8270C	1	0.01000	0.144	ND		mg/Kg	02/02/21	20:05	MT	453975
Benzidine	SW8270C	1	0.147	0.144	ND		mg/Kg	02/02/21	20:05	MT	453975
Pyrene	SW8270C	1	0.0120	0.144	ND		mg/Kg	02/02/21	20:05	MT	453975
Butylbenzylphthalate	SW8270C	1	0.0210	0.720	ND		mg/Kg	02/02/21	20:05	MT	453975
Benzo(a)anthracene	SW8270C	1	0.00980	0.144	ND		mg/Kg	02/02/21	20:05	MT	453975
3,3-Dichlorobenzidine	SW8270C	1	0.118	0.144	ND		mg/Kg	02/02/21	20:05	MT	453975
Chrysene	SW8270C	1	0.0152	0.144	ND		mg/Kg	02/02/21	20:05	MT	453975
Bis(2-Ethylhexyl)phthalate	SW8270C	1	0.0153	0.720	ND		mg/Kg	02/02/21	20:05	MT	453975
Di-n-Octylphthalate	SW8270C	1	0.0123	0.144	ND		mg/Kg	02/02/21	20:05	MT	453975
Benzo(b)fluorathene	SW8270C	1	0.0120	0.144	ND		mg/Kg	02/02/21	20:05	MT	453975
benzo(k)fluorathene	SW8270C	1	0.00816	0.144	ND		mg/Kg	02/02/21	20:05	MT	453975
Benzo(a)pyrene	SW8270C	1	0.00980	0.144	ND		mg/Kg	02/02/21	20:05	MT	453975
Indeno(1,2,3-c,d)pyrene	SW8270C	1	0.0138	0.144	ND		mg/Kg	02/02/21	20:05	MT	453975
Dibenzo(a,h)anthracene	SW8270C	1	0.0127	0.144	ND		mg/Kg	02/02/21	20:05	MT	453975
Benzo(g,h,i)perylene	SW8270C	1	0.0167	0.144	ND		mg/Kg	02/02/21	20:05	MT	453975
Pyridine	SW8270C	1	0.0438	0.720	ND		mg/Kg	02/02/21	20:05	MT	453975
Acceptance Limits											
2-Fluorophenol (S)	SW8270C		25 - 121		65.3		%	02/02/21	20:05	MT	453975
Phenol-d6 (S)	SW8270C		24 - 113		69.9		%	02/02/21	20:05	MT	453975
2,4,6-Tribromophenol (S)	SW8270C		19 - 122		78.3		%	02/02/21	20:05	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-4@1'	Lab Sample ID:	2101286-010A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:14		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
2-Fluorobiphenyl (S)	SW8270C		45 - 143		80.1		%	02/02/21	20:05	MT	453975
Nitrobenzene-d5 (S)	SW8270C		23 - 120		75.1		%	02/02/21	20:05	MT	453975
Terphenyl-d14 (S)	SW8270C		18 - 137		80.9		%	02/02/21	20:05	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-4@1'	Lab Sample ID: 2101286-010A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 9:14	
SDG:	

Prep Method: 3546_TPHSG	Prep Batch Date/Time: 2/2/21	4:34:00PM
Prep Batch ID: 1128998	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
TPH as Diesel (SG)	SW8015B	1	0.85	2.0	2.22	x	mg/Kg	02/03/21	17:18	SN	454044
TPH as Motor Oil (SG)	SW8015B	1	3.2	10	ND		mg/Kg	02/03/21	17:18	SN	454044
			Acceptance Limits								
Pentacosane (S)	SW8015B		40 - 129		72.8		%	02/03/21	17:18	SN	454044

NOTE: x- Chromatographic pattern does not resemble typical diesel reference standard; unknown organics within diesel range quantified as diesel



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-4@1'	Lab Sample ID:	2101286-010A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:14		
SDG:			

Prep Method: 5035	Prep Batch Date/Time: 2/3/21 12:10:00PM
Prep Batch ID: 1129046	Prep Analyst: JZHAO

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Dichlorodifluoromethane	SW8260B	1	0.0012	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
Chloromethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
Vinyl Chloride	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
Bromomethane	SW8260B	1	0.0027	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
Chloroethane	SW8260B	1	0.0030	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
Trichlorofluoromethane	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
1,1-Dichloroethene	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
Freon 113	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
Methylene Chloride	SW8260B	1	0.0071	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
trans-1,2-Dichloroethene	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
MTBE	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
TBA	SW8260B	1	0.012	0.050	ND		mg/Kg	02/03/21	21:51	JZ	454032
Diisopropyl ether	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
1,1-Dichloroethane	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
Ethyl tert-Butyl ether	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
cis-1,2-Dichloroethene	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
2,2-Dichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
Bromochloromethane	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
Chloroform	SW8260B	1	0.0024	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
Carbon Tetrachloride	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
1,1,1-Trichloroethane	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
1,1-Dichloropropene	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
Benzene	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
TAME	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
1,2-Dichloroethane	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
Trichloroethylene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
Dibromomethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
1,2-Dichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
Bromodichloromethane	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
cis-1,3-Dichloropropene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
Toluene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
Tetrachloroethylene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
trans-1,3-Dichloropropene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
1,1,2-Trichloroethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
Dibromochloromethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
1,3-Dichloropropane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
1,2-Dibromoethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
Chlorobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
Ethylbenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-4@1'	Lab Sample ID:	2101286-010A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:14		
SDG:			

Prep Method: 5035	Prep Batch Date/Time: 2/3/21 12:10:00PM
Prep Batch ID: 1129046	Prep Analyst: JZHAO

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
1,1,1,2-Tetrachloroethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
m,p-Xylene	SW8260B	1	0.0032	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
o-Xylene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
Styrene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
Bromoform	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
Isopropyl Benzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
n-Propylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
Bromobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
1,1,2,2-Tetrachloroethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
2-Chlorotoluene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
1,3,5-Trimethylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
1,2,3-Trichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
4-Chlorotoluene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
tert-Butylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
1,2,4-Trimethylbenzene	SW8260B	1	0.0014	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
sec-Butyl Benzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
p-Isopropyltoluene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
1,3-Dichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
1,4-Dichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
n-Butylbenzene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
1,2-Dichlorobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
1,2-Dibromo-3-Chloropropane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
Hexachlorobutadiene	SW8260B	1	0.0014	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
1,2,4-Trichlorobenzene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
Naphthalene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
1,2,3-Trichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	21:51	JZ	454032
2-Butanone	SW8260B	1	0.0023	0.0100	ND		mg/Kg	02/03/21	21:51	JZ	454032
(S) Dibromofluoromethane	SW8260B		59.8 - 148		136		%	02/03/21	21:51	JZ	454032
(S) Toluene-d8	SW8260B		55.2 - 133		112		%	02/03/21	21:51	JZ	454032
(S) 4-Bromofluorobenzene	SW8260B		55.8 - 141		95.3		%	02/03/21	21:51	JZ	454032



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-4@1'	Lab Sample ID: 2101286-010A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 9:14	
SDG:	

Prep Method: 5035GRO	Prep Batch Date/Time: 2/3/21	12:10:00PM
Prep Batch ID: 1129047	Prep Analyst: JZHAO	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
TPH as Gasoline	8260TPH	1	0.043	0.10	ND		mg/Kg	02/03/21	21:51	JZ	454032
(S) 4-Bromofluorobenzene	8260TPH		43.9 - 127		50.9		%	02/03/21	21:51	JZ	454032



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-4@3'	Lab Sample ID: 2101286-011A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 9:16	
SDG:	

Prep Method: 7471BP	Prep Batch Date/Time: 2/1/21	5:40:00PM
Prep Batch ID: 1128969	Prep Analyst: TNGU	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Mercury	SW7471B	1	0.083	0.50	ND		mg/Kg	02/02/21	16:17	BJAY	453987



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-4@3'	Lab Sample ID:	2101286-011A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:16		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/1/21	5:30:00PM
Prep Batch ID: 1128970	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Antimony	SW6010B	1	0.050	5.00	ND		mg/Kg	02/03/21	15:24	TUAN	454013
Arsenic	SW6010B	1	0.15	1.30	6.25		mg/Kg	02/03/21	15:24	TUAN	454013
Barium	SW6010B	1	0.055	5.00	236		mg/Kg	02/03/21	15:24	TUAN	454013
Beryllium	SW6010B	1	0.055	5.00	ND		mg/Kg	02/03/21	15:24	TUAN	454013
Cadmium	SW6010B	1	0.10	5.00	ND		mg/Kg	02/03/21	15:24	TUAN	454013
Chromium	SW6010B	1	0.075	5.00	40.4		mg/Kg	02/03/21	15:24	TUAN	454013
Cobalt	SW6010B	1	0.070	5.00	12.3		mg/Kg	02/03/21	15:24	TUAN	454013
Copper	SW6010B	1	0.20	5.00	32.4		mg/Kg	02/03/21	15:24	TUAN	454013
Lead	SW6010B	1	0.10	3.00	9.40		mg/Kg	02/03/21	15:24	TUAN	454013
Molybdenum	SW6010B	1	0.050	5.00	ND		mg/Kg	02/03/21	15:24	TUAN	454013
Nickel	SW6010B	1	0.50	5.00	56.0		mg/Kg	02/03/21	15:24	TUAN	454013
Selenium	SW6010B	1	0.22	5.00	ND		mg/Kg	02/03/21	15:24	TUAN	454013
Silver	SW6010B	1	0.15	5.00	ND		mg/Kg	02/03/21	15:24	TUAN	454013
Thallium	SW6010B	1	0.55	5.00	ND		mg/Kg	02/03/21	15:24	TUAN	454013
Vanadium	SW6010B	1	0.10	5.00	33.3		mg/Kg	02/03/21	15:24	TUAN	454013
Zinc	SW6010B	1	0.30	5.00	61.0		mg/Kg	02/03/21	15:24	TUAN	454013



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-4@3'	Lab Sample ID:	2101286-011A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:16		
SDG:			

Prep Method: 3546_PCB	Prep Batch Date/Time: 2/2/21	1:38:00PM
Prep Batch ID: 1128983	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Aroclor1016	SW8082A	1	0.0350	0.100	ND		mg/Kg	02/02/21	18:08	MK	453997
Aroclor1221	SW8082A	1	0.00500	0.100	ND		mg/Kg	02/02/21	18:08	MK	453997
Aroclor1232	SW8082A	1	0.0170	0.100	ND		mg/Kg	02/02/21	18:08	MK	453997
Aroclor1242	SW8082A	1	0.00300	0.100	ND		mg/Kg	02/02/21	18:08	MK	453997
Aroclor1248	SW8082A	1	0.00200	0.100	ND		mg/Kg	02/02/21	18:08	MK	453997
Aroclor1254	SW8082A	1	0.0140	0.100	ND		mg/Kg	02/02/21	18:08	MK	453997
Aroclor1260	SW8082A	1	0.0240	0.100	ND		mg/Kg	02/02/21	18:08	MK	453997
Acceptance Limits											
TCMX (S)	SW8082A		48 - 125		68.0		%	02/02/21	18:08	MK	453997
DCBP (S)	SW8082A		48 - 135		73.0		%	02/02/21	18:08	MK	453997



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-4@3'	Lab Sample ID:	2101286-011A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:16		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/2/21	12:49:00PM
Prep Batch ID: 1128982	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
alpha-BHC	SW8081B	1	0.00013	0.0020	ND		mg/Kg	02/03/21	2:33	MK	454030
gamma-BHC (Lindane)	SW8081B	1	0.00016	0.0020	ND		mg/Kg	02/03/21	2:33	MK	454030
beta-BHC	SW8081B	1	0.00032	0.0020	ND		mg/Kg	02/03/21	2:33	MK	454030
delta-BHC	SW8081B	1	0.00016	0.0020	ND		mg/Kg	02/03/21	2:33	MK	454030
Heptachlor	SW8081B	1	0.00011	0.0020	ND		mg/Kg	02/03/21	2:33	MK	454030
Aldrin	SW8081B	1	0.00020	0.0020	ND		mg/Kg	02/03/21	2:33	MK	454030
Heptachlor Epoxide	SW8081B	1	0.000078	0.0020	ND		mg/Kg	02/03/21	2:33	MK	454030
gamma-Chlordane	SW8081B	1	0.00016	0.0020	ND		mg/Kg	02/03/21	2:33	MK	454030
alpha-Chlordane	SW8081B	1	0.00017	0.0020	ND		mg/Kg	02/03/21	2:33	MK	454030
4,4'-DDE	SW8081B	1	0.00019	0.0020	0.00223		mg/Kg	02/03/21	2:33	MK	454030
Endosulfan I	SW8081B	1	0.00018	0.0020	ND		mg/Kg	02/03/21	2:33	MK	454030
Dieldrin	SW8081B	1	0.00015	0.0020	ND		mg/Kg	02/03/21	2:33	MK	454030
Endrin	SW8081B	1	0.00019	0.0020	ND		mg/Kg	02/03/21	2:33	MK	454030
4,4'-DDD	SW8081B	1	0.00057	0.0020	ND		mg/Kg	02/03/21	2:33	MK	454030
Endosulfan II	SW8081B	1	0.00058	0.0020	ND		mg/Kg	02/03/21	2:33	MK	454030
4,4'-DDT	SW8081B	1	0.00013	0.0020	ND		mg/Kg	02/03/21	2:33	MK	454030
Endrin Aldehyde	SW8081B	1	0.00015	0.0020	ND		mg/Kg	02/03/21	2:33	MK	454030
Methoxychlor	SW8081B	1	0.00020	0.0020	ND		mg/Kg	02/03/21	2:33	MK	454030
Endosulfan Sulfate	SW8081B	1	0.00012	0.0020	ND		mg/Kg	02/03/21	2:33	MK	454030
Endrin Ketone	SW8081B	1	0.000094	0.0020	ND		mg/Kg	02/03/21	2:33	MK	454030
Chlordane	SW8081B	1	0.0021	0.020	ND		mg/Kg	02/03/21	2:33	MK	454030
Toxaphene	SW8081B	1	0.0085	0.050	ND		mg/Kg	02/03/21	2:33	MK	454030
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		56.3		%	02/03/21	2:33	MK	454030
DCBP (S)	SW8081B		38 - 135		55.5		%	02/03/21	2:33	MK	454030



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-4@3'	Lab Sample ID:	2101286-011A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:16		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
N-Nitrosodimethylamine	SW8270C	1	0.0469	0.720	ND		mg/Kg	02/02/21	20:35	MT	453975
Phenol	SW8270C	1	0.0438	0.288	ND		mg/Kg	02/02/21	20:35	MT	453975
Bis(2-chloroethyl)ether	SW8270C	1	0.0133	0.144	ND		mg/Kg	02/02/21	20:35	MT	453975
2-Chlorophenol	SW8270C	1	0.0477	0.288	ND		mg/Kg	02/02/21	20:35	MT	453975
1,3-Dichlorobenzene	SW8270C	1	0.0131	0.144	ND		mg/Kg	02/02/21	20:35	MT	453975
1,4-Dichlorobenzene	SW8270C	1	0.0146	0.144	ND		mg/Kg	02/02/21	20:35	MT	453975
Benzyl Alcohol	SW8270C	1	0.0205	0.288	ND		mg/Kg	02/02/21	20:35	MT	453975
1,2-Dichlorobenzene	SW8270C	1	0.0135	0.144	ND		mg/Kg	02/02/21	20:35	MT	453975
2-Methylphenol (o-Cresol)	SW8270C	1	0.0293	0.288	ND		mg/Kg	02/02/21	20:35	MT	453975
N-Methyl-2-Pyrrolidone (NMP)	SW8270C	1	0.0680	0.720	ND		mg/Kg	02/02/21	20:35	MT	453975
3-/4-Methylphenol (p-/m-Cresol)	SW8270C	1	0.0313	0.288	ND		mg/Kg	02/02/21	20:35	MT	453975
N-nitroso-di-n-propylamine	SW8270C	1	0.0132	0.144	ND		mg/Kg	02/02/21	20:35	MT	453975
Hexachloroethane	SW8270C	1	0.0171	0.144	ND		mg/Kg	02/02/21	20:35	MT	453975
Nitrobenzene	SW8270C	1	0.0128	0.144	ND		mg/Kg	02/02/21	20:35	MT	453975
Isophorone	SW8270C	1	0.0122	0.144	ND		mg/Kg	02/02/21	20:35	MT	453975
2-Nitrophenol	SW8270C	1	0.0254	0.288	ND		mg/Kg	02/02/21	20:35	MT	453975
2,4-Dimethylphenol	SW8270C	1	0.0228	0.288	ND		mg/Kg	02/02/21	20:35	MT	453975
Benzoic Acid	SW8270C	1	0.0417	0.288	ND		mg/Kg	02/02/21	20:35	MT	453975
Bis(2-Chloroethoxy)methane	SW8270C	1	0.00979	0.144	ND		mg/Kg	02/02/21	20:35	MT	453975
Bis(2-chloroisopropyl)ether	SW8270C	1	0.0126	0.144	ND		mg/Kg	02/02/21	20:35	MT	453975
2,4-Dichlorophenol	SW8270C	1	0.0393	0.288	ND		mg/Kg	02/02/21	20:35	MT	453975
1,2,4-Trichlorobenzene	SW8270C	1	0.0118	0.144	ND		mg/Kg	02/02/21	20:35	MT	453975
Naphthalene	SW8270C	1	0.0106	0.144	ND		mg/Kg	02/02/21	20:35	MT	453975
2,6-Dichlorophenol	SW8270C	1	0.0358	0.288	ND		mg/Kg	02/02/21	20:35	MT	453975
Hexachloro-1,3-butadiene	SW8270C	1	0.00834	0.144	ND		mg/Kg	02/02/21	20:35	MT	453975
4-Chloro-3-methylphenol	SW8270C	1	0.0338	0.288	ND		mg/Kg	02/02/21	20:35	MT	453975
2-Methylnaphthalene	SW8270C	1	0.0104	0.144	ND		mg/Kg	02/02/21	20:35	MT	453975
1-Methylnaphthalene	SW8270C	1	0.0122	0.144	ND		mg/Kg	02/02/21	20:35	MT	453975
Hexachlorocyclopentadiene	SW8270C	1	0.0129	0.144	ND		mg/Kg	02/02/21	20:35	MT	453975
2,4,6-Trichlorophenol	SW8270C	1	0.0359	0.288	ND		mg/Kg	02/02/21	20:35	MT	453975
2,4,5-Trichlorophenol	SW8270C	1	0.0334	0.288	ND		mg/Kg	02/02/21	20:35	MT	453975
2-Chloronaphthalene	SW8270C	1	0.0106	0.144	ND		mg/Kg	02/02/21	20:35	MT	453975
1,4-Dinitrobenzene	SW8270C	1	0.0103	0.144	ND		mg/Kg	02/02/21	20:35	MT	453975
Dimethyl phthalate	SW8270C	1	0.0142	0.720	ND		mg/Kg	02/02/21	20:35	MT	453975
1,3-Dinitrobenzene	SW8270C	1	0.0104	0.144	ND		mg/Kg	02/02/21	20:35	MT	453975
Acenaphthylene	SW8270C	1	0.00828	0.144	ND		mg/Kg	02/02/21	20:35	MT	453975
2,6-Dinitrotoluene	SW8270C	1	0.0113	0.144	ND		mg/Kg	02/02/21	20:35	MT	453975
1,2-Dinitrobenzene	SW8270C	1	0.0158	0.144	ND		mg/Kg	02/02/21	20:35	MT	453975
Acenaphthene	SW8270C	1	0.0107	0.144	ND		mg/Kg	02/02/21	20:35	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-4@3'	Lab Sample ID:	2101286-011A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:16		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
2,4-Dinitrophenol	SW8270C	1	0.0776	0.720	ND		mg/Kg	02/02/21	20:35	MT	453975
4-Nitrophenol	SW8270C	1	0.0547	0.720	ND		mg/Kg	02/02/21	20:35	MT	453975
Dibenzofuran	SW8270C	1	0.0112	0.144	ND		mg/Kg	02/02/21	20:35	MT	453975
2,4-Dinitrotoluene	SW8270C	1	0.0121	0.144	ND		mg/Kg	02/02/21	20:35	MT	453975
2,3,5,6-Tetrachlorophenol	SW8270C	1	0.0276	0.288	ND		mg/Kg	02/02/21	20:35	MT	453975
2,3,4,6-Tetrachlorophenol	SW8270C	1	0.0315	0.288	ND		mg/Kg	02/02/21	20:35	MT	453975
Diethylphthalate	SW8270C	1	0.0136	0.720	ND		mg/Kg	02/02/21	20:35	MT	453975
Fluorene	SW8270C	1	0.0103	0.144	ND		mg/Kg	02/02/21	20:35	MT	453975
4-Chlorophenyl-phenylether	SW8270C	1	0.00932	0.144	ND		mg/Kg	02/02/21	20:35	MT	453975
4,6-Dinitro-2-methylphenol	SW8270C	1	0.0134	0.288	ND		mg/Kg	02/02/21	20:35	MT	453975
Diphenylamine	SW8270C	1	0.0130	0.144	ND		mg/Kg	02/02/21	20:35	MT	453975
Azobenzene	SW8270C	1	0.114	0.144	ND		mg/Kg	02/02/21	20:35	MT	453975
4-Bromophenyl-phenylether	SW8270C	1	0.00823	0.144	ND		mg/Kg	02/02/21	20:35	MT	453975
Hexachlorobenzene	SW8270C	1	0.00866	0.144	ND		mg/Kg	02/02/21	20:35	MT	453975
Pentachlorophenol	SW8270C	1	0.0250	0.288	ND		mg/Kg	02/02/21	20:35	MT	453975
Phenanthrene	SW8270C	1	0.00932	0.144	ND		mg/Kg	02/02/21	20:35	MT	453975
Anthracene	SW8270C	1	0.00891	0.144	ND		mg/Kg	02/02/21	20:35	MT	453975
Carbazole	SW8270C	1	0.0107	0.144	ND		mg/Kg	02/02/21	20:35	MT	453975
Di-n-butylphthalate	SW8270C	1	0.0135	0.144	ND		mg/Kg	02/02/21	20:35	MT	453975
Fluoranthene	SW8270C	1	0.01000	0.144	ND		mg/Kg	02/02/21	20:35	MT	453975
Benzidine	SW8270C	1	0.147	0.144	ND		mg/Kg	02/02/21	20:35	MT	453975
Pyrene	SW8270C	1	0.0120	0.144	ND		mg/Kg	02/02/21	20:35	MT	453975
Butylbenzylphthalate	SW8270C	1	0.0210	0.720	ND		mg/Kg	02/02/21	20:35	MT	453975
Benzo(a)anthracene	SW8270C	1	0.00980	0.144	ND		mg/Kg	02/02/21	20:35	MT	453975
3,3-Dichlorobenzidine	SW8270C	1	0.118	0.144	ND		mg/Kg	02/02/21	20:35	MT	453975
Chrysene	SW8270C	1	0.0152	0.144	ND		mg/Kg	02/02/21	20:35	MT	453975
Bis(2-Ethylhexyl)phthalate	SW8270C	1	0.0153	0.720	ND		mg/Kg	02/02/21	20:35	MT	453975
Di-n-Octylphthalate	SW8270C	1	0.0123	0.144	ND		mg/Kg	02/02/21	20:35	MT	453975
Benzo(b)fluorathene	SW8270C	1	0.0120	0.144	ND		mg/Kg	02/02/21	20:35	MT	453975
benzo(k)fluorathene	SW8270C	1	0.00816	0.144	ND		mg/Kg	02/02/21	20:35	MT	453975
Benzo(a)pyrene	SW8270C	1	0.00980	0.144	ND		mg/Kg	02/02/21	20:35	MT	453975
Indeno(1,2,3-c,d)pyrene	SW8270C	1	0.0138	0.144	ND		mg/Kg	02/02/21	20:35	MT	453975
Dibenzo(a,h)anthracene	SW8270C	1	0.0127	0.144	ND		mg/Kg	02/02/21	20:35	MT	453975
Benzo(g,h,i)perylene	SW8270C	1	0.0167	0.144	ND		mg/Kg	02/02/21	20:35	MT	453975
Pyridine	SW8270C	1	0.0438	0.720	ND		mg/Kg	02/02/21	20:35	MT	453975
Acceptance Limits											
2-Fluorophenol (S)	SW8270C		25 - 121		61.4		%	02/02/21	20:35	MT	453975
Phenol-d6 (S)	SW8270C		24 - 113		67.3		%	02/02/21	20:35	MT	453975
2,4,6-Tribromophenol (S)	SW8270C		19 - 122		63.6		%	02/02/21	20:35	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-4@3'	Lab Sample ID:	2101286-011A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:16		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
2-Fluorobiphenyl (S)	SW8270C		45 - 143		76.2		%	02/02/21	20:35	MT	453975
Nitrobenzene-d5 (S)	SW8270C		23 - 120		73.8		%	02/02/21	20:35	MT	453975
Terphenyl-d14 (S)	SW8270C		18 - 137		80.5		%	02/02/21	20:35	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-4@3'	Lab Sample ID: 2101286-011A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 9:16	
SDG:	

Prep Method: 3546_TPHSG	Prep Batch Date/Time: 2/2/21	4:34:00PM
Prep Batch ID: 1128998	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
TPH as Diesel (SG)	SW8015B	1	0.85	2.0	ND		mg/Kg	02/03/21	17:42	SN	454044
TPH as Motor Oil (SG)	SW8015B	1	3.2	10	ND		mg/Kg	02/03/21	17:42	SN	454044
			Acceptance Limits								
Pentacosane (S)	SW8015B		40 - 129		55.9		%	02/03/21	17:42	SN	454044



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-4@3'	Lab Sample ID:	2101286-011A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:16		
SDG:			

Prep Method: 5035	Prep Batch Date/Time: 2/3/21 12:10:00PM
Prep Batch ID: 1129046	Prep Analyst: JZHAO

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Dichlorodifluoromethane	SW8260B	1	0.0012	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
Chloromethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
Vinyl Chloride	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
Bromomethane	SW8260B	1	0.0027	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
Chloroethane	SW8260B	1	0.0030	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
Trichlorofluoromethane	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
1,1-Dichloroethene	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
Freon 113	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
Methylene Chloride	SW8260B	1	0.0071	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
trans-1,2-Dichloroethene	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
MTBE	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
TBA	SW8260B	1	0.012	0.050	ND		mg/Kg	02/03/21	22:20	JZ	454032
Diisopropyl ether	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
1,1-Dichloroethane	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
Ethyl tert-Butyl ether	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
cis-1,2-Dichloroethene	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
2,2-Dichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
Bromochloromethane	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
Chloroform	SW8260B	1	0.0024	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
Carbon Tetrachloride	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
1,1,1-Trichloroethane	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
1,1-Dichloropropene	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
Benzene	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
TAME	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
1,2-Dichloroethane	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
Trichloroethylene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
Dibromomethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
1,2-Dichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
Bromodichloromethane	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
cis-1,3-Dichloropropene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
Toluene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
Tetrachloroethylene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
trans-1,3-Dichloropropene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
1,1,2-Trichloroethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
Dibromochloromethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
1,3-Dichloropropane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
1,2-Dibromoethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
Chlorobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
Ethylbenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-4@3'	Lab Sample ID:	2101286-011A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:16		
SDG:			

Prep Method: 5035	Prep Batch Date/Time: 2/3/21 12:10:00PM
Prep Batch ID: 1129046	Prep Analyst: JZHAO

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
1,1,1,2-Tetrachloroethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
m,p-Xylene	SW8260B	1	0.0032	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
o-Xylene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
Styrene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
Bromoform	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
Isopropyl Benzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
n-Propylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
Bromobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
1,1,1,2-Tetrachloroethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
2-Chlorotoluene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
1,3,5-Trimethylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
1,2,3-Trichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
4-Chlorotoluene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
tert-Butylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
1,2,4-Trimethylbenzene	SW8260B	1	0.0014	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
sec-Butyl Benzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
p-Isopropyltoluene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
1,3-Dichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
1,4-Dichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
n-Butylbenzene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
1,2-Dichlorobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
1,2-Dibromo-3-Chloropropane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
Hexachlorobutadiene	SW8260B	1	0.0014	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
1,2,4-Trichlorobenzene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
Naphthalene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
1,2,3-Trichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	22:20	JZ	454032
2-Butanone	SW8260B	1	0.0023	0.0100	ND		mg/Kg	02/03/21	22:20	JZ	454032
(S) Dibromofluoromethane	SW8260B		59.8 - 148		138		%	02/03/21	22:20	JZ	454032
(S) Toluene-d8	SW8260B		55.2 - 133		113		%	02/03/21	22:20	JZ	454032
(S) 4-Bromofluorobenzene	SW8260B		55.8 - 141		101		%	02/03/21	22:20	JZ	454032



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-4@3'	Lab Sample ID:	2101286-011A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:16		
SDG:			

Prep Method: 5035GRO	Prep Batch Date/Time: 2/3/21	12:10:00PM
Prep Batch ID: 1129047	Prep Analyst: JZHAO	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
TPH as Gasoline	8260TPH	1	0.043	0.10	ND		mg/Kg	02/03/21	22:20	JZ	454032
(S) 4-Bromofluorobenzene	8260TPH		43.9 - 127		43.2	S	%	02/03/21	22:20	JZ	454032

NOTE: Surrogate recovery was outside the control limit due to matrix interference.



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-5@1'	Lab Sample ID: 2101286-013A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 10:25	
SDG:	

Prep Method: 7471BP	Prep Batch Date/Time: 2/1/21	5:40:00PM
Prep Batch ID: 1128969	Prep Analyst: TNGU	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Mercury	SW7471B	1	0.083	0.50	ND		mg/Kg	02/02/21	15:49	BJAY	453987



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-5@1'	Lab Sample ID:	2101286-013A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:25		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/1/21	5:30:00PM
Prep Batch ID: 1128970	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Antimony	SW6010B	1	0.050	5.00	ND		mg/Kg	02/03/21	15:27	TUAN	454013
Arsenic	SW6010B	1	0.15	1.30	6.15		mg/Kg	02/03/21	15:27	TUAN	454013
Barium	SW6010B	1	0.055	5.00	202		mg/Kg	02/03/21	15:27	TUAN	454013
Beryllium	SW6010B	1	0.055	5.00	ND		mg/Kg	02/03/21	15:27	TUAN	454013
Cadmium	SW6010B	1	0.10	5.00	ND		mg/Kg	02/03/21	15:27	TUAN	454013
Chromium	SW6010B	1	0.075	5.00	39.4		mg/Kg	02/03/21	15:27	TUAN	454013
Cobalt	SW6010B	1	0.070	5.00	11.7		mg/Kg	02/03/21	15:27	TUAN	454013
Copper	SW6010B	1	0.20	5.00	42.6		mg/Kg	02/03/21	15:27	TUAN	454013
Lead	SW6010B	1	0.10	3.00	13.6		mg/Kg	02/03/21	15:27	TUAN	454013
Molybdenum	SW6010B	1	0.050	5.00	ND		mg/Kg	02/03/21	15:27	TUAN	454013
Nickel	SW6010B	1	0.50	5.00	56.5		mg/Kg	02/03/21	15:27	TUAN	454013
Selenium	SW6010B	1	0.22	5.00	ND		mg/Kg	02/03/21	15:27	TUAN	454013
Silver	SW6010B	1	0.15	5.00	ND		mg/Kg	02/03/21	15:27	TUAN	454013
Thallium	SW6010B	1	0.55	5.00	ND		mg/Kg	02/03/21	15:27	TUAN	454013
Vanadium	SW6010B	1	0.10	5.00	34.0		mg/Kg	02/03/21	15:27	TUAN	454013
Zinc	SW6010B	1	0.30	5.00	57.5		mg/Kg	02/03/21	15:27	TUAN	454013



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-5@1'	Lab Sample ID:	2101286-013A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:25		
SDG:			

Prep Method: 3546_PCB	Prep Batch Date/Time: 2/2/21	1:38:00PM
Prep Batch ID: 1128983	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Aroclor1016	SW8082A	1	0.0350	0.100	ND		mg/Kg	02/02/21	18:22	MK	453997
Aroclor1221	SW8082A	1	0.00500	0.100	ND		mg/Kg	02/02/21	18:22	MK	453997
Aroclor1232	SW8082A	1	0.0170	0.100	ND		mg/Kg	02/02/21	18:22	MK	453997
Aroclor1242	SW8082A	1	0.00300	0.100	ND		mg/Kg	02/02/21	18:22	MK	453997
Aroclor1248	SW8082A	1	0.00200	0.100	ND		mg/Kg	02/02/21	18:22	MK	453997
Aroclor1254	SW8082A	1	0.0140	0.100	ND		mg/Kg	02/02/21	18:22	MK	453997
Aroclor1260	SW8082A	1	0.0240	0.100	ND		mg/Kg	02/02/21	18:22	MK	453997
Acceptance Limits											
TCMX (S)	SW8082A		48 - 125		76.0		%	02/02/21	18:22	MK	453997
DCBP (S)	SW8082A		48 - 135		82.0		%	02/02/21	18:22	MK	453997



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-5@1'	Lab Sample ID:	2101286-013A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:25		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/2/21	12:49:00PM
Prep Batch ID: 1128982	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	3	0.00038	0.0060	ND		mg/Kg	02/03/21	2:48	MK	454030
gamma-BHC (Lindane)	SW8081B	3	0.00048	0.0060	ND		mg/Kg	02/03/21	2:48	MK	454030
beta-BHC	SW8081B	3	0.00095	0.0060	ND		mg/Kg	02/03/21	2:48	MK	454030
delta-BHC	SW8081B	3	0.00047	0.0060	ND		mg/Kg	02/03/21	2:48	MK	454030
Heptachlor	SW8081B	3	0.00032	0.0060	ND		mg/Kg	02/03/21	2:48	MK	454030
Aldrin	SW8081B	3	0.00059	0.0060	ND		mg/Kg	02/03/21	2:48	MK	454030
Heptachlor Epoxide	SW8081B	3	0.00023	0.0060	ND		mg/Kg	02/03/21	2:48	MK	454030
gamma-Chlordane	SW8081B	3	0.00049	0.0060	ND		mg/Kg	02/03/21	2:48	MK	454030
alpha-Chlordane	SW8081B	3	0.00052	0.0060	ND		mg/Kg	02/03/21	2:48	MK	454030
Endosulfan I	SW8081B	3	0.00055	0.0060	ND		mg/Kg	02/03/21	2:48	MK	454030
Dieldrin	SW8081B	3	0.00044	0.0060	ND		mg/Kg	02/03/21	2:48	MK	454030
Endrin	SW8081B	3	0.00056	0.0060	ND		mg/Kg	02/03/21	2:48	MK	454030
4,4'-DDD	SW8081B	3	0.0017	0.0060	ND		mg/Kg	02/03/21	2:48	MK	454030
Endosulfan II	SW8081B	3	0.0017	0.0060	ND		mg/Kg	02/03/21	2:48	MK	454030
4,4'-DDT	SW8081B	3	0.00039	0.0060	0.0490		mg/Kg	02/03/21	2:48	MK	454030
Endrin Aldehyde	SW8081B	3	0.00045	0.0060	ND		mg/Kg	02/03/21	2:48	MK	454030
Methoxychlor	SW8081B	3	0.00060	0.0060	ND		mg/Kg	02/03/21	2:48	MK	454030
Endosulfan Sulfate	SW8081B	3	0.00035	0.0060	ND		mg/Kg	02/03/21	2:48	MK	454030
Endrin Ketone	SW8081B	3	0.00028	0.0060	ND		mg/Kg	02/03/21	2:48	MK	454030
Chlordane	SW8081B	3	0.0063	0.060	ND		mg/Kg	02/03/21	2:48	MK	454030
Toxaphene	SW8081B	3	0.026	0.15	ND		mg/Kg	02/03/21	2:48	MK	454030
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		61.1		%	02/03/21	2:48	MK	454030
DCBP (S)	SW8081B		38 - 135		63.5		%	02/03/21	2:48	MK	454030

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-5@1'	Lab Sample ID: 2101286-013A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 10:25	
SDG:	

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/2/21	12:49:00PM
Prep Batch ID: 1128982	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
4,4'-DDE	SW8081B	5	0.00097	0.010	0.175		mg/Kg	02/03/21	15:06	MK	454030



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-5@1'	Lab Sample ID:	2101286-013A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:25		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
N-Nitrosodimethylamine	SW8270C	1	0.0469	0.720	ND		mg/Kg	02/02/21	21:05	MT	453975
Phenol	SW8270C	1	0.0438	0.288	ND		mg/Kg	02/02/21	21:05	MT	453975
Bis(2-chloroethyl)ether	SW8270C	1	0.0133	0.144	ND		mg/Kg	02/02/21	21:05	MT	453975
2-Chlorophenol	SW8270C	1	0.0477	0.288	ND		mg/Kg	02/02/21	21:05	MT	453975
1,3-Dichlorobenzene	SW8270C	1	0.0131	0.144	ND		mg/Kg	02/02/21	21:05	MT	453975
1,4-Dichlorobenzene	SW8270C	1	0.0146	0.144	ND		mg/Kg	02/02/21	21:05	MT	453975
Benzyl Alcohol	SW8270C	1	0.0205	0.288	ND		mg/Kg	02/02/21	21:05	MT	453975
1,2-Dichlorobenzene	SW8270C	1	0.0135	0.144	ND		mg/Kg	02/02/21	21:05	MT	453975
2-Methylphenol (o-Cresol)	SW8270C	1	0.0293	0.288	ND		mg/Kg	02/02/21	21:05	MT	453975
N-Methyl-2-Pyrrolidone (NMP)	SW8270C	1	0.0680	0.720	ND		mg/Kg	02/02/21	21:05	MT	453975
3-/4-Methylphenol (p-/m-Cresol)	SW8270C	1	0.0313	0.288	ND		mg/Kg	02/02/21	21:05	MT	453975
N-nitroso-di-n-propylamine	SW8270C	1	0.0132	0.144	ND		mg/Kg	02/02/21	21:05	MT	453975
Hexachloroethane	SW8270C	1	0.0171	0.144	ND		mg/Kg	02/02/21	21:05	MT	453975
Nitrobenzene	SW8270C	1	0.0128	0.144	ND		mg/Kg	02/02/21	21:05	MT	453975
Isophorone	SW8270C	1	0.0122	0.144	ND		mg/Kg	02/02/21	21:05	MT	453975
2-Nitrophenol	SW8270C	1	0.0254	0.288	ND		mg/Kg	02/02/21	21:05	MT	453975
2,4-Dimethylphenol	SW8270C	1	0.0228	0.288	ND		mg/Kg	02/02/21	21:05	MT	453975
Benzoic Acid	SW8270C	1	0.0417	0.288	ND		mg/Kg	02/02/21	21:05	MT	453975
Bis(2-Chloroethoxy)methane	SW8270C	1	0.00979	0.144	ND		mg/Kg	02/02/21	21:05	MT	453975
Bis(2-chloroisopropyl)ether	SW8270C	1	0.0126	0.144	ND		mg/Kg	02/02/21	21:05	MT	453975
2,4-Dichlorophenol	SW8270C	1	0.0393	0.288	ND		mg/Kg	02/02/21	21:05	MT	453975
1,2,4-Trichlorobenzene	SW8270C	1	0.0118	0.144	ND		mg/Kg	02/02/21	21:05	MT	453975
Naphthalene	SW8270C	1	0.0106	0.144	ND		mg/Kg	02/02/21	21:05	MT	453975
2,6-Dichlorophenol	SW8270C	1	0.0358	0.288	ND		mg/Kg	02/02/21	21:05	MT	453975
Hexachloro-1,3-butadiene	SW8270C	1	0.00834	0.144	ND		mg/Kg	02/02/21	21:05	MT	453975
4-Chloro-3-methylphenol	SW8270C	1	0.0338	0.288	ND		mg/Kg	02/02/21	21:05	MT	453975
2-Methylnaphthalene	SW8270C	1	0.0104	0.144	ND		mg/Kg	02/02/21	21:05	MT	453975
1-Methylnaphthalene	SW8270C	1	0.0122	0.144	ND		mg/Kg	02/02/21	21:05	MT	453975
Hexachlorocyclopentadiene	SW8270C	1	0.0129	0.144	ND		mg/Kg	02/02/21	21:05	MT	453975
2,4,6-Trichlorophenol	SW8270C	1	0.0359	0.288	ND		mg/Kg	02/02/21	21:05	MT	453975
2,4,5-Trichlorophenol	SW8270C	1	0.0334	0.288	ND		mg/Kg	02/02/21	21:05	MT	453975
2-Chloronaphthalene	SW8270C	1	0.0106	0.144	ND		mg/Kg	02/02/21	21:05	MT	453975
1,4-Dinitrobenzene	SW8270C	1	0.0103	0.144	ND		mg/Kg	02/02/21	21:05	MT	453975
Dimethyl phthalate	SW8270C	1	0.0142	0.720	ND		mg/Kg	02/02/21	21:05	MT	453975
1,3-Dinitrobenzene	SW8270C	1	0.0104	0.144	ND		mg/Kg	02/02/21	21:05	MT	453975
Acenaphthylene	SW8270C	1	0.00828	0.144	ND		mg/Kg	02/02/21	21:05	MT	453975
2,6-Dinitrotoluene	SW8270C	1	0.0113	0.144	ND		mg/Kg	02/02/21	21:05	MT	453975
1,2-Dinitrobenzene	SW8270C	1	0.0158	0.144	ND		mg/Kg	02/02/21	21:05	MT	453975
Acenaphthene	SW8270C	1	0.0107	0.144	ND		mg/Kg	02/02/21	21:05	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-5@1'	Lab Sample ID:	2101286-013A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:25		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
2,4-Dinitrophenol	SW8270C	1	0.0776	0.720	ND		mg/Kg	02/02/21	21:05	MT	453975
4-Nitrophenol	SW8270C	1	0.0547	0.720	ND		mg/Kg	02/02/21	21:05	MT	453975
Dibenzofuran	SW8270C	1	0.0112	0.144	ND		mg/Kg	02/02/21	21:05	MT	453975
2,4-Dinitrotoluene	SW8270C	1	0.0121	0.144	ND		mg/Kg	02/02/21	21:05	MT	453975
2,3,5,6-Tetrachlorophenol	SW8270C	1	0.0276	0.288	ND		mg/Kg	02/02/21	21:05	MT	453975
2,3,4,6-Tetrachlorophenol	SW8270C	1	0.0315	0.288	ND		mg/Kg	02/02/21	21:05	MT	453975
Diethylphthalate	SW8270C	1	0.0136	0.720	ND		mg/Kg	02/02/21	21:05	MT	453975
Fluorene	SW8270C	1	0.0103	0.144	ND		mg/Kg	02/02/21	21:05	MT	453975
4-Chlorophenyl-phenylether	SW8270C	1	0.00932	0.144	ND		mg/Kg	02/02/21	21:05	MT	453975
4,6-Dinitro-2-methylphenol	SW8270C	1	0.0134	0.288	ND		mg/Kg	02/02/21	21:05	MT	453975
Diphenylamine	SW8270C	1	0.0130	0.144	ND		mg/Kg	02/02/21	21:05	MT	453975
Azobenzene	SW8270C	1	0.114	0.144	ND		mg/Kg	02/02/21	21:05	MT	453975
4-Bromophenyl-phenylether	SW8270C	1	0.00823	0.144	ND		mg/Kg	02/02/21	21:05	MT	453975
Hexachlorobenzene	SW8270C	1	0.00866	0.144	ND		mg/Kg	02/02/21	21:05	MT	453975
Pentachlorophenol	SW8270C	1	0.0250	0.288	ND		mg/Kg	02/02/21	21:05	MT	453975
Phenanthrene	SW8270C	1	0.00932	0.144	0.318		mg/Kg	02/02/21	21:05	MT	453975
Anthracene	SW8270C	1	0.00891	0.144	ND		mg/Kg	02/02/21	21:05	MT	453975
Carbazole	SW8270C	1	0.0107	0.144	ND		mg/Kg	02/02/21	21:05	MT	453975
Di-n-butylphthalate	SW8270C	1	0.0135	0.144	ND		mg/Kg	02/02/21	21:05	MT	453975
Fluoranthene	SW8270C	1	0.01000	0.144	0.420		mg/Kg	02/02/21	21:05	MT	453975
Benzidine	SW8270C	1	0.147	0.144	ND		mg/Kg	02/02/21	21:05	MT	453975
Pyrene	SW8270C	1	0.0120	0.144	0.354		mg/Kg	02/02/21	21:05	MT	453975
Butylbenzylphthalate	SW8270C	1	0.0210	0.720	ND		mg/Kg	02/02/21	21:05	MT	453975
Benzo(a)anthracene	SW8270C	1	0.00980	0.144	0.189		mg/Kg	02/02/21	21:05	MT	453975
3,3-Dichlorobenzidine	SW8270C	1	0.118	0.144	ND		mg/Kg	02/02/21	21:05	MT	453975
Chrysene	SW8270C	1	0.0152	0.144	0.158		mg/Kg	02/02/21	21:05	MT	453975
Bis(2-Ethylhexyl)phthalate	SW8270C	1	0.0153	0.720	ND		mg/Kg	02/02/21	21:05	MT	453975
Di-n-Octylphthalate	SW8270C	1	0.0123	0.144	ND		mg/Kg	02/02/21	21:05	MT	453975
Benzo(b)fluorathene	SW8270C	1	0.0120	0.144	0.191		mg/Kg	02/02/21	21:05	MT	453975
benzo(k)fluorathene	SW8270C	1	0.00816	0.144	ND		mg/Kg	02/02/21	21:05	MT	453975
Benzo(a)pyrene	SW8270C	1	0.00980	0.144	0.172		mg/Kg	02/02/21	21:05	MT	453975
Indeno(1,2,3-c,d)pyrene	SW8270C	1	0.0138	0.144	ND		mg/Kg	02/02/21	21:05	MT	453975
Dibenzo(a,h)anthracene	SW8270C	1	0.0127	0.144	ND		mg/Kg	02/02/21	21:05	MT	453975
Benzo(g,h,i)perylene	SW8270C	1	0.0167	0.144	ND		mg/Kg	02/02/21	21:05	MT	453975
Pyridine	SW8270C	1	0.0438	0.720	ND		mg/Kg	02/02/21	21:05	MT	453975
Acceptance Limits											
2-Fluorophenol (S)	SW8270C		25 - 121		64.5		%	02/02/21	21:05	MT	453975
Phenol-d6 (S)	SW8270C		24 - 113		68.5		%	02/02/21	21:05	MT	453975
2,4,6-Tribromophenol (S)	SW8270C		19 - 122		75.7		%	02/02/21	21:05	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-5@1'	Lab Sample ID: 2101286-013A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 10:25	
SDG:	

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
2-Fluorobiphenyl (S)	SW8270C		45 - 143		78.0		%	02/02/21	21:05	MT	453975
Nitrobenzene-d5 (S)	SW8270C		23 - 120		73.1		%	02/02/21	21:05	MT	453975
Terphenyl-d14 (S)	SW8270C		18 - 137		80.5		%	02/02/21	21:05	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-5@1'	Lab Sample ID:	2101286-013A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:25		
SDG:			

Prep Method: 3546_TPHSG	Prep Batch Date/Time: 2/2/21	4:34:00PM
Prep Batch ID: 1128998	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
TPH as Diesel (SG)	SW8015B	1	0.85	2.0	ND		mg/Kg	02/03/21	18:05	SN	454044
TPH as Motor Oil (SG)	SW8015B	1	3.2	10	ND		mg/Kg	02/03/21	18:05	SN	454044
			Acceptance Limits								
Pentacosane (S)	SW8015B		40 - 129		57.1		%	02/03/21	18:05	SN	454044



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-5@1'	Lab Sample ID:	2101286-013A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:25		
SDG:			

Prep Method: 5035	Prep Batch Date/Time: 2/4/21 9:54:00AM
Prep Batch ID: 1129050	Prep Analyst: ADEB

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Dichlorodifluoromethane	SW8260B	1	0.0012	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
Chloromethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
Vinyl Chloride	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
Bromomethane	SW8260B	1	0.0027	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
Chloroethane	SW8260B	1	0.0030	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
Trichlorofluoromethane	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
1,1-Dichloroethene	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
Freon 113	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
Methylene Chloride	SW8260B	1	0.0071	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
trans-1,2-Dichloroethene	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
MTBE	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
TBA	SW8260B	1	0.012	0.050	ND		mg/Kg	02/04/21	12:53	AD	454037
Diisopropyl ether	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
1,1-Dichloroethane	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
Ethyl tert-Butyl ether	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
cis-1,2-Dichloroethene	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
2,2-Dichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
Bromochloromethane	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
Chloroform	SW8260B	1	0.0024	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
Carbon Tetrachloride	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
1,1,1-Trichloroethane	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
1,1-Dichloropropene	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
Benzene	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
TAME	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
1,2-Dichloroethane	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
Trichloroethylene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
Dibromomethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
1,2-Dichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
Bromodichloromethane	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
cis-1,3-Dichloropropene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
Toluene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
Tetrachloroethylene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
trans-1,3-Dichloropropene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
1,1,2-Trichloroethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
Dibromochloromethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
1,3-Dichloropropane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
1,2-Dibromoethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
Chlorobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
Ethylbenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-5@1'	Lab Sample ID:	2101286-013A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:25		
SDG:			

Prep Method: 5035	Prep Batch Date/Time: 2/4/21 9:54:00AM
Prep Batch ID: 1129050	Prep Analyst: ADEB

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
1,1,1,2-Tetrachloroethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
m,p-Xylene	SW8260B	1	0.0032	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
o-Xylene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
Styrene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
Bromoform	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
Isopropyl Benzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
n-Propylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
Bromobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
1,1,2,2-Tetrachloroethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
2-Chlorotoluene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
1,3,5-Trimethylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
1,2,3-Trichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
4-Chlorotoluene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
tert-Butylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
1,2,4-Trimethylbenzene	SW8260B	1	0.0014	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
sec-Butyl Benzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
p-Isopropyltoluene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
1,3-Dichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
1,4-Dichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
n-Butylbenzene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
1,2-Dichlorobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
1,2-Dibromo-3-Chloropropane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
Hexachlorobutadiene	SW8260B	1	0.0014	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
1,2,4-Trichlorobenzene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
Naphthalene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
1,2,3-Trichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/04/21	12:53	AD	454037
2-Butanone	SW8260B	1	0.0023	0.0100	ND		mg/Kg	02/04/21	12:53	AD	454037
(S) Dibromofluoromethane	SW8260B		59.8 - 148		79.9		%	02/04/21	12:53	AD	454037
(S) Toluene-d8	SW8260B		55.2 - 133		98.2		%	02/04/21	12:53	AD	454037
(S) 4-Bromofluorobenzene	SW8260B		55.8 - 141		87.2		%	02/04/21	12:53	AD	454037



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-5@1'	Lab Sample ID: 2101286-013A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 10:25	
SDG:	

Prep Method: 5035GRO	Prep Batch Date/Time: 2/4/21	9:50:00AM
Prep Batch ID: 1129045	Prep Analyst: ADEB	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
TPH as Gasoline	8260TPH	1	0.043	0.10	ND		mg/Kg	02/03/21	18:53	AD	454028
(S) 4-Bromofluorobenzene	8260TPH		43.9 - 127		76.2		%	02/03/21	18:53	AD	454028



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-5@3'	Lab Sample ID: 2101286-014A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 10:27	
SDG:	

Prep Method: 7471BP	Prep Batch Date/Time: 2/1/21	5:40:00PM
Prep Batch ID: 1128969	Prep Analyst: TNGU	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Mercury	SW7471B	1	0.083	0.50	ND		mg/Kg	02/02/21	15:55	BJAY	453987



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-5@3'	Lab Sample ID:	2101286-014A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:27		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/1/21	5:30:00PM
Prep Batch ID: 1128970	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Antimony	SW6010B	1	0.050	5.00	ND		mg/Kg	02/03/21	15:33	TUAN	454013
Arsenic	SW6010B	1	0.15	1.30	6.60		mg/Kg	02/03/21	15:33	TUAN	454013
Barium	SW6010B	1	0.055	5.00	234		mg/Kg	02/03/21	15:33	TUAN	454013
Beryllium	SW6010B	1	0.055	5.00	ND		mg/Kg	02/03/21	15:33	TUAN	454013
Cadmium	SW6010B	1	0.10	5.00	ND		mg/Kg	02/03/21	15:33	TUAN	454013
Chromium	SW6010B	1	0.075	5.00	42.9		mg/Kg	02/03/21	15:33	TUAN	454013
Cobalt	SW6010B	1	0.070	5.00	12.9		mg/Kg	02/03/21	15:33	TUAN	454013
Copper	SW6010B	1	0.20	5.00	34.3		mg/Kg	02/03/21	15:33	TUAN	454013
Lead	SW6010B	1	0.10	3.00	10.2		mg/Kg	02/03/21	15:33	TUAN	454013
Molybdenum	SW6010B	1	0.050	5.00	ND		mg/Kg	02/03/21	15:33	TUAN	454013
Nickel	SW6010B	1	0.50	5.00	65.0		mg/Kg	02/03/21	15:33	TUAN	454013
Selenium	SW6010B	1	0.22	5.00	ND		mg/Kg	02/03/21	15:33	TUAN	454013
Silver	SW6010B	1	0.15	5.00	ND		mg/Kg	02/03/21	15:33	TUAN	454013
Thallium	SW6010B	1	0.55	5.00	ND		mg/Kg	02/03/21	15:33	TUAN	454013
Vanadium	SW6010B	1	0.10	5.00	34.9		mg/Kg	02/03/21	15:33	TUAN	454013
Zinc	SW6010B	1	0.30	5.00	62.5		mg/Kg	02/03/21	15:33	TUAN	454013



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-5@3'	Lab Sample ID:	2101286-014A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:27		
SDG:			

Prep Method: 3546_PCB	Prep Batch Date/Time: 2/2/21	1:38:00PM
Prep Batch ID: 1128983	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Aroclor1016	SW8082A	1	0.0350	0.100	ND		mg/Kg	02/02/21	18:37	MK	453997
Aroclor1221	SW8082A	1	0.00500	0.100	ND		mg/Kg	02/02/21	18:37	MK	453997
Aroclor1232	SW8082A	1	0.0170	0.100	ND		mg/Kg	02/02/21	18:37	MK	453997
Aroclor1242	SW8082A	1	0.00300	0.100	ND		mg/Kg	02/02/21	18:37	MK	453997
Aroclor1248	SW8082A	1	0.00200	0.100	ND		mg/Kg	02/02/21	18:37	MK	453997
Aroclor1254	SW8082A	1	0.0140	0.100	ND		mg/Kg	02/02/21	18:37	MK	453997
Aroclor1260	SW8082A	1	0.0240	0.100	ND		mg/Kg	02/02/21	18:37	MK	453997
Acceptance Limits											
TCMX (S)	SW8082A		48 - 125		78.0		%	02/02/21	18:37	MK	453997
DCBP (S)	SW8082A		48 - 135		83.0		%	02/02/21	18:37	MK	453997



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-5@3'	Lab Sample ID:	2101286-014A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:27		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/2/21	12:49:00PM
Prep Batch ID: 1128982	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
alpha-BHC	SW8081B	1	0.00013	0.0020	ND		mg/Kg	02/03/21	3:02	MK	454030
gamma-BHC (Lindane)	SW8081B	1	0.00016	0.0020	ND		mg/Kg	02/03/21	3:02	MK	454030
beta-BHC	SW8081B	1	0.00032	0.0020	ND		mg/Kg	02/03/21	3:02	MK	454030
delta-BHC	SW8081B	1	0.00016	0.0020	ND		mg/Kg	02/03/21	3:02	MK	454030
Heptachlor	SW8081B	1	0.00011	0.0020	ND		mg/Kg	02/03/21	3:02	MK	454030
Aldrin	SW8081B	1	0.00020	0.0020	ND		mg/Kg	02/03/21	3:02	MK	454030
Heptachlor Epoxide	SW8081B	1	0.000078	0.0020	ND		mg/Kg	02/03/21	3:02	MK	454030
gamma-Chlordane	SW8081B	1	0.00016	0.0020	ND		mg/Kg	02/03/21	3:02	MK	454030
alpha-Chlordane	SW8081B	1	0.00017	0.0020	ND		mg/Kg	02/03/21	3:02	MK	454030
4,4'-DDE	SW8081B	1	0.00019	0.0020	0.00490		mg/Kg	02/03/21	3:02	MK	454030
Endosulfan I	SW8081B	1	0.00018	0.0020	ND		mg/Kg	02/03/21	3:02	MK	454030
Dieldrin	SW8081B	1	0.00015	0.0020	ND		mg/Kg	02/03/21	3:02	MK	454030
Endrin	SW8081B	1	0.00019	0.0020	ND		mg/Kg	02/03/21	3:02	MK	454030
4,4'-DDD	SW8081B	1	0.00057	0.0020	ND		mg/Kg	02/03/21	3:02	MK	454030
Endosulfan II	SW8081B	1	0.00058	0.0020	ND		mg/Kg	02/03/21	3:02	MK	454030
4,4'-DDT	SW8081B	1	0.00013	0.0020	ND		mg/Kg	02/03/21	3:02	MK	454030
Endrin Aldehyde	SW8081B	1	0.00015	0.0020	ND		mg/Kg	02/03/21	3:02	MK	454030
Methoxychlor	SW8081B	1	0.00020	0.0020	ND		mg/Kg	02/03/21	3:02	MK	454030
Endosulfan Sulfate	SW8081B	1	0.00012	0.0020	ND		mg/Kg	02/03/21	3:02	MK	454030
Endrin Ketone	SW8081B	1	0.000094	0.0020	ND		mg/Kg	02/03/21	3:02	MK	454030
Chlordane	SW8081B	1	0.0021	0.020	ND		mg/Kg	02/03/21	3:02	MK	454030
Toxaphene	SW8081B	1	0.0085	0.050	ND		mg/Kg	02/03/21	3:02	MK	454030
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		65.3		%	02/03/21	3:02	MK	454030
DCBP (S)	SW8081B		38 - 135		62.6		%	02/03/21	3:02	MK	454030



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-5@3'	Lab Sample ID:	2101286-014A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:27		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
N-Nitrosodimethylamine	SW8270C	1	0.0469	0.720	ND		mg/Kg	02/02/21	21:36	MT	453975
Phenol	SW8270C	1	0.0438	0.288	ND		mg/Kg	02/02/21	21:36	MT	453975
Bis(2-chloroethyl)ether	SW8270C	1	0.0133	0.144	ND		mg/Kg	02/02/21	21:36	MT	453975
2-Chlorophenol	SW8270C	1	0.0477	0.288	ND		mg/Kg	02/02/21	21:36	MT	453975
1,3-Dichlorobenzene	SW8270C	1	0.0131	0.144	ND		mg/Kg	02/02/21	21:36	MT	453975
1,4-Dichlorobenzene	SW8270C	1	0.0146	0.144	ND		mg/Kg	02/02/21	21:36	MT	453975
Benzyl Alcohol	SW8270C	1	0.0205	0.288	ND		mg/Kg	02/02/21	21:36	MT	453975
1,2-Dichlorobenzene	SW8270C	1	0.0135	0.144	ND		mg/Kg	02/02/21	21:36	MT	453975
2-Methylphenol (o-Cresol)	SW8270C	1	0.0293	0.288	ND		mg/Kg	02/02/21	21:36	MT	453975
N-Methyl-2-Pyrrolidone (NMP)	SW8270C	1	0.0680	0.720	ND		mg/Kg	02/02/21	21:36	MT	453975
3-/4-Methylphenol (p-/m-Cresol)	SW8270C	1	0.0313	0.288	ND		mg/Kg	02/02/21	21:36	MT	453975
N-nitroso-di-n-propylamine	SW8270C	1	0.0132	0.144	ND		mg/Kg	02/02/21	21:36	MT	453975
Hexachloroethane	SW8270C	1	0.0171	0.144	ND		mg/Kg	02/02/21	21:36	MT	453975
Nitrobenzene	SW8270C	1	0.0128	0.144	ND		mg/Kg	02/02/21	21:36	MT	453975
Isophorone	SW8270C	1	0.0122	0.144	ND		mg/Kg	02/02/21	21:36	MT	453975
2-Nitrophenol	SW8270C	1	0.0254	0.288	ND		mg/Kg	02/02/21	21:36	MT	453975
2,4-Dimethylphenol	SW8270C	1	0.0228	0.288	ND		mg/Kg	02/02/21	21:36	MT	453975
Benzoic Acid	SW8270C	1	0.0417	0.288	ND		mg/Kg	02/02/21	21:36	MT	453975
Bis(2-Chloroethoxy)methane	SW8270C	1	0.00979	0.144	ND		mg/Kg	02/02/21	21:36	MT	453975
Bis(2-chloroisopropyl)ether	SW8270C	1	0.0126	0.144	ND		mg/Kg	02/02/21	21:36	MT	453975
2,4-Dichlorophenol	SW8270C	1	0.0393	0.288	ND		mg/Kg	02/02/21	21:36	MT	453975
1,2,4-Trichlorobenzene	SW8270C	1	0.0118	0.144	ND		mg/Kg	02/02/21	21:36	MT	453975
Naphthalene	SW8270C	1	0.0106	0.144	ND		mg/Kg	02/02/21	21:36	MT	453975
2,6-Dichlorophenol	SW8270C	1	0.0358	0.288	ND		mg/Kg	02/02/21	21:36	MT	453975
Hexachloro-1,3-butadiene	SW8270C	1	0.00834	0.144	ND		mg/Kg	02/02/21	21:36	MT	453975
4-Chloro-3-methylphenol	SW8270C	1	0.0338	0.288	ND		mg/Kg	02/02/21	21:36	MT	453975
2-Methylnaphthalene	SW8270C	1	0.0104	0.144	ND		mg/Kg	02/02/21	21:36	MT	453975
1-Methylnaphthalene	SW8270C	1	0.0122	0.144	ND		mg/Kg	02/02/21	21:36	MT	453975
Hexachlorocyclopentadiene	SW8270C	1	0.0129	0.144	ND		mg/Kg	02/02/21	21:36	MT	453975
2,4,6-Trichlorophenol	SW8270C	1	0.0359	0.288	ND		mg/Kg	02/02/21	21:36	MT	453975
2,4,5-Trichlorophenol	SW8270C	1	0.0334	0.288	ND		mg/Kg	02/02/21	21:36	MT	453975
2-Chloronaphthalene	SW8270C	1	0.0106	0.144	ND		mg/Kg	02/02/21	21:36	MT	453975
1,4-Dinitrobenzene	SW8270C	1	0.0103	0.144	ND		mg/Kg	02/02/21	21:36	MT	453975
Dimethyl phthalate	SW8270C	1	0.0142	0.720	ND		mg/Kg	02/02/21	21:36	MT	453975
1,3-Dinitrobenzene	SW8270C	1	0.0104	0.144	ND		mg/Kg	02/02/21	21:36	MT	453975
Acenaphthylene	SW8270C	1	0.00828	0.144	ND		mg/Kg	02/02/21	21:36	MT	453975
2,6-Dinitrotoluene	SW8270C	1	0.0113	0.144	ND		mg/Kg	02/02/21	21:36	MT	453975
1,2-Dinitrobenzene	SW8270C	1	0.0158	0.144	ND		mg/Kg	02/02/21	21:36	MT	453975
Acenaphthene	SW8270C	1	0.0107	0.144	ND		mg/Kg	02/02/21	21:36	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-5@3'	Lab Sample ID:	2101286-014A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:27		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
2,4-Dinitrophenol	SW8270C	1	0.0776	0.720	ND		mg/Kg	02/02/21	21:36	MT	453975
4-Nitrophenol	SW8270C	1	0.0547	0.720	ND		mg/Kg	02/02/21	21:36	MT	453975
Dibenzofuran	SW8270C	1	0.0112	0.144	ND		mg/Kg	02/02/21	21:36	MT	453975
2,4-Dinitrotoluene	SW8270C	1	0.0121	0.144	ND		mg/Kg	02/02/21	21:36	MT	453975
2,3,5,6-Tetrachlorophenol	SW8270C	1	0.0276	0.288	ND		mg/Kg	02/02/21	21:36	MT	453975
2,3,4,6-Tetrachlorophenol	SW8270C	1	0.0315	0.288	ND		mg/Kg	02/02/21	21:36	MT	453975
Diethylphthalate	SW8270C	1	0.0136	0.720	ND		mg/Kg	02/02/21	21:36	MT	453975
Fluorene	SW8270C	1	0.0103	0.144	ND		mg/Kg	02/02/21	21:36	MT	453975
4-Chlorophenyl-phenylether	SW8270C	1	0.00932	0.144	ND		mg/Kg	02/02/21	21:36	MT	453975
4,6-Dinitro-2-methylphenol	SW8270C	1	0.0134	0.288	ND		mg/Kg	02/02/21	21:36	MT	453975
Diphenylamine	SW8270C	1	0.0130	0.144	ND		mg/Kg	02/02/21	21:36	MT	453975
Azobenzene	SW8270C	1	0.114	0.144	ND		mg/Kg	02/02/21	21:36	MT	453975
4-Bromophenyl-phenylether	SW8270C	1	0.00823	0.144	ND		mg/Kg	02/02/21	21:36	MT	453975
Hexachlorobenzene	SW8270C	1	0.00866	0.144	ND		mg/Kg	02/02/21	21:36	MT	453975
Pentachlorophenol	SW8270C	1	0.0250	0.288	ND		mg/Kg	02/02/21	21:36	MT	453975
Phenanthrene	SW8270C	1	0.00932	0.144	ND		mg/Kg	02/02/21	21:36	MT	453975
Anthracene	SW8270C	1	0.00891	0.144	ND		mg/Kg	02/02/21	21:36	MT	453975
Carbazole	SW8270C	1	0.0107	0.144	ND		mg/Kg	02/02/21	21:36	MT	453975
Di-n-butylphthalate	SW8270C	1	0.0135	0.144	ND		mg/Kg	02/02/21	21:36	MT	453975
Fluoranthene	SW8270C	1	0.01000	0.144	ND		mg/Kg	02/02/21	21:36	MT	453975
Benzidine	SW8270C	1	0.147	0.144	ND		mg/Kg	02/02/21	21:36	MT	453975
Pyrene	SW8270C	1	0.0120	0.144	ND		mg/Kg	02/02/21	21:36	MT	453975
Butylbenzylphthalate	SW8270C	1	0.0210	0.720	ND		mg/Kg	02/02/21	21:36	MT	453975
Benzo(a)anthracene	SW8270C	1	0.00980	0.144	ND		mg/Kg	02/02/21	21:36	MT	453975
3,3-Dichlorobenzidine	SW8270C	1	0.118	0.144	ND		mg/Kg	02/02/21	21:36	MT	453975
Chrysene	SW8270C	1	0.0152	0.144	ND		mg/Kg	02/02/21	21:36	MT	453975
Bis(2-Ethylhexyl)phthalate	SW8270C	1	0.0153	0.720	ND		mg/Kg	02/02/21	21:36	MT	453975
Di-n-Octylphthalate	SW8270C	1	0.0123	0.144	ND		mg/Kg	02/02/21	21:36	MT	453975
Benzo(b)fluorathene	SW8270C	1	0.0120	0.144	ND		mg/Kg	02/02/21	21:36	MT	453975
benzo(k)fluorathene	SW8270C	1	0.00816	0.144	ND		mg/Kg	02/02/21	21:36	MT	453975
Benzo(a)pyrene	SW8270C	1	0.00980	0.144	ND		mg/Kg	02/02/21	21:36	MT	453975
Indeno(1,2,3-c,d)pyrene	SW8270C	1	0.0138	0.144	ND		mg/Kg	02/02/21	21:36	MT	453975
Dibenzo(a,h)anthracene	SW8270C	1	0.0127	0.144	ND		mg/Kg	02/02/21	21:36	MT	453975
Benzo(g,h,i)perylene	SW8270C	1	0.0167	0.144	ND		mg/Kg	02/02/21	21:36	MT	453975
Pyridine	SW8270C	1	0.0438	0.720	ND		mg/Kg	02/02/21	21:36	MT	453975
Acceptance Limits											
2-Fluorophenol (S)	SW8270C		25 - 121		65.2		%	02/02/21	21:36	MT	453975
Phenol-d6 (S)	SW8270C		24 - 113		70.6		%	02/02/21	21:36	MT	453975
2,4,6-Tribromophenol (S)	SW8270C		19 - 122		70.0		%	02/02/21	21:36	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-5@3'	Lab Sample ID:	2101286-014A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:27		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
2-Fluorobiphenyl (S)	SW8270C		45 - 143		77.3		%	02/02/21	21:36	MT	453975
Nitrobenzene-d5 (S)	SW8270C		23 - 120		77.3		%	02/02/21	21:36	MT	453975
Terphenyl-d14 (S)	SW8270C		18 - 137		78.5		%	02/02/21	21:36	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-5@3'	Lab Sample ID: 2101286-014A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 10:27	
SDG:	

Prep Method: 3546_TPHSG	Prep Batch Date/Time: 2/2/21	4:34:00PM
Prep Batch ID: 1128998	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
TPH as Diesel (SG)	SW8015B	1	0.85	2.0	ND		mg/Kg	02/03/21	18:29	SN	454044
TPH as Motor Oil (SG)	SW8015B	1	3.2	10	ND		mg/Kg	02/03/21	18:29	SN	454044
			Acceptance Limits								
Pentacosane (S)	SW8015B		40 - 129		59.0		%	02/03/21	18:29	SN	454044



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-5@3'	Lab Sample ID:	2101286-014A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:27		
SDG:			

Prep Method: 5035	Prep Batch Date/Time: 2/4/21 9:50:00AM
Prep Batch ID: 1129044	Prep Analyst: ADEB

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Dichlorodifluoromethane	SW8260B	1	0.0012	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
Chloromethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
Vinyl Chloride	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
Bromomethane	SW8260B	1	0.0027	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
Chloroethane	SW8260B	1	0.0030	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
Trichlorofluoromethane	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
1,1-Dichloroethene	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
Freon 113	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
Methylene Chloride	SW8260B	1	0.0071	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
trans-1,2-Dichloroethene	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
MTBE	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
TBA	SW8260B	1	0.012	0.050	ND		mg/Kg	02/03/21	19:23	AD	454028
Diisopropyl ether	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
1,1-Dichloroethane	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
Ethyl tert-Butyl ether	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
cis-1,2-Dichloroethene	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
2,2-Dichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
Bromochloromethane	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
Chloroform	SW8260B	1	0.0024	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
Carbon Tetrachloride	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
1,1,1-Trichloroethane	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
1,1-Dichloropropene	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
Benzene	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
TAME	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
1,2-Dichloroethane	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
Trichloroethylene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
Dibromomethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
1,2-Dichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
Bromodichloromethane	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
cis-1,3-Dichloropropene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
Toluene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
Tetrachloroethylene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
trans-1,3-Dichloropropene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
1,1,2-Trichloroethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
Dibromochloromethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
1,3-Dichloropropane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
1,2-Dibromoethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
Chlorobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
Ethylbenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-5@3'	Lab Sample ID:	2101286-014A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:27		
SDG:			

Prep Method: 5035	Prep Batch Date/Time: 2/4/21 9:50:00AM
Prep Batch ID: 1129044	Prep Analyst: ADEB

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
1,1,1,2-Tetrachloroethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
m,p-Xylene	SW8260B	1	0.0032	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
o-Xylene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
Styrene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
Bromoform	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
Isopropyl Benzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
n-Propylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
Bromobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
1,1,1,2-Tetrachloroethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
2-Chlorotoluene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
1,3,5-Trimethylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
1,2,3-Trichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
4-Chlorotoluene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
tert-Butylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
1,2,4-Trimethylbenzene	SW8260B	1	0.0014	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
sec-Butyl Benzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
p-Isopropyltoluene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
1,3-Dichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
1,4-Dichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
n-Butylbenzene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
1,2-Dichlorobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
1,2-Dibromo-3-Chloropropane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
Hexachlorobutadiene	SW8260B	1	0.0014	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
1,2,4-Trichlorobenzene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
Naphthalene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
1,2,3-Trichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	19:23	AD	454028
2-Butanone	SW8260B	1	0.0023	0.0100	ND		mg/Kg	02/03/21	19:23	AD	454028
(S) Dibromofluoromethane	SW8260B		59.8 - 148		87.5		%	02/03/21	19:23	AD	454028
(S) Toluene-d8	SW8260B		55.2 - 133		96.7		%	02/03/21	19:23	AD	454028
(S) 4-Bromofluorobenzene	SW8260B		55.8 - 141		88.3		%	02/03/21	19:23	AD	454028



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-5@3'	Lab Sample ID: 2101286-014A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 10:27	
SDG:	

Prep Method: 5035GRO	Prep Batch Date/Time: 2/4/21	9:50:00AM
Prep Batch ID: 1129045	Prep Analyst: ADEB	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
TPH as Gasoline	8260TPH	1	0.043	0.10	ND		mg/Kg	02/03/21	19:23	AD	454028
(S) 4-Bromofluorobenzene	8260TPH		43.9 - 127		81.8		%	02/03/21	19:23	AD	454028



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-6@1'	Lab Sample ID: 2101286-016A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 9:44	
SDG:	

Prep Method: 7471BP	Prep Batch Date/Time: 2/1/21	5:40:00PM
Prep Batch ID: 1128969	Prep Analyst: TNGU	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Mercury	SW7471B	1	0.083	0.50	ND		mg/Kg	02/02/21	15:57	BJAY	453987



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-6@1'	Lab Sample ID:	2101286-016A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:44		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/1/21	5:30:00PM
Prep Batch ID: 1128970	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Antimony	SW6010B	1	0.050	5.00	ND		mg/Kg	02/03/21	15:37	TUAN	454013
Arsenic	SW6010B	1	0.15	1.30	5.40		mg/Kg	02/03/21	15:37	TUAN	454013
Barium	SW6010B	1	0.055	5.00	181		mg/Kg	02/03/21	15:37	TUAN	454013
Beryllium	SW6010B	1	0.055	5.00	ND		mg/Kg	02/03/21	15:37	TUAN	454013
Cadmium	SW6010B	1	0.10	5.00	ND		mg/Kg	02/03/21	15:37	TUAN	454013
Chromium	SW6010B	1	0.075	5.00	37.4		mg/Kg	02/03/21	15:37	TUAN	454013
Cobalt	SW6010B	1	0.070	5.00	10.8		mg/Kg	02/03/21	15:37	TUAN	454013
Copper	SW6010B	1	0.20	5.00	42.0		mg/Kg	02/03/21	15:37	TUAN	454013
Lead	SW6010B	1	0.10	3.00	16.2		mg/Kg	02/03/21	15:37	TUAN	454013
Molybdenum	SW6010B	1	0.050	5.00	ND		mg/Kg	02/03/21	15:37	TUAN	454013
Nickel	SW6010B	1	0.50	5.00	52.5		mg/Kg	02/03/21	15:37	TUAN	454013
Selenium	SW6010B	1	0.22	5.00	ND		mg/Kg	02/03/21	15:37	TUAN	454013
Silver	SW6010B	1	0.15	5.00	ND		mg/Kg	02/03/21	15:37	TUAN	454013
Thallium	SW6010B	1	0.55	5.00	ND		mg/Kg	02/03/21	15:37	TUAN	454013
Vanadium	SW6010B	1	0.10	5.00	31.5		mg/Kg	02/03/21	15:37	TUAN	454013
Zinc	SW6010B	1	0.30	5.00	62.5		mg/Kg	02/03/21	15:37	TUAN	454013



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-6@1'	Lab Sample ID:	2101286-016A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:44		
SDG:			

Prep Method: 3546_PCB	Prep Batch Date/Time: 2/2/21	1:38:00PM
Prep Batch ID: 1128983	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Aroclor1016	SW8082A	1	0.0350	0.100	ND		mg/Kg	02/02/21	19:49	MK	453997
Aroclor1221	SW8082A	1	0.00500	0.100	ND		mg/Kg	02/02/21	19:49	MK	453997
Aroclor1232	SW8082A	1	0.0170	0.100	ND		mg/Kg	02/02/21	19:49	MK	453997
Aroclor1242	SW8082A	1	0.00300	0.100	ND		mg/Kg	02/02/21	19:49	MK	453997
Aroclor1248	SW8082A	1	0.00200	0.100	ND		mg/Kg	02/02/21	19:49	MK	453997
Aroclor1254	SW8082A	1	0.0140	0.100	ND		mg/Kg	02/02/21	19:49	MK	453997
Aroclor1260	SW8082A	1	0.0240	0.100	ND		mg/Kg	02/02/21	19:49	MK	453997
Acceptance Limits											
TCMX (S)	SW8082A		48 - 125		90.0		%	02/02/21	19:49	MK	453997
DCBP (S)	SW8082A		48 - 135		98.0		%	02/02/21	19:49	MK	453997



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-6@1'	Lab Sample ID:	2101286-016A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:44		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/2/21	12:49:00PM
Prep Batch ID: 1128982	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	3	0.00038	0.0060	ND		mg/Kg	02/03/21	3:15	MK	454030
gamma-BHC (Lindane)	SW8081B	3	0.00048	0.0060	ND		mg/Kg	02/03/21	3:15	MK	454030
beta-BHC	SW8081B	3	0.00095	0.0060	ND		mg/Kg	02/03/21	3:15	MK	454030
delta-BHC	SW8081B	3	0.00047	0.0060	ND		mg/Kg	02/03/21	3:15	MK	454030
Heptachlor	SW8081B	3	0.00032	0.0060	ND		mg/Kg	02/03/21	3:15	MK	454030
Aldrin	SW8081B	3	0.00059	0.0060	ND		mg/Kg	02/03/21	3:15	MK	454030
Heptachlor Epoxide	SW8081B	3	0.00023	0.0060	ND		mg/Kg	02/03/21	3:15	MK	454030
gamma-Chlordane	SW8081B	3	0.00049	0.0060	ND		mg/Kg	02/03/21	3:15	MK	454030
alpha-Chlordane	SW8081B	3	0.00052	0.0060	ND		mg/Kg	02/03/21	3:15	MK	454030
Endosulfan I	SW8081B	3	0.00055	0.0060	ND		mg/Kg	02/03/21	3:15	MK	454030
Dieldrin	SW8081B	3	0.00044	0.0060	ND		mg/Kg	02/03/21	3:15	MK	454030
Endrin	SW8081B	3	0.00056	0.0060	ND		mg/Kg	02/03/21	3:15	MK	454030
4,4'-DDD	SW8081B	3	0.0017	0.0060	0.00231	J	mg/Kg	02/03/21	3:15	MK	454030
Endosulfan II	SW8081B	3	0.0017	0.0060	ND		mg/Kg	02/03/21	3:15	MK	454030
4,4'-DDT	SW8081B	3	0.00039	0.0060	0.178		mg/Kg	02/03/21	3:15	MK	454030
Endrin Aldehyde	SW8081B	3	0.00045	0.0060	ND		mg/Kg	02/03/21	3:15	MK	454030
Methoxychlor	SW8081B	3	0.00060	0.0060	ND		mg/Kg	02/03/21	3:15	MK	454030
Endosulfan Sulfate	SW8081B	3	0.00035	0.0060	ND		mg/Kg	02/03/21	3:15	MK	454030
Endrin Ketone	SW8081B	3	0.00028	0.0060	ND		mg/Kg	02/03/21	3:15	MK	454030
Chlordane	SW8081B	3	0.0063	0.060	ND		mg/Kg	02/03/21	3:15	MK	454030
Toxaphene	SW8081B	3	0.026	0.15	ND		mg/Kg	02/03/21	3:15	MK	454030
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		74.5		%	02/03/21	3:15	MK	454030
DCBP (S)	SW8081B		38 - 135		77.6		%	02/03/21	3:15	MK	454030

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-6@1'	Lab Sample ID:	2101286-016A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:44		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/2/21	12:49:00PM
Prep Batch ID: 1128982	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
4,4'-DDE	SW8081B	30	0.0058	0.060	0.704		mg/Kg	02/03/21	15:20	MK	454030



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-6@1'	Lab Sample ID:	2101286-016A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:44		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
N-Nitrosodimethylamine	SW8270C	1	0.0469	0.720	ND		mg/Kg	02/02/21	22:06	MT	453975
Phenol	SW8270C	1	0.0438	0.288	ND		mg/Kg	02/02/21	22:06	MT	453975
Bis(2-chloroethyl)ether	SW8270C	1	0.0133	0.144	ND		mg/Kg	02/02/21	22:06	MT	453975
2-Chlorophenol	SW8270C	1	0.0477	0.288	ND		mg/Kg	02/02/21	22:06	MT	453975
1,3-Dichlorobenzene	SW8270C	1	0.0131	0.144	ND		mg/Kg	02/02/21	22:06	MT	453975
1,4-Dichlorobenzene	SW8270C	1	0.0146	0.144	ND		mg/Kg	02/02/21	22:06	MT	453975
Benzyl Alcohol	SW8270C	1	0.0205	0.288	ND		mg/Kg	02/02/21	22:06	MT	453975
1,2-Dichlorobenzene	SW8270C	1	0.0135	0.144	ND		mg/Kg	02/02/21	22:06	MT	453975
2-Methylphenol (o-Cresol)	SW8270C	1	0.0293	0.288	ND		mg/Kg	02/02/21	22:06	MT	453975
N-Methyl-2-Pyrrolidone (NMP)	SW8270C	1	0.0680	0.720	ND		mg/Kg	02/02/21	22:06	MT	453975
3-/4-Methylphenol (p-/m-Cresol)	SW8270C	1	0.0313	0.288	ND		mg/Kg	02/02/21	22:06	MT	453975
N-nitroso-di-n-propylamine	SW8270C	1	0.0132	0.144	ND		mg/Kg	02/02/21	22:06	MT	453975
Hexachloroethane	SW8270C	1	0.0171	0.144	ND		mg/Kg	02/02/21	22:06	MT	453975
Nitrobenzene	SW8270C	1	0.0128	0.144	ND		mg/Kg	02/02/21	22:06	MT	453975
Isophorone	SW8270C	1	0.0122	0.144	ND		mg/Kg	02/02/21	22:06	MT	453975
2-Nitrophenol	SW8270C	1	0.0254	0.288	ND		mg/Kg	02/02/21	22:06	MT	453975
2,4-Dimethylphenol	SW8270C	1	0.0228	0.288	ND		mg/Kg	02/02/21	22:06	MT	453975
Benzoic Acid	SW8270C	1	0.0417	0.288	ND		mg/Kg	02/02/21	22:06	MT	453975
Bis(2-Chloroethoxy)methane	SW8270C	1	0.00979	0.144	ND		mg/Kg	02/02/21	22:06	MT	453975
Bis(2-chloroisopropyl)ether	SW8270C	1	0.0126	0.144	ND		mg/Kg	02/02/21	22:06	MT	453975
2,4-Dichlorophenol	SW8270C	1	0.0393	0.288	ND		mg/Kg	02/02/21	22:06	MT	453975
1,2,4-Trichlorobenzene	SW8270C	1	0.0118	0.144	ND		mg/Kg	02/02/21	22:06	MT	453975
Naphthalene	SW8270C	1	0.0106	0.144	ND		mg/Kg	02/02/21	22:06	MT	453975
2,6-Dichlorophenol	SW8270C	1	0.0358	0.288	ND		mg/Kg	02/02/21	22:06	MT	453975
Hexachloro-1,3-butadiene	SW8270C	1	0.00834	0.144	ND		mg/Kg	02/02/21	22:06	MT	453975
4-Chloro-3-methylphenol	SW8270C	1	0.0338	0.288	ND		mg/Kg	02/02/21	22:06	MT	453975
2-Methylnaphthalene	SW8270C	1	0.0104	0.144	ND		mg/Kg	02/02/21	22:06	MT	453975
1-Methylnaphthalene	SW8270C	1	0.0122	0.144	ND		mg/Kg	02/02/21	22:06	MT	453975
Hexachlorocyclopentadiene	SW8270C	1	0.0129	0.144	ND		mg/Kg	02/02/21	22:06	MT	453975
2,4,6-Trichlorophenol	SW8270C	1	0.0359	0.288	ND		mg/Kg	02/02/21	22:06	MT	453975
2,4,5-Trichlorophenol	SW8270C	1	0.0334	0.288	ND		mg/Kg	02/02/21	22:06	MT	453975
2-Chloronaphthalene	SW8270C	1	0.0106	0.144	ND		mg/Kg	02/02/21	22:06	MT	453975
1,4-Dinitrobenzene	SW8270C	1	0.0103	0.144	ND		mg/Kg	02/02/21	22:06	MT	453975
Dimethyl phthalate	SW8270C	1	0.0142	0.720	ND		mg/Kg	02/02/21	22:06	MT	453975
1,3-Dinitrobenzene	SW8270C	1	0.0104	0.144	ND		mg/Kg	02/02/21	22:06	MT	453975
Acenaphthylene	SW8270C	1	0.00828	0.144	ND		mg/Kg	02/02/21	22:06	MT	453975
2,6-Dinitrotoluene	SW8270C	1	0.0113	0.144	ND		mg/Kg	02/02/21	22:06	MT	453975
1,2-Dinitrobenzene	SW8270C	1	0.0158	0.144	ND		mg/Kg	02/02/21	22:06	MT	453975
Acenaphthene	SW8270C	1	0.0107	0.144	ND		mg/Kg	02/02/21	22:06	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-6@1'	Lab Sample ID:	2101286-016A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:44		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
2,4-Dinitrophenol	SW8270C	1	0.0776	0.720	ND		mg/Kg	02/02/21	22:06	MT	453975
4-Nitrophenol	SW8270C	1	0.0547	0.720	ND		mg/Kg	02/02/21	22:06	MT	453975
Dibenzofuran	SW8270C	1	0.0112	0.144	ND		mg/Kg	02/02/21	22:06	MT	453975
2,4-Dinitrotoluene	SW8270C	1	0.0121	0.144	ND		mg/Kg	02/02/21	22:06	MT	453975
2,3,5,6-Tetrachlorophenol	SW8270C	1	0.0276	0.288	ND		mg/Kg	02/02/21	22:06	MT	453975
2,3,4,6-Tetrachlorophenol	SW8270C	1	0.0315	0.288	ND		mg/Kg	02/02/21	22:06	MT	453975
Diethylphthalate	SW8270C	1	0.0136	0.720	ND		mg/Kg	02/02/21	22:06	MT	453975
Fluorene	SW8270C	1	0.0103	0.144	ND		mg/Kg	02/02/21	22:06	MT	453975
4-Chlorophenyl-phenylether	SW8270C	1	0.00932	0.144	ND		mg/Kg	02/02/21	22:06	MT	453975
4,6-Dinitro-2-methylphenol	SW8270C	1	0.0134	0.288	ND		mg/Kg	02/02/21	22:06	MT	453975
Diphenylamine	SW8270C	1	0.0130	0.144	ND		mg/Kg	02/02/21	22:06	MT	453975
Azobenzene	SW8270C	1	0.114	0.144	ND		mg/Kg	02/02/21	22:06	MT	453975
4-Bromophenyl-phenylether	SW8270C	1	0.00823	0.144	ND		mg/Kg	02/02/21	22:06	MT	453975
Hexachlorobenzene	SW8270C	1	0.00866	0.144	ND		mg/Kg	02/02/21	22:06	MT	453975
Pentachlorophenol	SW8270C	1	0.0250	0.288	ND		mg/Kg	02/02/21	22:06	MT	453975
Phenanthrene	SW8270C	1	0.00932	0.144	ND		mg/Kg	02/02/21	22:06	MT	453975
Anthracene	SW8270C	1	0.00891	0.144	ND		mg/Kg	02/02/21	22:06	MT	453975
Carbazole	SW8270C	1	0.0107	0.144	ND		mg/Kg	02/02/21	22:06	MT	453975
Di-n-butylphthalate	SW8270C	1	0.0135	0.144	ND		mg/Kg	02/02/21	22:06	MT	453975
Fluoranthene	SW8270C	1	0.01000	0.144	ND		mg/Kg	02/02/21	22:06	MT	453975
Benzidine	SW8270C	1	0.147	0.144	ND		mg/Kg	02/02/21	22:06	MT	453975
Pyrene	SW8270C	1	0.0120	0.144	ND		mg/Kg	02/02/21	22:06	MT	453975
Butylbenzylphthalate	SW8270C	1	0.0210	0.720	ND		mg/Kg	02/02/21	22:06	MT	453975
Benzo(a)anthracene	SW8270C	1	0.00980	0.144	ND		mg/Kg	02/02/21	22:06	MT	453975
3,3-Dichlorobenzidine	SW8270C	1	0.118	0.144	ND		mg/Kg	02/02/21	22:06	MT	453975
Chrysene	SW8270C	1	0.0152	0.144	ND		mg/Kg	02/02/21	22:06	MT	453975
Bis(2-Ethylhexyl)phthalate	SW8270C	1	0.0153	0.720	ND		mg/Kg	02/02/21	22:06	MT	453975
Di-n-Octylphthalate	SW8270C	1	0.0123	0.144	ND		mg/Kg	02/02/21	22:06	MT	453975
Benzo(b)fluorathene	SW8270C	1	0.0120	0.144	ND		mg/Kg	02/02/21	22:06	MT	453975
benzo(k)fluorathene	SW8270C	1	0.00816	0.144	ND		mg/Kg	02/02/21	22:06	MT	453975
Benzo(a)pyrene	SW8270C	1	0.00980	0.144	ND		mg/Kg	02/02/21	22:06	MT	453975
Indeno(1,2,3-c,d)pyrene	SW8270C	1	0.0138	0.144	ND		mg/Kg	02/02/21	22:06	MT	453975
Dibenzo(a,h)anthracene	SW8270C	1	0.0127	0.144	ND		mg/Kg	02/02/21	22:06	MT	453975
Benzo(g,h,i)perylene	SW8270C	1	0.0167	0.144	ND		mg/Kg	02/02/21	22:06	MT	453975
Pyridine	SW8270C	1	0.0438	0.720	ND		mg/Kg	02/02/21	22:06	MT	453975
Acceptance Limits											
2-Fluorophenol (S)	SW8270C		25 - 121		64.7		%	02/02/21	22:06	MT	453975
Phenol-d6 (S)	SW8270C		24 - 113		67.7		%	02/02/21	22:06	MT	453975
2,4,6-Tribromophenol (S)	SW8270C		19 - 122		77.5		%	02/02/21	22:06	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-6@1'	Lab Sample ID:	2101286-016A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:44		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
2-Fluorobiphenyl (S)	SW8270C		45 - 143		73.8		%	02/02/21	22:06	MT	453975
Nitrobenzene-d5 (S)	SW8270C		23 - 120		70.4		%	02/02/21	22:06	MT	453975
Terphenyl-d14 (S)	SW8270C		18 - 137		75.2		%	02/02/21	22:06	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-6@1'	Lab Sample ID: 2101286-016A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 9:44	
SDG:	

Prep Method: 3546_TPHSG	Prep Batch Date/Time: 2/2/21	4:34:00PM
Prep Batch ID: 1128998	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
TPH as Diesel (SG)	SW8015B	1	0.85	2.0	ND		mg/Kg	02/03/21	20:02	SN	454044
TPH as Motor Oil (SG)	SW8015B	1	3.2	10	ND		mg/Kg	02/03/21	20:02	SN	454044
			Acceptance Limits								
Pentacosane (S)	SW8015B		40 - 129		74.4		%	02/03/21	20:02	SN	454044



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-6@1'	Lab Sample ID:	2101286-016A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:44		
SDG:			

Prep Method: 5035	Prep Batch Date/Time: 2/3/21 12:10:00PM
Prep Batch ID: 1129046	Prep Analyst: JZHAO

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Dichlorodifluoromethane	SW8260B	1	0.0012	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
Chloromethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
Vinyl Chloride	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
Bromomethane	SW8260B	1	0.0027	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
Chloroethane	SW8260B	1	0.0030	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
Trichlorofluoromethane	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
1,1-Dichloroethene	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
Freon 113	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
Methylene Chloride	SW8260B	1	0.0071	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
trans-1,2-Dichloroethene	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
MTBE	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
TBA	SW8260B	1	0.012	0.050	ND		mg/Kg	02/03/21	15:29	JZ	454032
Diisopropyl ether	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
1,1-Dichloroethane	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
Ethyl tert-Butyl ether	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
cis-1,2-Dichloroethene	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
2,2-Dichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
Bromochloromethane	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
Chloroform	SW8260B	1	0.0024	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
Carbon Tetrachloride	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
1,1,1-Trichloroethane	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
1,1-Dichloropropene	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
Benzene	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
TAME	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
1,2-Dichloroethane	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
Trichloroethylene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
Dibromomethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
1,2-Dichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
Bromodichloromethane	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
cis-1,3-Dichloropropene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
Toluene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
Tetrachloroethylene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
trans-1,3-Dichloropropene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
1,1,2-Trichloroethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
Dibromochloromethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
1,3-Dichloropropane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
1,2-Dibromoethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
Chlorobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
Ethylbenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-6@1'	Lab Sample ID:	2101286-016A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:44		
SDG:			

Prep Method: 5035	Prep Batch Date/Time: 2/3/21 12:10:00PM
Prep Batch ID: 1129046	Prep Analyst: JZHAO

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
1,1,1,2-Tetrachloroethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
m,p-Xylene	SW8260B	1	0.0032	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
o-Xylene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
Styrene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
Bromoform	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
Isopropyl Benzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
n-Propylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
Bromobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
1,1,2,2-Tetrachloroethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
2-Chlorotoluene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
1,3,5-Trimethylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
1,2,3-Trichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
4-Chlorotoluene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
tert-Butylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
1,2,4-Trimethylbenzene	SW8260B	1	0.0014	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
sec-Butyl Benzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
p-Isopropyltoluene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
1,3-Dichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
1,4-Dichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
n-Butylbenzene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
1,2-Dichlorobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
1,2-Dibromo-3-Chloropropane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
Hexachlorobutadiene	SW8260B	1	0.0014	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
1,2,4-Trichlorobenzene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
Naphthalene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
1,2,3-Trichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	15:29	JZ	454032
2-Butanone	SW8260B	1	0.0023	0.0100	ND		mg/Kg	02/03/21	15:29	JZ	454032
(S) Dibromofluoromethane	SW8260B		59.8 - 148		105		%	02/03/21	15:29	JZ	454032
(S) Toluene-d8	SW8260B		55.2 - 133		99.7		%	02/03/21	15:29	JZ	454032
(S) 4-Bromofluorobenzene	SW8260B		55.8 - 141		86.9		%	02/03/21	15:29	JZ	454032



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-6@1'	Lab Sample ID: 2101286-016A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 9:44	
SDG:	

Prep Method: 5035GRO	Prep Batch Date/Time: 2/3/21	12:10:00PM
Prep Batch ID: 1129047	Prep Analyst: JZHAO	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
TPH as Gasoline	8260TPH	1	0.043	0.10	ND		mg/Kg	02/03/21	15:29	JZ	454032
(S) 4-Bromofluorobenzene	8260TPH		43.9 - 127		71.8		%	02/03/21	15:29	JZ	454032



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-6@3'	Lab Sample ID:	2101286-017A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:46		
SDG:			

Prep Method: 7471BP	Prep Batch Date/Time: 2/1/21	5:40:00PM
Prep Batch ID: 1128969	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Mercury	SW7471B	1	0.083	0.50	ND		mg/Kg	02/02/21	16:00	BJAY	453987



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-6@3'	Lab Sample ID:	2101286-017A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:46		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/1/21	5:30:00PM
Prep Batch ID: 1128970	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Antimony	SW6010B	1	0.050	5.00	ND		mg/Kg	02/03/21	15:47	TUAN	454013
Arsenic	SW6010B	1	0.15	1.30	5.40		mg/Kg	02/03/21	15:47	TUAN	454013
Barium	SW6010B	1	0.055	5.00	212		mg/Kg	02/03/21	15:47	TUAN	454013
Beryllium	SW6010B	1	0.055	5.00	ND		mg/Kg	02/03/21	15:47	TUAN	454013
Cadmium	SW6010B	1	0.10	5.00	ND		mg/Kg	02/03/21	15:47	TUAN	454013
Chromium	SW6010B	1	0.075	5.00	36.4		mg/Kg	02/03/21	15:47	TUAN	454013
Cobalt	SW6010B	1	0.070	5.00	11.0		mg/Kg	02/03/21	15:47	TUAN	454013
Copper	SW6010B	1	0.20	5.00	28.6		mg/Kg	02/03/21	15:47	TUAN	454013
Lead	SW6010B	1	0.10	3.00	8.45		mg/Kg	02/03/21	15:47	TUAN	454013
Molybdenum	SW6010B	1	0.050	5.00	ND		mg/Kg	02/03/21	15:47	TUAN	454013
Nickel	SW6010B	1	0.50	5.00	51.0		mg/Kg	02/03/21	15:47	TUAN	454013
Selenium	SW6010B	1	0.22	5.00	ND		mg/Kg	02/03/21	15:47	TUAN	454013
Silver	SW6010B	1	0.15	5.00	ND		mg/Kg	02/03/21	15:47	TUAN	454013
Thallium	SW6010B	1	0.55	5.00	ND		mg/Kg	02/03/21	15:47	TUAN	454013
Vanadium	SW6010B	1	0.10	5.00	30.0		mg/Kg	02/03/21	15:47	TUAN	454013
Zinc	SW6010B	1	0.30	5.00	53.0		mg/Kg	02/03/21	15:47	TUAN	454013



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-6@3'	Lab Sample ID:	2101286-017A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:46		
SDG:			

Prep Method: 3546_PCB	Prep Batch Date/Time: 2/2/21	1:38:00PM
Prep Batch ID: 1128983	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Aroclor1016	SW8082A	1	0.0350	0.100	ND		mg/Kg	02/02/21	20:03	MK	453997
Aroclor1221	SW8082A	1	0.00500	0.100	ND		mg/Kg	02/02/21	20:03	MK	453997
Aroclor1232	SW8082A	1	0.0170	0.100	ND		mg/Kg	02/02/21	20:03	MK	453997
Aroclor1242	SW8082A	1	0.00300	0.100	ND		mg/Kg	02/02/21	20:03	MK	453997
Aroclor1248	SW8082A	1	0.00200	0.100	ND		mg/Kg	02/02/21	20:03	MK	453997
Aroclor1254	SW8082A	1	0.0140	0.100	ND		mg/Kg	02/02/21	20:03	MK	453997
Aroclor1260	SW8082A	1	0.0240	0.100	ND		mg/Kg	02/02/21	20:03	MK	453997
Acceptance Limits											
TCMX (S)	SW8082A		48 - 125		82.0		%	02/02/21	20:03	MK	453997
DCBP (S)	SW8082A		48 - 135		90.0		%	02/02/21	20:03	MK	453997



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-6@3'	Lab Sample ID:	2101286-017A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:46		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/2/21	12:49:00PM
Prep Batch ID: 1128982	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
alpha-BHC	SW8081B	1	0.00013	0.0020	ND		mg/Kg	02/03/21	3:29	MK	454030
gamma-BHC (Lindane)	SW8081B	1	0.00016	0.0020	ND		mg/Kg	02/03/21	3:29	MK	454030
beta-BHC	SW8081B	1	0.00032	0.0020	ND		mg/Kg	02/03/21	3:29	MK	454030
delta-BHC	SW8081B	1	0.00016	0.0020	ND		mg/Kg	02/03/21	3:29	MK	454030
Heptachlor	SW8081B	1	0.00011	0.0020	ND		mg/Kg	02/03/21	3:29	MK	454030
Aldrin	SW8081B	1	0.00020	0.0020	ND		mg/Kg	02/03/21	3:29	MK	454030
Heptachlor Epoxide	SW8081B	1	0.000078	0.0020	ND		mg/Kg	02/03/21	3:29	MK	454030
gamma-Chlordane	SW8081B	1	0.00016	0.0020	ND		mg/Kg	02/03/21	3:29	MK	454030
alpha-Chlordane	SW8081B	1	0.00017	0.0020	ND		mg/Kg	02/03/21	3:29	MK	454030
4,4'-DDE	SW8081B	1	0.00019	0.0020	0.00447		mg/Kg	02/03/21	3:29	MK	454030
Endosulfan I	SW8081B	1	0.00018	0.0020	ND		mg/Kg	02/03/21	3:29	MK	454030
Dieldrin	SW8081B	1	0.00015	0.0020	ND		mg/Kg	02/03/21	3:29	MK	454030
Endrin	SW8081B	1	0.00019	0.0020	ND		mg/Kg	02/03/21	3:29	MK	454030
4,4'-DDD	SW8081B	1	0.00057	0.0020	ND		mg/Kg	02/03/21	3:29	MK	454030
Endosulfan II	SW8081B	1	0.00058	0.0020	ND		mg/Kg	02/03/21	3:29	MK	454030
4,4'-DDT	SW8081B	1	0.00013	0.0020	ND		mg/Kg	02/03/21	3:29	MK	454030
Endrin Aldehyde	SW8081B	1	0.00015	0.0020	ND		mg/Kg	02/03/21	3:29	MK	454030
Methoxychlor	SW8081B	1	0.00020	0.0020	ND		mg/Kg	02/03/21	3:29	MK	454030
Endosulfan Sulfate	SW8081B	1	0.00012	0.0020	ND		mg/Kg	02/03/21	3:29	MK	454030
Endrin Ketone	SW8081B	1	0.000094	0.0020	ND		mg/Kg	02/03/21	3:29	MK	454030
Chlordane	SW8081B	1	0.0021	0.020	ND		mg/Kg	02/03/21	3:29	MK	454030
Toxaphene	SW8081B	1	0.0085	0.050	ND		mg/Kg	02/03/21	3:29	MK	454030
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		67.0		%	02/03/21	3:29	MK	454030
DCBP (S)	SW8081B		38 - 135		68.7		%	02/03/21	3:29	MK	454030



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-6@3'	Lab Sample ID:	2101286-017A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:46		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
N-Nitrosodimethylamine	SW8270C	1	0.0469	0.720	ND		mg/Kg	02/02/21	22:36	MT	453975
Phenol	SW8270C	1	0.0438	0.288	ND		mg/Kg	02/02/21	22:36	MT	453975
Bis(2-chloroethyl)ether	SW8270C	1	0.0133	0.144	ND		mg/Kg	02/02/21	22:36	MT	453975
2-Chlorophenol	SW8270C	1	0.0477	0.288	ND		mg/Kg	02/02/21	22:36	MT	453975
1,3-Dichlorobenzene	SW8270C	1	0.0131	0.144	ND		mg/Kg	02/02/21	22:36	MT	453975
1,4-Dichlorobenzene	SW8270C	1	0.0146	0.144	ND		mg/Kg	02/02/21	22:36	MT	453975
Benzyl Alcohol	SW8270C	1	0.0205	0.288	ND		mg/Kg	02/02/21	22:36	MT	453975
1,2-Dichlorobenzene	SW8270C	1	0.0135	0.144	ND		mg/Kg	02/02/21	22:36	MT	453975
2-Methylphenol (o-Cresol)	SW8270C	1	0.0293	0.288	ND		mg/Kg	02/02/21	22:36	MT	453975
N-Methyl-2-Pyrrolidone (NMP)	SW8270C	1	0.0680	0.720	ND		mg/Kg	02/02/21	22:36	MT	453975
3-/4-Methylphenol (p-/m-Cresol)	SW8270C	1	0.0313	0.288	ND		mg/Kg	02/02/21	22:36	MT	453975
N-nitroso-di-n-propylamine	SW8270C	1	0.0132	0.144	ND		mg/Kg	02/02/21	22:36	MT	453975
Hexachloroethane	SW8270C	1	0.0171	0.144	ND		mg/Kg	02/02/21	22:36	MT	453975
Nitrobenzene	SW8270C	1	0.0128	0.144	ND		mg/Kg	02/02/21	22:36	MT	453975
Isophorone	SW8270C	1	0.0122	0.144	ND		mg/Kg	02/02/21	22:36	MT	453975
2-Nitrophenol	SW8270C	1	0.0254	0.288	ND		mg/Kg	02/02/21	22:36	MT	453975
2,4-Dimethylphenol	SW8270C	1	0.0228	0.288	ND		mg/Kg	02/02/21	22:36	MT	453975
Benzoic Acid	SW8270C	1	0.0417	0.288	ND		mg/Kg	02/02/21	22:36	MT	453975
Bis(2-Chloroethoxy)methane	SW8270C	1	0.00979	0.144	ND		mg/Kg	02/02/21	22:36	MT	453975
Bis(2-chloroisopropyl)ether	SW8270C	1	0.0126	0.144	ND		mg/Kg	02/02/21	22:36	MT	453975
2,4-Dichlorophenol	SW8270C	1	0.0393	0.288	ND		mg/Kg	02/02/21	22:36	MT	453975
1,2,4-Trichlorobenzene	SW8270C	1	0.0118	0.144	ND		mg/Kg	02/02/21	22:36	MT	453975
Naphthalene	SW8270C	1	0.0106	0.144	ND		mg/Kg	02/02/21	22:36	MT	453975
2,6-Dichlorophenol	SW8270C	1	0.0358	0.288	ND		mg/Kg	02/02/21	22:36	MT	453975
Hexachloro-1,3-butadiene	SW8270C	1	0.00834	0.144	ND		mg/Kg	02/02/21	22:36	MT	453975
4-Chloro-3-methylphenol	SW8270C	1	0.0338	0.288	ND		mg/Kg	02/02/21	22:36	MT	453975
2-Methylnaphthalene	SW8270C	1	0.0104	0.144	ND		mg/Kg	02/02/21	22:36	MT	453975
1-Methylnaphthalene	SW8270C	1	0.0122	0.144	ND		mg/Kg	02/02/21	22:36	MT	453975
Hexachlorocyclopentadiene	SW8270C	1	0.0129	0.144	ND		mg/Kg	02/02/21	22:36	MT	453975
2,4,6-Trichlorophenol	SW8270C	1	0.0359	0.288	ND		mg/Kg	02/02/21	22:36	MT	453975
2,4,5-Trichlorophenol	SW8270C	1	0.0334	0.288	ND		mg/Kg	02/02/21	22:36	MT	453975
2-Chloronaphthalene	SW8270C	1	0.0106	0.144	ND		mg/Kg	02/02/21	22:36	MT	453975
1,4-Dinitrobenzene	SW8270C	1	0.0103	0.144	ND		mg/Kg	02/02/21	22:36	MT	453975
Dimethyl phthalate	SW8270C	1	0.0142	0.720	ND		mg/Kg	02/02/21	22:36	MT	453975
1,3-Dinitrobenzene	SW8270C	1	0.0104	0.144	ND		mg/Kg	02/02/21	22:36	MT	453975
Acenaphthylene	SW8270C	1	0.00828	0.144	ND		mg/Kg	02/02/21	22:36	MT	453975
2,6-Dinitrotoluene	SW8270C	1	0.0113	0.144	ND		mg/Kg	02/02/21	22:36	MT	453975
1,2-Dinitrobenzene	SW8270C	1	0.0158	0.144	ND		mg/Kg	02/02/21	22:36	MT	453975
Acenaphthene	SW8270C	1	0.0107	0.144	ND		mg/Kg	02/02/21	22:36	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-6@3'	Lab Sample ID:	2101286-017A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:46		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
2,4-Dinitrophenol	SW8270C	1	0.0776	0.720	ND		mg/Kg	02/02/21	22:36	MT	453975
4-Nitrophenol	SW8270C	1	0.0547	0.720	ND		mg/Kg	02/02/21	22:36	MT	453975
Dibenzofuran	SW8270C	1	0.0112	0.144	ND		mg/Kg	02/02/21	22:36	MT	453975
2,4-Dinitrotoluene	SW8270C	1	0.0121	0.144	ND		mg/Kg	02/02/21	22:36	MT	453975
2,3,5,6-Tetrachlorophenol	SW8270C	1	0.0276	0.288	ND		mg/Kg	02/02/21	22:36	MT	453975
2,3,4,6-Tetrachlorophenol	SW8270C	1	0.0315	0.288	ND		mg/Kg	02/02/21	22:36	MT	453975
Diethylphthalate	SW8270C	1	0.0136	0.720	ND		mg/Kg	02/02/21	22:36	MT	453975
Fluorene	SW8270C	1	0.0103	0.144	ND		mg/Kg	02/02/21	22:36	MT	453975
4-Chlorophenyl-phenylether	SW8270C	1	0.00932	0.144	ND		mg/Kg	02/02/21	22:36	MT	453975
4,6-Dinitro-2-methylphenol	SW8270C	1	0.0134	0.288	ND		mg/Kg	02/02/21	22:36	MT	453975
Diphenylamine	SW8270C	1	0.0130	0.144	ND		mg/Kg	02/02/21	22:36	MT	453975
Azobenzene	SW8270C	1	0.114	0.144	ND		mg/Kg	02/02/21	22:36	MT	453975
4-Bromophenyl-phenylether	SW8270C	1	0.00823	0.144	ND		mg/Kg	02/02/21	22:36	MT	453975
Hexachlorobenzene	SW8270C	1	0.00866	0.144	ND		mg/Kg	02/02/21	22:36	MT	453975
Pentachlorophenol	SW8270C	1	0.0250	0.288	ND		mg/Kg	02/02/21	22:36	MT	453975
Phenanthrene	SW8270C	1	0.00932	0.144	ND		mg/Kg	02/02/21	22:36	MT	453975
Anthracene	SW8270C	1	0.00891	0.144	ND		mg/Kg	02/02/21	22:36	MT	453975
Carbazole	SW8270C	1	0.0107	0.144	ND		mg/Kg	02/02/21	22:36	MT	453975
Di-n-butylphthalate	SW8270C	1	0.0135	0.144	ND		mg/Kg	02/02/21	22:36	MT	453975
Fluoranthene	SW8270C	1	0.01000	0.144	ND		mg/Kg	02/02/21	22:36	MT	453975
Benzidine	SW8270C	1	0.147	0.144	ND		mg/Kg	02/02/21	22:36	MT	453975
Pyrene	SW8270C	1	0.0120	0.144	ND		mg/Kg	02/02/21	22:36	MT	453975
Butylbenzylphthalate	SW8270C	1	0.0210	0.720	ND		mg/Kg	02/02/21	22:36	MT	453975
Benzo(a)anthracene	SW8270C	1	0.00980	0.144	ND		mg/Kg	02/02/21	22:36	MT	453975
3,3-Dichlorobenzidine	SW8270C	1	0.118	0.144	ND		mg/Kg	02/02/21	22:36	MT	453975
Chrysene	SW8270C	1	0.0152	0.144	ND		mg/Kg	02/02/21	22:36	MT	453975
Bis(2-Ethylhexyl)phthalate	SW8270C	1	0.0153	0.720	ND		mg/Kg	02/02/21	22:36	MT	453975
Di-n-Octylphthalate	SW8270C	1	0.0123	0.144	ND		mg/Kg	02/02/21	22:36	MT	453975
Benzo(b)fluorathene	SW8270C	1	0.0120	0.144	ND		mg/Kg	02/02/21	22:36	MT	453975
benzo(k)fluorathene	SW8270C	1	0.00816	0.144	ND		mg/Kg	02/02/21	22:36	MT	453975
Benzo(a)pyrene	SW8270C	1	0.00980	0.144	ND		mg/Kg	02/02/21	22:36	MT	453975
Indeno(1,2,3-c,d)pyrene	SW8270C	1	0.0138	0.144	ND		mg/Kg	02/02/21	22:36	MT	453975
Dibenzo(a,h)anthracene	SW8270C	1	0.0127	0.144	ND		mg/Kg	02/02/21	22:36	MT	453975
Benzo(g,h,i)perylene	SW8270C	1	0.0167	0.144	ND		mg/Kg	02/02/21	22:36	MT	453975
Pyridine	SW8270C	1	0.0438	0.720	ND		mg/Kg	02/02/21	22:36	MT	453975
Acceptance Limits											
2-Fluorophenol (S)	SW8270C		25 - 121		66.3		%	02/02/21	22:36	MT	453975
Phenol-d6 (S)	SW8270C		24 - 113		70.1		%	02/02/21	22:36	MT	453975
2,4,6-Tribromophenol (S)	SW8270C		19 - 122		73.2		%	02/02/21	22:36	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-6@3'	Lab Sample ID:	2101286-017A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:46		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
2-Fluorobiphenyl (S)	SW8270C		45 - 143		76.4		%	02/02/21	22:36	MT	453975
Nitrobenzene-d5 (S)	SW8270C		23 - 120		73.6		%	02/02/21	22:36	MT	453975
Terphenyl-d14 (S)	SW8270C		18 - 137		78.9		%	02/02/21	22:36	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-6@3'	Lab Sample ID:	2101286-017A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:46		
SDG:			

Prep Method: 3546_TPHSG	Prep Batch Date/Time: 2/2/21	4:34:00PM
Prep Batch ID: 1128998	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
TPH as Diesel (SG)	SW8015B	1	0.85	2.0	ND		mg/Kg	02/03/21	20:26	SN	454044
TPH as Motor Oil (SG)	SW8015B	1	3.2	10	ND		mg/Kg	02/03/21	20:26	SN	454044
			Acceptance Limits								
Pentacosane (S)	SW8015B		40 - 129		62.8		%	02/03/21	20:26	SN	454044



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-6@3'	Lab Sample ID:	2101286-017A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:46		
SDG:			

Prep Method: 5035	Prep Batch Date/Time: 2/3/21 12:10:00PM
Prep Batch ID: 1129046	Prep Analyst: JZHAO

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Dichlorodifluoromethane	SW8260B	1	0.0012	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
Chloromethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
Vinyl Chloride	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
Bromomethane	SW8260B	1	0.0027	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
Chloroethane	SW8260B	1	0.0030	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
Trichlorofluoromethane	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
1,1-Dichloroethene	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
Freon 113	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
Methylene Chloride	SW8260B	1	0.0071	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
trans-1,2-Dichloroethene	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
MTBE	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
TBA	SW8260B	1	0.012	0.050	ND		mg/Kg	02/03/21	16:05	JZ	454032
Diisopropyl ether	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
1,1-Dichloroethane	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
Ethyl tert-Butyl ether	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
cis-1,2-Dichloroethene	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
2,2-Dichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
Bromochloromethane	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
Chloroform	SW8260B	1	0.0024	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
Carbon Tetrachloride	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
1,1,1-Trichloroethane	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
1,1-Dichloropropene	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
Benzene	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
TAME	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
1,2-Dichloroethane	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
Trichloroethylene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
Dibromomethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
1,2-Dichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
Bromodichloromethane	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
cis-1,3-Dichloropropene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
Toluene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
Tetrachloroethylene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
trans-1,3-Dichloropropene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
1,1,2-Trichloroethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
Dibromochloromethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
1,3-Dichloropropane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
1,2-Dibromoethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
Chlorobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
Ethylbenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-6@3'	Lab Sample ID:	2101286-017A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:46		
SDG:			

Prep Method: 5035	Prep Batch Date/Time: 2/3/21 12:10:00PM
Prep Batch ID: 1129046	Prep Analyst: JZHAO

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
1,1,1,2-Tetrachloroethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
m,p-Xylene	SW8260B	1	0.0032	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
o-Xylene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
Styrene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
Bromoform	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
Isopropyl Benzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
n-Propylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
Bromobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
1,1,2,2-Tetrachloroethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
2-Chlorotoluene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
1,3,5-Trimethylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
1,2,3-Trichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
4-Chlorotoluene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
tert-Butylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
1,2,4-Trimethylbenzene	SW8260B	1	0.0014	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
sec-Butyl Benzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
p-Isopropyltoluene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
1,3-Dichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
1,4-Dichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
n-Butylbenzene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
1,2-Dichlorobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
1,2-Dibromo-3-Chloropropane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
Hexachlorobutadiene	SW8260B	1	0.0014	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
1,2,4-Trichlorobenzene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
Naphthalene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
1,2,3-Trichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	16:05	JZ	454032
2-Butanone	SW8260B	1	0.0023	0.0100	ND		mg/Kg	02/03/21	16:05	JZ	454032
(S) Dibromofluoromethane	SW8260B		59.8 - 148		118		%	02/03/21	16:05	JZ	454032
(S) Toluene-d8	SW8260B		55.2 - 133		108		%	02/03/21	16:05	JZ	454032
(S) 4-Bromofluorobenzene	SW8260B		55.8 - 141		95.3		%	02/03/21	16:05	JZ	454032



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-6@3'	Lab Sample ID: 2101286-017A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 9:46	
SDG:	

Prep Method: 5035GRO	Prep Batch Date/Time: 2/3/21	12:10:00PM
Prep Batch ID: 1129047	Prep Analyst: JZHAO	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
TPH as Gasoline	8260TPH	1	0.043	0.10	ND		mg/Kg	02/03/21	16:05	JZ	454032
(S) 4-Bromofluorobenzene	8260TPH		43.9 - 127		74.6		%	02/03/21	16:05	JZ	454032



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-7@1'	Lab Sample ID:	2101286-019A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:56		
SDG:			

Prep Method: 7471BP	Prep Batch Date/Time: 2/1/21	5:40:00PM
Prep Batch ID: 1128969	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Mercury	SW7471B	1	0.083	0.50	ND		mg/Kg	02/02/21	16:02	BJAY	453987



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-7@1'	Lab Sample ID:	2101286-019A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:56		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/1/21	5:30:00PM
Prep Batch ID: 1128970	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Antimony	SW6010B	1	0.050	5.00	ND		mg/Kg	02/03/21	15:50	TUAN	454013
Arsenic	SW6010B	1	0.15	1.30	5.60		mg/Kg	02/03/21	15:50	TUAN	454013
Barium	SW6010B	1	0.055	5.00	176		mg/Kg	02/03/21	15:50	TUAN	454013
Beryllium	SW6010B	1	0.055	5.00	ND		mg/Kg	02/03/21	15:50	TUAN	454013
Cadmium	SW6010B	1	0.10	5.00	ND		mg/Kg	02/03/21	15:50	TUAN	454013
Chromium	SW6010B	1	0.075	5.00	39.9		mg/Kg	02/03/21	15:50	TUAN	454013
Cobalt	SW6010B	1	0.070	5.00	10.7		mg/Kg	02/03/21	15:50	TUAN	454013
Copper	SW6010B	1	0.20	5.00	50.5		mg/Kg	02/03/21	15:50	TUAN	454013
Lead	SW6010B	1	0.10	3.00	19.7		mg/Kg	02/03/21	15:50	TUAN	454013
Molybdenum	SW6010B	1	0.050	5.00	ND		mg/Kg	02/03/21	15:50	TUAN	454013
Nickel	SW6010B	1	0.50	5.00	53.5		mg/Kg	02/03/21	15:50	TUAN	454013
Selenium	SW6010B	1	0.22	5.00	ND		mg/Kg	02/03/21	15:50	TUAN	454013
Silver	SW6010B	1	0.15	5.00	ND		mg/Kg	02/03/21	15:50	TUAN	454013
Thallium	SW6010B	1	0.55	5.00	ND		mg/Kg	02/03/21	15:50	TUAN	454013
Vanadium	SW6010B	1	0.10	5.00	31.4		mg/Kg	02/03/21	15:50	TUAN	454013
Zinc	SW6010B	1	0.30	5.00	60.0		mg/Kg	02/03/21	15:50	TUAN	454013



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-7@1'	Lab Sample ID:	2101286-019A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:56		
SDG:			

Prep Method: 3546_PCB	Prep Batch Date/Time: 2/2/21	1:38:00PM
Prep Batch ID: 1128983	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Aroclor1016	SW8082A	1	0.0350	0.100	ND		mg/Kg	02/02/21	20:17	MK	453997
Aroclor1221	SW8082A	1	0.00500	0.100	ND		mg/Kg	02/02/21	20:17	MK	453997
Aroclor1232	SW8082A	1	0.0170	0.100	ND		mg/Kg	02/02/21	20:17	MK	453997
Aroclor1242	SW8082A	1	0.00300	0.100	ND		mg/Kg	02/02/21	20:17	MK	453997
Aroclor1248	SW8082A	1	0.00200	0.100	ND		mg/Kg	02/02/21	20:17	MK	453997
Aroclor1254	SW8082A	1	0.0140	0.100	ND		mg/Kg	02/02/21	20:17	MK	453997
Aroclor1260	SW8082A	1	0.0240	0.100	ND		mg/Kg	02/02/21	20:17	MK	453997
Acceptance Limits											
TCMX (S)	SW8082A		48 - 125		89.0		%	02/02/21	20:17	MK	453997
DCBP (S)	SW8082A		48 - 135		95.0		%	02/02/21	20:17	MK	453997



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-7@1'	Lab Sample ID:	2101286-019A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:56		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/2/21	12:49:00PM
Prep Batch ID: 1128982	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	3	0.00038	0.0060	ND		mg/Kg	02/03/21	3:43	MK	454030
gamma-BHC (Lindane)	SW8081B	3	0.00048	0.0060	ND		mg/Kg	02/03/21	3:43	MK	454030
beta-BHC	SW8081B	3	0.00095	0.0060	ND		mg/Kg	02/03/21	3:43	MK	454030
delta-BHC	SW8081B	3	0.00047	0.0060	ND		mg/Kg	02/03/21	3:43	MK	454030
Heptachlor	SW8081B	3	0.00032	0.0060	ND		mg/Kg	02/03/21	3:43	MK	454030
Aldrin	SW8081B	3	0.00059	0.0060	ND		mg/Kg	02/03/21	3:43	MK	454030
Heptachlor Epoxide	SW8081B	3	0.00023	0.0060	ND		mg/Kg	02/03/21	3:43	MK	454030
gamma-Chlordane	SW8081B	3	0.00049	0.0060	ND		mg/Kg	02/03/21	3:43	MK	454030
alpha-Chlordane	SW8081B	3	0.00052	0.0060	ND		mg/Kg	02/03/21	3:43	MK	454030
Endosulfan I	SW8081B	3	0.00055	0.0060	ND		mg/Kg	02/03/21	3:43	MK	454030
Dieldrin	SW8081B	3	0.00044	0.0060	ND		mg/Kg	02/03/21	3:43	MK	454030
Endrin	SW8081B	3	0.00056	0.0060	ND		mg/Kg	02/03/21	3:43	MK	454030
4,4'-DDD	SW8081B	3	0.0017	0.0060	0.00451	J	mg/Kg	02/03/21	3:43	MK	454030
Endosulfan II	SW8081B	3	0.0017	0.0060	ND		mg/Kg	02/03/21	3:43	MK	454030
Endrin Aldehyde	SW8081B	3	0.00045	0.0060	0.00317	J	mg/Kg	02/03/21	3:43	MK	454030
Methoxychlor	SW8081B	3	0.00060	0.0060	ND		mg/Kg	02/03/21	3:43	MK	454030
Endosulfan Sulfate	SW8081B	3	0.00035	0.0060	ND		mg/Kg	02/03/21	3:43	MK	454030
Endrin Ketone	SW8081B	3	0.00028	0.0060	ND		mg/Kg	02/03/21	3:43	MK	454030
Chlordane	SW8081B	3	0.0063	0.060	ND		mg/Kg	02/03/21	3:43	MK	454030
Toxaphene	SW8081B	3	0.026	0.15	ND		mg/Kg	02/03/21	3:43	MK	454030
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		71.1		%	02/03/21	3:43	MK	454030
DCBP (S)	SW8081B		38 - 135		79.1		%	02/03/21	3:43	MK	454030

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-7@1'	Lab Sample ID: 2101286-019A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 9:56	
SDG:	

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/2/21	12:49:00PM
Prep Batch ID: 1128982	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
4,4'-DDE	SW8081B	50	0.0097	0.10	1.14		mg/Kg	02/03/21	15:33	MK	454030
4,4'-DDT	SW8081B	50	0.0065	0.10	0.223		mg/Kg	02/03/21	15:33	MK	454030



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-7@1'	Lab Sample ID:	2101286-019A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:56		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
N-Nitrosodimethylamine	SW8270C	1	0.0469	0.720	ND		mg/Kg	02/02/21	23:06	MT	453975
Phenol	SW8270C	1	0.0438	0.288	ND		mg/Kg	02/02/21	23:06	MT	453975
Bis(2-chloroethyl)ether	SW8270C	1	0.0133	0.144	ND		mg/Kg	02/02/21	23:06	MT	453975
2-Chlorophenol	SW8270C	1	0.0477	0.288	ND		mg/Kg	02/02/21	23:06	MT	453975
1,3-Dichlorobenzene	SW8270C	1	0.0131	0.144	ND		mg/Kg	02/02/21	23:06	MT	453975
1,4-Dichlorobenzene	SW8270C	1	0.0146	0.144	ND		mg/Kg	02/02/21	23:06	MT	453975
Benzyl Alcohol	SW8270C	1	0.0205	0.288	ND		mg/Kg	02/02/21	23:06	MT	453975
1,2-Dichlorobenzene	SW8270C	1	0.0135	0.144	ND		mg/Kg	02/02/21	23:06	MT	453975
2-Methylphenol (o-Cresol)	SW8270C	1	0.0293	0.288	ND		mg/Kg	02/02/21	23:06	MT	453975
N-Methyl-2-Pyrrolidone (NMP)	SW8270C	1	0.0680	0.720	ND		mg/Kg	02/02/21	23:06	MT	453975
3-/4-Methylphenol (p-/m-Cresol)	SW8270C	1	0.0313	0.288	ND		mg/Kg	02/02/21	23:06	MT	453975
N-nitroso-di-n-propylamine	SW8270C	1	0.0132	0.144	ND		mg/Kg	02/02/21	23:06	MT	453975
Hexachloroethane	SW8270C	1	0.0171	0.144	ND		mg/Kg	02/02/21	23:06	MT	453975
Nitrobenzene	SW8270C	1	0.0128	0.144	ND		mg/Kg	02/02/21	23:06	MT	453975
Isophorone	SW8270C	1	0.0122	0.144	ND		mg/Kg	02/02/21	23:06	MT	453975
2-Nitrophenol	SW8270C	1	0.0254	0.288	ND		mg/Kg	02/02/21	23:06	MT	453975
2,4-Dimethylphenol	SW8270C	1	0.0228	0.288	ND		mg/Kg	02/02/21	23:06	MT	453975
Benzoic Acid	SW8270C	1	0.0417	0.288	ND		mg/Kg	02/02/21	23:06	MT	453975
Bis(2-Chloroethoxy)methane	SW8270C	1	0.00979	0.144	ND		mg/Kg	02/02/21	23:06	MT	453975
Bis(2-chloroisopropyl)ether	SW8270C	1	0.0126	0.144	ND		mg/Kg	02/02/21	23:06	MT	453975
2,4-Dichlorophenol	SW8270C	1	0.0393	0.288	ND		mg/Kg	02/02/21	23:06	MT	453975
1,2,4-Trichlorobenzene	SW8270C	1	0.0118	0.144	ND		mg/Kg	02/02/21	23:06	MT	453975
Naphthalene	SW8270C	1	0.0106	0.144	ND		mg/Kg	02/02/21	23:06	MT	453975
2,6-Dichlorophenol	SW8270C	1	0.0358	0.288	ND		mg/Kg	02/02/21	23:06	MT	453975
Hexachloro-1,3-butadiene	SW8270C	1	0.00834	0.144	ND		mg/Kg	02/02/21	23:06	MT	453975
4-Chloro-3-methylphenol	SW8270C	1	0.0338	0.288	ND		mg/Kg	02/02/21	23:06	MT	453975
2-Methylnaphthalene	SW8270C	1	0.0104	0.144	ND		mg/Kg	02/02/21	23:06	MT	453975
1-Methylnaphthalene	SW8270C	1	0.0122	0.144	ND		mg/Kg	02/02/21	23:06	MT	453975
Hexachlorocyclopentadiene	SW8270C	1	0.0129	0.144	ND		mg/Kg	02/02/21	23:06	MT	453975
2,4,6-Trichlorophenol	SW8270C	1	0.0359	0.288	ND		mg/Kg	02/02/21	23:06	MT	453975
2,4,5-Trichlorophenol	SW8270C	1	0.0334	0.288	ND		mg/Kg	02/02/21	23:06	MT	453975
2-Chloronaphthalene	SW8270C	1	0.0106	0.144	ND		mg/Kg	02/02/21	23:06	MT	453975
1,4-Dinitrobenzene	SW8270C	1	0.0103	0.144	ND		mg/Kg	02/02/21	23:06	MT	453975
Dimethyl phthalate	SW8270C	1	0.0142	0.720	ND		mg/Kg	02/02/21	23:06	MT	453975
1,3-Dinitrobenzene	SW8270C	1	0.0104	0.144	ND		mg/Kg	02/02/21	23:06	MT	453975
Acenaphthylene	SW8270C	1	0.00828	0.144	ND		mg/Kg	02/02/21	23:06	MT	453975
2,6-Dinitrotoluene	SW8270C	1	0.0113	0.144	ND		mg/Kg	02/02/21	23:06	MT	453975
1,2-Dinitrobenzene	SW8270C	1	0.0158	0.144	ND		mg/Kg	02/02/21	23:06	MT	453975
Acenaphthene	SW8270C	1	0.0107	0.144	ND		mg/Kg	02/02/21	23:06	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-7@1'	Lab Sample ID:	2101286-019A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:56		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
2,4-Dinitrophenol	SW8270C	1	0.0776	0.720	ND		mg/Kg	02/02/21	23:06	MT	453975
4-Nitrophenol	SW8270C	1	0.0547	0.720	ND		mg/Kg	02/02/21	23:06	MT	453975
Dibenzofuran	SW8270C	1	0.0112	0.144	ND		mg/Kg	02/02/21	23:06	MT	453975
2,4-Dinitrotoluene	SW8270C	1	0.0121	0.144	ND		mg/Kg	02/02/21	23:06	MT	453975
2,3,5,6-Tetrachlorophenol	SW8270C	1	0.0276	0.288	ND		mg/Kg	02/02/21	23:06	MT	453975
2,3,4,6-Tetrachlorophenol	SW8270C	1	0.0315	0.288	ND		mg/Kg	02/02/21	23:06	MT	453975
Diethylphthalate	SW8270C	1	0.0136	0.720	ND		mg/Kg	02/02/21	23:06	MT	453975
Fluorene	SW8270C	1	0.0103	0.144	ND		mg/Kg	02/02/21	23:06	MT	453975
4-Chlorophenyl-phenylether	SW8270C	1	0.00932	0.144	ND		mg/Kg	02/02/21	23:06	MT	453975
4,6-Dinitro-2-methylphenol	SW8270C	1	0.0134	0.288	ND		mg/Kg	02/02/21	23:06	MT	453975
Diphenylamine	SW8270C	1	0.0130	0.144	ND		mg/Kg	02/02/21	23:06	MT	453975
Azobenzene	SW8270C	1	0.114	0.144	ND		mg/Kg	02/02/21	23:06	MT	453975
4-Bromophenyl-phenylether	SW8270C	1	0.00823	0.144	ND		mg/Kg	02/02/21	23:06	MT	453975
Hexachlorobenzene	SW8270C	1	0.00866	0.144	ND		mg/Kg	02/02/21	23:06	MT	453975
Pentachlorophenol	SW8270C	1	0.0250	0.288	ND		mg/Kg	02/02/21	23:06	MT	453975
Phenanthrene	SW8270C	1	0.00932	0.144	ND		mg/Kg	02/02/21	23:06	MT	453975
Anthracene	SW8270C	1	0.00891	0.144	ND		mg/Kg	02/02/21	23:06	MT	453975
Carbazole	SW8270C	1	0.0107	0.144	ND		mg/Kg	02/02/21	23:06	MT	453975
Di-n-butylphthalate	SW8270C	1	0.0135	0.144	ND		mg/Kg	02/02/21	23:06	MT	453975
Fluoranthene	SW8270C	1	0.01000	0.144	ND		mg/Kg	02/02/21	23:06	MT	453975
Benzidine	SW8270C	1	0.147	0.144	ND		mg/Kg	02/02/21	23:06	MT	453975
Pyrene	SW8270C	1	0.0120	0.144	ND		mg/Kg	02/02/21	23:06	MT	453975
Butylbenzylphthalate	SW8270C	1	0.0210	0.720	ND		mg/Kg	02/02/21	23:06	MT	453975
Benzo(a)anthracene	SW8270C	1	0.00980	0.144	ND		mg/Kg	02/02/21	23:06	MT	453975
3,3-Dichlorobenzidine	SW8270C	1	0.118	0.144	ND		mg/Kg	02/02/21	23:06	MT	453975
Chrysene	SW8270C	1	0.0152	0.144	ND		mg/Kg	02/02/21	23:06	MT	453975
Bis(2-Ethylhexyl)phthalate	SW8270C	1	0.0153	0.720	ND		mg/Kg	02/02/21	23:06	MT	453975
Di-n-Octylphthalate	SW8270C	1	0.0123	0.144	ND		mg/Kg	02/02/21	23:06	MT	453975
Benzo(b)fluorathene	SW8270C	1	0.0120	0.144	ND		mg/Kg	02/02/21	23:06	MT	453975
benzo(k)fluorathene	SW8270C	1	0.00816	0.144	ND		mg/Kg	02/02/21	23:06	MT	453975
Benzo(a)pyrene	SW8270C	1	0.00980	0.144	ND		mg/Kg	02/02/21	23:06	MT	453975
Indeno(1,2,3-c,d)pyrene	SW8270C	1	0.0138	0.144	ND		mg/Kg	02/02/21	23:06	MT	453975
Dibenzo(a,h)anthracene	SW8270C	1	0.0127	0.144	ND		mg/Kg	02/02/21	23:06	MT	453975
Benzo(g,h,i)perylene	SW8270C	1	0.0167	0.144	ND		mg/Kg	02/02/21	23:06	MT	453975
Pyridine	SW8270C	1	0.0438	0.720	ND		mg/Kg	02/02/21	23:06	MT	453975
Acceptance Limits											
2-Fluorophenol (S)	SW8270C		25 - 121		73.2		%	02/02/21	23:06	MT	453975
Phenol-d6 (S)	SW8270C		24 - 113		77.1		%	02/02/21	23:06	MT	453975
2,4,6-Tribromophenol (S)	SW8270C		19 - 122		84.8		%	02/02/21	23:06	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-7@1'	Lab Sample ID:	2101286-019A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:56		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
2-Fluorobiphenyl (S)	SW8270C		45 - 143		82.1		%	02/02/21	23:06	MT	453975
Nitrobenzene-d5 (S)	SW8270C		23 - 120		81.0		%	02/02/21	23:06	MT	453975
Terphenyl-d14 (S)	SW8270C		18 - 137		85.2		%	02/02/21	23:06	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-7@1'	Lab Sample ID:	2101286-019A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:56		
SDG:			

Prep Method: 3546_TPHSG	Prep Batch Date/Time: 2/2/21	4:34:00PM
Prep Batch ID: 1128998	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
TPH as Diesel (SG)	SW8015B	1	0.85	2.0	2.29	x	mg/Kg	02/03/21	20:49	SN	454044
TPH as Motor Oil (SG)	SW8015B	1	3.2	10	ND		mg/Kg	02/03/21	20:49	SN	454044
Acceptance Limits											
Pentacosane (S)	SW8015B		40 - 129		75.7		%	02/03/21	20:49	SN	454044

NOTE: x- Chromatographic pattern does not resemble typical diesel reference standard; unknown organics within diesel range quantified as diesel



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-7@1'	Lab Sample ID:	2101286-019A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:56		
SDG:			

Prep Method: 5035	Prep Batch Date/Time: 2/3/21 12:10:00PM
Prep Batch ID: 1129046	Prep Analyst: JZHAO

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Dichlorodifluoromethane	SW8260B	1	0.0012	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
Chloromethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
Vinyl Chloride	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
Bromomethane	SW8260B	1	0.0027	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
Chloroethane	SW8260B	1	0.0030	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
Trichlorofluoromethane	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
1,1-Dichloroethene	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
Freon 113	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
Methylene Chloride	SW8260B	1	0.0071	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
trans-1,2-Dichloroethene	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
MTBE	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
TBA	SW8260B	1	0.012	0.050	ND		mg/Kg	02/03/21	16:34	JZ	454032
Diisopropyl ether	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
1,1-Dichloroethane	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
Ethyl tert-Butyl ether	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
cis-1,2-Dichloroethene	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
2,2-Dichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
Bromochloromethane	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
Chloroform	SW8260B	1	0.0024	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
Carbon Tetrachloride	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
1,1,1-Trichloroethane	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
1,1-Dichloropropene	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
Benzene	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
TAME	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
1,2-Dichloroethane	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
Trichloroethylene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
Dibromomethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
1,2-Dichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
Bromodichloromethane	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
cis-1,3-Dichloropropene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
Toluene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
Tetrachloroethylene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
trans-1,3-Dichloropropene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
1,1,2-Trichloroethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
Dibromochloromethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
1,3-Dichloropropane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
1,2-Dibromoethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
Chlorobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
Ethylbenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-7@1'	Lab Sample ID:	2101286-019A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:56		
SDG:			

Prep Method: 5035	Prep Batch Date/Time: 2/3/21 12:10:00PM
Prep Batch ID: 1129046	Prep Analyst: JZHAO

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
1,1,1,2-Tetrachloroethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
m,p-Xylene	SW8260B	1	0.0032	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
o-Xylene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
Styrene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
Bromoform	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
Isopropyl Benzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
n-Propylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
Bromobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
1,1,2,2-Tetrachloroethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
2-Chlorotoluene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
1,3,5-Trimethylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
1,2,3-Trichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
4-Chlorotoluene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
tert-Butylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
1,2,4-Trimethylbenzene	SW8260B	1	0.0014	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
sec-Butyl Benzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
p-Isopropyltoluene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
1,3-Dichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
1,4-Dichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
n-Butylbenzene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
1,2-Dichlorobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
1,2-Dibromo-3-Chloropropane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
Hexachlorobutadiene	SW8260B	1	0.0014	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
1,2,4-Trichlorobenzene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
Naphthalene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
1,2,3-Trichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	16:34	JZ	454032
2-Butanone	SW8260B	1	0.0023	0.0100	ND		mg/Kg	02/03/21	16:34	JZ	454032
(S) Dibromofluoromethane	SW8260B		59.8 - 148		118		%	02/03/21	16:34	JZ	454032
(S) Toluene-d8	SW8260B		55.2 - 133		112		%	02/03/21	16:34	JZ	454032
(S) 4-Bromofluorobenzene	SW8260B		55.8 - 141		98.1		%	02/03/21	16:34	JZ	454032



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-7@1'	Lab Sample ID: 2101286-019A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 9:56	
SDG:	

Prep Method: 5035GRO	Prep Batch Date/Time: 2/3/21	12:10:00PM
Prep Batch ID: 1129047	Prep Analyst: JZHAO	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
TPH as Gasoline	8260TPH	1	0.043	0.10	ND		mg/Kg	02/03/21	16:34	JZ	454032
(S) 4-Bromofluorobenzene	8260TPH		43.9 - 127		77.9		%	02/03/21	16:34	JZ	454032



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-7@3'	Lab Sample ID: 2101286-020A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 9:58	
SDG:	

Prep Method: 7471BP	Prep Batch Date/Time: 2/1/21	5:40:00PM
Prep Batch ID: 1128969	Prep Analyst: TNGU	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Mercury	SW7471B	1	0.083	0.50	ND		mg/Kg	02/02/21	16:05	BJAY	453987



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-7@3'	Lab Sample ID:	2101286-020A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:58		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/1/21	5:30:00PM
Prep Batch ID: 1128970	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Antimony	SW6010B	1	0.050	5.00	ND		mg/Kg	02/03/21	15:53	TUAN	454013
Arsenic	SW6010B	1	0.15	1.30	4.81		mg/Kg	02/03/21	15:53	TUAN	454013
Barium	SW6010B	1	0.055	5.00	151		mg/Kg	02/03/21	15:53	TUAN	454013
Beryllium	SW6010B	1	0.055	5.00	ND		mg/Kg	02/03/21	15:53	TUAN	454013
Cadmium	SW6010B	1	0.10	5.00	ND		mg/Kg	02/03/21	15:53	TUAN	454013
Chromium	SW6010B	1	0.075	5.00	34.4		mg/Kg	02/03/21	15:53	TUAN	454013
Cobalt	SW6010B	1	0.070	5.00	7.85		mg/Kg	02/03/21	15:53	TUAN	454013
Copper	SW6010B	1	0.20	5.00	20.0		mg/Kg	02/03/21	15:53	TUAN	454013
Lead	SW6010B	1	0.10	3.00	7.15		mg/Kg	02/03/21	15:53	TUAN	454013
Molybdenum	SW6010B	1	0.050	5.00	ND		mg/Kg	02/03/21	15:53	TUAN	454013
Nickel	SW6010B	1	0.50	5.00	41.7		mg/Kg	02/03/21	15:53	TUAN	454013
Selenium	SW6010B	1	0.22	5.00	ND		mg/Kg	02/03/21	15:53	TUAN	454013
Silver	SW6010B	1	0.15	5.00	ND		mg/Kg	02/03/21	15:53	TUAN	454013
Thallium	SW6010B	1	0.55	5.00	ND		mg/Kg	02/03/21	15:53	TUAN	454013
Vanadium	SW6010B	1	0.10	5.00	30.0		mg/Kg	02/03/21	15:53	TUAN	454013
Zinc	SW6010B	1	0.30	5.00	45.8		mg/Kg	02/03/21	15:53	TUAN	454013



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-7@3'	Lab Sample ID:	2101286-020A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:58		
SDG:			

Prep Method: 3546_PCB	Prep Batch Date/Time: 2/2/21	1:38:00PM
Prep Batch ID: 1128983	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Aroclor1016	SW8082A	1	0.0350	0.100	ND		mg/Kg	02/02/21	20:32	MK	453997
Aroclor1221	SW8082A	1	0.00500	0.100	ND		mg/Kg	02/02/21	20:32	MK	453997
Aroclor1232	SW8082A	1	0.0170	0.100	ND		mg/Kg	02/02/21	20:32	MK	453997
Aroclor1242	SW8082A	1	0.00300	0.100	ND		mg/Kg	02/02/21	20:32	MK	453997
Aroclor1248	SW8082A	1	0.00200	0.100	ND		mg/Kg	02/02/21	20:32	MK	453997
Aroclor1254	SW8082A	1	0.0140	0.100	ND		mg/Kg	02/02/21	20:32	MK	453997
Aroclor1260	SW8082A	1	0.0240	0.100	ND		mg/Kg	02/02/21	20:32	MK	453997
Acceptance Limits											
TCMX (S)	SW8082A		48 - 125		53.0		%	02/02/21	20:32	MK	453997
DCBP (S)	SW8082A		48 - 135		69.0		%	02/02/21	20:32	MK	453997



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-7@3'	Lab Sample ID:	2101286-020A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:58		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/2/21	12:49:00PM
Prep Batch ID: 1128982	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
alpha-BHC	SW8081B	1	0.00013	0.0020	ND		mg/Kg	02/04/21	15:29	MK	454030
gamma-BHC (Lindane)	SW8081B	1	0.00016	0.0020	ND		mg/Kg	02/04/21	15:29	MK	454030
beta-BHC	SW8081B	1	0.00032	0.0020	ND		mg/Kg	02/04/21	15:29	MK	454030
delta-BHC	SW8081B	1	0.00016	0.0020	ND		mg/Kg	02/04/21	15:29	MK	454030
Heptachlor	SW8081B	1	0.00011	0.0020	ND		mg/Kg	02/04/21	15:29	MK	454030
Aldrin	SW8081B	1	0.00020	0.0020	ND		mg/Kg	02/04/21	15:29	MK	454030
Heptachlor Epoxide	SW8081B	1	0.000078	0.0020	ND		mg/Kg	02/04/21	15:29	MK	454030
gamma-Chlordane	SW8081B	1	0.00016	0.0020	ND		mg/Kg	02/04/21	15:29	MK	454030
alpha-Chlordane	SW8081B	1	0.00017	0.0020	ND		mg/Kg	02/04/21	15:29	MK	454030
4,4'-DDE	SW8081B	1	0.00019	0.0020	0.00829		mg/Kg	02/04/21	15:29	MK	454030
Endosulfan I	SW8081B	1	0.00018	0.0020	ND		mg/Kg	02/04/21	15:29	MK	454030
Dieldrin	SW8081B	1	0.00015	0.0020	ND		mg/Kg	02/04/21	15:29	MK	454030
Endrin	SW8081B	1	0.00019	0.0020	ND		mg/Kg	02/04/21	15:29	MK	454030
4,4'-DDD	SW8081B	1	0.00057	0.0020	ND		mg/Kg	02/04/21	15:29	MK	454030
Endosulfan II	SW8081B	1	0.00058	0.0020	ND		mg/Kg	02/04/21	15:29	MK	454030
4,4'-DDT	SW8081B	1	0.00013	0.0020	ND		mg/Kg	02/04/21	15:29	MK	454030
Endrin Aldehyde	SW8081B	1	0.00015	0.0020	ND		mg/Kg	02/04/21	15:29	MK	454030
Methoxychlor	SW8081B	1	0.00020	0.0020	ND		mg/Kg	02/04/21	15:29	MK	454030
Endosulfan Sulfate	SW8081B	1	0.00012	0.0020	ND		mg/Kg	02/04/21	15:29	MK	454030
Endrin Ketone	SW8081B	1	0.000094	0.0020	ND		mg/Kg	02/04/21	15:29	MK	454030
Chlordane	SW8081B	1	0.0021	0.020	ND		mg/Kg	02/04/21	15:29	MK	454030
Toxaphene	SW8081B	1	0.0085	0.050	ND		mg/Kg	02/04/21	15:29	MK	454030
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		48.1		%	02/04/21	15:29	MK	454030
DCBP (S)	SW8081B		38 - 135		60.0		%	02/04/21	15:29	MK	454030



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-7@3'	Lab Sample ID:	2101286-020A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:58		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
N-Nitrosodimethylamine	SW8270C	1	0.0469	0.720	ND		mg/Kg	02/02/21	23:35	MT	453975
Phenol	SW8270C	1	0.0438	0.288	ND		mg/Kg	02/02/21	23:35	MT	453975
Bis(2-chloroethyl)ether	SW8270C	1	0.0133	0.144	ND		mg/Kg	02/02/21	23:35	MT	453975
2-Chlorophenol	SW8270C	1	0.0477	0.288	ND		mg/Kg	02/02/21	23:35	MT	453975
1,3-Dichlorobenzene	SW8270C	1	0.0131	0.144	ND		mg/Kg	02/02/21	23:35	MT	453975
1,4-Dichlorobenzene	SW8270C	1	0.0146	0.144	ND		mg/Kg	02/02/21	23:35	MT	453975
Benzyl Alcohol	SW8270C	1	0.0205	0.288	ND		mg/Kg	02/02/21	23:35	MT	453975
1,2-Dichlorobenzene	SW8270C	1	0.0135	0.144	ND		mg/Kg	02/02/21	23:35	MT	453975
2-Methylphenol (o-Cresol)	SW8270C	1	0.0293	0.288	ND		mg/Kg	02/02/21	23:35	MT	453975
N-Methyl-2-Pyrrolidone (NMP)	SW8270C	1	0.0680	0.720	ND		mg/Kg	02/02/21	23:35	MT	453975
3-/4-Methylphenol (p-/m-Cresol)	SW8270C	1	0.0313	0.288	ND		mg/Kg	02/02/21	23:35	MT	453975
N-nitroso-di-n-propylamine	SW8270C	1	0.0132	0.144	ND		mg/Kg	02/02/21	23:35	MT	453975
Hexachloroethane	SW8270C	1	0.0171	0.144	ND		mg/Kg	02/02/21	23:35	MT	453975
Nitrobenzene	SW8270C	1	0.0128	0.144	ND		mg/Kg	02/02/21	23:35	MT	453975
Isophorone	SW8270C	1	0.0122	0.144	ND		mg/Kg	02/02/21	23:35	MT	453975
2-Nitrophenol	SW8270C	1	0.0254	0.288	ND		mg/Kg	02/02/21	23:35	MT	453975
2,4-Dimethylphenol	SW8270C	1	0.0228	0.288	ND		mg/Kg	02/02/21	23:35	MT	453975
Benzoic Acid	SW8270C	1	0.0417	0.288	ND		mg/Kg	02/02/21	23:35	MT	453975
Bis(2-Chloroethoxy)methane	SW8270C	1	0.00979	0.144	ND		mg/Kg	02/02/21	23:35	MT	453975
Bis(2-chloroisopropyl)ether	SW8270C	1	0.0126	0.144	ND		mg/Kg	02/02/21	23:35	MT	453975
2,4-Dichlorophenol	SW8270C	1	0.0393	0.288	ND		mg/Kg	02/02/21	23:35	MT	453975
1,2,4-Trichlorobenzene	SW8270C	1	0.0118	0.144	ND		mg/Kg	02/02/21	23:35	MT	453975
Naphthalene	SW8270C	1	0.0106	0.144	ND		mg/Kg	02/02/21	23:35	MT	453975
2,6-Dichlorophenol	SW8270C	1	0.0358	0.288	ND		mg/Kg	02/02/21	23:35	MT	453975
Hexachloro-1,3-butadiene	SW8270C	1	0.00834	0.144	ND		mg/Kg	02/02/21	23:35	MT	453975
4-Chloro-3-methylphenol	SW8270C	1	0.0338	0.288	ND		mg/Kg	02/02/21	23:35	MT	453975
2-Methylnaphthalene	SW8270C	1	0.0104	0.144	ND		mg/Kg	02/02/21	23:35	MT	453975
1-Methylnaphthalene	SW8270C	1	0.0122	0.144	ND		mg/Kg	02/02/21	23:35	MT	453975
Hexachlorocyclopentadiene	SW8270C	1	0.0129	0.144	ND		mg/Kg	02/02/21	23:35	MT	453975
2,4,6-Trichlorophenol	SW8270C	1	0.0359	0.288	ND		mg/Kg	02/02/21	23:35	MT	453975
2,4,5-Trichlorophenol	SW8270C	1	0.0334	0.288	ND		mg/Kg	02/02/21	23:35	MT	453975
2-Chloronaphthalene	SW8270C	1	0.0106	0.144	ND		mg/Kg	02/02/21	23:35	MT	453975
1,4-Dinitrobenzene	SW8270C	1	0.0103	0.144	ND		mg/Kg	02/02/21	23:35	MT	453975
Dimethyl phthalate	SW8270C	1	0.0142	0.720	ND		mg/Kg	02/02/21	23:35	MT	453975
1,3-Dinitrobenzene	SW8270C	1	0.0104	0.144	ND		mg/Kg	02/02/21	23:35	MT	453975
Acenaphthylene	SW8270C	1	0.00828	0.144	ND		mg/Kg	02/02/21	23:35	MT	453975
2,6-Dinitrotoluene	SW8270C	1	0.0113	0.144	ND		mg/Kg	02/02/21	23:35	MT	453975
1,2-Dinitrobenzene	SW8270C	1	0.0158	0.144	ND		mg/Kg	02/02/21	23:35	MT	453975
Acenaphthene	SW8270C	1	0.0107	0.144	ND		mg/Kg	02/02/21	23:35	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-7@3'	Lab Sample ID:	2101286-020A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:58		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
2,4-Dinitrophenol	SW8270C	1	0.0776	0.720	ND		mg/Kg	02/02/21	23:35	MT	453975
4-Nitrophenol	SW8270C	1	0.0547	0.720	ND		mg/Kg	02/02/21	23:35	MT	453975
Dibenzofuran	SW8270C	1	0.0112	0.144	ND		mg/Kg	02/02/21	23:35	MT	453975
2,4-Dinitrotoluene	SW8270C	1	0.0121	0.144	ND		mg/Kg	02/02/21	23:35	MT	453975
2,3,5,6-Tetrachlorophenol	SW8270C	1	0.0276	0.288	ND		mg/Kg	02/02/21	23:35	MT	453975
2,3,4,6-Tetrachlorophenol	SW8270C	1	0.0315	0.288	ND		mg/Kg	02/02/21	23:35	MT	453975
Diethylphthalate	SW8270C	1	0.0136	0.720	ND		mg/Kg	02/02/21	23:35	MT	453975
Fluorene	SW8270C	1	0.0103	0.144	ND		mg/Kg	02/02/21	23:35	MT	453975
4-Chlorophenyl-phenylether	SW8270C	1	0.00932	0.144	ND		mg/Kg	02/02/21	23:35	MT	453975
4,6-Dinitro-2-methylphenol	SW8270C	1	0.0134	0.288	ND		mg/Kg	02/02/21	23:35	MT	453975
Diphenylamine	SW8270C	1	0.0130	0.144	ND		mg/Kg	02/02/21	23:35	MT	453975
Azobenzene	SW8270C	1	0.114	0.144	ND		mg/Kg	02/02/21	23:35	MT	453975
4-Bromophenyl-phenylether	SW8270C	1	0.00823	0.144	ND		mg/Kg	02/02/21	23:35	MT	453975
Hexachlorobenzene	SW8270C	1	0.00866	0.144	ND		mg/Kg	02/02/21	23:35	MT	453975
Pentachlorophenol	SW8270C	1	0.0250	0.288	ND		mg/Kg	02/02/21	23:35	MT	453975
Phenanthrene	SW8270C	1	0.00932	0.144	ND		mg/Kg	02/02/21	23:35	MT	453975
Anthracene	SW8270C	1	0.00891	0.144	ND		mg/Kg	02/02/21	23:35	MT	453975
Carbazole	SW8270C	1	0.0107	0.144	ND		mg/Kg	02/02/21	23:35	MT	453975
Di-n-butylphthalate	SW8270C	1	0.0135	0.144	ND		mg/Kg	02/02/21	23:35	MT	453975
Fluoranthene	SW8270C	1	0.01000	0.144	ND		mg/Kg	02/02/21	23:35	MT	453975
Benzidine	SW8270C	1	0.147	0.144	ND		mg/Kg	02/02/21	23:35	MT	453975
Pyrene	SW8270C	1	0.0120	0.144	ND		mg/Kg	02/02/21	23:35	MT	453975
Butylbenzylphthalate	SW8270C	1	0.0210	0.720	ND		mg/Kg	02/02/21	23:35	MT	453975
Benzo(a)anthracene	SW8270C	1	0.00980	0.144	ND		mg/Kg	02/02/21	23:35	MT	453975
3,3-Dichlorobenzidine	SW8270C	1	0.118	0.144	ND		mg/Kg	02/02/21	23:35	MT	453975
Chrysene	SW8270C	1	0.0152	0.144	ND		mg/Kg	02/02/21	23:35	MT	453975
Bis(2-Ethylhexyl)phthalate	SW8270C	1	0.0153	0.720	ND		mg/Kg	02/02/21	23:35	MT	453975
Di-n-Octylphthalate	SW8270C	1	0.0123	0.144	ND		mg/Kg	02/02/21	23:35	MT	453975
Benzo(b)fluorathene	SW8270C	1	0.0120	0.144	ND		mg/Kg	02/02/21	23:35	MT	453975
benzo(k)fluorathene	SW8270C	1	0.00816	0.144	ND		mg/Kg	02/02/21	23:35	MT	453975
Benzo(a)pyrene	SW8270C	1	0.00980	0.144	ND		mg/Kg	02/02/21	23:35	MT	453975
Indeno(1,2,3-c,d)pyrene	SW8270C	1	0.0138	0.144	ND		mg/Kg	02/02/21	23:35	MT	453975
Dibenzo(a,h)anthracene	SW8270C	1	0.0127	0.144	ND		mg/Kg	02/02/21	23:35	MT	453975
Benzo(g,h,i)perylene	SW8270C	1	0.0167	0.144	ND		mg/Kg	02/02/21	23:35	MT	453975
Pyridine	SW8270C	1	0.0438	0.720	ND		mg/Kg	02/02/21	23:35	MT	453975
Acceptance Limits											
2-Fluorophenol (S)	SW8270C		25 - 121		75.8		%	02/02/21	23:35	MT	453975
Phenol-d6 (S)	SW8270C		24 - 113		78.7		%	02/02/21	23:35	MT	453975
2,4,6-Tribromophenol (S)	SW8270C		19 - 122		93.6		%	02/02/21	23:35	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-7@3'	Lab Sample ID:	2101286-020A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:58		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
2-Fluorobiphenyl (S)	SW8270C		45 - 143		86.6		%	02/02/21	23:35	MT	453975
Nitrobenzene-d5 (S)	SW8270C		23 - 120		81.7		%	02/02/21	23:35	MT	453975
Terphenyl-d14 (S)	SW8270C		18 - 137		87.0		%	02/02/21	23:35	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-7@3'	Lab Sample ID:	2101286-020A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:58		
SDG:			

Prep Method: 3546_TPHSG	Prep Batch Date/Time: 2/2/21	4:34:00PM
Prep Batch ID: 1128998	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
TPH as Diesel (SG)	SW8015B	1	0.85	2.0	ND		mg/Kg	02/03/21	21:13	SN	454044
TPH as Motor Oil (SG)	SW8015B	1	3.2	10	ND		mg/Kg	02/03/21	21:13	SN	454044
			Acceptance Limits								
Pentacosane (S)	SW8015B		40 - 129		47.2		%	02/03/21	21:13	SN	454044



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-7@3'	Lab Sample ID:	2101286-020A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:58		
SDG:			

Prep Method: 5035	Prep Batch Date/Time: 2/3/21 12:10:00PM
Prep Batch ID: 1129046	Prep Analyst: JZHAO

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Dichlorodifluoromethane	SW8260B	1	0.0012	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
Chloromethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
Vinyl Chloride	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
Bromomethane	SW8260B	1	0.0027	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
Chloroethane	SW8260B	1	0.0030	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
Trichlorofluoromethane	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
1,1-Dichloroethene	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
Freon 113	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
Methylene Chloride	SW8260B	1	0.0071	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
trans-1,2-Dichloroethene	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
MTBE	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
TBA	SW8260B	1	0.012	0.050	ND		mg/Kg	02/03/21	17:02	JZ	454032
Diisopropyl ether	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
1,1-Dichloroethane	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
Ethyl tert-Butyl ether	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
cis-1,2-Dichloroethene	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
2,2-Dichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
Bromochloromethane	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
Chloroform	SW8260B	1	0.0024	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
Carbon Tetrachloride	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
1,1,1-Trichloroethane	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
1,1-Dichloropropene	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
Benzene	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
TAME	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
1,2-Dichloroethane	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
Trichloroethylene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
Dibromomethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
1,2-Dichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
Bromodichloromethane	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
cis-1,3-Dichloropropene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
Toluene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
Tetrachloroethylene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
trans-1,3-Dichloropropene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
1,1,2-Trichloroethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
Dibromochloromethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
1,3-Dichloropropane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
1,2-Dibromoethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
Chlorobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
Ethylbenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-7@3'	Lab Sample ID:	2101286-020A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 9:58		
SDG:			

Prep Method: 5035	Prep Batch Date/Time: 2/3/21 12:10:00PM
Prep Batch ID: 1129046	Prep Analyst: JZHAO

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
1,1,1,2-Tetrachloroethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
m,p-Xylene	SW8260B	1	0.0032	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
o-Xylene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
Styrene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
Bromoform	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
Isopropyl Benzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
n-Propylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
Bromobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
1,1,2,2-Tetrachloroethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
2-Chlorotoluene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
1,3,5-Trimethylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
1,2,3-Trichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
4-Chlorotoluene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
tert-Butylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
1,2,4-Trimethylbenzene	SW8260B	1	0.0014	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
sec-Butyl Benzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
p-Isopropyltoluene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
1,3-Dichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
1,4-Dichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
n-Butylbenzene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
1,2-Dichlorobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
1,2-Dibromo-3-Chloropropane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
Hexachlorobutadiene	SW8260B	1	0.0014	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
1,2,4-Trichlorobenzene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
Naphthalene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
1,2,3-Trichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/03/21	17:02	JZ	454032
2-Butanone	SW8260B	1	0.0023	0.0100	ND		mg/Kg	02/03/21	17:02	JZ	454032
(S) Dibromofluoromethane	SW8260B		59.8 - 148		123		%	02/03/21	17:02	JZ	454032
(S) Toluene-d8	SW8260B		55.2 - 133		118		%	02/03/21	17:02	JZ	454032
(S) 4-Bromofluorobenzene	SW8260B		55.8 - 141		111		%	02/03/21	17:02	JZ	454032

NOTE: Internal standard recoveries were outside the control limits due to matrix interference.



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-7@3'	Lab Sample ID: 2101286-020A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 9:58	
SDG:	

Prep Method: 5035GRO	Prep Batch Date/Time: 2/3/21	12:10:00PM
Prep Batch ID: 1129047	Prep Analyst: JZHAO	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
TPH as Gasoline	8260TPH	1	0.043	0.10	ND		mg/Kg	02/03/21	17:02	JZ	454032
(S) 4-Bromofluorobenzene	8260TPH		43.9 - 127		63.3		%	02/03/21	17:02	JZ	454032



MB Summary Report

Work Order:	2101286	Prep Method:	7471BP	Prep Date:	02/01/21	Prep Batch:	1128969
Matrix:	Soil	Analytical Method:	SW7471B	Analyzed Date:	2/2/2021	Analytical Batch:	453987
Units:	mg/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier
Mercury	0.083	0.50	ND	

Work Order:	2101286	Prep Method:	3050B	Prep Date:	02/01/21	Prep Batch:	1128970
Matrix:	Soil	Analytical Method:	SW6010B	Analyzed Date:	2/3/2021	Analytical Batch:	454013
Units:	mg/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier
Antimony	0.050	5.00	0.17	
Arsenic	0.15	1.30	0.25	
Barium	0.055	5.00	ND	
Beryllium	0.055	5.00	ND	
Cadmium	0.10	5.00	ND	
Chromium	0.075	5.00	0.24	
Cobalt	0.070	5.00	ND	
Copper	0.20	5.00	ND	
Lead	0.10	3.00	ND	
Molybdenum	0.050	5.00	0.094	
Nickel	0.50	5.00	ND	
Selenium	0.22	5.00	ND	
Silver	0.15	5.00	ND	
Thallium	0.55	5.00	ND	
Vanadium	0.10	5.00	0.44	
Zinc	0.30	5.00	ND	



MB Summary Report

Work Order:	2101286	Prep Method:	3546_BNA	Prep Date:	02/02/21	Prep Batch:	1128975
Matrix:	Soil	Analytical Method:	SW8270C	Analyzed Date:	2/2/2021	Analytical Batch:	453975
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier
N-Nitrosodimethylamine	46.9	720	ND	
Phenol	43.8	288	ND	
Bis(2-chloroethyl)ether	13.3	144	ND	
2-Chlorophenol	47.7	288	ND	
1,3-Dichlorobenzene	13.1	144	ND	
1,4-Dichlorobenzene	14.6	144	ND	
Benzyl Alcohol	20.5	288	ND	
1,2-Dichlorobenzene	13.5	144	ND	
2-Methylphenol (o-Cresol)	29.3	288	ND	
N-Methyl-2-Pyrrolidone (NMP)	68.0	720	ND	
3-/4-Methylphenol (p-/m-Cresol)	31.3	288	ND	
N-nitroso-di-n-propylamine	13.2	144	ND	
Hexachloroethane	17.1	144	ND	
Nitrobenzene	12.8	144	ND	
Isophorone	12.2	144	ND	
2-Nitrophenol	25.4	288	ND	
2,4-Dimethylphenol	22.8	288	ND	
Benzoic Acid	41.7	288	ND	
Bis(2-Chloroethoxy)methane	9.79	144	ND	
Bis(2-chloroisopropyl)ether	12.6	144	ND	
2,4-Dichlorophenol	39.3	288	ND	
1,2,4-Trichlorobenzene	11.8	144	ND	
Naphthalene	10.6	144	ND	
2,6-Dichlorophenol	35.8	288	ND	
Hexachloro-1,3-butadiene	8.34	144	ND	
4-Chloro-3-methylphenol	33.8	288	ND	
2-Methylnaphthalene	10.4	144	ND	
1-Methylnaphthalene	12.2	144	ND	
Hexachlorocyclopentadiene	12.9	144	ND	
2,4,6-Trichlorophenol	35.9	288	ND	
2,4,5-Trichlorophenol	33.4	288	ND	
2-Chloronaphthalene	10.6	144	ND	
1,4-Dinitrobenzene	10.3	144	ND	
Dimethyl phthalate	14.2	720	ND	
1,3-Dinitrobenzene	10.4	144	ND	
Acenaphthylene	8.28	144	ND	
2,6-Dinitrotoluene	11.3	144	ND	
1,2-Dinitrobenzene	15.8	144	ND	
Acenaphthene	10.7	144	ND	
2,4-Dinitrophenol	77.6	720	ND	
4-Nitrophenol	54.7	720	ND	
Dibenzofuran	11.2	144	ND	
2,4-Dinitrotoluene	12.1	144	ND	
2,3,5,6-Tetrachlorophenol	27.6	288	ND	
2,3,4,6-Tetrachlorophenol	31.5	288	ND	



MB Summary Report

Work Order:	2101286	Prep Method:	3546_BNA	Prep Date:	02/02/21	Prep Batch:	1128975
Matrix:	Soil	Analytical Method:	SW8270C	Analyzed Date:	2/2/2021	Analytical Batch:	453975
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier
Diethylphthalate	13.6	720	ND	
Fluorene	10.3	144	ND	
4-Chlorophenyl-phenylether	9.32	144	ND	
4,6-Dinitro-2-methylphenol	13.4	288	ND	
Diphenylamine	13.0	144	ND	
Azobenzene	114	144	ND	
4-Bromophenyl-phenylether	8.23	144	ND	
Hexachlorobenzene	8.66	144	ND	
Pentachlorophenol	25.0	288	ND	
Phenanthrene	9.32	144	ND	
Anthracene	8.91	144	ND	
Carbazole	10.7	144	ND	
Di-n-butylphthalate	13.5	144	ND	
Fluoranthene	10.0	144	ND	
Benzidine	147	144	ND	
Pyrene	12.0	144	ND	
Butylbenzylphthalate	21.0	720	ND	
Benzo(a)anthracene	9.80	144	ND	
3,3-Dichlorobenzidine	118	144	ND	
Chrysene	15.2	144	ND	
Bis(2-Ethylhexyl)phthalate	15.3	720	ND	
Di-n-Octylphthalate	12.3	144	ND	
Benzo(b)fluorathene	12.0	144	ND	
benzo(k)fluorathene	8.16	144	ND	
Benzo(a)pyrene	9.80	144	ND	
Indeno(1,2,3-c,d)pyrene	13.8	144	ND	
Dibenzo(a,h)anthracene	12.7	144	ND	
Benzo(g,h,i)perylene	12.7	144	ND	
Pyridine	43.8	720	ND	
2-Fluorophenol (S)			80.2	
Phenol-d6 (S)			81.3	
2,4,6-Tribromophenol (S)			87.8	
2-Fluorobiphenyl (S)			84.5	
Nitrobenzene-d5 (S)			78.9	
Terphenyl-d14 (S)			89.6	



MB Summary Report

Work Order:	2101286	Prep Method:	3546_OCP	Prep Date:	02/02/21	Prep Batch:	1128982
Matrix:	Soil	Analytical Method:	SW8081B	Analyzed Date:	2/2/2021	Analytical Batch:	454030
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier	
alpha-BHC	0.13	2.0	ND		
gamma-BHC (Lindane)	0.16	2.0	ND		
beta-BHC	0.32	2.0	ND		
delta-BHC	0.16	2.0	ND		
Heptachlor	0.11	2.0	ND		
Aldrin	0.20	2.0	ND		
Heptachlor Epoxide	0.078	2.0	ND		
gamma-Chlordane	0.16	2.0	ND		
alpha-Chlordane	0.17	2.0	ND		
4,4'-DDE	0.19	2.0	ND		
Endosulfan I	0.18	2.0	ND		
Dieldrin	0.15	2.0	ND		
Endrin	0.19	2.0	ND		
4,4'-DDD	0.57	2.0	ND		
Endosulfan II	0.58	2.0	ND		
4,4'-DDT	0.13	2.0	ND		
Endrin Aldehyde	0.15	2.0	ND		
Methoxychlor	0.20	2.0	ND		
Endosulfan Sulfate	0.12	2.0	ND		
Endrin Ketone	0.094	2.0	ND		
Chlordane	2.1	20	ND		
Toxaphene	8.5	50	ND		
TCMX (S)			85.3		
DCBP (S)			86.4		

Work Order:	2101286	Prep Method:	3546_PCB	Prep Date:	02/02/21	Prep Batch:	1128983
Matrix:	Soil	Analytical Method:	SW8082A	Analyzed Date:	2/2/2021	Analytical Batch:	453997
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier	
Aroclor1016	35.0	100	ND		
Aroclor1221	5.00	100	ND		
Aroclor1232	17.0	100	ND		
Aroclor1242	3.00	100	ND		
Aroclor1248	2.00	100	ND		
Aroclor1254	14.0	100	ND		
Aroclor1260	24.0	100	ND		
TCMX (S)			86.0		
DCBP (S)			93.0		



MB Summary Report

Work Order:	2101286	Prep Method:	3546_TPHSG	Prep Date:	02/02/21	Prep Batch:	1128998
Matrix:	Soil	Analytical Method:	SW8015B	Analyzed Date:	2/3/2021	Analytical Batch:	454044
Units:	mg/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier
TPH as Diesel (SG)	0.85	2.0	ND	
TPH as Motor Oil (SG)	3.2	10	ND	
Pentacosane (S)			78.7	



MB Summary Report

Work Order:	2101286	Prep Method:	5035	Prep Date:	02/04/21	Prep Batch:	1129044
Matrix:	Soil	Analytical Method:	SW8260B	Analyzed Date:	2/3/2021	Analytical Batch:	454028
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier	
Dichlorodifluoromethane	1.2	10	ND		
Chloromethane	1.8	10	ND		
Vinyl Chloride	2.0	10	ND		
Bromomethane	2.7	10	ND		
Chloroethane	3.0	10	ND		
Trichlorofluoromethane	2.1	10	ND		
1,1-Dichloroethene	2.0	10	ND		
Freon 113	1.9	10	ND		
Methylene Chloride	7.1	10	ND		
trans-1,2-Dichloroethene	2.1	10	ND		
MTBE	2.3	10	ND		
TBA	12	50	ND		
Diisopropyl ether	2.3	10	ND		
1,1-Dichloroethane	2.2	10	ND		
Ethyl tert-Butyl ether	2.3	10	ND		
cis-1,2-Dichloroethene	2.2	10	ND		
2,2-Dichloropropane	1.9	10	ND		
Bromochloromethane	2.3	10	ND		
Chloroform	2.4	10	ND		
Carbon Tetrachloride	2.1	10	ND		
1,1,1-Trichloroethane	2.1	10	ND		
1,1-Dichloropropene	2.0	10	ND		
Benzene	2.2	10	ND		
TAME	2.3	10	ND		
1,2-Dichloroethane	2.3	10	ND		
Trichloroethylene	1.8	10	ND		
Dibromomethane	1.8	10	ND		
1,2-Dichloropropane	1.9	10	ND		
Bromodichloromethane	2.0	10	ND		
cis-1,3-Dichloropropene	1.6	10	ND		
Toluene	1.8	10	ND		
Tetrachloroethylene	1.7	10	ND		
trans-1,3-Dichloropropene	1.6	10	ND		
1,1,2-Trichloroethane	1.8	10	ND		
Dibromochloromethane	1.9	10	ND		
1,3-Dichloropropane	1.8	10	ND		
1,2-Dibromoethane	1.8	10	ND		
Chlorobenzene	1.8	10	ND		
Ethylbenzene	1.7	10	ND		
1,1,1,2-Tetrachloroethane	1.9	10	ND		
m,p-Xylene	3.2	10	ND		
o-Xylene	1.7	10	ND		
Styrene	1.6	10	ND		
Bromoform	1.7	10	ND		
Isopropyl Benzene	1.6	10	ND		



MB Summary Report

Work Order:	2101286	Prep Method:	5035	Prep Date:	02/04/21	Prep Batch:	1129044
Matrix:	Soil	Analytical Method:	SW8260B	Analyzed Date:	2/3/2021	Analytical Batch:	454028
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier	
n-Propylbenzene	1.6	10	ND		
Bromobenzene	1.8	10	ND		
1,1,2,2-Tetrachloroethane	1.9	10	ND		
2-Chlorotoluene	1.8	10	ND		
1,3,5-Trimethylbenzene	1.6	10	ND		
1,2,3-Trichloropropane	1.9	10	ND		
4-Chlorotoluene	1.6	10	ND		
tert-Butylbenzene	1.6	10	ND		
1,2,4-Trimethylbenzene	1.4	10	ND		
sec-Butyl Benzene	1.6	10	ND		
p-Isopropyltoluene	1.5	10	ND		
1,3-Dichlorobenzene	1.7	10	ND		
1,4-Dichlorobenzene	1.7	10	ND		
n-Butylbenzene	1.5	10	2.2		
1,2-Dichlorobenzene	1.8	10	ND		
1,2-Dibromo-3-Chloropropane	1.8	10	ND		
Hexachlorobutadiene	1.4	10	2.3		
1,2,4-Trichlorobenzene	1.5	10	2.7		
Naphthalene	1.7	10	3.1		
1,2,3-Trichlorobenzene	1.7	10	3.0		
2-Butanone	2.3	10	ND		
4-Methyl-2-Pentanone (MIBK)	2.0	50	ND		
Hexachloroethane	5.0	10	ND		
1,4-Dioxane	100	200	ND		
2-Hexanone	5.0	20	ND		
Acetone	8.2	20	28		
(S) Dibromofluoromethane			92.8		
(S) Toluene-d8			93.7		
(S) 4-Bromofluorobenzene			88.4		

Work Order:	2101286	Prep Method:	5035GRO	Prep Date:	02/04/21	Prep Batch:	1129045
Matrix:	Soil	Analytical Method:	SW8260B	Analyzed Date:	2/3/2021	Analytical Batch:	454028
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier	
TPH as Gasoline	43	100	66		
(S) 4-Bromofluorobenzene			103		



MB Summary Report

Work Order:	2101286	Prep Method:	5035	Prep Date:	02/03/21	Prep Batch:	1129046
Matrix:	Soil	Analytical Method:	SW8260B	Analyzed Date:	2/3/2021	Analytical Batch:	454032
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier	
Dichlorodifluoromethane	1.2	10	ND		
Chloromethane	1.8	10	ND		
Vinyl Chloride	2.0	10	ND		
Bromomethane	2.7	10	ND		
Chloroethane	3.0	10	ND		
Trichlorofluoromethane	2.1	10	ND		
1,1-Dichloroethene	2.0	10	ND		
Freon 113	1.9	10	ND		
Methylene Chloride	7.1	10	ND		
trans-1,2-Dichloroethene	2.1	10	ND		
MTBE	2.3	10	ND		
TBA	12	50	ND		
Diisopropyl ether	2.3	10	ND		
1,1-Dichloroethane	2.2	10	ND		
Ethyl tert-Butyl ether	2.3	10	ND		
cis-1,2-Dichloroethene	2.2	10	ND		
2,2-Dichloropropane	1.9	10	ND		
Bromochloromethane	2.3	10	ND		
Chloroform	2.4	10	ND		
Carbon Tetrachloride	2.1	10	ND		
1,1,1-Trichloroethane	2.1	10	ND		
1,1-Dichloropropene	2.0	10	ND		
Benzene	2.2	10	ND		
TAME	2.3	10	ND		
1,2-Dichloroethane	2.3	10	ND		
Trichloroethylene	1.8	10	ND		
Dibromomethane	1.8	10	ND		
1,2-Dichloropropane	1.9	10	ND		
Bromodichloromethane	2.0	10	ND		
cis-1,3-Dichloropropene	1.6	10	ND		
Toluene	1.8	10	ND		
Tetrachloroethylene	1.7	10	ND		
trans-1,3-Dichloropropene	1.6	10	ND		
1,1,2-Trichloroethane	1.8	10	ND		
Dibromochloromethane	1.9	10	ND		
1,3-Dichloropropane	1.8	10	ND		
1,2-Dibromoethane	1.8	10	ND		
Chlorobenzene	1.8	10	ND		
Ethylbenzene	1.7	10	ND		
1,1,1,2-Tetrachloroethane	1.9	10	ND		
m,p-Xylene	3.2	10	ND		
o-Xylene	1.7	10	ND		
Styrene	1.6	10	ND		
Bromoform	1.7	10	ND		
Isopropyl Benzene	1.6	10	ND		



MB Summary Report

Work Order:	2101286	Prep Method:	5035	Prep Date:	02/03/21	Prep Batch:	1129046
Matrix:	Soil	Analytical Method:	SW8260B	Analyzed Date:	2/3/2021	Analytical Batch:	454032
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier
n-Propylbenzene	1.6	10	ND	
Bromobenzene	1.8	10	ND	
1,1,2,2-Tetrachloroethane	1.9	10	ND	
2-Chlorotoluene	1.8	10	ND	
1,3,5-Trimethylbenzene	1.6	10	ND	
1,2,3-Trichloropropane	1.9	10	ND	
4-Chlorotoluene	1.6	10	ND	
tert-Butylbenzene	1.6	10	ND	
1,2,4-Trimethylbenzene	1.4	10	ND	
sec-Butyl Benzene	1.6	10	ND	
p-Isopropyltoluene	1.5	10	ND	
1,3-Dichlorobenzene	1.7	10	ND	
1,4-Dichlorobenzene	1.7	10	ND	
n-Butylbenzene	1.5	10	ND	
1,2-Dichlorobenzene	1.8	10	ND	
1,2-Dibromo-3-Chloropropane	1.8	10	ND	
Hexachlorobutadiene	1.4	10	ND	
1,2,4-Trichlorobenzene	1.5	10	ND	
Naphthalene	1.7	10	6.4	
1,2,3-Trichlorobenzene	1.7	10	ND	
2-Butanone	2.3	10	ND	
(S) Dibromofluoromethane			121	
(S) Toluene-d8			107	
(S) 4-Bromofluorobenzene			95.7	



MB Summary Report

Work Order:	2101286	Prep Method:	5035	Prep Date:	02/03/21	Prep Batch:	1129046
Matrix:	Soil	Analytical Method:	SW8260B	Analyzed Date:	2/3/2021	Analytical Batch:	454032
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier	
Dichlorodifluoromethane	1.2	10	ND		
Chloromethane	1.8	10	ND		
Vinyl Chloride	2.0	10	ND		
Bromomethane	2.7	10	ND		
Chloroethane	3.0	10	ND		
Trichlorofluoromethane	2.1	10	ND		
1,1-Dichloroethene	2.0	10	ND		
Freon 113	1.9	10	ND		
Methylene Chloride	7.1	10	ND		
trans-1,2-Dichloroethene	2.1	10	ND		
MTBE	2.3	10	ND		
TBA	12	50	ND		
Diisopropyl ether	2.3	10	ND		
1,1-Dichloroethane	2.2	10	ND		
Ethyl tert-Butyl ether	2.3	10	ND		
cis-1,2-Dichloroethene	2.2	10	ND		
2,2-Dichloropropane	1.9	10	ND		
Bromochloromethane	2.3	10	ND		
Chloroform	2.4	10	ND		
Carbon Tetrachloride	2.1	10	ND		
1,1,1-Trichloroethane	2.1	10	ND		
1,1-Dichloropropene	2.0	10	ND		
Benzene	2.2	10	ND		
TAME	2.3	10	ND		
1,2-Dichloroethane	2.3	10	ND		
Trichloroethylene	1.8	10	ND		
Dibromomethane	1.8	10	ND		
1,2-Dichloropropane	1.9	10	ND		
Bromodichloromethane	2.0	10	ND		
cis-1,3-Dichloropropene	1.6	10	ND		
Toluene	1.8	10	ND		
Tetrachloroethylene	1.7	10	ND		
trans-1,3-Dichloropropene	1.6	10	ND		
1,1,2-Trichloroethane	1.8	10	ND		
Dibromochloromethane	1.9	10	ND		
1,3-Dichloropropane	1.8	10	ND		
1,2-Dibromoethane	1.8	10	ND		
Chlorobenzene	1.8	10	ND		
Ethylbenzene	1.7	10	ND		
1,1,1,2-Tetrachloroethane	1.9	10	ND		
m,p-Xylene	3.2	10	ND		
o-Xylene	1.7	10	ND		
Styrene	1.6	10	ND		
Bromoform	1.7	10	ND		
Isopropyl Benzene	1.6	10	ND		



MB Summary Report

Work Order:	2101286	Prep Method:	5035	Prep Date:	02/03/21	Prep Batch:	1129046
Matrix:	Soil	Analytical Method:	SW8260B	Analyzed Date:	2/3/2021	Analytical Batch:	454032
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier	
n-Propylbenzene	1.6	10	ND		
Bromobenzene	1.8	10	ND		
1,1,2,2-Tetrachloroethane	1.9	10	ND		
2-Chlorotoluene	1.8	10	ND		
1,3,5-Trimethylbenzene	1.6	10	ND		
1,2,3-Trichloropropane	1.9	10	ND		
4-Chlorotoluene	1.6	10	ND		
tert-Butylbenzene	1.6	10	ND		
1,2,4-Trimethylbenzene	1.4	10	ND		
sec-Butyl Benzene	1.6	10	ND		
p-Isopropyltoluene	1.5	10	ND		
1,3-Dichlorobenzene	1.7	10	ND		
1,4-Dichlorobenzene	1.7	10	ND		
n-Butylbenzene	1.5	10	ND		
1,2-Dichlorobenzene	1.8	10	ND		
1,2-Dibromo-3-Chloropropane	1.8	10	ND		
Hexachlorobutadiene	1.4	10	ND		
1,2,4-Trichlorobenzene	1.5	10	ND		
Naphthalene	1.7	10	6.4		
1,2,3-Trichlorobenzene	1.7	10	ND		
2-Butanone	2.3	10	ND		
Acetone	8.2	20	15		
(S) Dibromofluoromethane			121		
(S) Toluene-d8			107		
(S) 4-Bromofluorobenzene			95.7		

Work Order:	2101286	Prep Method:	5035GRO	Prep Date:	02/03/21	Prep Batch:	1129047
Matrix:	Soil	Analytical Method:	SW8260B	Analyzed Date:	2/3/2021	Analytical Batch:	454032
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier	
TPH as Gasoline	43	100	60		
(S) 4-Bromofluorobenzene			86.7		



MB Summary Report

Work Order:	2101286	Prep Method:	5035	Prep Date:	02/04/21	Prep Batch:	1129050
Matrix:	Soil	Analytical Method:	SW8260B	Analyzed Date:	2/4/2021	Analytical Batch:	454037
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier	
Dichlorodifluoromethane	1.2	10	ND		
Chloromethane	1.8	10	ND		
Vinyl Chloride	2.0	10	ND		
Bromomethane	2.7	10	ND		
Chloroethane	3.0	10	ND		
Trichlorofluoromethane	2.1	10	ND		
1,1-Dichloroethene	2.0	10	ND		
Freon 113	1.9	10	ND		
Methylene Chloride	7.1	10	ND		
trans-1,2-Dichloroethene	2.1	10	ND		
MTBE	2.3	10	ND		
TBA	12	50	ND		
Diisopropyl ether	2.3	10	ND		
1,1-Dichloroethane	2.2	10	ND		
Ethyl tert-Butyl ether	2.3	10	ND		
cis-1,2-Dichloroethene	2.2	10	ND		
2,2-Dichloropropane	1.9	10	ND		
Bromochloromethane	2.3	10	ND		
Chloroform	2.4	10	ND		
Carbon Tetrachloride	2.1	10	ND		
1,1,1-Trichloroethane	2.1	10	ND		
1,1-Dichloropropene	2.0	10	ND		
Benzene	2.2	10	ND		
TAME	2.3	10	ND		
1,2-Dichloroethane	2.3	10	ND		
Trichloroethylene	1.8	10	ND		
Dibromomethane	1.8	10	ND		
1,2-Dichloropropane	1.9	10	ND		
Bromodichloromethane	2.0	10	ND		
cis-1,3-Dichloropropene	1.6	10	ND		
Toluene	1.8	10	ND		
Tetrachloroethylene	1.7	10	ND		
trans-1,3-Dichloropropene	1.6	10	ND		
1,1,2-Trichloroethane	1.8	10	ND		
Dibromochloromethane	1.9	10	ND		
1,3-Dichloropropane	1.8	10	ND		
1,2-Dibromoethane	1.8	10	ND		
Chlorobenzene	1.8	10	ND		
Ethylbenzene	1.7	10	ND		
1,1,1,2-Tetrachloroethane	1.9	10	ND		
m,p-Xylene	3.2	10	ND		
o-Xylene	1.7	10	ND		
Styrene	1.6	10	ND		
Bromoform	1.7	10	ND		
Isopropyl Benzene	1.6	10	ND		



MB Summary Report

Work Order:	2101286	Prep Method:	5035	Prep Date:	02/04/21	Prep Batch:	1129050
Matrix:	Soil	Analytical Method:	SW8260B	Analyzed Date:	2/4/2021	Analytical Batch:	454037
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier
n-Propylbenzene	1.6	10	ND	
Bromobenzene	1.8	10	ND	
1,1,2,2-Tetrachloroethane	1.9	10	ND	
2-Chlorotoluene	1.8	10	ND	
1,3,5-Trimethylbenzene	1.6	10	ND	
1,2,3-Trichloropropane	1.9	10	ND	
4-Chlorotoluene	1.6	10	ND	
tert-Butylbenzene	1.6	10	ND	
1,2,4-Trimethylbenzene	1.4	10	ND	
sec-Butyl Benzene	1.6	10	ND	
p-Isopropyltoluene	1.5	10	ND	
1,3-Dichlorobenzene	1.7	10	ND	
1,4-Dichlorobenzene	1.7	10	ND	
n-Butylbenzene	1.5	10	1.6	
1,2-Dichlorobenzene	1.8	10	ND	
1,2-Dibromo-3-Chloropropane	1.8	10	ND	
Hexachlorobutadiene	1.4	10	1.9	
1,2,4-Trichlorobenzene	1.5	10	2.0	
Naphthalene	1.7	10	2.3	
1,2,3-Trichlorobenzene	1.7	10	2.0	
2-Butanone	2.3	10	ND	
4-Methyl-2-Pentanone (MIBK)	2.0	50	ND	
Hexachloroethane	5.0	10	ND	
1,4-Dioxane	100	200	ND	
2-Hexanone	5.0	20	ND	
Acetone	8.2	20	19	
(S) Dibromofluoromethane			86.3	
(S) Toluene-d8			97.3	
(S) 4-Bromofluorobenzene			89.4	



MB Summary Report

Work Order:	2101286	Prep Method:	5035	Prep Date:	02/04/21	Prep Batch:	1129050
Matrix:	Soil	Analytical Method:	SW8260B	Analyzed Date:	2/4/2021	Analytical Batch:	454037
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier
Dichlorodifluoromethane	120	1000	ND	
Chloromethane	180	1000	ND	
Vinyl Chloride	200	1000	ND	
Bromomethane	270	1000	ND	
Chloroethane	300	1000	ND	
Trichlorofluoromethane	210	1000	ND	
1,1-Dichloroethene	200	1000	ND	
Freon 113	190	1000	ND	
Methylene Chloride	710	1000	ND	
trans-1,2-Dichloroethene	210	1000	ND	
MTBE	230	1000	ND	
TBA	1200	5000	1300	
Diisopropyl ether	230	1000	ND	
1,1-Dichloroethane	220	1000	ND	
Ethyl tert-Butyl ether	230	1000	ND	
cis-1,2-Dichloroethene	220	1000	ND	
2,2-Dichloropropane	190	1000	ND	
Bromochloromethane	230	1000	ND	
Chloroform	240	1000	ND	
Carbon Tetrachloride	210	1000	ND	
1,1,1-Trichloroethane	210	1000	ND	
1,1-Dichloropropene	200	1000	ND	
Benzene	220	1000	ND	
TAME	230	1000	ND	
1,2-Dichloroethane	230	1000	ND	
Trichloroethylene	180	1000	ND	
Dibromomethane	180	1000	ND	
1,2-Dichloropropane	190	1000	ND	
Bromodichloromethane	200	1000	ND	
cis-1,3-Dichloropropene	160	1000	ND	
Toluene	180	1000	ND	
Tetrachloroethylene	170	1000	ND	
trans-1,3-Dichloropropene	160	1000	ND	
1,1,2-Trichloroethane	180	1000	ND	
Dibromochloromethane	190	1000	ND	
1,3-Dichloropropane	180	1000	ND	
1,2-Dibromoethane	180	1000	ND	
Chlorobenzene	180	1000	ND	
Ethylbenzene	170	1000	ND	
1,1,1,2-Tetrachloroethane	190	1000	ND	
m,p-Xylene	320	1000	ND	
o-Xylene	170	1000	ND	
Styrene	160	1000	ND	
Bromoform	170	1000	ND	
Isopropyl Benzene	160	1000	ND	



MB Summary Report

Work Order:	2101286	Prep Method:	5035	Prep Date:	02/04/21	Prep Batch:	1129050
Matrix:	Soil	Analytical Method:	SW8260B	Analyzed Date:	2/4/2021	Analytical Batch:	454037
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier
n-Propylbenzene	160	1000	ND	
Bromobenzene	180	1000	ND	
1,1,2,2-Tetrachloroethane	190	1000	ND	
2-Chlorotoluene	180	1000	ND	
1,3,5-Trimethylbenzene	160	1000	ND	
1,2,3-Trichloropropane	190	1000	ND	
4-Chlorotoluene	160	1000	ND	
tert-Butylbenzene	160	1000	ND	
1,2,4-Trimethylbenzene	140	1000	ND	
sec-Butyl Benzene	160	1000	ND	
p-Isopropyltoluene	150	1000	ND	
1,3-Dichlorobenzene	170	1000	ND	
1,4-Dichlorobenzene	170	1000	ND	
n-Butylbenzene	150	1000	ND	
1,2-Dichlorobenzene	180	1000	ND	
1,2-Dibromo-3-Chloropropane	180	1000	ND	
Hexachlorobutadiene	140	1000	ND	
1,2,4-Trichlorobenzene	150	1000	ND	
Naphthalene	170	1000	ND	
1,2,3-Trichlorobenzene	170	1000	ND	
2-Butanone	230	1000	ND	
4-Methyl-2-Pentanone (MIBK)	200	5000	ND	
Hexachloroethane	500	1000	ND	
1,4-Dioxane	10000	20000	ND	
2-Hexanone	500	2000	ND	
Acetone	820	2000	ND	
(S) Dibromofluoromethane			77.6	
(S) Toluene-d8			95.2	
(S) 4-Bromofluorobenzene			91.7	



LCS/LCSD Summary Report

Raw values are used in quality control assessment.

Work Order:	2101286	Prep Method:	7471BP	Prep Date:	02/01/21	Prep Batch:	1128969
Matrix:	Soil	Analytical Method:	SW7471B	Analyzed Date:	2/2/2021	Analytical Batch:	453987
Units:	mg/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Spike Conc.	LCS % Recovery	LCSD % Recovery	LCS/LCSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
Mercury	0.047	0.50	ND	1.25	107	108	0.743	80 - 120	30	

Work Order:	2101286	Prep Method:	3050B	Prep Date:	02/01/21	Prep Batch:	1128970
Matrix:	Soil	Analytical Method:	SW6010B	Analyzed Date:	2/3/2021	Analytical Batch:	454013
Units:	mg/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Spike Conc.	LCS % Recovery	LCSD % Recovery	LCS/LCSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
Antimony	0.050	5.00	0.17	50	96.0	93.9	2.11	80 - 120	30	
Arsenic	0.15	1.30	0.25	50	96.6	95.1	1.46	80 - 120	30	
Barium	0.055	5.00	ND	50	101	97.6	3.42	80 - 120	30	
Beryllium	0.055	5.00	ND	50	101	98.3	2.61	80 - 120	30	
Cadmium	0.10	5.00	ND	50	101	99.2	1.80	80 - 120	30	
Chromium	0.075	5.00	0.24	50	103	101	1.96	80 - 120	30	
Cobalt	0.070	5.00	ND	50	102	99.9	1.98	80 - 120	30	
Copper	0.20	5.00	ND	50	102	101	0.985	80 - 120	30	
Lead	0.10	3.00	ND	50	99.0	98.1	0.811	80 - 120	30	
Molybdenum	0.050	5.00	0.094	50	104	102	1.94	80 - 120	30	
Nickel	0.50	5.00	ND	50	102	99.6	2.38	80 - 120	30	
Selenium	0.22	5.00	ND	50	86.3	84.4	2.34	80 - 120	30	
Silver	0.15	5.00	ND	50	97.5	95.6	2.07	80 - 120	30	
Thallium	0.20	5.00	ND	50	97.4	95.3	2.07	80 - 120	30	
Vanadium	0.10	5.00	0.44	50	104	102	1.94	80 - 120	30	
Zinc	0.30	5.00	ND	50	96.3	94.2	2.31	80 - 120	30	



LCS/LCSD Summary Report

Raw values are used in quality control assessment.

Work Order:	2101286	Prep Method:	3546_BNA	Prep Date:	02/02/21	Prep Batch:	1128975
Matrix:	Soil	Analytical Method:	SW8270C	Analyzed Date:	2/2/2021	Analytical Batch:	453975
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Spike Conc.	LCS % Recovery	LCSD % Recovery	LCS/LCSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
Phenol	43.8	288	ND	1600	83.1	86.0	3.69	40 - 100	30	
2-Chlorophenol	47.7	288	ND	1600	77.9	78.6	0.797	45 - 105	30	
Bis(2-chloroethyl)ether	14.6	144	ND	800	77.3	76.6	0.812	35 - 105	30	
N-nitroso-di-n-propylamine	13.2	144	ND	1600	78.8	84.0	6.15	40 - 115	30	
1,2,4-Trichlorobenzene	11.8	144	ND	800	78.3	77.8	0.641	45 - 110	30	
1,4-Dichlorobenzene	33.8	288	ND	1600	84.4	88.4	5.05	45 - 110	30	
Acenaphthene	10.7	144	ND	800	87.2	88.7	1.56	45 - 110	30	
4-Nitrophenol	54.7	720	ND	1600	92.0	99.4	7.84	15 - 140	30	
2,4-Dinitrotoluene	12.1	144	ND	800	91.4	93.6	2.43	50 - 115	30	
N-Methyl-2-Pyrrolidone (NMP)	12.0	144	ND	1600	87.2	90.1	3.53	25 - 120	30	
Pyrene	12.0	144		800	86.3	91.1	5.35	45 - 145	30	
2-Fluorophenol (S)				22200	86.5	84.8		25 - 121		
Phenol-d6 (S)				22200	88.1	86.6		24 - 113		
2,4,6-Tribromophenol (S)				22200	97.7	94.0		19 - 122		
2-Fluorobiphenyl (S)				11100	92.6	89.2		30 - 143		
Nitrobenzene-d5 (S)				11100	87.6	87.9		23 - 120		
Terphenyl-d14 (S)				11100	94.9	95.5		18 - 137		

Work Order:	2101286	Prep Method:	3546_OCP	Prep Date:	02/02/21	Prep Batch:	1128982
Matrix:	Soil	Analytical Method:	SW8081B	Analyzed Date:	2/3/2021	Analytical Batch:	454030
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Spike Conc.	LCS % Recovery	LCSD % Recovery	LCS/LCSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
gamma-BHC (Lindane)	0.16	2.0	ND	40	86.2	88.1	2.29	25 - 135	30	
Heptachlor	0.11	2.0	ND	40	82.7	84.1	1.80	40 - 130	30	
Aldrin	0.20	2.0	ND	40	81.9	83.4	1.51	25 - 140	30	
Dieldrin	0.15	2.0	ND	40	75.6	77.4	2.61	60 - 130	30	
Endrin	0.19	2.0	ND	40	88.1	89.9	2.25	55 - 135	30	
4,4'-DDT	0.13	2.0	ND	40	84.6	86.5	2.34	45 - 140	30	
TCMX (S)				100	90.9	89.3		48 - 125		
DCBP (S)				100	94.3	94.0		38 - 135		

Work Order:	2101286	Prep Method:	3546_PCB	Prep Date:	02/02/21	Prep Batch:	1128983
Matrix:	Soil	Analytical Method:	SW8082A	Analyzed Date:	2/2/2021	Analytical Batch:	453997
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Spike Conc.	LCS % Recovery	LCSD % Recovery	LCS/LCSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
Aroclor1016	53	100	ND	600	104	107	3.01	25 - 145	30	
Aroclor1260	36	100	ND	600	107	109	2.01	30 - 145	30	
TCMX (S)				0.10	97.0	98.0		48 - 125		
DCBP (S)				0.10	108	107		48 - 135		



LCS/LCSD Summary Report

Raw values are used in quality control assessment.

Work Order:	2101286	Prep Method:	3546_TPHSG	Prep Date:	02/02/21	Prep Batch:	1128998
Matrix:	Soil	Analytical Method:	SW8015B	Analyzed Date:	2/3/2021	Analytical Batch:	454044
Units:	mg/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Spike Conc.	LCS % Recovery	LCSD % Recovery	LCS/LCSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
TPH as Diesel (SG)	0.85	2.0	ND	25.0	66.0	65.2	1.22	40 - 110	30	
Pentacosane (S)			ND	200	100.0	82.7		40 - 129		

Work Order:	2101286	Prep Method:	5035	Prep Date:	02/04/21	Prep Batch:	1129044
Matrix:	Soil	Analytical Method:	SW8260B	Analyzed Date:	2/3/2021	Analytical Batch:	454028
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Spike Conc.	LCS % Recovery	LCSD % Recovery	LCS/LCSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
1,1-Dichloroethene	2.0	10	ND	50.0	124	113	9.43	53.7 - 139	30	
Benzene	2.2	10	ND	50.0	117	109	6.90	66.5 - 135	30	
Trichloroethylene	1.8	10	ND	50.0	109	101	7.80	57.5 - 150	30	
Toluene	1.8	10	ND	50.0	115	106	8.68	56.8 - 134	30	
Chlorobenzene	1.8	10	ND	50.0	112	102	10.1	57.4 - 134	30	
(S) Dibromofluoromethane				50.0	103	98.0		59.8 - 148		
(S) Toluene-d8				50.0	108	96.7		55.2 - 133		
(S) 4-Bromofluorobenzene				50.0	103	90.5		55.8 - 141		

Work Order:	2101286	Prep Method:	5035GRO	Prep Date:	02/04/21	Prep Batch:	1129045
Matrix:	Soil	Analytical Method:	SW8260B	Analyzed Date:	2/3/2021	Analytical Batch:	454028
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Spike Conc.	LCS % Recovery	LCSD % Recovery	LCS/LCSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
TPH as Gasoline	43	100	66	1000	104	117	12.7	48.2 - 132	30	
(S) 4-Bromofluorobenzene				50	94.2	109		43.9 - 127		

Work Order:	2101286	Prep Method:	5035	Prep Date:	02/03/21	Prep Batch:	1129046
Matrix:	Soil	Analytical Method:	SW8260B	Analyzed Date:	2/3/2021	Analytical Batch:	454032
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Spike Conc.	LCS % Recovery	LCSD % Recovery	LCS/LCSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
1,1-Dichloroethene	2.0	10	ND	50.0	91.0	85.3	6.35	53.7 - 139	30	
Benzene	2.2	10	ND	50.0	95.3	89.0	6.73	66.5 - 135	30	
Trichloroethylene	1.8	10	ND	50.0	94.0	87.1	7.51	57.5 - 150	30	
Toluene	1.8	10	ND	50.0	112	106	4.77	56.8 - 134	30	
Chlorobenzene	1.8	10	ND	50.0	102	96.2	5.46	57.4 - 134	30	
(S) Dibromofluoromethane				50.0	107	102		59.8 - 148		
(S) Toluene-d8				50.0	114	110		55.2 - 133		
(S) 4-Bromofluorobenzene				50.0	106	98.2		55.8 - 141		



LCS/LCSD Summary Report

Raw values are used in quality control assessment.

Work Order:	2101286	Prep Method:	5035GRO	Prep Date:	02/03/21	Prep Batch:	1129047
Matrix:	Soil	Analytical Method:	SW8260B	Analyzed Date:	2/3/2021	Analytical Batch:	454032
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Spike Conc.	LCS % Recovery	LCSD % Recovery	LCS/LCSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
TPH as Gasoline	43	100	60	1000	116	95.5	19.4	48.2 - 132	30	
(S) 4-Bromofluorobenzene				50	105	100.		43.9 - 127		

Work Order:	2101286	Prep Method:	5035	Prep Date:	02/04/21	Prep Batch:	1129050
Matrix:	Soil	Analytical Method:	SW8260B	Analyzed Date:	2/4/2021	Analytical Batch:	454037
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Spike Conc.	LCS % Recovery	LCSD % Recovery	LCS/LCSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
1,1-Dichloroethene	2.0	10	ND	50.0	116	122	4.88	53.7 - 139	30	
Benzene	2.2	10	ND	50.0	105	117	11.0	66.5 - 135	30	
Trichloroethylene	1.8	10	ND	50.0	94.0	94.2	0.213	57.5 - 150	30	
Toluene	1.8	10	ND	50.0	98.7	102	3.59	56.8 - 134	30	
Chlorobenzene	1.8	10	ND	50.0	95.1	99.1	4.33	57.4 - 134	30	
(S) Dibromofluoromethane				50.0	85.9	96.1		59.8 - 148		
(S) Toluene-d8				50.0	90.2	94.3		55.2 - 133		
(S) 4-Bromofluorobenzene				50.0	89.1	88.7		55.8 - 141		



MS/MSD Summary Report

Raw values are used in quality control assessment.

Work Order:	2101286	Prep Method:	7471BP	Prep Date:	02/01/21	Prep Batch:	1128969
Matrix:	Soil	Analytical Method:	SW7471B	Analyzed Date:	2/2/2021	Analytical Batch:	453987
Spiked Sample:	2101286-001A						
Units:	mg/Kg						

Parameters	MDL	PQL	Sample Conc.	Spike Conc.	MS % Recovery	MSD % Recovery	MS/MSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
Mercury	0.047	0.50	ND	1.25	104	94.4	8.56	75 - 125	30	

Work Order:	2101286	Prep Method:	3050B	Prep Date:	02/01/21	Prep Batch:	1128970
Matrix:	Soil	Analytical Method:	SW6010B	Analyzed Date:	02/03/2021	Analytical Batch:	454013
Spiked Sample:	2101286-001A						
Units:	mg/Kg						

Parameters	MDL	PQL	Sample Conc.	Spike Conc.	MS % Recovery	MSD % Recovery	MS/MSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
Antimony	0.050	5.00	ND	50	69.8	70.1	0.546	30.7 - 130	30	
Arsenic	0.15	1.30	6.50	50	90.0	89.0	0.976	71.0 - 121	30	
Barium	0.055	5.00	172	50	107	101	1.34	70.2 - 130	30	
Beryllium	0.055	5.00	ND	50	88.6	88.7	0.000	73.3 - 115	30	
Cadmium	0.10	5.00	ND	50	85.1	85.0	0.231	80.0 - 110	30	
Chromium	0.075	5.00	39.8	50	95.4	94.4	0.573	76.0 - 116	30	
Cobalt	0.070	5.00	11.3	50	87.4	86.4	0.913	57.4 - 122	30	
Copper	0.20	5.00	67.5	50	108	104	1.65	74.8 - 119	30	
Lead	0.10	3.00	18.6	50	84.8	84.8	0.000	57.9 - 118	30	
Molybdenum	0.050	5.00	ND	50	87.9	87.4	0.681	62.9 - 123	30	
Nickel	0.50	5.00	55.0	50	90.0	88.0	1.01	61.5 - 122	30	
Selenium	0.22	5.00	ND	50	73.0	73.5	0.819	62.0 - 111	30	
Silver	0.15	5.00	ND	50	93.1	92.6	0.430	75 - 125	30	
Thallium	0.20	5.00	ND	50	75.0	75.5	0.797	39.2 - 125	30	
Vanadium	0.10	5.00	32.7	50	99.6	97.6	1.22	65.8 - 122	30	
Zinc	0.30	5.00	63.5	50	86.0	82.0	1.89	59.9 - 122	30	

Work Order:	2101286	Prep Method:	5035	Prep Date:	02/04/21	Prep Batch:	1129044
Matrix:	Soil	Analytical Method:	SW8260B	Analyzed Date:	2/3/2021	Analytical Batch:	454028
Spiked Sample:	2101286-014A						
Units:	mg/Kg						

Parameters	MDL	PQL	Sample Conc.	Spike Conc.	MS % Recovery	MSD % Recovery	MS/MSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
1,1-Dichloroethene	0.0020	0.010	ND	0.05	96.8	103	6.00	55 - 125	30	
Benzene	0.0022	0.010	ND	0.05	103	109	5.67	55 - 125	30	
Trichloroethylene	0.0018	0.010	ND	0.05	102	104	1.94	55 - 125	30	
Toluene	0.0018	0.010	ND	0.05	105	111	5.36	55 - 125	30	
Chlorobenzene	0.0018	0.010	ND	0.05	100	105	4.66	55 - 125	30	
(S) Dibromofluoromethane				50	78.5	90.6		59.8 - 148		
(S) Toluene-d8				50	91.5	93.7		55.2 - 133		
(S) 4-Bromofluorobenzene				50	87.8	88.2		55.8 - 141		



MS/MSD Summary Report

Raw values are used in quality control assessment.

Work Order:	2101286	Prep Method:	5035	Prep Date:	02/03/21	Prep Batch:	1129046
Matrix:	Soil	Analytical Method:	SW8260B	Analyzed Date:	2/3/2021	Analytical Batch:	454032
Spiked Sample:	2101286-019A						
Units:	mg/Kg						

Parameters	MDL	PQL	Sample Conc.	Spike Conc.	MS % Recovery	MSD % Recovery	MS/MSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
1,1-Dichloroethene	0.0020	0.010	ND	0.05	93.8	96.1	2.53	55 - 125	30	
Benzene	0.0022	0.010	ND	0.05	89.2	93.8	5.24	55 - 125	30	
Trichloroethylene	0.0018	0.010	ND	0.05	86.0	89.4	3.88	55 - 125	30	
Toluene	0.0018	0.010	ND	0.05	107	112	4.01	55 - 125	30	
Chlorobenzene	0.0018	0.010	ND	0.05	93.4	98.7	5.62	55 - 125	30	
(S) Dibromofluoromethane				50	109	113		59.8 - 148		
(S) Toluene-d8				50	107	116		55.2 - 133		
(S) 4-Bromofluorobenzene				50	89.6	97.6		55.8 - 141		



Laboratory Qualifiers and Definitions

DEFINITIONS:

Accuracy/Bias (% Recovery) - The closeness of agreement between an observed value and an accepted reference value.
Blank (Method/Preparation Blank) -MB/PB - An analyte-free matrix to which all reagents are added in the same volumes/proportions as used in sample processing. The method blank is used to document contamination resulting from the analytical process.
Duplicate - a field sample and/or laboratory QC sample prepared in duplicate following all of the same processes and procedures used on the original sample (sample duplicate, LCSD, MSD)
Laboratory Control Sample (LCS ad LCSD) - A known matrix spiked with compounds representative of the target analyte(s). This is used to document laboratory performance.
Matrix - the component or substrate that contains the analyte of interest (e.g., - groundwater, sediment, soil, waste water, etc)
Matrix Spike (MS/MSD) - Client sample spiked with identical concentrations of target analyte (s). The spiking occurs prior to the sample preparation and analysis. They are used to document the precision and bias of a method in a given sample matrix.
Method Detection Limit (MDL) - the minimum concentration of a substance that can be measured and reported with a 99% confidence that the analyte concentration is greater than zero
Practical Quantitation Limit/Reporting Limit/Limit of Quantitation (PQL/RL/LOQ) - a laboratory determined value at 2 to 5 times above the MDL that can be reproduced in a manner that results in a 99% confidence level that the result is both accurate and precise. PQLs/RLs/LODs reflect all preparation factors and/or dilution factors that have been applied to the sample during the preparation and/or analytical processes.
Precision (%RPD) - The agreement among a set of replicate/duplicate measurements without regard to known value of the replicates
Surrogate (S) or (Surr) - An organic compound which is similar to the target analyte(s) in chemical composition and behavior in the analytical process, but which is not normally found in environmental samples. Surrogates are used in most organic analysis to demonstrate matrix compatibility with the chosen method of analysis
Tentatively Identified Compound (TIC) - A compound not contained within the analytical calibration standards but present in the GCMS library of defined compounds. When the library is searched for an unknown compound, it can frequently give a tentative identification to the compound based on retention time and primary and secondary ion match. TICs are reported as estimates and are candidates for further investigation.
Units: the unit of measure used to express the reported result - mg/L and mg/Kg (equivalent to PPM - parts per million in liquid and solid), ug/L and ug/Kg (equivalent to PPB - parts per billion in liquid and solid), ug/m3 , mg/m3 , ppbv and ppmv (all units of measure for reporting concentrations in air), % (equivalent to 10000 ppm or 1,000,000 ppb), ug/Wipe (concentration found on the surface of a single Wipe usually taken over a 100cm2 surface)

LABORATORY QUALIFIERS:

B - Indicates when the analyte is found in the associated method or preparation blank
D - Surrogate is not recoverable due to the necessary dilution of the sample
E - Indicates the reportable value is outside of the calibration range of the instrument but within the linear range of the instrument (unless otherwise noted) Values reported with an E qualifier should be considered as estimated.
H - Indicates that the recommended holding time for the analyte or compound has been exceeded
J - Indicates a value between the method MDL and PQL and that the reported concentration should be considered as estimated rather the quantitative
NA - Not Analyzed
N/A - Not Applicable
ND - Not Detected at a concentration greater than the PQL/RL or, if reported to the MDL, at greater than the MDL.
NR - Not recoverable - a matrix spike concentration is not recoverable due to a concentration within the original sample that is greater than four times the spike concentration added
R - The % RPD between a duplicate set of samples is outside of the absolute values established by laboratory control charts
S - Spike recovery is outside of established method and/or laboratory control limits. Further explanation of the use of this qualifier should be included within a case narrative
X -Used to indicate that a value based on pattern identification is within the pattern range but not typical of the pattern found in standards. Further explanation may or may not be provided within the sample footnote and/or the case narrative.



Sample Receipt Checklist

Client Name: Engeo (San Ramon)

Date and Time Received: 1/29/2021 3:15:00PM

Project Name: 905 N.Capitol Ave

Received By: Lorna Imbat

Work Order No.: 2101286

Physically Logged By: Helena Ueng

Checklist Completed By: Helena Ueng

Carrier Name: Client Drop Off

Chain of Custody (COC) Information

Chain of custody present? Yes
Chain of custody signed when relinquished and received? Yes
Chain of custody agrees with sample labels? Yes
Custody seals intact on sample bottles? Not Present

Sample Receipt Information

Custody seals intact on shipping container/cooler? Not Present
Shipping Container/Cooler In Good Condition? Yes
Samples in proper container/bottle? Yes
Samples containers intact? Yes
Sufficient sample volume for indicated test? Yes

Sample Preservation and Hold Time (HT) Information

All samples received within holding time? Yes
Container/Temp Blank temperature in compliance? Yes Temperature: 2.0 °C
Water-VOA vials have zero headspace? No VOA vials submitted
Water-pH acceptable upon receipt? N/A
pH Checked by: N/A pH Adjusted by: N/A

Comments:



Login Summary Report

Client ID: TL5123 Engeo (San Ramon)
Project Name: 905 N.Capitol Ave
Project # : 18124.000.001
Report Due Date: 2/4/2021

QC Level: II
TAT Requested: 3 Day Std:3
Date Received: 1/29/2021
Time Received: 3:15 pm

Comments:
Work Order # : 2101286

<u>WO Sample ID</u>	<u>Client Sample ID</u>	<u>Collection Date/Time</u>	<u>Matrix</u>	<u>Scheduled Disposal</u>	<u>Sample On Hold</u>	<u>Test On Hold</u>	<u>Requested Tests</u>	<u>Subbed</u>
2101286-001A	S-1@1'	01/29/21 8:25	Soil	07/28/21			Homogenize PCBs_S_8082A SVO_S_8270CFull Hg_S_7471B TPHDOSG_S_8015B Pest_S_8081OCP Met_S_6010B CAM17 VOC_S_GRO mg/Kg VOC_S_8260B mg/Kg	
Sample Note: *Samples need homogenization* Pls report all results in mg/kg								
2101286-002A	S-1@3'	01/29/21 8:27	Soil	07/28/21			Homogenize PCBs_S_8082A SVO_S_8270CFull Hg_S_7471B TPHDOSG_S_8015B Pest_S_8081OCP Met_S_6010B CAM17 VOC_S_GRO mg/Kg VOC_S_8260B mg/Kg	
2101286-003A	S-1@5'	01/29/21 8:29	Soil	07/28/21			Hold Samples	
2101286-004A	S-2@1'	01/29/21 8:46	Soil	07/28/21			Homogenize PCBs_S_8082A SVO_S_8270CFull Hg_S_7471B TPHDOSG_S_8015B Pest_S_8081OCP Met_S_6010B CAM17 VOC_S_GRO mg/Kg VOC_S_8260B mg/Kg	
2101286-005A	S-2@3'	01/29/21 8:48	Soil	07/28/21			Homogenize PCBs_S_8082A SVO_S_8270CFull Hg_S_7471B	



Login Summary Report

Client ID: TL5123 Engeo (San Ramon)

QC Level: II

Project Name: 905 N.Capitol Ave

TAT Requested: 3 Day Std:3

Project # : 18124.000.001

Date Received: 1/29/2021

Report Due Date: 2/4/2021

Time Received: 3:15 pm

Comments:

Work Order # : 2101286

<u>WO Sample ID</u>	<u>Client Sample ID</u>	<u>Collection Date/Time</u>	<u>Matrix</u>	<u>Scheduled Disposal</u>	<u>Sample On Hold</u>	<u>Test On Hold</u>	<u>Requested Tests</u>	<u>Subbed</u>
							TPHDOSG_S_8015B Pest_S_8081OCP Met_S_6010B CAM17 VOC_S_GRO mg/Kg VOC_S_8260B mg/Kg	
2101286-006A	S-2@5'	01/29/21 8:50	Soil	07/28/21			Hold Samples	
2101286-007A	S-3@1'	01/29/21 8:56	Soil	07/28/21			Homogenize SVO_S_8270CFull PCBs_S_8082A Hg_S_7471B TPHDOSG_S_8015B Pest_S_8081OCP Met_S_6010B CAM17 VOC_S_GRO mg/Kg VOC_S_8260B mg/Kg	
2101286-008A	S-3@3'	01/29/21 8:58	Soil	07/28/21			Homogenize SVO_S_8270CFull PCBs_S_8082A Pest_S_8081OCP Hg_S_7471B TPHDOSG_S_8015B Met_S_6010B CAM17 VOC_S_GRO mg/Kg VOC_S_8260B mg/Kg	
2101286-009A	S-3@5'	01/29/21 9:00	Soil	07/28/21			Hold Samples	
2101286-010A	S-4@1'	01/29/21 9:14	Soil	07/28/21			Homogenize SVO_S_8270CFull Pest_S_8081OCP PCBs_S_8082A Hg_S_7471B TPHDOSG_S_8015B Met_S_6010B CAM17 VOC_S_GRO mg/Kg	



Login Summary Report

Client ID: TL5123 Engeo (San Ramon)
Project Name: 905 N.Capitol Ave
Project # : 18124.000.001
Report Due Date: 2/4/2021

QC Level: II
TAT Requested: 3 Day Std:3
Date Received: 1/29/2021
Time Received: 3:15 pm

Comments:
Work Order # : **2101286**

<u>WO Sample ID</u>	<u>Client Sample ID</u>	<u>Collection Date/Time</u>	<u>Matrix</u>	<u>Scheduled Disposal</u>	<u>Sample On Hold</u>	<u>Test On Hold</u>	<u>Requested Tests</u>	<u>Subbed</u>
2101286-011A	S-4@3'	01/29/21 9:16	Soil	07/28/21			VOC_S_8260B mg/Kg Homogenize SVO_S_8270CFull PCBs_S_8082A Hg_S_7471B TPHDOSG_S_8015B Pest_S_8081OCP Met_S_6010B CAM17 VOC_S_GRO mg/Kg VOC_S_8260B mg/Kg	
2101286-012A	S-4@5'	01/29/21 9:18	Soil	07/28/21			Hold Samples	
2101286-013A	S-5@1'	01/29/21 10:25	Soil	07/28/21			Homogenize SVO_S_8270CFull PCBs_S_8082A Hg_S_7471B VOC_S_8260B mg/Kg TPHDOSG_S_8015B Pest_S_8081OCP Met_S_6010B CAM17 VOC_S_GRO mg/Kg	
2101286-014A	S-5@3'	01/29/21 10:27	Soil	07/28/21			Homogenize SVO_S_8270CFull PCBs_S_8082A Hg_S_7471B TPHDOSG_S_8015B Pest_S_8081OCP Met_S_6010B CAM17 VOC_S_GRO mg/Kg	
2101286-015A	S-5@5'	01/29/21 10:31	Soil	07/28/21			Hold Samples	
2101286-016A	S-6@1'	01/29/21 9:44	Soil	07/28/21			Homogenize SVO_S_8270CFull	



Login Summary Report

Client ID: TL5123 Engeo (San Ramon)

QC Level: II

Project Name: 905 N.Capitol Ave

TAT Requested: 3 Day Std:3

Project # : 18124.000.001

Date Received: 1/29/2021

Report Due Date: 2/4/2021

Time Received: 3:15 pm

Comments:

Work Order # : 2101286

<u>WO Sample ID</u>	<u>Client Sample ID</u>	<u>Collection Date/Time</u>	<u>Matrix</u>	<u>Scheduled Disposal</u>	<u>Sample On Hold</u>	<u>Test On Hold</u>	<u>Requested Tests</u>	<u>Subbed</u>
2101286-017A	S-6@3'	01/29/21 9:46	Soil	07/28/21			PCBs_S_8082A Hg_S_7471B TPHDOSG_S_8015B Pest_S_8081OCP Met_S_6010B CAM17 VOC_S_8260B mg/Kg VOC_S_GRO mg/Kg	
2101286-018A	S-6@5'	01/29/21 9:48	Soil	07/28/21			Homogenize SVO_S_8270CFull PCBs_S_8082A Hg_S_7471B TPHDOSG_S_8015B Pest_S_8081OCP Met_S_6010B CAM17 VOC_S_GRO mg/Kg VOC_S_8260B mg/Kg	
2101286-019A	S-7@1'	01/29/21 9:56	Soil	07/28/21			Hold Samples	
2101286-020A	S-7@3'	01/29/21 9:58	Soil	07/28/21			Homogenize VOC_S_8260B mg/Kg VOC_S_GRO mg/Kg Met_S_6010B CAM17 Pest_S_8081OCP TPHDOSG_S_8015B Hg_S_7471B PCBs_S_8082A SVO_S_8270CFull	
							Homogenize VOC_S_8260B mg/Kg VOC_S_GRO mg/Kg Met_S_6010B CAM17 TPHDOSG_S_8015B Hg_S_7471B Pest_S_8081OCP PCBs_S_8082A	



Login Summary Report

Client ID: TL5123 Engeo (San Ramon)

QC Level: II

Project Name: 905 N.Capitol Ave

TAT Requested: 3 Day Std:3

Project # : 18124.000.001

Date Received: 1/29/2021

Report Due Date: 2/4/2021

Time Received: 3:15 pm

Comments:

Work Order # : **2101286**

<u>WO Sample ID</u>	<u>Client Sample ID</u>	<u>Collection Date/Time</u>	<u>Matrix</u>	<u>Scheduled Disposal</u>	<u>Sample On Hold</u>	<u>Test On Hold</u>	<u>Requested Tests</u>	<u>Subbed</u>
							SVO_S_8270CFull	



CHAIN OF CUSTODY RECORD

8240
TPH-9 + VOCs
TPH-Almo for
CAM-17 Metals
SVOCs 8270
PCBS 9052
OCPS 8051
LEAD 4010
ARSENIC 4010

210286

PROJECT NUMBER		PROJECT NAME																				REMARKS					
18124.000.001		905. N. Capital Ave																				REQUIRED DETECTION LIMITS					
SAMPLED BY: (SIGNATURE/PRINT) Taunee Werts																											
PROJECT MANAGER: (SIGNATURE/PRINT) Divya Bhargava																											
ROUTING: E-MAIL Dbhargava & twerts@engeo.com																											
SAMPLE NUMBER	DATE	TIME	MATRIX	NUMBER OF CONTAINERS	CONTAINER SIZE	PRESERVATIVE	TPH-9 + VOCs	TPH-Almo for	CAM-17 Metals	SVOCs 8270	PCBS 9052	OCPS 8051	LEAD 4010	ARSENIC 4010													
S-1 @ 1'	1/29/21	08:25	soil	2	liner	N/A	X	X	X	X	X	X	X														
↓ 03'		08:27					X	X	X	X	X	X															
↓ 05'		08:29																					→ HOLD -003A				
S-2 @ 1'		08:40					X	X	X	X	X	X															
↓ 03'		08:48					X	X	X	X	X	X															
↓ 05'		08:50																					→ HOLD -006A				
S-3 @ 1'		08:56					X	X	X	X	X	X															
↓ 03'		08:58					X	X	X	X	X	X															
↓ 05'		09:00																					→ HOLD -009A				
S-4 @ 1'		09:44					X	X	X	X	X	X															
↓ 03'		09:10					X	X	X	X	X	X															
↓ 05'		09:18																					→ HOLD -012A				
S-5 @ 1'		10:25					X	X	X	X	X	X															
↓ 03'		10:27					X	X	X	X	X	X															
↓ 05'		10:31																					→ HOLD -015A				
S-6 @ 1'		09:44					X	X	X	X	X	X															
↓ 03'		09:46					X	X	X	X	X	X															
↓ 05'		09:48																					→ HOLD -018A				
S-7 @ 1'		09:54					X	X	X	X	X	X															
↓ 03'		09:58					X	X	X	X	X	X															
RELINQUISHED BY: (SIGNATURE) <i>[Signature]</i>		DATE/TIME 01/29/21 15:15		RECEIVED BY: (SIGNATURE) <i>[Signature]</i>		DATE/TIME 1-29-21		RECEIVED BY: (SIGNATURE) NTS																			
RELINQUISHED BY: (SIGNATURE)		DATE/TIME		RECEIVED BY: (SIGNATURE)		DATE/TIME		RECEIVED BY: (SIGNATURE)																			
RELINQUISHED BY: (SIGNATURE)		DATE/TIME		RECEIVED FOR LABORATORY BY: (SIGNATURE)		DATE/TIME		REMARKS																			

ENGEO
INCORPORATED

2010 CROW CANYON PLACE SUITE 250
SAN RAMON, CALIFORNIA 94583
(925) 866-9000 FAX (888) 279-2698
WWW.ENGEO.COM

REMARKS
HOLD 5' samples
Homogenize samples before
Analyzing standard TAT

Pg 1 of 4 temp # 2



Engeo (San Ramon)
2010 Crow Canyon Place,#250
San Ramon, California 94583
Tel: (925) 866-9000
Fax: (925) 866-0199
RE: 905 N.Capitol Ave

Work Order No.: 2101287

Dear Divya Bhargava:

Torrent Laboratory, Inc. received 33 sample(s) on January 29, 2021 for the analyses presented in the following Report.

13 samples were submitted on hold.

All data for associated QC met EPA or laboratory specification(s) except where noted in the case narrative.

Torrent Laboratory, Inc. is certified by the State of California, ELAP #1991. If you have any questions regarding these test results, please feel free to contact the Project Management Team at (408)263-5258; ext 204.

A handwritten signature in blue ink that reads "Kathie Evans". The signature is written in a cursive style and is positioned above a horizontal line.

Kathie Evans
Project Manager

February 04, 2021

Date



Date: 2/4/2021

Client: Engeo (San Ramon)

Project: 905 N.Capitol Ave

Work Order: 2101287

CASE NARRATIVE

Unless otherwise indicated in the following narrative, no issues encountered with the receiving, preparation, analysis or reporting of the results associated with this work order.

Unless otherwise indicated in the following narrative, no results have been method and/or field blank corrected.

Reported results relate only to the items/samples tested by the laboratory.

This report shall not be reproduced, except in full, without the written approval of Torrent Laboratory, Inc.

Analytical Comment for method 6010B, Note: The spikes in the MS/MSD for Barium are not recoverable. The sample concentration is greater than 4X the spike concentration. No corrective action is required.

Analytical Comments for method 8015B(M), 2101287-003A MS/MSD, QC Preparation Batch ID 1128998, Note: The % recoveries for Diesel are outside of laboratory control limits but % RPD is within limits. The associated LCS/LCSD is within both % Recovery and %RPD limits. No corrective action required.

A MS/MSD was run for method 8081 but is not reportable due to the necessary dilution of the parent sample.



Sample Result Summary

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date Received: 01/29/21

Date Reported: 02/04/21

S-8@1'

2101287-002

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.30	6.20	mg/Kg
Barium	SW6010B	1	0.055	5.00	187	mg/Kg
Chromium	SW6010B	1	0.075	5.00	38.7	mg/Kg
Cobalt	SW6010B	1	0.070	5.00	11.1	mg/Kg
Copper	SW6010B	1	0.20	5.00	54.0	mg/Kg
Lead	SW6010B	1	0.10	3.00	14.6	mg/Kg
Nickel	SW6010B	1	0.50	5.00	52.5	mg/Kg
Vanadium	SW6010B	1	0.10	5.00	32.6	mg/Kg
Zinc	SW6010B	1	0.30	5.00	57.0	mg/Kg
TPH as Diesel (SG)	SW8015B	1	0.85	2.0	4.56	mg/Kg
TPH as Motor Oil (SG)	SW8015B	1	3.2	10	46.4	mg/Kg
4,4'-DDD	SW8081B	3	0.0017	0.0060	0.00469	mg/Kg
4,4'-DDT	SW8081B	3	0.00039	0.0060	0.0476	mg/Kg
4,4'-DDE	SW8081B	10	0.0019	0.020	0.241	mg/Kg

S-8@3'

2101287-003

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.30	5.80	mg/Kg
Barium	SW6010B	1	0.055	5.00	223	mg/Kg
Chromium	SW6010B	1	0.075	5.00	40.2	mg/Kg
Cobalt	SW6010B	1	0.070	5.00	11.8	mg/Kg
Copper	SW6010B	1	0.20	5.00	30.7	mg/Kg
Lead	SW6010B	1	0.10	3.00	9.05	mg/Kg
Nickel	SW6010B	1	0.50	5.00	55.5	mg/Kg
Vanadium	SW6010B	1	0.10	5.00	32.1	mg/Kg
Zinc	SW6010B	1	0.30	5.00	57.5	mg/Kg

S-9@1'

2101287-005

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.30	6.45	mg/Kg
Barium	SW6010B	1	0.055	5.00	188	mg/Kg
Chromium	SW6010B	1	0.075	5.00	42.7	mg/Kg
Cobalt	SW6010B	1	0.070	5.00	11.6	mg/Kg
Copper	SW6010B	1	0.20	5.00	47.0	mg/Kg
Lead	SW6010B	1	0.10	3.00	18.3	mg/Kg
Nickel	SW6010B	1	0.50	5.00	64.5	mg/Kg
Vanadium	SW6010B	1	0.10	5.00	33.5	mg/Kg
Zinc	SW6010B	1	0.30	5.00	182	mg/Kg
TPH as Diesel (SG)	SW8015B	1	0.85	2.0	2.07	mg/Kg
4,4'-DDD	SW8081B	3	0.0017	0.0060	0.00634	mg/Kg
4,4'-DDT	SW8081B	3	0.00039	0.0060	0.0985	mg/Kg
4,4'-DDE	SW8081B	10	0.0019	0.020	0.329	mg/Kg



Sample Result Summary

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date Received: 01/29/21

Date Reported: 02/04/21

S-9@3'

2101287-006

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.30	5.75	mg/Kg
Barium	SW6010B	1	0.055	5.00	192	mg/Kg
Chromium	SW6010B	1	0.075	5.00	38.8	mg/Kg
Cobalt	SW6010B	1	0.070	5.00	11.4	mg/Kg
Copper	SW6010B	1	0.20	5.00	32.7	mg/Kg
Lead	SW6010B	1	0.10	3.00	9.45	mg/Kg
Nickel	SW6010B	1	0.50	5.00	53.0	mg/Kg
Vanadium	SW6010B	1	0.10	5.00	33.6	mg/Kg
Zinc	SW6010B	1	0.30	5.00	57.5	mg/Kg
4,4'-DDE	SW8081B	1	0.00019	0.0020	0.0197	mg/Kg
4,4'-DDT	SW8081B	1	0.00013	0.0020	0.00370	mg/Kg

HA-1@1'

2101287-008

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.3	5.30	mg/Kg
Lead	SW6010B	1	0.12	3.0	17.3	mg/Kg
4,4'-DDE	SW8081B	20	0.0039	0.040	0.0623	mg/Kg
4,4'-DDT	SW8081B	20	0.0026	0.040	0.0313	mg/Kg

HA-1@2'

2101287-009

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.3	6.05	mg/Kg
Lead	SW6010B	1	0.12	3.0	8.95	mg/Kg
4,4'-DDE	SW8081B	3	0.00058	0.0060	0.00355	mg/Kg
4,4'-DDT	SW8081B	3	0.00039	0.0060	0.000864	mg/Kg

HA-2@1'

2101287-011

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.3	5.80	mg/Kg
Lead	SW6010B	1	0.12	3.0	11.0	mg/Kg
4,4'-DDD	SW8081B	3	0.0017	0.0060	0.0108	mg/Kg
4,4'-DDT	SW8081B	3	0.00039	0.0060	0.0669	mg/Kg
4,4'-DDE	SW8081B	10	0.0019	0.020	0.266	mg/Kg

HA-2@2'

2101287-012

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.3	6.35	mg/Kg
Lead	SW6010B	1	0.12	3.0	8.90	mg/Kg
4,4'-DDE	SW8081B	3	0.00058	0.0060	0.000804	mg/Kg



Sample Result Summary

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date Received: 01/29/21

Date Reported: 02/04/21

HA-5@1'

2101287-014

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.3	6.55	mg/Kg
Lead	SW6010B	1	0.12	3.0	14.9	mg/Kg
4,4'-DDE	SW8081B	10	0.0019	0.020	0.360	mg/Kg
4,4'-DDD	SW8081B	10	0.0057	0.020	0.0112	mg/Kg
4,4'-DDT	SW8081B	10	0.0013	0.020	0.0984	mg/Kg

HA-5@3'

2101287-015

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.3	6.45	mg/Kg
Lead	SW6010B	1	0.12	3.0	10.5	mg/Kg
4,4'-DDE	SW8081B	10	0.0019	0.020	0.0853	mg/Kg
4,4'-DDT	SW8081B	10	0.0013	0.020	0.0452	mg/Kg

HA-6@1'

2101287-017

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.3	6.65	mg/Kg
Lead	SW6010B	1	0.12	3.0	16.4	mg/Kg
4,4'-DDD	SW8081B	10	0.0057	0.020	0.0130	mg/Kg
4,4'-DDT	SW8081B	10	0.0013	0.020	0.533	mg/Kg
4,4'-DDE	SW8081B	30	0.0058	0.060	1.19	mg/Kg

HA-6@3'

2101287-018

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.3	6.25	mg/Kg
Lead	SW6010B	1	0.12	3.0	8.80	mg/Kg
4,4'-DDE	SW8081B	10	0.0019	0.020	0.0140	mg/Kg
4,4'-DDT	SW8081B	10	0.0013	0.020	0.00596	mg/Kg

HA-7@1'

2101287-020

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.3	6.15	mg/Kg
Lead	SW6010B	1	0.12	3.0	12.5	mg/Kg
4,4'-DDE	SW8081B	3	0.00058	0.0060	0.135	mg/Kg
4,4'-DDT	SW8081B	3	0.00039	0.0060	0.0236	mg/Kg

HA-7@3'

2101287-021

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.3	6.95	mg/Kg
Lead	SW6010B	1	0.12	3.0	9.00	mg/Kg
4,4'-DDE	SW8081B	3	0.00058	0.0060	0.00591	mg/Kg
4,4'-DDT	SW8081B	3	0.00039	0.0060	0.00115	mg/Kg



Sample Result Summary

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date Received: 01/29/21

Date Reported: 02/04/21

HA-8@1'

2101287-023

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.3	6.05	mg/Kg
Lead	SW6010B	1	0.12	3.0	14.3	mg/Kg
4,4'-DDE	SW8081B	20	0.0039	0.040	0.356	mg/Kg
4,4'-DDT	SW8081B	20	0.0026	0.040	0.0686	mg/Kg

HA-8@3'

2101287-024

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.3	5.90	mg/Kg
Lead	SW6010B	1	0.12	3.0	9.10	mg/Kg
4,4'-DDE	SW8081B	3	0.00058	0.0060	0.00169	mg/Kg

S-13@0-12"

2101287-026

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.3	5.15	mg/Kg
Lead	SW6010B	1	0.12	3.0	11.4	mg/Kg
4,4'-DDE	SW8081B	20	0.0039	0.040	0.700	mg/Kg
4,4'-DDT	SW8081B	20	0.0026	0.040	0.172	mg/Kg

S-10@0-12"

2101287-028

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.3	5.25	mg/Kg
Lead	SW6010B	1	0.12	3.0	38.8	mg/Kg
4,4'-DDE	SW8081B	10	0.0019	0.020	0.0170	mg/Kg
4,4'-DDT	SW8081B	10	0.0013	0.020	0.0404	mg/Kg

S-11@0-12"

2101287-030

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.3	6.10	mg/Kg
Lead	SW6010B	1	0.12	3.0	12.9	mg/Kg
4,4'-DDE	SW8081B	10	0.0019	0.020	0.353	mg/Kg
4,4'-DDT	SW8081B	10	0.0013	0.020	0.102	mg/Kg

S-12@0-12"

2101287-032

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.3	5.10	mg/Kg
Lead	SW6010B	1	0.12	3.0	10.9	mg/Kg
4,4'-DDE	SW8081B	20	0.0039	0.040	0.439	mg/Kg
4,4'-DDT	SW8081B	20	0.0026	0.040	0.0916	mg/Kg



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-8@1'	Lab Sample ID: 2101287-002A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 10:40	
SDG:	

Prep Method: 7471BP	Prep Batch Date/Time: 2/2/21	11:10:00AM
Prep Batch ID: 1128976	Prep Analyst: TNGU	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Mercury	SW7471B	1	0.083	0.50	ND		mg/Kg	02/03/21	11:08	BJAY	454034



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-8@1'	Lab Sample ID:	2101287-002A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:40		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/2/21	11:00:00AM
Prep Batch ID: 1128978	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Antimony	SW6010B	1	0.050	5.00	ND		mg/Kg	02/03/21	16:06	TUAN	454018
Arsenic	SW6010B	1	0.15	1.30	6.20		mg/Kg	02/03/21	16:06	TUAN	454018
Barium	SW6010B	1	0.055	5.00	187		mg/Kg	02/03/21	16:06	TUAN	454018
Beryllium	SW6010B	1	0.055	5.00	ND		mg/Kg	02/03/21	16:06	TUAN	454018
Cadmium	SW6010B	1	0.10	5.00	ND		mg/Kg	02/03/21	16:06	TUAN	454018
Chromium	SW6010B	1	0.075	5.00	38.7		mg/Kg	02/03/21	16:06	TUAN	454018
Cobalt	SW6010B	1	0.070	5.00	11.1		mg/Kg	02/03/21	16:06	TUAN	454018
Copper	SW6010B	1	0.20	5.00	54.0		mg/Kg	02/03/21	16:06	TUAN	454018
Lead	SW6010B	1	0.10	3.00	14.6		mg/Kg	02/03/21	16:06	TUAN	454018
Molybdenum	SW6010B	1	0.050	5.00	ND		mg/Kg	02/03/21	16:06	TUAN	454018
Nickel	SW6010B	1	0.50	5.00	52.5		mg/Kg	02/03/21	16:06	TUAN	454018
Selenium	SW6010B	1	0.22	5.00	ND		mg/Kg	02/03/21	16:06	TUAN	454018
Silver	SW6010B	1	0.15	5.00	ND		mg/Kg	02/03/21	16:06	TUAN	454018
Thallium	SW6010B	1	0.55	5.00	ND		mg/Kg	02/03/21	16:06	TUAN	454018
Vanadium	SW6010B	1	0.10	5.00	32.6		mg/Kg	02/03/21	16:06	TUAN	454018
Zinc	SW6010B	1	0.30	5.00	57.0		mg/Kg	02/03/21	16:06	TUAN	454018



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-8@1'	Lab Sample ID:	2101287-002A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:40		
SDG:			

Prep Method: 3546_PCB	Prep Batch Date/Time: 2/2/21	1:42:00PM
Prep Batch ID: 1128984	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Aroclor1016	SW8082A	1	0.0350	0.100	ND		mg/Kg	02/02/21	23:37	MK	453996
Aroclor1221	SW8082A	1	0.00500	0.100	ND		mg/Kg	02/02/21	23:37	MK	453996
Aroclor1232	SW8082A	1	0.0170	0.100	ND		mg/Kg	02/02/21	23:37	MK	453996
Aroclor1242	SW8082A	1	0.00300	0.100	ND		mg/Kg	02/02/21	23:37	MK	453996
Aroclor1248	SW8082A	1	0.00200	0.100	ND		mg/Kg	02/02/21	23:37	MK	453996
Aroclor1254	SW8082A	1	0.0140	0.100	ND		mg/Kg	02/02/21	23:37	MK	453996
Aroclor1260	SW8082A	1	0.0240	0.100	ND		mg/Kg	02/02/21	23:37	MK	453996
Acceptance Limits											
TCMX (S)	SW8082A		48 - 125		90.0		%	02/02/21	23:37	MK	453996
DCBP (S)	SW8082A		48 - 135		87.0		%	02/02/21	23:37	MK	453996



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-8@1'	Lab Sample ID:	2101287-002A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:40		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/3/21	1:40:00PM
Prep Batch ID: 1129025	Prep Analyst: HLEE	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	3	0.00038	0.0060	ND		mg/Kg	02/03/21	7:24	MK	454031
gamma-BHC (Lindane)	SW8081B	3	0.00048	0.0060	ND		mg/Kg	02/03/21	7:24	MK	454031
beta-BHC	SW8081B	3	0.00095	0.0060	ND		mg/Kg	02/03/21	7:24	MK	454031
delta-BHC	SW8081B	3	0.00047	0.0060	ND		mg/Kg	02/03/21	7:24	MK	454031
Heptachlor	SW8081B	3	0.00032	0.0060	ND		mg/Kg	02/03/21	7:24	MK	454031
Aldrin	SW8081B	3	0.00059	0.0060	ND		mg/Kg	02/03/21	7:24	MK	454031
Heptachlor Epoxide	SW8081B	3	0.00023	0.0060	ND		mg/Kg	02/03/21	7:24	MK	454031
gamma-Chlordane	SW8081B	3	0.00049	0.0060	ND		mg/Kg	02/03/21	7:24	MK	454031
alpha-Chlordane	SW8081B	3	0.00052	0.0060	ND		mg/Kg	02/03/21	7:24	MK	454031
Endosulfan I	SW8081B	3	0.00055	0.0060	ND		mg/Kg	02/03/21	7:24	MK	454031
Dieldrin	SW8081B	3	0.00044	0.0060	ND		mg/Kg	02/03/21	7:24	MK	454031
Endrin	SW8081B	3	0.00056	0.0060	ND		mg/Kg	02/03/21	7:24	MK	454031
4,4'-DDD	SW8081B	3	0.0017	0.0060	0.00469	J	mg/Kg	02/03/21	7:24	MK	454031
Endosulfan II	SW8081B	3	0.0017	0.0060	ND		mg/Kg	02/03/21	7:24	MK	454031
4,4'-DDT	SW8081B	3	0.00039	0.0060	0.0476		mg/Kg	02/03/21	7:24	MK	454031
Endrin Aldehyde	SW8081B	3	0.00045	0.0060	ND		mg/Kg	02/03/21	7:24	MK	454031
Methoxychlor	SW8081B	3	0.00060	0.0060	ND		mg/Kg	02/03/21	7:24	MK	454031
Endosulfan Sulfate	SW8081B	3	0.00035	0.0060	ND		mg/Kg	02/03/21	7:24	MK	454031
Endrin Ketone	SW8081B	3	0.00028	0.0060	ND		mg/Kg	02/03/21	7:24	MK	454031
Chlordane	SW8081B	3	0.0063	0.060	ND		mg/Kg	02/03/21	7:24	MK	454031
Toxaphene	SW8081B	3	0.026	0.15	ND		mg/Kg	02/03/21	7:24	MK	454031
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		70.6		%	02/03/21	7:24	MK	454031
DCBP (S)	SW8081B		38 - 135		61.7		%	02/03/21	7:24	MK	454031

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-8@1'	Lab Sample ID: 2101287-002A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 10:40	
SDG:	

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/3/21	1:40:00PM
Prep Batch ID: 1129025	Prep Analyst: HLEE	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
4,4'-DDE	SW8081B	10	0.0019	0.020	0.241		mg/Kg	02/03/21	15:48	MK	454031

NOTE:



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-8@1'	Lab Sample ID:	2101287-002A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:40		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
N-Nitrosodimethylamine	SW8270C	1	0.0469	0.720	ND		mg/Kg	02/03/21	0:05	MT	453975
Phenol	SW8270C	1	0.0438	0.288	ND		mg/Kg	02/03/21	0:05	MT	453975
Bis(2-chloroethyl)ether	SW8270C	1	0.0133	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
2-Chlorophenol	SW8270C	1	0.0477	0.288	ND		mg/Kg	02/03/21	0:05	MT	453975
1,3-Dichlorobenzene	SW8270C	1	0.0131	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
1,4-Dichlorobenzene	SW8270C	1	0.0146	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Benzyl Alcohol	SW8270C	1	0.0205	0.288	ND		mg/Kg	02/03/21	0:05	MT	453975
1,2-Dichlorobenzene	SW8270C	1	0.0135	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
2-Methylphenol (o-Cresol)	SW8270C	1	0.0293	0.288	ND		mg/Kg	02/03/21	0:05	MT	453975
N-Methyl-2-Pyrrolidone (NMP)	SW8270C	1	0.0680	0.720	ND		mg/Kg	02/03/21	0:05	MT	453975
3-/4-Methylphenol (p-/m-Cresol)	SW8270C	1	0.0313	0.288	ND		mg/Kg	02/03/21	0:05	MT	453975
N-nitroso-di-n-propylamine	SW8270C	1	0.0132	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Hexachloroethane	SW8270C	1	0.0171	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Nitrobenzene	SW8270C	1	0.0128	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Isophorone	SW8270C	1	0.0122	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
2-Nitrophenol	SW8270C	1	0.0254	0.288	ND		mg/Kg	02/03/21	0:05	MT	453975
2,4-Dimethylphenol	SW8270C	1	0.0228	0.288	ND		mg/Kg	02/03/21	0:05	MT	453975
Benzoic Acid	SW8270C	1	0.0417	0.288	ND		mg/Kg	02/03/21	0:05	MT	453975
Bis(2-Chloroethoxy)methane	SW8270C	1	0.00979	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Bis(2-chloroisopropyl)ether	SW8270C	1	0.0126	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
2,4-Dichlorophenol	SW8270C	1	0.0393	0.288	ND		mg/Kg	02/03/21	0:05	MT	453975
1,2,4-Trichlorobenzene	SW8270C	1	0.0118	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Naphthalene	SW8270C	1	0.0106	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
2,6-Dichlorophenol	SW8270C	1	0.0358	0.288	ND		mg/Kg	02/03/21	0:05	MT	453975
Hexachloro-1,3-butadiene	SW8270C	1	0.00834	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
4-Chloro-3-methylphenol	SW8270C	1	0.0338	0.288	ND		mg/Kg	02/03/21	0:05	MT	453975
2-Methylnaphthalene	SW8270C	1	0.0104	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
1-Methylnaphthalene	SW8270C	1	0.0122	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Hexachlorocyclopentadiene	SW8270C	1	0.0129	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
2,4,6-Trichlorophenol	SW8270C	1	0.0359	0.288	ND		mg/Kg	02/03/21	0:05	MT	453975
2,4,5-Trichlorophenol	SW8270C	1	0.0334	0.288	ND		mg/Kg	02/03/21	0:05	MT	453975
2-Chloronaphthalene	SW8270C	1	0.0106	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
1,4-Dinitrobenzene	SW8270C	1	0.0103	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Dimethyl phthalate	SW8270C	1	0.0142	0.720	ND		mg/Kg	02/03/21	0:05	MT	453975
1,3-Dinitrobenzene	SW8270C	1	0.0104	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Acenaphthylene	SW8270C	1	0.00828	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
2,6-Dinitrotoluene	SW8270C	1	0.0113	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
1,2-Dinitrobenzene	SW8270C	1	0.0158	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Acenaphthene	SW8270C	1	0.0107	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-8@1'	Lab Sample ID:	2101287-002A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:40		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
2,4-Dinitrophenol	SW8270C	1	0.0776	0.720	ND		mg/Kg	02/03/21	0:05	MT	453975
4-Nitrophenol	SW8270C	1	0.0547	0.720	ND		mg/Kg	02/03/21	0:05	MT	453975
Dibenzofuran	SW8270C	1	0.0112	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
2,4-Dinitrotoluene	SW8270C	1	0.0121	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
2,3,5,6-Tetrachlorophenol	SW8270C	1	0.0276	0.288	ND		mg/Kg	02/03/21	0:05	MT	453975
2,3,4,6-Tetrachlorophenol	SW8270C	1	0.0315	0.288	ND		mg/Kg	02/03/21	0:05	MT	453975
Diethylphthalate	SW8270C	1	0.0136	0.720	ND		mg/Kg	02/03/21	0:05	MT	453975
Fluorene	SW8270C	1	0.0103	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
4-Chlorophenyl-phenylether	SW8270C	1	0.00932	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
4,6-Dinitro-2-methylphenol	SW8270C	1	0.0134	0.288	ND		mg/Kg	02/03/21	0:05	MT	453975
Diphenylamine	SW8270C	1	0.0130	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Azobenzene	SW8270C	1	0.114	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
4-Bromophenyl-phenylether	SW8270C	1	0.00823	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Hexachlorobenzene	SW8270C	1	0.00866	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Pentachlorophenol	SW8270C	1	0.0250	0.288	ND		mg/Kg	02/03/21	0:05	MT	453975
Phenanthrene	SW8270C	1	0.00932	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Anthracene	SW8270C	1	0.00891	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Carbazole	SW8270C	1	0.0107	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Di-n-butylphthalate	SW8270C	1	0.0135	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Fluoranthene	SW8270C	1	0.01000	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Benzidine	SW8270C	1	0.147	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Pyrene	SW8270C	1	0.0120	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Butylbenzylphthalate	SW8270C	1	0.0210	0.720	ND		mg/Kg	02/03/21	0:05	MT	453975
Benzo(a)anthracene	SW8270C	1	0.00980	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
3,3-Dichlorobenzidine	SW8270C	1	0.118	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Chrysene	SW8270C	1	0.0152	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Bis(2-Ethylhexyl)phthalate	SW8270C	1	0.0153	0.720	ND		mg/Kg	02/03/21	0:05	MT	453975
Di-n-Octylphthalate	SW8270C	1	0.0123	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Benzo(b)fluorathene	SW8270C	1	0.0120	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
benzo(k)fluorathene	SW8270C	1	0.00816	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Benzo(a)pyrene	SW8270C	1	0.00980	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Indeno(1,2,3-c,d)pyrene	SW8270C	1	0.0138	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Dibenzo(a,h)anthracene	SW8270C	1	0.0127	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Benzo(g,h,i)perylene	SW8270C	1	0.0167	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Pyridine	SW8270C	1	0.0438	0.720	ND		mg/Kg	02/03/21	0:05	MT	453975
Acceptance Limits											
2-Fluorophenol (S)	SW8270C		25 - 121		35.7		%	02/03/21	0:05	MT	453975
Phenol-d6 (S)	SW8270C		24 - 113		37.9		%	02/03/21	0:05	MT	453975
2,4,6-Tribromophenol (S)	SW8270C		19 - 122		37.4		%	02/03/21	0:05	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-8@1'	Lab Sample ID:	2101287-002A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:40		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
2-Fluorobiphenyl (S)	SW8270C		45 - 143		45.5		%	02/03/21	0:05	MT	453975
Nitrobenzene-d5 (S)	SW8270C		23 - 120		44.8		%	02/03/21	0:05	MT	453975
Terphenyl-d14 (S)	SW8270C		18 - 137		46.3		%	02/03/21	0:05	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-8@1'	Lab Sample ID:	2101287-002A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:40		
SDG:			

Prep Method: 3546_TPHSG	Prep Batch Date/Time: 2/2/21	4:34:00PM
Prep Batch ID: 1128998	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
TPH as Diesel (SG)	SW8015B	1	0.85	2.0	4.56	x	mg/Kg	02/03/21	21:36	SN	454044
TPH as Motor Oil (SG)	SW8015B	1	3.2	10	46.4		mg/Kg	02/03/21	21:36	SN	454044
			Acceptance Limits								
Pentacosane (S)	SW8015B		40 - 129		62.8		%	02/03/21	21:36	SN	454044

NOTE: x-Diesel value the result of overlap of Oil range into Diesel range



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-8@1'	Lab Sample ID:	2101287-002A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:40		
SDG:			

Prep Method: 5035	Prep Batch Date/Time: 2/2/21 11:26:00AM
Prep Batch ID: 1129020	Prep Analyst: ADEB

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Dichlorodifluoromethane	SW8260B	1	0.0012	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Chloromethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Vinyl Chloride	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Bromomethane	SW8260B	1	0.0027	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Chloroethane	SW8260B	1	0.0030	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Trichlorofluoromethane	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
1,1-Dichloroethene	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Freon 113	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Methylene Chloride	SW8260B	1	0.0071	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
trans-1,2-Dichloroethene	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
MTBE	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
TBA	SW8260B	1	0.012	0.050	ND		mg/Kg	02/02/21	18:13	AD	454001
Diisopropyl ether	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
1,1-Dichloroethane	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Ethyl tert-Butyl ether	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
cis-1,2-Dichloroethene	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
2,2-Dichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Bromochloromethane	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Chloroform	SW8260B	1	0.0024	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Carbon Tetrachloride	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
1,1,1-Trichloroethane	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
1,1-Dichloropropene	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Benzene	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
TAME	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
1,2-Dichloroethane	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Trichloroethylene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Dibromomethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
1,2-Dichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Bromodichloromethane	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
cis-1,3-Dichloropropene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Toluene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Tetrachloroethylene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
trans-1,3-Dichloropropene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
1,1,2-Trichloroethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Dibromochloromethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
1,3-Dichloropropane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
1,2-Dibromoethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Chlorobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Ethylbenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-8@1'	Lab Sample ID:	2101287-002A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:40		
SDG:			

Prep Method: 5035	Prep Batch Date/Time: 2/2/21	11:26:00AM
Prep Batch ID: 1129020	Prep Analyst:	ADEB

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
1,1,1,2-Tetrachloroethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
m,p-Xylene	SW8260B	1	0.0032	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
o-Xylene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Styrene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Bromoform	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Isopropyl Benzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
n-Propylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Bromobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
1,1,1,2-Tetrachloroethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
2-Chlorotoluene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
1,3,5-Trimethylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
1,2,3-Trichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
4-Chlorotoluene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
tert-Butylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
1,2,4-Trimethylbenzene	SW8260B	1	0.0014	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
sec-Butyl Benzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
p-Isopropyltoluene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
1,3-Dichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
1,4-Dichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
n-Butylbenzene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
1,2-Dichlorobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
1,2-Dibromo-3-Chloropropane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Hexachlorobutadiene	SW8260B	1	0.0014	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
1,2,4-Trichlorobenzene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Naphthalene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
1,2,3-Trichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
2-Butanone	SW8260B	1	0.0023	0.0100	ND		mg/Kg	02/02/21	18:13	AD	454001
(S) Dibromofluoromethane	SW8260B		59.8 - 148		77.7		%	02/02/21	18:13	AD	454001
(S) Toluene-d8	SW8260B		55.2 - 133		98.4		%	02/02/21	18:13	AD	454001
(S) 4-Bromofluorobenzene	SW8260B		55.8 - 141		87.5		%	02/02/21	18:13	AD	454001



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-8@1'	Lab Sample ID: 2101287-002A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 10:40	
SDG:	

Prep Method: 5035GRO	Prep Batch Date/Time: 2/3/21	12:43:00PM
Prep Batch ID: 1129021	Prep Analyst: ADEB	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
TPH as Gasoline	8260TPH	1	0.043	0.10	ND		mg/Kg	02/02/21	18:13	AD	454001
(S) 4-Bromofluorobenzene	8260TPH		43.9 - 127		84.9		%	02/02/21	18:13	AD	454001



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-8@3'	Lab Sample ID: 2101287-003A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 10:43	
SDG:	

Prep Method: 7471BP	Prep Batch Date/Time: 2/2/21	11:10:00AM
Prep Batch ID: 1128976	Prep Analyst: TNGU	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Mercury	SW7471B	1	0.083	0.50	ND		mg/Kg	02/03/21	11:13	BJAY	454034



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-8@3'	Lab Sample ID:	2101287-003A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:43		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/2/21	11:00:00AM
Prep Batch ID: 1128978	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Antimony	SW6010B	1	0.050	5.00	ND		mg/Kg	02/03/21	16:12	TUAN	454018
Arsenic	SW6010B	1	0.15	1.30	5.80		mg/Kg	02/03/21	16:12	TUAN	454018
Barium	SW6010B	1	0.055	5.00	223		mg/Kg	02/03/21	16:12	TUAN	454018
Beryllium	SW6010B	1	0.055	5.00	ND		mg/Kg	02/03/21	16:12	TUAN	454018
Cadmium	SW6010B	1	0.10	5.00	ND		mg/Kg	02/03/21	16:12	TUAN	454018
Chromium	SW6010B	1	0.075	5.00	40.2		mg/Kg	02/03/21	16:12	TUAN	454018
Cobalt	SW6010B	1	0.070	5.00	11.8		mg/Kg	02/03/21	16:12	TUAN	454018
Copper	SW6010B	1	0.20	5.00	30.7		mg/Kg	02/03/21	16:12	TUAN	454018
Lead	SW6010B	1	0.10	3.00	9.05		mg/Kg	02/03/21	16:12	TUAN	454018
Molybdenum	SW6010B	1	0.050	5.00	ND		mg/Kg	02/03/21	16:12	TUAN	454018
Nickel	SW6010B	1	0.50	5.00	55.5		mg/Kg	02/03/21	16:12	TUAN	454018
Selenium	SW6010B	1	0.22	5.00	ND		mg/Kg	02/03/21	16:12	TUAN	454018
Silver	SW6010B	1	0.15	5.00	ND		mg/Kg	02/03/21	16:12	TUAN	454018
Thallium	SW6010B	1	0.55	5.00	ND		mg/Kg	02/03/21	16:12	TUAN	454018
Vanadium	SW6010B	1	0.10	5.00	32.1		mg/Kg	02/03/21	16:12	TUAN	454018
Zinc	SW6010B	1	0.30	5.00	57.5		mg/Kg	02/03/21	16:12	TUAN	454018



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-8@3'	Lab Sample ID:	2101287-003A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:43		
SDG:			

Prep Method: 3546_PCB	Prep Batch Date/Time: 2/2/21	1:42:00PM
Prep Batch ID: 1128984	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Aroclor1016	SW8082A	1	0.0350	0.100	ND		mg/Kg	02/02/21	23:52	MK	453996
Aroclor1221	SW8082A	1	0.00500	0.100	ND		mg/Kg	02/02/21	23:52	MK	453996
Aroclor1232	SW8082A	1	0.0170	0.100	ND		mg/Kg	02/02/21	23:52	MK	453996
Aroclor1242	SW8082A	1	0.00300	0.100	ND		mg/Kg	02/02/21	23:52	MK	453996
Aroclor1248	SW8082A	1	0.00200	0.100	ND		mg/Kg	02/02/21	23:52	MK	453996
Aroclor1254	SW8082A	1	0.0140	0.100	ND		mg/Kg	02/02/21	23:52	MK	453996
Aroclor1260	SW8082A	1	0.0240	0.100	ND		mg/Kg	02/02/21	23:52	MK	453996
Acceptance Limits											
TCMX (S)	SW8082A		48 - 125		69.0		%	02/02/21	23:52	MK	453996
DCBP (S)	SW8082A		48 - 135		80.0		%	02/02/21	23:52	MK	453996



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-8@3'	Lab Sample ID:	2101287-003A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:43		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/3/21	1:40:00PM
Prep Batch ID: 1129025	Prep Analyst: HLEE	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
alpha-BHC	SW8081B	1	0.00013	0.0020	ND		mg/Kg	02/03/21	7:38	MK	454031
gamma-BHC (Lindane)	SW8081B	1	0.00016	0.0020	ND		mg/Kg	02/03/21	7:38	MK	454031
beta-BHC	SW8081B	1	0.00032	0.0020	ND		mg/Kg	02/03/21	7:38	MK	454031
delta-BHC	SW8081B	1	0.00016	0.0020	ND		mg/Kg	02/03/21	7:38	MK	454031
Heptachlor	SW8081B	1	0.00011	0.0020	ND		mg/Kg	02/03/21	7:38	MK	454031
Aldrin	SW8081B	1	0.00020	0.0020	ND		mg/Kg	02/03/21	7:38	MK	454031
Heptachlor Epoxide	SW8081B	1	0.000078	0.0020	ND		mg/Kg	02/03/21	7:38	MK	454031
gamma-Chlordane	SW8081B	1	0.00016	0.0020	ND		mg/Kg	02/03/21	7:38	MK	454031
alpha-Chlordane	SW8081B	1	0.00017	0.0020	ND		mg/Kg	02/03/21	7:38	MK	454031
4,4'-DDE	SW8081B	1	0.00019	0.0020	ND		mg/Kg	02/03/21	7:38	MK	454031
Endosulfan I	SW8081B	1	0.00018	0.0020	ND		mg/Kg	02/03/21	7:38	MK	454031
Dieldrin	SW8081B	1	0.00015	0.0020	ND		mg/Kg	02/03/21	7:38	MK	454031
Endrin	SW8081B	1	0.00019	0.0020	ND		mg/Kg	02/03/21	7:38	MK	454031
4,4'-DDD	SW8081B	1	0.00057	0.0020	ND		mg/Kg	02/03/21	7:38	MK	454031
Endosulfan II	SW8081B	1	0.00058	0.0020	ND		mg/Kg	02/03/21	7:38	MK	454031
4,4'-DDT	SW8081B	1	0.00013	0.0020	ND		mg/Kg	02/03/21	7:38	MK	454031
Endrin Aldehyde	SW8081B	1	0.00015	0.0020	ND		mg/Kg	02/03/21	7:38	MK	454031
Methoxychlor	SW8081B	1	0.00020	0.0020	ND		mg/Kg	02/03/21	7:38	MK	454031
Endosulfan Sulfate	SW8081B	1	0.00012	0.0020	ND		mg/Kg	02/03/21	7:38	MK	454031
Endrin Ketone	SW8081B	1	0.000094	0.0020	ND		mg/Kg	02/03/21	7:38	MK	454031
Chlordane	SW8081B	1	0.0021	0.020	ND		mg/Kg	02/03/21	7:38	MK	454031
Toxaphene	SW8081B	1	0.0085	0.050	ND		mg/Kg	02/03/21	7:38	MK	454031
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		60.2		%	02/03/21	7:38	MK	454031
DCBP (S)	SW8081B		38 - 135		63.2		%	02/03/21	7:38	MK	454031



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-8@3'	Lab Sample ID:	2101287-003A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:43		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
N-Nitrosodimethylamine	SW8270C	1	0.0469	0.720	ND		mg/Kg	02/03/21	0:35	MT	453975
Phenol	SW8270C	1	0.0438	0.288	ND		mg/Kg	02/03/21	0:35	MT	453975
Bis(2-chloroethyl)ether	SW8270C	1	0.0133	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
2-Chlorophenol	SW8270C	1	0.0477	0.288	ND		mg/Kg	02/03/21	0:35	MT	453975
1,3-Dichlorobenzene	SW8270C	1	0.0131	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
1,4-Dichlorobenzene	SW8270C	1	0.0146	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Benzyl Alcohol	SW8270C	1	0.0205	0.288	ND		mg/Kg	02/03/21	0:35	MT	453975
1,2-Dichlorobenzene	SW8270C	1	0.0135	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
2-Methylphenol (o-Cresol)	SW8270C	1	0.0293	0.288	ND		mg/Kg	02/03/21	0:35	MT	453975
N-Methyl-2-Pyrrolidone (NMP)	SW8270C	1	0.0680	0.720	ND		mg/Kg	02/03/21	0:35	MT	453975
3-/4-Methylphenol (p-/m-Cresol)	SW8270C	1	0.0313	0.288	ND		mg/Kg	02/03/21	0:35	MT	453975
N-nitroso-di-n-propylamine	SW8270C	1	0.0132	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Hexachloroethane	SW8270C	1	0.0171	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Nitrobenzene	SW8270C	1	0.0128	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Isophorone	SW8270C	1	0.0122	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
2-Nitrophenol	SW8270C	1	0.0254	0.288	ND		mg/Kg	02/03/21	0:35	MT	453975
2,4-Dimethylphenol	SW8270C	1	0.0228	0.288	ND		mg/Kg	02/03/21	0:35	MT	453975
Benzoic Acid	SW8270C	1	0.0417	0.288	ND		mg/Kg	02/03/21	0:35	MT	453975
Bis(2-Chloroethoxy)methane	SW8270C	1	0.00979	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Bis(2-chloroisopropyl)ether	SW8270C	1	0.0126	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
2,4-Dichlorophenol	SW8270C	1	0.0393	0.288	ND		mg/Kg	02/03/21	0:35	MT	453975
1,2,4-Trichlorobenzene	SW8270C	1	0.0118	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Naphthalene	SW8270C	1	0.0106	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
2,6-Dichlorophenol	SW8270C	1	0.0358	0.288	ND		mg/Kg	02/03/21	0:35	MT	453975
Hexachloro-1,3-butadiene	SW8270C	1	0.00834	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
4-Chloro-3-methylphenol	SW8270C	1	0.0338	0.288	ND		mg/Kg	02/03/21	0:35	MT	453975
2-Methylnaphthalene	SW8270C	1	0.0104	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
1-Methylnaphthalene	SW8270C	1	0.0122	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Hexachlorocyclopentadiene	SW8270C	1	0.0129	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
2,4,6-Trichlorophenol	SW8270C	1	0.0359	0.288	ND		mg/Kg	02/03/21	0:35	MT	453975
2,4,5-Trichlorophenol	SW8270C	1	0.0334	0.288	ND		mg/Kg	02/03/21	0:35	MT	453975
2-Chloronaphthalene	SW8270C	1	0.0106	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
1,4-Dinitrobenzene	SW8270C	1	0.0103	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Dimethyl phthalate	SW8270C	1	0.0142	0.720	ND		mg/Kg	02/03/21	0:35	MT	453975
1,3-Dinitrobenzene	SW8270C	1	0.0104	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Acenaphthylene	SW8270C	1	0.00828	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
2,6-Dinitrotoluene	SW8270C	1	0.0113	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
1,2-Dinitrobenzene	SW8270C	1	0.0158	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Acenaphthene	SW8270C	1	0.0107	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-8@3'	Lab Sample ID:	2101287-003A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:43		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
2,4-Dinitrophenol	SW8270C	1	0.0776	0.720	ND		mg/Kg	02/03/21	0:35	MT	453975
4-Nitrophenol	SW8270C	1	0.0547	0.720	ND		mg/Kg	02/03/21	0:35	MT	453975
Dibenzofuran	SW8270C	1	0.0112	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
2,4-Dinitrotoluene	SW8270C	1	0.0121	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
2,3,5,6-Tetrachlorophenol	SW8270C	1	0.0276	0.288	ND		mg/Kg	02/03/21	0:35	MT	453975
2,3,4,6-Tetrachlorophenol	SW8270C	1	0.0315	0.288	ND		mg/Kg	02/03/21	0:35	MT	453975
Diethylphthalate	SW8270C	1	0.0136	0.720	ND		mg/Kg	02/03/21	0:35	MT	453975
Fluorene	SW8270C	1	0.0103	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
4-Chlorophenyl-phenylether	SW8270C	1	0.00932	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
4,6-Dinitro-2-methylphenol	SW8270C	1	0.0134	0.288	ND		mg/Kg	02/03/21	0:35	MT	453975
Diphenylamine	SW8270C	1	0.0130	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Azobenzene	SW8270C	1	0.114	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
4-Bromophenyl-phenylether	SW8270C	1	0.00823	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Hexachlorobenzene	SW8270C	1	0.00866	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Pentachlorophenol	SW8270C	1	0.0250	0.288	ND		mg/Kg	02/03/21	0:35	MT	453975
Phenanthrene	SW8270C	1	0.00932	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Anthracene	SW8270C	1	0.00891	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Carbazole	SW8270C	1	0.0107	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Di-n-butylphthalate	SW8270C	1	0.0135	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Fluoranthene	SW8270C	1	0.01000	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Benzidine	SW8270C	1	0.147	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Pyrene	SW8270C	1	0.0120	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Butylbenzylphthalate	SW8270C	1	0.0210	0.720	ND		mg/Kg	02/03/21	0:35	MT	453975
Benzo(a)anthracene	SW8270C	1	0.00980	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
3,3-Dichlorobenzidine	SW8270C	1	0.118	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Chrysene	SW8270C	1	0.0152	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Bis(2-Ethylhexyl)phthalate	SW8270C	1	0.0153	0.720	ND		mg/Kg	02/03/21	0:35	MT	453975
Di-n-Octylphthalate	SW8270C	1	0.0123	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Benzo(b)fluorathene	SW8270C	1	0.0120	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
benzo(k)fluorathene	SW8270C	1	0.00816	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Benzo(a)pyrene	SW8270C	1	0.00980	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Indeno(1,2,3-c,d)pyrene	SW8270C	1	0.0138	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Dibenzo(a,h)anthracene	SW8270C	1	0.0127	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Benzo(g,h,i)perylene	SW8270C	1	0.0167	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Pyridine	SW8270C	1	0.0438	0.720	ND		mg/Kg	02/03/21	0:35	MT	453975
Acceptance Limits											
2-Fluorophenol (S)	SW8270C		25 - 121		67.3		%	02/03/21	0:35	MT	453975
Phenol-d6 (S)	SW8270C		24 - 113		71.0		%	02/03/21	0:35	MT	453975
2,4,6-Tribromophenol (S)	SW8270C		19 - 122		80.7		%	02/03/21	0:35	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-8@3'	Lab Sample ID:	2101287-003A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:43		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
2-Fluorobiphenyl (S)	SW8270C		45 - 143		80.9		%	02/03/21	0:35	MT	453975
Nitrobenzene-d5 (S)	SW8270C		23 - 120		73.7		%	02/03/21	0:35	MT	453975
Terphenyl-d14 (S)	SW8270C		18 - 137		87.5		%	02/03/21	0:35	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-8@3'	Lab Sample ID:	2101287-003A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:43		
SDG:			

Prep Method: 3546_TPHSG	Prep Batch Date/Time: 2/2/21	4:34:00PM
Prep Batch ID: 1128998	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
TPH as Diesel (SG)	SW8015B	1	0.85	2.0	ND		mg/Kg	02/03/21	21:59	SN	454044
TPH as Motor Oil (SG)	SW8015B	1	3.2	10	ND		mg/Kg	02/03/21	21:59	SN	454044
			Acceptance Limits								
Pentacosane (S)	SW8015B		40 - 129		54.7		%	02/03/21	21:59	SN	454044



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-8@3'	Lab Sample ID:	2101287-003A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:43		
SDG:			

Prep Method: 5035	Prep Batch Date/Time: 2/2/21 11:26:00AM
Prep Batch ID: 1129020	Prep Analyst: ADEB

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Dichlorodifluoromethane	SW8260B	1	0.0012	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Chloromethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Vinyl Chloride	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Bromomethane	SW8260B	1	0.0027	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Chloroethane	SW8260B	1	0.0030	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Trichlorofluoromethane	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
1,1-Dichloroethene	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Freon 113	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Methylene Chloride	SW8260B	1	0.0071	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
trans-1,2-Dichloroethene	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
MTBE	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
TBA	SW8260B	1	0.012	0.050	ND		mg/Kg	02/02/21	18:42	AD	454001
Diisopropyl ether	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
1,1-Dichloroethane	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Ethyl tert-Butyl ether	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
cis-1,2-Dichloroethene	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
2,2-Dichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Bromochloromethane	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Chloroform	SW8260B	1	0.0024	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Carbon Tetrachloride	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
1,1,1-Trichloroethane	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
1,1-Dichloropropene	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Benzene	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
TAME	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
1,2-Dichloroethane	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Trichloroethylene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Dibromomethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
1,2-Dichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Bromodichloromethane	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
cis-1,3-Dichloropropene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Toluene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Tetrachloroethylene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
trans-1,3-Dichloropropene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
1,1,2-Trichloroethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Dibromochloromethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
1,3-Dichloropropane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
1,2-Dibromoethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Chlorobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Ethylbenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-8@3'	Lab Sample ID:	2101287-003A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:43		
SDG:			

Prep Method: 5035	Prep Batch Date/Time: 2/2/21 11:26:00AM
Prep Batch ID: 1129020	Prep Analyst: ADEB

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
1,1,1,2-Tetrachloroethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
m,p-Xylene	SW8260B	1	0.0032	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
o-Xylene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Styrene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Bromoform	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Isopropyl Benzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
n-Propylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Bromobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
1,1,1,2-Tetrachloroethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
2-Chlorotoluene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
1,3,5-Trimethylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
1,2,3-Trichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
4-Chlorotoluene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
tert-Butylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
1,2,4-Trimethylbenzene	SW8260B	1	0.0014	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
sec-Butyl Benzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
p-Isopropyltoluene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
1,3-Dichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
1,4-Dichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
n-Butylbenzene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
1,2-Dichlorobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
1,2-Dibromo-3-Chloropropane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Hexachlorobutadiene	SW8260B	1	0.0014	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
1,2,4-Trichlorobenzene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Naphthalene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
1,2,3-Trichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
2-Butanone	SW8260B	1	0.0023	0.0100	ND		mg/Kg	02/02/21	18:42	AD	454001
(S) Dibromofluoromethane	SW8260B		59.8 - 148		75.8		%	02/02/21	18:42	AD	454001
(S) Toluene-d8	SW8260B		55.2 - 133		97.2		%	02/02/21	18:42	AD	454001
(S) 4-Bromofluorobenzene	SW8260B		55.8 - 141		87.9		%	02/02/21	18:42	AD	454001



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-8@3'	Lab Sample ID: 2101287-003A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 10:43	
SDG:	

Prep Method: 5035GRO	Prep Batch Date/Time: 2/3/21	12:43:00PM
Prep Batch ID: 1129021	Prep Analyst: ADEB	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
TPH as Gasoline	8260TPH	1	0.043	0.10	ND		mg/Kg	02/02/21	18:42	AD	454001
(S) 4-Bromofluorobenzene	8260TPH		43.9 - 127		80.7		%	02/02/21	18:42	AD	454001



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-9@1'	Lab Sample ID: 2101287-005A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 10:19	
SDG:	

Prep Method: 7471BP	Prep Batch Date/Time: 2/2/21	11:10:00AM
Prep Batch ID: 1128976	Prep Analyst: TNGU	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Mercury	SW7471B	1	0.083	0.50	ND		mg/Kg	02/03/21	11:21	BJAY	454034



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-9@1'	Lab Sample ID:	2101287-005A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:19		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/2/21	11:00:00AM
Prep Batch ID: 1128978	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Antimony	SW6010B	1	0.050	5.00	ND		mg/Kg	02/03/21	16:32	TUAN	454018
Arsenic	SW6010B	1	0.15	1.30	6.45		mg/Kg	02/03/21	16:32	TUAN	454018
Barium	SW6010B	1	0.055	5.00	188		mg/Kg	02/03/21	16:32	TUAN	454018
Beryllium	SW6010B	1	0.055	5.00	ND		mg/Kg	02/03/21	16:32	TUAN	454018
Cadmium	SW6010B	1	0.10	5.00	ND		mg/Kg	02/03/21	16:32	TUAN	454018
Chromium	SW6010B	1	0.075	5.00	42.7		mg/Kg	02/03/21	16:32	TUAN	454018
Cobalt	SW6010B	1	0.070	5.00	11.6		mg/Kg	02/03/21	16:32	TUAN	454018
Copper	SW6010B	1	0.20	5.00	47.0		mg/Kg	02/03/21	16:32	TUAN	454018
Lead	SW6010B	1	0.10	3.00	18.3		mg/Kg	02/03/21	16:32	TUAN	454018
Molybdenum	SW6010B	1	0.050	5.00	ND		mg/Kg	02/03/21	16:32	TUAN	454018
Nickel	SW6010B	1	0.50	5.00	64.5		mg/Kg	02/03/21	16:32	TUAN	454018
Selenium	SW6010B	1	0.22	5.00	ND		mg/Kg	02/03/21	16:32	TUAN	454018
Silver	SW6010B	1	0.15	5.00	ND		mg/Kg	02/03/21	16:32	TUAN	454018
Thallium	SW6010B	1	0.55	5.00	ND		mg/Kg	02/03/21	16:32	TUAN	454018
Vanadium	SW6010B	1	0.10	5.00	33.5		mg/Kg	02/03/21	16:32	TUAN	454018
Zinc	SW6010B	1	0.30	5.00	182		mg/Kg	02/03/21	16:32	TUAN	454018



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-9@1'	Lab Sample ID:	2101287-005A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:19		
SDG:			

Prep Method: 3546_PCB	Prep Batch Date/Time: 2/2/21	1:42:00PM
Prep Batch ID: 1128984	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Aroclor1016	SW8082A	1	0.0350	0.100	ND		mg/Kg	02/03/21	0:06	MK	453996
Aroclor1221	SW8082A	1	0.00500	0.100	ND		mg/Kg	02/03/21	0:06	MK	453996
Aroclor1232	SW8082A	1	0.0170	0.100	ND		mg/Kg	02/03/21	0:06	MK	453996
Aroclor1242	SW8082A	1	0.00300	0.100	ND		mg/Kg	02/03/21	0:06	MK	453996
Aroclor1248	SW8082A	1	0.00200	0.100	ND		mg/Kg	02/03/21	0:06	MK	453996
Aroclor1254	SW8082A	1	0.0140	0.100	ND		mg/Kg	02/03/21	0:06	MK	453996
Aroclor1260	SW8082A	1	0.0240	0.100	ND		mg/Kg	02/03/21	0:06	MK	453996
Acceptance Limits											
TCMX (S)	SW8082A		48 - 125		84.0		%	02/03/21	0:06	MK	453996
DCBP (S)	SW8082A		48 - 135		88.0		%	02/03/21	0:06	MK	453996



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-9@1'	Lab Sample ID:	2101287-005A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:19		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/3/21	1:40:00PM
Prep Batch ID: 1129025	Prep Analyst:	HLEE

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	3	0.00038	0.0060	ND		mg/Kg	02/03/21	7:51	MK	454031
gamma-BHC (Lindane)	SW8081B	3	0.00048	0.0060	ND		mg/Kg	02/03/21	7:51	MK	454031
beta-BHC	SW8081B	3	0.00095	0.0060	ND		mg/Kg	02/03/21	7:51	MK	454031
delta-BHC	SW8081B	3	0.00047	0.0060	ND		mg/Kg	02/03/21	7:51	MK	454031
Heptachlor	SW8081B	3	0.00032	0.0060	ND		mg/Kg	02/03/21	7:51	MK	454031
Aldrin	SW8081B	3	0.00059	0.0060	ND		mg/Kg	02/03/21	7:51	MK	454031
Heptachlor Epoxide	SW8081B	3	0.00023	0.0060	ND		mg/Kg	02/03/21	7:51	MK	454031
gamma-Chlordane	SW8081B	3	0.00049	0.0060	ND		mg/Kg	02/03/21	7:51	MK	454031
alpha-Chlordane	SW8081B	3	0.00052	0.0060	ND		mg/Kg	02/03/21	7:51	MK	454031
Endosulfan I	SW8081B	3	0.00055	0.0060	ND		mg/Kg	02/03/21	7:51	MK	454031
Dieldrin	SW8081B	3	0.00044	0.0060	ND		mg/Kg	02/03/21	7:51	MK	454031
Endrin	SW8081B	3	0.00056	0.0060	ND		mg/Kg	02/03/21	7:51	MK	454031
4,4'-DDD	SW8081B	3	0.0017	0.0060	0.00634		mg/Kg	02/03/21	7:51	MK	454031
Endosulfan II	SW8081B	3	0.0017	0.0060	ND		mg/Kg	02/03/21	7:51	MK	454031
4,4'-DDT	SW8081B	3	0.00039	0.0060	0.0985		mg/Kg	02/03/21	7:51	MK	454031
Endrin Aldehyde	SW8081B	3	0.00045	0.0060	ND		mg/Kg	02/03/21	7:51	MK	454031
Methoxychlor	SW8081B	3	0.00060	0.0060	ND		mg/Kg	02/03/21	7:51	MK	454031
Endosulfan Sulfate	SW8081B	3	0.00035	0.0060	ND		mg/Kg	02/03/21	7:51	MK	454031
Endrin Ketone	SW8081B	3	0.00028	0.0060	ND		mg/Kg	02/03/21	7:51	MK	454031
Chlordane	SW8081B	3	0.0063	0.060	ND		mg/Kg	02/03/21	7:51	MK	454031
Toxaphene	SW8081B	3	0.026	0.15	ND		mg/Kg	02/03/21	7:51	MK	454031
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		76.7		%	02/03/21	7:51	MK	454031
DCBP (S)	SW8081B		38 - 135		71.4		%	02/03/21	7:51	MK	454031

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-9@1'	Lab Sample ID:	2101287-005A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:19		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/3/21	1:40:00PM
Prep Batch ID: 1129025	Prep Analyst:	HLEE

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
4,4'-DDE	SW8081B	10	0.0019	0.020	0.329		mg/Kg	02/03/21	16:02	MK	454031



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-9@1'	Lab Sample ID:	2101287-005A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:19		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
N-Nitrosodimethylamine	SW8270C	1	0.0469	0.720	ND		mg/Kg	02/03/21	1:05	MT	453975
Phenol	SW8270C	1	0.0438	0.288	ND		mg/Kg	02/03/21	1:05	MT	453975
Bis(2-chloroethyl)ether	SW8270C	1	0.0133	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
2-Chlorophenol	SW8270C	1	0.0477	0.288	ND		mg/Kg	02/03/21	1:05	MT	453975
1,3-Dichlorobenzene	SW8270C	1	0.0131	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
1,4-Dichlorobenzene	SW8270C	1	0.0146	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Benzyl Alcohol	SW8270C	1	0.0205	0.288	ND		mg/Kg	02/03/21	1:05	MT	453975
1,2-Dichlorobenzene	SW8270C	1	0.0135	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
2-Methylphenol (o-Cresol)	SW8270C	1	0.0293	0.288	ND		mg/Kg	02/03/21	1:05	MT	453975
N-Methyl-2-Pyrrolidone (NMP)	SW8270C	1	0.0680	0.720	ND		mg/Kg	02/03/21	1:05	MT	453975
3-/4-Methylphenol (p-/m-Cresol)	SW8270C	1	0.0313	0.288	ND		mg/Kg	02/03/21	1:05	MT	453975
N-nitroso-di-n-propylamine	SW8270C	1	0.0132	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Hexachloroethane	SW8270C	1	0.0171	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Nitrobenzene	SW8270C	1	0.0128	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Isophorone	SW8270C	1	0.0122	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
2-Nitrophenol	SW8270C	1	0.0254	0.288	ND		mg/Kg	02/03/21	1:05	MT	453975
2,4-Dimethylphenol	SW8270C	1	0.0228	0.288	ND		mg/Kg	02/03/21	1:05	MT	453975
Benzoic Acid	SW8270C	1	0.0417	0.288	ND		mg/Kg	02/03/21	1:05	MT	453975
Bis(2-Chloroethoxy)methane	SW8270C	1	0.00979	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Bis(2-chloroisopropyl)ether	SW8270C	1	0.0126	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
2,4-Dichlorophenol	SW8270C	1	0.0393	0.288	ND		mg/Kg	02/03/21	1:05	MT	453975
1,2,4-Trichlorobenzene	SW8270C	1	0.0118	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Naphthalene	SW8270C	1	0.0106	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
2,6-Dichlorophenol	SW8270C	1	0.0358	0.288	ND		mg/Kg	02/03/21	1:05	MT	453975
Hexachloro-1,3-butadiene	SW8270C	1	0.00834	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
4-Chloro-3-methylphenol	SW8270C	1	0.0338	0.288	ND		mg/Kg	02/03/21	1:05	MT	453975
2-Methylnaphthalene	SW8270C	1	0.0104	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
1-Methylnaphthalene	SW8270C	1	0.0122	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Hexachlorocyclopentadiene	SW8270C	1	0.0129	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
2,4,6-Trichlorophenol	SW8270C	1	0.0359	0.288	ND		mg/Kg	02/03/21	1:05	MT	453975
2,4,5-Trichlorophenol	SW8270C	1	0.0334	0.288	ND		mg/Kg	02/03/21	1:05	MT	453975
2-Chloronaphthalene	SW8270C	1	0.0106	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
1,4-Dinitrobenzene	SW8270C	1	0.0103	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Dimethyl phthalate	SW8270C	1	0.0142	0.720	ND		mg/Kg	02/03/21	1:05	MT	453975
1,3-Dinitrobenzene	SW8270C	1	0.0104	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Acenaphthylene	SW8270C	1	0.00828	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
2,6-Dinitrotoluene	SW8270C	1	0.0113	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
1,2-Dinitrobenzene	SW8270C	1	0.0158	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Acenaphthene	SW8270C	1	0.0107	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-9@1'	Lab Sample ID:	2101287-005A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:19		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
2,4-Dinitrophenol	SW8270C	1	0.0776	0.720	ND		mg/Kg	02/03/21	1:05	MT	453975
4-Nitrophenol	SW8270C	1	0.0547	0.720	ND		mg/Kg	02/03/21	1:05	MT	453975
Dibenzofuran	SW8270C	1	0.0112	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
2,4-Dinitrotoluene	SW8270C	1	0.0121	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
2,3,5,6-Tetrachlorophenol	SW8270C	1	0.0276	0.288	ND		mg/Kg	02/03/21	1:05	MT	453975
2,3,4,6-Tetrachlorophenol	SW8270C	1	0.0315	0.288	ND		mg/Kg	02/03/21	1:05	MT	453975
Diethylphthalate	SW8270C	1	0.0136	0.720	ND		mg/Kg	02/03/21	1:05	MT	453975
Fluorene	SW8270C	1	0.0103	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
4-Chlorophenyl-phenylether	SW8270C	1	0.00932	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
4,6-Dinitro-2-methylphenol	SW8270C	1	0.0134	0.288	ND		mg/Kg	02/03/21	1:05	MT	453975
Diphenylamine	SW8270C	1	0.0130	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Azobenzene	SW8270C	1	0.114	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
4-Bromophenyl-phenylether	SW8270C	1	0.00823	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Hexachlorobenzene	SW8270C	1	0.00866	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Pentachlorophenol	SW8270C	1	0.0250	0.288	ND		mg/Kg	02/03/21	1:05	MT	453975
Phenanthrene	SW8270C	1	0.00932	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Anthracene	SW8270C	1	0.00891	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Carbazole	SW8270C	1	0.0107	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Di-n-butylphthalate	SW8270C	1	0.0135	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Fluoranthene	SW8270C	1	0.01000	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Benzidine	SW8270C	1	0.147	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Pyrene	SW8270C	1	0.0120	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Butylbenzylphthalate	SW8270C	1	0.0210	0.720	ND		mg/Kg	02/03/21	1:05	MT	453975
Benzo(a)anthracene	SW8270C	1	0.00980	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
3,3-Dichlorobenzidine	SW8270C	1	0.118	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Chrysene	SW8270C	1	0.0152	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Bis(2-Ethylhexyl)phthalate	SW8270C	1	0.0153	0.720	ND		mg/Kg	02/03/21	1:05	MT	453975
Di-n-Octylphthalate	SW8270C	1	0.0123	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Benzo(b)fluorathene	SW8270C	1	0.0120	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
benzo(k)fluorathene	SW8270C	1	0.00816	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Benzo(a)pyrene	SW8270C	1	0.00980	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Indeno(1,2,3-c,d)pyrene	SW8270C	1	0.0138	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Dibenzo(a,h)anthracene	SW8270C	1	0.0127	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Benzo(g,h,i)perylene	SW8270C	1	0.0167	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Pyridine	SW8270C	1	0.0438	0.720	ND		mg/Kg	02/03/21	1:05	MT	453975
Acceptance Limits											
2-Fluorophenol (S)	SW8270C		25 - 121		62.9		%	02/03/21	1:05	MT	453975
Phenol-d6 (S)	SW8270C		24 - 113		68.6		%	02/03/21	1:05	MT	453975
2,4,6-Tribromophenol (S)	SW8270C		19 - 122		71.5		%	02/03/21	1:05	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-9@1'	Lab Sample ID:	2101287-005A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:19		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
2-Fluorobiphenyl (S)	SW8270C		45 - 143		83.2		%	02/03/21	1:05	MT	453975
Nitrobenzene-d5 (S)	SW8270C		23 - 120		81.0		%	02/03/21	1:05	MT	453975
Terphenyl-d14 (S)	SW8270C		18 - 137		85.4		%	02/03/21	1:05	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-9@1'	Lab Sample ID:	2101287-005A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:19		
SDG:			

Prep Method: 3546_TPHSG	Prep Batch Date/Time: 2/2/21	4:34:00PM
Prep Batch ID: 1128998	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
TPH as Diesel (SG)	SW8015B	1	0.85	2.0	2.07	x	mg/Kg	02/03/21	22:23	SN	454044
TPH as Motor Oil (SG)	SW8015B	1	3.2	10	ND		mg/Kg	02/03/21	22:23	SN	454044
Acceptance Limits											
Pentacosane (S)	SW8015B		40 - 129		64.3		%	02/03/21	22:23	SN	454044

NOTE: x- Chromatographic pattern does not resemble typical diesel reference standard; unknown organics within diesel range quantified as diesel



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-9@1'	Lab Sample ID:	2101287-005A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:19		
SDG:			

Prep Method: 5035	Prep Batch Date/Time: 2/2/21 11:26:00AM
Prep Batch ID: 1129020	Prep Analyst: ADEB

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Dichlorodifluoromethane	SW8260B	1	0.0012	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Chloromethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Vinyl Chloride	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Bromomethane	SW8260B	1	0.0027	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Chloroethane	SW8260B	1	0.0030	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Trichlorofluoromethane	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
1,1-Dichloroethene	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Freon 113	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Methylene Chloride	SW8260B	1	0.0071	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
trans-1,2-Dichloroethene	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
MTBE	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
TBA	SW8260B	1	0.012	0.050	ND		mg/Kg	02/02/21	19:12	AD	454001
Diisopropyl ether	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
1,1-Dichloroethane	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Ethyl tert-Butyl ether	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
cis-1,2-Dichloroethene	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
2,2-Dichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Bromochloromethane	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Chloroform	SW8260B	1	0.0024	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Carbon Tetrachloride	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
1,1,1-Trichloroethane	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
1,1-Dichloropropene	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Benzene	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
TAME	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
1,2-Dichloroethane	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Trichloroethylene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Dibromomethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
1,2-Dichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Bromodichloromethane	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
cis-1,3-Dichloropropene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Toluene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Tetrachloroethylene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
trans-1,3-Dichloropropene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
1,1,2-Trichloroethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Dibromochloromethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
1,3-Dichloropropane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
1,2-Dibromoethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Chlorobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Ethylbenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-9@1'	Lab Sample ID:	2101287-005A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:19		
SDG:			

Prep Method: 5035	Prep Batch Date/Time: 2/2/21	11:26:00AM
Prep Batch ID: 1129020	Prep Analyst:	ADEB

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
1,1,1,2-Tetrachloroethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
m,p-Xylene	SW8260B	1	0.0032	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
o-Xylene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Styrene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Bromoform	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Isopropyl Benzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
n-Propylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Bromobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
1,1,2,2-Tetrachloroethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
2-Chlorotoluene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
1,3,5-Trimethylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
1,2,3-Trichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
4-Chlorotoluene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
tert-Butylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
1,2,4-Trimethylbenzene	SW8260B	1	0.0014	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
sec-Butyl Benzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
p-Isopropyltoluene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
1,3-Dichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
1,4-Dichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
n-Butylbenzene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
1,2-Dichlorobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
1,2-Dibromo-3-Chloropropane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Hexachlorobutadiene	SW8260B	1	0.0014	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
1,2,4-Trichlorobenzene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Naphthalene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
1,2,3-Trichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
2-Butanone	SW8260B	1	0.0023	0.0100	ND		mg/Kg	02/02/21	19:12	AD	454001
(S) Dibromofluoromethane	SW8260B		59.8 - 148		74.9		%	02/02/21	19:12	AD	454001
(S) Toluene-d8	SW8260B		55.2 - 133		98.2		%	02/02/21	19:12	AD	454001
(S) 4-Bromofluorobenzene	SW8260B		55.8 - 141		87.8		%	02/02/21	19:12	AD	454001



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-9@1'	Lab Sample ID: 2101287-005A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 10:19	
SDG:	

Prep Method: 5035GRO	Prep Batch Date/Time: 2/3/21	12:43:00PM
Prep Batch ID: 1129021	Prep Analyst: ADEB	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
TPH as Gasoline	8260TPH	1	0.043	0.10	ND		mg/Kg	02/02/21	19:12	AD	454001
(S) 4-Bromofluorobenzene	8260TPH		43.9 - 127		73.8		%	02/02/21	19:12	AD	454001



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-9@3'	Lab Sample ID: 2101287-006A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 10:21	
SDG:	

Prep Method: 7471BP	Prep Batch Date/Time: 2/2/21	11:10:00AM
Prep Batch ID: 1128976	Prep Analyst: TNGU	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Mercury	SW7471B	1	0.083	0.50	ND		mg/Kg	02/03/21	11:23	BJAY	454034



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-9@3'	Lab Sample ID:	2101287-006A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:21		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/2/21	11:00:00AM
Prep Batch ID: 1128978	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Antimony	SW6010B	1	0.050	5.00	ND		mg/Kg	02/03/21	16:35	TUAN	454018
Arsenic	SW6010B	1	0.15	1.30	5.75		mg/Kg	02/03/21	16:35	TUAN	454018
Barium	SW6010B	1	0.055	5.00	192		mg/Kg	02/03/21	16:35	TUAN	454018
Beryllium	SW6010B	1	0.055	5.00	ND		mg/Kg	02/03/21	16:35	TUAN	454018
Cadmium	SW6010B	1	0.10	5.00	ND		mg/Kg	02/03/21	16:35	TUAN	454018
Chromium	SW6010B	1	0.075	5.00	38.8		mg/Kg	02/03/21	16:35	TUAN	454018
Cobalt	SW6010B	1	0.070	5.00	11.4		mg/Kg	02/03/21	16:35	TUAN	454018
Copper	SW6010B	1	0.20	5.00	32.7		mg/Kg	02/03/21	16:35	TUAN	454018
Lead	SW6010B	1	0.10	3.00	9.45		mg/Kg	02/03/21	16:35	TUAN	454018
Molybdenum	SW6010B	1	0.050	5.00	ND		mg/Kg	02/03/21	16:35	TUAN	454018
Nickel	SW6010B	1	0.50	5.00	53.0		mg/Kg	02/03/21	16:35	TUAN	454018
Selenium	SW6010B	1	0.22	5.00	ND		mg/Kg	02/03/21	16:35	TUAN	454018
Silver	SW6010B	1	0.15	5.00	ND		mg/Kg	02/03/21	16:35	TUAN	454018
Thallium	SW6010B	1	0.55	5.00	ND		mg/Kg	02/03/21	16:35	TUAN	454018
Vanadium	SW6010B	1	0.10	5.00	33.6		mg/Kg	02/03/21	16:35	TUAN	454018
Zinc	SW6010B	1	0.30	5.00	57.5		mg/Kg	02/03/21	16:35	TUAN	454018



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-9@3'	Lab Sample ID:	2101287-006A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:21		
SDG:			

Prep Method: 3546_PCB	Prep Batch Date/Time: 2/2/21	1:42:00PM
Prep Batch ID: 1128984	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Aroclor1016	SW8082A	1	0.0350	0.100	ND		mg/Kg	02/03/21	0:20	MK	453996
Aroclor1221	SW8082A	1	0.00500	0.100	ND		mg/Kg	02/03/21	0:20	MK	453996
Aroclor1232	SW8082A	1	0.0170	0.100	ND		mg/Kg	02/03/21	0:20	MK	453996
Aroclor1242	SW8082A	1	0.00300	0.100	ND		mg/Kg	02/03/21	0:20	MK	453996
Aroclor1248	SW8082A	1	0.00200	0.100	ND		mg/Kg	02/03/21	0:20	MK	453996
Aroclor1254	SW8082A	1	0.0140	0.100	ND		mg/Kg	02/03/21	0:20	MK	453996
Aroclor1260	SW8082A	1	0.0240	0.100	ND		mg/Kg	02/03/21	0:20	MK	453996
Acceptance Limits											
TCMX (S)	SW8082A		48 - 125		88.0		%	02/03/21	0:20	MK	453996
DCBP (S)	SW8082A		48 - 135		83.0		%	02/03/21	0:20	MK	453996



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-9@3'	Lab Sample ID:	2101287-006A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:21		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/3/21	1:40:00PM
Prep Batch ID: 1129025	Prep Analyst: HLEE	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
alpha-BHC	SW8081B	1	0.00013	0.0020	ND		mg/Kg	02/03/21	8:04	MK	454031
gamma-BHC (Lindane)	SW8081B	1	0.00016	0.0020	ND		mg/Kg	02/03/21	8:04	MK	454031
beta-BHC	SW8081B	1	0.00032	0.0020	ND		mg/Kg	02/03/21	8:04	MK	454031
delta-BHC	SW8081B	1	0.00016	0.0020	ND		mg/Kg	02/03/21	8:04	MK	454031
Heptachlor	SW8081B	1	0.00011	0.0020	ND		mg/Kg	02/03/21	8:04	MK	454031
Aldrin	SW8081B	1	0.00020	0.0020	ND		mg/Kg	02/03/21	8:04	MK	454031
Heptachlor Epoxide	SW8081B	1	0.000078	0.0020	ND		mg/Kg	02/03/21	8:04	MK	454031
gamma-Chlordane	SW8081B	1	0.00016	0.0020	ND		mg/Kg	02/03/21	8:04	MK	454031
alpha-Chlordane	SW8081B	1	0.00017	0.0020	ND		mg/Kg	02/03/21	8:04	MK	454031
4,4'-DDE	SW8081B	1	0.00019	0.0020	0.0197		mg/Kg	02/03/21	8:04	MK	454031
Endosulfan I	SW8081B	1	0.00018	0.0020	ND		mg/Kg	02/03/21	8:04	MK	454031
Dieldrin	SW8081B	1	0.00015	0.0020	ND		mg/Kg	02/03/21	8:04	MK	454031
Endrin	SW8081B	1	0.00019	0.0020	ND		mg/Kg	02/03/21	8:04	MK	454031
4,4'-DDD	SW8081B	1	0.00057	0.0020	ND		mg/Kg	02/03/21	8:04	MK	454031
Endosulfan II	SW8081B	1	0.00058	0.0020	ND		mg/Kg	02/03/21	8:04	MK	454031
4,4'-DDT	SW8081B	1	0.00013	0.0020	0.00370		mg/Kg	02/03/21	8:04	MK	454031
Endrin Aldehyde	SW8081B	1	0.00015	0.0020	ND		mg/Kg	02/03/21	8:04	MK	454031
Methoxychlor	SW8081B	1	0.00020	0.0020	ND		mg/Kg	02/03/21	8:04	MK	454031
Endosulfan Sulfate	SW8081B	1	0.00012	0.0020	ND		mg/Kg	02/03/21	8:04	MK	454031
Endrin Ketone	SW8081B	1	0.000094	0.0020	ND		mg/Kg	02/03/21	8:04	MK	454031
Chlordane	SW8081B	1	0.0021	0.020	ND		mg/Kg	02/03/21	8:04	MK	454031
Toxaphene	SW8081B	1	0.0085	0.050	ND		mg/Kg	02/03/21	8:04	MK	454031
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		82.8		%	02/03/21	8:04	MK	454031
DCBP (S)	SW8081B		38 - 135		63.8		%	02/03/21	8:04	MK	454031



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-9@3'	Lab Sample ID:	2101287-006A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:21		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
N-Nitrosodimethylamine	SW8270C	1	0.0469	0.720	ND		mg/Kg	02/03/21	1:35	MT	453975
Phenol	SW8270C	1	0.0438	0.288	ND		mg/Kg	02/03/21	1:35	MT	453975
Bis(2-chloroethyl)ether	SW8270C	1	0.0133	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
2-Chlorophenol	SW8270C	1	0.0477	0.288	ND		mg/Kg	02/03/21	1:35	MT	453975
1,3-Dichlorobenzene	SW8270C	1	0.0131	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
1,4-Dichlorobenzene	SW8270C	1	0.0146	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Benzyl Alcohol	SW8270C	1	0.0205	0.288	ND		mg/Kg	02/03/21	1:35	MT	453975
1,2-Dichlorobenzene	SW8270C	1	0.0135	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
2-Methylphenol (o-Cresol)	SW8270C	1	0.0293	0.288	ND		mg/Kg	02/03/21	1:35	MT	453975
N-Methyl-2-Pyrrolidone (NMP)	SW8270C	1	0.0680	0.720	ND		mg/Kg	02/03/21	1:35	MT	453975
3-/4-Methylphenol (p-/m-Cresol)	SW8270C	1	0.0313	0.288	ND		mg/Kg	02/03/21	1:35	MT	453975
N-nitroso-di-n-propylamine	SW8270C	1	0.0132	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Hexachloroethane	SW8270C	1	0.0171	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Nitrobenzene	SW8270C	1	0.0128	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Isophorone	SW8270C	1	0.0122	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
2-Nitrophenol	SW8270C	1	0.0254	0.288	ND		mg/Kg	02/03/21	1:35	MT	453975
2,4-Dimethylphenol	SW8270C	1	0.0228	0.288	ND		mg/Kg	02/03/21	1:35	MT	453975
Benzoic Acid	SW8270C	1	0.0417	0.288	ND		mg/Kg	02/03/21	1:35	MT	453975
Bis(2-Chloroethoxy)methane	SW8270C	1	0.00979	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Bis(2-chloroisopropyl)ether	SW8270C	1	0.0126	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
2,4-Dichlorophenol	SW8270C	1	0.0393	0.288	ND		mg/Kg	02/03/21	1:35	MT	453975
1,2,4-Trichlorobenzene	SW8270C	1	0.0118	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Naphthalene	SW8270C	1	0.0106	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
2,6-Dichlorophenol	SW8270C	1	0.0358	0.288	ND		mg/Kg	02/03/21	1:35	MT	453975
Hexachloro-1,3-butadiene	SW8270C	1	0.00834	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
4-Chloro-3-methylphenol	SW8270C	1	0.0338	0.288	ND		mg/Kg	02/03/21	1:35	MT	453975
2-Methylnaphthalene	SW8270C	1	0.0104	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
1-Methylnaphthalene	SW8270C	1	0.0122	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Hexachlorocyclopentadiene	SW8270C	1	0.0129	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
2,4,6-Trichlorophenol	SW8270C	1	0.0359	0.288	ND		mg/Kg	02/03/21	1:35	MT	453975
2,4,5-Trichlorophenol	SW8270C	1	0.0334	0.288	ND		mg/Kg	02/03/21	1:35	MT	453975
2-Chloronaphthalene	SW8270C	1	0.0106	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
1,4-Dinitrobenzene	SW8270C	1	0.0103	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Dimethyl phthalate	SW8270C	1	0.0142	0.720	ND		mg/Kg	02/03/21	1:35	MT	453975
1,3-Dinitrobenzene	SW8270C	1	0.0104	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Acenaphthylene	SW8270C	1	0.00828	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
2,6-Dinitrotoluene	SW8270C	1	0.0113	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
1,2-Dinitrobenzene	SW8270C	1	0.0158	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Acenaphthene	SW8270C	1	0.0107	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-9@3'	Lab Sample ID: 2101287-006A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 10:21	
SDG:	

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
2,4-Dinitrophenol	SW8270C	1	0.0776	0.720	ND		mg/Kg	02/03/21	1:35	MT	453975
4-Nitrophenol	SW8270C	1	0.0547	0.720	ND		mg/Kg	02/03/21	1:35	MT	453975
Dibenzofuran	SW8270C	1	0.0112	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
2,4-Dinitrotoluene	SW8270C	1	0.0121	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
2,3,5,6-Tetrachlorophenol	SW8270C	1	0.0276	0.288	ND		mg/Kg	02/03/21	1:35	MT	453975
2,3,4,6-Tetrachlorophenol	SW8270C	1	0.0315	0.288	ND		mg/Kg	02/03/21	1:35	MT	453975
Diethylphthalate	SW8270C	1	0.0136	0.720	ND		mg/Kg	02/03/21	1:35	MT	453975
Fluorene	SW8270C	1	0.0103	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
4-Chlorophenyl-phenylether	SW8270C	1	0.00932	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
4,6-Dinitro-2-methylphenol	SW8270C	1	0.0134	0.288	ND		mg/Kg	02/03/21	1:35	MT	453975
Diphenylamine	SW8270C	1	0.0130	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Azobenzene	SW8270C	1	0.114	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
4-Bromophenyl-phenylether	SW8270C	1	0.00823	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Hexachlorobenzene	SW8270C	1	0.00866	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Pentachlorophenol	SW8270C	1	0.0250	0.288	ND		mg/Kg	02/03/21	1:35	MT	453975
Phenanthrene	SW8270C	1	0.00932	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Anthracene	SW8270C	1	0.00891	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Carbazole	SW8270C	1	0.0107	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Di-n-butylphthalate	SW8270C	1	0.0135	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Fluoranthene	SW8270C	1	0.01000	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Benzidine	SW8270C	1	0.147	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Pyrene	SW8270C	1	0.0120	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Butylbenzylphthalate	SW8270C	1	0.0210	0.720	ND		mg/Kg	02/03/21	1:35	MT	453975
Benzo(a)anthracene	SW8270C	1	0.00980	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
3,3-Dichlorobenzidine	SW8270C	1	0.118	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Chrysene	SW8270C	1	0.0152	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Bis(2-Ethylhexyl)phthalate	SW8270C	1	0.0153	0.720	ND		mg/Kg	02/03/21	1:35	MT	453975
Di-n-Octylphthalate	SW8270C	1	0.0123	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Benzo(b)fluorathene	SW8270C	1	0.0120	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
benzo(k)fluorathene	SW8270C	1	0.00816	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Benzo(a)pyrene	SW8270C	1	0.00980	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Indeno(1,2,3-c,d)pyrene	SW8270C	1	0.0138	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Dibenzo(a,h)anthracene	SW8270C	1	0.0127	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Benzo(g,h,i)perylene	SW8270C	1	0.0167	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Pyridine	SW8270C	1	0.0438	0.720	ND		mg/Kg	02/03/21	1:35	MT	453975
Acceptance Limits											
2-Fluorophenol (S)	SW8270C		25 - 121		67.4		%	02/03/21	1:35	MT	453975
Phenol-d6 (S)	SW8270C		24 - 113		70.3		%	02/03/21	1:35	MT	453975
2,4,6-Tribromophenol (S)	SW8270C		19 - 122		81.3		%	02/03/21	1:35	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-9@3'	Lab Sample ID:	2101287-006A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:21		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
2-Fluorobiphenyl (S)	SW8270C		45 - 143		81.6		%	02/03/21	1:35	MT	453975
Nitrobenzene-d5 (S)	SW8270C		23 - 120		77.2		%	02/03/21	1:35	MT	453975
Terphenyl-d14 (S)	SW8270C		18 - 137		84.3		%	02/03/21	1:35	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-9@3'	Lab Sample ID: 2101287-006A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 10:21	
SDG:	

Prep Method: 3546_TPHSG	Prep Batch Date/Time: 2/2/21	4:34:00PM
Prep Batch ID: 1128998	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
TPH as Diesel (SG)	SW8015B	1	0.85	2.0	ND		mg/Kg	02/03/21	22:46	SN	454044
TPH as Motor Oil (SG)	SW8015B	1	3.2	10	ND		mg/Kg	02/03/21	22:46	SN	454044
			Acceptance Limits								
Pentacosane (S)	SW8015B		40 - 129		55.8		%	02/03/21	22:46	SN	454044



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-9@3'	Lab Sample ID:	2101287-006A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:21		
SDG:			

Prep Method: 5035	Prep Batch Date/Time: 2/2/21	11:26:00AM
Prep Batch ID: 1129020	Prep Analyst:	ADEB

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Dichlorodifluoromethane	SW8260B	1	0.0012	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Chloromethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Vinyl Chloride	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Bromomethane	SW8260B	1	0.0027	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Chloroethane	SW8260B	1	0.0030	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Trichlorofluoromethane	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
1,1-Dichloroethene	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Freon 113	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Methylene Chloride	SW8260B	1	0.0071	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
trans-1,2-Dichloroethene	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
MTBE	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
TBA	SW8260B	1	0.012	0.050	ND		mg/Kg	02/02/21	19:41	AD	454001
Diisopropyl ether	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
1,1-Dichloroethane	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Ethyl tert-Butyl ether	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
cis-1,2-Dichloroethene	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
2,2-Dichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Bromochloromethane	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Chloroform	SW8260B	1	0.0024	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Carbon Tetrachloride	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
1,1,1-Trichloroethane	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
1,1-Dichloropropene	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Benzene	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
TAME	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
1,2-Dichloroethane	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Trichloroethylene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Dibromomethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
1,2-Dichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Bromodichloromethane	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
cis-1,3-Dichloropropene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Toluene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Tetrachloroethylene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
trans-1,3-Dichloropropene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
1,1,2-Trichloroethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Dibromochloromethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
1,3-Dichloropropane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
1,2-Dibromoethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Chlorobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Ethylbenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-9@3'	Lab Sample ID:	2101287-006A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:21		
SDG:			

Prep Method: 5035	Prep Batch Date/Time: 2/2/21 11:26:00AM
Prep Batch ID: 1129020	Prep Analyst: ADEB

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
1,1,1,2-Tetrachloroethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
m,p-Xylene	SW8260B	1	0.0032	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
o-Xylene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Styrene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Bromoform	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Isopropyl Benzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
n-Propylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Bromobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
1,1,1,2-Tetrachloroethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
2-Chlorotoluene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
1,3,5-Trimethylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
1,2,3-Trichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
4-Chlorotoluene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
tert-Butylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
1,2,4-Trimethylbenzene	SW8260B	1	0.0014	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
sec-Butyl Benzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
p-Isopropyltoluene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
1,3-Dichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
1,4-Dichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
n-Butylbenzene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
1,2-Dichlorobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
1,2-Dibromo-3-Chloropropane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Hexachlorobutadiene	SW8260B	1	0.0014	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
1,2,4-Trichlorobenzene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Naphthalene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
1,2,3-Trichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
2-Butanone	SW8260B	1	0.0023	0.0100	ND		mg/Kg	02/02/21	19:41	AD	454001
(S) Dibromofluoromethane	SW8260B		59.8 - 148		74.9		%	02/02/21	19:41	AD	454001
(S) Toluene-d8	SW8260B		55.2 - 133		97.5		%	02/02/21	19:41	AD	454001
(S) 4-Bromofluorobenzene	SW8260B		55.8 - 141		87.4		%	02/02/21	19:41	AD	454001



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-9@3'	Lab Sample ID: 2101287-006A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 10:21	
SDG:	

Prep Method: 5035GRO	Prep Batch Date/Time: 2/3/21	12:43:00PM
Prep Batch ID: 1129021	Prep Analyst: ADEB	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
TPH as Gasoline	8260TPH	1	0.043	0.10	ND		mg/Kg	02/02/21	19:41	AD	454001
(S) 4-Bromofluorobenzene	8260TPH		43.9 - 127		76.8		%	02/02/21	19:41	AD	454001



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	HA-1@1'	Lab Sample ID:	2101287-008A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 13:45		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/2/21	11:00:00AM
Prep Batch ID: 1128980	Prep Analyst: TNGU	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Arsenic	SW6010B	1	0.15	1.3	5.30		mg/Kg	02/03/21	16:51	TUAN	454038
Lead	SW6010B	1	0.12	3.0	17.3		mg/Kg	02/03/21	16:51	TUAN	454038



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	HA-1@1'	Lab Sample ID:	2101287-008A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 13:45		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/3/21	1:40:00PM
Prep Batch ID: 1129025	Prep Analyst: HLEE	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	20	0.0025	0.040	ND		mg/Kg	02/04/21	0:04	MK	454031
gamma-BHC (Lindane)	SW8081B	20	0.0032	0.040	ND		mg/Kg	02/04/21	0:04	MK	454031
beta-BHC	SW8081B	20	0.0063	0.040	ND		mg/Kg	02/04/21	0:04	MK	454031
delta-BHC	SW8081B	20	0.0031	0.040	ND		mg/Kg	02/04/21	0:04	MK	454031
Heptachlor	SW8081B	20	0.0021	0.040	ND		mg/Kg	02/04/21	0:04	MK	454031
Aldrin	SW8081B	20	0.0039	0.040	ND		mg/Kg	02/04/21	0:04	MK	454031
Heptachlor Epoxide	SW8081B	20	0.0016	0.040	ND		mg/Kg	02/04/21	0:04	MK	454031
gamma-Chlordane	SW8081B	20	0.0033	0.040	ND		mg/Kg	02/04/21	0:04	MK	454031
alpha-Chlordane	SW8081B	20	0.0035	0.040	ND		mg/Kg	02/04/21	0:04	MK	454031
4,4'-DDE	SW8081B	20	0.0039	0.040	0.0623		mg/Kg	02/04/21	0:04	MK	454031
Endosulfan I	SW8081B	20	0.0037	0.040	ND		mg/Kg	02/04/21	0:04	MK	454031
Dieldrin	SW8081B	20	0.0030	0.040	ND		mg/Kg	02/04/21	0:04	MK	454031
Endrin	SW8081B	20	0.0038	0.040	ND		mg/Kg	02/04/21	0:04	MK	454031
4,4'-DDD	SW8081B	20	0.011	0.040	ND		mg/Kg	02/04/21	0:04	MK	454031
Endosulfan II	SW8081B	20	0.012	0.040	ND		mg/Kg	02/04/21	0:04	MK	454031
4,4'-DDT	SW8081B	20	0.0026	0.040	0.0313	J	mg/Kg	02/04/21	0:04	MK	454031
Endrin Aldehyde	SW8081B	20	0.0030	0.040	ND		mg/Kg	02/04/21	0:04	MK	454031
Methoxychlor	SW8081B	20	0.0040	0.040	ND		mg/Kg	02/04/21	0:04	MK	454031
Endosulfan Sulfate	SW8081B	20	0.0023	0.040	ND		mg/Kg	02/04/21	0:04	MK	454031
Endrin Ketone	SW8081B	20	0.0019	0.040	ND		mg/Kg	02/04/21	0:04	MK	454031
Chlordane	SW8081B	20	0.042	0.40	ND		mg/Kg	02/04/21	0:04	MK	454031
Toxaphene	SW8081B	20	0.17	1.0	ND		mg/Kg	02/04/21	0:04	MK	454031
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		0.000	D	%	02/04/21	0:04	MK	454031
DCBP (S)	SW8081B		38 - 135		0.000	D	%	02/04/21	0:04	MK	454031

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	HA-1@2'	Lab Sample ID:	2101287-009A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 14:03		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/2/21	11:00:00AM
Prep Batch ID: 1128980	Prep Analyst: TNGU	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Arsenic	SW6010B	1	0.15	1.3	6.05		mg/Kg	02/03/21	17:04	TUAN	454038
Lead	SW6010B	1	0.12	3.0	8.95		mg/Kg	02/03/21	17:04	TUAN	454038



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	HA-1@2'	Lab Sample ID:	2101287-009A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 14:03		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/3/21	1:40:00PM
Prep Batch ID: 1129025	Prep Analyst: HLEE	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	3	0.00038	0.0060	ND		mg/Kg	02/03/21	16:43	MK	454031
gamma-BHC (Lindane)	SW8081B	3	0.00048	0.0060	ND		mg/Kg	02/03/21	16:43	MK	454031
beta-BHC	SW8081B	3	0.00095	0.0060	ND		mg/Kg	02/03/21	16:43	MK	454031
delta-BHC	SW8081B	3	0.00047	0.0060	ND		mg/Kg	02/03/21	16:43	MK	454031
Heptachlor	SW8081B	3	0.00032	0.0060	ND		mg/Kg	02/03/21	16:43	MK	454031
Aldrin	SW8081B	3	0.00059	0.0060	ND		mg/Kg	02/03/21	16:43	MK	454031
Heptachlor Epoxide	SW8081B	3	0.00023	0.0060	ND		mg/Kg	02/03/21	16:43	MK	454031
gamma-Chlordane	SW8081B	3	0.00049	0.0060	ND		mg/Kg	02/03/21	16:43	MK	454031
alpha-Chlordane	SW8081B	3	0.00052	0.0060	ND		mg/Kg	02/03/21	16:43	MK	454031
4,4'-DDE	SW8081B	3	0.00058	0.0060	0.00355	J	mg/Kg	02/03/21	16:43	MK	454031
Endosulfan I	SW8081B	3	0.00055	0.0060	ND		mg/Kg	02/03/21	16:43	MK	454031
Dieldrin	SW8081B	3	0.00044	0.0060	ND		mg/Kg	02/03/21	16:43	MK	454031
Endrin	SW8081B	3	0.00056	0.0060	ND		mg/Kg	02/03/21	16:43	MK	454031
4,4'-DDD	SW8081B	3	0.0017	0.0060	ND		mg/Kg	02/03/21	16:43	MK	454031
Endosulfan II	SW8081B	3	0.0017	0.0060	ND		mg/Kg	02/03/21	16:43	MK	454031
4,4'-DDT	SW8081B	3	0.00039	0.0060	0.000864	J	mg/Kg	02/03/21	16:43	MK	454031
Endrin Aldehyde	SW8081B	3	0.00045	0.0060	ND		mg/Kg	02/03/21	16:43	MK	454031
Methoxychlor	SW8081B	3	0.00060	0.0060	ND		mg/Kg	02/03/21	16:43	MK	454031
Endosulfan Sulfate	SW8081B	3	0.00035	0.0060	ND		mg/Kg	02/03/21	16:43	MK	454031
Endrin Ketone	SW8081B	3	0.00028	0.0060	ND		mg/Kg	02/03/21	16:43	MK	454031
Chlordane	SW8081B	3	0.0063	0.060	ND		mg/Kg	02/03/21	16:43	MK	454031
Toxaphene	SW8081B	3	0.026	0.15	ND		mg/Kg	02/03/21	16:43	MK	454031
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		78.7		%	02/03/21	16:43	MK	454031
DCBP (S)	SW8081B		38 - 135		62.4		%	02/03/21	16:43	MK	454031

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	HA-2@1'	Lab Sample ID:	2101287-011A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 13:40		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/2/21	11:00:00AM
Prep Batch ID: 1128980	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Arsenic	SW6010B	1	0.15	1.3	5.80		mg/Kg	02/03/21	17:46	TUAN	454038
Lead	SW6010B	1	0.12	3.0	11.0		mg/Kg	02/03/21	17:46	TUAN	454038



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	HA-2@1'	Lab Sample ID:	2101287-011A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 13:40		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/3/21	1:40:00PM
Prep Batch ID: 1129025	Prep Analyst: HLEE	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	3	0.00038	0.0060	ND		mg/Kg	02/03/21	16:55	MK	454031
gamma-BHC (Lindane)	SW8081B	3	0.00048	0.0060	ND		mg/Kg	02/03/21	16:55	MK	454031
beta-BHC	SW8081B	3	0.00095	0.0060	ND		mg/Kg	02/03/21	16:55	MK	454031
delta-BHC	SW8081B	3	0.00047	0.0060	ND		mg/Kg	02/03/21	16:55	MK	454031
Heptachlor	SW8081B	3	0.00032	0.0060	ND		mg/Kg	02/03/21	16:55	MK	454031
Aldrin	SW8081B	3	0.00059	0.0060	ND		mg/Kg	02/03/21	16:55	MK	454031
Heptachlor Epoxide	SW8081B	3	0.00023	0.0060	ND		mg/Kg	02/03/21	16:55	MK	454031
gamma-Chlordane	SW8081B	3	0.00049	0.0060	ND		mg/Kg	02/03/21	16:55	MK	454031
alpha-Chlordane	SW8081B	3	0.00052	0.0060	ND		mg/Kg	02/03/21	16:55	MK	454031
Endosulfan I	SW8081B	3	0.00055	0.0060	ND		mg/Kg	02/03/21	16:55	MK	454031
Dieldrin	SW8081B	3	0.00044	0.0060	ND		mg/Kg	02/03/21	16:55	MK	454031
Endrin	SW8081B	3	0.00056	0.0060	ND		mg/Kg	02/03/21	16:55	MK	454031
4,4'-DDD	SW8081B	3	0.0017	0.0060	0.0108		mg/Kg	02/03/21	16:55	MK	454031
Endosulfan II	SW8081B	3	0.0017	0.0060	ND		mg/Kg	02/03/21	16:55	MK	454031
4,4'-DDT	SW8081B	3	0.00039	0.0060	0.0669		mg/Kg	02/03/21	16:55	MK	454031
Endrin Aldehyde	SW8081B	3	0.00045	0.0060	ND		mg/Kg	02/03/21	16:55	MK	454031
Methoxychlor	SW8081B	3	0.00060	0.0060	ND		mg/Kg	02/03/21	16:55	MK	454031
Endosulfan Sulfate	SW8081B	3	0.00035	0.0060	ND		mg/Kg	02/03/21	16:55	MK	454031
Endrin Ketone	SW8081B	3	0.00028	0.0060	ND		mg/Kg	02/03/21	16:55	MK	454031
Chlordane	SW8081B	3	0.0063	0.060	ND		mg/Kg	02/03/21	16:55	MK	454031
Toxaphene	SW8081B	3	0.026	0.15	ND		mg/Kg	02/03/21	16:55	MK	454031
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		78.1		%	02/03/21	16:55	MK	454031
DCBP (S)	SW8081B		38 - 135		71.3		%	02/03/21	16:55	MK	454031

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: HA-2@1'	Lab Sample ID: 2101287-011A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 13:40	
SDG:	

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/3/21	1:40:00PM
Prep Batch ID: 1129025	Prep Analyst: HLEE	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
4,4'-DDE	SW8081B	10	0.0019	0.020	0.266		mg/Kg	02/04/21	15:43	MK	454031



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	HA-2@2'	Lab Sample ID:	2101287-012A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 14:03		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/2/21	11:00:00AM
Prep Batch ID: 1128980	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Arsenic	SW6010B	1	0.15	1.3	6.35		mg/Kg	02/03/21	17:49	TUAN	454038
Lead	SW6010B	1	0.12	3.0	8.90		mg/Kg	02/03/21	17:49	TUAN	454038



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	HA-2@2'	Lab Sample ID:	2101287-012A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 14:03		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/3/21	1:40:00PM
Prep Batch ID: 1129025	Prep Analyst:	HLEE

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	3	0.00038	0.0060	ND		mg/Kg	02/03/21	20:41	MK	454031
gamma-BHC (Lindane)	SW8081B	3	0.00048	0.0060	ND		mg/Kg	02/03/21	20:41	MK	454031
beta-BHC	SW8081B	3	0.00095	0.0060	ND		mg/Kg	02/03/21	20:41	MK	454031
delta-BHC	SW8081B	3	0.00047	0.0060	ND		mg/Kg	02/03/21	20:41	MK	454031
Heptachlor	SW8081B	3	0.00032	0.0060	ND		mg/Kg	02/03/21	20:41	MK	454031
Aldrin	SW8081B	3	0.00059	0.0060	ND		mg/Kg	02/03/21	20:41	MK	454031
Heptachlor Epoxide	SW8081B	3	0.00023	0.0060	ND		mg/Kg	02/03/21	20:41	MK	454031
gamma-Chlordane	SW8081B	3	0.00049	0.0060	ND		mg/Kg	02/03/21	20:41	MK	454031
alpha-Chlordane	SW8081B	3	0.00052	0.0060	ND		mg/Kg	02/03/21	20:41	MK	454031
4,4'-DDE	SW8081B	3	0.00058	0.0060	0.000804	J	mg/Kg	02/03/21	20:41	MK	454031
Endosulfan I	SW8081B	3	0.00055	0.0060	ND		mg/Kg	02/03/21	20:41	MK	454031
Dieldrin	SW8081B	3	0.00044	0.0060	ND		mg/Kg	02/03/21	20:41	MK	454031
Endrin	SW8081B	3	0.00056	0.0060	ND		mg/Kg	02/03/21	20:41	MK	454031
4,4'-DDD	SW8081B	3	0.0017	0.0060	ND		mg/Kg	02/03/21	20:41	MK	454031
Endosulfan II	SW8081B	3	0.0017	0.0060	ND		mg/Kg	02/03/21	20:41	MK	454031
4,4'-DDT	SW8081B	3	0.00039	0.0060	ND		mg/Kg	02/03/21	20:41	MK	454031
Endrin Aldehyde	SW8081B	3	0.00045	0.0060	ND		mg/Kg	02/03/21	20:41	MK	454031
Methoxychlor	SW8081B	3	0.00060	0.0060	ND		mg/Kg	02/03/21	20:41	MK	454031
Endosulfan Sulfate	SW8081B	3	0.00035	0.0060	ND		mg/Kg	02/03/21	20:41	MK	454031
Endrin Ketone	SW8081B	3	0.00028	0.0060	ND		mg/Kg	02/03/21	20:41	MK	454031
Chlordane	SW8081B	3	0.0063	0.060	ND		mg/Kg	02/03/21	20:41	MK	454031
Toxaphene	SW8081B	3	0.026	0.15	ND		mg/Kg	02/03/21	20:41	MK	454031
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		61.8		%	02/03/21	20:41	MK	454031
DCBP (S)	SW8081B		38 - 135		65.9		%	02/03/21	20:41	MK	454031

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	HA-5@1'	Lab Sample ID:	2101287-014A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 14:59		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/2/21	11:00:00AM
Prep Batch ID: 1128980	Prep Analyst: TNGU	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Arsenic	SW6010B	1	0.15	1.3	6.55		mg/Kg	02/03/21	17:52	TUAN	454038
Lead	SW6010B	1	0.12	3.0	14.9		mg/Kg	02/03/21	17:52	TUAN	454038



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	HA-5@1'	Lab Sample ID:	2101287-014A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 14:59		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/3/21	1:40:00PM
Prep Batch ID: 1129025	Prep Analyst: HLEE	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	10	0.0013	0.020	ND		mg/Kg	02/03/21	22:12	MK	454031
gamma-BHC (Lindane)	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	22:12	MK	454031
beta-BHC	SW8081B	10	0.0032	0.020	ND		mg/Kg	02/03/21	22:12	MK	454031
delta-BHC	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	22:12	MK	454031
Heptachlor	SW8081B	10	0.0011	0.020	ND		mg/Kg	02/03/21	22:12	MK	454031
Aldrin	SW8081B	10	0.0020	0.020	ND		mg/Kg	02/03/21	22:12	MK	454031
Heptachlor Epoxide	SW8081B	10	0.00078	0.020	ND		mg/Kg	02/03/21	22:12	MK	454031
gamma-Chlordane	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	22:12	MK	454031
alpha-Chlordane	SW8081B	10	0.0017	0.020	ND		mg/Kg	02/03/21	22:12	MK	454031
4,4'-DDE	SW8081B	10	0.0019	0.020	0.360		mg/Kg	02/03/21	22:12	MK	454031
Endosulfan I	SW8081B	10	0.0018	0.020	ND		mg/Kg	02/03/21	22:12	MK	454031
Dieldrin	SW8081B	10	0.0015	0.020	ND		mg/Kg	02/03/21	22:12	MK	454031
Endrin	SW8081B	10	0.0019	0.020	ND		mg/Kg	02/03/21	22:12	MK	454031
4,4'-DDD	SW8081B	10	0.0057	0.020	0.0112	J	mg/Kg	02/03/21	22:12	MK	454031
Endosulfan II	SW8081B	10	0.0058	0.020	ND		mg/Kg	02/03/21	22:12	MK	454031
4,4'-DDT	SW8081B	10	0.0013	0.020	0.0984		mg/Kg	02/03/21	22:12	MK	454031
Endrin Aldehyde	SW8081B	10	0.0015	0.020	ND		mg/Kg	02/03/21	22:12	MK	454031
Methoxychlor	SW8081B	10	0.0020	0.020	ND		mg/Kg	02/03/21	22:12	MK	454031
Endosulfan Sulfate	SW8081B	10	0.0012	0.020	ND		mg/Kg	02/03/21	22:12	MK	454031
Endrin Ketone	SW8081B	10	0.00094	0.020	ND		mg/Kg	02/03/21	22:12	MK	454031
Chlordane	SW8081B	10	0.021	0.20	ND		mg/Kg	02/03/21	22:12	MK	454031
Toxaphene	SW8081B	10	0.085	0.50	ND		mg/Kg	02/03/21	22:12	MK	454031
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		81.2		%	02/03/21	22:12	MK	454031
DCBP (S)	SW8081B		38 - 135		85.2		%	02/03/21	22:12	MK	454031

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	HA-5@3'	Lab Sample ID:	2101287-015A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 15:01		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/2/21	11:00:00AM
Prep Batch ID: 1128980	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Arsenic	SW6010B	1	0.15	1.3	6.45		mg/Kg	02/03/21	17:55	TUAN	454038
Lead	SW6010B	1	0.12	3.0	10.5		mg/Kg	02/03/21	17:55	TUAN	454038



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	HA-5@3'	Lab Sample ID:	2101287-015A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 15:01		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/3/21	1:40:00PM
Prep Batch ID: 1129025	Prep Analyst: HLEE	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	10	0.0013	0.020	ND		mg/Kg	02/03/21	22:27	MK	454031
gamma-BHC (Lindane)	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	22:27	MK	454031
beta-BHC	SW8081B	10	0.0032	0.020	ND		mg/Kg	02/03/21	22:27	MK	454031
delta-BHC	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	22:27	MK	454031
Heptachlor	SW8081B	10	0.0011	0.020	ND		mg/Kg	02/03/21	22:27	MK	454031
Aldrin	SW8081B	10	0.0020	0.020	ND		mg/Kg	02/03/21	22:27	MK	454031
Heptachlor Epoxide	SW8081B	10	0.00078	0.020	ND		mg/Kg	02/03/21	22:27	MK	454031
gamma-Chlordane	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	22:27	MK	454031
alpha-Chlordane	SW8081B	10	0.0017	0.020	ND		mg/Kg	02/03/21	22:27	MK	454031
4,4'-DDE	SW8081B	10	0.0019	0.020	0.0853		mg/Kg	02/03/21	22:27	MK	454031
Endosulfan I	SW8081B	10	0.0018	0.020	ND		mg/Kg	02/03/21	22:27	MK	454031
Dieldrin	SW8081B	10	0.0015	0.020	ND		mg/Kg	02/03/21	22:27	MK	454031
Endrin	SW8081B	10	0.0019	0.020	ND		mg/Kg	02/03/21	22:27	MK	454031
4,4'-DDD	SW8081B	10	0.0057	0.020	ND		mg/Kg	02/03/21	22:27	MK	454031
Endosulfan II	SW8081B	10	0.0058	0.020	ND		mg/Kg	02/03/21	22:27	MK	454031
4,4'-DDT	SW8081B	10	0.0013	0.020	0.0452		mg/Kg	02/03/21	22:27	MK	454031
Endrin Aldehyde	SW8081B	10	0.0015	0.020	ND		mg/Kg	02/03/21	22:27	MK	454031
Methoxychlor	SW8081B	10	0.0020	0.020	ND		mg/Kg	02/03/21	22:27	MK	454031
Endosulfan Sulfate	SW8081B	10	0.0012	0.020	ND		mg/Kg	02/03/21	22:27	MK	454031
Endrin Ketone	SW8081B	10	0.00094	0.020	ND		mg/Kg	02/03/21	22:27	MK	454031
Chlordane	SW8081B	10	0.021	0.20	ND		mg/Kg	02/03/21	22:27	MK	454031
Toxaphene	SW8081B	10	0.085	0.50	ND		mg/Kg	02/03/21	22:27	MK	454031
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		88.6		%	02/03/21	22:27	MK	454031
DCBP (S)	SW8081B		38 - 135		97.0		%	02/03/21	22:27	MK	454031

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	HA-6@1'	Lab Sample ID:	2101287-017A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 14:49		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/2/21	11:00:00AM
Prep Batch ID: 1128980	Prep Analyst: TNGU	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Arsenic	SW6010B	1	0.15	1.3	6.65		mg/Kg	02/03/21	17:58	TUAN	454038
Lead	SW6010B	1	0.12	3.0	16.4		mg/Kg	02/03/21	17:58	TUAN	454038



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	HA-6@1'	Lab Sample ID:	2101287-017A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 14:49		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/3/21	1:40:00PM
Prep Batch ID: 1129025	Prep Analyst: HLEE	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	10	0.0013	0.020	ND		mg/Kg	02/03/21	22:41	MK	454031
gamma-BHC (Lindane)	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	22:41	MK	454031
beta-BHC	SW8081B	10	0.0032	0.020	ND		mg/Kg	02/03/21	22:41	MK	454031
delta-BHC	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	22:41	MK	454031
Heptachlor	SW8081B	10	0.0011	0.020	ND		mg/Kg	02/03/21	22:41	MK	454031
Aldrin	SW8081B	10	0.0020	0.020	ND		mg/Kg	02/03/21	22:41	MK	454031
Heptachlor Epoxide	SW8081B	10	0.00078	0.020	ND		mg/Kg	02/03/21	22:41	MK	454031
gamma-Chlordane	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	22:41	MK	454031
alpha-Chlordane	SW8081B	10	0.0017	0.020	ND		mg/Kg	02/03/21	22:41	MK	454031
Endosulfan I	SW8081B	10	0.0018	0.020	ND		mg/Kg	02/03/21	22:41	MK	454031
Dieldrin	SW8081B	10	0.0015	0.020	ND		mg/Kg	02/03/21	22:41	MK	454031
Endrin	SW8081B	10	0.0019	0.020	ND		mg/Kg	02/03/21	22:41	MK	454031
4,4'-DDD	SW8081B	10	0.0057	0.020	0.0130	J	mg/Kg	02/03/21	22:41	MK	454031
Endosulfan II	SW8081B	10	0.0058	0.020	ND		mg/Kg	02/03/21	22:41	MK	454031
4,4'-DDT	SW8081B	10	0.0013	0.020	0.533		mg/Kg	02/03/21	22:41	MK	454031
Endrin Aldehyde	SW8081B	10	0.0015	0.020	ND		mg/Kg	02/03/21	22:41	MK	454031
Methoxychlor	SW8081B	10	0.0020	0.020	ND		mg/Kg	02/03/21	22:41	MK	454031
Endosulfan Sulfate	SW8081B	10	0.0012	0.020	ND		mg/Kg	02/03/21	22:41	MK	454031
Endrin Ketone	SW8081B	10	0.00094	0.020	ND		mg/Kg	02/03/21	22:41	MK	454031
Chlordane	SW8081B	10	0.021	0.20	ND		mg/Kg	02/03/21	22:41	MK	454031
Toxaphene	SW8081B	10	0.085	0.50	ND		mg/Kg	02/03/21	22:41	MK	454031
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		90.0		%	02/03/21	22:41	MK	454031
DCBP (S)	SW8081B		38 - 135		94.6		%	02/03/21	22:41	MK	454031

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	HA-6@1'	Lab Sample ID:	2101287-017A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 14:49		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/3/21	1:40:00PM
Prep Batch ID: 1129025	Prep Analyst:	HLEE

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
4,4'-DDE	SW8081B	30	0.0058	0.060	1.19		mg/Kg	02/04/21	12:43	MK	454031



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	HA-6@3'	Lab Sample ID:	2101287-018A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 14:51		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/2/21	11:00:00AM
Prep Batch ID: 1128980	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Arsenic	SW6010B	1	0.15	1.3	6.25		mg/Kg	02/03/21	18:01	TUAN	454038
Lead	SW6010B	1	0.12	3.0	8.80		mg/Kg	02/03/21	18:01	TUAN	454038



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	HA-6@3'	Lab Sample ID:	2101287-018A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 14:51		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/3/21	1:40:00PM
Prep Batch ID: 1129025	Prep Analyst: HLEE	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	10	0.0013	0.020	ND		mg/Kg	02/03/21	22:54	MK	454031
gamma-BHC (Lindane)	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	22:54	MK	454031
beta-BHC	SW8081B	10	0.0032	0.020	ND		mg/Kg	02/03/21	22:54	MK	454031
delta-BHC	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	22:54	MK	454031
Heptachlor	SW8081B	10	0.0011	0.020	ND		mg/Kg	02/03/21	22:54	MK	454031
Aldrin	SW8081B	10	0.0020	0.020	ND		mg/Kg	02/03/21	22:54	MK	454031
Heptachlor Epoxide	SW8081B	10	0.00078	0.020	ND		mg/Kg	02/03/21	22:54	MK	454031
gamma-Chlordane	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	22:54	MK	454031
alpha-Chlordane	SW8081B	10	0.0017	0.020	ND		mg/Kg	02/03/21	22:54	MK	454031
4,4'-DDE	SW8081B	10	0.0019	0.020	0.0140	J	mg/Kg	02/03/21	22:54	MK	454031
Endosulfan I	SW8081B	10	0.0018	0.020	ND		mg/Kg	02/03/21	22:54	MK	454031
Dieldrin	SW8081B	10	0.0015	0.020	ND		mg/Kg	02/03/21	22:54	MK	454031
Endrin	SW8081B	10	0.0019	0.020	ND		mg/Kg	02/03/21	22:54	MK	454031
4,4'-DDD	SW8081B	10	0.0057	0.020	ND		mg/Kg	02/03/21	22:54	MK	454031
Endosulfan II	SW8081B	10	0.0058	0.020	ND		mg/Kg	02/03/21	22:54	MK	454031
4,4'-DDT	SW8081B	10	0.0013	0.020	0.00596	J	mg/Kg	02/03/21	22:54	MK	454031
Endrin Aldehyde	SW8081B	10	0.0015	0.020	ND		mg/Kg	02/03/21	22:54	MK	454031
Methoxychlor	SW8081B	10	0.0020	0.020	ND		mg/Kg	02/03/21	22:54	MK	454031
Endosulfan Sulfate	SW8081B	10	0.0012	0.020	ND		mg/Kg	02/03/21	22:54	MK	454031
Endrin Ketone	SW8081B	10	0.00094	0.020	ND		mg/Kg	02/03/21	22:54	MK	454031
Chlordane	SW8081B	10	0.021	0.20	ND		mg/Kg	02/03/21	22:54	MK	454031
Toxaphene	SW8081B	10	0.085	0.50	ND		mg/Kg	02/03/21	22:54	MK	454031
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		81.1		%	02/03/21	22:54	MK	454031
DCBP (S)	SW8081B		38 - 135		85.6		%	02/03/21	22:54	MK	454031

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	HA-7@1'	Lab Sample ID:	2101287-020A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 13:04		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/2/21	11:00:00AM
Prep Batch ID: 1128980	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Arsenic	SW6010B	1	0.15	1.3	6.15		mg/Kg	02/03/21	18:05	TUAN	454038
Lead	SW6010B	1	0.12	3.0	12.5		mg/Kg	02/03/21	18:05	TUAN	454038



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	HA-7@1'	Lab Sample ID:	2101287-020A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 13:04		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/3/21	1:40:00PM
Prep Batch ID: 1129025	Prep Analyst: HLEE	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	3	0.00038	0.0060	ND		mg/Kg	02/03/21	20:55	MK	454031
gamma-BHC (Lindane)	SW8081B	3	0.00048	0.0060	ND		mg/Kg	02/03/21	20:55	MK	454031
beta-BHC	SW8081B	3	0.00095	0.0060	ND		mg/Kg	02/03/21	20:55	MK	454031
delta-BHC	SW8081B	3	0.00047	0.0060	ND		mg/Kg	02/03/21	20:55	MK	454031
Heptachlor	SW8081B	3	0.00032	0.0060	ND		mg/Kg	02/03/21	20:55	MK	454031
Aldrin	SW8081B	3	0.00059	0.0060	ND		mg/Kg	02/03/21	20:55	MK	454031
Heptachlor Epoxide	SW8081B	3	0.00023	0.0060	ND		mg/Kg	02/03/21	20:55	MK	454031
gamma-Chlordane	SW8081B	3	0.00049	0.0060	ND		mg/Kg	02/03/21	20:55	MK	454031
alpha-Chlordane	SW8081B	3	0.00052	0.0060	ND		mg/Kg	02/03/21	20:55	MK	454031
4,4'-DDE	SW8081B	3	0.00058	0.0060	0.135		mg/Kg	02/03/21	20:55	MK	454031
Endosulfan I	SW8081B	3	0.00055	0.0060	ND		mg/Kg	02/03/21	20:55	MK	454031
Dieldrin	SW8081B	3	0.00044	0.0060	ND		mg/Kg	02/03/21	20:55	MK	454031
Endrin	SW8081B	3	0.00056	0.0060	ND		mg/Kg	02/03/21	20:55	MK	454031
4,4'-DDD	SW8081B	3	0.0017	0.0060	ND		mg/Kg	02/03/21	20:55	MK	454031
Endosulfan II	SW8081B	3	0.0017	0.0060	ND		mg/Kg	02/03/21	20:55	MK	454031
4,4'-DDT	SW8081B	3	0.00039	0.0060	0.0236		mg/Kg	02/03/21	20:55	MK	454031
Endrin Aldehyde	SW8081B	3	0.00045	0.0060	ND		mg/Kg	02/03/21	20:55	MK	454031
Methoxychlor	SW8081B	3	0.00060	0.0060	ND		mg/Kg	02/03/21	20:55	MK	454031
Endosulfan Sulfate	SW8081B	3	0.00035	0.0060	ND		mg/Kg	02/03/21	20:55	MK	454031
Endrin Ketone	SW8081B	3	0.00028	0.0060	ND		mg/Kg	02/03/21	20:55	MK	454031
Chlordane	SW8081B	3	0.0063	0.060	ND		mg/Kg	02/03/21	20:55	MK	454031
Toxaphene	SW8081B	3	0.026	0.15	ND		mg/Kg	02/03/21	20:55	MK	454031
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		82.0		%	02/03/21	20:55	MK	454031
DCBP (S)	SW8081B		38 - 135		82.8		%	02/03/21	20:55	MK	454031

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	HA-7@3'	Lab Sample ID:	2101287-021A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 13:05		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/2/21	11:00:00AM
Prep Batch ID: 1128980	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Arsenic	SW6010B	1	0.15	1.3	6.95		mg/Kg	02/03/21	18:08	TUAN	454038
Lead	SW6010B	1	0.12	3.0	9.00		mg/Kg	02/03/21	18:08	TUAN	454038



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	HA-7@3'	Lab Sample ID:	2101287-021A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 13:05		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/3/21	1:40:00PM
Prep Batch ID: 1129025	Prep Analyst: HLEE	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	3	0.00038	0.0060	ND		mg/Kg	02/03/21	21:08	MK	454031
gamma-BHC (Lindane)	SW8081B	3	0.00048	0.0060	ND		mg/Kg	02/03/21	21:08	MK	454031
beta-BHC	SW8081B	3	0.00095	0.0060	ND		mg/Kg	02/03/21	21:08	MK	454031
delta-BHC	SW8081B	3	0.00047	0.0060	ND		mg/Kg	02/03/21	21:08	MK	454031
Heptachlor	SW8081B	3	0.00032	0.0060	ND		mg/Kg	02/03/21	21:08	MK	454031
Aldrin	SW8081B	3	0.00059	0.0060	ND		mg/Kg	02/03/21	21:08	MK	454031
Heptachlor Epoxide	SW8081B	3	0.00023	0.0060	ND		mg/Kg	02/03/21	21:08	MK	454031
gamma-Chlordane	SW8081B	3	0.00049	0.0060	ND		mg/Kg	02/03/21	21:08	MK	454031
alpha-Chlordane	SW8081B	3	0.00052	0.0060	ND		mg/Kg	02/03/21	21:08	MK	454031
4,4'-DDE	SW8081B	3	0.00058	0.0060	0.00591	J	mg/Kg	02/03/21	21:08	MK	454031
Endosulfan I	SW8081B	3	0.00055	0.0060	ND		mg/Kg	02/03/21	21:08	MK	454031
Dieldrin	SW8081B	3	0.00044	0.0060	ND		mg/Kg	02/03/21	21:08	MK	454031
Endrin	SW8081B	3	0.00056	0.0060	ND		mg/Kg	02/03/21	21:08	MK	454031
4,4'-DDD	SW8081B	3	0.0017	0.0060	ND		mg/Kg	02/03/21	21:08	MK	454031
Endosulfan II	SW8081B	3	0.0017	0.0060	ND		mg/Kg	02/03/21	21:08	MK	454031
4,4'-DDT	SW8081B	3	0.00039	0.0060	0.00115	J	mg/Kg	02/03/21	21:08	MK	454031
Endrin Aldehyde	SW8081B	3	0.00045	0.0060	ND		mg/Kg	02/03/21	21:08	MK	454031
Methoxychlor	SW8081B	3	0.00060	0.0060	ND		mg/Kg	02/03/21	21:08	MK	454031
Endosulfan Sulfate	SW8081B	3	0.00035	0.0060	ND		mg/Kg	02/03/21	21:08	MK	454031
Endrin Ketone	SW8081B	3	0.00028	0.0060	ND		mg/Kg	02/03/21	21:08	MK	454031
Chlordane	SW8081B	3	0.0063	0.060	ND		mg/Kg	02/03/21	21:08	MK	454031
Toxaphene	SW8081B	3	0.026	0.15	ND		mg/Kg	02/03/21	21:08	MK	454031
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		76.7		%	02/03/21	21:08	MK	454031
DCBP (S)	SW8081B		38 - 135		80.4		%	02/03/21	21:08	MK	454031

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	HA-8@1'	Lab Sample ID:	2101287-023A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 12:59		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/2/21	11:00:00AM
Prep Batch ID: 1128980	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Arsenic	SW6010B	1	0.15	1.3	6.05		mg/Kg	02/03/21	18:11	TUAN	454038
Lead	SW6010B	1	0.12	3.0	14.3		mg/Kg	02/03/21	18:11	TUAN	454038



SAMPLE RESULTS

Report prepared for:

Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm

Date Reported: 02/04/21

Client Sample ID:	HA-8@1'	Lab Sample ID:	2101287-023A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 12:59		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/3/21	1:40:00PM
Prep Batch ID: 1129025	Prep Analyst: HLEE	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	20	0.0025	0.040	ND		mg/Kg	02/04/21	0:18	MK	454031
gamma-BHC (Lindane)	SW8081B	20	0.0032	0.040	ND		mg/Kg	02/04/21	0:18	MK	454031
beta-BHC	SW8081B	20	0.0063	0.040	ND		mg/Kg	02/04/21	0:18	MK	454031
delta-BHC	SW8081B	20	0.0031	0.040	ND		mg/Kg	02/04/21	0:18	MK	454031
Heptachlor	SW8081B	20	0.0021	0.040	ND		mg/Kg	02/04/21	0:18	MK	454031
Aldrin	SW8081B	20	0.0039	0.040	ND		mg/Kg	02/04/21	0:18	MK	454031
Heptachlor Epoxide	SW8081B	20	0.0016	0.040	ND		mg/Kg	02/04/21	0:18	MK	454031
gamma-Chlordane	SW8081B	20	0.0033	0.040	ND		mg/Kg	02/04/21	0:18	MK	454031
alpha-Chlordane	SW8081B	20	0.0035	0.040	ND		mg/Kg	02/04/21	0:18	MK	454031
4,4'-DDE	SW8081B	20	0.0039	0.040	0.356		mg/Kg	02/04/21	0:18	MK	454031
Endosulfan I	SW8081B	20	0.0037	0.040	ND		mg/Kg	02/04/21	0:18	MK	454031
Dieldrin	SW8081B	20	0.0030	0.040	ND		mg/Kg	02/04/21	0:18	MK	454031
Endrin	SW8081B	20	0.0038	0.040	ND		mg/Kg	02/04/21	0:18	MK	454031
4,4'-DDD	SW8081B	20	0.011	0.040	ND		mg/Kg	02/04/21	0:18	MK	454031
Endosulfan II	SW8081B	20	0.012	0.040	ND		mg/Kg	02/04/21	0:18	MK	454031
4,4'-DDT	SW8081B	20	0.0026	0.040	0.0686		mg/Kg	02/04/21	0:18	MK	454031
Endrin Aldehyde	SW8081B	20	0.0030	0.040	ND		mg/Kg	02/04/21	0:18	MK	454031
Methoxychlor	SW8081B	20	0.0040	0.040	ND		mg/Kg	02/04/21	0:18	MK	454031
Endosulfan Sulfate	SW8081B	20	0.0023	0.040	ND		mg/Kg	02/04/21	0:18	MK	454031
Endrin Ketone	SW8081B	20	0.0019	0.040	ND		mg/Kg	02/04/21	0:18	MK	454031
Chlordane	SW8081B	20	0.042	0.40	ND		mg/Kg	02/04/21	0:18	MK	454031
Toxaphene	SW8081B	20	0.17	1.0	ND		mg/Kg	02/04/21	0:18	MK	454031
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		0.000	D	%	02/04/21	0:18	MK	454031
DCBP (S)	SW8081B		38 - 135		0.000	D	%	02/04/21	0:18	MK	454031

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	HA-8@3'	Lab Sample ID:	2101287-024A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 13:01		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/2/21	11:00:00AM
Prep Batch ID: 1128980	Prep Analyst: TNGU	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Arsenic	SW6010B	1	0.15	1.3	5.90		mg/Kg	02/03/21	18:24	TUAN	454038
Lead	SW6010B	1	0.12	3.0	9.10		mg/Kg	02/03/21	18:24	TUAN	454038



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	HA-8@3'	Lab Sample ID:	2101287-024A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 13:01		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/3/21	1:40:00PM
Prep Batch ID: 1129025	Prep Analyst: HLEE	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	3	0.00038	0.0060	ND		mg/Kg	02/03/21	21:21	MK	454031
gamma-BHC (Lindane)	SW8081B	3	0.00048	0.0060	ND		mg/Kg	02/03/21	21:21	MK	454031
beta-BHC	SW8081B	3	0.00095	0.0060	ND		mg/Kg	02/03/21	21:21	MK	454031
delta-BHC	SW8081B	3	0.00047	0.0060	ND		mg/Kg	02/03/21	21:21	MK	454031
Heptachlor	SW8081B	3	0.00032	0.0060	ND		mg/Kg	02/03/21	21:21	MK	454031
Aldrin	SW8081B	3	0.00059	0.0060	ND		mg/Kg	02/03/21	21:21	MK	454031
Heptachlor Epoxide	SW8081B	3	0.00023	0.0060	ND		mg/Kg	02/03/21	21:21	MK	454031
gamma-Chlordane	SW8081B	3	0.00049	0.0060	ND		mg/Kg	02/03/21	21:21	MK	454031
alpha-Chlordane	SW8081B	3	0.00052	0.0060	ND		mg/Kg	02/03/21	21:21	MK	454031
4,4'-DDE	SW8081B	3	0.00058	0.0060	0.00169	J	mg/Kg	02/03/21	21:21	MK	454031
Endosulfan I	SW8081B	3	0.00055	0.0060	ND		mg/Kg	02/03/21	21:21	MK	454031
Dieldrin	SW8081B	3	0.00044	0.0060	ND		mg/Kg	02/03/21	21:21	MK	454031
Endrin	SW8081B	3	0.00056	0.0060	ND		mg/Kg	02/03/21	21:21	MK	454031
4,4'-DDD	SW8081B	3	0.0017	0.0060	ND		mg/Kg	02/03/21	21:21	MK	454031
Endosulfan II	SW8081B	3	0.0017	0.0060	ND		mg/Kg	02/03/21	21:21	MK	454031
4,4'-DDT	SW8081B	3	0.00039	0.0060	ND		mg/Kg	02/03/21	21:21	MK	454031
Endrin Aldehyde	SW8081B	3	0.00045	0.0060	ND		mg/Kg	02/03/21	21:21	MK	454031
Methoxychlor	SW8081B	3	0.00060	0.0060	ND		mg/Kg	02/03/21	21:21	MK	454031
Endosulfan Sulfate	SW8081B	3	0.00035	0.0060	ND		mg/Kg	02/03/21	21:21	MK	454031
Endrin Ketone	SW8081B	3	0.00028	0.0060	ND		mg/Kg	02/03/21	21:21	MK	454031
Chlordane	SW8081B	3	0.0063	0.060	ND		mg/Kg	02/03/21	21:21	MK	454031
Toxaphene	SW8081B	3	0.026	0.15	ND		mg/Kg	02/03/21	21:21	MK	454031
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		68.8		%	02/03/21	21:21	MK	454031
DCBP (S)	SW8081B		38 - 135		69.8		%	02/03/21	21:21	MK	454031

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-13@0-12"	Lab Sample ID:	2101287-026A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 12:00		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/2/21	11:00:00AM
Prep Batch ID: 1128980	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Arsenic	SW6010B	1	0.15	1.3	5.15		mg/Kg	02/03/21	18:27	TUAN	454038
Lead	SW6010B	1	0.12	3.0	11.4		mg/Kg	02/03/21	18:27	TUAN	454038



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-13@0-12"	Lab Sample ID: 2101287-026A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 12:00	
SDG:	

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/3/21	1:40:00PM
Prep Batch ID: 1129025	Prep Analyst: HLEE	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	20	0.0025	0.040	ND		mg/Kg	02/04/21	0:31	MK	454031
gamma-BHC (Lindane)	SW8081B	20	0.0032	0.040	ND		mg/Kg	02/04/21	0:31	MK	454031
beta-BHC	SW8081B	20	0.0063	0.040	ND		mg/Kg	02/04/21	0:31	MK	454031
delta-BHC	SW8081B	20	0.0031	0.040	ND		mg/Kg	02/04/21	0:31	MK	454031
Heptachlor	SW8081B	20	0.0021	0.040	ND		mg/Kg	02/04/21	0:31	MK	454031
Aldrin	SW8081B	20	0.0039	0.040	ND		mg/Kg	02/04/21	0:31	MK	454031
Heptachlor Epoxide	SW8081B	20	0.0016	0.040	ND		mg/Kg	02/04/21	0:31	MK	454031
gamma-Chlordane	SW8081B	20	0.0033	0.040	ND		mg/Kg	02/04/21	0:31	MK	454031
alpha-Chlordane	SW8081B	20	0.0035	0.040	ND		mg/Kg	02/04/21	0:31	MK	454031
4,4'-DDE	SW8081B	20	0.0039	0.040	0.700		mg/Kg	02/04/21	0:31	MK	454031
Endosulfan I	SW8081B	20	0.0037	0.040	ND		mg/Kg	02/04/21	0:31	MK	454031
Dieldrin	SW8081B	20	0.0030	0.040	ND		mg/Kg	02/04/21	0:31	MK	454031
Endrin	SW8081B	20	0.0038	0.040	ND		mg/Kg	02/04/21	0:31	MK	454031
4,4'-DDD	SW8081B	20	0.011	0.040	ND		mg/Kg	02/04/21	0:31	MK	454031
Endosulfan II	SW8081B	20	0.012	0.040	ND		mg/Kg	02/04/21	0:31	MK	454031
4,4'-DDT	SW8081B	20	0.0026	0.040	0.172		mg/Kg	02/04/21	0:31	MK	454031
Endrin Aldehyde	SW8081B	20	0.0030	0.040	ND		mg/Kg	02/04/21	0:31	MK	454031
Methoxychlor	SW8081B	20	0.0040	0.040	ND		mg/Kg	02/04/21	0:31	MK	454031
Endosulfan Sulfate	SW8081B	20	0.0023	0.040	ND		mg/Kg	02/04/21	0:31	MK	454031
Endrin Ketone	SW8081B	20	0.0019	0.040	ND		mg/Kg	02/04/21	0:31	MK	454031
Chlordane	SW8081B	20	0.042	0.40	ND		mg/Kg	02/04/21	0:31	MK	454031
Toxaphene	SW8081B	20	0.17	1.0	ND		mg/Kg	02/04/21	0:31	MK	454031
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		0.000	D	%	02/04/21	0:31	MK	454031
DCBP (S)	SW8081B		38 - 135		0.000	D	%	02/04/21	0:31	MK	454031

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-10@0-12"	Lab Sample ID:	2101287-028A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 12:13		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/2/21	11:00:00AM
Prep Batch ID: 1128980	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Arsenic	SW6010B	1	0.15	1.3	5.25		mg/Kg	02/03/21	18:31	TUAN	454038
Lead	SW6010B	1	0.12	3.0	38.8		mg/Kg	02/03/21	18:31	TUAN	454038



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-10@0-12"	Lab Sample ID:	2101287-028A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 12:13		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/3/21	1:40:00PM
Prep Batch ID: 1129025	Prep Analyst: HLEE	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	10	0.0013	0.020	ND		mg/Kg	02/03/21	23:09	MK	454031
gamma-BHC (Lindane)	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	23:09	MK	454031
beta-BHC	SW8081B	10	0.0032	0.020	ND		mg/Kg	02/03/21	23:09	MK	454031
delta-BHC	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	23:09	MK	454031
Heptachlor	SW8081B	10	0.0011	0.020	ND		mg/Kg	02/03/21	23:09	MK	454031
Aldrin	SW8081B	10	0.0020	0.020	ND		mg/Kg	02/03/21	23:09	MK	454031
Heptachlor Epoxide	SW8081B	10	0.00078	0.020	ND		mg/Kg	02/03/21	23:09	MK	454031
gamma-Chlordane	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	23:09	MK	454031
alpha-Chlordane	SW8081B	10	0.0017	0.020	ND		mg/Kg	02/03/21	23:09	MK	454031
4,4'-DDE	SW8081B	10	0.0019	0.020	0.0170	J	mg/Kg	02/03/21	23:09	MK	454031
Endosulfan I	SW8081B	10	0.0018	0.020	ND		mg/Kg	02/03/21	23:09	MK	454031
Dieldrin	SW8081B	10	0.0015	0.020	ND		mg/Kg	02/03/21	23:09	MK	454031
Endrin	SW8081B	10	0.0019	0.020	ND		mg/Kg	02/03/21	23:09	MK	454031
4,4'-DDD	SW8081B	10	0.0057	0.020	ND		mg/Kg	02/03/21	23:09	MK	454031
Endosulfan II	SW8081B	10	0.0058	0.020	ND		mg/Kg	02/03/21	23:09	MK	454031
4,4'-DDT	SW8081B	10	0.0013	0.020	0.0404		mg/Kg	02/03/21	23:09	MK	454031
Endrin Aldehyde	SW8081B	10	0.0015	0.020	ND		mg/Kg	02/03/21	23:09	MK	454031
Methoxychlor	SW8081B	10	0.0020	0.020	ND		mg/Kg	02/03/21	23:09	MK	454031
Endosulfan Sulfate	SW8081B	10	0.0012	0.020	ND		mg/Kg	02/03/21	23:09	MK	454031
Endrin Ketone	SW8081B	10	0.00094	0.020	ND		mg/Kg	02/03/21	23:09	MK	454031
Chlordane	SW8081B	10	0.021	0.20	ND		mg/Kg	02/03/21	23:09	MK	454031
Toxaphene	SW8081B	10	0.085	0.50	ND		mg/Kg	02/03/21	23:09	MK	454031
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		87.2		%	02/03/21	23:09	MK	454031
DCBP (S)	SW8081B		38 - 135		90.6		%	02/03/21	23:09	MK	454031

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-11@0-12"	Lab Sample ID: 2101287-030A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 12:10	
SDG:	

Prep Method: 3050B	Prep Batch Date/Time: 2/2/21	11:00:00AM
Prep Batch ID: 1128980	Prep Analyst: TNGU	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Arsenic	SW6010B	1	0.15	1.3	6.10		mg/Kg	02/03/21	18:34	TUAN	454038
Lead	SW6010B	1	0.12	3.0	12.9		mg/Kg	02/03/21	18:34	TUAN	454038



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-11@0-12"	Lab Sample ID:	2101287-030A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 12:10		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/3/21	1:40:00PM
Prep Batch ID: 1129025	Prep Analyst: HLEE	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	10	0.0013	0.020	ND		mg/Kg	02/03/21	23:23	MK	454031
gamma-BHC (Lindane)	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	23:23	MK	454031
beta-BHC	SW8081B	10	0.0032	0.020	ND		mg/Kg	02/03/21	23:23	MK	454031
delta-BHC	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	23:23	MK	454031
Heptachlor	SW8081B	10	0.0011	0.020	ND		mg/Kg	02/03/21	23:23	MK	454031
Aldrin	SW8081B	10	0.0020	0.020	ND		mg/Kg	02/03/21	23:23	MK	454031
Heptachlor Epoxide	SW8081B	10	0.00078	0.020	ND		mg/Kg	02/03/21	23:23	MK	454031
gamma-Chlordane	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	23:23	MK	454031
alpha-Chlordane	SW8081B	10	0.0017	0.020	ND		mg/Kg	02/03/21	23:23	MK	454031
4,4'-DDE	SW8081B	10	0.0019	0.020	0.353		mg/Kg	02/03/21	23:23	MK	454031
Endosulfan I	SW8081B	10	0.0018	0.020	ND		mg/Kg	02/03/21	23:23	MK	454031
Dieldrin	SW8081B	10	0.0015	0.020	ND		mg/Kg	02/03/21	23:23	MK	454031
Endrin	SW8081B	10	0.0019	0.020	ND		mg/Kg	02/03/21	23:23	MK	454031
4,4'-DDD	SW8081B	10	0.0057	0.020	ND		mg/Kg	02/03/21	23:23	MK	454031
Endosulfan II	SW8081B	10	0.0058	0.020	ND		mg/Kg	02/03/21	23:23	MK	454031
4,4'-DDT	SW8081B	10	0.0013	0.020	0.102		mg/Kg	02/03/21	23:23	MK	454031
Endrin Aldehyde	SW8081B	10	0.0015	0.020	ND		mg/Kg	02/03/21	23:23	MK	454031
Methoxychlor	SW8081B	10	0.0020	0.020	ND		mg/Kg	02/03/21	23:23	MK	454031
Endosulfan Sulfate	SW8081B	10	0.0012	0.020	ND		mg/Kg	02/03/21	23:23	MK	454031
Endrin Ketone	SW8081B	10	0.00094	0.020	ND		mg/Kg	02/03/21	23:23	MK	454031
Chlordane	SW8081B	10	0.021	0.20	ND		mg/Kg	02/03/21	23:23	MK	454031
Toxaphene	SW8081B	10	0.085	0.50	ND		mg/Kg	02/03/21	23:23	MK	454031
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		85.1		%	02/03/21	23:23	MK	454031
DCBP (S)	SW8081B		38 - 135		88.4		%	02/03/21	23:23	MK	454031

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-12@0-12"	Lab Sample ID: 2101287-032A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 12:05	
SDG:	

Prep Method: 3050B	Prep Batch Date/Time: 2/2/21	11:00:00AM
Prep Batch ID: 1128980	Prep Analyst: TNGU	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Arsenic	SW6010B	1	0.15	1.3	5.10		mg/Kg	02/03/21	18:37	TUAN	454038
Lead	SW6010B	1	0.12	3.0	10.9		mg/Kg	02/03/21	18:37	TUAN	454038



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID: S-12@0-12"	Lab Sample ID: 2101287-032A
Project Name/Location: 905 N.Capitol Ave	Sample Matrix: Soil
Project Number: 18124.000.001	
Date/Time Sampled: 01/29/21 / 12:05	
SDG:	

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/3/21	1:40:00PM
Prep Batch ID: 1129025	Prep Analyst: HLEE	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	20	0.0025	0.040	ND		mg/Kg	02/04/21	0:45	MK	454031
gamma-BHC (Lindane)	SW8081B	20	0.0032	0.040	ND		mg/Kg	02/04/21	0:45	MK	454031
beta-BHC	SW8081B	20	0.0063	0.040	ND		mg/Kg	02/04/21	0:45	MK	454031
delta-BHC	SW8081B	20	0.0031	0.040	ND		mg/Kg	02/04/21	0:45	MK	454031
Heptachlor	SW8081B	20	0.0021	0.040	ND		mg/Kg	02/04/21	0:45	MK	454031
Aldrin	SW8081B	20	0.0039	0.040	ND		mg/Kg	02/04/21	0:45	MK	454031
Heptachlor Epoxide	SW8081B	20	0.0016	0.040	ND		mg/Kg	02/04/21	0:45	MK	454031
gamma-Chlordane	SW8081B	20	0.0033	0.040	ND		mg/Kg	02/04/21	0:45	MK	454031
alpha-Chlordane	SW8081B	20	0.0035	0.040	ND		mg/Kg	02/04/21	0:45	MK	454031
4,4'-DDE	SW8081B	20	0.0039	0.040	0.439		mg/Kg	02/04/21	0:45	MK	454031
Endosulfan I	SW8081B	20	0.0037	0.040	ND		mg/Kg	02/04/21	0:45	MK	454031
Dieldrin	SW8081B	20	0.0030	0.040	ND		mg/Kg	02/04/21	0:45	MK	454031
Endrin	SW8081B	20	0.0038	0.040	ND		mg/Kg	02/04/21	0:45	MK	454031
4,4'-DDD	SW8081B	20	0.011	0.040	ND		mg/Kg	02/04/21	0:45	MK	454031
Endosulfan II	SW8081B	20	0.012	0.040	ND		mg/Kg	02/04/21	0:45	MK	454031
4,4'-DDT	SW8081B	20	0.0026	0.040	0.0916		mg/Kg	02/04/21	0:45	MK	454031
Endrin Aldehyde	SW8081B	20	0.0030	0.040	ND		mg/Kg	02/04/21	0:45	MK	454031
Methoxychlor	SW8081B	20	0.0040	0.040	ND		mg/Kg	02/04/21	0:45	MK	454031
Endosulfan Sulfate	SW8081B	20	0.0023	0.040	ND		mg/Kg	02/04/21	0:45	MK	454031
Endrin Ketone	SW8081B	20	0.0019	0.040	ND		mg/Kg	02/04/21	0:45	MK	454031
Chlordane	SW8081B	20	0.042	0.40	ND		mg/Kg	02/04/21	0:45	MK	454031
Toxaphene	SW8081B	20	0.17	1.0	ND		mg/Kg	02/04/21	0:45	MK	454031
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		0.000	D	%	02/04/21	0:45	MK	454031
DCBP (S)	SW8081B		38 - 135		0.000	D	%	02/04/21	0:45	MK	454031

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



MB Summary Report

Work Order:	2101287	Prep Method:	3546_BNA	Prep Date:	02/02/21	Prep Batch:	1128975
Matrix:	Soil	Analytical Method:	SW8270C	Analyzed Date:	2/2/2021	Analytical Batch:	453975
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier
N-Nitrosodimethylamine	46.9	720	ND	
Phenol	43.8	288	ND	
Bis(2-chloroethyl)ether	13.3	144	ND	
2-Chlorophenol	47.7	288	ND	
1,3-Dichlorobenzene	13.1	144	ND	
1,4-Dichlorobenzene	14.6	144	ND	
Benzyl Alcohol	20.5	288	ND	
1,2-Dichlorobenzene	13.5	144	ND	
2-Methylphenol (o-Cresol)	29.3	288	ND	
N-Methyl-2-Pyrrolidone (NMP)	68.0	720	ND	
3-/4-Methylphenol (p-/m-Cresol)	31.3	288	ND	
N-nitroso-di-n-propylamine	13.2	144	ND	
Hexachloroethane	17.1	144	ND	
Nitrobenzene	12.8	144	ND	
Isophorone	12.2	144	ND	
2-Nitrophenol	25.4	288	ND	
2,4-Dimethylphenol	22.8	288	ND	
Benzoic Acid	41.7	288	ND	
Bis(2-Chloroethoxy)methane	9.79	144	ND	
Bis(2-chloroisopropyl)ether	12.6	144	ND	
2,4-Dichlorophenol	39.3	288	ND	
1,2,4-Trichlorobenzene	11.8	144	ND	
Naphthalene	10.6	144	ND	
2,6-Dichlorophenol	35.8	288	ND	
Hexachloro-1,3-butadiene	8.34	144	ND	
4-Chloro-3-methylphenol	33.8	288	ND	
2-Methylnaphthalene	10.4	144	ND	
1-Methylnaphthalene	12.2	144	ND	
Hexachlorocyclopentadiene	12.9	144	ND	
2,4,6-Trichlorophenol	35.9	288	ND	
2,4,5-Trichlorophenol	33.4	288	ND	
2-Chloronaphthalene	10.6	144	ND	
1,4-Dinitrobenzene	10.3	144	ND	
Dimethyl phthalate	14.2	720	ND	
1,3-Dinitrobenzene	10.4	144	ND	
Acenaphthylene	8.28	144	ND	
2,6-Dinitrotoluene	11.3	144	ND	
1,2-Dinitrobenzene	15.8	144	ND	
Acenaphthene	10.7	144	ND	
2,4-Dinitrophenol	77.6	720	ND	
4-Nitrophenol	54.7	720	ND	
Dibenzofuran	11.2	144	ND	
2,4-Dinitrotoluene	12.1	144	ND	
2,3,5,6-Tetrachlorophenol	27.6	288	ND	
2,3,4,6-Tetrachlorophenol	31.5	288	ND	



MB Summary Report

Work Order:	2101287	Prep Method:	3546_BNA	Prep Date:	02/02/21	Prep Batch:	1128975
Matrix:	Soil	Analytical Method:	SW8270C	Analyzed Date:	2/2/2021	Analytical Batch:	453975
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier	
Diethylphthalate	13.6	720	ND		
Fluorene	10.3	144	ND		
4-Chlorophenyl-phenylether	9.32	144	ND		
4,6-Dinitro-2-methylphenol	13.4	288	ND		
Diphenylamine	13.0	144	ND		
Azobenzene	114	144	ND		
4-Bromophenyl-phenylether	8.23	144	ND		
Hexachlorobenzene	8.66	144	ND		
Pentachlorophenol	25.0	288	ND		
Phenanthrene	9.32	144	ND		
Anthracene	8.91	144	ND		
Carbazole	10.7	144	ND		
Di-n-butylphthalate	13.5	144	ND		
Fluoranthene	10.0	144	ND		
Benzidine	147	144	ND		
Pyrene	12.0	144	ND		
Butylbenzylphthalate	21.0	720	ND		
Benzo(a)anthracene	9.80	144	ND		
3,3-Dichlorobenzidine	118	144	ND		
Chrysene	15.2	144	ND		
Bis(2-Ethylhexyl)phthalate	15.3	720	ND		
Di-n-Octylphthalate	12.3	144	ND		
Benzo(b)fluorathene	12.0	144	ND		
benzo(k)fluorathene	8.16	144	ND		
Benzo(a)pyrene	9.80	144	ND		
Indeno(1,2,3-c,d)pyrene	13.8	144	ND		
Dibenzo(a,h)anthracene	12.7	144	ND		
Benzo(g,h,i)perylene	12.7	144	ND		
Pyridine	43.8	720	ND		
2-Fluorophenol (S)			80.2		
Phenol-d6 (S)			81.3		
2,4,6-Tribromophenol (S)			87.8		
2-Fluorobiphenyl (S)			84.5		
Nitrobenzene-d5 (S)			78.9		
Terphenyl-d14 (S)			89.6		

Work Order:	2101287	Prep Method:	7471BP	Prep Date:	02/02/21	Prep Batch:	1128976
Matrix:	Soil	Analytical Method:	SW7471B	Analyzed Date:	2/3/2021	Analytical Batch:	454034
Units:	mg/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier	
Mercury	0.083	0.50	ND		



MB Summary Report

Work Order:	2101287	Prep Method:	3050B	Prep Date:	02/02/21	Prep Batch:	1128978
Matrix:	Soil	Analytical Method:	SW6010B	Analyzed Date:	2/3/2021	Analytical Batch:	454018
Units:	mg/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier
Antimony	0.050	5.00	0.11	
Arsenic	0.15	1.30	ND	
Barium	0.055	5.00	0.077	
Beryllium	0.055	5.00	ND	
Cadmium	0.10	5.00	ND	
Chromium	0.075	5.00	0.21	
Cobalt	0.070	5.00	ND	
Copper	0.20	5.00	ND	
Lead	0.10	3.00	ND	
Molybdenum	0.050	5.00	ND	
Nickel	0.50	5.00	ND	
Selenium	0.22	5.00	ND	
Silver	0.15	5.00	ND	
Thallium	0.55	5.00	ND	
Vanadium	0.10	5.00	ND	
Zinc	0.30	5.00	ND	

Work Order:	2101287	Prep Method:	3050B	Prep Date:	02/02/21	Prep Batch:	1128980
Matrix:	Soil	Analytical Method:	SW6010B	Analyzed Date:	2/3/2021	Analytical Batch:	454038
Units:	mg/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier
Arsenic	0.15	1.30	ND	
Lead	0.10	3.00	ND	

Work Order:	2101287	Prep Method:	3546_PCB	Prep Date:	02/02/21	Prep Batch:	1128984
Matrix:	Soil	Analytical Method:	SW8082A	Analyzed Date:	2/2/2021	Analytical Batch:	453996
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier
Aroclor1016	35.0	100	ND	
Aroclor1221	5.00	100	ND	
Aroclor1232	17.0	100	ND	
Aroclor1242	3.00	100	ND	
Aroclor1248	2.00	100	ND	
Aroclor1254	14.0	100	ND	
Aroclor1260	24.0	100	ND	
TCMX (S)			102	
DCBP (S)			103	



MB Summary Report

Work Order:	2101287	Prep Method:	3546_TPHSG	Prep Date:	02/02/21	Prep Batch:	1128998
Matrix:	Soil	Analytical Method:	SW8015B	Analyzed Date:	2/3/2021	Analytical Batch:	454044
Units:	mg/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier
TPH as Diesel (SG)	0.85	2.0	ND	
TPH as Motor Oil (SG)	3.2	10	ND	
Pentacosane (S)			78.7	



MB Summary Report

Work Order:	2101287	Prep Method:	5035	Prep Date:	02/02/21	Prep Batch:	1129020
Matrix:	Soil	Analytical Method:	SW8260B	Analyzed Date:	2/2/2021	Analytical Batch:	454001
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier	
Dichlorodifluoromethane	1.2	10	ND		
Chloromethane	1.8	10	ND		
Vinyl Chloride	2.0	10	ND		
Bromomethane	2.7	10	ND		
Chloroethane	3.0	10	ND		
Trichlorofluoromethane	2.1	10	ND		
1,1-Dichloroethene	2.0	10	ND		
Freon 113	1.9	10	ND		
Methylene Chloride	7.1	10	ND		
trans-1,2-Dichloroethene	2.1	10	ND		
MTBE	2.3	10	ND		
TBA	12	50	ND		
Diisopropyl ether	2.3	10	ND		
1,1-Dichloroethane	2.2	10	ND		
Ethyl tert-Butyl ether	2.3	10	ND		
cis-1,2-Dichloroethene	2.2	10	ND		
2,2-Dichloropropane	1.9	10	ND		
Bromochloromethane	2.3	10	ND		
Chloroform	2.4	10	ND		
Carbon Tetrachloride	2.1	10	ND		
1,1,1-Trichloroethane	2.1	10	ND		
1,1-Dichloropropene	2.0	10	ND		
Benzene	2.2	10	ND		
TAME	2.3	10	ND		
1,2-Dichloroethane	2.3	10	ND		
Trichloroethylene	1.8	10	ND		
Dibromomethane	1.8	10	ND		
1,2-Dichloropropane	1.9	10	ND		
Bromodichloromethane	2.0	10	ND		
cis-1,3-Dichloropropene	1.6	10	ND		
Toluene	1.8	10	ND		
Tetrachloroethylene	1.7	10	ND		
trans-1,3-Dichloropropene	1.6	10	ND		
1,1,2-Trichloroethane	1.8	10	ND		
Dibromochloromethane	1.9	10	ND		
1,3-Dichloropropane	1.8	10	ND		
1,2-Dibromoethane	1.8	10	ND		
Chlorobenzene	1.8	10	ND		
Ethylbenzene	1.7	10	ND		
1,1,1,2-Tetrachloroethane	1.9	10	ND		
m,p-Xylene	3.2	10	ND		
o-Xylene	1.7	10	ND		
Styrene	1.6	10	ND		
Bromoform	1.7	10	ND		
Isopropyl Benzene	1.6	10	ND		



MB Summary Report

Work Order:	2101287	Prep Method:	5035	Prep Date:	02/02/21	Prep Batch:	1129020
Matrix:	Soil	Analytical Method:	SW8260B	Analyzed Date:	2/2/2021	Analytical Batch:	454001
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier	
n-Propylbenzene	1.6	10	ND		
Bromobenzene	1.8	10	ND		
1,1,2,2-Tetrachloroethane	1.9	10	ND		
2-Chlorotoluene	1.8	10	ND		
1,3,5-Trimethylbenzene	1.6	10	ND		
1,2,3-Trichloropropane	1.9	10	ND		
4-Chlorotoluene	1.6	10	ND		
tert-Butylbenzene	1.6	10	ND		
1,2,4-Trimethylbenzene	1.4	10	ND		
sec-Butyl Benzene	1.6	10	ND		
p-Isopropyltoluene	1.5	10	ND		
1,3-Dichlorobenzene	1.7	10	ND		
1,4-Dichlorobenzene	1.7	10	ND		
n-Butylbenzene	1.5	10	1.5		
1,2-Dichlorobenzene	1.8	10	ND		
1,2-Dibromo-3-Chloropropane	1.8	10	ND		
Hexachlorobutadiene	1.4	10	1.6		
1,2,4-Trichlorobenzene	1.5	10	1.6		
Naphthalene	1.7	10	1.9		
1,2,3-Trichlorobenzene	1.7	10	1.9		
2-Butanone	2.3	10	ND		
(S) Dibromofluoromethane			87.8		
(S) Toluene-d8			96.7		
(S) 4-Bromofluorobenzene			91.5		

Work Order:	2101287	Prep Method:	5035GRO	Prep Date:	02/03/21	Prep Batch:	1129021
Matrix:	Soil	Analytical Method:	SW8260B	Analyzed Date:	2/2/2021	Analytical Batch:	454001
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier	
TPH as Gasoline	43	100	ND		
(S) 4-Bromofluorobenzene			98.3		



MB Summary Report

Work Order:	2101287	Prep Method:	3546_OCP	Prep Date:	02/03/21	Prep Batch:	1129025
Matrix:	Soil	Analytical Method:	SW8081B	Analyzed Date:	2/3/2021	Analytical Batch:	454031
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier	
alpha-BHC	0.13	2.0	ND		
gamma-BHC (Lindane)	0.16	2.0	ND		
beta-BHC	0.32	2.0	ND		
delta-BHC	0.16	2.0	ND		
Heptachlor	0.11	2.0	ND		
Aldrin	0.20	2.0	ND		
Heptachlor Epoxide	0.078	2.0	ND		
gamma-Chlordane	0.16	2.0	ND		
alpha-Chlordane	0.17	2.0	ND		
4,4'-DDE	0.19	2.0	ND		
Endosulfan I	0.18	2.0	ND		
Dieldrin	0.15	2.0	ND		
Endrin	0.19	2.0	ND		
4,4'-DDD	0.57	2.0	ND		
Endosulfan II	0.58	2.0	ND		
4,4'-DDT	0.13	2.0	ND		
Endrin Aldehyde	0.15	2.0	ND		
Methoxychlor	0.20	2.0	ND		
Endosulfan Sulfate	0.12	2.0	ND		
Endrin Ketone	0.094	2.0	ND		
Chlordane	2.1	20	ND		
Toxaphene	8.5	50	ND		
TCMX (S)			86.9		
DCBP (S)			88.5		



LCS/LCSD Summary Report

Raw values are used in quality control assessment.

Work Order:	2101287	Prep Method:	3546_BNA	Prep Date:	02/02/21	Prep Batch:	1128975
Matrix:	Soil	Analytical Method:	SW8270C	Analyzed Date:	2/2/2021	Analytical Batch:	453975
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Spike Conc.	LCS % Recovery	LCSD % Recovery	LCS/LCSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
Phenol	43.8	288	ND	1600	83.1	86.0	3.69	40 - 100	30	
2-Chlorophenol	47.7	288	ND	1600	77.9	78.6	0.797	45 - 105	30	
Bis(2-chloroethyl)ether	14.6	144	ND	800	77.3	76.6	0.812	35 - 105	30	
N-nitroso-di-n-propylamine	13.2	144	ND	1600	78.8	84.0	6.15	40 - 115	30	
1,2,4-Trichlorobenzene	11.8	144	ND	800	78.3	77.8	0.641	45 - 110	30	
1,4-Dichlorobenzene	33.8	288	ND	1600	84.4	88.4	5.05	45 - 110	30	
Acenaphthene	10.7	144	ND	800	87.2	88.7	1.56	45 - 110	30	
4-Nitrophenol	54.7	720	ND	1600	92.0	99.4	7.84	15 - 140	30	
2,4-Dinitrotoluene	12.1	144	ND	800	91.4	93.6	2.43	50 - 115	30	
N-Methyl-2-Pyrrolidone (NMP)	12.0	144	ND	1600	87.2	90.1	3.53	25 - 120	30	
Pyrene	12.0	144		800	86.3	91.1	5.35	45 - 145	30	
2-Fluorophenol (S)				22200	86.5	84.8		25 - 121		
Phenol-d6 (S)				22200	88.1	86.6		24 - 113		
2,4,6-Tribromophenol (S)				22200	97.7	94.0		19 - 122		
2-Fluorobiphenyl (S)				11100	92.6	89.2		30 - 143		
Nitrobenzene-d5 (S)				11100	87.6	87.9		23 - 120		
Terphenyl-d14 (S)				11100	94.9	95.5		18 - 137		

Work Order:	2101287	Prep Method:	7471BP	Prep Date:	02/02/21	Prep Batch:	1128976
Matrix:	Soil	Analytical Method:	SW7471B	Analyzed Date:	2/3/2021	Analytical Batch:	454034
Units:	mg/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Spike Conc.	LCS % Recovery	LCSD % Recovery	LCS/LCSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
Mercury	0.047	0.50	ND	1.25	95.7	99.1	3.28	80 - 120	30	



LCS/LCSD Summary Report

Raw values are used in quality control assessment.

Work Order:	2101287	Prep Method:	3050B	Prep Date:	02/02/21	Prep Batch:	1128978
Matrix:	Soil	Analytical Method:	SW6010B	Analyzed Date:	2/3/2021	Analytical Batch:	454018
Units:	mg/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Spike Conc.	LCS % Recovery	LCSD % Recovery	LCS/LCSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
Antimony	0.050	5.00	0.11	50	94.1	91.6	2.80	80 - 120	30	
Arsenic	0.15	1.30	ND	50	94.1	91.8	2.58	80 - 120	30	
Barium	0.055	5.00	0.077	50	97.8	96.1	1.65	80 - 120	30	
Beryllium	0.055	5.00	ND	50	99.3	97.1	2.24	80 - 120	30	
Cadmium	0.10	5.00	ND	50	98.2	95.8	2.47	80 - 120	30	
Chromium	0.075	5.00	0.21	50	101	98.2	2.81	80 - 120	30	
Cobalt	0.070	5.00	ND	50	99.1	97.0	2.24	80 - 120	30	
Copper	0.20	5.00	ND	50	99.7	100	0.200	80 - 120	30	
Lead	0.10	3.00	ND	50	95.7	94.0	1.90	80 - 120	30	
Molybdenum	0.050	5.00	ND	50	100	99.1	0.803	80 - 120	30	
Nickel	0.50	5.00	ND	50	98.7	96.6	2.25	80 - 120	30	
Selenium	0.22	5.00	ND	50	84.0	82.3	1.92	80 - 120	30	
Silver	0.15	5.00	ND	50	95.7	94.0	1.90	80 - 120	30	
Thallium	0.20	5.00	ND	50	94.6	92.7	1.92	80 - 120	30	
Vanadium	0.10	5.00	ND	50	101	99.4	1.60	80 - 120	30	
Zinc	0.30	5.00	ND	50	93.9	92.1	1.93	80 - 120	30	

Work Order:	2101287	Prep Method:	3050B	Prep Date:	02/02/21	Prep Batch:	1128980
Matrix:	Soil	Analytical Method:	SW6010B	Analyzed Date:	2/3/2021	Analytical Batch:	454038
Units:	mg/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Spike Conc.	LCS % Recovery	LCSD % Recovery	LCS/LCSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
Arsenic	0.15	1.30	ND	50	90.5	91.0	0.441	80 - 120	30	
Lead	0.10	3.00	ND	50	91.1	93.2	2.17	80 - 120	30	

Work Order:	2101287	Prep Method:	3546_PCB	Prep Date:	02/02/21	Prep Batch:	1128984
Matrix:	Soil	Analytical Method:	SW8082A	Analyzed Date:	2/2/2021	Analytical Batch:	453996
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Spike Conc.	LCS % Recovery	LCSD % Recovery	LCS/LCSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
Aroclor1016	53	100	ND	600	110	111	0.454	25 - 145	30	
Aroclor1260	36	100	ND	600	112	114	1.62	30 - 145	30	
TCMX (S)				0.10	105	105		48 - 125		
DCBP (S)				0.10	113	112		48 - 135		



LCS/LCSD Summary Report

Raw values are used in quality control assessment.

Work Order:	2101287	Prep Method:	3546_TPHSG	Prep Date:	02/02/21	Prep Batch:	1128998
Matrix:	Soil	Analytical Method:	SW8015B	Analyzed Date:	2/3/2021	Analytical Batch:	454044
Units:	mg/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Spike Conc.	LCS % Recovery	LCSD % Recovery	LCS/LCSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
TPH as Diesel (SG)	0.85	2.0	ND	25.0	66.0	65.2	1.22	40 - 110	30	
Pentacosane (S)			ND	200	100.0	82.7		40 - 129		

Work Order:	2101287	Prep Method:	5035	Prep Date:	02/02/21	Prep Batch:	1129020
Matrix:	Soil	Analytical Method:	SW8260B	Analyzed Date:	2/2/2021	Analytical Batch:	454001
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Spike Conc.	LCS % Recovery	LCSD % Recovery	LCS/LCSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
1,1-Dichloroethene	2.0	10	ND	50.0	104	106	1.14	53.7 - 139	30	
Benzene	2.2	10	ND	50.0	105	106	1.71	66.5 - 135	30	
Trichloroethylene	1.8	10	ND	50.0	91.1	92.6	1.52	57.5 - 150	30	
Toluene	1.8	10	ND	50.0	97.8	98.8	1.02	56.8 - 134	30	
Chlorobenzene	1.8	10	ND	50.0	93.9	93.9	0.000	57.4 - 134	30	
(S) Dibromofluoromethane				50.0	93.1	96.2		59.8 - 148		
(S) Toluene-d8				50.0	95.3	95.2		55.2 - 133		
(S) 4-Bromofluorobenzene				50.0	93.5	90.7		55.8 - 141		

Work Order:	2101287	Prep Method:	5035GRO	Prep Date:	02/03/21	Prep Batch:	1129021
Matrix:	Soil	Analytical Method:	SW8260B	Analyzed Date:	2/2/2021	Analytical Batch:	454001
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Spike Conc.	LCS % Recovery	LCSD % Recovery	LCS/LCSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
TPH as Gasoline	43	100	ND	1000	114	101	12.1	48.2 - 132	30	
(S) 4-Bromofluorobenzene				50	101	98.2		43.9 - 127		

Work Order:	2101287	Prep Method:	3546_OCP	Prep Date:	02/03/21	Prep Batch:	1129025
Matrix:	Soil	Analytical Method:	SW8081B	Analyzed Date:	2/3/2021	Analytical Batch:	454031
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Spike Conc.	LCS % Recovery	LCSD % Recovery	LCS/LCSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
gamma-BHC (Lindane)	0.16	2.0	ND	40	98.1	95.6	2.58	25 - 135	30	
Heptachlor	0.11	2.0	ND	40	94.4	92.3	2.14	40 - 130	30	
Aldrin	0.20	2.0	ND	40	90.2	88.3	2.24	25 - 140	30	
Dieldrin	0.15	2.0	ND	40	85.0	83.6	1.78	60 - 130	30	
Endrin	0.19	2.0	ND	40	94.5	92.6	2.14	55 - 135	30	
4,4'-DDT	0.13	2.0	ND	40	95.1	93.3	2.12	45 - 140	30	
TCMX (S)				100	96.5	95.1		48 - 125		
DCBP (S)				100	96.2	95.6		38 - 135		



MS/MSD Summary Report

Raw values are used in quality control assessment.

Work Order:	2101287	Prep Method:	3546_BNA	Prep Date:	02/02/21	Prep Batch:	1128975
Matrix:	Soil	Analytical Method:	SW8270C	Analyzed Date:	2/3/2021	Analytical Batch:	453975
Spiked Sample:	2101287-003A						
Units:	ug/Kg						

Parameters	MDL	PQL	Sample Conc.	Spike Conc.	MS % Recovery	MSD % Recovery	MS/MSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
Phenol	43.8	288	ND	1600	67.0	71.7	7.21	40 - 100	30	
2-Chlorophenol	47.7	288	ND	1600	65.2	68.7	5.61	45 - 105	30	
1,4-Dichlorobenzene	14.6	144	ND	800	67.7	69.2	2.19	35 - 105	30	
N-nitroso-di-n-propylamine	13.2	144	ND	1600	69.1	72.4	4.41	40 - 115	30	
1,2,4-Trichlorobenzene	11.8	144	ND	800	69.9	72.5	3.69	45 - 110	30	
4-Chloro-3-methylphenol	33.8	288	ND	1600	71.7	77.1	6.72	45 - 110	30	
Acenaphthene	10.7	144	ND	800	80.0	84.2	5.18	45 - 110	30	
4-Nitrophenol	54.7	720	ND	1600	68.1	77.1	12.1	15 - 140	30	
2,4-Dinitrotoluene	12.1	144	ND	800	85.3	89.7	5.14	50 - 115	30	
Pentachlorophenol	9.32	144	ND	1600	61.3	73.6	18.4	25 - 120	30	
Pyrene	12.0	144	ND	800	79.2	83.3	4.92	45 - 145	30	
2-Fluorophenol (S)				22200	69.9	70.4		25 - 121		
Phenol-d6 (S)				22200	75.3	75.2		24 - 113		
2,4,6-Tribromophenol (S)				22200	79.2	82.8		19 - 122		
2-Fluorobiphenyl (S)				11100	86.5	84.9		30 - 143		
Nitrobenzene-d5 (S)				11100	80.0	80.0		23 - 120		
Terphenyl-d14 (S)				11100	89.6	88.1		18 - 137		

Work Order:	2101287	Prep Method:	7471BP	Prep Date:	02/02/21	Prep Batch:	1128976
Matrix:	Soil	Analytical Method:	SW7471B	Analyzed Date:	2/3/2021	Analytical Batch:	454034
Spiked Sample:	2101287-003A						
Units:	mg/Kg						

Parameters	MDL	PQL	Sample Conc.	Spike Conc.	MS % Recovery	MSD % Recovery	MS/MSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
Mercury	0.047	0.50	ND	1.25	79.2	79.9	0.957	75 - 125	30	



MS/MSD Summary Report

Raw values are used in quality control assessment.

Work Order:	2101287	Prep Method:	3050B	Prep Date:	02/02/21	Prep Batch:	1128978
Matrix:	Soil	Analytical Method:	SW6010B	Analyzed Date:	02/03/2021	Analytical Batch:	454018
Spiked Sample:	2101287-003A						
Units:	mg/Kg						

Parameters	MDL	PQL	Sample Conc.	Spike Conc.	MS % Recovery	MSD % Recovery	MS/MSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
Antimony	0.050	5.00	ND	50	71.5	71.7	0.266	30.7 - 130	30	
Arsenic	0.15	1.30	5.80	50	87.4	85.8	1.63	71.0 - 121	30	
Barium	0.055	5.00	223	50	0	0	0.749	70.2 - 130	30	NR
Beryllium	0.055	5.00	ND	50	86.6	86.2	0.459	73.3 - 115	30	
Cadmium	0.10	5.00	ND	50	82.9	80.9	2.40	80.0 - 110	30	
Chromium	0.075	5.00	40.2	50	88.6	86.6	1.19	76.0 - 116	30	
Cobalt	0.070	5.00	11.8	50	84.4	83.4	0.930	57.4 - 122	30	
Copper	0.20	5.00	30.7	50	98.6	102	1.86	74.8 - 119	30	
Lead	0.10	3.00	9.05	50	82.9	77.4	5.49	57.9 - 118	30	
Molybdenum	0.050	5.00	ND	50	87.8	86.6	1.37	62.9 - 123	30	
Nickel	0.50	5.00	55.5	50	83.0	80.0	1.56	61.5 - 122	30	
Selenium	0.22	5.00	ND	50	72.3	71.7	0.832	62.0 - 111	30	
Silver	0.15	5.00	ND	50	94.0	94.6	0.635	75 - 125	30	
Thallium	0.20	5.00	ND	50	74.1	73.6	0.812	39.2 - 125	30	
Vanadium	0.10	5.00	32.1	50	95.8	96.8	0.623	65.8 - 122	30	
Zinc	0.30	5.00	57.5	50	83.0	82.0	0.506	59.9 - 122	30	

Work Order:	2101287	Prep Method:	3050B	Prep Date:	02/02/21	Prep Batch:	1128980
Matrix:	Soil	Analytical Method:	SW6010B	Analyzed Date:	02/03/2021	Analytical Batch:	454038
Spiked Sample:	2101287-009A						
Units:	mg/Kg						

Parameters	MDL	PQL	Sample Conc.	Spike Conc.	MS % Recovery	MSD % Recovery	MS/MSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
Arsenic	0.15	5.00	6.05	50	87.2	87.3	0.000	71.0 - 121	30	
Lead	0.10	5.00	8.95	50	83.1	83.1	0.000	67.9 - 118	30	

Work Order:	2101287	Prep Method:	3546_TPHSG	Prep Date:	02/02/21	Prep Batch:	1128998
Matrix:	Soil	Analytical Method:	SW8015B	Analyzed Date:	2/3/2021	Analytical Batch:	454044
Spiked Sample:	2101287-003A						
Units:	mg/Kg						

Parameters	MDL	PQL	Sample Conc.	Spike Conc.	MS % Recovery	MSD % Recovery	MS/MSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
TPH as Diesel (SG)	0.850	2.00	ND	25.0	27.4	32.7	14.4	40 - 110	30	S,x
Pentacosane (S)				200	45.5	55.3		40 - 129		



MS/MSD Summary Report

Raw values are used in quality control assessment.

Work Order:	2101287	Prep Method:	5035	Prep Date:	02/02/21	Prep Batch:	1129020
Matrix:	Soil	Analytical Method:	SW8260B	Analyzed Date:	2/2/2021	Analytical Batch:	454001
Spiked Sample:	2101287-002A						
Units:	mg/Kg						

Parameters	MDL	PQL	Sample Conc.	Spike Conc.	MS % Recovery	MSD % Recovery	MS/MSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
1,1-Dichloroethene	0.0020	0.010	ND	0.05	87.4	106	19.4	55 - 125	30	
Benzene	0.0022	0.010	ND	0.05	91.6	113	20.7	55 - 125	30	
Trichloroethylene	0.0018	0.010	ND	0.05	84.0	98.5	16.0	55 - 125	30	
Toluene	0.0018	0.010	ND	0.05	93.0	107	13.8	55 - 125	30	
Chlorobenzene	0.0018	0.010	ND	0.05	88.4	101	13.3	55 - 125	30	
(S) Dibromofluoromethane				50	68.3	86.6		59.8 - 148		
(S) Toluene-d8				50	81.6	93.5		55.2 - 133		
(S) 4-Bromofluorobenzene				50	75.7	83.0		55.8 - 141		



Laboratory Qualifiers and Definitions

DEFINITIONS:

Accuracy/Bias (% Recovery) - The closeness of agreement between an observed value and an accepted reference value.
Blank (Method/Preparation Blank) -MB/PB - An analyte-free matrix to which all reagents are added in the same volumes/proportions as used in sample processing. The method blank is used to document contamination resulting from the analytical process.
Duplicate - a field sample and/or laboratory QC sample prepared in duplicate following all of the same processes and procedures used on the original sample (sample duplicate, LCSD, MSD)
Laboratory Control Sample (LCS ad LCSD) - A known matrix spiked with compounds representative of the target analyte(s). This is used to document laboratory performance.
Matrix - the component or substrate that contains the analyte of interest (e.g., - groundwater, sediment, soil, waste water, etc)
Matrix Spike (MS/MSD) - Client sample spiked with identical concentrations of target analyte (s). The spiking occurs prior to the sample preparation and analysis. They are used to document the precision and bias of a method in a given sample matrix.
Method Detection Limit (MDL) - the minimum concentration of a substance that can be measured and reported with a 99% confidence that the analyte concentration is greater than zero
Practical Quantitation Limit/Reporting Limit/Limit of Quantitation (PQL/RL/LOQ) - a laboratory determined value at 2 to 5 times above the MDL that can be reproduced in a manner that results in a 99% confidence level that the result is both accurate and precise. PQLs/RLs/LODs reflect all preparation factors and/or dilution factors that have been applied to the sample during the preparation and/or analytical processes.
Precision (%RPD) - The agreement among a set of replicate/duplicate measurements without regard to known value of the replicates
Surrogate (S) or (Surr) - An organic compound which is similar to the target analyte(s) in chemical composition and behavior in the analytical process, but which is not normally found in environmental samples. Surrogates are used in most organic analysis to demonstrate matrix compatibility with the chosen method of analysis
Tentatively Identified Compound (TIC) - A compound not contained within the analytical calibration standards but present in the GCMS library of defined compounds. When the library is searched for an unknown compound, it can frequently give a tentative identification to the compound based on retention time and primary and secondary ion match. TICs are reported as estimates and are candidates for further investigation.
Units: the unit of measure used to express the reported result - mg/L and mg/Kg (equivalent to PPM - parts per million in liquid and solid), ug/L and ug/Kg (equivalent to PPB - parts per billion in liquid and solid), ug/m3 , mg/m3 , ppbv and ppmv (all units of measure for reporting concentrations in air), % (equivalent to 10000 ppm or 1,000,000 ppb), ug/Wipe (concentration found on the surface of a single Wipe usually taken over a 100cm2 surface)

LABORATORY QUALIFIERS:

B - Indicates when the analyte is found in the associated method or preparation blank
D - Surrogate is not recoverable due to the necessary dilution of the sample
E - Indicates the reportable value is outside of the calibration range of the instrument but within the linear range of the instrument (unless otherwise noted) Values reported with an E qualifier should be considered as estimated.
H - Indicates that the recommended holding time for the analyte or compound has been exceeded
J - Indicates a value between the method MDL and PQL and that the reported concentration should be considered as estimated rather the quantitative
NA - Not Analyzed
N/A - Not Applicable
ND - Not Detected at a concentration greater than the PQL/RL or, if reported to the MDL, at greater than the MDL.
NR - Not recoverable - a matrix spike concentration is not recoverable due to a concentration within the original sample that is greater than four times the spike concentration added
R - The % RPD between a duplicate set of samples is outside of the absolute values established by laboratory control charts
S - Spike recovery is outside of established method and/or laboratory control limits. Further explanation of the use of this qualifier should be included within a case narrative
X -Used to indicate that a value based on pattern identification is within the pattern range but not typical of the pattern found in standards. Further explanation may or may not be provided within the sample footnote and/or the case narrative.



Sample Receipt Checklist

Client Name: Engeo (San Ramon)

Date and Time Received: 1/29/2021 3:15:00PM

Project Name: 905 N.Capitol Ave

Received By: Lorna Imbat

Work Order No.: 2101287

Physically Logged By: Helena Ueng

Checklist Completed By: Helena Ueng

Carrier Name: Client Drop Off

Chain of Custody (COC) Information

Chain of custody present? Yes
Chain of custody signed when relinquished and received? Yes
Chain of custody agrees with sample labels? Yes
Custody seals intact on sample bottles? Not Present

Sample Receipt Information

Custody seals intact on shipping container/cooler? Not Present
Shipping Container/Cooler In Good Condition? Yes
Samples in proper container/bottle? Yes
Samples containers intact? Yes
Sufficient sample volume for indicated test? Yes

Sample Preservation and Hold Time (HT) Information

All samples received within holding time? Yes
Container/Temp Blank temperature in compliance? Yes Temperature: 2.0 °C
Water-VOA vials have zero headspace? No VOA vials submitted
Water-pH acceptable upon receipt? N/A
pH Checked by: N/A pH Adjusted by: N/A

Comments:

Slight ID discrepancy for sample collected 1/29/21@ 13:03 -- ID=HA-8@5' per CoC; ID=HA-8@8' per soil liner; ID logged in per CoC.



Login Summary Report

Client ID: TL5123 Engeo (San Ramon)
Project Name: 905 N.Capitol Ave
Project # : 18124.000.001
Report Due Date: 2/4/2021

QC Level: II
TAT Requested: 3 Day Std:3
Date Received: 1/29/2021
Time Received: 3:15 pm

Comments:
Work Order # : 2101287

<u>WO Sample ID</u>	<u>Client Sample ID</u>	<u>Collection Date/Time</u>	<u>Matrix</u>	<u>Scheduled Disposal</u>	<u>Sample On Hold</u>	<u>Test On Hold</u>	<u>Requested Tests</u>	<u>Subbed</u>
2101287-001A	S-7@5'	01/29/21 10:00	Soil	07/28/21			Hold Samples	
2101287-002A	S-8@1'	01/29/21 10:40	Soil	07/28/21			Homogenize SVO_S_8270CFull Hg_S_7471B TPHDOSG_S_8015B PCBs_S_8082A Met_S_6010B CAM17 VOC_S_GRO mg/Kg VOC_S_8260B mg/Kg Pest_S_8081OCP	
Sample Note: *Samples need homogenization* Pls report all results in mg/kg								
2101287-003A	S-8@3'	01/29/21 10:43	Soil	07/28/21			Homogenize SVO_S_8270CFull Hg_S_7471B TPHDOSG_S_8015B PCBs_S_8082A Met_S_6010B CAM17 VOC_S_GRO mg/Kg VOC_S_8260B mg/Kg Pest_S_8081OCP	
2101287-004A	S-8@5'	01/29/21 10:46	Soil	07/28/21			Hold Samples	
2101287-005A	S-9@1'	01/29/21 10:19	Soil	07/28/21			Homogenize SVO_S_8270CFull Hg_S_7471B TPHDOSG_S_8015B PCBs_S_8082A Met_S_6010B CAM17 VOC_S_GRO mg/Kg VOC_S_8260B mg/Kg Pest_S_8081OCP	
2101287-006A	S-9@3'	01/29/21 10:21	Soil	07/28/21			Homogenize SVO_S_8270CFull	



Login Summary Report

Client ID: TL5123 Engeo (San Ramon)

QC Level: II

Project Name: 905 N.Capitol Ave

TAT Requested: 3 Day Std:3

Project # : 18124.000.001

Date Received: 1/29/2021

Report Due Date: 2/4/2021

Time Received: 3:15 pm

Comments:

Work Order # : **2101287**

<u>WO Sample ID</u>	<u>Client Sample ID</u>	<u>Collection Date/Time</u>	<u>Matrix</u>	<u>Scheduled Disposal</u>	<u>Sample On Hold</u>	<u>Test On Hold</u>	<u>Requested Tests</u>	<u>Subbed</u>
							Hg_S_7471B TPHDOSG_S_8015B PCBs_S_8082A Met_S_6010B CAM17 VOC_S_GRO mg/Kg VOC_S_8260B mg/Kg Pest_S_8081OCP	
2101287-007A	S-9@5'	01/29/21 10:23	Soil	07/28/21			Hold Samples	
2101287-008A	HA-1@1'	01/29/21 13:45	Soil	07/28/21			Homogenize Met_S_As Pb Pest_S_8081OCP	
2101287-009A	HA-1@2'	01/29/21 14:03	Soil	07/28/21			Homogenize Met_S_As Pb Pest_S_8081OCP	
2101287-010A	HA-1@3'	01/29/21 14:08	Soil	07/28/21			Hold Samples	
2101287-011A	HA-2@1'	01/29/21 13:40	Soil	07/28/21			Homogenize Met_S_As Pb Pest_S_8081OCP	
2101287-012A	HA-2@2'	01/29/21 14:03	Soil	07/28/21			Homogenize Met_S_As Pb Pest_S_8081OCP	
2101287-013A	HA-2@3'	01/29/21 14:05	Soil	07/28/21			Hold Samples	
2101287-014A	HA-5@1'	01/29/21 14:59	Soil	07/28/21			Homogenize Met_S_As Pb Pest_S_8081OCP	
2101287-015A	HA-5@3'	01/29/21 15:01	Soil	07/28/21			Homogenize Met_S_As Pb Pest_S_8081OCP	
2101287-016A	HA-5@5'	01/29/21 15:00	Soil	07/28/21			Hold Samples	
2101287-017A	HA-6@1'	01/29/21 14:49	Soil	07/28/21			Homogenize	



Login Summary Report

Client ID: TL5123 Engeo (San Ramon)

QC Level: II

Project Name: 905 N.Capitol Ave

TAT Requested: 3 Day Std:3

Project # : 18124.000.001

Date Received: 1/29/2021

Report Due Date: 2/4/2021

Time Received: 3:15 pm

Comments:

Work Order # : **2101287**

<u>WO Sample ID</u>	<u>Client Sample ID</u>	<u>Collection Date/Time</u>	<u>Matrix</u>	<u>Scheduled Disposal</u>	<u>Sample On Hold</u>	<u>Test On Hold</u>	<u>Requested Tests</u>	<u>Subbed</u>
2101287-018A	HA-6@3'	01/29/21 14:51	Soil	07/28/21			Met_S_As Pb Pest_S_8081OCP	
2101287-019A	HA-6@5'	01/29/21 14:53	Soil	07/28/21			Homogenize Met_S_As Pb Pest_S_8081OCP	
2101287-020A	HA-7@1'	01/29/21 13:04	Soil	07/28/21			Hold Samples	
2101287-021A	HA-7@3'	01/29/21 13:05	Soil	07/28/21			Homogenize Met_S_As Pb Pest_S_8081OCP	
2101287-022A	HA-7@5'	01/29/21 13:06	Soil	07/28/21			Homogenize Met_S_As Pb Pest_S_8081OCP	
2101287-023A	HA-8@1'	01/29/21 12:59	Soil	07/28/21			Hold Samples	
2101287-024A	HA-8@3'	01/29/21 13:01	Soil	07/28/21			Homogenize Met_S_As Pb Pest_S_8081OCP	
2101287-025A	HA-8@5'	01/29/21 13:03	Soil	07/28/21			Homogenize Met_S_As Pb Pest_S_8081OCP	
2101287-026A	S-13@0-12"	01/29/21 12:00	Soil	07/28/21			Hold Samples	
2101287-027A	S-13@12-24"	01/29/21 12:02	Soil	07/28/21			Homogenize Met_S_As Pb Pest_S_8081OCP	
2101287-028A	S-10@0-12"	01/29/21 12:13	Soil	07/28/21			Hold Samples	
2101287-029A	S-10@12-24"	01/29/21 12:14	Soil	07/28/21			Homogenize Met_S_As Pb Pest_S_8081OCP	
2101287-030A	S-11@0-12"	01/29/21 12:10	Soil	07/28/21			Hold Samples	
							Homogenize	



Login Summary Report

Client ID: TL5123 Engeo (San Ramon)

QC Level: II

Project Name: 905 N.Capitol Ave

TAT Requested: 3 Day Std:3

Project # : 18124.000.001

Date Received: 1/29/2021

Report Due Date: 2/4/2021

Time Received: 3:15 pm

Comments:

Work Order # : **2101287**

<u>WO Sample ID</u>	<u>Client Sample ID</u>	<u>Collection Date/Time</u>	<u>Matrix</u>	<u>Scheduled Disposal</u>	<u>Sample On Hold</u>	<u>Test On Hold</u>	<u>Requested Tests</u>	<u>Subbed</u>
2101287-031A	S-11@12-24"	01/29/21 12:11	Soil	07/28/21			Met_S_As Pb Pest_S_8081OCP	
2101287-032A	S-12@0-12"	01/29/21 12:05	Soil	07/28/21			Hold Samples	
2101287-033A	S-12@12-24"	01/29/21 12:08	Soil	07/28/21			Homogenize Met_S_As Pb Pest_S_8081OCP	
							Hold Samples	



CHAIN OF CUSTODY RECORD

8260
8015
6010

2101287

PROJECT NUMBER		PROJECT NAME																		REMARKS REQUIRED DETECTION LIMITS	
18124.000.001		905 N. Capitol Ave		SAMPLED BY: (SIGNATURE/PRINT) Taunee Werts																	
PROJECT MANAGER: (SIGNATURE/PRINT):		Divya Bhargava																			
ROUTING: E-MAIL		Dbhargava & twerts@engco.com																			
SAMPLE NUMBER	DATE	TIME	MATRIX	NUMBER OF CONTAINERS	CONTAINER SIZE	PRESERVATIVE	TPH-9 +VOL% TPH-dime-vol% CAM-17 METALS SVOCs 8270 PCBs 8087 OCPC 8011 LEAD 6010 ARSENIC 6010														
S-7 @ 5'	01/29/21	10:00																			HOLD -001A
S-8 @ 1'		10:40					X	X	X	X	X										-002A
↓ @ 3'		11:43					X	X	X	X	X										-003A
↓ @ 5'		10:46																			HOLD -004A
S-9 @ 1'		10:19					X	X	X	X	X										-005A
↓ @ 3'		10:21					X	X	X	X	X										-006A
↓ @ 5'		10:23																			HOLD -007A
HA-1 @ 1'		13:45										X	X	X							-008A
↓ @ 3'		14:07										X	X	X							-009A
HA-2 @ 1'		13:40										X	X	X							HOLD -010A
↓ @ 3'		14:03										X	X	X							-011A
↓ @ 5'		14:05																			HOLD -012A
HA-3 @ 1'												X	X	X							-013A
↓ @ 3'												X	X	X							HOLD
↓ @ 5'																					HOLD
HA-4 @ 1'												X	X	X							HOLD
↓ @ 3'												X	X	X							HOLD
↓ @ 5'																					HOLD
RELINQUISHED BY: (SIGNATURE)		DATE/TIME	RECEIVED BY: (SIGNATURE)	DATE/TIME	RECEIVED BY: (SIGNATURE)	DATE/TIME	RECEIVED BY: (SIGNATURE)	DATE/TIME	RECEIVED BY: (SIGNATURE)	DATE/TIME	RECEIVED BY: (SIGNATURE)	DATE/TIME	RECEIVED BY: (SIGNATURE)	DATE/TIME	RECEIVED BY: (SIGNATURE)	DATE/TIME	RECEIVED BY: (SIGNATURE)	DATE/TIME	RECEIVED BY: (SIGNATURE)	DATE/TIME	RECEIVED BY: (SIGNATURE)
		01/29/21 15:15				1-29-21 15:15															
RELINQUISHED BY: (SIGNATURE)		DATE/TIME	RECEIVED BY: (SIGNATURE)	DATE/TIME	RECEIVED BY: (SIGNATURE)	DATE/TIME	RECEIVED BY: (SIGNATURE)	DATE/TIME	RECEIVED BY: (SIGNATURE)	DATE/TIME	RECEIVED BY: (SIGNATURE)	DATE/TIME	RECEIVED BY: (SIGNATURE)	DATE/TIME	RECEIVED BY: (SIGNATURE)	DATE/TIME	RECEIVED BY: (SIGNATURE)	DATE/TIME	RECEIVED BY: (SIGNATURE)	DATE/TIME	RECEIVED BY: (SIGNATURE)
RELINQUISHED BY: (SIGNATURE)		DATE/TIME	RECEIVED FOR LABORATORY BY: (SIGNATURE)	DATE/TIME	REMARKS																
					HOLD 5' samples																

ENGEO
INCORPORATED

2010 CROW CANYON PLACE SUITE 250
SAN RAMON, CALIFORNIA 94583
(925) 866-9000 FAX (888) 279-2698
WWW.ENGEO.COM

See pg 1

Pg 2 of 4 temp 2 #2



CHAIN OF CUSTODY RECORD

201287

PROJECT NUMBER		PROJECT NAME																		REMARKS REQUIRED DETECTION LIMITS		
18124.000.001		905 N. Capitol Ave																				
SAMPLED BY: (SIGNATURE/PRINT) Taunee Werts																						
PROJECT MANAGER: (SIGNATURE/PRINT) Divya Bhargava																						
ROUTING E-MAIL Dbhargava & twerts@engco.com																						
SAMPLE NUMBER	DATE	TIME	MATRIX	NUMBER OF CONTAINERS	CONTAINER SIZE	PRESERVATIVE	ACPS	LEAD	ARSENIC													
HA-5 @ 1'	01/29/21	14:59	Soil	1	Liner	N/A	X	X	X												-014A	
↓ @ 3'		15:07					X	X	X												-015A	
↓ @ 5'		15:00																			HOLD -016A	
HA-6 @ 1'		14:49					X	X	X												-017A	
↓ @ 3'		14:51					X	X	X												-018A	
↓ @ 5'		14:53																			HOLD -019A	
HA-7 @ 1'		13:04					X	X	X												-020A	
↓ @ 3'		13:05					X	X	X												-021A	
↓ @ 5'		13:04																			HOLD -022A	
HA-8 @ 1'		12:59					X	X	X												-023A	
↓ @ 3'		13:01					X	X	X												-024A	
↓ @ 5'		13:03																			HOLD -025A	
HA-9 @ 1'							X	X	X													
↓ @ 3'							X	X	X													
↓ @ 5'							X	X	X												HOLD	
HA-10 @ 1'							X	X	X													
↓ @ 3'							X	X	X													
↓ @ 5'							X	X	X												HOLD	
S-13 @ 0-12'		12:00					X	X	X												-026A	
↓ @ 12-24'		12:02																			HOLD -027A	
RELINQUISHED BY: (SIGNATURE)	DATE/TIME			RECEIVED BY: (SIGNATURE)	DATE/TIME			RELINQUISHED BY: (SIGNATURE)	DATE/TIME			RECEIVED BY: (SIGNATURE)	DATE/TIME			RECEIVED BY: (SIGNATURE)	DATE/TIME			REMARKS		
<i>[Signature]</i>	01/29/21 15:15			<i>[Signature]</i>	1-29-21 1515															See pg 1		
RELINQUISHED BY: (SIGNATURE)	DATE/TIME			RECEIVED BY: (SIGNATURE)	DATE/TIME			RELINQUISHED BY: (SIGNATURE)	DATE/TIME			RECEIVED BY: (SIGNATURE)	DATE/TIME			RECEIVED BY: (SIGNATURE)	DATE/TIME			REMARKS		
RELINQUISHED BY: (SIGNATURE)	DATE/TIME			RECEIVED FOR LABORATORY BY: (SIGNATURE)	DATE/TIME			REMARKS														

ENGEO
INCORPORATED

2010 CROW CANYON PLACE SUITE 250
SAN RAMON, CALIFORNIA 94583
(925) 866-9000 FAX (888) 279-2698
WWW.ENGEO.COM

DISTRIBUTION: ORIGINAL ACCOMPANIES SHIPMENT, COPY TO PROJECT FIELD FILES

2/0

Pg 3 of 4 temp #2



CHAIN OF CUSTODY RECORD

2101287

PROJECT NUMBER 18124-000-001		PROJECT NAME 965 N. Capitol Ave					3081 LEAD 0.010 Arsenic 0.010		REMARKS REQUIRED DETECTION LIMITS												
SAMPLED BY: (SIGNATURE/PRINT) Taunee Werts																					
PROJECT MANAGER: (SIGNATURE/PRINT) Divya Bhargava																					
ROUTING: E-MAIL dbhargava, twerts@engeo.com																					
SAMPLE NUMBER	DATE	TIME	MATRIX	NUMBER OF CONTAINERS	CONTAINER SIZE	PRESERVATIVE	SCB	LEAD	Arsenic												
S-10@0-12"	01/29/21	12:13	Soil	1	liner	N/A	X	X	X												
↓ @ 12-24"		12:14								→ HOLD -029A											
S-11@0-12"		12:10					X	X	X												
↓ @ 12-24"		12:11								→ HOLD -031A											
S-12@0-12"		12:05					X	X													
↓ @ 12-24"		12:08								→ HOLD -033A											
RELINQUISHED BY: (SIGNATURE) <i>[Signature]</i>							DATE/TIME	RECEIVED BY: (SIGNATURE) <i>[Signature]</i>		RELINQUISHED BY: (SIGNATURE)	DATE/TIME	RECEIVED BY: (SIGNATURE)									
							01/29/21 15:15	<i>[Signature]</i>			1-29-21	<i>[Signature]</i>									
RELINQUISHED BY: (SIGNATURE)							DATE/TIME	RECEIVED BY: (SIGNATURE)		RELINQUISHED BY: (SIGNATURE)	DATE/TIME	RECEIVED BY: (SIGNATURE)									
RELINQUISHED BY: (SIGNATURE)							DATE/TIME	RECEIVED FOR LABORATORY BY: (SIGNATURE)		DATE/TIME	REMARKS										
											see pg 7										

ENGEO
INCORPORATED

2010 CROW CANYON PLACE SUITE 250
SAN RAMON, CALIFORNIA 94583
(925) 866-9000 FAX (888) 279-2698
WWW.ENGEO.COM

DISTRIBUTION: ORIGINAL ACCOMPANIES SHIPMENT, COPY TO PROJECT FIELD FILES

D/O

Pg 4 of 4 temp 2 #2



Engeo (San Ramon)
2010 Crow Canyon Place, #250
San Ramon, California 94583
Tel: (925) 866-9000
Fax: (925) 866-0199
RE: 905 N. Capitol Ave

Work Order No.: 2102001 Rev. 1

Dear Divya Bhargava:

Torrent Laboratory, Inc. received 12 sample(s) on February 01, 2021 for the analyses presented in the following Report.

Four samples were submitted on hold.

All data for associated QC met EPA or laboratory specification(s) except where noted in the case narrative.

Torrent Laboratory, Inc. is certified by the State of California, ELAP #1991. If you have any questions regarding these test results, please feel free to contact the Project Management Team at (408)263-5258; ext 204.

A handwritten signature in blue ink that reads "Kathie Evans". The signature is written in a cursive style and is positioned above a horizontal line.

Kathie Evans
Project Manager

February 04, 2021

Date



Date: 2/4/2021

Client: Engeo (San Ramon)

Project: 905 N. Capitol Ave

Work Order: 2102001

CASE NARRATIVE

Unless otherwise indicated in the following narrative, no issues encountered with the receiving, preparation, analysis or reporting of the results associated with this work order.

Unless otherwise indicated in the following narrative, no results have been method and/or field blank corrected.

Reported results relate only to the items/samples tested by the laboratory.

This report shall not be reproduced, except in full, without the written approval of Torrent Laboratory, Inc.

REVISIONS

Report revised to include sub-contracted Asbestos data. Data appears as an attachment to the Torrent generated report.

Rev. 1 (2/18/21)



Sample Result Summary

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date Received: 02/01/21

Date Reported: 02/04/21

HA-3@1'

2102001-001

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.3	7.25	mg/Kg
Lead	SW6010B	1	0.12	3.0	17.6	mg/Kg
4,4'-DDD	SW8081B	10	0.0057	0.020	0.00925	mg/Kg
4,4'-DDT	SW8081B	10	0.0013	0.020	0.362	mg/Kg
4,4'-DDE	SW8081B	30	0.0058	0.060	0.956	mg/Kg

HA-3@3'

2102001-002

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.3	6.05	mg/Kg
Lead	SW6010B	1	0.12	3.0	6.10	mg/Kg
4,4'-DDE	SW8081B	10	0.0019	0.020	0.0596	mg/Kg
4,4'-DDT	SW8081B	10	0.0013	0.020	0.0173	mg/Kg

HA-4@1'

2102001-004

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.3	7.20	mg/Kg
Lead	SW6010B	1	0.12	3.0	37.6	mg/Kg
Dieldrin	SW8081B	10	0.0015	0.020	0.00219	mg/Kg
4,4'-DDD	SW8081B	10	0.0057	0.020	0.0865	mg/Kg
4,4'-DDE	SW8081B	50	0.0097	0.10	1.53	mg/Kg
4,4'-DDT	SW8081B	50	0.0065	0.10	0.825	mg/Kg

HA-4@3'

2102001-005

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.3	6.40	mg/Kg
Lead	SW6010B	1	0.12	3.0	6.30	mg/Kg
4,4'-DDE	SW8081B	10	0.0019	0.020	0.0685	mg/Kg
4,4'-DDT	SW8081B	10	0.0013	0.020	0.0105	mg/Kg

HA-9@1'

2102001-007

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.3	7.20	mg/Kg
Lead	SW6010B	1	0.12	3.0	38.6	mg/Kg
4,4'-DDE	SW8081B	10	0.0019	0.020	0.484	mg/Kg
Dieldrin	SW8081B	10	0.0015	0.020	0.00150	mg/Kg
4,4'-DDD	SW8081B	10	0.0057	0.020	0.00631	mg/Kg
4,4'-DDT	SW8081B	10	0.0013	0.020	0.130	mg/Kg



Sample Result Summary

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date Received: 02/01/21

Date Reported: 02/04/21

2102001-008

HA-9@3'

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.3	6.25	mg/Kg
Lead	SW6010B	1	0.12	3.0	5.75	mg/Kg
4,4'-DDE	SW8081B	10	0.0019	0.020	0.0323	mg/Kg
4,4'-DDT	SW8081B	10	0.0013	0.020	0.0111	mg/Kg

2102001-010

HA-10@1'

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.3	6.90	mg/Kg
Lead	SW6010B	1	0.12	3.0	41.4	mg/Kg
4,4'-DDD	SW8081B	10	0.0057	0.020	0.00780	mg/Kg
4,4'-DDT	SW8081B	10	0.0013	0.020	0.275	mg/Kg
4,4'-DDE	SW8081B	50	0.0097	0.10	2.16	mg/Kg

2102001-011

HA-10@3'

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.3	6.65	mg/Kg
Lead	SW6010B	1	0.12	3.0	5.40	mg/Kg
4,4'-DDE	SW8081B	1	0.00019	0.0020	0.0288	mg/Kg
4,4'-DDT	SW8081B	1	0.00013	0.0020	0.00820	mg/Kg



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 02/01/21, 10:07 am
Date Reported: 02/04/21

Client Sample ID:	HA-3@1'	Lab Sample ID:	2102001-001A
Project Name/Location:	905 N. Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	02/01/21 / 9:09		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/2/21	4:20:00PM
Prep Batch ID: 1128995	Prep Analyst: TNGU	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Arsenic	SW6010B	1	0.15	1.3	7.25		mg/Kg	02/03/21	16:02	IZ	454011
Lead	SW6010B	1	0.12	3.0	17.6		mg/Kg	02/03/21	16:02	IZ	454011



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 02/01/21, 10:07 am
Date Reported: 02/04/21

Client Sample ID:	HA-3@1'	Lab Sample ID:	2102001-001A
Project Name/Location:	905 N. Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	02/01/21 / 9:09		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/2/21	12:45:00PM
Prep Batch ID: 1128981	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	10	0.0013	0.020	ND		mg/Kg	02/03/21	17:25	MK	454029
gamma-BHC (Lindane)	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	17:25	MK	454029
beta-BHC	SW8081B	10	0.0032	0.020	ND		mg/Kg	02/03/21	17:25	MK	454029
delta-BHC	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	17:25	MK	454029
Heptachlor	SW8081B	10	0.0011	0.020	ND		mg/Kg	02/03/21	17:25	MK	454029
Aldrin	SW8081B	10	0.0020	0.020	ND		mg/Kg	02/03/21	17:25	MK	454029
Heptachlor Epoxide	SW8081B	10	0.00078	0.020	ND		mg/Kg	02/03/21	17:25	MK	454029
gamma-Chlordane	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	17:25	MK	454029
alpha-Chlordane	SW8081B	10	0.0017	0.020	ND		mg/Kg	02/03/21	17:25	MK	454029
Endosulfan I	SW8081B	10	0.0018	0.020	ND		mg/Kg	02/03/21	17:25	MK	454029
Dieldrin	SW8081B	10	0.0015	0.020	ND		mg/Kg	02/03/21	17:25	MK	454029
Endrin	SW8081B	10	0.0019	0.020	ND		mg/Kg	02/03/21	17:25	MK	454029
4,4'-DDD	SW8081B	10	0.0057	0.020	0.00925	J	mg/Kg	02/03/21	17:25	MK	454029
Endosulfan II	SW8081B	10	0.0058	0.020	ND		mg/Kg	02/03/21	17:25	MK	454029
4,4'-DDT	SW8081B	10	0.0013	0.020	0.362		mg/Kg	02/03/21	17:25	MK	454029
Endrin Aldehyde	SW8081B	10	0.0015	0.020	ND		mg/Kg	02/03/21	17:25	MK	454029
Methoxychlor	SW8081B	10	0.0020	0.020	ND		mg/Kg	02/03/21	17:25	MK	454029
Endosulfan Sulfate	SW8081B	10	0.0012	0.020	ND		mg/Kg	02/03/21	17:25	MK	454029
Endrin Ketone	SW8081B	10	0.00094	0.020	ND		mg/Kg	02/03/21	17:25	MK	454029
Chlordane	SW8081B	10	0.021	0.20	ND		mg/Kg	02/03/21	17:25	MK	454029
Toxaphene	SW8081B	10	0.085	0.50	ND		mg/Kg	02/03/21	17:25	MK	454029
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		79.8		%	02/03/21	17:25	MK	454029
DCBP (S)	SW8081B		38 - 135		77.5		%	02/03/21	17:25	MK	454029

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 02/01/21, 10:07 am
Date Reported: 02/04/21

Client Sample ID:	HA-3@1'	Lab Sample ID:	2102001-001A
Project Name/Location:	905 N. Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	02/01/21 / 9:09		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/2/21	12:45:00PM
Prep Batch ID: 1128981	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
4,4'-DDE	SW8081B	30	0.0058	0.060	0.956		mg/Kg	02/04/21	13:26	MK	454029

The results shown below are reported using their MDL.



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 02/01/21, 10:07 am
Date Reported: 02/04/21

Client Sample ID:	HA-3@3'	Lab Sample ID:	2102001-002A
Project Name/Location:	905 N. Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	02/01/21 / 9:11		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/2/21	4:20:00PM
Prep Batch ID: 1128995	Prep Analyst: TNGU	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Arsenic	SW6010B	1	0.15	1.3	6.05		mg/Kg	02/03/21	16:09	IZ	454011
Lead	SW6010B	1	0.12	3.0	6.10		mg/Kg	02/03/21	16:09	IZ	454011



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 02/01/21, 10:07 am
Date Reported: 02/04/21

Client Sample ID:	HA-3@3'	Lab Sample ID:	2102001-002A
Project Name/Location:	905 N. Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	02/01/21 / 9:11		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/2/21	12:45:00PM
Prep Batch ID: 1128981	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	10	0.0013	0.020	ND		mg/Kg	02/03/21	17:39	MK	454029
gamma-BHC (Lindane)	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	17:39	MK	454029
beta-BHC	SW8081B	10	0.0032	0.020	ND		mg/Kg	02/03/21	17:39	MK	454029
delta-BHC	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	17:39	MK	454029
Heptachlor	SW8081B	10	0.0011	0.020	ND		mg/Kg	02/03/21	17:39	MK	454029
Aldrin	SW8081B	10	0.0020	0.020	ND		mg/Kg	02/03/21	17:39	MK	454029
Heptachlor Epoxide	SW8081B	10	0.00078	0.020	ND		mg/Kg	02/03/21	17:39	MK	454029
gamma-Chlordane	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	17:39	MK	454029
alpha-Chlordane	SW8081B	10	0.0017	0.020	ND		mg/Kg	02/03/21	17:39	MK	454029
4,4'-DDE	SW8081B	10	0.0019	0.020	0.0596		mg/Kg	02/03/21	17:39	MK	454029
Endosulfan I	SW8081B	10	0.0018	0.020	ND		mg/Kg	02/03/21	17:39	MK	454029
Dieldrin	SW8081B	10	0.0015	0.020	ND		mg/Kg	02/03/21	17:39	MK	454029
Endrin	SW8081B	10	0.0019	0.020	ND		mg/Kg	02/03/21	17:39	MK	454029
4,4'-DDD	SW8081B	10	0.0057	0.020	ND		mg/Kg	02/03/21	17:39	MK	454029
Endosulfan II	SW8081B	10	0.0058	0.020	ND		mg/Kg	02/03/21	17:39	MK	454029
4,4'-DDT	SW8081B	10	0.0013	0.020	0.0173	J	mg/Kg	02/03/21	17:39	MK	454029
Endrin Aldehyde	SW8081B	10	0.0015	0.020	ND		mg/Kg	02/03/21	17:39	MK	454029
Methoxychlor	SW8081B	10	0.0020	0.020	ND		mg/Kg	02/03/21	17:39	MK	454029
Endosulfan Sulfate	SW8081B	10	0.0012	0.020	ND		mg/Kg	02/03/21	17:39	MK	454029
Endrin Ketone	SW8081B	10	0.00094	0.020	ND		mg/Kg	02/03/21	17:39	MK	454029
Chlordane	SW8081B	10	0.021	0.20	ND		mg/Kg	02/03/21	17:39	MK	454029
Toxaphene	SW8081B	10	0.085	0.50	ND		mg/Kg	02/03/21	17:39	MK	454029
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		81.8		%	02/03/21	17:39	MK	454029
DCBP (S)	SW8081B		38 - 135		81.3		%	02/03/21	17:39	MK	454029

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 02/01/21, 10:07 am
Date Reported: 02/04/21

Client Sample ID:	HA-4@1'	Lab Sample ID:	2102001-004A
Project Name/Location:	905 N. Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	02/01/21 / 9:01		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/2/21	4:20:00PM
Prep Batch ID: 1128995	Prep Analyst: TNGU	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Arsenic	SW6010B	1	0.15	1.3	7.20		mg/Kg	02/03/21	16:14	IZ	454011
Lead	SW6010B	1	0.12	3.0	37.6		mg/Kg	02/03/21	16:14	IZ	454011



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 02/01/21, 10:07 am
Date Reported: 02/04/21

Client Sample ID:	HA-4@1'	Lab Sample ID:	2102001-004A
Project Name/Location:	905 N. Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	02/01/21 / 9:01		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/2/21	12:45:00PM
Prep Batch ID: 1128981	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	10	0.0013	0.020	ND		mg/Kg	02/03/21	17:53	MK	454029
gamma-BHC (Lindane)	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	17:53	MK	454029
beta-BHC	SW8081B	10	0.0032	0.020	ND		mg/Kg	02/03/21	17:53	MK	454029
delta-BHC	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	17:53	MK	454029
Heptachlor	SW8081B	10	0.0011	0.020	ND		mg/Kg	02/03/21	17:53	MK	454029
Aldrin	SW8081B	10	0.0020	0.020	ND		mg/Kg	02/03/21	17:53	MK	454029
Heptachlor Epoxide	SW8081B	10	0.00078	0.020	ND		mg/Kg	02/03/21	17:53	MK	454029
gamma-Chlordane	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	17:53	MK	454029
alpha-Chlordane	SW8081B	10	0.0017	0.020	ND		mg/Kg	02/03/21	17:53	MK	454029
Endosulfan I	SW8081B	10	0.0018	0.020	ND		mg/Kg	02/03/21	17:53	MK	454029
Dieldrin	SW8081B	10	0.0015	0.020	0.00219	J	mg/Kg	02/03/21	17:53	MK	454029
Endrin	SW8081B	10	0.0019	0.020	ND		mg/Kg	02/03/21	17:53	MK	454029
4,4'-DDD	SW8081B	10	0.0057	0.020	0.0865		mg/Kg	02/03/21	17:53	MK	454029
Endosulfan II	SW8081B	10	0.0058	0.020	ND		mg/Kg	02/03/21	17:53	MK	454029
Endrin Aldehyde	SW8081B	10	0.0015	0.020	ND		mg/Kg	02/03/21	17:53	MK	454029
Methoxychlor	SW8081B	10	0.0020	0.020	ND		mg/Kg	02/03/21	17:53	MK	454029
Endosulfan Sulfate	SW8081B	10	0.0012	0.020	ND		mg/Kg	02/03/21	17:53	MK	454029
Endrin Ketone	SW8081B	10	0.00094	0.020	ND		mg/Kg	02/03/21	17:53	MK	454029
Chlordane	SW8081B	10	0.021	0.20	ND		mg/Kg	02/03/21	17:53	MK	454029
Toxaphene	SW8081B	10	0.085	0.50	ND		mg/Kg	02/03/21	17:53	MK	454029
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		70.5		%	02/03/21	17:53	MK	454029
DCBP (S)	SW8081B		38 - 135		72.6		%	02/03/21	17:53	MK	454029

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 02/01/21, 10:07 am
Date Reported: 02/04/21

Client Sample ID:	HA-4@1'	Lab Sample ID:	2102001-004A
Project Name/Location:	905 N. Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	02/01/21 / 9:01		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/2/21	12:45:00PM
Prep Batch ID: 1128981	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
<i>The results shown below are reported using their MDL.</i>											
4,4'-DDE	SW8081B	50	0.0097	0.10	1.53		mg/Kg	02/04/21	13:39	MK	454029
4,4'-DDT	SW8081B	50	0.0065	0.10	0.825		mg/Kg	02/04/21	13:39	MK	454029



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 02/01/21, 10:07 am
Date Reported: 02/04/21

Client Sample ID:	HA-4@3'	Lab Sample ID:	2102001-005A
Project Name/Location:	905 N. Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	02/01/21 / 9:03		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/2/21	4:20:00PM
Prep Batch ID: 1128995	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Arsenic	SW6010B	1	0.15	1.3	6.40		mg/Kg	02/03/21	16:16	IZ	454011
Lead	SW6010B	1	0.12	3.0	6.30		mg/Kg	02/03/21	16:16	IZ	454011



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 02/01/21, 10:07 am
Date Reported: 02/04/21

Client Sample ID:	HA-4@3'	Lab Sample ID:	2102001-005A
Project Name/Location:	905 N. Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	02/01/21 / 9:03		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/2/21	12:45:00PM
Prep Batch ID: 1128981	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	10	0.0013	0.020	ND		mg/Kg	02/03/21	18:06	MK	454029
gamma-BHC (Lindane)	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	18:06	MK	454029
beta-BHC	SW8081B	10	0.0032	0.020	ND		mg/Kg	02/03/21	18:06	MK	454029
delta-BHC	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	18:06	MK	454029
Heptachlor	SW8081B	10	0.0011	0.020	ND		mg/Kg	02/03/21	18:06	MK	454029
Aldrin	SW8081B	10	0.0020	0.020	ND		mg/Kg	02/03/21	18:06	MK	454029
Heptachlor Epoxide	SW8081B	10	0.00078	0.020	ND		mg/Kg	02/03/21	18:06	MK	454029
gamma-Chlordane	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	18:06	MK	454029
alpha-Chlordane	SW8081B	10	0.0017	0.020	ND		mg/Kg	02/03/21	18:06	MK	454029
4,4'-DDE	SW8081B	10	0.0019	0.020	0.0685		mg/Kg	02/03/21	18:06	MK	454029
Endosulfan I	SW8081B	10	0.0018	0.020	ND		mg/Kg	02/03/21	18:06	MK	454029
Dieldrin	SW8081B	10	0.0015	0.020	ND		mg/Kg	02/03/21	18:06	MK	454029
Endrin	SW8081B	10	0.0019	0.020	ND		mg/Kg	02/03/21	18:06	MK	454029
4,4'-DDD	SW8081B	10	0.0057	0.020	ND		mg/Kg	02/03/21	18:06	MK	454029
Endosulfan II	SW8081B	10	0.0058	0.020	ND		mg/Kg	02/03/21	18:06	MK	454029
4,4'-DDT	SW8081B	10	0.0013	0.020	0.0105	J	mg/Kg	02/03/21	18:06	MK	454029
Endrin Aldehyde	SW8081B	10	0.0015	0.020	ND		mg/Kg	02/03/21	18:06	MK	454029
Methoxychlor	SW8081B	10	0.0020	0.020	ND		mg/Kg	02/03/21	18:06	MK	454029
Endosulfan Sulfate	SW8081B	10	0.0012	0.020	ND		mg/Kg	02/03/21	18:06	MK	454029
Endrin Ketone	SW8081B	10	0.00094	0.020	ND		mg/Kg	02/03/21	18:06	MK	454029
Chlordane	SW8081B	10	0.021	0.20	ND		mg/Kg	02/03/21	18:06	MK	454029
Toxaphene	SW8081B	10	0.085	0.50	ND		mg/Kg	02/03/21	18:06	MK	454029
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		87.0		%	02/03/21	18:06	MK	454029
DCBP (S)	SW8081B		38 - 135		68.3		%	02/03/21	18:06	MK	454029

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 02/01/21, 10:07 am
Date Reported: 02/04/21

Client Sample ID:	HA-9@1'	Lab Sample ID:	2102001-007A
Project Name/Location:	905 N. Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	02/01/21 / 7:55		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/2/21	4:20:00PM
Prep Batch ID: 1128995	Prep Analyst: TNGU	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Arsenic	SW6010B	1	0.15	1.3	7.20		mg/Kg	02/03/21	16:17	IZ	454011
Lead	SW6010B	1	0.12	3.0	38.6		mg/Kg	02/03/21	16:17	IZ	454011



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 02/01/21, 10:07 am
Date Reported: 02/04/21

Client Sample ID:	HA-9@1'	Lab Sample ID:	2102001-007A
Project Name/Location:	905 N. Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	02/01/21 / 7:55		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/2/21	12:45:00PM
Prep Batch ID: 1128981	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	10	0.0013	0.020	ND		mg/Kg	02/03/21	18:20	MK	454029
gamma-BHC (Lindane)	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	18:20	MK	454029
beta-BHC	SW8081B	10	0.0032	0.020	ND		mg/Kg	02/03/21	18:20	MK	454029
delta-BHC	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	18:20	MK	454029
Heptachlor	SW8081B	10	0.0011	0.020	ND		mg/Kg	02/03/21	18:20	MK	454029
Aldrin	SW8081B	10	0.0020	0.020	ND		mg/Kg	02/03/21	18:20	MK	454029
Heptachlor Epoxide	SW8081B	10	0.00078	0.020	ND		mg/Kg	02/03/21	18:20	MK	454029
gamma-Chlordane	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	18:20	MK	454029
alpha-Chlordane	SW8081B	10	0.0017	0.020	ND		mg/Kg	02/03/21	18:20	MK	454029
4,4'-DDE	SW8081B	10	0.0019	0.020	0.484		mg/Kg	02/03/21	18:20	MK	454029
Endosulfan I	SW8081B	10	0.0018	0.020	ND		mg/Kg	02/03/21	18:20	MK	454029
Dieldrin	SW8081B	10	0.0015	0.020	0.00150	J	mg/Kg	02/03/21	18:20	MK	454029
Endrin	SW8081B	10	0.0019	0.020	ND		mg/Kg	02/03/21	18:20	MK	454029
4,4'-DDD	SW8081B	10	0.0057	0.020	0.00631	J	mg/Kg	02/03/21	18:20	MK	454029
Endosulfan II	SW8081B	10	0.0058	0.020	ND		mg/Kg	02/03/21	18:20	MK	454029
4,4'-DDT	SW8081B	10	0.0013	0.020	0.130		mg/Kg	02/03/21	18:20	MK	454029
Endrin Aldehyde	SW8081B	10	0.0015	0.020	ND		mg/Kg	02/03/21	18:20	MK	454029
Methoxychlor	SW8081B	10	0.0020	0.020	ND		mg/Kg	02/03/21	18:20	MK	454029
Endosulfan Sulfate	SW8081B	10	0.0012	0.020	ND		mg/Kg	02/03/21	18:20	MK	454029
Endrin Ketone	SW8081B	10	0.00094	0.020	ND		mg/Kg	02/03/21	18:20	MK	454029
Chlordane	SW8081B	10	0.021	0.20	ND		mg/Kg	02/03/21	18:20	MK	454029
Toxaphene	SW8081B	10	0.085	0.50	ND		mg/Kg	02/03/21	18:20	MK	454029
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		67.7		%	02/03/21	18:20	MK	454029
DCBP (S)	SW8081B		38 - 135		65.7		%	02/03/21	18:20	MK	454029

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 02/01/21, 10:07 am
Date Reported: 02/04/21

Client Sample ID:	HA-9@3'	Lab Sample ID:	2102001-008A
Project Name/Location:	905 N. Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	02/01/21 / 7:56		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/2/21	4:20:00PM
Prep Batch ID: 1128995	Prep Analyst: TNGU	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Arsenic	SW6010B	1	0.15	1.3	6.25		mg/Kg	02/03/21	16:19	IZ	454011
Lead	SW6010B	1	0.12	3.0	5.75		mg/Kg	02/03/21	16:19	IZ	454011



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 02/01/21, 10:07 am
Date Reported: 02/04/21

Client Sample ID:	HA-9@3'	Lab Sample ID:	2102001-008A
Project Name/Location:	905 N. Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	02/01/21 / 7:56		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/2/21	12:45:00PM
Prep Batch ID: 1128981	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	10	0.0013	0.020	ND		mg/Kg	02/03/21	18:33	MK	454029
gamma-BHC (Lindane)	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	18:33	MK	454029
beta-BHC	SW8081B	10	0.0032	0.020	ND		mg/Kg	02/03/21	18:33	MK	454029
delta-BHC	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	18:33	MK	454029
Heptachlor	SW8081B	10	0.0011	0.020	ND		mg/Kg	02/03/21	18:33	MK	454029
Aldrin	SW8081B	10	0.0020	0.020	ND		mg/Kg	02/03/21	18:33	MK	454029
Heptachlor Epoxide	SW8081B	10	0.00078	0.020	ND		mg/Kg	02/03/21	18:33	MK	454029
gamma-Chlordane	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	18:33	MK	454029
alpha-Chlordane	SW8081B	10	0.0017	0.020	ND		mg/Kg	02/03/21	18:33	MK	454029
4,4'-DDE	SW8081B	10	0.0019	0.020	0.0323		mg/Kg	02/03/21	18:33	MK	454029
Endosulfan I	SW8081B	10	0.0018	0.020	ND		mg/Kg	02/03/21	18:33	MK	454029
Dieldrin	SW8081B	10	0.0015	0.020	ND		mg/Kg	02/03/21	18:33	MK	454029
Endrin	SW8081B	10	0.0019	0.020	ND		mg/Kg	02/03/21	18:33	MK	454029
4,4'-DDD	SW8081B	10	0.0057	0.020	ND		mg/Kg	02/03/21	18:33	MK	454029
Endosulfan II	SW8081B	10	0.0058	0.020	ND		mg/Kg	02/03/21	18:33	MK	454029
4,4'-DDT	SW8081B	10	0.0013	0.020	0.0111	J	mg/Kg	02/03/21	18:33	MK	454029
Endrin Aldehyde	SW8081B	10	0.0015	0.020	ND		mg/Kg	02/03/21	18:33	MK	454029
Methoxychlor	SW8081B	10	0.0020	0.020	ND		mg/Kg	02/03/21	18:33	MK	454029
Endosulfan Sulfate	SW8081B	10	0.0012	0.020	ND		mg/Kg	02/03/21	18:33	MK	454029
Endrin Ketone	SW8081B	10	0.00094	0.020	ND		mg/Kg	02/03/21	18:33	MK	454029
Chlordane	SW8081B	10	0.021	0.20	ND		mg/Kg	02/03/21	18:33	MK	454029
Toxaphene	SW8081B	10	0.085	0.50	ND		mg/Kg	02/03/21	18:33	MK	454029
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		73.7		%	02/03/21	18:33	MK	454029
DCBP (S)	SW8081B		38 - 135		74.8		%	02/03/21	18:33	MK	454029

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 02/01/21, 10:07 am
Date Reported: 02/04/21

Client Sample ID:	HA-10@1'	Lab Sample ID:	2102001-010A
Project Name/Location:	905 N. Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	02/01/21 / 7:49		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/2/21	4:20:00PM
Prep Batch ID: 1128995	Prep Analyst: TNGU	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Arsenic	SW6010B	1	0.15	1.3	6.90		mg/Kg	02/03/21	16:21	IZ	454011
Lead	SW6010B	1	0.12	3.0	41.4		mg/Kg	02/03/21	16:21	IZ	454011



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 02/01/21, 10:07 am
Date Reported: 02/04/21

Client Sample ID:	HA-10@1'	Lab Sample ID:	2102001-010A
Project Name/Location:	905 N. Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	02/01/21 / 7:49		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/2/21	12:45:00PM
Prep Batch ID: 1128981	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	10	0.0013	0.020	ND		mg/Kg	02/03/21	18:47	MK	454029
gamma-BHC (Lindane)	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	18:47	MK	454029
beta-BHC	SW8081B	10	0.0032	0.020	ND		mg/Kg	02/03/21	18:47	MK	454029
delta-BHC	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	18:47	MK	454029
Heptachlor	SW8081B	10	0.0011	0.020	ND		mg/Kg	02/03/21	18:47	MK	454029
Aldrin	SW8081B	10	0.0020	0.020	ND		mg/Kg	02/03/21	18:47	MK	454029
Heptachlor Epoxide	SW8081B	10	0.00078	0.020	ND		mg/Kg	02/03/21	18:47	MK	454029
gamma-Chlordane	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	18:47	MK	454029
alpha-Chlordane	SW8081B	10	0.0017	0.020	ND		mg/Kg	02/03/21	18:47	MK	454029
Endosulfan I	SW8081B	10	0.0018	0.020	ND		mg/Kg	02/03/21	18:47	MK	454029
Dieldrin	SW8081B	10	0.0015	0.020	ND		mg/Kg	02/03/21	18:47	MK	454029
Endrin	SW8081B	10	0.0019	0.020	ND		mg/Kg	02/03/21	18:47	MK	454029
4,4'-DDD	SW8081B	10	0.0057	0.020	0.00780	J	mg/Kg	02/03/21	18:47	MK	454029
Endosulfan II	SW8081B	10	0.0058	0.020	ND		mg/Kg	02/03/21	18:47	MK	454029
4,4'-DDT	SW8081B	10	0.0013	0.020	0.275		mg/Kg	02/03/21	18:47	MK	454029
Endrin Aldehyde	SW8081B	10	0.0015	0.020	ND		mg/Kg	02/03/21	18:47	MK	454029
Methoxychlor	SW8081B	10	0.0020	0.020	ND		mg/Kg	02/03/21	18:47	MK	454029
Endosulfan Sulfate	SW8081B	10	0.0012	0.020	ND		mg/Kg	02/03/21	18:47	MK	454029
Endrin Ketone	SW8081B	10	0.00094	0.020	ND		mg/Kg	02/03/21	18:47	MK	454029
Chlordane	SW8081B	10	0.021	0.20	ND		mg/Kg	02/03/21	18:47	MK	454029
Toxaphene	SW8081B	10	0.085	0.50	ND		mg/Kg	02/03/21	18:47	MK	454029
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		73.9		%	02/03/21	18:47	MK	454029
DCBP (S)	SW8081B		38 - 135		70.2		%	02/03/21	18:47	MK	454029

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 02/01/21, 10:07 am
Date Reported: 02/04/21

Client Sample ID:	HA-10@1'	Lab Sample ID:	2102001-010A
Project Name/Location:	905 N. Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	02/01/21 / 7:49		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/2/21	12:45:00PM
Prep Batch ID: 1128981	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

4,4'-DDE	SW8081B	50	0.0097	0.10	2.16		mg/Kg	02/04/21	13:53	MK	454029
----------	---------	----	--------	------	-------------	--	-------	----------	-------	----	--------



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 02/01/21, 10:07 am
Date Reported: 02/04/21

Client Sample ID:	HA-10@3'	Lab Sample ID:	2102001-011A
Project Name/Location:	905 N. Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	02/01/21 / 7:50		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/2/21	4:20:00PM
Prep Batch ID: 1128995	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Arsenic	SW6010B	1	0.15	1.3	6.65		mg/Kg	02/03/21	16:22	IZ	454011
Lead	SW6010B	1	0.12	3.0	5.40		mg/Kg	02/03/21	16:22	IZ	454011



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 02/01/21, 10:07 am
Date Reported: 02/04/21

Client Sample ID:	HA-10@3'	Lab Sample ID:	2102001-011A
Project Name/Location:	905 N. Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	02/01/21 / 7:50		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/2/21	12:45:00PM
Prep Batch ID: 1128981	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
alpha-BHC	SW8081B	1	0.00013	0.0020	ND		mg/Kg	02/03/21	19:00	MK	454029
gamma-BHC (Lindane)	SW8081B	1	0.00016	0.0020	ND		mg/Kg	02/03/21	19:00	MK	454029
beta-BHC	SW8081B	1	0.00032	0.0020	ND		mg/Kg	02/03/21	19:00	MK	454029
delta-BHC	SW8081B	1	0.00016	0.0020	ND		mg/Kg	02/03/21	19:00	MK	454029
Heptachlor	SW8081B	1	0.00011	0.0020	ND		mg/Kg	02/03/21	19:00	MK	454029
Aldrin	SW8081B	1	0.00020	0.0020	ND		mg/Kg	02/03/21	19:00	MK	454029
Heptachlor Epoxide	SW8081B	1	0.000078	0.0020	ND		mg/Kg	02/03/21	19:00	MK	454029
gamma-Chlordane	SW8081B	1	0.00016	0.0020	ND		mg/Kg	02/03/21	19:00	MK	454029
alpha-Chlordane	SW8081B	1	0.00017	0.0020	ND		mg/Kg	02/03/21	19:00	MK	454029
4,4'-DDE	SW8081B	1	0.00019	0.0020	0.0288		mg/Kg	02/03/21	19:00	MK	454029
Endosulfan I	SW8081B	1	0.00018	0.0020	ND		mg/Kg	02/03/21	19:00	MK	454029
Dieldrin	SW8081B	1	0.00015	0.0020	ND		mg/Kg	02/03/21	19:00	MK	454029
Endrin	SW8081B	1	0.00019	0.0020	ND		mg/Kg	02/03/21	19:00	MK	454029
4,4'-DDD	SW8081B	1	0.00057	0.0020	ND		mg/Kg	02/03/21	19:00	MK	454029
Endosulfan II	SW8081B	1	0.00058	0.0020	ND		mg/Kg	02/03/21	19:00	MK	454029
4,4'-DDT	SW8081B	1	0.00013	0.0020	0.00820		mg/Kg	02/03/21	19:00	MK	454029
Endrin Aldehyde	SW8081B	1	0.00015	0.0020	ND		mg/Kg	02/03/21	19:00	MK	454029
Methoxychlor	SW8081B	1	0.00020	0.0020	ND		mg/Kg	02/03/21	19:00	MK	454029
Endosulfan Sulfate	SW8081B	1	0.00012	0.0020	ND		mg/Kg	02/03/21	19:00	MK	454029
Endrin Ketone	SW8081B	1	0.000094	0.0020	ND		mg/Kg	02/03/21	19:00	MK	454029
Chlordane	SW8081B	1	0.0021	0.020	ND		mg/Kg	02/03/21	19:00	MK	454029
Toxaphene	SW8081B	1	0.0085	0.050	ND		mg/Kg	02/03/21	19:00	MK	454029
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		62.5		%	02/03/21	19:00	MK	454029
DCBP (S)	SW8081B		38 - 135		62.5		%	02/03/21	19:00	MK	454029



MB Summary Report

Work Order:	2102001	Prep Method:	3546_OCP	Prep Date:	02/02/21	Prep Batch:	1128981
Matrix:	Soil	Analytical Method:	SW8081B	Analyzed Date:	2/2/2021	Analytical Batch:	454029
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier	
alpha-BHC	0.13	2.0	ND		
gamma-BHC (Lindane)	0.16	2.0	ND		
beta-BHC	0.32	2.0	ND		
delta-BHC	0.16	2.0	ND		
Heptachlor	0.11	2.0	ND		
Aldrin	0.20	2.0	ND		
Heptachlor Epoxide	0.078	2.0	ND		
gamma-Chlordane	0.16	2.0	ND		
alpha-Chlordane	0.17	2.0	ND		
4,4'-DDE	0.19	2.0	ND		
Endosulfan I	0.18	2.0	ND		
Dieldrin	0.15	2.0	ND		
Endrin	0.19	2.0	ND		
4,4'-DDD	0.57	2.0	ND		
Endosulfan II	0.58	2.0	ND		
4,4'-DDT	0.13	2.0	ND		
Endrin Aldehyde	0.15	2.0	ND		
Methoxychlor	0.20	2.0	ND		
Endosulfan Sulfate	0.12	2.0	ND		
Endrin Ketone	0.094	2.0	ND		
Chlordane	2.1	20	ND		
Toxaphene	8.5	50	ND		
TCMX (S)			92.6		
DCBP (S)			87.5		

Work Order:	2102001	Prep Method:	3050B	Prep Date:	02/02/21	Prep Batch:	1128995
Matrix:	Soil	Analytical Method:	SW6010B	Analyzed Date:	2/3/2021	Analytical Batch:	454011
Units:	mg/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier	
Arsenic	0.15	1.30	ND		
Lead	0.10	3.00	0.16		



LCS/LCSD Summary Report

Raw values are used in quality control assessment.

Work Order:	2102001	Prep Method:	3546_OCP	Prep Date:	02/02/21	Prep Batch:	1128981
Matrix:	Soil	Analytical Method:	SW8081B	Analyzed Date:	2/2/2021	Analytical Batch:	454029
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Spike Conc.	LCS % Recovery	LCSD % Recovery	LCS/LCSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
gamma-BHC (Lindane)	0.16	2.0	ND	40	98.5	97.6	1.02	25 - 135	30	
Heptachlor	0.11	2.0	ND	40	96.3	96.0	0.260	40 - 130	30	
Aldrin	0.20	2.0	ND	40	94.3	93.2	1.07	25 - 140	30	
Dieldrin	0.15	2.0	ND	40	86.6	85.9	0.580	60 - 130	30	
Endrin	0.19	2.0	ND	40	95.4	94.6	0.791	55 - 135	30	
4,4'-DDT	0.13	2.0	ND	40	95.9	95.0	1.05	45 - 140	30	
TCMX (S)				100	97.0	97.1		48 - 125		
DCBP (S)				100	91.2	91.4		38 - 135		

Work Order:	2102001	Prep Method:	3050B	Prep Date:	02/02/21	Prep Batch:	1128995
Matrix:	Soil	Analytical Method:	SW6010B	Analyzed Date:	2/3/2021	Analytical Batch:	454011
Units:	mg/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Spike Conc.	LCS % Recovery	LCSD % Recovery	LCS/LCSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
Arsenic	0.15	1.30	ND	50	97.9	97.6	0.409	80 - 120	30	
Lead	0.10	3.00	0.16	50	103	100	2.96	80 - 120	30	



MS/MSD Summary Report

Raw values are used in quality control assessment.

Work Order:	2102001	Prep Method:	3050B	Prep Date:	02/02/21	Prep Batch:	1128995
Matrix:	Soil	Analytical Method:	SW6010B	Analyzed Date:	2/3/2021	Analytical Batch:	454011
Spiked Sample:	2102001-002A						
Units:	mg/Kg						

Parameters	MDL	PQL	Sample Conc.	Spike Conc.	MS % Recovery	MSD % Recovery	MS/MSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
Arsenic	0.15	5.00	6.05	50	91.9	89.9	1.94	71.0 - 121	30	
Lead	0.10	5.00	6.10	50	92.8	89.8	2.90	67.9 - 118	30	



Laboratory Qualifiers and Definitions

DEFINITIONS:

Accuracy/Bias (% Recovery) - The closeness of agreement between an observed value and an accepted reference value.
Blank (Method/Preparation Blank) -MB/PB - An analyte-free matrix to which all reagents are added in the same volumes/proportions as used in sample processing. The method blank is used to document contamination resulting from the analytical process.
Duplicate - a field sample and/or laboratory QC sample prepared in duplicate following all of the same processes and procedures used on the original sample (sample duplicate, LCSD, MSD)
Laboratory Control Sample (LCS ad LCSD) - A known matrix spiked with compounds representative of the target analyte(s). This is used to document laboratory performance.
Matrix - the component or substrate that contains the analyte of interest (e.g., - groundwater, sediment, soil, waste water, etc)
Matrix Spike (MS/MSD) - Client sample spiked with identical concentrations of target analyte (s). The spiking occurs prior to the sample preparation and analysis. They are used to document the precision and bias of a method in a given sample matrix.
Method Detection Limit (MDL) - the minimum concentration of a substance that can be measured and reported with a 99% confidence that the analyte concentration is greater than zero
Practical Quantitation Limit/Reporting Limit/Limit of Quantitation (PQL/RL/LOQ) - a laboratory determined value at 2 to 5 times above the MDL that can be reproduced in a manner that results in a 99% confidence level that the result is both accurate and precise. PQLs/RLs/LODs reflect all preparation factors and/or dilution factors that have been applied to the sample during the preparation and/or analytical processes.
Precision (%RPD) - The agreement among a set of replicate/duplicate measurements without regard to known value of the replicates
Surrogate (S) or (Surr) - An organic compound which is similar to the target analyte(s) in chemical composition and behavior in the analytical process, but which is not normally found in environmental samples. Surrogates are used in most organic analysis to demonstrate matrix compatibility with the chosen method of analysis
Tentatively Identified Compound (TIC) - A compound not contained within the analytical calibration standards but present in the GCMS library of defined compounds. When the library is searched for an unknown compound, it can frequently give a tentative identification to the compound based on retention time and primary and secondary ion match. TICs are reported as estimates and are candidates for further investigation.
Units: the unit of measure used to express the reported result - mg/L and mg/Kg (equivalent to PPM - parts per million in liquid and solid), ug/L and ug/Kg (equivalent to PPB - parts per billion in liquid and solid), ug/m3 , mg/m3 , ppbv and ppmv (all units of measure for reporting concentrations in air), % (equivalent to 10000 ppm or 1,000,000 ppb), ug/Wipe (concentration found on the surface of a single Wipe usually taken over a 100cm ² surface)

LABORATORY QUALIFIERS:

<p>B - Indicates when the analyte is found in the associated method or preparation blank</p> <p>D - Surrogate is not recoverable due to the necessary dilution of the sample</p> <p>E - Indicates the reportable value is outside of the calibration range of the instrument but within the linear range of the instrument (unless otherwise noted) Values reported with an E qualifier should be considered as estimated.</p> <p>H- Indicates that the recommended holding time for the analyte or compound has been exceeded</p> <p>J- Indicates a value between the method MDL and PQL and that the reported concentration should be considered as estimated rather the quantitative</p> <p>NA - Not Analyzed</p> <p>N/A - Not Applicable</p> <p>ND - Not Detected at a concentration greater than the PQL/RL or, if reported to the MDL, at greater than the MDL.</p> <p>NR - Not recoverable - a matrix spike concentration is not recoverable due to a concentration within the original sample that is greater than four times the spike concentration added</p> <p>R- The % RPD between a duplicate set of samples is outside of the absolute values established by laboratory control charts</p> <p>S- Spike recovery is outside of established method and/or laboratory control limits. Further explanation of the use of this qualifier should be included within a case narrative</p> <p>X -Used to indicate that a value based on pattern identification is within the pattern range but not typical of the pattern found in standards. Further explanation may or may not be provided within the sample footnote and/or the case narrative.</p>



Sample Receipt Checklist

Client Name: Engeo (San Ramon)

Date and Time Received: 2/1/2021 10:07:00AM

Project Name: 905 N. Capitol Ave

Received By: ER

Work Order No.: 2102001

Physically Logged By: Katherene Evans

Checklist Completed By: Katherene Evans

Carrier Name: Client Drop Off

Chain of Custody (COC) Information

Chain of custody present? Yes
Chain of custody signed when relinquished and received? Yes
Chain of custody agrees with sample labels? Yes
Custody seals intact on sample bottles? Not Present

Sample Receipt Information

Custody seals intact on shipping container/cooler? Not Present
Shipping Container/Cooler In Good Condition? Yes
Samples in proper container/bottle? Yes
Samples containers intact? Yes
Sufficient sample volume for indicated test? Yes

Sample Preservation and Hold Time (HT) Information

All samples received within holding time? Yes
Container/Temp Blank temperature in compliance? Yes Temperature: 13.0 °C
Water-VOA vials have zero headspace? No VOA vials submitted
Water-pH acceptable upon receipt? N/A
pH Checked by: na pH Adjusted by: na

Comments:

Samples received on ice



Login Summary Report

Client ID: TL5123 Engeo (San Ramon)

QC Level: II

Project Name: 905 N. Capitol Ave

TAT Requested: 3 Day Std:3

Project # : 18124.000.001

Date Received: 2/1/2021

Report Due Date: 2/4/2021

Time Received: 10:07 am

Comments:

Work Order # : **2102001**

<u>WO Sample ID</u>	<u>Client Sample ID</u>	<u>Collection Date/Time</u>	<u>Matrix</u>	<u>Scheduled Disposal</u>	<u>Sample On Hold</u>	<u>Test On Hold</u>	<u>Requested Tests</u>	<u>Subbed</u>
2102001-001A	HA-3@1'	02/01/21 9:09	Soil	07/31/21			Homogenize Pest_S_8081OCP Met_S_As Pb	
Sample Note:	Pls report OCPs in mg/kg							
2102001-002A	HA-3@3'	02/01/21 9:11	Soil	07/31/21			Homogenize Pest_S_8081OCP Met_S_As Pb	
2102001-003A	HA-3@5'	02/01/21 9:13	Soil	07/31/21			Hold Samples	
2102001-004A	HA-4@1'	02/01/21 9:01	Soil	07/31/21			Homogenize Pest_S_8081OCP Met_S_As Pb	
2102001-005A	HA-4@3'	02/01/21 9:03	Soil	07/31/21			Homogenize Pest_S_8081OCP Met_S_As Pb	
2102001-006A	HA-4@5'	02/01/21 9:05	Soil	07/31/21			Hold Samples	
2102001-007A	HA-9@1'	02/01/21 7:55	Soil	07/31/21			Homogenize Pest_S_8081OCP Met_S_As Pb	
2102001-008A	HA-9@3'	02/01/21 7:56	Soil	07/31/21			Homogenize Pest_S_8081OCP Met_S_As Pb	
2102001-009A	HA-9@5'	02/01/21 7:58	Soil	07/31/21			Hold Samples	
2102001-010A	HA-10@1'	02/01/21 7:49	Soil	07/31/21			Homogenize Met_S_As Pb Pest_S_8081OCP	
2102001-011A	HA-10@3'	02/01/21 7:50	Soil	07/31/21			Homogenize Met_S_As Pb Pest_S_8081OCP	
2102001-012A	HA-10@5'	02/01/21 7:51	Soil	07/31/21			Hold Samples	



CHAIN OF CUSTODY RECORD

PROJECT NUMBER: 18124.000.001		PROJECT NAME: 905 N. Capital Ave														2102001	
SAMPLED BY: (SIGNATURE/PRINT) <i>Aryan Noroozi</i>														REMARKS REQUIRED DETECTION LIMITS			
PROJECT MANAGER: <i>Divya Bhargava</i>																	
ROUTING: E-MAIL <i>dbhargava@engeo.com</i> <i>twerts@engeo.com</i> Hard Copy																	
SAMPLE NUMBER	DATE	TIME	MATRIX	NUMBER OF CONTAINERS	CONTAINER SIZE	PRESERVATIVE	OCPS	LEAD	ARSENIC	TPH-g	VOCs	SVOCs	PCPs	CAM-17	TPH-dms		
<i>001A</i> HA-3@1'	<i>2/1/21</i>	<i>9:09</i>	<i>Soil</i>	<i>1</i>	<i>Liner</i>	<i>N/A</i>	<i>x</i>	<i>x</i>	<i>x</i>								
<i>002A</i> HA-3@3'		<i>9:11</i>					<i>x</i>	<i>x</i>	<i>x</i>								
<i>003A</i> HA-3@5'		<i>9:13</i>					—————→										<i>Hold</i>
<i>004A</i> HA-4@1'		<i>9:01</i>					<i>x</i>	<i>x</i>	<i>x</i>								
<i>005A</i> HA-4@3'		<i>9:03</i>					<i>x</i>	<i>x</i>	<i>x</i>								
<i>006A</i> HA-4@5'		<i>9:05</i>					—————→										<i>Hold</i>
<i>007A</i> HA-9@1'		<i>7:55</i>					<i>x</i>	<i>x</i>	<i>x</i>								
<i>008A</i> HA-9@3'		<i>7:56</i>					<i>x</i>	<i>x</i>	<i>x</i>								
<i>009A</i> HA-9@5'		<i>7:58</i>					—————→										<i>Hold</i>
<i>010A</i> HA-10@1'		<i>7:49</i>					<i>x</i>	<i>x</i>	<i>x</i>								
<i>011A</i> HA-10@3'		<i>7:50</i>					<i>x</i>	<i>x</i>	<i>x</i>								
<i>012A</i> HA-10@5'		<i>7:51</i>					—————→										<i>Hold</i>
<i>Relinquish</i>		<i>2/1/21</i>															
RELINQUISHED BY: (SIGNATURE) <i>Ken N</i>		DATE/TIME <i>2/1/21</i>	DATE/TIME <i>10:07</i>	RECEIVED BY: (SIGNATURE) <i>Muyal Zilipany</i>		RELINQUISHED BY: (SIGNATURE)		DATE/TIME		RECEIVED BY: (SIGNATURE)							
RELINQUISHED BY: (SIGNATURE)		DATE/TIME	DATE/TIME	RECEIVED BY: (SIGNATURE)		RELINQUISHED BY: (SIGNATURE)		DATE/TIME		RECEIVED BY: (SIGNATURE)							
RELINQUISHED BY: (SIGNATURE)		DATE/TIME	DATE/TIME	RECEIVED FOR LABORATORY BY: (SIGNATURE)		DATE/TIME	REMARKS	STANDARD TURNAROUND TIME									
							<i>Hold 5' Samples</i>										



6399 SAN IGNACIO AVENUE, SUITE 150
SAN JOSE, CALIFORNIA 95119
(408) 574-4900 FAX (888) 279-2698
WWW.ENGEO.COM

Fv: RSL

WJ

DISTRIBUTION: ORIGINAL ACCOMPANIES SHIPMENT; COPY TO PROJECT FIELD FILES



ASBESTOS TEM LABORATORIES, INC.

**CARB Method 435
Polarized Light Microscopy
Analytical Report**

Laboratory Job # 1244-00096

3431 Ettie St.
Oakland, CA 94608
(510) 704-8930
FAX (510) 704-8429



ASBESTOS TEM LABORATORIES, INC

CA DPH ELAP
Lab No. 1866



NVLAP Lab Code: 101891-0
Oakland, CA

Feb/18/2021

Kathie Evans
Torrent Laboratory, Inc.
483 Sinclair Frontage Road
Milpitas, CA 95035

RE: LABORATORY JOB # 1244-00096
Polarized light microscopy analytical results for 4 bulk sample(s).
Job Site:
Job No.:

Enclosed please find the bulk material analytical results for one or more samples submitted for asbestos analysis. The analyses were performed in accordance with the California Air Resources Board (ARB) Method 435 for the determination of asbestos in serpentine aggregate samples.

Prior to analysis, samples are logged-in and all data pertinent to the sample recorded. The samples are checked for damage or disruption of any chain-of-custody seals. A unique laboratory ID number is assigned to each sample. A hard copy log-in sheet containing all pertinent information concerning the sample is generated. This and all other relevant paper work are kept with the sample throughout the analytical procedures to assure proper analysis.

Sample preparation follows a standard CARB 435 prep method. The entire sample is dried at 135-150 C and then crushed to ~3/8" gravel size using a Bico Chipmunk crusher. If the submitted sample is >1 pint, the sample was split using a 1/2" riffle splitter following ASTM Method C-702-98 to obtain a 1 pint aliquot. The entire 1 pint aliquot, or entire original sample, is then pulverized in a Bico Braun disc pulverizer calibrated to produce a nominal 200 mesh final product. If necessary, additional homogenization steps are undertaken using a 3/8" riffle splitter. Small aliquots are collected from throughout the pulverized material to create three separate microscope slide mounts containing the appropriate refractive index oil. The prepared slides are placed under a polarizing light microscope where standard mineralogical techniques are used to analyze the various materials present, including asbestos. If asbestos is identified and of less than 10% concentration by visual area estimate then an additional five sample mounts are prepared. Quantification of asbestos concentration is obtained using the standard CAL ARB Method 435 point count protocol. For samples observed to contain visible asbestos of less than 10% concentration, a point counting technique is used with 50 points counted on each of eight sample mounts for a total of 400 points. The data is then compiled into standard report format and subjected to a thorough quality assurance check before the information is released to the client.

While the CARB 435 method has much to commend it, there are a number of situations where it fails to provide sufficient accuracy to make a definitive determination of the presence/absence of asbestos and/or an accurate count of the asbestos concentration present in a given sample. These problems include, but are not limited to, 1) statistical uncertainty with samples containing <1% asbestos when too few particles are counted, 2) definitive identification and discrimination between various fibrous amphibole minerals such as tremolite/actinolite/hornblende and the "Libby amphiboles" such as tremolite/winchite/richterite/arfvedsonite, and C) small asbestiform fibers which are near or below the resolution limit of the PLM microscope such as those found in various California coast range serpentine bodies. In these cases, further analysis by transmission electron microscopy is recommended to obtain a more accurate result.

Sincerely Yours,

Lab Manager
ASBESTOS TEM LABORATORIES, INC.

--- These results relate only to the samples tested and must not be reproduced, except in full, without the approval of the laboratory. ---

3431 Ettie St. • Oakland, CA 94608 • PH. (510) 704-8930 • FAX (510) 704-8429

With Branch Offices Located At: 1350 FREEPORT BLVD. UNIT 104, SPARKS, NV 89431

POLARIZED LIGHT MICROSCOPY CARB 435 ANALYTICAL REPORT

Contact: Kathie Evans	Samples Submitted: 4	Report No. 372288
Address: Torrent Laboratory, Inc. 483 Sinclair Frontage Road Milpitas, CA 95035	Samples Analyzed: 4	Date Submitted: Feb-10-21
	Job Site / No.	Date Reported: Feb-18-21

SAMPLE ID	POINTS COUNTED	ASBESTOS %	TYPE	LOCATION / DESCRIPTION
2102001-007A		<0.25%	None Detected	No Asbestos Detected
Lab ID # 1244-00096-001	400 - Total Points			
2102001-008A		<0.25%	None Detected	No Asbestos Detected
Lab ID # 1244-00096-002	400 - Total Points			
2102001-010A		<0.25%	None Detected	No Asbestos Detected
Lab ID # 1244-00096-003	400 - Total Points			
2102001-011A		<0.25%	None Detected	No Asbestos Detected
Lab ID # 1244-00096-004	400 - Total Points			
Lab ID #	- Total Points			
Lab ID #	- Total Points			
Lab ID #	- Total Points			
Lab ID #	- Total Points			
Lab ID #	- Total Points			

QC Reviewer *R. M. B...*
Asbestos TEM Laboratories, Inc.

Analys *Olara Dingman*
3431 Ettie St., Oakland, CA 94608 PH. (510) 704-8930

372288

CHAIN OF CUSTODY

483 Sinclair Frontage Road
Milpitas, CA 95035
Phone: 408.263.5258
FAX: 408.263.8293
www.torrentlab.com



LAB WORK ORDER NO
CoC210209001

NOTE: SHADED AREAS ARE FOR TORRENT LAB USE ONLY

Company Name: Torrent Laboratory, Inc.	Company Name: Asbestos TEM
Address: 483 Sinclair Frontage Road	Address: 3431 Ette St
City: Milpitas State: CA	City: Oakland State: CA
Telephone: 408.263.5258 FAX: 408.263.8293	Telephone: 5107048930 FAX:
Contact: Kathie Evans	Contact Name: Sample Receiving
Contact Email: pm@torrentlaboratory.com	Special Instructions/Comments: Pls analyze for Asbestos 400 pt count on a standard 1 week TAT. Thanks!
	P.O. #: 2102001 EMAIL:

TURNAROUND TIME: <input type="checkbox"/> 10 Work Days <input type="checkbox"/> 7 Work Days <input checked="" type="checkbox"/> 5 Work Days <input type="checkbox"/> 3 Work Days <input type="checkbox"/> 2 Work Days <input type="checkbox"/> 1 Work Days <input type="checkbox"/> Noon-Nxt Day <input type="checkbox"/> 2 - 8 Hours <input type="checkbox"/> Other	SAMPLE TYPE: Soil	REPORT FORMAT: <input type="checkbox"/> QC Level IV <input type="checkbox"/> EDF <input type="checkbox"/> ExceVEDD	ANALYSIS REQUESTED
--	-----------------------------	--	---------------------------

LAB ID	CLIENT'S SAMPLE I.D.	DATE/TIME SAMPLED	MATRIX	# OF CONT	CONT TYPE	REMARKS
	2102001-007A	2/1/202 17:55	Soil	1		Sub. Asb CAPB435 A ✓
	2102001-008A	2/1/202 17:56	Soil	1		✓
	2102001-010A	2/1/202 17:49	Soil	1		✓
	2102001-011A	2/1/202 17:50	Soil	1		✓

1 Relinquished By: <i>[Signature]</i>	Print: C-D. Imbarf	Date: 2-9-21	Time: 5:00	Received By: MB	Print:	Date: 2/16/21	Time: 10:50 AM
2 Relinquished By:	Print:	Date:	Time:	Received By:	Print:	Date:	Time:

Were Samples Received in Good Condition? YES NO Samples on Ice? YES NO Sample seals intact? YES NO N/A

NOTE: Samples are discarded by the laboratory 30 days from date of receipt unless other arrangements are made.

Log In By: _____ Date: _____ Log In Reviewed By: _____ Date: _____

APPENDIX B
UCL Worksheet

	A	B	C	D	E	F	G	H	I	J	K	L
1	Normal UCL Statistics for Uncensored Full Data Sets											
2												
3	User Selected Options											
4	Date/Time of Computation			ProUCL 5.18/10/2021 1:43:24 PM								
5	From File			WorkSheet.xls								
6	Full Precision			OFF								
7	Confidence Coefficient			95%								
8												
9												
10	DDE											
11												
12	General Statistics											
13	Total Number of Observations				42		Number of Distinct Observations				42	
14							Number of Missing Observations				0	
15	Minimum				0		Mean				0.474	
16	Maximum				2.443		Median				0.145	
17	SD				0.646		Std. Error of Mean				0.0998	
18	Coefficient of Variation				1.364		Skewness				1.692	
19												
20	Normal GOF Test											
21	Shapiro Wilk Test Statistic				0.717		Shapiro Wilk GOF Test					
22	5% Shapiro Wilk Critical Value				0.942		Data Not Normal at 5% Significance Level					
23	Lilliefors Test Statistic				0.232		Lilliefors GOF Test					
24	5% Lilliefors Critical Value				0.135		Data Not Normal at 5% Significance Level					
25	Data Not Normal at 5% Significance Level											
26												
27	Assuming Normal Distribution											
28	95% Normal UCL						95% UCLs (Adjusted for Skewness)					
29	95% Student's-t UCL				0.642		95% Adjusted-CLT UCL (Chen-1995)				0.666	
30							95% Modified-t UCL (Johnson-1978)				0.646	
31												
32	Suggested UCL to Use											
33	Data do not follow a Discernible Distribution, May want to try Nonparametric UCLs											
34												
35	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
36	Recommendations are based upon data size, data distribution, and skewness.											
37	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
38	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
39												

Project No.
18124.000.001

March 3, 2021

Ms. Kristen Gates, PE
Hanover R.S. Limited Partnership
1780 South Post Oak Lane
Houston, TX 77056

Subject: 905 N. Capitol Avenue – Townhomes Parcel
San Jose, California

PHASE II ENVIRONMENTAL SITE ASSESSMENT

Dear Ms. Gates:

We are pleased to submit the findings of our phase II environmental site assessment (ESA) performed at the subject property (Property) in San Jose, California. The purpose of this assessment was to evaluate potential impacts from past agricultural use of the Property.

LOCATION AND BACKGROUND

The Property located at 905 N. Capitol Avenue in San Jose, California (Figures 1 and 2). The approximately 3.9-acre Property is identified as APNs 254-290-028 (western parcel) and 254-290-026 (eastern parcel). This report focuses on the eastern parcel (APN 254-290-026), which is vacant vegetated land. We understand that townhomes are proposed for this parcel.

Arcadis and AEI previously conducted soil assessments at the Property (including both parcels). During AEI's soil assessment, no levels of pesticides above applicable screening levels were identified. The report provided did not include the laboratory data, figures, or data tables. The Arcadis report did not identify any pesticides above applicable screening levels; however, Arcadis identified one sample located on the eastern parcel (SS-9) with a concentration of lead (80.8 milligrams per kilograms) slightly above the residential screening level for lead (80 mg/kg).

FIELD EXPLORATION

Field sampling activities associated with the phase II ESA were performed on January 29, 2021. Prior to drilling, an ENGEO representative contacted USA North Service Alert for identification of underground utilities at the Property. A C-57 licensed drilling contractor was retained to advance soil borings at the Property.

Four borings were advanced to a depth of approximately 2 feet below ground surface (SS-10 through SS-13), as presented on Figure 2. One boring, S-11, was advanced in the approximate location of previous Boring SS-9 installed by Arcadis, where a slightly elevated concentration of lead was identified. Two soil samples were collected from each of the borings, at depths of 0 to 12 inches and 12 to 24 inches. The laboratory was instructed to hold the deeper samples pending results of the shallow samples.

The samples were labeled to indicate a unique sample number, sample location, time and date collected, and the sampler's identification. Samples were preserved in a chilled cooler and transported to Torrent Laboratory, Inc., a State-certified laboratory, in Milpitas, California under documented chain-of-custody. Four shallow soil samples were analyzed for organochlorine pesticides (OCPs) (EPA Method 8081), total arsenic and lead (EPA Method 6010).

ANALYTICAL RESULTS

Soil samples results were compared to the San Francisco Regional Water Quality Control Board's (RWQCB) Environmental Screenings Levels (ESLs) for residential land use¹. The reported concentrations for OCPs and lead are all below the applicable ESLs for residential soil. The reported arsenic concentrations are within typical naturally occurring background concentrations in the general vicinity of the Property. Following is a summary of the laboratory results.

- DDE concentrations ranged from 0.017 to 0.7 mg/kg, below the current residential screening level of 1.8 mg/kg.
- DDT concentrations ranged from 0.0404 to 0.172 mg/kg, below the current residential screening level of 1.9 mg/kg.
- Arsenic concentrations ranged from 5.1 to 6.1 mg/kg. Although results exceeded residential ESLs, concentrations are within background concentrations observed in the San Francisco Bay Area (11 mg/kg).
- Lead concentrations ranged from 11.4 to 38.8 mg/kg, which are below the current residential screening level of 80 mg/kg.


A summary of sample results is presented in Table A. The laboratory analytical report is presented in its entirety in Appendix A.

CONCLUSIONS

Based on the review of the laboratory test results, historical agricultural practices do not appear to have adversely impacted the eastern parcel of the Property. No further studies are warranted at this time.

Sincerely,

ENGEO Incorporated



Divya Bhargava, PE
db/sm/jf



Shawn Munger, CHG



Attachments: Figures 1 and 2
Table A - Summary of Soil Analytical Results
Torrent Laboratory, Inc. Laboratory Analytical Report

¹ San Francisco Regional Water Quality Control Board (Environmental Screening Levels (ESLs), Direct Exposure Human Health Risk Levels (Table S-1), Shallow Soil, Residential Exposure and Commercial/Industrial Exposure, January 2019, Rev 2.

FIGURES

Figure 1: Vicinity Map
Figure 2: Site D`Ub

COPYRIGHT © 2021 BY ENGEО INCORPORATED. THIS DOCUMENT MAY NOT BE REPRODUCED IN WHOLE OR IN PART BY ANY MEANS WHATSOEVER, NOR MAY IT BE QUOTED WITHOUT THE EXPRESS WRITTEN CONSENT OF ENGEО INCORPORATED.



BASEMAP SOURCE: ESRI MAPPING SERVICE 2019



VICINITY MAP
905 N. CAPITOL AVENUE
SAN JOSE, CALIFORNIA

PROJECT NO. : 18124.000.001

SCALE: AS SHOWN


DRAWN BY: MAT

CHECKED BY: DB

FIGURE NO.

1

COPYRIGHT © 2021 BY ENGEO INCORPORATED. THIS DOCUMENT MAY NOT BE REPRODUCED IN WHOLE OR IN PART BY ANY MEANS WHATSOEVER, NOR MAY IT BE QUOTED WITHOUT THE EXPRESS WRITTEN CONSENT OF ENGEO INCORPORATED.



EXPLANATION

ALL LOCATIONS ARE APPROXIMATE

- PROJECT SITE
- SOIL BORING (ENGEO, 2021)

BASEMAP SOURCE: GOOGLE EARTH WEB MAPPING SERVICE 2018



SITE PLAN
 905 N. CAPITOL AVENUE
 SAN JOSE, CALIFORNIA

PROJECT NO. : 18124.000.001	
SCALE: AS SHOWN	
DRAWN BY: MAT	CHECKED BY: DB

FIGURE NO.
2

TABLE A

Summary of Soil Analytical Results

Table A - Summary of Soil Sampling Results

Parameters	RWQCB Residential ESL (Jan 2019 Rev.2)	Sample Location	S-10 @ 0-12"	S-11 @ 0-12"	S-12 @ 0-12"	S-13 @ 0-12"
		Sample Date	1/29/2021	1/29/2021	1/29/2021	1/29/2021
		Media	Soil	Soil	Soil	Soil
		Units	Result	Result	Result	Result
Metals (SW6010B)						
Arsenic ¹	6.70E-02	mg/kg	5.25	6.1	5.1	5.15
Lead	8.00E+01	mg/kg	38.8	12.9	10.9	11.4
Organochlorine Pesticides (OCPs - SW8081)						
DDE	1.80E+00	mg/kg	0.017	0.353	0.439	0.7
DDT	1.90E+00	mg/kg	0.0404	0.102	0.0916	0.172

Notes:

BOLD - Exceeds the Laboratory Reporting Limits

¹ Even though arsenic concentrations exceed the residential ESL, reported concentrations are within background concentrations observed in the San Francisco Bay Area (11 mg/kg).

ND - non-detect

TORRENT LABORATORY, INC.

Laboratory Analytical Report



Engeo (San Ramon)
2010 Crow Canyon Place, #250
San Ramon, California 94583
Tel: (925) 866-9000
Fax: (925) 866-0199
RE: 905 N. Capitol Ave

Work Order No.: 2101287

Dear Divya Bhargava:

Torrent Laboratory, Inc. received 33 sample(s) on January 29, 2021 for the analyses presented in the following Report.

13 samples were submitted on hold.

All data for associated QC met EPA or laboratory specification(s) except where noted in the case narrative.

Torrent Laboratory, Inc. is certified by the State of California, ELAP #1991. If you have any questions regarding these test results, please feel free to contact the Project Management Team at (408)263-5258; ext 204.

A handwritten signature in blue ink that reads "Kathie Evans". The signature is written in a cursive style and is positioned above a horizontal line.

Kathie Evans
Project Manager

February 04, 2021

Date



Date: 2/4/2021

Client: Engeo (San Ramon)

Project: 905 N.Capitol Ave

Work Order: 2101287

CASE NARRATIVE

Unless otherwise indicated in the following narrative, no issues encountered with the receiving, preparation, analysis or reporting of the results associated with this work order.

Unless otherwise indicated in the following narrative, no results have been method and/or field blank corrected.

Reported results relate only to the items/samples tested by the laboratory.

This report shall not be reproduced, except in full, without the written approval of Torrent Laboratory, Inc.

Analytical Comment for method 6010B, Note: The spikes in the MS/MSD for Barium are not recoverable. The sample concentration is greater than 4X the spike concentration. No corrective action is required.

Analytical Comments for method 8015B(M), 2101287-003A MS/MSD, QC Preparation Batch ID 1128998, Note: The % recoveries for Diesel are outside of laboratory control limits but % RPD is within limits. The associated LCS/LCSD is within both % Recovery and %RPD limits. No corrective action required.

A MS/MSD was run for method 8081 but is not reportable due to the necessary dilution of the parent sample.



Sample Result Summary

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date Received: 01/29/21

Date Reported: 02/04/21

S-8@1' 2101287-002

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.30	6.20	mg/Kg
Barium	SW6010B	1	0.055	5.00	187	mg/Kg
Chromium	SW6010B	1	0.075	5.00	38.7	mg/Kg
Cobalt	SW6010B	1	0.070	5.00	11.1	mg/Kg
Copper	SW6010B	1	0.20	5.00	54.0	mg/Kg
Lead	SW6010B	1	0.10	3.00	14.6	mg/Kg
Nickel	SW6010B	1	0.50	5.00	52.5	mg/Kg
Vanadium	SW6010B	1	0.10	5.00	32.6	mg/Kg
Zinc	SW6010B	1	0.30	5.00	57.0	mg/Kg
TPH as Diesel (SG)	SW8015B	1	0.85	2.0	4.56	mg/Kg
TPH as Motor Oil (SG)	SW8015B	1	3.2	10	46.4	mg/Kg
4,4'-DDD	SW8081B	3	0.0017	0.0060	0.00469	mg/Kg
4,4'-DDT	SW8081B	3	0.00039	0.0060	0.0476	mg/Kg
4,4'-DDE	SW8081B	10	0.0019	0.020	0.241	mg/Kg

S-8@3' 2101287-003

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.30	5.80	mg/Kg
Barium	SW6010B	1	0.055	5.00	223	mg/Kg
Chromium	SW6010B	1	0.075	5.00	40.2	mg/Kg
Cobalt	SW6010B	1	0.070	5.00	11.8	mg/Kg
Copper	SW6010B	1	0.20	5.00	30.7	mg/Kg
Lead	SW6010B	1	0.10	3.00	9.05	mg/Kg
Nickel	SW6010B	1	0.50	5.00	55.5	mg/Kg
Vanadium	SW6010B	1	0.10	5.00	32.1	mg/Kg
Zinc	SW6010B	1	0.30	5.00	57.5	mg/Kg

S-9@1' 2101287-005

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.30	6.45	mg/Kg
Barium	SW6010B	1	0.055	5.00	188	mg/Kg
Chromium	SW6010B	1	0.075	5.00	42.7	mg/Kg
Cobalt	SW6010B	1	0.070	5.00	11.6	mg/Kg
Copper	SW6010B	1	0.20	5.00	47.0	mg/Kg
Lead	SW6010B	1	0.10	3.00	18.3	mg/Kg
Nickel	SW6010B	1	0.50	5.00	64.5	mg/Kg
Vanadium	SW6010B	1	0.10	5.00	33.5	mg/Kg
Zinc	SW6010B	1	0.30	5.00	182	mg/Kg
TPH as Diesel (SG)	SW8015B	1	0.85	2.0	2.07	mg/Kg
4,4'-DDD	SW8081B	3	0.0017	0.0060	0.00634	mg/Kg
4,4'-DDT	SW8081B	3	0.00039	0.0060	0.0985	mg/Kg
4,4'-DDE	SW8081B	10	0.0019	0.020	0.329	mg/Kg



Sample Result Summary

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date Received: 01/29/21

Date Reported: 02/04/21

S-9@3' 2101287-006

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.30	5.75	mg/Kg
Barium	SW6010B	1	0.055	5.00	192	mg/Kg
Chromium	SW6010B	1	0.075	5.00	38.8	mg/Kg
Cobalt	SW6010B	1	0.070	5.00	11.4	mg/Kg
Copper	SW6010B	1	0.20	5.00	32.7	mg/Kg
Lead	SW6010B	1	0.10	3.00	9.45	mg/Kg
Nickel	SW6010B	1	0.50	5.00	53.0	mg/Kg
Vanadium	SW6010B	1	0.10	5.00	33.6	mg/Kg
Zinc	SW6010B	1	0.30	5.00	57.5	mg/Kg
4,4'-DDE	SW8081B	1	0.00019	0.0020	0.0197	mg/Kg
4,4'-DDT	SW8081B	1	0.00013	0.0020	0.00370	mg/Kg

HA-1@1' 2101287-008

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.3	5.30	mg/Kg
Lead	SW6010B	1	0.12	3.0	17.3	mg/Kg
4,4'-DDE	SW8081B	20	0.0039	0.040	0.0623	mg/Kg
4,4'-DDT	SW8081B	20	0.0026	0.040	0.0313	mg/Kg

HA-1@2' 2101287-009

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.3	6.05	mg/Kg
Lead	SW6010B	1	0.12	3.0	8.95	mg/Kg
4,4'-DDE	SW8081B	3	0.00058	0.0060	0.00355	mg/Kg
4,4'-DDT	SW8081B	3	0.00039	0.0060	0.000864	mg/Kg

HA-2@1' 2101287-011

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.3	5.80	mg/Kg
Lead	SW6010B	1	0.12	3.0	11.0	mg/Kg
4,4'-DDD	SW8081B	3	0.0017	0.0060	0.0108	mg/Kg
4,4'-DDT	SW8081B	3	0.00039	0.0060	0.0669	mg/Kg
4,4'-DDE	SW8081B	10	0.0019	0.020	0.266	mg/Kg

HA-2@2' 2101287-012

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.3	6.35	mg/Kg
Lead	SW6010B	1	0.12	3.0	8.90	mg/Kg
4,4'-DDE	SW8081B	3	0.00058	0.0060	0.000804	mg/Kg



Sample Result Summary

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date Received: 01/29/21

Date Reported: 02/04/21

HA-5@1'

2101287-014

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.3	6.55	mg/Kg
Lead	SW6010B	1	0.12	3.0	14.9	mg/Kg
4,4'-DDE	SW8081B	10	0.0019	0.020	0.360	mg/Kg
4,4'-DDD	SW8081B	10	0.0057	0.020	0.0112	mg/Kg
4,4'-DDT	SW8081B	10	0.0013	0.020	0.0984	mg/Kg

HA-5@3'

2101287-015

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.3	6.45	mg/Kg
Lead	SW6010B	1	0.12	3.0	10.5	mg/Kg
4,4'-DDE	SW8081B	10	0.0019	0.020	0.0853	mg/Kg
4,4'-DDT	SW8081B	10	0.0013	0.020	0.0452	mg/Kg

HA-6@1'

2101287-017

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.3	6.65	mg/Kg
Lead	SW6010B	1	0.12	3.0	16.4	mg/Kg
4,4'-DDD	SW8081B	10	0.0057	0.020	0.0130	mg/Kg
4,4'-DDT	SW8081B	10	0.0013	0.020	0.533	mg/Kg
4,4'-DDE	SW8081B	30	0.0058	0.060	1.19	mg/Kg

HA-6@3'

2101287-018

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.3	6.25	mg/Kg
Lead	SW6010B	1	0.12	3.0	8.80	mg/Kg
4,4'-DDE	SW8081B	10	0.0019	0.020	0.0140	mg/Kg
4,4'-DDT	SW8081B	10	0.0013	0.020	0.00596	mg/Kg

HA-7@1'

2101287-020

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.3	6.15	mg/Kg
Lead	SW6010B	1	0.12	3.0	12.5	mg/Kg
4,4'-DDE	SW8081B	3	0.00058	0.0060	0.135	mg/Kg
4,4'-DDT	SW8081B	3	0.00039	0.0060	0.0236	mg/Kg

HA-7@3'

2101287-021

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.3	6.95	mg/Kg
Lead	SW6010B	1	0.12	3.0	9.00	mg/Kg
4,4'-DDE	SW8081B	3	0.00058	0.0060	0.00591	mg/Kg
4,4'-DDT	SW8081B	3	0.00039	0.0060	0.00115	mg/Kg



Sample Result Summary

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date Received: 01/29/21

Date Reported: 02/04/21

HA-8@1'

2101287-023

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.3	6.05	mg/Kg
Lead	SW6010B	1	0.12	3.0	14.3	mg/Kg
4,4'-DDE	SW8081B	20	0.0039	0.040	0.356	mg/Kg
4,4'-DDT	SW8081B	20	0.0026	0.040	0.0686	mg/Kg

HA-8@3'

2101287-024

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.3	5.90	mg/Kg
Lead	SW6010B	1	0.12	3.0	9.10	mg/Kg
4,4'-DDE	SW8081B	3	0.00058	0.0060	0.00169	mg/Kg

S-13@0-12"

2101287-026

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.3	5.15	mg/Kg
Lead	SW6010B	1	0.12	3.0	11.4	mg/Kg
4,4'-DDE	SW8081B	20	0.0039	0.040	0.700	mg/Kg
4,4'-DDT	SW8081B	20	0.0026	0.040	0.172	mg/Kg

S-10@0-12"

2101287-028

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.3	5.25	mg/Kg
Lead	SW6010B	1	0.12	3.0	38.8	mg/Kg
4,4'-DDE	SW8081B	10	0.0019	0.020	0.0170	mg/Kg
4,4'-DDT	SW8081B	10	0.0013	0.020	0.0404	mg/Kg

S-11@0-12"

2101287-030

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.3	6.10	mg/Kg
Lead	SW6010B	1	0.12	3.0	12.9	mg/Kg
4,4'-DDE	SW8081B	10	0.0019	0.020	0.353	mg/Kg
4,4'-DDT	SW8081B	10	0.0013	0.020	0.102	mg/Kg

S-12@0-12"

2101287-032

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Arsenic	SW6010B	1	0.15	1.3	5.10	mg/Kg
Lead	SW6010B	1	0.12	3.0	10.9	mg/Kg
4,4'-DDE	SW8081B	20	0.0039	0.040	0.439	mg/Kg
4,4'-DDT	SW8081B	20	0.0026	0.040	0.0916	mg/Kg



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
 Date Reported: 02/04/21

Client Sample ID:	S-8@1'	Lab Sample ID:	2101287-002A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:40		
SDG:			

Prep Method: 7471BP	Prep Batch Date/Time: 2/2/21	11:10:00AM
Prep Batch ID: 1128976	Prep Analyst: TNGU	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Mercury	SW7471B	1	0.083	0.50	ND		mg/Kg	02/03/21	11:08	BJAY	454034



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
 Date Reported: 02/04/21

Client Sample ID:	S-8@1'	Lab Sample ID:	2101287-002A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:40		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/2/21	11:00:00AM
Prep Batch ID: 1128978	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Antimony	SW6010B	1	0.050	5.00	ND		mg/Kg	02/03/21	16:06	TUAN	454018
Arsenic	SW6010B	1	0.15	1.30	6.20		mg/Kg	02/03/21	16:06	TUAN	454018
Barium	SW6010B	1	0.055	5.00	187		mg/Kg	02/03/21	16:06	TUAN	454018
Beryllium	SW6010B	1	0.055	5.00	ND		mg/Kg	02/03/21	16:06	TUAN	454018
Cadmium	SW6010B	1	0.10	5.00	ND		mg/Kg	02/03/21	16:06	TUAN	454018
Chromium	SW6010B	1	0.075	5.00	38.7		mg/Kg	02/03/21	16:06	TUAN	454018
Cobalt	SW6010B	1	0.070	5.00	11.1		mg/Kg	02/03/21	16:06	TUAN	454018
Copper	SW6010B	1	0.20	5.00	54.0		mg/Kg	02/03/21	16:06	TUAN	454018
Lead	SW6010B	1	0.10	3.00	14.6		mg/Kg	02/03/21	16:06	TUAN	454018
Molybdenum	SW6010B	1	0.050	5.00	ND		mg/Kg	02/03/21	16:06	TUAN	454018
Nickel	SW6010B	1	0.50	5.00	52.5		mg/Kg	02/03/21	16:06	TUAN	454018
Selenium	SW6010B	1	0.22	5.00	ND		mg/Kg	02/03/21	16:06	TUAN	454018
Silver	SW6010B	1	0.15	5.00	ND		mg/Kg	02/03/21	16:06	TUAN	454018
Thallium	SW6010B	1	0.55	5.00	ND		mg/Kg	02/03/21	16:06	TUAN	454018
Vanadium	SW6010B	1	0.10	5.00	32.6		mg/Kg	02/03/21	16:06	TUAN	454018
Zinc	SW6010B	1	0.30	5.00	57.0		mg/Kg	02/03/21	16:06	TUAN	454018



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-8@1'	Lab Sample ID:	2101287-002A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:40		
SDG:			

Prep Method: 3546_PCB	Prep Batch Date/Time: 2/2/21	1:42:00PM
Prep Batch ID: 1128984	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Aroclor1016	SW8082A	1	0.0350	0.100	ND		mg/Kg	02/02/21	23:37	MK	453996
Aroclor1221	SW8082A	1	0.00500	0.100	ND		mg/Kg	02/02/21	23:37	MK	453996
Aroclor1232	SW8082A	1	0.0170	0.100	ND		mg/Kg	02/02/21	23:37	MK	453996
Aroclor1242	SW8082A	1	0.00300	0.100	ND		mg/Kg	02/02/21	23:37	MK	453996
Aroclor1248	SW8082A	1	0.00200	0.100	ND		mg/Kg	02/02/21	23:37	MK	453996
Aroclor1254	SW8082A	1	0.0140	0.100	ND		mg/Kg	02/02/21	23:37	MK	453996
Aroclor1260	SW8082A	1	0.0240	0.100	ND		mg/Kg	02/02/21	23:37	MK	453996
Acceptance Limits											
TCMX (S)	SW8082A		48 - 125		90.0		%	02/02/21	23:37	MK	453996
DCBP (S)	SW8082A		48 - 135		87.0		%	02/02/21	23:37	MK	453996



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-8@1'	Lab Sample ID:	2101287-002A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:40		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/3/21	1:40:00PM
Prep Batch ID: 1129025	Prep Analyst:	HLEE

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	3	0.00038	0.0060	ND		mg/Kg	02/03/21	7:24	MK	454031
gamma-BHC (Lindane)	SW8081B	3	0.00048	0.0060	ND		mg/Kg	02/03/21	7:24	MK	454031
beta-BHC	SW8081B	3	0.00095	0.0060	ND		mg/Kg	02/03/21	7:24	MK	454031
delta-BHC	SW8081B	3	0.00047	0.0060	ND		mg/Kg	02/03/21	7:24	MK	454031
Heptachlor	SW8081B	3	0.00032	0.0060	ND		mg/Kg	02/03/21	7:24	MK	454031
Aldrin	SW8081B	3	0.00059	0.0060	ND		mg/Kg	02/03/21	7:24	MK	454031
Heptachlor Epoxide	SW8081B	3	0.00023	0.0060	ND		mg/Kg	02/03/21	7:24	MK	454031
gamma-Chlordane	SW8081B	3	0.00049	0.0060	ND		mg/Kg	02/03/21	7:24	MK	454031
alpha-Chlordane	SW8081B	3	0.00052	0.0060	ND		mg/Kg	02/03/21	7:24	MK	454031
Endosulfan I	SW8081B	3	0.00055	0.0060	ND		mg/Kg	02/03/21	7:24	MK	454031
Dieldrin	SW8081B	3	0.00044	0.0060	ND		mg/Kg	02/03/21	7:24	MK	454031
Endrin	SW8081B	3	0.00056	0.0060	ND		mg/Kg	02/03/21	7:24	MK	454031
4,4'-DDD	SW8081B	3	0.0017	0.0060	0.00469	J	mg/Kg	02/03/21	7:24	MK	454031
Endosulfan II	SW8081B	3	0.0017	0.0060	ND		mg/Kg	02/03/21	7:24	MK	454031
4,4'-DDT	SW8081B	3	0.00039	0.0060	0.0476		mg/Kg	02/03/21	7:24	MK	454031
Endrin Aldehyde	SW8081B	3	0.00045	0.0060	ND		mg/Kg	02/03/21	7:24	MK	454031
Methoxychlor	SW8081B	3	0.00060	0.0060	ND		mg/Kg	02/03/21	7:24	MK	454031
Endosulfan Sulfate	SW8081B	3	0.00035	0.0060	ND		mg/Kg	02/03/21	7:24	MK	454031
Endrin Ketone	SW8081B	3	0.00028	0.0060	ND		mg/Kg	02/03/21	7:24	MK	454031
Chlordane	SW8081B	3	0.0063	0.060	ND		mg/Kg	02/03/21	7:24	MK	454031
Toxaphene	SW8081B	3	0.026	0.15	ND		mg/Kg	02/03/21	7:24	MK	454031
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		70.6		%	02/03/21	7:24	MK	454031
DCBP (S)	SW8081B		38 - 135		61.7		%	02/03/21	7:24	MK	454031

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
 Date Reported: 02/04/21

Client Sample ID:	S-8@1'	Lab Sample ID:	2101287-002A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:40		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/3/21	1:40:00PM
Prep Batch ID: 1129025	Prep Analyst:	HLEE

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
4,4'-DDE	SW8081B	10	0.0019	0.020	0.241		mg/Kg	02/03/21	15:48	MK	454031

NOTE:



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-8@1'	Lab Sample ID:	2101287-002A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:40		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
N-Nitrosodimethylamine	SW8270C	1	0.0469	0.720	ND		mg/Kg	02/03/21	0:05	MT	453975
Phenol	SW8270C	1	0.0438	0.288	ND		mg/Kg	02/03/21	0:05	MT	453975
Bis(2-chloroethyl)ether	SW8270C	1	0.0133	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
2-Chlorophenol	SW8270C	1	0.0477	0.288	ND		mg/Kg	02/03/21	0:05	MT	453975
1,3-Dichlorobenzene	SW8270C	1	0.0131	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
1,4-Dichlorobenzene	SW8270C	1	0.0146	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Benzyl Alcohol	SW8270C	1	0.0205	0.288	ND		mg/Kg	02/03/21	0:05	MT	453975
1,2-Dichlorobenzene	SW8270C	1	0.0135	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
2-Methylphenol (o-Cresol)	SW8270C	1	0.0293	0.288	ND		mg/Kg	02/03/21	0:05	MT	453975
N-Methyl-2-Pyrrolidone (NMP)	SW8270C	1	0.0680	0.720	ND		mg/Kg	02/03/21	0:05	MT	453975
3-/4-Methylphenol (p-/m-Cresol)	SW8270C	1	0.0313	0.288	ND		mg/Kg	02/03/21	0:05	MT	453975
N-nitroso-di-n-propylamine	SW8270C	1	0.0132	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Hexachloroethane	SW8270C	1	0.0171	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Nitrobenzene	SW8270C	1	0.0128	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Isophorone	SW8270C	1	0.0122	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
2-Nitrophenol	SW8270C	1	0.0254	0.288	ND		mg/Kg	02/03/21	0:05	MT	453975
2,4-Dimethylphenol	SW8270C	1	0.0228	0.288	ND		mg/Kg	02/03/21	0:05	MT	453975
Benzoic Acid	SW8270C	1	0.0417	0.288	ND		mg/Kg	02/03/21	0:05	MT	453975
Bis(2-Chloroethoxy)methane	SW8270C	1	0.00979	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Bis(2-chloroisopropyl)ether	SW8270C	1	0.0126	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
2,4-Dichlorophenol	SW8270C	1	0.0393	0.288	ND		mg/Kg	02/03/21	0:05	MT	453975
1,2,4-Trichlorobenzene	SW8270C	1	0.0118	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Naphthalene	SW8270C	1	0.0106	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
2,6-Dichlorophenol	SW8270C	1	0.0358	0.288	ND		mg/Kg	02/03/21	0:05	MT	453975
Hexachloro-1,3-butadiene	SW8270C	1	0.00834	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
4-Chloro-3-methylphenol	SW8270C	1	0.0338	0.288	ND		mg/Kg	02/03/21	0:05	MT	453975
2-Methylnaphthalene	SW8270C	1	0.0104	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
1-Methylnaphthalene	SW8270C	1	0.0122	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Hexachlorocyclopentadiene	SW8270C	1	0.0129	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
2,4,6-Trichlorophenol	SW8270C	1	0.0359	0.288	ND		mg/Kg	02/03/21	0:05	MT	453975
2,4,5-Trichlorophenol	SW8270C	1	0.0334	0.288	ND		mg/Kg	02/03/21	0:05	MT	453975
2-Chloronaphthalene	SW8270C	1	0.0106	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
1,4-Dinitrobenzene	SW8270C	1	0.0103	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Dimethyl phthalate	SW8270C	1	0.0142	0.720	ND		mg/Kg	02/03/21	0:05	MT	453975
1,3-Dinitrobenzene	SW8270C	1	0.0104	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Acenaphthylene	SW8270C	1	0.00828	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
2,6-Dinitrotoluene	SW8270C	1	0.0113	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
1,2-Dinitrobenzene	SW8270C	1	0.0158	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Acenaphthene	SW8270C	1	0.0107	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-8@1'	Lab Sample ID:	2101287-002A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:40		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
2,4-Dinitrophenol	SW8270C	1	0.0776	0.720	ND		mg/Kg	02/03/21	0:05	MT	453975
4-Nitrophenol	SW8270C	1	0.0547	0.720	ND		mg/Kg	02/03/21	0:05	MT	453975
Dibenzofuran	SW8270C	1	0.0112	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
2,4-Dinitrotoluene	SW8270C	1	0.0121	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
2,3,5,6-Tetrachlorophenol	SW8270C	1	0.0276	0.288	ND		mg/Kg	02/03/21	0:05	MT	453975
2,3,4,6-Tetrachlorophenol	SW8270C	1	0.0315	0.288	ND		mg/Kg	02/03/21	0:05	MT	453975
Diethylphthalate	SW8270C	1	0.0136	0.720	ND		mg/Kg	02/03/21	0:05	MT	453975
Fluorene	SW8270C	1	0.0103	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
4-Chlorophenyl-phenylether	SW8270C	1	0.00932	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
4,6-Dinitro-2-methylphenol	SW8270C	1	0.0134	0.288	ND		mg/Kg	02/03/21	0:05	MT	453975
Diphenylamine	SW8270C	1	0.0130	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Azobenzene	SW8270C	1	0.114	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
4-Bromophenyl-phenylether	SW8270C	1	0.00823	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Hexachlorobenzene	SW8270C	1	0.00866	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Pentachlorophenol	SW8270C	1	0.0250	0.288	ND		mg/Kg	02/03/21	0:05	MT	453975
Phenanthrene	SW8270C	1	0.00932	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Anthracene	SW8270C	1	0.00891	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Carbazole	SW8270C	1	0.0107	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Di-n-butylphthalate	SW8270C	1	0.0135	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Fluoranthene	SW8270C	1	0.01000	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Benzidine	SW8270C	1	0.147	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Pyrene	SW8270C	1	0.0120	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Butylbenzylphthalate	SW8270C	1	0.0210	0.720	ND		mg/Kg	02/03/21	0:05	MT	453975
Benzo(a)anthracene	SW8270C	1	0.00980	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
3,3-Dichlorobenzidine	SW8270C	1	0.118	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Chrysene	SW8270C	1	0.0152	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Bis(2-Ethylhexyl)phthalate	SW8270C	1	0.0153	0.720	ND		mg/Kg	02/03/21	0:05	MT	453975
Di-n-Octylphthalate	SW8270C	1	0.0123	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Benzo(b)fluorathene	SW8270C	1	0.0120	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
benzo(k)fluorathene	SW8270C	1	0.00816	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Benzo(a)pyrene	SW8270C	1	0.00980	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Indeno(1,2,3-c,d)pyrene	SW8270C	1	0.0138	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Dibenzo(a,h)anthracene	SW8270C	1	0.0127	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Benzo(g,h,i)perylene	SW8270C	1	0.0167	0.144	ND		mg/Kg	02/03/21	0:05	MT	453975
Pyridine	SW8270C	1	0.0438	0.720	ND		mg/Kg	02/03/21	0:05	MT	453975
Acceptance Limits											
2-Fluorophenol (S)	SW8270C		25 - 121		35.7		%	02/03/21	0:05	MT	453975
Phenol-d6 (S)	SW8270C		24 - 113		37.9		%	02/03/21	0:05	MT	453975
2,4,6-Tribromophenol (S)	SW8270C		19 - 122		37.4		%	02/03/21	0:05	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
 Date Reported: 02/04/21

Client Sample ID:	S-8@1'	Lab Sample ID:	2101287-002A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:40		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
2-Fluorobiphenyl (S)	SW8270C		45 - 143		45.5		%	02/03/21	0:05	MT	453975
Nitrobenzene-d5 (S)	SW8270C		23 - 120		44.8		%	02/03/21	0:05	MT	453975
Terphenyl-d14 (S)	SW8270C		18 - 137		46.3		%	02/03/21	0:05	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
 Date Reported: 02/04/21

Client Sample ID:	S-8@1'	Lab Sample ID:	2101287-002A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:40		
SDG:			

Prep Method: 3546_TPHSG	Prep Batch Date/Time: 2/2/21	4:34:00PM
Prep Batch ID: 1128998	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
TPH as Diesel (SG)	SW8015B	1	0.85	2.0	4.56	x	mg/Kg	02/03/21	21:36	SN	454044
TPH as Motor Oil (SG)	SW8015B	1	3.2	10	46.4		mg/Kg	02/03/21	21:36	SN	454044
			Acceptance Limits								
Pentacosane (S)	SW8015B		40 - 129		62.8		%	02/03/21	21:36	SN	454044

NOTE: x-Diesel value the result of overlap of Oil range into Diesel range



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-8@1'	Lab Sample ID:	2101287-002A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:40		
SDG:			

Prep Method: 5035	Prep Batch Date/Time: 2/2/21	11:26:00AM
Prep Batch ID: 1129020	Prep Analyst:	ADEB

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Dichlorodifluoromethane	SW8260B	1	0.0012	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Chloromethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Vinyl Chloride	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Bromomethane	SW8260B	1	0.0027	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Chloroethane	SW8260B	1	0.0030	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Trichlorofluoromethane	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
1,1-Dichloroethene	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Freon 113	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Methylene Chloride	SW8260B	1	0.0071	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
trans-1,2-Dichloroethene	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
MTBE	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
TBA	SW8260B	1	0.012	0.050	ND		mg/Kg	02/02/21	18:13	AD	454001
Diisopropyl ether	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
1,1-Dichloroethane	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Ethyl tert-Butyl ether	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
cis-1,2-Dichloroethene	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
2,2-Dichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Bromochloromethane	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Chloroform	SW8260B	1	0.0024	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Carbon Tetrachloride	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
1,1,1-Trichloroethane	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
1,1-Dichloropropene	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Benzene	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
TAME	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
1,2-Dichloroethane	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Trichloroethylene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Dibromomethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
1,2-Dichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Bromodichloromethane	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
cis-1,3-Dichloropropene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Toluene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Tetrachloroethylene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
trans-1,3-Dichloropropene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
1,1,2-Trichloroethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Dibromochloromethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
1,3-Dichloropropane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
1,2-Dibromoethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Chlorobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Ethylbenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-8@1'	Lab Sample ID:	2101287-002A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:40		
SDG:			

Prep Method: 5035	Prep Batch Date/Time: 2/2/21	11:26:00AM
Prep Batch ID: 1129020	Prep Analyst:	ADEB

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
1,1,1,2-Tetrachloroethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
m,p-Xylene	SW8260B	1	0.0032	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
o-Xylene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Styrene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Bromoform	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Isopropyl Benzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
n-Propylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Bromobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
1,1,2,2-Tetrachloroethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
2-Chlorotoluene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
1,3,5-Trimethylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
1,2,3-Trichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
4-Chlorotoluene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
tert-Butylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
1,2,4-Trimethylbenzene	SW8260B	1	0.0014	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
sec-Butyl Benzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
p-Isopropyltoluene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
1,3-Dichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
1,4-Dichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
n-Butylbenzene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
1,2-Dichlorobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
1,2-Dibromo-3-Chloropropane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Hexachlorobutadiene	SW8260B	1	0.0014	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
1,2,4-Trichlorobenzene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
Naphthalene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
1,2,3-Trichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	18:13	AD	454001
2-Butanone	SW8260B	1	0.0023	0.0100	ND		mg/Kg	02/02/21	18:13	AD	454001
(S) Dibromofluoromethane	SW8260B		59.8 - 148		77.7		%	02/02/21	18:13	AD	454001
(S) Toluene-d8	SW8260B		55.2 - 133		98.4		%	02/02/21	18:13	AD	454001
(S) 4-Bromofluorobenzene	SW8260B		55.8 - 141		87.5		%	02/02/21	18:13	AD	454001



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
 Date Reported: 02/04/21

Client Sample ID:	S-8@1'	Lab Sample ID:	2101287-002A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:40		
SDG:			

Prep Method: 5035GRO	Prep Batch Date/Time: 2/3/21	12:43:00PM
Prep Batch ID: 1129021	Prep Analyst:	ADEB

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
TPH as Gasoline	8260TPH	1	0.043	0.10	ND		mg/Kg	02/02/21	18:13	AD	454001
(S) 4-Bromofluorobenzene	8260TPH		43.9 - 127		84.9		%	02/02/21	18:13	AD	454001



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
 Date Reported: 02/04/21

Client Sample ID:	S-8@3'	Lab Sample ID:	2101287-003A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:43		
SDG:			

Prep Method: 7471BP	Prep Batch Date/Time: 2/2/21	11:10:00AM
Prep Batch ID: 1128976	Prep Analyst: TNGU	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Mercury	SW7471B	1	0.083	0.50	ND		mg/Kg	02/03/21	11:13	BJAY	454034



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-8@3'	Lab Sample ID:	2101287-003A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:43		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/2/21	11:00:00AM
Prep Batch ID: 1128978	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Antimony	SW6010B	1	0.050	5.00	ND		mg/Kg	02/03/21	16:12	TUAN	454018
Arsenic	SW6010B	1	0.15	1.30	5.80		mg/Kg	02/03/21	16:12	TUAN	454018
Barium	SW6010B	1	0.055	5.00	223		mg/Kg	02/03/21	16:12	TUAN	454018
Beryllium	SW6010B	1	0.055	5.00	ND		mg/Kg	02/03/21	16:12	TUAN	454018
Cadmium	SW6010B	1	0.10	5.00	ND		mg/Kg	02/03/21	16:12	TUAN	454018
Chromium	SW6010B	1	0.075	5.00	40.2		mg/Kg	02/03/21	16:12	TUAN	454018
Cobalt	SW6010B	1	0.070	5.00	11.8		mg/Kg	02/03/21	16:12	TUAN	454018
Copper	SW6010B	1	0.20	5.00	30.7		mg/Kg	02/03/21	16:12	TUAN	454018
Lead	SW6010B	1	0.10	3.00	9.05		mg/Kg	02/03/21	16:12	TUAN	454018
Molybdenum	SW6010B	1	0.050	5.00	ND		mg/Kg	02/03/21	16:12	TUAN	454018
Nickel	SW6010B	1	0.50	5.00	55.5		mg/Kg	02/03/21	16:12	TUAN	454018
Selenium	SW6010B	1	0.22	5.00	ND		mg/Kg	02/03/21	16:12	TUAN	454018
Silver	SW6010B	1	0.15	5.00	ND		mg/Kg	02/03/21	16:12	TUAN	454018
Thallium	SW6010B	1	0.55	5.00	ND		mg/Kg	02/03/21	16:12	TUAN	454018
Vanadium	SW6010B	1	0.10	5.00	32.1		mg/Kg	02/03/21	16:12	TUAN	454018
Zinc	SW6010B	1	0.30	5.00	57.5		mg/Kg	02/03/21	16:12	TUAN	454018



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-8@3'	Lab Sample ID:	2101287-003A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:43		
SDG:			

Prep Method: 3546_PCB	Prep Batch Date/Time: 2/2/21	1:42:00PM
Prep Batch ID: 1128984	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Aroclor1016	SW8082A	1	0.0350	0.100	ND		mg/Kg	02/02/21	23:52	MK	453996
Aroclor1221	SW8082A	1	0.00500	0.100	ND		mg/Kg	02/02/21	23:52	MK	453996
Aroclor1232	SW8082A	1	0.0170	0.100	ND		mg/Kg	02/02/21	23:52	MK	453996
Aroclor1242	SW8082A	1	0.00300	0.100	ND		mg/Kg	02/02/21	23:52	MK	453996
Aroclor1248	SW8082A	1	0.00200	0.100	ND		mg/Kg	02/02/21	23:52	MK	453996
Aroclor1254	SW8082A	1	0.0140	0.100	ND		mg/Kg	02/02/21	23:52	MK	453996
Aroclor1260	SW8082A	1	0.0240	0.100	ND		mg/Kg	02/02/21	23:52	MK	453996
Acceptance Limits											
TCMX (S)	SW8082A		48 - 125		69.0		%	02/02/21	23:52	MK	453996
DCBP (S)	SW8082A		48 - 135		80.0		%	02/02/21	23:52	MK	453996



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-8@3'	Lab Sample ID:	2101287-003A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:43		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/3/21	1:40:00PM
Prep Batch ID: 1129025	Prep Analyst: HLEE	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
alpha-BHC	SW8081B	1	0.00013	0.0020	ND		mg/Kg	02/03/21	7:38	MK	454031
gamma-BHC (Lindane)	SW8081B	1	0.00016	0.0020	ND		mg/Kg	02/03/21	7:38	MK	454031
beta-BHC	SW8081B	1	0.00032	0.0020	ND		mg/Kg	02/03/21	7:38	MK	454031
delta-BHC	SW8081B	1	0.00016	0.0020	ND		mg/Kg	02/03/21	7:38	MK	454031
Heptachlor	SW8081B	1	0.00011	0.0020	ND		mg/Kg	02/03/21	7:38	MK	454031
Aldrin	SW8081B	1	0.00020	0.0020	ND		mg/Kg	02/03/21	7:38	MK	454031
Heptachlor Epoxide	SW8081B	1	0.000078	0.0020	ND		mg/Kg	02/03/21	7:38	MK	454031
gamma-Chlordane	SW8081B	1	0.00016	0.0020	ND		mg/Kg	02/03/21	7:38	MK	454031
alpha-Chlordane	SW8081B	1	0.00017	0.0020	ND		mg/Kg	02/03/21	7:38	MK	454031
4,4'-DDE	SW8081B	1	0.00019	0.0020	ND		mg/Kg	02/03/21	7:38	MK	454031
Endosulfan I	SW8081B	1	0.00018	0.0020	ND		mg/Kg	02/03/21	7:38	MK	454031
Dieldrin	SW8081B	1	0.00015	0.0020	ND		mg/Kg	02/03/21	7:38	MK	454031
Endrin	SW8081B	1	0.00019	0.0020	ND		mg/Kg	02/03/21	7:38	MK	454031
4,4'-DDD	SW8081B	1	0.00057	0.0020	ND		mg/Kg	02/03/21	7:38	MK	454031
Endosulfan II	SW8081B	1	0.00058	0.0020	ND		mg/Kg	02/03/21	7:38	MK	454031
4,4'-DDT	SW8081B	1	0.00013	0.0020	ND		mg/Kg	02/03/21	7:38	MK	454031
Endrin Aldehyde	SW8081B	1	0.00015	0.0020	ND		mg/Kg	02/03/21	7:38	MK	454031
Methoxychlor	SW8081B	1	0.00020	0.0020	ND		mg/Kg	02/03/21	7:38	MK	454031
Endosulfan Sulfate	SW8081B	1	0.00012	0.0020	ND		mg/Kg	02/03/21	7:38	MK	454031
Endrin Ketone	SW8081B	1	0.000094	0.0020	ND		mg/Kg	02/03/21	7:38	MK	454031
Chlordane	SW8081B	1	0.0021	0.020	ND		mg/Kg	02/03/21	7:38	MK	454031
Toxaphene	SW8081B	1	0.0085	0.050	ND		mg/Kg	02/03/21	7:38	MK	454031
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		60.2		%	02/03/21	7:38	MK	454031
DCBP (S)	SW8081B		38 - 135		63.2		%	02/03/21	7:38	MK	454031



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-8@3'	Lab Sample ID:	2101287-003A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:43		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
N-Nitrosodimethylamine	SW8270C	1	0.0469	0.720	ND		mg/Kg	02/03/21	0:35	MT	453975
Phenol	SW8270C	1	0.0438	0.288	ND		mg/Kg	02/03/21	0:35	MT	453975
Bis(2-chloroethyl)ether	SW8270C	1	0.0133	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
2-Chlorophenol	SW8270C	1	0.0477	0.288	ND		mg/Kg	02/03/21	0:35	MT	453975
1,3-Dichlorobenzene	SW8270C	1	0.0131	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
1,4-Dichlorobenzene	SW8270C	1	0.0146	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Benzyl Alcohol	SW8270C	1	0.0205	0.288	ND		mg/Kg	02/03/21	0:35	MT	453975
1,2-Dichlorobenzene	SW8270C	1	0.0135	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
2-Methylphenol (o-Cresol)	SW8270C	1	0.0293	0.288	ND		mg/Kg	02/03/21	0:35	MT	453975
N-Methyl-2-Pyrrolidone (NMP)	SW8270C	1	0.0680	0.720	ND		mg/Kg	02/03/21	0:35	MT	453975
3-/4-Methylphenol (p-/m-Cresol)	SW8270C	1	0.0313	0.288	ND		mg/Kg	02/03/21	0:35	MT	453975
N-nitroso-di-n-propylamine	SW8270C	1	0.0132	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Hexachloroethane	SW8270C	1	0.0171	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Nitrobenzene	SW8270C	1	0.0128	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Isophorone	SW8270C	1	0.0122	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
2-Nitrophenol	SW8270C	1	0.0254	0.288	ND		mg/Kg	02/03/21	0:35	MT	453975
2,4-Dimethylphenol	SW8270C	1	0.0228	0.288	ND		mg/Kg	02/03/21	0:35	MT	453975
Benzoic Acid	SW8270C	1	0.0417	0.288	ND		mg/Kg	02/03/21	0:35	MT	453975
Bis(2-Chloroethoxy)methane	SW8270C	1	0.00979	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Bis(2-chloroisopropyl)ether	SW8270C	1	0.0126	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
2,4-Dichlorophenol	SW8270C	1	0.0393	0.288	ND		mg/Kg	02/03/21	0:35	MT	453975
1,2,4-Trichlorobenzene	SW8270C	1	0.0118	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Naphthalene	SW8270C	1	0.0106	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
2,6-Dichlorophenol	SW8270C	1	0.0358	0.288	ND		mg/Kg	02/03/21	0:35	MT	453975
Hexachloro-1,3-butadiene	SW8270C	1	0.00834	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
4-Chloro-3-methylphenol	SW8270C	1	0.0338	0.288	ND		mg/Kg	02/03/21	0:35	MT	453975
2-Methylnaphthalene	SW8270C	1	0.0104	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
1-Methylnaphthalene	SW8270C	1	0.0122	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Hexachlorocyclopentadiene	SW8270C	1	0.0129	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
2,4,6-Trichlorophenol	SW8270C	1	0.0359	0.288	ND		mg/Kg	02/03/21	0:35	MT	453975
2,4,5-Trichlorophenol	SW8270C	1	0.0334	0.288	ND		mg/Kg	02/03/21	0:35	MT	453975
2-Chloronaphthalene	SW8270C	1	0.0106	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
1,4-Dinitrobenzene	SW8270C	1	0.0103	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Dimethyl phthalate	SW8270C	1	0.0142	0.720	ND		mg/Kg	02/03/21	0:35	MT	453975
1,3-Dinitrobenzene	SW8270C	1	0.0104	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Acenaphthylene	SW8270C	1	0.00828	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
2,6-Dinitrotoluene	SW8270C	1	0.0113	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
1,2-Dinitrobenzene	SW8270C	1	0.0158	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Acenaphthene	SW8270C	1	0.0107	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-8@3'	Lab Sample ID:	2101287-003A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:43		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
2,4-Dinitrophenol	SW8270C	1	0.0776	0.720	ND		mg/Kg	02/03/21	0:35	MT	453975
4-Nitrophenol	SW8270C	1	0.0547	0.720	ND		mg/Kg	02/03/21	0:35	MT	453975
Dibenzofuran	SW8270C	1	0.0112	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
2,4-Dinitrotoluene	SW8270C	1	0.0121	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
2,3,5,6-Tetrachlorophenol	SW8270C	1	0.0276	0.288	ND		mg/Kg	02/03/21	0:35	MT	453975
2,3,4,6-Tetrachlorophenol	SW8270C	1	0.0315	0.288	ND		mg/Kg	02/03/21	0:35	MT	453975
Diethylphthalate	SW8270C	1	0.0136	0.720	ND		mg/Kg	02/03/21	0:35	MT	453975
Fluorene	SW8270C	1	0.0103	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
4-Chlorophenyl-phenylether	SW8270C	1	0.00932	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
4,6-Dinitro-2-methylphenol	SW8270C	1	0.0134	0.288	ND		mg/Kg	02/03/21	0:35	MT	453975
Diphenylamine	SW8270C	1	0.0130	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Azobenzene	SW8270C	1	0.114	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
4-Bromophenyl-phenylether	SW8270C	1	0.00823	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Hexachlorobenzene	SW8270C	1	0.00866	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Pentachlorophenol	SW8270C	1	0.0250	0.288	ND		mg/Kg	02/03/21	0:35	MT	453975
Phenanthrene	SW8270C	1	0.00932	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Anthracene	SW8270C	1	0.00891	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Carbazole	SW8270C	1	0.0107	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Di-n-butylphthalate	SW8270C	1	0.0135	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Fluoranthene	SW8270C	1	0.01000	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Benzidine	SW8270C	1	0.147	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Pyrene	SW8270C	1	0.0120	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Butylbenzylphthalate	SW8270C	1	0.0210	0.720	ND		mg/Kg	02/03/21	0:35	MT	453975
Benzo(a)anthracene	SW8270C	1	0.00980	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
3,3-Dichlorobenzidine	SW8270C	1	0.118	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Chrysene	SW8270C	1	0.0152	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Bis(2-Ethylhexyl)phthalate	SW8270C	1	0.0153	0.720	ND		mg/Kg	02/03/21	0:35	MT	453975
Di-n-Octylphthalate	SW8270C	1	0.0123	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Benzo(b)fluorathene	SW8270C	1	0.0120	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
benzo(k)fluorathene	SW8270C	1	0.00816	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Benzo(a)pyrene	SW8270C	1	0.00980	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Indeno(1,2,3-c,d)pyrene	SW8270C	1	0.0138	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Dibenzo(a,h)anthracene	SW8270C	1	0.0127	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Benzo(g,h,i)perylene	SW8270C	1	0.0167	0.144	ND		mg/Kg	02/03/21	0:35	MT	453975
Pyridine	SW8270C	1	0.0438	0.720	ND		mg/Kg	02/03/21	0:35	MT	453975
Acceptance Limits											
2-Fluorophenol (S)	SW8270C		25 - 121		67.3		%	02/03/21	0:35	MT	453975
Phenol-d6 (S)	SW8270C		24 - 113		71.0		%	02/03/21	0:35	MT	453975
2,4,6-Tribromophenol (S)	SW8270C		19 - 122		80.7		%	02/03/21	0:35	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
 Date Reported: 02/04/21

Client Sample ID:	S-8@3'	Lab Sample ID:	2101287-003A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:43		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
2-Fluorobiphenyl (S)	SW8270C		45 - 143		80.9		%	02/03/21	0:35	MT	453975
Nitrobenzene-d5 (S)	SW8270C		23 - 120		73.7		%	02/03/21	0:35	MT	453975
Terphenyl-d14 (S)	SW8270C		18 - 137		87.5		%	02/03/21	0:35	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
 Date Reported: 02/04/21

Client Sample ID:	S-8@3'	Lab Sample ID:	2101287-003A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:43		
SDG:			

Prep Method: 3546_TPHSG	Prep Batch Date/Time: 2/2/21	4:34:00PM
Prep Batch ID: 1128998	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
TPH as Diesel (SG)	SW8015B	1	0.85	2.0	ND		mg/Kg	02/03/21	21:59	SN	454044
TPH as Motor Oil (SG)	SW8015B	1	3.2	10	ND		mg/Kg	02/03/21	21:59	SN	454044
			Acceptance Limits								
Pentacosane (S)	SW8015B		40 - 129		54.7		%	02/03/21	21:59	SN	454044



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-8@3'	Lab Sample ID:	2101287-003A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:43		
SDG:			

Prep Method: 5035	Prep Batch Date/Time: 2/2/21 11:26:00AM
Prep Batch ID: 1129020	Prep Analyst: ADEB

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Dichlorodifluoromethane	SW8260B	1	0.0012	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Chloromethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Vinyl Chloride	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Bromomethane	SW8260B	1	0.0027	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Chloroethane	SW8260B	1	0.0030	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Trichlorofluoromethane	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
1,1-Dichloroethene	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Freon 113	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Methylene Chloride	SW8260B	1	0.0071	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
trans-1,2-Dichloroethene	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
MTBE	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
TBA	SW8260B	1	0.012	0.050	ND		mg/Kg	02/02/21	18:42	AD	454001
Diisopropyl ether	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
1,1-Dichloroethane	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Ethyl tert-Butyl ether	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
cis-1,2-Dichloroethene	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
2,2-Dichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Bromochloromethane	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Chloroform	SW8260B	1	0.0024	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Carbon Tetrachloride	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
1,1,1-Trichloroethane	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
1,1-Dichloropropene	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Benzene	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
TAME	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
1,2-Dichloroethane	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Trichloroethylene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Dibromomethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
1,2-Dichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Bromodichloromethane	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
cis-1,3-Dichloropropene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Toluene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Tetrachloroethylene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
trans-1,3-Dichloropropene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
1,1,2-Trichloroethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Dibromochloromethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
1,3-Dichloropropane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
1,2-Dibromoethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Chlorobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Ethylbenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-8@3'	Lab Sample ID:	2101287-003A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:43		
SDG:			

Prep Method: 5035	Prep Batch Date/Time: 2/2/21	11:26:00AM
Prep Batch ID: 1129020	Prep Analyst:	ADEB

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
1,1,1,2-Tetrachloroethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
m,p-Xylene	SW8260B	1	0.0032	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
o-Xylene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Styrene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Bromoform	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Isopropyl Benzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
n-Propylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Bromobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
1,1,2,2-Tetrachloroethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
2-Chlorotoluene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
1,3,5-Trimethylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
1,2,3-Trichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
4-Chlorotoluene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
tert-Butylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
1,2,4-Trimethylbenzene	SW8260B	1	0.0014	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
sec-Butyl Benzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
p-Isopropyltoluene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
1,3-Dichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
1,4-Dichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
n-Butylbenzene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
1,2-Dichlorobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
1,2-Dibromo-3-Chloropropane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Hexachlorobutadiene	SW8260B	1	0.0014	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
1,2,4-Trichlorobenzene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
Naphthalene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
1,2,3-Trichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	18:42	AD	454001
2-Butanone	SW8260B	1	0.0023	0.0100	ND		mg/Kg	02/02/21	18:42	AD	454001
(S) Dibromofluoromethane	SW8260B		59.8 - 148		75.8		%	02/02/21	18:42	AD	454001
(S) Toluene-d8	SW8260B		55.2 - 133		97.2		%	02/02/21	18:42	AD	454001
(S) 4-Bromofluorobenzene	SW8260B		55.8 - 141		87.9		%	02/02/21	18:42	AD	454001



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
 Date Reported: 02/04/21

Client Sample ID:	S-8@3'	Lab Sample ID:	2101287-003A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:43		
SDG:			

Prep Method: 5035GRO	Prep Batch Date/Time: 2/3/21	12:43:00PM
Prep Batch ID: 1129021	Prep Analyst:	ADEB

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
TPH as Gasoline	8260TPH	1	0.043	0.10	ND		mg/Kg	02/02/21	18:42	AD	454001
(S) 4-Bromofluorobenzene	8260TPH		43.9 - 127		80.7		%	02/02/21	18:42	AD	454001



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
 Date Reported: 02/04/21

Client Sample ID:	S-9@1'	Lab Sample ID:	2101287-005A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:19		
SDG:			

Prep Method: 7471BP	Prep Batch Date/Time: 2/2/21	11:10:00AM
Prep Batch ID: 1128976	Prep Analyst: TNGU	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Mercury	SW7471B	1	0.083	0.50	ND		mg/Kg	02/03/21	11:21	BJAY	454034



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-9@1'	Lab Sample ID:	2101287-005A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:19		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/2/21	11:00:00AM
Prep Batch ID: 1128978	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Antimony	SW6010B	1	0.050	5.00	ND		mg/Kg	02/03/21	16:32	TUAN	454018
Arsenic	SW6010B	1	0.15	1.30	6.45		mg/Kg	02/03/21	16:32	TUAN	454018
Barium	SW6010B	1	0.055	5.00	188		mg/Kg	02/03/21	16:32	TUAN	454018
Beryllium	SW6010B	1	0.055	5.00	ND		mg/Kg	02/03/21	16:32	TUAN	454018
Cadmium	SW6010B	1	0.10	5.00	ND		mg/Kg	02/03/21	16:32	TUAN	454018
Chromium	SW6010B	1	0.075	5.00	42.7		mg/Kg	02/03/21	16:32	TUAN	454018
Cobalt	SW6010B	1	0.070	5.00	11.6		mg/Kg	02/03/21	16:32	TUAN	454018
Copper	SW6010B	1	0.20	5.00	47.0		mg/Kg	02/03/21	16:32	TUAN	454018
Lead	SW6010B	1	0.10	3.00	18.3		mg/Kg	02/03/21	16:32	TUAN	454018
Molybdenum	SW6010B	1	0.050	5.00	ND		mg/Kg	02/03/21	16:32	TUAN	454018
Nickel	SW6010B	1	0.50	5.00	64.5		mg/Kg	02/03/21	16:32	TUAN	454018
Selenium	SW6010B	1	0.22	5.00	ND		mg/Kg	02/03/21	16:32	TUAN	454018
Silver	SW6010B	1	0.15	5.00	ND		mg/Kg	02/03/21	16:32	TUAN	454018
Thallium	SW6010B	1	0.55	5.00	ND		mg/Kg	02/03/21	16:32	TUAN	454018
Vanadium	SW6010B	1	0.10	5.00	33.5		mg/Kg	02/03/21	16:32	TUAN	454018
Zinc	SW6010B	1	0.30	5.00	182		mg/Kg	02/03/21	16:32	TUAN	454018



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
 Date Reported: 02/04/21

Client Sample ID:	S-9@1'	Lab Sample ID:	2101287-005A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:19		
SDG:			

Prep Method: 3546_PCB	Prep Batch Date/Time: 2/2/21	1:42:00PM
Prep Batch ID: 1128984	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Aroclor1016	SW8082A	1	0.0350	0.100	ND		mg/Kg	02/03/21	0:06	MK	453996
Aroclor1221	SW8082A	1	0.00500	0.100	ND		mg/Kg	02/03/21	0:06	MK	453996
Aroclor1232	SW8082A	1	0.0170	0.100	ND		mg/Kg	02/03/21	0:06	MK	453996
Aroclor1242	SW8082A	1	0.00300	0.100	ND		mg/Kg	02/03/21	0:06	MK	453996
Aroclor1248	SW8082A	1	0.00200	0.100	ND		mg/Kg	02/03/21	0:06	MK	453996
Aroclor1254	SW8082A	1	0.0140	0.100	ND		mg/Kg	02/03/21	0:06	MK	453996
Aroclor1260	SW8082A	1	0.0240	0.100	ND		mg/Kg	02/03/21	0:06	MK	453996
Acceptance Limits											
TCMX (S)	SW8082A		48 - 125		84.0		%	02/03/21	0:06	MK	453996
DCBP (S)	SW8082A		48 - 135		88.0		%	02/03/21	0:06	MK	453996



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-9@1'	Lab Sample ID:	2101287-005A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:19		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/3/21	1:40:00PM
Prep Batch ID: 1129025	Prep Analyst:	HLEE

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	3	0.00038	0.0060	ND		mg/Kg	02/03/21	7:51	MK	454031
gamma-BHC (Lindane)	SW8081B	3	0.00048	0.0060	ND		mg/Kg	02/03/21	7:51	MK	454031
beta-BHC	SW8081B	3	0.00095	0.0060	ND		mg/Kg	02/03/21	7:51	MK	454031
delta-BHC	SW8081B	3	0.00047	0.0060	ND		mg/Kg	02/03/21	7:51	MK	454031
Heptachlor	SW8081B	3	0.00032	0.0060	ND		mg/Kg	02/03/21	7:51	MK	454031
Aldrin	SW8081B	3	0.00059	0.0060	ND		mg/Kg	02/03/21	7:51	MK	454031
Heptachlor Epoxide	SW8081B	3	0.00023	0.0060	ND		mg/Kg	02/03/21	7:51	MK	454031
gamma-Chlordane	SW8081B	3	0.00049	0.0060	ND		mg/Kg	02/03/21	7:51	MK	454031
alpha-Chlordane	SW8081B	3	0.00052	0.0060	ND		mg/Kg	02/03/21	7:51	MK	454031
Endosulfan I	SW8081B	3	0.00055	0.0060	ND		mg/Kg	02/03/21	7:51	MK	454031
Dieldrin	SW8081B	3	0.00044	0.0060	ND		mg/Kg	02/03/21	7:51	MK	454031
Endrin	SW8081B	3	0.00056	0.0060	ND		mg/Kg	02/03/21	7:51	MK	454031
4,4'-DDD	SW8081B	3	0.0017	0.0060	0.00634		mg/Kg	02/03/21	7:51	MK	454031
Endosulfan II	SW8081B	3	0.0017	0.0060	ND		mg/Kg	02/03/21	7:51	MK	454031
4,4'-DDT	SW8081B	3	0.00039	0.0060	0.0985		mg/Kg	02/03/21	7:51	MK	454031
Endrin Aldehyde	SW8081B	3	0.00045	0.0060	ND		mg/Kg	02/03/21	7:51	MK	454031
Methoxychlor	SW8081B	3	0.00060	0.0060	ND		mg/Kg	02/03/21	7:51	MK	454031
Endosulfan Sulfate	SW8081B	3	0.00035	0.0060	ND		mg/Kg	02/03/21	7:51	MK	454031
Endrin Ketone	SW8081B	3	0.00028	0.0060	ND		mg/Kg	02/03/21	7:51	MK	454031
Chlordane	SW8081B	3	0.0063	0.060	ND		mg/Kg	02/03/21	7:51	MK	454031
Toxaphene	SW8081B	3	0.026	0.15	ND		mg/Kg	02/03/21	7:51	MK	454031
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		76.7		%	02/03/21	7:51	MK	454031
DCBP (S)	SW8081B		38 - 135		71.4		%	02/03/21	7:51	MK	454031

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
 Date Reported: 02/04/21

Client Sample ID:	S-9@1'	Lab Sample ID:	2101287-005A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:19		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/3/21	1:40:00PM
Prep Batch ID: 1129025	Prep Analyst:	HLEE

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
4,4'-DDE	SW8081B	10	0.0019	0.020	0.329		mg/Kg	02/03/21	16:02	MK	454031



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-9@1'	Lab Sample ID:	2101287-005A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:19		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
N-Nitrosodimethylamine	SW8270C	1	0.0469	0.720	ND		mg/Kg	02/03/21	1:05	MT	453975
Phenol	SW8270C	1	0.0438	0.288	ND		mg/Kg	02/03/21	1:05	MT	453975
Bis(2-chloroethyl)ether	SW8270C	1	0.0133	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
2-Chlorophenol	SW8270C	1	0.0477	0.288	ND		mg/Kg	02/03/21	1:05	MT	453975
1,3-Dichlorobenzene	SW8270C	1	0.0131	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
1,4-Dichlorobenzene	SW8270C	1	0.0146	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Benzyl Alcohol	SW8270C	1	0.0205	0.288	ND		mg/Kg	02/03/21	1:05	MT	453975
1,2-Dichlorobenzene	SW8270C	1	0.0135	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
2-Methylphenol (o-Cresol)	SW8270C	1	0.0293	0.288	ND		mg/Kg	02/03/21	1:05	MT	453975
N-Methyl-2-Pyrrolidone (NMP)	SW8270C	1	0.0680	0.720	ND		mg/Kg	02/03/21	1:05	MT	453975
3-/4-Methylphenol (p-/m-Cresol)	SW8270C	1	0.0313	0.288	ND		mg/Kg	02/03/21	1:05	MT	453975
N-nitroso-di-n-propylamine	SW8270C	1	0.0132	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Hexachloroethane	SW8270C	1	0.0171	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Nitrobenzene	SW8270C	1	0.0128	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Isophorone	SW8270C	1	0.0122	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
2-Nitrophenol	SW8270C	1	0.0254	0.288	ND		mg/Kg	02/03/21	1:05	MT	453975
2,4-Dimethylphenol	SW8270C	1	0.0228	0.288	ND		mg/Kg	02/03/21	1:05	MT	453975
Benzoic Acid	SW8270C	1	0.0417	0.288	ND		mg/Kg	02/03/21	1:05	MT	453975
Bis(2-Chloroethoxy)methane	SW8270C	1	0.00979	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Bis(2-chloroisopropyl)ether	SW8270C	1	0.0126	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
2,4-Dichlorophenol	SW8270C	1	0.0393	0.288	ND		mg/Kg	02/03/21	1:05	MT	453975
1,2,4-Trichlorobenzene	SW8270C	1	0.0118	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Naphthalene	SW8270C	1	0.0106	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
2,6-Dichlorophenol	SW8270C	1	0.0358	0.288	ND		mg/Kg	02/03/21	1:05	MT	453975
Hexachloro-1,3-butadiene	SW8270C	1	0.00834	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
4-Chloro-3-methylphenol	SW8270C	1	0.0338	0.288	ND		mg/Kg	02/03/21	1:05	MT	453975
2-Methylnaphthalene	SW8270C	1	0.0104	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
1-Methylnaphthalene	SW8270C	1	0.0122	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Hexachlorocyclopentadiene	SW8270C	1	0.0129	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
2,4,6-Trichlorophenol	SW8270C	1	0.0359	0.288	ND		mg/Kg	02/03/21	1:05	MT	453975
2,4,5-Trichlorophenol	SW8270C	1	0.0334	0.288	ND		mg/Kg	02/03/21	1:05	MT	453975
2-Chloronaphthalene	SW8270C	1	0.0106	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
1,4-Dinitrobenzene	SW8270C	1	0.0103	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Dimethyl phthalate	SW8270C	1	0.0142	0.720	ND		mg/Kg	02/03/21	1:05	MT	453975
1,3-Dinitrobenzene	SW8270C	1	0.0104	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Acenaphthylene	SW8270C	1	0.00828	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
2,6-Dinitrotoluene	SW8270C	1	0.0113	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
1,2-Dinitrobenzene	SW8270C	1	0.0158	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Acenaphthene	SW8270C	1	0.0107	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-9@1'	Lab Sample ID:	2101287-005A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:19		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21 10:55:00AM
Prep Batch ID: 1128975	Prep Analyst: AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
2,4-Dinitrophenol	SW8270C	1	0.0776	0.720	ND		mg/Kg	02/03/21	1:05	MT	453975
4-Nitrophenol	SW8270C	1	0.0547	0.720	ND		mg/Kg	02/03/21	1:05	MT	453975
Dibenzofuran	SW8270C	1	0.0112	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
2,4-Dinitrotoluene	SW8270C	1	0.0121	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
2,3,5,6-Tetrachlorophenol	SW8270C	1	0.0276	0.288	ND		mg/Kg	02/03/21	1:05	MT	453975
2,3,4,6-Tetrachlorophenol	SW8270C	1	0.0315	0.288	ND		mg/Kg	02/03/21	1:05	MT	453975
Diethylphthalate	SW8270C	1	0.0136	0.720	ND		mg/Kg	02/03/21	1:05	MT	453975
Fluorene	SW8270C	1	0.0103	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
4-Chlorophenyl-phenylether	SW8270C	1	0.00932	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
4,6-Dinitro-2-methylphenol	SW8270C	1	0.0134	0.288	ND		mg/Kg	02/03/21	1:05	MT	453975
Diphenylamine	SW8270C	1	0.0130	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Azobenzene	SW8270C	1	0.114	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
4-Bromophenyl-phenylether	SW8270C	1	0.00823	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Hexachlorobenzene	SW8270C	1	0.00866	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Pentachlorophenol	SW8270C	1	0.0250	0.288	ND		mg/Kg	02/03/21	1:05	MT	453975
Phenanthrene	SW8270C	1	0.00932	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Anthracene	SW8270C	1	0.00891	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Carbazole	SW8270C	1	0.0107	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Di-n-butylphthalate	SW8270C	1	0.0135	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Fluoranthene	SW8270C	1	0.01000	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Benzidine	SW8270C	1	0.147	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Pyrene	SW8270C	1	0.0120	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Butylbenzylphthalate	SW8270C	1	0.0210	0.720	ND		mg/Kg	02/03/21	1:05	MT	453975
Benzo(a)anthracene	SW8270C	1	0.00980	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
3,3-Dichlorobenzidine	SW8270C	1	0.118	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Chrysene	SW8270C	1	0.0152	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Bis(2-Ethylhexyl)phthalate	SW8270C	1	0.0153	0.720	ND		mg/Kg	02/03/21	1:05	MT	453975
Di-n-Octylphthalate	SW8270C	1	0.0123	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Benzo(b)fluorathene	SW8270C	1	0.0120	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
benzo(k)fluorathene	SW8270C	1	0.00816	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Benzo(a)pyrene	SW8270C	1	0.00980	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Indeno(1,2,3-c,d)pyrene	SW8270C	1	0.0138	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Dibenzo(a,h)anthracene	SW8270C	1	0.0127	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Benzo(g,h,i)perylene	SW8270C	1	0.0167	0.144	ND		mg/Kg	02/03/21	1:05	MT	453975
Pyridine	SW8270C	1	0.0438	0.720	ND		mg/Kg	02/03/21	1:05	MT	453975
Acceptance Limits											
2-Fluorophenol (S)	SW8270C		25 - 121		62.9		%	02/03/21	1:05	MT	453975
Phenol-d6 (S)	SW8270C		24 - 113		68.6		%	02/03/21	1:05	MT	453975
2,4,6-Tribromophenol (S)	SW8270C		19 - 122		71.5		%	02/03/21	1:05	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
 Date Reported: 02/04/21

Client Sample ID:	S-9@1'	Lab Sample ID:	2101287-005A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:19		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
2-Fluorobiphenyl (S)	SW8270C		45 - 143		83.2		%	02/03/21	1:05	MT	453975
Nitrobenzene-d5 (S)	SW8270C		23 - 120		81.0		%	02/03/21	1:05	MT	453975
Terphenyl-d14 (S)	SW8270C		18 - 137		85.4		%	02/03/21	1:05	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-9@1'	Lab Sample ID:	2101287-005A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:19		
SDG:			

Prep Method: 3546_TPHSG	Prep Batch Date/Time: 2/2/21	4:34:00PM
Prep Batch ID: 1128998	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
TPH as Diesel (SG)	SW8015B	1	0.85	2.0	2.07	x	mg/Kg	02/03/21	22:23	SN	454044
TPH as Motor Oil (SG)	SW8015B	1	3.2	10	ND		mg/Kg	02/03/21	22:23	SN	454044
			Acceptance Limits								
Pentacosane (S)	SW8015B		40 - 129		64.3		%	02/03/21	22:23	SN	454044

NOTE: x- Chromatographic pattern does not resemble typical diesel reference standard; unknown organics within diesel range quantified as diesel



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-9@1'	Lab Sample ID:	2101287-005A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:19		
SDG:			

Prep Method: 5035	Prep Batch Date/Time: 2/2/21	11:26:00AM
Prep Batch ID: 1129020	Prep Analyst:	ADEB

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Dichlorodifluoromethane	SW8260B	1	0.0012	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Chloromethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Vinyl Chloride	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Bromomethane	SW8260B	1	0.0027	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Chloroethane	SW8260B	1	0.0030	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Trichlorofluoromethane	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
1,1-Dichloroethene	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Freon 113	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Methylene Chloride	SW8260B	1	0.0071	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
trans-1,2-Dichloroethene	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
MTBE	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
TBA	SW8260B	1	0.012	0.050	ND		mg/Kg	02/02/21	19:12	AD	454001
Diisopropyl ether	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
1,1-Dichloroethane	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Ethyl tert-Butyl ether	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
cis-1,2-Dichloroethene	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
2,2-Dichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Bromochloromethane	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Chloroform	SW8260B	1	0.0024	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Carbon Tetrachloride	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
1,1,1-Trichloroethane	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
1,1-Dichloropropene	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Benzene	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
TAME	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
1,2-Dichloroethane	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Trichloroethylene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Dibromomethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
1,2-Dichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Bromodichloromethane	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
cis-1,3-Dichloropropene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Toluene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Tetrachloroethylene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
trans-1,3-Dichloropropene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
1,1,2-Trichloroethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Dibromochloromethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
1,3-Dichloropropane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
1,2-Dibromoethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Chlorobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Ethylbenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-9@1'	Lab Sample ID:	2101287-005A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:19		
SDG:			

Prep Method: 5035	Prep Batch Date/Time: 2/2/21	11:26:00AM
Prep Batch ID: 1129020	Prep Analyst:	ADEB

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
1,1,1,2-Tetrachloroethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
m,p-Xylene	SW8260B	1	0.0032	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
o-Xylene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Styrene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Bromoform	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Isopropyl Benzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
n-Propylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Bromobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
1,1,2,2-Tetrachloroethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
2-Chlorotoluene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
1,3,5-Trimethylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
1,2,3-Trichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
4-Chlorotoluene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
tert-Butylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
1,2,4-Trimethylbenzene	SW8260B	1	0.0014	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
sec-Butyl Benzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
p-Isopropyltoluene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
1,3-Dichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
1,4-Dichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
n-Butylbenzene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
1,2-Dichlorobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
1,2-Dibromo-3-Chloropropane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Hexachlorobutadiene	SW8260B	1	0.0014	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
1,2,4-Trichlorobenzene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
Naphthalene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
1,2,3-Trichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	19:12	AD	454001
2-Butanone	SW8260B	1	0.0023	0.0100	ND		mg/Kg	02/02/21	19:12	AD	454001
(S) Dibromofluoromethane	SW8260B		59.8 - 148		74.9		%	02/02/21	19:12	AD	454001
(S) Toluene-d8	SW8260B		55.2 - 133		98.2		%	02/02/21	19:12	AD	454001
(S) 4-Bromofluorobenzene	SW8260B		55.8 - 141		87.8		%	02/02/21	19:12	AD	454001



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
 Date Reported: 02/04/21

Client Sample ID:	S-9@1'	Lab Sample ID:	2101287-005A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:19		
SDG:			

Prep Method: 5035GRO	Prep Batch Date/Time: 2/3/21	12:43:00PM
Prep Batch ID: 1129021	Prep Analyst:	ADEB

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
TPH as Gasoline	8260TPH	1	0.043	0.10	ND		mg/Kg	02/02/21	19:12	AD	454001
(S) 4-Bromofluorobenzene	8260TPH		43.9 - 127		73.8		%	02/02/21	19:12	AD	454001



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
 Date Reported: 02/04/21

Client Sample ID:	S-9@3'	Lab Sample ID:	2101287-006A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:21		
SDG:			

Prep Method: 7471BP	Prep Batch Date/Time: 2/2/21	11:10:00AM
Prep Batch ID: 1128976	Prep Analyst: TNGU	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Mercury	SW7471B	1	0.083	0.50	ND		mg/Kg	02/03/21	11:23	BJAY	454034



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-9@3'	Lab Sample ID:	2101287-006A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:21		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/2/21	11:00:00AM
Prep Batch ID: 1128978	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Antimony	SW6010B	1	0.050	5.00	ND		mg/Kg	02/03/21	16:35	TUAN	454018
Arsenic	SW6010B	1	0.15	1.30	5.75		mg/Kg	02/03/21	16:35	TUAN	454018
Barium	SW6010B	1	0.055	5.00	192		mg/Kg	02/03/21	16:35	TUAN	454018
Beryllium	SW6010B	1	0.055	5.00	ND		mg/Kg	02/03/21	16:35	TUAN	454018
Cadmium	SW6010B	1	0.10	5.00	ND		mg/Kg	02/03/21	16:35	TUAN	454018
Chromium	SW6010B	1	0.075	5.00	38.8		mg/Kg	02/03/21	16:35	TUAN	454018
Cobalt	SW6010B	1	0.070	5.00	11.4		mg/Kg	02/03/21	16:35	TUAN	454018
Copper	SW6010B	1	0.20	5.00	32.7		mg/Kg	02/03/21	16:35	TUAN	454018
Lead	SW6010B	1	0.10	3.00	9.45		mg/Kg	02/03/21	16:35	TUAN	454018
Molybdenum	SW6010B	1	0.050	5.00	ND		mg/Kg	02/03/21	16:35	TUAN	454018
Nickel	SW6010B	1	0.50	5.00	53.0		mg/Kg	02/03/21	16:35	TUAN	454018
Selenium	SW6010B	1	0.22	5.00	ND		mg/Kg	02/03/21	16:35	TUAN	454018
Silver	SW6010B	1	0.15	5.00	ND		mg/Kg	02/03/21	16:35	TUAN	454018
Thallium	SW6010B	1	0.55	5.00	ND		mg/Kg	02/03/21	16:35	TUAN	454018
Vanadium	SW6010B	1	0.10	5.00	33.6		mg/Kg	02/03/21	16:35	TUAN	454018
Zinc	SW6010B	1	0.30	5.00	57.5		mg/Kg	02/03/21	16:35	TUAN	454018



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
 Date Reported: 02/04/21

Client Sample ID:	S-9@3'	Lab Sample ID:	2101287-006A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:21		
SDG:			

Prep Method: 3546_PCB	Prep Batch Date/Time: 2/2/21	1:42:00PM
Prep Batch ID: 1128984	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Aroclor1016	SW8082A	1	0.0350	0.100	ND		mg/Kg	02/03/21	0:20	MK	453996
Aroclor1221	SW8082A	1	0.00500	0.100	ND		mg/Kg	02/03/21	0:20	MK	453996
Aroclor1232	SW8082A	1	0.0170	0.100	ND		mg/Kg	02/03/21	0:20	MK	453996
Aroclor1242	SW8082A	1	0.00300	0.100	ND		mg/Kg	02/03/21	0:20	MK	453996
Aroclor1248	SW8082A	1	0.00200	0.100	ND		mg/Kg	02/03/21	0:20	MK	453996
Aroclor1254	SW8082A	1	0.0140	0.100	ND		mg/Kg	02/03/21	0:20	MK	453996
Aroclor1260	SW8082A	1	0.0240	0.100	ND		mg/Kg	02/03/21	0:20	MK	453996
			Acceptance Limits								
TCMX (S)	SW8082A		48 - 125		88.0		%	02/03/21	0:20	MK	453996
DCBP (S)	SW8082A		48 - 135		83.0		%	02/03/21	0:20	MK	453996



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-9@3'	Lab Sample ID:	2101287-006A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:21		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/3/21	1:40:00PM
Prep Batch ID: 1129025	Prep Analyst:	HLEE

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
alpha-BHC	SW8081B	1	0.00013	0.0020	ND		mg/Kg	02/03/21	8:04	MK	454031
gamma-BHC (Lindane)	SW8081B	1	0.00016	0.0020	ND		mg/Kg	02/03/21	8:04	MK	454031
beta-BHC	SW8081B	1	0.00032	0.0020	ND		mg/Kg	02/03/21	8:04	MK	454031
delta-BHC	SW8081B	1	0.00016	0.0020	ND		mg/Kg	02/03/21	8:04	MK	454031
Heptachlor	SW8081B	1	0.00011	0.0020	ND		mg/Kg	02/03/21	8:04	MK	454031
Aldrin	SW8081B	1	0.00020	0.0020	ND		mg/Kg	02/03/21	8:04	MK	454031
Heptachlor Epoxide	SW8081B	1	0.000078	0.0020	ND		mg/Kg	02/03/21	8:04	MK	454031
gamma-Chlordane	SW8081B	1	0.00016	0.0020	ND		mg/Kg	02/03/21	8:04	MK	454031
alpha-Chlordane	SW8081B	1	0.00017	0.0020	ND		mg/Kg	02/03/21	8:04	MK	454031
4,4'-DDE	SW8081B	1	0.00019	0.0020	0.0197		mg/Kg	02/03/21	8:04	MK	454031
Endosulfan I	SW8081B	1	0.00018	0.0020	ND		mg/Kg	02/03/21	8:04	MK	454031
Dieldrin	SW8081B	1	0.00015	0.0020	ND		mg/Kg	02/03/21	8:04	MK	454031
Endrin	SW8081B	1	0.00019	0.0020	ND		mg/Kg	02/03/21	8:04	MK	454031
4,4'-DDD	SW8081B	1	0.00057	0.0020	ND		mg/Kg	02/03/21	8:04	MK	454031
Endosulfan II	SW8081B	1	0.00058	0.0020	ND		mg/Kg	02/03/21	8:04	MK	454031
4,4'-DDT	SW8081B	1	0.00013	0.0020	0.00370		mg/Kg	02/03/21	8:04	MK	454031
Endrin Aldehyde	SW8081B	1	0.00015	0.0020	ND		mg/Kg	02/03/21	8:04	MK	454031
Methoxychlor	SW8081B	1	0.00020	0.0020	ND		mg/Kg	02/03/21	8:04	MK	454031
Endosulfan Sulfate	SW8081B	1	0.00012	0.0020	ND		mg/Kg	02/03/21	8:04	MK	454031
Endrin Ketone	SW8081B	1	0.000094	0.0020	ND		mg/Kg	02/03/21	8:04	MK	454031
Chlordane	SW8081B	1	0.0021	0.020	ND		mg/Kg	02/03/21	8:04	MK	454031
Toxaphene	SW8081B	1	0.0085	0.050	ND		mg/Kg	02/03/21	8:04	MK	454031
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		82.8		%	02/03/21	8:04	MK	454031
DCBP (S)	SW8081B		38 - 135		63.8		%	02/03/21	8:04	MK	454031



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-9@3'	Lab Sample ID:	2101287-006A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:21		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
N-Nitrosodimethylamine	SW8270C	1	0.0469	0.720	ND		mg/Kg	02/03/21	1:35	MT	453975
Phenol	SW8270C	1	0.0438	0.288	ND		mg/Kg	02/03/21	1:35	MT	453975
Bis(2-chloroethyl)ether	SW8270C	1	0.0133	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
2-Chlorophenol	SW8270C	1	0.0477	0.288	ND		mg/Kg	02/03/21	1:35	MT	453975
1,3-Dichlorobenzene	SW8270C	1	0.0131	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
1,4-Dichlorobenzene	SW8270C	1	0.0146	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Benzyl Alcohol	SW8270C	1	0.0205	0.288	ND		mg/Kg	02/03/21	1:35	MT	453975
1,2-Dichlorobenzene	SW8270C	1	0.0135	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
2-Methylphenol (o-Cresol)	SW8270C	1	0.0293	0.288	ND		mg/Kg	02/03/21	1:35	MT	453975
N-Methyl-2-Pyrrolidone (NMP)	SW8270C	1	0.0680	0.720	ND		mg/Kg	02/03/21	1:35	MT	453975
3-/4-Methylphenol (p-/m-Cresol)	SW8270C	1	0.0313	0.288	ND		mg/Kg	02/03/21	1:35	MT	453975
N-nitroso-di-n-propylamine	SW8270C	1	0.0132	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Hexachloroethane	SW8270C	1	0.0171	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Nitrobenzene	SW8270C	1	0.0128	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Isophorone	SW8270C	1	0.0122	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
2-Nitrophenol	SW8270C	1	0.0254	0.288	ND		mg/Kg	02/03/21	1:35	MT	453975
2,4-Dimethylphenol	SW8270C	1	0.0228	0.288	ND		mg/Kg	02/03/21	1:35	MT	453975
Benzoic Acid	SW8270C	1	0.0417	0.288	ND		mg/Kg	02/03/21	1:35	MT	453975
Bis(2-Chloroethoxy)methane	SW8270C	1	0.00979	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Bis(2-chloroisopropyl)ether	SW8270C	1	0.0126	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
2,4-Dichlorophenol	SW8270C	1	0.0393	0.288	ND		mg/Kg	02/03/21	1:35	MT	453975
1,2,4-Trichlorobenzene	SW8270C	1	0.0118	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Naphthalene	SW8270C	1	0.0106	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
2,6-Dichlorophenol	SW8270C	1	0.0358	0.288	ND		mg/Kg	02/03/21	1:35	MT	453975
Hexachloro-1,3-butadiene	SW8270C	1	0.00834	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
4-Chloro-3-methylphenol	SW8270C	1	0.0338	0.288	ND		mg/Kg	02/03/21	1:35	MT	453975
2-Methylnaphthalene	SW8270C	1	0.0104	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
1-Methylnaphthalene	SW8270C	1	0.0122	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Hexachlorocyclopentadiene	SW8270C	1	0.0129	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
2,4,6-Trichlorophenol	SW8270C	1	0.0359	0.288	ND		mg/Kg	02/03/21	1:35	MT	453975
2,4,5-Trichlorophenol	SW8270C	1	0.0334	0.288	ND		mg/Kg	02/03/21	1:35	MT	453975
2-Chloronaphthalene	SW8270C	1	0.0106	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
1,4-Dinitrobenzene	SW8270C	1	0.0103	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Dimethyl phthalate	SW8270C	1	0.0142	0.720	ND		mg/Kg	02/03/21	1:35	MT	453975
1,3-Dinitrobenzene	SW8270C	1	0.0104	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Acenaphthylene	SW8270C	1	0.00828	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
2,6-Dinitrotoluene	SW8270C	1	0.0113	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
1,2-Dinitrobenzene	SW8270C	1	0.0158	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Acenaphthene	SW8270C	1	0.0107	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-9@3'	Lab Sample ID:	2101287-006A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:21		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst: AKIZ	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
2,4-Dinitrophenol	SW8270C	1	0.0776	0.720	ND		mg/Kg	02/03/21	1:35	MT	453975
4-Nitrophenol	SW8270C	1	0.0547	0.720	ND		mg/Kg	02/03/21	1:35	MT	453975
Dibenzofuran	SW8270C	1	0.0112	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
2,4-Dinitrotoluene	SW8270C	1	0.0121	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
2,3,5,6-Tetrachlorophenol	SW8270C	1	0.0276	0.288	ND		mg/Kg	02/03/21	1:35	MT	453975
2,3,4,6-Tetrachlorophenol	SW8270C	1	0.0315	0.288	ND		mg/Kg	02/03/21	1:35	MT	453975
Diethylphthalate	SW8270C	1	0.0136	0.720	ND		mg/Kg	02/03/21	1:35	MT	453975
Fluorene	SW8270C	1	0.0103	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
4-Chlorophenyl-phenylether	SW8270C	1	0.00932	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
4,6-Dinitro-2-methylphenol	SW8270C	1	0.0134	0.288	ND		mg/Kg	02/03/21	1:35	MT	453975
Diphenylamine	SW8270C	1	0.0130	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Azobenzene	SW8270C	1	0.114	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
4-Bromophenyl-phenylether	SW8270C	1	0.00823	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Hexachlorobenzene	SW8270C	1	0.00866	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Pentachlorophenol	SW8270C	1	0.0250	0.288	ND		mg/Kg	02/03/21	1:35	MT	453975
Phenanthrene	SW8270C	1	0.00932	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Anthracene	SW8270C	1	0.00891	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Carbazole	SW8270C	1	0.0107	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Di-n-butylphthalate	SW8270C	1	0.0135	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Fluoranthene	SW8270C	1	0.01000	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Benzidine	SW8270C	1	0.147	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Pyrene	SW8270C	1	0.0120	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Butylbenzylphthalate	SW8270C	1	0.0210	0.720	ND		mg/Kg	02/03/21	1:35	MT	453975
Benzo(a)anthracene	SW8270C	1	0.00980	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
3,3-Dichlorobenzidine	SW8270C	1	0.118	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Chrysene	SW8270C	1	0.0152	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Bis(2-Ethylhexyl)phthalate	SW8270C	1	0.0153	0.720	ND		mg/Kg	02/03/21	1:35	MT	453975
Di-n-Octylphthalate	SW8270C	1	0.0123	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Benzo(b)fluorathene	SW8270C	1	0.0120	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
benzo(k)fluorathene	SW8270C	1	0.00816	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Benzo(a)pyrene	SW8270C	1	0.00980	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Indeno(1,2,3-c,d)pyrene	SW8270C	1	0.0138	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Dibenzo(a,h)anthracene	SW8270C	1	0.0127	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Benzo(g,h,i)perylene	SW8270C	1	0.0167	0.144	ND		mg/Kg	02/03/21	1:35	MT	453975
Pyridine	SW8270C	1	0.0438	0.720	ND		mg/Kg	02/03/21	1:35	MT	453975
Acceptance Limits											
2-Fluorophenol (S)	SW8270C		25 - 121		67.4		%	02/03/21	1:35	MT	453975
Phenol-d6 (S)	SW8270C		24 - 113		70.3		%	02/03/21	1:35	MT	453975
2,4,6-Tribromophenol (S)	SW8270C		19 - 122		81.3		%	02/03/21	1:35	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
 Date Reported: 02/04/21

Client Sample ID:	S-9@3'	Lab Sample ID:	2101287-006A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:21		
SDG:			

Prep Method: 3546_BNA	Prep Batch Date/Time: 2/2/21	10:55:00AM
Prep Batch ID: 1128975	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
2-Fluorobiphenyl (S)	SW8270C		45 - 143		81.6		%	02/03/21	1:35	MT	453975
Nitrobenzene-d5 (S)	SW8270C		23 - 120		77.2		%	02/03/21	1:35	MT	453975
Terphenyl-d14 (S)	SW8270C		18 - 137		84.3		%	02/03/21	1:35	MT	453975



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
 Date Reported: 02/04/21

Client Sample ID:	S-9@3'	Lab Sample ID:	2101287-006A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:21		
SDG:			

Prep Method: 3546_TPHSG	Prep Batch Date/Time: 2/2/21	4:34:00PM
Prep Batch ID: 1128998	Prep Analyst:	AKIZ

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
TPH as Diesel (SG)	SW8015B	1	0.85	2.0	ND		mg/Kg	02/03/21	22:46	SN	454044
TPH as Motor Oil (SG)	SW8015B	1	3.2	10	ND		mg/Kg	02/03/21	22:46	SN	454044
			Acceptance Limits								
Pentacosane (S)	SW8015B		40 - 129		55.8		%	02/03/21	22:46	SN	454044



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-9@3'	Lab Sample ID:	2101287-006A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:21		
SDG:			

Prep Method: 5035	Prep Batch Date/Time: 2/2/21	11:26:00AM
Prep Batch ID: 1129020	Prep Analyst:	ADEB

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Dichlorodifluoromethane	SW8260B	1	0.0012	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Chloromethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Vinyl Chloride	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Bromomethane	SW8260B	1	0.0027	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Chloroethane	SW8260B	1	0.0030	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Trichlorofluoromethane	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
1,1-Dichloroethene	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Freon 113	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Methylene Chloride	SW8260B	1	0.0071	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
trans-1,2-Dichloroethene	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
MTBE	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
TBA	SW8260B	1	0.012	0.050	ND		mg/Kg	02/02/21	19:41	AD	454001
Diisopropyl ether	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
1,1-Dichloroethane	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Ethyl tert-Butyl ether	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
cis-1,2-Dichloroethene	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
2,2-Dichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Bromochloromethane	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Chloroform	SW8260B	1	0.0024	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Carbon Tetrachloride	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
1,1,1-Trichloroethane	SW8260B	1	0.0021	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
1,1-Dichloropropene	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Benzene	SW8260B	1	0.0022	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
TAME	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
1,2-Dichloroethane	SW8260B	1	0.0023	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Trichloroethylene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Dibromomethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
1,2-Dichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Bromodichloromethane	SW8260B	1	0.0020	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
cis-1,3-Dichloropropene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Toluene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Tetrachloroethylene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
trans-1,3-Dichloropropene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
1,1,2-Trichloroethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Dibromochloromethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
1,3-Dichloropropane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
1,2-Dibromoethane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Chlorobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Ethylbenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-9@3'	Lab Sample ID:	2101287-006A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:21		
SDG:			

Prep Method: 5035	Prep Batch Date/Time: 2/2/21	11:26:00AM
Prep Batch ID: 1129020	Prep Analyst:	ADEB

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
1,1,1,2-Tetrachloroethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
m,p-Xylene	SW8260B	1	0.0032	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
o-Xylene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Styrene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Bromoform	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Isopropyl Benzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
n-Propylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Bromobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
1,1,2,2-Tetrachloroethane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
2-Chlorotoluene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
1,3,5-Trimethylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
1,2,3-Trichloropropane	SW8260B	1	0.0019	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
4-Chlorotoluene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
tert-Butylbenzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
1,2,4-Trimethylbenzene	SW8260B	1	0.0014	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
sec-Butyl Benzene	SW8260B	1	0.0016	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
p-Isopropyltoluene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
1,3-Dichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
1,4-Dichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
n-Butylbenzene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
1,2-Dichlorobenzene	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
1,2-Dibromo-3-Chloropropane	SW8260B	1	0.0018	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Hexachlorobutadiene	SW8260B	1	0.0014	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
1,2,4-Trichlorobenzene	SW8260B	1	0.0015	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
Naphthalene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
1,2,3-Trichlorobenzene	SW8260B	1	0.0017	0.010	ND		mg/Kg	02/02/21	19:41	AD	454001
2-Butanone	SW8260B	1	0.0023	0.0100	ND		mg/Kg	02/02/21	19:41	AD	454001
(S) Dibromofluoromethane	SW8260B		59.8 - 148		74.9		%	02/02/21	19:41	AD	454001
(S) Toluene-d8	SW8260B		55.2 - 133		97.5		%	02/02/21	19:41	AD	454001
(S) 4-Bromofluorobenzene	SW8260B		55.8 - 141		87.4		%	02/02/21	19:41	AD	454001



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
 Date Reported: 02/04/21

Client Sample ID:	S-9@3'	Lab Sample ID:	2101287-006A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 10:21		
SDG:			

Prep Method: 5035GRO	Prep Batch Date/Time: 2/3/21	12:43:00PM
Prep Batch ID: 1129021	Prep Analyst:	ADEB

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
TPH as Gasoline	8260TPH	1	0.043	0.10	ND		mg/Kg	02/02/21	19:41	AD	454001
(S) 4-Bromofluorobenzene	8260TPH		43.9 - 127		76.8		%	02/02/21	19:41	AD	454001



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
 Date Reported: 02/04/21

Client Sample ID:	HA-1@1'	Lab Sample ID:	2101287-008A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 13:45		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/2/21	11:00:00AM
Prep Batch ID: 1128980	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Arsenic	SW6010B	1	0.15	1.3	5.30		mg/Kg	02/03/21	16:51	TUAN	454038
Lead	SW6010B	1	0.12	3.0	17.3		mg/Kg	02/03/21	16:51	TUAN	454038



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	HA-1@1'	Lab Sample ID:	2101287-008A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 13:45		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/3/21	1:40:00PM
Prep Batch ID: 1129025	Prep Analyst:	HLEE

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	20	0.0025	0.040	ND		mg/Kg	02/04/21	0:04	MK	454031
gamma-BHC (Lindane)	SW8081B	20	0.0032	0.040	ND		mg/Kg	02/04/21	0:04	MK	454031
beta-BHC	SW8081B	20	0.0063	0.040	ND		mg/Kg	02/04/21	0:04	MK	454031
delta-BHC	SW8081B	20	0.0031	0.040	ND		mg/Kg	02/04/21	0:04	MK	454031
Heptachlor	SW8081B	20	0.0021	0.040	ND		mg/Kg	02/04/21	0:04	MK	454031
Aldrin	SW8081B	20	0.0039	0.040	ND		mg/Kg	02/04/21	0:04	MK	454031
Heptachlor Epoxide	SW8081B	20	0.0016	0.040	ND		mg/Kg	02/04/21	0:04	MK	454031
gamma-Chlordane	SW8081B	20	0.0033	0.040	ND		mg/Kg	02/04/21	0:04	MK	454031
alpha-Chlordane	SW8081B	20	0.0035	0.040	ND		mg/Kg	02/04/21	0:04	MK	454031
4,4'-DDE	SW8081B	20	0.0039	0.040	0.0623		mg/Kg	02/04/21	0:04	MK	454031
Endosulfan I	SW8081B	20	0.0037	0.040	ND		mg/Kg	02/04/21	0:04	MK	454031
Dieldrin	SW8081B	20	0.0030	0.040	ND		mg/Kg	02/04/21	0:04	MK	454031
Endrin	SW8081B	20	0.0038	0.040	ND		mg/Kg	02/04/21	0:04	MK	454031
4,4'-DDD	SW8081B	20	0.011	0.040	ND		mg/Kg	02/04/21	0:04	MK	454031
Endosulfan II	SW8081B	20	0.012	0.040	ND		mg/Kg	02/04/21	0:04	MK	454031
4,4'-DDT	SW8081B	20	0.0026	0.040	0.0313	J	mg/Kg	02/04/21	0:04	MK	454031
Endrin Aldehyde	SW8081B	20	0.0030	0.040	ND		mg/Kg	02/04/21	0:04	MK	454031
Methoxychlor	SW8081B	20	0.0040	0.040	ND		mg/Kg	02/04/21	0:04	MK	454031
Endosulfan Sulfate	SW8081B	20	0.0023	0.040	ND		mg/Kg	02/04/21	0:04	MK	454031
Endrin Ketone	SW8081B	20	0.0019	0.040	ND		mg/Kg	02/04/21	0:04	MK	454031
Chlordane	SW8081B	20	0.042	0.40	ND		mg/Kg	02/04/21	0:04	MK	454031
Toxaphene	SW8081B	20	0.17	1.0	ND		mg/Kg	02/04/21	0:04	MK	454031
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		0.000	D	%	02/04/21	0:04	MK	454031
DCBP (S)	SW8081B		38 - 135		0.000	D	%	02/04/21	0:04	MK	454031

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
 Date Reported: 02/04/21

Client Sample ID:	HA-1@2'	Lab Sample ID:	2101287-009A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 14:03		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/2/21	11:00:00AM
Prep Batch ID: 1128980	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Arsenic	SW6010B	1	0.15	1.3	6.05		mg/Kg	02/03/21	17:04	TUAN	454038
Lead	SW6010B	1	0.12	3.0	8.95		mg/Kg	02/03/21	17:04	TUAN	454038



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	HA-1@2'	Lab Sample ID:	2101287-009A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 14:03		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/3/21	1:40:00PM
Prep Batch ID: 1129025	Prep Analyst:	HLEE

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	3	0.00038	0.0060	ND		mg/Kg	02/03/21	16:43	MK	454031
gamma-BHC (Lindane)	SW8081B	3	0.00048	0.0060	ND		mg/Kg	02/03/21	16:43	MK	454031
beta-BHC	SW8081B	3	0.00095	0.0060	ND		mg/Kg	02/03/21	16:43	MK	454031
delta-BHC	SW8081B	3	0.00047	0.0060	ND		mg/Kg	02/03/21	16:43	MK	454031
Heptachlor	SW8081B	3	0.00032	0.0060	ND		mg/Kg	02/03/21	16:43	MK	454031
Aldrin	SW8081B	3	0.00059	0.0060	ND		mg/Kg	02/03/21	16:43	MK	454031
Heptachlor Epoxide	SW8081B	3	0.00023	0.0060	ND		mg/Kg	02/03/21	16:43	MK	454031
gamma-Chlordane	SW8081B	3	0.00049	0.0060	ND		mg/Kg	02/03/21	16:43	MK	454031
alpha-Chlordane	SW8081B	3	0.00052	0.0060	ND		mg/Kg	02/03/21	16:43	MK	454031
4,4'-DDE	SW8081B	3	0.00058	0.0060	0.00355	J	mg/Kg	02/03/21	16:43	MK	454031
Endosulfan I	SW8081B	3	0.00055	0.0060	ND		mg/Kg	02/03/21	16:43	MK	454031
Dieldrin	SW8081B	3	0.00044	0.0060	ND		mg/Kg	02/03/21	16:43	MK	454031
Endrin	SW8081B	3	0.00056	0.0060	ND		mg/Kg	02/03/21	16:43	MK	454031
4,4'-DDD	SW8081B	3	0.0017	0.0060	ND		mg/Kg	02/03/21	16:43	MK	454031
Endosulfan II	SW8081B	3	0.0017	0.0060	ND		mg/Kg	02/03/21	16:43	MK	454031
4,4'-DDT	SW8081B	3	0.00039	0.0060	0.000864	J	mg/Kg	02/03/21	16:43	MK	454031
Endrin Aldehyde	SW8081B	3	0.00045	0.0060	ND		mg/Kg	02/03/21	16:43	MK	454031
Methoxychlor	SW8081B	3	0.00060	0.0060	ND		mg/Kg	02/03/21	16:43	MK	454031
Endosulfan Sulfate	SW8081B	3	0.00035	0.0060	ND		mg/Kg	02/03/21	16:43	MK	454031
Endrin Ketone	SW8081B	3	0.00028	0.0060	ND		mg/Kg	02/03/21	16:43	MK	454031
Chlordane	SW8081B	3	0.0063	0.060	ND		mg/Kg	02/03/21	16:43	MK	454031
Toxaphene	SW8081B	3	0.026	0.15	ND		mg/Kg	02/03/21	16:43	MK	454031
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		78.7		%	02/03/21	16:43	MK	454031
DCBP (S)	SW8081B		38 - 135		62.4		%	02/03/21	16:43	MK	454031

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
 Date Reported: 02/04/21

Client Sample ID:	HA-2@1'	Lab Sample ID:	2101287-011A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 13:40		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/2/21	11:00:00AM
Prep Batch ID: 1128980	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Arsenic	SW6010B	1	0.15	1.3	5.80		mg/Kg	02/03/21	17:46	TUAN	454038
Lead	SW6010B	1	0.12	3.0	11.0		mg/Kg	02/03/21	17:46	TUAN	454038



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	HA-2@1'	Lab Sample ID:	2101287-011A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 13:40		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/3/21	1:40:00PM
Prep Batch ID: 1129025	Prep Analyst:	HLEE

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	3	0.00038	0.0060	ND		mg/Kg	02/03/21	16:55	MK	454031
gamma-BHC (Lindane)	SW8081B	3	0.00048	0.0060	ND		mg/Kg	02/03/21	16:55	MK	454031
beta-BHC	SW8081B	3	0.00095	0.0060	ND		mg/Kg	02/03/21	16:55	MK	454031
delta-BHC	SW8081B	3	0.00047	0.0060	ND		mg/Kg	02/03/21	16:55	MK	454031
Heptachlor	SW8081B	3	0.00032	0.0060	ND		mg/Kg	02/03/21	16:55	MK	454031
Aldrin	SW8081B	3	0.00059	0.0060	ND		mg/Kg	02/03/21	16:55	MK	454031
Heptachlor Epoxide	SW8081B	3	0.00023	0.0060	ND		mg/Kg	02/03/21	16:55	MK	454031
gamma-Chlordane	SW8081B	3	0.00049	0.0060	ND		mg/Kg	02/03/21	16:55	MK	454031
alpha-Chlordane	SW8081B	3	0.00052	0.0060	ND		mg/Kg	02/03/21	16:55	MK	454031
Endosulfan I	SW8081B	3	0.00055	0.0060	ND		mg/Kg	02/03/21	16:55	MK	454031
Dieldrin	SW8081B	3	0.00044	0.0060	ND		mg/Kg	02/03/21	16:55	MK	454031
Endrin	SW8081B	3	0.00056	0.0060	ND		mg/Kg	02/03/21	16:55	MK	454031
4,4'-DDD	SW8081B	3	0.0017	0.0060	0.0108		mg/Kg	02/03/21	16:55	MK	454031
Endosulfan II	SW8081B	3	0.0017	0.0060	ND		mg/Kg	02/03/21	16:55	MK	454031
4,4'-DDT	SW8081B	3	0.00039	0.0060	0.0669		mg/Kg	02/03/21	16:55	MK	454031
Endrin Aldehyde	SW8081B	3	0.00045	0.0060	ND		mg/Kg	02/03/21	16:55	MK	454031
Methoxychlor	SW8081B	3	0.00060	0.0060	ND		mg/Kg	02/03/21	16:55	MK	454031
Endosulfan Sulfate	SW8081B	3	0.00035	0.0060	ND		mg/Kg	02/03/21	16:55	MK	454031
Endrin Ketone	SW8081B	3	0.00028	0.0060	ND		mg/Kg	02/03/21	16:55	MK	454031
Chlordane	SW8081B	3	0.0063	0.060	ND		mg/Kg	02/03/21	16:55	MK	454031
Toxaphene	SW8081B	3	0.026	0.15	ND		mg/Kg	02/03/21	16:55	MK	454031
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		78.1		%	02/03/21	16:55	MK	454031
DCBP (S)	SW8081B		38 - 135		71.3		%	02/03/21	16:55	MK	454031

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
 Date Reported: 02/04/21

Client Sample ID:	HA-2@1'	Lab Sample ID:	2101287-011A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 13:40		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/3/21	1:40:00PM
Prep Batch ID: 1129025	Prep Analyst:	HLEE

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
4,4'-DDE	SW8081B	10	0.0019	0.020	0.266		mg/Kg	02/04/21	15:43	MK	454031



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
 Date Reported: 02/04/21

Client Sample ID:	HA-2@2'	Lab Sample ID:	2101287-012A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 14:03		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/2/21	11:00:00AM
Prep Batch ID: 1128980	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Arsenic	SW6010B	1	0.15	1.3	6.35		mg/Kg	02/03/21	17:49	TUAN	454038
Lead	SW6010B	1	0.12	3.0	8.90		mg/Kg	02/03/21	17:49	TUAN	454038



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	HA-2@2'	Lab Sample ID:	2101287-012A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 14:03		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/3/21	1:40:00PM
Prep Batch ID: 1129025	Prep Analyst:	HLEE

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	3	0.00038	0.0060	ND		mg/Kg	02/03/21	20:41	MK	454031
gamma-BHC (Lindane)	SW8081B	3	0.00048	0.0060	ND		mg/Kg	02/03/21	20:41	MK	454031
beta-BHC	SW8081B	3	0.00095	0.0060	ND		mg/Kg	02/03/21	20:41	MK	454031
delta-BHC	SW8081B	3	0.00047	0.0060	ND		mg/Kg	02/03/21	20:41	MK	454031
Heptachlor	SW8081B	3	0.00032	0.0060	ND		mg/Kg	02/03/21	20:41	MK	454031
Aldrin	SW8081B	3	0.00059	0.0060	ND		mg/Kg	02/03/21	20:41	MK	454031
Heptachlor Epoxide	SW8081B	3	0.00023	0.0060	ND		mg/Kg	02/03/21	20:41	MK	454031
gamma-Chlordane	SW8081B	3	0.00049	0.0060	ND		mg/Kg	02/03/21	20:41	MK	454031
alpha-Chlordane	SW8081B	3	0.00052	0.0060	ND		mg/Kg	02/03/21	20:41	MK	454031
4,4'-DDE	SW8081B	3	0.00058	0.0060	0.000804	J	mg/Kg	02/03/21	20:41	MK	454031
Endosulfan I	SW8081B	3	0.00055	0.0060	ND		mg/Kg	02/03/21	20:41	MK	454031
Dieldrin	SW8081B	3	0.00044	0.0060	ND		mg/Kg	02/03/21	20:41	MK	454031
Endrin	SW8081B	3	0.00056	0.0060	ND		mg/Kg	02/03/21	20:41	MK	454031
4,4'-DDD	SW8081B	3	0.0017	0.0060	ND		mg/Kg	02/03/21	20:41	MK	454031
Endosulfan II	SW8081B	3	0.0017	0.0060	ND		mg/Kg	02/03/21	20:41	MK	454031
4,4'-DDT	SW8081B	3	0.00039	0.0060	ND		mg/Kg	02/03/21	20:41	MK	454031
Endrin Aldehyde	SW8081B	3	0.00045	0.0060	ND		mg/Kg	02/03/21	20:41	MK	454031
Methoxychlor	SW8081B	3	0.00060	0.0060	ND		mg/Kg	02/03/21	20:41	MK	454031
Endosulfan Sulfate	SW8081B	3	0.00035	0.0060	ND		mg/Kg	02/03/21	20:41	MK	454031
Endrin Ketone	SW8081B	3	0.00028	0.0060	ND		mg/Kg	02/03/21	20:41	MK	454031
Chlordane	SW8081B	3	0.0063	0.060	ND		mg/Kg	02/03/21	20:41	MK	454031
Toxaphene	SW8081B	3	0.026	0.15	ND		mg/Kg	02/03/21	20:41	MK	454031
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		61.8		%	02/03/21	20:41	MK	454031
DCBP (S)	SW8081B		38 - 135		65.9		%	02/03/21	20:41	MK	454031

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
 Date Reported: 02/04/21

Client Sample ID:	HA-5@1'	Lab Sample ID:	2101287-014A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 14:59		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/2/21	11:00:00AM
Prep Batch ID: 1128980	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Arsenic	SW6010B	1	0.15	1.3	6.55		mg/Kg	02/03/21	17:52	TUAN	454038
Lead	SW6010B	1	0.12	3.0	14.9		mg/Kg	02/03/21	17:52	TUAN	454038



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	HA-5@1'	Lab Sample ID:	2101287-014A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 14:59		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/3/21	1:40:00PM
Prep Batch ID: 1129025	Prep Analyst:	HLEE

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	10	0.0013	0.020	ND		mg/Kg	02/03/21	22:12	MK	454031
gamma-BHC (Lindane)	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	22:12	MK	454031
beta-BHC	SW8081B	10	0.0032	0.020	ND		mg/Kg	02/03/21	22:12	MK	454031
delta-BHC	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	22:12	MK	454031
Heptachlor	SW8081B	10	0.0011	0.020	ND		mg/Kg	02/03/21	22:12	MK	454031
Aldrin	SW8081B	10	0.0020	0.020	ND		mg/Kg	02/03/21	22:12	MK	454031
Heptachlor Epoxide	SW8081B	10	0.00078	0.020	ND		mg/Kg	02/03/21	22:12	MK	454031
gamma-Chlordane	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	22:12	MK	454031
alpha-Chlordane	SW8081B	10	0.0017	0.020	ND		mg/Kg	02/03/21	22:12	MK	454031
4,4'-DDE	SW8081B	10	0.0019	0.020	0.360		mg/Kg	02/03/21	22:12	MK	454031
Endosulfan I	SW8081B	10	0.0018	0.020	ND		mg/Kg	02/03/21	22:12	MK	454031
Dieldrin	SW8081B	10	0.0015	0.020	ND		mg/Kg	02/03/21	22:12	MK	454031
Endrin	SW8081B	10	0.0019	0.020	ND		mg/Kg	02/03/21	22:12	MK	454031
4,4'-DDD	SW8081B	10	0.0057	0.020	0.0112	J	mg/Kg	02/03/21	22:12	MK	454031
Endosulfan II	SW8081B	10	0.0058	0.020	ND		mg/Kg	02/03/21	22:12	MK	454031
4,4'-DDT	SW8081B	10	0.0013	0.020	0.0984		mg/Kg	02/03/21	22:12	MK	454031
Endrin Aldehyde	SW8081B	10	0.0015	0.020	ND		mg/Kg	02/03/21	22:12	MK	454031
Methoxychlor	SW8081B	10	0.0020	0.020	ND		mg/Kg	02/03/21	22:12	MK	454031
Endosulfan Sulfate	SW8081B	10	0.0012	0.020	ND		mg/Kg	02/03/21	22:12	MK	454031
Endrin Ketone	SW8081B	10	0.00094	0.020	ND		mg/Kg	02/03/21	22:12	MK	454031
Chlordane	SW8081B	10	0.021	0.20	ND		mg/Kg	02/03/21	22:12	MK	454031
Toxaphene	SW8081B	10	0.085	0.50	ND		mg/Kg	02/03/21	22:12	MK	454031
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		81.2		%	02/03/21	22:12	MK	454031
DCBP (S)	SW8081B		38 - 135		85.2		%	02/03/21	22:12	MK	454031

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
 Date Reported: 02/04/21

Client Sample ID:	HA-5@3'	Lab Sample ID:	2101287-015A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 15:01		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/2/21	11:00:00AM
Prep Batch ID: 1128980	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Arsenic	SW6010B	1	0.15	1.3	6.45		mg/Kg	02/03/21	17:55	TUAN	454038
Lead	SW6010B	1	0.12	3.0	10.5		mg/Kg	02/03/21	17:55	TUAN	454038



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	HA-5@3'	Lab Sample ID:	2101287-015A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 15:01		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/3/21	1:40:00PM
Prep Batch ID: 1129025	Prep Analyst:	HLEE

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	10	0.0013	0.020	ND		mg/Kg	02/03/21	22:27	MK	454031
gamma-BHC (Lindane)	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	22:27	MK	454031
beta-BHC	SW8081B	10	0.0032	0.020	ND		mg/Kg	02/03/21	22:27	MK	454031
delta-BHC	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	22:27	MK	454031
Heptachlor	SW8081B	10	0.0011	0.020	ND		mg/Kg	02/03/21	22:27	MK	454031
Aldrin	SW8081B	10	0.0020	0.020	ND		mg/Kg	02/03/21	22:27	MK	454031
Heptachlor Epoxide	SW8081B	10	0.00078	0.020	ND		mg/Kg	02/03/21	22:27	MK	454031
gamma-Chlordane	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	22:27	MK	454031
alpha-Chlordane	SW8081B	10	0.0017	0.020	ND		mg/Kg	02/03/21	22:27	MK	454031
4,4'-DDE	SW8081B	10	0.0019	0.020	0.0853		mg/Kg	02/03/21	22:27	MK	454031
Endosulfan I	SW8081B	10	0.0018	0.020	ND		mg/Kg	02/03/21	22:27	MK	454031
Dieldrin	SW8081B	10	0.0015	0.020	ND		mg/Kg	02/03/21	22:27	MK	454031
Endrin	SW8081B	10	0.0019	0.020	ND		mg/Kg	02/03/21	22:27	MK	454031
4,4'-DDD	SW8081B	10	0.0057	0.020	ND		mg/Kg	02/03/21	22:27	MK	454031
Endosulfan II	SW8081B	10	0.0058	0.020	ND		mg/Kg	02/03/21	22:27	MK	454031
4,4'-DDT	SW8081B	10	0.0013	0.020	0.0452		mg/Kg	02/03/21	22:27	MK	454031
Endrin Aldehyde	SW8081B	10	0.0015	0.020	ND		mg/Kg	02/03/21	22:27	MK	454031
Methoxychlor	SW8081B	10	0.0020	0.020	ND		mg/Kg	02/03/21	22:27	MK	454031
Endosulfan Sulfate	SW8081B	10	0.0012	0.020	ND		mg/Kg	02/03/21	22:27	MK	454031
Endrin Ketone	SW8081B	10	0.00094	0.020	ND		mg/Kg	02/03/21	22:27	MK	454031
Chlordane	SW8081B	10	0.021	0.20	ND		mg/Kg	02/03/21	22:27	MK	454031
Toxaphene	SW8081B	10	0.085	0.50	ND		mg/Kg	02/03/21	22:27	MK	454031
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		88.6		%	02/03/21	22:27	MK	454031
DCBP (S)	SW8081B		38 - 135		97.0		%	02/03/21	22:27	MK	454031

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
 Date Reported: 02/04/21

Client Sample ID:	HA-6@1'	Lab Sample ID:	2101287-017A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 14:49		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/2/21	11:00:00AM
Prep Batch ID: 1128980	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Arsenic	SW6010B	1	0.15	1.3	6.65		mg/Kg	02/03/21	17:58	TUAN	454038
Lead	SW6010B	1	0.12	3.0	16.4		mg/Kg	02/03/21	17:58	TUAN	454038



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	HA-6@1'	Lab Sample ID:	2101287-017A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 14:49		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/3/21	1:40:00PM
Prep Batch ID: 1129025	Prep Analyst:	HLEE

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	10	0.0013	0.020	ND		mg/Kg	02/03/21	22:41	MK	454031
gamma-BHC (Lindane)	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	22:41	MK	454031
beta-BHC	SW8081B	10	0.0032	0.020	ND		mg/Kg	02/03/21	22:41	MK	454031
delta-BHC	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	22:41	MK	454031
Heptachlor	SW8081B	10	0.0011	0.020	ND		mg/Kg	02/03/21	22:41	MK	454031
Aldrin	SW8081B	10	0.0020	0.020	ND		mg/Kg	02/03/21	22:41	MK	454031
Heptachlor Epoxide	SW8081B	10	0.00078	0.020	ND		mg/Kg	02/03/21	22:41	MK	454031
gamma-Chlordane	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	22:41	MK	454031
alpha-Chlordane	SW8081B	10	0.0017	0.020	ND		mg/Kg	02/03/21	22:41	MK	454031
Endosulfan I	SW8081B	10	0.0018	0.020	ND		mg/Kg	02/03/21	22:41	MK	454031
Dieldrin	SW8081B	10	0.0015	0.020	ND		mg/Kg	02/03/21	22:41	MK	454031
Endrin	SW8081B	10	0.0019	0.020	ND		mg/Kg	02/03/21	22:41	MK	454031
4,4'-DDD	SW8081B	10	0.0057	0.020	0.0130	J	mg/Kg	02/03/21	22:41	MK	454031
Endosulfan II	SW8081B	10	0.0058	0.020	ND		mg/Kg	02/03/21	22:41	MK	454031
4,4'-DDT	SW8081B	10	0.0013	0.020	0.533		mg/Kg	02/03/21	22:41	MK	454031
Endrin Aldehyde	SW8081B	10	0.0015	0.020	ND		mg/Kg	02/03/21	22:41	MK	454031
Methoxychlor	SW8081B	10	0.0020	0.020	ND		mg/Kg	02/03/21	22:41	MK	454031
Endosulfan Sulfate	SW8081B	10	0.0012	0.020	ND		mg/Kg	02/03/21	22:41	MK	454031
Endrin Ketone	SW8081B	10	0.00094	0.020	ND		mg/Kg	02/03/21	22:41	MK	454031
Chlordane	SW8081B	10	0.021	0.20	ND		mg/Kg	02/03/21	22:41	MK	454031
Toxaphene	SW8081B	10	0.085	0.50	ND		mg/Kg	02/03/21	22:41	MK	454031
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		90.0		%	02/03/21	22:41	MK	454031
DCBP (S)	SW8081B		38 - 135		94.6		%	02/03/21	22:41	MK	454031

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
 Date Reported: 02/04/21

Client Sample ID:	HA-6@1'	Lab Sample ID:	2101287-017A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 14:49		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/3/21	1:40:00PM
Prep Batch ID: 1129025	Prep Analyst:	HLEE

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
4,4'-DDE	SW8081B	30	0.0058	0.060	1.19		mg/Kg	02/04/21	12:43	MK	454031



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
 Date Reported: 02/04/21

Client Sample ID:	HA-6@3'	Lab Sample ID:	2101287-018A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 14:51		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/2/21	11:00:00AM
Prep Batch ID: 1128980	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Arsenic	SW6010B	1	0.15	1.3	6.25		mg/Kg	02/03/21	18:01	TUAN	454038
Lead	SW6010B	1	0.12	3.0	8.80		mg/Kg	02/03/21	18:01	TUAN	454038



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	HA-6@3'	Lab Sample ID:	2101287-018A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 14:51		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/3/21	1:40:00PM
Prep Batch ID: 1129025	Prep Analyst:	HLEE

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	10	0.0013	0.020	ND		mg/Kg	02/03/21	22:54	MK	454031
gamma-BHC (Lindane)	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	22:54	MK	454031
beta-BHC	SW8081B	10	0.0032	0.020	ND		mg/Kg	02/03/21	22:54	MK	454031
delta-BHC	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	22:54	MK	454031
Heptachlor	SW8081B	10	0.0011	0.020	ND		mg/Kg	02/03/21	22:54	MK	454031
Aldrin	SW8081B	10	0.0020	0.020	ND		mg/Kg	02/03/21	22:54	MK	454031
Heptachlor Epoxide	SW8081B	10	0.00078	0.020	ND		mg/Kg	02/03/21	22:54	MK	454031
gamma-Chlordane	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	22:54	MK	454031
alpha-Chlordane	SW8081B	10	0.0017	0.020	ND		mg/Kg	02/03/21	22:54	MK	454031
4,4'-DDE	SW8081B	10	0.0019	0.020	0.0140	J	mg/Kg	02/03/21	22:54	MK	454031
Endosulfan I	SW8081B	10	0.0018	0.020	ND		mg/Kg	02/03/21	22:54	MK	454031
Dieldrin	SW8081B	10	0.0015	0.020	ND		mg/Kg	02/03/21	22:54	MK	454031
Endrin	SW8081B	10	0.0019	0.020	ND		mg/Kg	02/03/21	22:54	MK	454031
4,4'-DDD	SW8081B	10	0.0057	0.020	ND		mg/Kg	02/03/21	22:54	MK	454031
Endosulfan II	SW8081B	10	0.0058	0.020	ND		mg/Kg	02/03/21	22:54	MK	454031
4,4'-DDT	SW8081B	10	0.0013	0.020	0.00596	J	mg/Kg	02/03/21	22:54	MK	454031
Endrin Aldehyde	SW8081B	10	0.0015	0.020	ND		mg/Kg	02/03/21	22:54	MK	454031
Methoxychlor	SW8081B	10	0.0020	0.020	ND		mg/Kg	02/03/21	22:54	MK	454031
Endosulfan Sulfate	SW8081B	10	0.0012	0.020	ND		mg/Kg	02/03/21	22:54	MK	454031
Endrin Ketone	SW8081B	10	0.00094	0.020	ND		mg/Kg	02/03/21	22:54	MK	454031
Chlordane	SW8081B	10	0.021	0.20	ND		mg/Kg	02/03/21	22:54	MK	454031
Toxaphene	SW8081B	10	0.085	0.50	ND		mg/Kg	02/03/21	22:54	MK	454031
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		81.1		%	02/03/21	22:54	MK	454031
DCBP (S)	SW8081B		38 - 135		85.6		%	02/03/21	22:54	MK	454031

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
 Date Reported: 02/04/21

Client Sample ID:	HA-7@1'	Lab Sample ID:	2101287-020A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 13:04		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/2/21	11:00:00AM
Prep Batch ID: 1128980	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Arsenic	SW6010B	1	0.15	1.3	6.15		mg/Kg	02/03/21	18:05	TUAN	454038
Lead	SW6010B	1	0.12	3.0	12.5		mg/Kg	02/03/21	18:05	TUAN	454038



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	HA-7@1'	Lab Sample ID:	2101287-020A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 13:04		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/3/21	1:40:00PM
Prep Batch ID: 1129025	Prep Analyst:	HLEE

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	3	0.00038	0.0060	ND		mg/Kg	02/03/21	20:55	MK	454031
gamma-BHC (Lindane)	SW8081B	3	0.00048	0.0060	ND		mg/Kg	02/03/21	20:55	MK	454031
beta-BHC	SW8081B	3	0.00095	0.0060	ND		mg/Kg	02/03/21	20:55	MK	454031
delta-BHC	SW8081B	3	0.00047	0.0060	ND		mg/Kg	02/03/21	20:55	MK	454031
Heptachlor	SW8081B	3	0.00032	0.0060	ND		mg/Kg	02/03/21	20:55	MK	454031
Aldrin	SW8081B	3	0.00059	0.0060	ND		mg/Kg	02/03/21	20:55	MK	454031
Heptachlor Epoxide	SW8081B	3	0.00023	0.0060	ND		mg/Kg	02/03/21	20:55	MK	454031
gamma-Chlordane	SW8081B	3	0.00049	0.0060	ND		mg/Kg	02/03/21	20:55	MK	454031
alpha-Chlordane	SW8081B	3	0.00052	0.0060	ND		mg/Kg	02/03/21	20:55	MK	454031
4,4'-DDE	SW8081B	3	0.00058	0.0060	0.135		mg/Kg	02/03/21	20:55	MK	454031
Endosulfan I	SW8081B	3	0.00055	0.0060	ND		mg/Kg	02/03/21	20:55	MK	454031
Dieldrin	SW8081B	3	0.00044	0.0060	ND		mg/Kg	02/03/21	20:55	MK	454031
Endrin	SW8081B	3	0.00056	0.0060	ND		mg/Kg	02/03/21	20:55	MK	454031
4,4'-DDD	SW8081B	3	0.0017	0.0060	ND		mg/Kg	02/03/21	20:55	MK	454031
Endosulfan II	SW8081B	3	0.0017	0.0060	ND		mg/Kg	02/03/21	20:55	MK	454031
4,4'-DDT	SW8081B	3	0.00039	0.0060	0.0236		mg/Kg	02/03/21	20:55	MK	454031
Endrin Aldehyde	SW8081B	3	0.00045	0.0060	ND		mg/Kg	02/03/21	20:55	MK	454031
Methoxychlor	SW8081B	3	0.00060	0.0060	ND		mg/Kg	02/03/21	20:55	MK	454031
Endosulfan Sulfate	SW8081B	3	0.00035	0.0060	ND		mg/Kg	02/03/21	20:55	MK	454031
Endrin Ketone	SW8081B	3	0.00028	0.0060	ND		mg/Kg	02/03/21	20:55	MK	454031
Chlordane	SW8081B	3	0.0063	0.060	ND		mg/Kg	02/03/21	20:55	MK	454031
Toxaphene	SW8081B	3	0.026	0.15	ND		mg/Kg	02/03/21	20:55	MK	454031
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		82.0		%	02/03/21	20:55	MK	454031
DCBP (S)	SW8081B		38 - 135		82.8		%	02/03/21	20:55	MK	454031

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
 Date Reported: 02/04/21

Client Sample ID:	HA-7@3'	Lab Sample ID:	2101287-021A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 13:05		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/2/21	11:00:00AM
Prep Batch ID: 1128980	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Arsenic	SW6010B	1	0.15	1.3	6.95		mg/Kg	02/03/21	18:08	TUAN	454038
Lead	SW6010B	1	0.12	3.0	9.00		mg/Kg	02/03/21	18:08	TUAN	454038



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	HA-7@3'	Lab Sample ID:	2101287-021A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 13:05		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/3/21	1:40:00PM
Prep Batch ID: 1129025	Prep Analyst:	HLEE

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	3	0.00038	0.0060	ND		mg/Kg	02/03/21	21:08	MK	454031
gamma-BHC (Lindane)	SW8081B	3	0.00048	0.0060	ND		mg/Kg	02/03/21	21:08	MK	454031
beta-BHC	SW8081B	3	0.00095	0.0060	ND		mg/Kg	02/03/21	21:08	MK	454031
delta-BHC	SW8081B	3	0.00047	0.0060	ND		mg/Kg	02/03/21	21:08	MK	454031
Heptachlor	SW8081B	3	0.00032	0.0060	ND		mg/Kg	02/03/21	21:08	MK	454031
Aldrin	SW8081B	3	0.00059	0.0060	ND		mg/Kg	02/03/21	21:08	MK	454031
Heptachlor Epoxide	SW8081B	3	0.00023	0.0060	ND		mg/Kg	02/03/21	21:08	MK	454031
gamma-Chlordane	SW8081B	3	0.00049	0.0060	ND		mg/Kg	02/03/21	21:08	MK	454031
alpha-Chlordane	SW8081B	3	0.00052	0.0060	ND		mg/Kg	02/03/21	21:08	MK	454031
4,4'-DDE	SW8081B	3	0.00058	0.0060	0.00591	J	mg/Kg	02/03/21	21:08	MK	454031
Endosulfan I	SW8081B	3	0.00055	0.0060	ND		mg/Kg	02/03/21	21:08	MK	454031
Dieldrin	SW8081B	3	0.00044	0.0060	ND		mg/Kg	02/03/21	21:08	MK	454031
Endrin	SW8081B	3	0.00056	0.0060	ND		mg/Kg	02/03/21	21:08	MK	454031
4,4'-DDD	SW8081B	3	0.0017	0.0060	ND		mg/Kg	02/03/21	21:08	MK	454031
Endosulfan II	SW8081B	3	0.0017	0.0060	ND		mg/Kg	02/03/21	21:08	MK	454031
4,4'-DDT	SW8081B	3	0.00039	0.0060	0.00115	J	mg/Kg	02/03/21	21:08	MK	454031
Endrin Aldehyde	SW8081B	3	0.00045	0.0060	ND		mg/Kg	02/03/21	21:08	MK	454031
Methoxychlor	SW8081B	3	0.00060	0.0060	ND		mg/Kg	02/03/21	21:08	MK	454031
Endosulfan Sulfate	SW8081B	3	0.00035	0.0060	ND		mg/Kg	02/03/21	21:08	MK	454031
Endrin Ketone	SW8081B	3	0.00028	0.0060	ND		mg/Kg	02/03/21	21:08	MK	454031
Chlordane	SW8081B	3	0.0063	0.060	ND		mg/Kg	02/03/21	21:08	MK	454031
Toxaphene	SW8081B	3	0.026	0.15	ND		mg/Kg	02/03/21	21:08	MK	454031
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		76.7		%	02/03/21	21:08	MK	454031
DCBP (S)	SW8081B		38 - 135		80.4		%	02/03/21	21:08	MK	454031

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
 Date Reported: 02/04/21

Client Sample ID:	HA-8@1'	Lab Sample ID:	2101287-023A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 12:59		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/2/21	11:00:00AM
Prep Batch ID: 1128980	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Arsenic	SW6010B	1	0.15	1.3	6.05		mg/Kg	02/03/21	18:11	TUAN	454038
Lead	SW6010B	1	0.12	3.0	14.3		mg/Kg	02/03/21	18:11	TUAN	454038



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	HA-8@1'	Lab Sample ID:	2101287-023A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 12:59		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/3/21	1:40:00PM
Prep Batch ID: 1129025	Prep Analyst:	HLEE

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	20	0.0025	0.040	ND		mg/Kg	02/04/21	0:18	MK	454031
gamma-BHC (Lindane)	SW8081B	20	0.0032	0.040	ND		mg/Kg	02/04/21	0:18	MK	454031
beta-BHC	SW8081B	20	0.0063	0.040	ND		mg/Kg	02/04/21	0:18	MK	454031
delta-BHC	SW8081B	20	0.0031	0.040	ND		mg/Kg	02/04/21	0:18	MK	454031
Heptachlor	SW8081B	20	0.0021	0.040	ND		mg/Kg	02/04/21	0:18	MK	454031
Aldrin	SW8081B	20	0.0039	0.040	ND		mg/Kg	02/04/21	0:18	MK	454031
Heptachlor Epoxide	SW8081B	20	0.0016	0.040	ND		mg/Kg	02/04/21	0:18	MK	454031
gamma-Chlordane	SW8081B	20	0.0033	0.040	ND		mg/Kg	02/04/21	0:18	MK	454031
alpha-Chlordane	SW8081B	20	0.0035	0.040	ND		mg/Kg	02/04/21	0:18	MK	454031
4,4'-DDE	SW8081B	20	0.0039	0.040	0.356		mg/Kg	02/04/21	0:18	MK	454031
Endosulfan I	SW8081B	20	0.0037	0.040	ND		mg/Kg	02/04/21	0:18	MK	454031
Dieldrin	SW8081B	20	0.0030	0.040	ND		mg/Kg	02/04/21	0:18	MK	454031
Endrin	SW8081B	20	0.0038	0.040	ND		mg/Kg	02/04/21	0:18	MK	454031
4,4'-DDD	SW8081B	20	0.011	0.040	ND		mg/Kg	02/04/21	0:18	MK	454031
Endosulfan II	SW8081B	20	0.012	0.040	ND		mg/Kg	02/04/21	0:18	MK	454031
4,4'-DDT	SW8081B	20	0.0026	0.040	0.0686		mg/Kg	02/04/21	0:18	MK	454031
Endrin Aldehyde	SW8081B	20	0.0030	0.040	ND		mg/Kg	02/04/21	0:18	MK	454031
Methoxychlor	SW8081B	20	0.0040	0.040	ND		mg/Kg	02/04/21	0:18	MK	454031
Endosulfan Sulfate	SW8081B	20	0.0023	0.040	ND		mg/Kg	02/04/21	0:18	MK	454031
Endrin Ketone	SW8081B	20	0.0019	0.040	ND		mg/Kg	02/04/21	0:18	MK	454031
Chlordane	SW8081B	20	0.042	0.40	ND		mg/Kg	02/04/21	0:18	MK	454031
Toxaphene	SW8081B	20	0.17	1.0	ND		mg/Kg	02/04/21	0:18	MK	454031
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		0.000	D	%	02/04/21	0:18	MK	454031
DCBP (S)	SW8081B		38 - 135		0.000	D	%	02/04/21	0:18	MK	454031

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
 Date Reported: 02/04/21

Client Sample ID:	HA-8@3'	Lab Sample ID:	2101287-024A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 13:01		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/2/21	11:00:00AM
Prep Batch ID: 1128980	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Arsenic	SW6010B	1	0.15	1.3	5.90		mg/Kg	02/03/21	18:24	TUAN	454038
Lead	SW6010B	1	0.12	3.0	9.10		mg/Kg	02/03/21	18:24	TUAN	454038



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	HA-8@3'	Lab Sample ID:	2101287-024A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 13:01		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/3/21	1:40:00PM
Prep Batch ID: 1129025	Prep Analyst:	HLEE

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	3	0.00038	0.0060	ND		mg/Kg	02/03/21	21:21	MK	454031
gamma-BHC (Lindane)	SW8081B	3	0.00048	0.0060	ND		mg/Kg	02/03/21	21:21	MK	454031
beta-BHC	SW8081B	3	0.00095	0.0060	ND		mg/Kg	02/03/21	21:21	MK	454031
delta-BHC	SW8081B	3	0.00047	0.0060	ND		mg/Kg	02/03/21	21:21	MK	454031
Heptachlor	SW8081B	3	0.00032	0.0060	ND		mg/Kg	02/03/21	21:21	MK	454031
Aldrin	SW8081B	3	0.00059	0.0060	ND		mg/Kg	02/03/21	21:21	MK	454031
Heptachlor Epoxide	SW8081B	3	0.00023	0.0060	ND		mg/Kg	02/03/21	21:21	MK	454031
gamma-Chlordane	SW8081B	3	0.00049	0.0060	ND		mg/Kg	02/03/21	21:21	MK	454031
alpha-Chlordane	SW8081B	3	0.00052	0.0060	ND		mg/Kg	02/03/21	21:21	MK	454031
4,4'-DDE	SW8081B	3	0.00058	0.0060	0.00169	J	mg/Kg	02/03/21	21:21	MK	454031
Endosulfan I	SW8081B	3	0.00055	0.0060	ND		mg/Kg	02/03/21	21:21	MK	454031
Dieldrin	SW8081B	3	0.00044	0.0060	ND		mg/Kg	02/03/21	21:21	MK	454031
Endrin	SW8081B	3	0.00056	0.0060	ND		mg/Kg	02/03/21	21:21	MK	454031
4,4'-DDD	SW8081B	3	0.0017	0.0060	ND		mg/Kg	02/03/21	21:21	MK	454031
Endosulfan II	SW8081B	3	0.0017	0.0060	ND		mg/Kg	02/03/21	21:21	MK	454031
4,4'-DDT	SW8081B	3	0.00039	0.0060	ND		mg/Kg	02/03/21	21:21	MK	454031
Endrin Aldehyde	SW8081B	3	0.00045	0.0060	ND		mg/Kg	02/03/21	21:21	MK	454031
Methoxychlor	SW8081B	3	0.00060	0.0060	ND		mg/Kg	02/03/21	21:21	MK	454031
Endosulfan Sulfate	SW8081B	3	0.00035	0.0060	ND		mg/Kg	02/03/21	21:21	MK	454031
Endrin Ketone	SW8081B	3	0.00028	0.0060	ND		mg/Kg	02/03/21	21:21	MK	454031
Chlordane	SW8081B	3	0.0063	0.060	ND		mg/Kg	02/03/21	21:21	MK	454031
Toxaphene	SW8081B	3	0.026	0.15	ND		mg/Kg	02/03/21	21:21	MK	454031
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		68.8		%	02/03/21	21:21	MK	454031
DCBP (S)	SW8081B		38 - 135		69.8		%	02/03/21	21:21	MK	454031

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
 Date Reported: 02/04/21

Client Sample ID:	S-13@0-12"	Lab Sample ID:	2101287-026A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 12:00		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/2/21	11:00:00AM
Prep Batch ID: 1128980	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Arsenic	SW6010B	1	0.15	1.3	5.15		mg/Kg	02/03/21	18:27	TUAN	454038
Lead	SW6010B	1	0.12	3.0	11.4		mg/Kg	02/03/21	18:27	TUAN	454038



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-13@0-12"	Lab Sample ID:	2101287-026A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 12:00		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/3/21	1:40:00PM
Prep Batch ID: 1129025	Prep Analyst: HLEE	

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	20	0.0025	0.040	ND		mg/Kg	02/04/21	0:31	MK	454031
gamma-BHC (Lindane)	SW8081B	20	0.0032	0.040	ND		mg/Kg	02/04/21	0:31	MK	454031
beta-BHC	SW8081B	20	0.0063	0.040	ND		mg/Kg	02/04/21	0:31	MK	454031
delta-BHC	SW8081B	20	0.0031	0.040	ND		mg/Kg	02/04/21	0:31	MK	454031
Heptachlor	SW8081B	20	0.0021	0.040	ND		mg/Kg	02/04/21	0:31	MK	454031
Aldrin	SW8081B	20	0.0039	0.040	ND		mg/Kg	02/04/21	0:31	MK	454031
Heptachlor Epoxide	SW8081B	20	0.0016	0.040	ND		mg/Kg	02/04/21	0:31	MK	454031
gamma-Chlordane	SW8081B	20	0.0033	0.040	ND		mg/Kg	02/04/21	0:31	MK	454031
alpha-Chlordane	SW8081B	20	0.0035	0.040	ND		mg/Kg	02/04/21	0:31	MK	454031
4,4'-DDE	SW8081B	20	0.0039	0.040	0.700		mg/Kg	02/04/21	0:31	MK	454031
Endosulfan I	SW8081B	20	0.0037	0.040	ND		mg/Kg	02/04/21	0:31	MK	454031
Dieldrin	SW8081B	20	0.0030	0.040	ND		mg/Kg	02/04/21	0:31	MK	454031
Endrin	SW8081B	20	0.0038	0.040	ND		mg/Kg	02/04/21	0:31	MK	454031
4,4'-DDD	SW8081B	20	0.011	0.040	ND		mg/Kg	02/04/21	0:31	MK	454031
Endosulfan II	SW8081B	20	0.012	0.040	ND		mg/Kg	02/04/21	0:31	MK	454031
4,4'-DDT	SW8081B	20	0.0026	0.040	0.172		mg/Kg	02/04/21	0:31	MK	454031
Endrin Aldehyde	SW8081B	20	0.0030	0.040	ND		mg/Kg	02/04/21	0:31	MK	454031
Methoxychlor	SW8081B	20	0.0040	0.040	ND		mg/Kg	02/04/21	0:31	MK	454031
Endosulfan Sulfate	SW8081B	20	0.0023	0.040	ND		mg/Kg	02/04/21	0:31	MK	454031
Endrin Ketone	SW8081B	20	0.0019	0.040	ND		mg/Kg	02/04/21	0:31	MK	454031
Chlordane	SW8081B	20	0.042	0.40	ND		mg/Kg	02/04/21	0:31	MK	454031
Toxaphene	SW8081B	20	0.17	1.0	ND		mg/Kg	02/04/21	0:31	MK	454031
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		0.000	D	%	02/04/21	0:31	MK	454031
DCBP (S)	SW8081B		38 - 135		0.000	D	%	02/04/21	0:31	MK	454031

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
 Date Reported: 02/04/21

Client Sample ID:	S-10@0-12"	Lab Sample ID:	2101287-028A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 12:13		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/2/21	11:00:00AM
Prep Batch ID: 1128980	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Arsenic	SW6010B	1	0.15	1.3	5.25		mg/Kg	02/03/21	18:31	TUAN	454038
Lead	SW6010B	1	0.12	3.0	38.8		mg/Kg	02/03/21	18:31	TUAN	454038



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-10@0-12"	Lab Sample ID:	2101287-028A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 12:13		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/3/21	1:40:00PM
Prep Batch ID: 1129025	Prep Analyst:	HLEE

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	10	0.0013	0.020	ND		mg/Kg	02/03/21	23:09	MK	454031
gamma-BHC (Lindane)	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	23:09	MK	454031
beta-BHC	SW8081B	10	0.0032	0.020	ND		mg/Kg	02/03/21	23:09	MK	454031
delta-BHC	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	23:09	MK	454031
Heptachlor	SW8081B	10	0.0011	0.020	ND		mg/Kg	02/03/21	23:09	MK	454031
Aldrin	SW8081B	10	0.0020	0.020	ND		mg/Kg	02/03/21	23:09	MK	454031
Heptachlor Epoxide	SW8081B	10	0.00078	0.020	ND		mg/Kg	02/03/21	23:09	MK	454031
gamma-Chlordane	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	23:09	MK	454031
alpha-Chlordane	SW8081B	10	0.0017	0.020	ND		mg/Kg	02/03/21	23:09	MK	454031
4,4'-DDE	SW8081B	10	0.0019	0.020	0.0170	J	mg/Kg	02/03/21	23:09	MK	454031
Endosulfan I	SW8081B	10	0.0018	0.020	ND		mg/Kg	02/03/21	23:09	MK	454031
Dieldrin	SW8081B	10	0.0015	0.020	ND		mg/Kg	02/03/21	23:09	MK	454031
Endrin	SW8081B	10	0.0019	0.020	ND		mg/Kg	02/03/21	23:09	MK	454031
4,4'-DDD	SW8081B	10	0.0057	0.020	ND		mg/Kg	02/03/21	23:09	MK	454031
Endosulfan II	SW8081B	10	0.0058	0.020	ND		mg/Kg	02/03/21	23:09	MK	454031
4,4'-DDT	SW8081B	10	0.0013	0.020	0.0404		mg/Kg	02/03/21	23:09	MK	454031
Endrin Aldehyde	SW8081B	10	0.0015	0.020	ND		mg/Kg	02/03/21	23:09	MK	454031
Methoxychlor	SW8081B	10	0.0020	0.020	ND		mg/Kg	02/03/21	23:09	MK	454031
Endosulfan Sulfate	SW8081B	10	0.0012	0.020	ND		mg/Kg	02/03/21	23:09	MK	454031
Endrin Ketone	SW8081B	10	0.00094	0.020	ND		mg/Kg	02/03/21	23:09	MK	454031
Chlordane	SW8081B	10	0.021	0.20	ND		mg/Kg	02/03/21	23:09	MK	454031
Toxaphene	SW8081B	10	0.085	0.50	ND		mg/Kg	02/03/21	23:09	MK	454031
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		87.2		%	02/03/21	23:09	MK	454031
DCBP (S)	SW8081B		38 - 135		90.6		%	02/03/21	23:09	MK	454031

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
 Date Reported: 02/04/21

Client Sample ID:	S-11@0-12"	Lab Sample ID:	2101287-030A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 12:10		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/2/21	11:00:00AM
Prep Batch ID: 1128980	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Arsenic	SW6010B	1	0.15	1.3	6.10		mg/Kg	02/03/21	18:34	TUAN	454038
Lead	SW6010B	1	0.12	3.0	12.9		mg/Kg	02/03/21	18:34	TUAN	454038



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-11@0-12"	Lab Sample ID:	2101287-030A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 12:10		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/3/21	1:40:00PM
Prep Batch ID: 1129025	Prep Analyst:	HLEE

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	10	0.0013	0.020	ND		mg/Kg	02/03/21	23:23	MK	454031
gamma-BHC (Lindane)	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	23:23	MK	454031
beta-BHC	SW8081B	10	0.0032	0.020	ND		mg/Kg	02/03/21	23:23	MK	454031
delta-BHC	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	23:23	MK	454031
Heptachlor	SW8081B	10	0.0011	0.020	ND		mg/Kg	02/03/21	23:23	MK	454031
Aldrin	SW8081B	10	0.0020	0.020	ND		mg/Kg	02/03/21	23:23	MK	454031
Heptachlor Epoxide	SW8081B	10	0.00078	0.020	ND		mg/Kg	02/03/21	23:23	MK	454031
gamma-Chlordane	SW8081B	10	0.0016	0.020	ND		mg/Kg	02/03/21	23:23	MK	454031
alpha-Chlordane	SW8081B	10	0.0017	0.020	ND		mg/Kg	02/03/21	23:23	MK	454031
4,4'-DDE	SW8081B	10	0.0019	0.020	0.353		mg/Kg	02/03/21	23:23	MK	454031
Endosulfan I	SW8081B	10	0.0018	0.020	ND		mg/Kg	02/03/21	23:23	MK	454031
Dieldrin	SW8081B	10	0.0015	0.020	ND		mg/Kg	02/03/21	23:23	MK	454031
Endrin	SW8081B	10	0.0019	0.020	ND		mg/Kg	02/03/21	23:23	MK	454031
4,4'-DDD	SW8081B	10	0.0057	0.020	ND		mg/Kg	02/03/21	23:23	MK	454031
Endosulfan II	SW8081B	10	0.0058	0.020	ND		mg/Kg	02/03/21	23:23	MK	454031
4,4'-DDT	SW8081B	10	0.0013	0.020	0.102		mg/Kg	02/03/21	23:23	MK	454031
Endrin Aldehyde	SW8081B	10	0.0015	0.020	ND		mg/Kg	02/03/21	23:23	MK	454031
Methoxychlor	SW8081B	10	0.0020	0.020	ND		mg/Kg	02/03/21	23:23	MK	454031
Endosulfan Sulfate	SW8081B	10	0.0012	0.020	ND		mg/Kg	02/03/21	23:23	MK	454031
Endrin Ketone	SW8081B	10	0.00094	0.020	ND		mg/Kg	02/03/21	23:23	MK	454031
Chlordane	SW8081B	10	0.021	0.20	ND		mg/Kg	02/03/21	23:23	MK	454031
Toxaphene	SW8081B	10	0.085	0.50	ND		mg/Kg	02/03/21	23:23	MK	454031
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		85.1		%	02/03/21	23:23	MK	454031
DCBP (S)	SW8081B		38 - 135		88.4		%	02/03/21	23:23	MK	454031

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



SAMPLE RESULTS

Report prepared for: Divya Bhargava
 Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
 Date Reported: 02/04/21

Client Sample ID:	S-12@0-12"	Lab Sample ID:	2101287-032A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 12:05		
SDG:			

Prep Method: 3050B	Prep Batch Date/Time: 2/2/21	11:00:00AM
Prep Batch ID: 1128980	Prep Analyst:	TNGU

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
Arsenic	SW6010B	1	0.15	1.3	5.10		mg/Kg	02/03/21	18:37	TUAN	454038
Lead	SW6010B	1	0.12	3.0	10.9		mg/Kg	02/03/21	18:37	TUAN	454038



SAMPLE RESULTS

Report prepared for: Divya Bhargava
Engeo (San Ramon)

Date/Time Received: 01/29/21, 3:15 pm
Date Reported: 02/04/21

Client Sample ID:	S-12@0-12"	Lab Sample ID:	2101287-032A
Project Name/Location:	905 N.Capitol Ave	Sample Matrix:	Soil
Project Number:	18124.000.001		
Date/Time Sampled:	01/29/21 / 12:05		
SDG:			

Prep Method: 3546_OCP	Prep Batch Date/Time: 2/3/21	1:40:00PM
Prep Batch ID: 1129025	Prep Analyst:	HLEE

Parameters:	Analysis Method	DF	MDL	PQL	Results	Q	Units	Analyzed	Time	By	Analytical Batch
-------------	-----------------	----	-----	-----	---------	---	-------	----------	------	----	------------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081B	20	0.0025	0.040	ND		mg/Kg	02/04/21	0:45	MK	454031
gamma-BHC (Lindane)	SW8081B	20	0.0032	0.040	ND		mg/Kg	02/04/21	0:45	MK	454031
beta-BHC	SW8081B	20	0.0063	0.040	ND		mg/Kg	02/04/21	0:45	MK	454031
delta-BHC	SW8081B	20	0.0031	0.040	ND		mg/Kg	02/04/21	0:45	MK	454031
Heptachlor	SW8081B	20	0.0021	0.040	ND		mg/Kg	02/04/21	0:45	MK	454031
Aldrin	SW8081B	20	0.0039	0.040	ND		mg/Kg	02/04/21	0:45	MK	454031
Heptachlor Epoxide	SW8081B	20	0.0016	0.040	ND		mg/Kg	02/04/21	0:45	MK	454031
gamma-Chlordane	SW8081B	20	0.0033	0.040	ND		mg/Kg	02/04/21	0:45	MK	454031
alpha-Chlordane	SW8081B	20	0.0035	0.040	ND		mg/Kg	02/04/21	0:45	MK	454031
4,4'-DDE	SW8081B	20	0.0039	0.040	0.439		mg/Kg	02/04/21	0:45	MK	454031
Endosulfan I	SW8081B	20	0.0037	0.040	ND		mg/Kg	02/04/21	0:45	MK	454031
Dieldrin	SW8081B	20	0.0030	0.040	ND		mg/Kg	02/04/21	0:45	MK	454031
Endrin	SW8081B	20	0.0038	0.040	ND		mg/Kg	02/04/21	0:45	MK	454031
4,4'-DDD	SW8081B	20	0.011	0.040	ND		mg/Kg	02/04/21	0:45	MK	454031
Endosulfan II	SW8081B	20	0.012	0.040	ND		mg/Kg	02/04/21	0:45	MK	454031
4,4'-DDT	SW8081B	20	0.0026	0.040	0.0916		mg/Kg	02/04/21	0:45	MK	454031
Endrin Aldehyde	SW8081B	20	0.0030	0.040	ND		mg/Kg	02/04/21	0:45	MK	454031
Methoxychlor	SW8081B	20	0.0040	0.040	ND		mg/Kg	02/04/21	0:45	MK	454031
Endosulfan Sulfate	SW8081B	20	0.0023	0.040	ND		mg/Kg	02/04/21	0:45	MK	454031
Endrin Ketone	SW8081B	20	0.0019	0.040	ND		mg/Kg	02/04/21	0:45	MK	454031
Chlordane	SW8081B	20	0.042	0.40	ND		mg/Kg	02/04/21	0:45	MK	454031
Toxaphene	SW8081B	20	0.17	1.0	ND		mg/Kg	02/04/21	0:45	MK	454031
Acceptance Limits											
TCMX (S)	SW8081B		48 - 125		0.000	D	%	02/04/21	0:45	MK	454031
DCBP (S)	SW8081B		38 - 135		0.000	D	%	02/04/21	0:45	MK	454031

NOTE: Sample diluted due to nature of the matrix (dark, viscous extract)



MB Summary Report

Work Order:	2101287	Prep Method:	3546_BNA	Prep Date:	02/02/21	Prep Batch:	1128975
Matrix:	Soil	Analytical Method:	SW8270C	Analyzed Date:	2/2/2021	Analytical Batch:	453975
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier
N-Nitrosodimethylamine	46.9	720	ND	
Phenol	43.8	288	ND	
Bis(2-chloroethyl)ether	13.3	144	ND	
2-Chlorophenol	47.7	288	ND	
1,3-Dichlorobenzene	13.1	144	ND	
1,4-Dichlorobenzene	14.6	144	ND	
Benzyl Alcohol	20.5	288	ND	
1,2-Dichlorobenzene	13.5	144	ND	
2-Methylphenol (o-Cresol)	29.3	288	ND	
N-Methyl-2-Pyrrolidone (NMP)	68.0	720	ND	
3-/4-Methylphenol (p-/m-Cresol)	31.3	288	ND	
N-nitroso-di-n-propylamine	13.2	144	ND	
Hexachloroethane	17.1	144	ND	
Nitrobenzene	12.8	144	ND	
Isophorone	12.2	144	ND	
2-Nitrophenol	25.4	288	ND	
2,4-Dimethylphenol	22.8	288	ND	
Benzoic Acid	41.7	288	ND	
Bis(2-Chloroethoxy)methane	9.79	144	ND	
Bis(2-chloroisopropyl)ether	12.6	144	ND	
2,4-Dichlorophenol	39.3	288	ND	
1,2,4-Trichlorobenzene	11.8	144	ND	
Naphthalene	10.6	144	ND	
2,6-Dichlorophenol	35.8	288	ND	
Hexachloro-1,3-butadiene	8.34	144	ND	
4-Chloro-3-methylphenol	33.8	288	ND	
2-Methylnaphthalene	10.4	144	ND	
1-Methylnaphthalene	12.2	144	ND	
Hexachlorocyclopentadiene	12.9	144	ND	
2,4,6-Trichlorophenol	35.9	288	ND	
2,4,5-Trichlorophenol	33.4	288	ND	
2-Chloronaphthalene	10.6	144	ND	
1,4-Dinitrobenzene	10.3	144	ND	
Dimethyl phthalate	14.2	720	ND	
1,3-Dinitrobenzene	10.4	144	ND	
Acenaphthylene	8.28	144	ND	
2,6-Dinitrotoluene	11.3	144	ND	
1,2-Dinitrobenzene	15.8	144	ND	
Acenaphthene	10.7	144	ND	
2,4-Dinitrophenol	77.6	720	ND	
4-Nitrophenol	54.7	720	ND	
Dibenzofuran	11.2	144	ND	
2,4-Dinitrotoluene	12.1	144	ND	
2,3,5,6-Tetrachlorophenol	27.6	288	ND	
2,3,4,6-Tetrachlorophenol	31.5	288	ND	



MB Summary Report

Work Order:	2101287	Prep Method:	3546_BNA	Prep Date:	02/02/21	Prep Batch:	1128975
Matrix:	Soil	Analytical Method:	SW8270C	Analyzed Date:	2/2/2021	Analytical Batch:	453975
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier
Diethylphthalate	13.6	720	ND	
Fluorene	10.3	144	ND	
4-Chlorophenyl-phenylether	9.32	144	ND	
4,6-Dinitro-2-methylphenol	13.4	288	ND	
Diphenylamine	13.0	144	ND	
Azobenzene	114	144	ND	
4-Bromophenyl-phenylether	8.23	144	ND	
Hexachlorobenzene	8.66	144	ND	
Pentachlorophenol	25.0	288	ND	
Phenanthrene	9.32	144	ND	
Anthracene	8.91	144	ND	
Carbazole	10.7	144	ND	
Di-n-butylphthalate	13.5	144	ND	
Fluoranthene	10.0	144	ND	
Benzidine	147	144	ND	
Pyrene	12.0	144	ND	
Butylbenzylphthalate	21.0	720	ND	
Benzo(a)anthracene	9.80	144	ND	
3,3-Dichlorobenzidine	118	144	ND	
Chrysene	15.2	144	ND	
Bis(2-Ethylhexyl)phthalate	15.3	720	ND	
Di-n-Octylphthalate	12.3	144	ND	
Benzo(b)fluorathene	12.0	144	ND	
benzo(k)fluorathene	8.16	144	ND	
Benzo(a)pyrene	9.80	144	ND	
Indeno(1,2,3-c,d)pyrene	13.8	144	ND	
Dibenzo(a,h)anthracene	12.7	144	ND	
Benzo(g,h,i)perylene	12.7	144	ND	
Pyridine	43.8	720	ND	
2-Fluorophenol (S)			80.2	
Phenol-d6 (S)			81.3	
2,4,6-Tribromophenol (S)			87.8	
2-Fluorobiphenyl (S)			84.5	
Nitrobenzene-d5 (S)			78.9	
Terphenyl-d14 (S)			89.6	

Work Order:	2101287	Prep Method:	7471BP	Prep Date:	02/02/21	Prep Batch:	1128976
Matrix:	Soil	Analytical Method:	SW7471B	Analyzed Date:	2/3/2021	Analytical Batch:	454034
Units:	mg/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier
Mercury	0.083	0.50	ND	



MB Summary Report

Work Order:	2101287	Prep Method:	3050B	Prep Date:	02/02/21	Prep Batch:	1128978
Matrix:	Soil	Analytical Method:	SW6010B	Analyzed Date:	2/3/2021	Analytical Batch:	454018
Units:	mg/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier
Antimony	0.050	5.00	0.11	
Arsenic	0.15	1.30	ND	
Barium	0.055	5.00	0.077	
Beryllium	0.055	5.00	ND	
Cadmium	0.10	5.00	ND	
Chromium	0.075	5.00	0.21	
Cobalt	0.070	5.00	ND	
Copper	0.20	5.00	ND	
Lead	0.10	3.00	ND	
Molybdenum	0.050	5.00	ND	
Nickel	0.50	5.00	ND	
Selenium	0.22	5.00	ND	
Silver	0.15	5.00	ND	
Thallium	0.55	5.00	ND	
Vanadium	0.10	5.00	ND	
Zinc	0.30	5.00	ND	

Work Order:	2101287	Prep Method:	3050B	Prep Date:	02/02/21	Prep Batch:	1128980
Matrix:	Soil	Analytical Method:	SW6010B	Analyzed Date:	2/3/2021	Analytical Batch:	454038
Units:	mg/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier
Arsenic	0.15	1.30	ND	
Lead	0.10	3.00	ND	

Work Order:	2101287	Prep Method:	3546_PCB	Prep Date:	02/02/21	Prep Batch:	1128984
Matrix:	Soil	Analytical Method:	SW8082A	Analyzed Date:	2/2/2021	Analytical Batch:	453996
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier
Aroclor1016	35.0	100	ND	
Aroclor1221	5.00	100	ND	
Aroclor1232	17.0	100	ND	
Aroclor1242	3.00	100	ND	
Aroclor1248	2.00	100	ND	
Aroclor1254	14.0	100	ND	
Aroclor1260	24.0	100	ND	
TCMX (S)			102	
DCBP (S)			103	



MB Summary Report

Work Order:	2101287	Prep Method:	3546_TPHSG	Prep Date:	02/02/21	Prep Batch:	1128998
Matrix:	Soil	Analytical Method:	SW8015B	Analyzed Date:	2/3/2021	Analytical Batch:	454044
Units:	mg/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier
TPH as Diesel (SG)	0.85	2.0	ND	
TPH as Motor Oil (SG)	3.2	10	ND	
Pentacosane (S)			78.7	



MB Summary Report

Work Order:	2101287	Prep Method:	5035	Prep Date:	02/02/21	Prep Batch:	1129020
Matrix:	Soil	Analytical Method:	SW8260B	Analyzed Date:	2/2/2021	Analytical Batch:	454001
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier
Dichlorodifluoromethane	1.2	10	ND	
Chloromethane	1.8	10	ND	
Vinyl Chloride	2.0	10	ND	
Bromomethane	2.7	10	ND	
Chloroethane	3.0	10	ND	
Trichlorofluoromethane	2.1	10	ND	
1,1-Dichloroethene	2.0	10	ND	
Freon 113	1.9	10	ND	
Methylene Chloride	7.1	10	ND	
trans-1,2-Dichloroethene	2.1	10	ND	
MTBE	2.3	10	ND	
TBA	12	50	ND	
Diisopropyl ether	2.3	10	ND	
1,1-Dichloroethane	2.2	10	ND	
Ethyl tert-Butyl ether	2.3	10	ND	
cis-1,2-Dichloroethene	2.2	10	ND	
2,2-Dichloropropane	1.9	10	ND	
Bromochloromethane	2.3	10	ND	
Chloroform	2.4	10	ND	
Carbon Tetrachloride	2.1	10	ND	
1,1,1-Trichloroethane	2.1	10	ND	
1,1-Dichloropropene	2.0	10	ND	
Benzene	2.2	10	ND	
TAME	2.3	10	ND	
1,2-Dichloroethane	2.3	10	ND	
Trichloroethylene	1.8	10	ND	
Dibromomethane	1.8	10	ND	
1,2-Dichloropropane	1.9	10	ND	
Bromodichloromethane	2.0	10	ND	
cis-1,3-Dichloropropene	1.6	10	ND	
Toluene	1.8	10	ND	
Tetrachloroethylene	1.7	10	ND	
trans-1,3-Dichloropropene	1.6	10	ND	
1,1,2-Trichloroethane	1.8	10	ND	
Dibromochloromethane	1.9	10	ND	
1,3-Dichloropropane	1.8	10	ND	
1,2-Dibromoethane	1.8	10	ND	
Chlorobenzene	1.8	10	ND	
Ethylbenzene	1.7	10	ND	
1,1,1,2-Tetrachloroethane	1.9	10	ND	
m,p-Xylene	3.2	10	ND	
o-Xylene	1.7	10	ND	
Styrene	1.6	10	ND	
Bromoform	1.7	10	ND	
Isopropyl Benzene	1.6	10	ND	



MB Summary Report

Work Order:	2101287	Prep Method:	5035	Prep Date:	02/02/21	Prep Batch:	1129020
Matrix:	Soil	Analytical Method:	SW8260B	Analyzed Date:	2/2/2021	Analytical Batch:	454001
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier
n-Propylbenzene	1.6	10	ND	
Bromobenzene	1.8	10	ND	
1,1,2,2-Tetrachloroethane	1.9	10	ND	
2-Chlorotoluene	1.8	10	ND	
1,3,5-Trimethylbenzene	1.6	10	ND	
1,2,3-Trichloropropane	1.9	10	ND	
4-Chlorotoluene	1.6	10	ND	
tert-Butylbenzene	1.6	10	ND	
1,2,4-Trimethylbenzene	1.4	10	ND	
sec-Butyl Benzene	1.6	10	ND	
p-Isopropyltoluene	1.5	10	ND	
1,3-Dichlorobenzene	1.7	10	ND	
1,4-Dichlorobenzene	1.7	10	ND	
n-Butylbenzene	1.5	10	1.5	
1,2-Dichlorobenzene	1.8	10	ND	
1,2-Dibromo-3-Chloropropane	1.8	10	ND	
Hexachlorobutadiene	1.4	10	1.6	
1,2,4-Trichlorobenzene	1.5	10	1.6	
Naphthalene	1.7	10	1.9	
1,2,3-Trichlorobenzene	1.7	10	1.9	
2-Butanone	2.3	10	ND	
(S) Dibromofluoromethane			87.8	
(S) Toluene-d8			96.7	
(S) 4-Bromofluorobenzene			91.5	

Work Order:	2101287	Prep Method:	5035GRO	Prep Date:	02/03/21	Prep Batch:	1129021
Matrix:	Soil	Analytical Method:	SW8260B	Analyzed Date:	2/2/2021	Analytical Batch:	454001
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier
TPH as Gasoline	43	100	ND	
(S) 4-Bromofluorobenzene			98.3	



MB Summary Report

Work Order:	2101287	Prep Method:	3546_OCP	Prep Date:	02/03/21	Prep Batch:	1129025
Matrix:	Soil	Analytical Method:	SW8081B	Analyzed Date:	2/3/2021	Analytical Batch:	454031
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier
alpha-BHC	0.13	2.0	ND	
gamma-BHC (Lindane)	0.16	2.0	ND	
beta-BHC	0.32	2.0	ND	
delta-BHC	0.16	2.0	ND	
Heptachlor	0.11	2.0	ND	
Aldrin	0.20	2.0	ND	
Heptachlor Epoxide	0.078	2.0	ND	
gamma-Chlordane	0.16	2.0	ND	
alpha-Chlordane	0.17	2.0	ND	
4,4'-DDE	0.19	2.0	ND	
Endosulfan I	0.18	2.0	ND	
Dieldrin	0.15	2.0	ND	
Endrin	0.19	2.0	ND	
4,4'-DDD	0.57	2.0	ND	
Endosulfan II	0.58	2.0	ND	
4,4'-DDT	0.13	2.0	ND	
Endrin Aldehyde	0.15	2.0	ND	
Methoxychlor	0.20	2.0	ND	
Endosulfan Sulfate	0.12	2.0	ND	
Endrin Ketone	0.094	2.0	ND	
Chlordane	2.1	20	ND	
Toxaphene	8.5	50	ND	
TCMX (S)			86.9	
DCBP (S)			88.5	



LCS/LCSD Summary Report

Raw values are used in quality control assessment.

Work Order:	2101287	Prep Method:	3546_BNA	Prep Date:	02/02/21	Prep Batch:	1128975
Matrix:	Soil	Analytical Method:	SW8270C	Analyzed Date:	2/2/2021	Analytical Batch:	453975
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Spike Conc.	LCS % Recovery	LCSD % Recovery	LCS/LCSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
Phenol	43.8	288	ND	1600	83.1	86.0	3.69	40 - 100	30	
2-Chlorophenol	47.7	288	ND	1600	77.9	78.6	0.797	45 - 105	30	
Bis(2-chloroethyl)ether	14.6	144	ND	800	77.3	76.6	0.812	35 - 105	30	
N-nitroso-di-n-propylamine	13.2	144	ND	1600	78.8	84.0	6.15	40 - 115	30	
1,2,4-Trichlorobenzene	11.8	144	ND	800	78.3	77.8	0.641	45 - 110	30	
1,4-Dichlorobenzene	33.8	288	ND	1600	84.4	88.4	5.05	45 - 110	30	
Acenaphthene	10.7	144	ND	800	87.2	88.7	1.56	45 - 110	30	
4-Nitrophenol	54.7	720	ND	1600	92.0	99.4	7.84	15 - 140	30	
2,4-Dinitrotoluene	12.1	144	ND	800	91.4	93.6	2.43	50 - 115	30	
N-Methyl-2-Pyrrolidone (NMP)	12.0	144	ND	1600	87.2	90.1	3.53	25 - 120	30	
Pyrene	12.0	144		800	86.3	91.1	5.35	45 - 145	30	
2-Fluorophenol (S)				22200	86.5	84.8		25 - 121		
Phenol-d6 (S)				22200	88.1	86.6		24 - 113		
2,4,6-Tribromophenol (S)				22200	97.7	94.0		19 - 122		
2-Fluorobiphenyl (S)				11100	92.6	89.2		30 - 143		
Nitrobenzene-d5 (S)				11100	87.6	87.9		23 - 120		
Terphenyl-d14 (S)				11100	94.9	95.5		18 - 137		

Work Order:	2101287	Prep Method:	7471BP	Prep Date:	02/02/21	Prep Batch:	1128976
Matrix:	Soil	Analytical Method:	SW7471B	Analyzed Date:	2/3/2021	Analytical Batch:	454034
Units:	mg/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Spike Conc.	LCS % Recovery	LCSD % Recovery	LCS/LCSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
Mercury	0.047	0.50	ND	1.25	95.7	99.1	3.28	80 - 120	30	



LCS/LCSD Summary Report

Raw values are used in quality control assessment.

Work Order:	2101287	Prep Method:	3050B	Prep Date:	02/02/21	Prep Batch:	1128978
Matrix:	Soil	Analytical Method:	SW6010B	Analyzed Date:	2/3/2021	Analytical Batch:	454018
Units:	mg/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Spike Conc.	LCS % Recovery	LCSD % Recovery	LCS/LCSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
Antimony	0.050	5.00	0.11	50	94.1	91.6	2.80	80 - 120	30	
Arsenic	0.15	1.30	ND	50	94.1	91.8	2.58	80 - 120	30	
Barium	0.055	5.00	0.077	50	97.8	96.1	1.65	80 - 120	30	
Beryllium	0.055	5.00	ND	50	99.3	97.1	2.24	80 - 120	30	
Cadmium	0.10	5.00	ND	50	98.2	95.8	2.47	80 - 120	30	
Chromium	0.075	5.00	0.21	50	101	98.2	2.81	80 - 120	30	
Cobalt	0.070	5.00	ND	50	99.1	97.0	2.24	80 - 120	30	
Copper	0.20	5.00	ND	50	99.7	100	0.200	80 - 120	30	
Lead	0.10	3.00	ND	50	95.7	94.0	1.90	80 - 120	30	
Molybdenum	0.050	5.00	ND	50	100	99.1	0.803	80 - 120	30	
Nickel	0.50	5.00	ND	50	98.7	96.6	2.25	80 - 120	30	
Selenium	0.22	5.00	ND	50	84.0	82.3	1.92	80 - 120	30	
Silver	0.15	5.00	ND	50	95.7	94.0	1.90	80 - 120	30	
Thallium	0.20	5.00	ND	50	94.6	92.7	1.92	80 - 120	30	
Vanadium	0.10	5.00	ND	50	101	99.4	1.60	80 - 120	30	
Zinc	0.30	5.00	ND	50	93.9	92.1	1.93	80 - 120	30	

Work Order:	2101287	Prep Method:	3050B	Prep Date:	02/02/21	Prep Batch:	1128980
Matrix:	Soil	Analytical Method:	SW6010B	Analyzed Date:	2/3/2021	Analytical Batch:	454038
Units:	mg/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Spike Conc.	LCS % Recovery	LCSD % Recovery	LCS/LCSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
Arsenic	0.15	1.30	ND	50	90.5	91.0	0.441	80 - 120	30	
Lead	0.10	3.00	ND	50	91.1	93.2	2.17	80 - 120	30	

Work Order:	2101287	Prep Method:	3546_PCB	Prep Date:	02/02/21	Prep Batch:	1128984
Matrix:	Soil	Analytical Method:	SW8082A	Analyzed Date:	2/2/2021	Analytical Batch:	453996
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Spike Conc.	LCS % Recovery	LCSD % Recovery	LCS/LCSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
Aroclor1016	53	100	ND	600	110	111	0.454	25 - 145	30	
Aroclor1260	36	100	ND	600	112	114	1.62	30 - 145	30	
TCMX (S)				0.10	105	105		48 - 125		
DCBP (S)				0.10	113	112		48 - 135		



LCS/LCSD Summary Report

Raw values are used in quality control assessment.

Work Order:	2101287	Prep Method:	3546_TPHSG	Prep Date:	02/02/21	Prep Batch:	1128998
Matrix:	Soil	Analytical Method:	SW8015B	Analyzed Date:	2/3/2021	Analytical Batch:	454044
Units:	mg/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Spike Conc.	LCS % Recovery	LCSD % Recovery	LCS/LCSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
TPH as Diesel (SG)	0.85	2.0	ND	25.0	66.0	65.2	1.22	40 - 110	30	
Pentacosane (S)			ND	200	100.0	82.7		40 - 129		

Work Order:	2101287	Prep Method:	5035	Prep Date:	02/02/21	Prep Batch:	1129020
Matrix:	Soil	Analytical Method:	SW8260B	Analyzed Date:	2/2/2021	Analytical Batch:	454001
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Spike Conc.	LCS % Recovery	LCSD % Recovery	LCS/LCSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
1,1-Dichloroethene	2.0	10	ND	50.0	104	106	1.14	53.7 - 139	30	
Benzene	2.2	10	ND	50.0	105	106	1.71	66.5 - 135	30	
Trichloroethylene	1.8	10	ND	50.0	91.1	92.6	1.52	57.5 - 150	30	
Toluene	1.8	10	ND	50.0	97.8	98.8	1.02	56.8 - 134	30	
Chlorobenzene	1.8	10	ND	50.0	93.9	93.9	0.000	57.4 - 134	30	
(S) Dibromofluoromethane				50.0	93.1	96.2		59.8 - 148		
(S) Toluene-d8				50.0	95.3	95.2		55.2 - 133		
(S) 4-Bromofluorobenzene				50.0	93.5	90.7		55.8 - 141		

Work Order:	2101287	Prep Method:	5035GRO	Prep Date:	02/03/21	Prep Batch:	1129021
Matrix:	Soil	Analytical Method:	SW8260B	Analyzed Date:	2/2/2021	Analytical Batch:	454001
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Spike Conc.	LCS % Recovery	LCSD % Recovery	LCS/LCSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
TPH as Gasoline	43	100	ND	1000	114	101	12.1	48.2 - 132	30	
(S) 4-Bromofluorobenzene				50	101	98.2		43.9 - 127		

Work Order:	2101287	Prep Method:	3546_OCP	Prep Date:	02/03/21	Prep Batch:	1129025
Matrix:	Soil	Analytical Method:	SW8081B	Analyzed Date:	2/3/2021	Analytical Batch:	454031
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Spike Conc.	LCS % Recovery	LCSD % Recovery	LCS/LCSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
gamma-BHC (Lindane)	0.16	2.0	ND	40	98.1	95.6	2.58	25 - 135	30	
Heptachlor	0.11	2.0	ND	40	94.4	92.3	2.14	40 - 130	30	
Aldrin	0.20	2.0	ND	40	90.2	88.3	2.24	25 - 140	30	
Dieldrin	0.15	2.0	ND	40	85.0	83.6	1.78	60 - 130	30	
Endrin	0.19	2.0	ND	40	94.5	92.6	2.14	55 - 135	30	
4,4'-DDT	0.13	2.0	ND	40	95.1	93.3	2.12	45 - 140	30	
TCMX (S)				100	96.5	95.1		48 - 125		
DCBP (S)				100	96.2	95.6		38 - 135		



MS/MSD Summary Report

Raw values are used in quality control assessment.

Work Order:	2101287	Prep Method:	3546_BNA	Prep Date:	02/02/21	Prep Batch:	1128975
Matrix:	Soil	Analytical Method:	SW8270C	Analyzed Date:	2/3/2021	Analytical Batch:	453975
Spiked Sample:	2101287-003A						
Units:	ug/Kg						

Parameters	MDL	PQL	Sample Conc.	Spike Conc.	MS % Recovery	MSD % Recovery	MS/MSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
Phenol	43.8	288	ND	1600	67.0	71.7	7.21	40 - 100	30	
2-Chlorophenol	47.7	288	ND	1600	65.2	68.7	5.61	45 - 105	30	
1,4-Dichlorobenzene	14.6	144	ND	800	67.7	69.2	2.19	35 - 105	30	
N-nitroso-di-n-propylamine	13.2	144	ND	1600	69.1	72.4	4.41	40 - 115	30	
1,2,4-Trichlorobenzene	11.8	144	ND	800	69.9	72.5	3.69	45 - 110	30	
4-Chloro-3-methylphenol	33.8	288	ND	1600	71.7	77.1	6.72	45 - 110	30	
Acenaphthene	10.7	144	ND	800	80.0	84.2	5.18	45 - 110	30	
4-Nitrophenol	54.7	720	ND	1600	68.1	77.1	12.1	15 - 140	30	
2,4-Dinitrotoluene	12.1	144	ND	800	85.3	89.7	5.14	50 - 115	30	
Pentachlorophenol	9.32	144	ND	1600	61.3	73.6	18.4	25 - 120	30	
Pyrene	12.0	144	ND	800	79.2	83.3	4.92	45 - 145	30	
2-Fluorophenol (S)				22200	69.9	70.4		25 - 121		
Phenol-d6 (S)				22200	75.3	75.2		24 - 113		
2,4,6-Tribromophenol (S)				22200	79.2	82.8		19 - 122		
2-Fluorobiphenyl (S)				11100	86.5	84.9		30 - 143		
Nitrobenzene-d5 (S)				11100	80.0	80.0		23 - 120		
Terphenyl-d14 (S)				11100	89.6	88.1		18 - 137		

Work Order:	2101287	Prep Method:	7471BP	Prep Date:	02/02/21	Prep Batch:	1128976
Matrix:	Soil	Analytical Method:	SW7471B	Analyzed Date:	2/3/2021	Analytical Batch:	454034
Spiked Sample:	2101287-003A						
Units:	mg/Kg						

Parameters	MDL	PQL	Sample Conc.	Spike Conc.	MS % Recovery	MSD % Recovery	MS/MSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
Mercury	0.047	0.50	ND	1.25	79.2	79.9	0.957	75 - 125	30	



MS/MSD Summary Report

Raw values are used in quality control assessment.

Work Order:	2101287	Prep Method:	3050B	Prep Date:	02/02/21	Prep Batch:	1128978
Matrix:	Soil	Analytical Method:	SW6010B	Analyzed Date:	02/03/2021	Analytical Batch:	454018
Spiked Sample:	2101287-003A						
Units:	mg/Kg						

Parameters	MDL	PQL	Sample Conc.	Spike Conc.	MS % Recovery	MSD % Recovery	MS/MSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
Antimony	0.050	5.00	ND	50	71.5	71.7	0.266	30.7 - 130	30	
Arsenic	0.15	1.30	5.80	50	87.4	85.8	1.63	71.0 - 121	30	
Barium	0.055	5.00	223	50	0	0	0.749	70.2 - 130	30	NR
Beryllium	0.055	5.00	ND	50	86.6	86.2	0.459	73.3 - 115	30	
Cadmium	0.10	5.00	ND	50	82.9	80.9	2.40	80.0 - 110	30	
Chromium	0.075	5.00	40.2	50	88.6	86.6	1.19	76.0 - 116	30	
Cobalt	0.070	5.00	11.8	50	84.4	83.4	0.930	57.4 - 122	30	
Copper	0.20	5.00	30.7	50	98.6	102	1.86	74.8 - 119	30	
Lead	0.10	3.00	9.05	50	82.9	77.4	5.49	57.9 - 118	30	
Molybdenum	0.050	5.00	ND	50	87.8	86.6	1.37	62.9 - 123	30	
Nickel	0.50	5.00	55.5	50	83.0	80.0	1.56	61.5 - 122	30	
Selenium	0.22	5.00	ND	50	72.3	71.7	0.832	62.0 - 111	30	
Silver	0.15	5.00	ND	50	94.0	94.6	0.635	75 - 125	30	
Thallium	0.20	5.00	ND	50	74.1	73.6	0.812	39.2 - 125	30	
Vanadium	0.10	5.00	32.1	50	95.8	96.8	0.623	65.8 - 122	30	
Zinc	0.30	5.00	57.5	50	83.0	82.0	0.506	59.9 - 122	30	

Work Order:	2101287	Prep Method:	3050B	Prep Date:	02/02/21	Prep Batch:	1128980
Matrix:	Soil	Analytical Method:	SW6010B	Analyzed Date:	02/03/2021	Analytical Batch:	454038
Spiked Sample:	2101287-009A						
Units:	mg/Kg						

Parameters	MDL	PQL	Sample Conc.	Spike Conc.	MS % Recovery	MSD % Recovery	MS/MSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
Arsenic	0.15	5.00	6.05	50	87.2	87.3	0.000	71.0 - 121	30	
Lead	0.10	5.00	8.95	50	83.1	83.1	0.000	67.9 - 118	30	

Work Order:	2101287	Prep Method:	3546_TPHSG	Prep Date:	02/02/21	Prep Batch:	1128998
Matrix:	Soil	Analytical Method:	SW8015B	Analyzed Date:	2/3/2021	Analytical Batch:	454044
Spiked Sample:	2101287-003A						
Units:	mg/Kg						

Parameters	MDL	PQL	Sample Conc.	Spike Conc.	MS % Recovery	MSD % Recovery	MS/MSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
TPH as Diesel (SG)	0.850	2.00	ND	25.0	27.4	32.7	14.4	40 - 110	30	S,x,
Pentacosane (S)				200	45.5	55.3		40 - 129		



MS/MSD Summary Report

Raw values are used in quality control assessment.

Work Order:	2101287	Prep Method:	5035	Prep Date:	02/02/21	Prep Batch:	1129020
Matrix:	Soil	Analytical Method:	SW8260B	Analyzed Date:	2/2/2021	Analytical Batch:	454001
Spiked Sample:	2101287-002A						
Units:	mg/Kg						

Parameters	MDL	PQL	Sample Conc.	Spike Conc.	MS % Recovery	MSD % Recovery	MS/MSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
1,1-Dichloroethene	0.0020	0.010	ND	0.05	87.4	106	19.4	55 - 125	30	
Benzene	0.0022	0.010	ND	0.05	91.6	113	20.7	55 - 125	30	
Trichloroethylene	0.0018	0.010	ND	0.05	84.0	98.5	16.0	55 - 125	30	
Toluene	0.0018	0.010	ND	0.05	93.0	107	13.8	55 - 125	30	
Chlorobenzene	0.0018	0.010	ND	0.05	88.4	101	13.3	55 - 125	30	
(S) Dibromofluoromethane				50	68.3	86.6		59.8 - 148		
(S) Toluene-d8				50	81.6	93.5		55.2 - 133		
(S) 4-Bromofluorobenzene				50	75.7	83.0		55.8 - 141		



Laboratory Qualifiers and Definitions

DEFINITIONS:

Accuracy/Bias (% Recovery) - The closeness of agreement between an observed value and an accepted reference value.
Blank (Method/Preparation Blank) -MB/PB - An analyte-free matrix to which all reagents are added in the same volumes/proportions as used in sample processing. The method blank is used to document contamination resulting from the analytical process.
Duplicate - a field sample and/or laboratory QC sample prepared in duplicate following all of the same processes and procedures used on the original sample (sample duplicate, LCSD, MSD)
Laboratory Control Sample (LCS ad LCSD) - A known matrix spiked with compounds representative of the target analyte(s). This is used to document laboratory performance.
Matrix - the component or substrate that contains the analyte of interest (e.g., - groundwater, sediment, soil, waste water, etc)
Matrix Spike (MS/MSD) - Client sample spiked with identical concentrations of target analyte (s). The spiking occurs prior to the sample preparation and analysis. They are used to document the precision and bias of a method in a given sample matrix.
Method Detection Limit (MDL) - the minimum concentration of a substance that can be measured and reported with a 99% confidence that the analyte concentration is greater than zero
Practical Quantitation Limit/Reporting Limit/Limit of Quantitation (PQL/RL/LOQ) - a laboratory determined value at 2 to 5 times above the MDL that can be reproduced in a manner that results in a 99% confidence level that the result is both accurate and precise. PQLs/RLs/LODs reflect all preparation factors and/or dilution factors that have been applied to the sample during the preparation and/or analytical processes.
Precision (%RPD) - The agreement among a set of replicate/duplicate measurements without regard to known value of the replicates
Surrogate (S) or (Surr) - An organic compound which is similar to the target analyte(s) in chemical composition and behavior in the analytical process, but which is not normally found in environmental samples. Surrogates are used in most organic analysis to demonstrate matrix compatibility with the chosen method of analysis
Tentatively Identified Compound (TIC) - A compound not contained within the analytical calibration standards but present in the GCMS library of defined compounds. When the library is searched for an unknown compound, it can frequently give a tentative identification to the compound based on retention time and primary and secondary ion match. TICs are reported as estimates and are candidates for further investigation.
Units: the unit of measure used to express the reported result - mg/L and mg/Kg (equivalent to PPM - parts per million in liquid and solid), ug/L and ug/Kg (equivalent to PPB - parts per billion in liquid and solid), ug/m3 , mg/m3 , ppbv and ppmv (all units of measure for reporting concentrations in air), % (equivalent to 10000 ppm or 1,000,000 ppb), ug/Wipe (concentration found on the surface of a single Wipe usually taken over a 100cm ² surface)

LABORATORY QUALIFIERS:

<p>B - Indicates when the analyte is found in the associated method or preparation blank</p> <p>D - Surrogate is not recoverable due to the necessary dilution of the sample</p> <p>E - Indicates the reportable value is outside of the calibration range of the instrument but within the linear range of the instrument (unless otherwise noted) Values reported with an E qualifier should be considered as estimated.</p> <p>H- Indicates that the recommended holding time for the analyte or compound has been exceeded</p> <p>J- Indicates a value between the method MDL and PQL and that the reported concentration should be considered as estimated rather the quantitative</p> <p>NA - Not Analyzed</p> <p>N/A - Not Applicable</p> <p>ND - Not Detected at a concentration greater than the PQL/RL or, if reported to the MDL, at greater than the MDL.</p> <p>NR - Not recoverable - a matrix spike concentration is not recoverable due to a concentration within the original sample that is greater than four times the spike concentration added</p> <p>R- The % RPD between a duplicate set of samples is outside of the absolute values established by laboratory control charts</p> <p>S- Spike recovery is outside of established method and/or laboratory control limits. Further explanation of the use of this qualifier should be included within a case narrative</p> <p>X -Used to indicate that a value based on pattern identification is within the pattern range but not typical of the pattern found in standards. Further explanation may or may not be provided within the sample footnote and/or the case narrative.</p>



Sample Receipt Checklist

Client Name: Engeo (San Ramon)

Project Name: 905 N.Capitol Ave

Work Order No.: 2101287

Date and Time Received: 1/29/2021 3:15:00PM

Received By: Lorna Imbat

Physically Logged By: Helena Ueng

Checklist Completed By: Helena Ueng

Carrier Name: Client Drop Off

Chain of Custody (COC) Information

Chain of custody present?	<u>Yes</u>
Chain of custody signed when relinquished and received?	<u>Yes</u>
Chain of custody agrees with sample labels?	<u>Yes</u>
Custody seals intact on sample bottles?	<u>Not Present</u>

Sample Receipt Information

Custody seals intact on shipping container/cooler?	<u>Not Present</u>
Shipping Container/Cooler In Good Condition?	<u>Yes</u>
Samples in proper container/bottle?	<u>Yes</u>
Samples containers intact?	<u>Yes</u>
Sufficient sample volume for indicated test?	<u>Yes</u>

Sample Preservation and Hold Time (HT) Information

All samples received within holding time?	<u>Yes</u>		
Container/Temp Blank temperature in compliance?	<u>Yes</u>	Temperature:	2.0 °C
Water-VOA vials have zero headspace?	<u>No VOA vials submitted</u>		
Water-pH acceptable upon receipt?	<u>N/A</u>		
pH Checked by: N/A		pH Adjusted by:	N/A

Comments:

Slight ID discrepancy for sample collected 1/29/21 @ 13:03 -- ID=HA-8@5' per CoC; ID=HA-8@8' per soil liner; ID logged in per CoC.



Login Summary Report

Client ID: TL5123 Engeo (San Ramon)
Project Name: 905 N.Capitol Ave
Project # : 18124.000.001
Report Due Date: 2/4/2021

QC Level: II
TAT Requested: 3 Day Std:3
Date Received: 1/29/2021
Time Received: 3:15 pm

Comments:

Work Order # : **2101287**

<u>WO Sample ID</u>	<u>Client Sample ID</u>	<u>Collection Date/Time</u>	<u>Matrix</u>	<u>Scheduled Disposal</u>	<u>Sample On Hold</u>	<u>Test On Hold</u>	<u>Requested Tests</u>	<u>Subbed</u>
2101287-001A	S-7@5'	01/29/21 10:00	Soil	07/28/21			Hold Samples	
2101287-002A	S-8@1'	01/29/21 10:40	Soil	07/28/21			Homogenize SVO_S_8270CFull Hg_S_7471B TPHDOSG_S_8015B PCBs_S_8082A Met_S_6010B CAM17 VOC_S_GRO mg/Kg VOC_S_8260B mg/Kg Pest_S_8081OCP	
Sample Note: *Samples need homogenization* Pls report all results in mg/kg								
2101287-003A	S-8@3'	01/29/21 10:43	Soil	07/28/21			Homogenize SVO_S_8270CFull Hg_S_7471B TPHDOSG_S_8015B PCBs_S_8082A Met_S_6010B CAM17 VOC_S_GRO mg/Kg VOC_S_8260B mg/Kg Pest_S_8081OCP	
2101287-004A	S-8@5'	01/29/21 10:46	Soil	07/28/21			Hold Samples	
2101287-005A	S-9@1'	01/29/21 10:19	Soil	07/28/21			Homogenize SVO_S_8270CFull Hg_S_7471B TPHDOSG_S_8015B PCBs_S_8082A Met_S_6010B CAM17 VOC_S_GRO mg/Kg VOC_S_8260B mg/Kg Pest_S_8081OCP	
2101287-006A	S-9@3'	01/29/21 10:21	Soil	07/28/21			Homogenize SVO_S_8270CFull	



Login Summary Report

Client ID: TL5123 Engeo (San Ramon)
Project Name: 905 N.Capitol Ave
Project # : 18124.000.001
Report Due Date: 2/4/2021

QC Level: II
TAT Requested: 3 Day Std:3
Date Received: 1/29/2021
Time Received: 3:15 pm

Comments:

Work Order # : **2101287**

<u>WO Sample ID</u>	<u>Client Sample ID</u>	<u>Collection Date/Time</u>	<u>Matrix</u>	<u>Scheduled Disposal</u>	<u>Sample On Hold</u>	<u>Test On Hold</u>	<u>Requested Tests</u>	<u>Subbed</u>
							Hg_S_7471B TPHDOSG_S_8015B PCBs_S_8082A Met_S_6010B CAM17 VOC_S_GRO mg/Kg VOC_S_8260B mg/Kg Pest_S_8081OCP	
2101287-007A	S-9@5'	01/29/21 10:23	Soil	07/28/21			Hold Samples	
2101287-008A	HA-1@1'	01/29/21 13:45	Soil	07/28/21			Homogenize Met_S_As Pb Pest_S_8081OCP	
2101287-009A	HA-1@2'	01/29/21 14:03	Soil	07/28/21			Homogenize Met_S_As Pb Pest_S_8081OCP	
2101287-010A	HA-1@3'	01/29/21 14:08	Soil	07/28/21			Hold Samples	
2101287-011A	HA-2@1'	01/29/21 13:40	Soil	07/28/21			Homogenize Met_S_As Pb Pest_S_8081OCP	
2101287-012A	HA-2@2'	01/29/21 14:03	Soil	07/28/21			Homogenize Met_S_As Pb Pest_S_8081OCP	
2101287-013A	HA-2@3'	01/29/21 14:05	Soil	07/28/21			Hold Samples	
2101287-014A	HA-5@1'	01/29/21 14:59	Soil	07/28/21			Homogenize Met_S_As Pb Pest_S_8081OCP	
2101287-015A	HA-5@3'	01/29/21 15:01	Soil	07/28/21			Homogenize Met_S_As Pb Pest_S_8081OCP	
2101287-016A	HA-5@5'	01/29/21 15:00	Soil	07/28/21			Hold Samples	
2101287-017A	HA-6@1'	01/29/21 14:49	Soil	07/28/21			Homogenize	



Login Summary Report

Client ID: TL5123 Engeo (San Ramon)
Project Name: 905 N.Capitol Ave
Project # : 18124.000.001
Report Due Date: 2/4/2021

QC Level: II
TAT Requested: 3 Day Std:3
Date Received: 1/29/2021
Time Received: 3:15 pm

Comments:

Work Order # : **2101287**

<u>WO Sample ID</u>	<u>Client Sample ID</u>	<u>Collection Date/Time</u>	<u>Matrix</u>	<u>Scheduled Disposal</u>	<u>Sample On Hold</u>	<u>Test On Hold</u>	<u>Requested Tests</u>	<u>Subbed</u>
2101287-018A	HA-6@3'	01/29/21 14:51	Soil	07/28/21			Met_S_As Pb Pest_S_8081OCP	
2101287-019A	HA-6@5'	01/29/21 14:53	Soil	07/28/21			Homogenize Met_S_As Pb Pest_S_8081OCP	
2101287-020A	HA-7@1'	01/29/21 13:04	Soil	07/28/21			Hold Samples	
2101287-021A	HA-7@3'	01/29/21 13:05	Soil	07/28/21			Homogenize Met_S_As Pb Pest_S_8081OCP	
2101287-022A	HA-7@5'	01/29/21 13:06	Soil	07/28/21			Homogenize Met_S_As Pb Pest_S_8081OCP	
2101287-023A	HA-8@1'	01/29/21 12:59	Soil	07/28/21			Hold Samples	
2101287-024A	HA-8@3'	01/29/21 13:01	Soil	07/28/21			Homogenize Met_S_As Pb Pest_S_8081OCP	
2101287-025A	HA-8@5'	01/29/21 13:03	Soil	07/28/21			Homogenize Met_S_As Pb Pest_S_8081OCP	
2101287-026A	S-13@0-12"	01/29/21 12:00	Soil	07/28/21			Hold Samples	
2101287-027A	S-13@12-24"	01/29/21 12:02	Soil	07/28/21			Homogenize Met_S_As Pb Pest_S_8081OCP	
2101287-028A	S-10@0-12"	01/29/21 12:13	Soil	07/28/21			Hold Samples	
2101287-029A	S-10@12-24"	01/29/21 12:14	Soil	07/28/21			Homogenize Met_S_As Pb Pest_S_8081OCP	
2101287-030A	S-11@0-12"	01/29/21 12:10	Soil	07/28/21			Hold Samples	
							Homogenize	



Login Summary Report

Client ID: TL5123 Engeo (San Ramon)
Project Name: 905 N.Capitol Ave
Project # : 18124.000.001
Report Due Date: 2/4/2021

QC Level: II
TAT Requested: 3 Day Std:3
Date Received: 1/29/2021
Time Received: 3:15 pm

Comments:

Work Order # : **2101287**

<u>WO Sample ID</u>	<u>Client Sample ID</u>	<u>Collection Date/Time</u>	<u>Matrix</u>	<u>Scheduled Disposal</u>	<u>Sample On Hold</u>	<u>Test On Hold</u>	<u>Requested Tests</u>	<u>Subbed</u>
2101287-031A	S-11@12-24"	01/29/21 12:11	Soil	07/28/21			Met_S_As Pb Pest_S_8081OCP	
2101287-032A	S-12@0-12"	01/29/21 12:05	Soil	07/28/21			Hold Samples	
2101287-033A	S-12@12-24"	01/29/21 12:08	Soil	07/28/21			Homogenize Met_S_As Pb Pest_S_8081OCP	
							Hold Samples	



CHAIN OF CUSTODY RECORD

2101287

8260
8015
6010

PROJECT NUMBER		PROJECT NAME																		REMARKS REQUIRED DETECTION LIMITS	
1874.000.001		905 N. Capital Ave		SAMPLED BY: (SIGNATURE/PRINT) Taunee Werts		PROJECT MANAGER: (SIGNATURE/PRINT) Divya Bhargava		ROUTING: E-MAIL Dbhargava & twerts@engco.com													
SAMPLE NUMBER	DATE	TIME	MATRIX	NUMBER OF CONTAINERS	CONTAINER SIZE	PRESERVATIVE	TPH-9 + VOLCS	TPH-dims. vol 26	CAN-17 METALS	SVOLCS 8270	PCBS 8087	OCPC 8011	LEAD 6010	ARSENIC 6010							
S-7 @ 5'	01/29/21	10:00					X	X	X	X	X	X	X	X	→ HOLD -001A						
S-8 @ 1'		10:40					X	X	X	X	X	X	X	X	-002A						
↓ @ 3'		10:43					X	X	X	X	X	X	X	X	-003A						
↓ @ 5'		10:46					X	X	X	X	X	X	X	X	→ HOLD -004A						
S-9 @ 1'		10:19					X	X	X	X	X	X	X	X	-005A						
↓ @ 3'		10:21					X	X	X	X	X	X	X	X	-006A						
↓ @ 5'		10:23					X	X	X	X	X	X	X	X	→ HOLD -007A						
HA-1 @ 10'		13:45								X	X	X	X	X	-008A						
↓ @ 3'		14:07								X	X	X	X	X	-009A						
HA-2 @ 1'		13:40								X	X	X	X	X	→ HOLD -010A						
↓ @ 3'		14:03								X	X	X	X	X	-011A						
↓ @ 5'		14:05								X	X	X	X	X	→ HOLD -012A						
HA-3 @ 1'										X	X	X	X	X	-013A						
↓ @ 3'										X	X	X	X	X	→ HOLD						
HA-4 @ 1'										X	X	X	X	X	→ HOLD						
↓ @ 3'										X	X	X	X	X	→ HOLD						
↓ @ 5'										X	X	X	X	X	→ HOLD						
RELINQUISHED BY: (SIGNATURE)		DATE/TIME		RECEIVED BY: (SIGNATURE)		DATE/TIME		RELINQUISHED BY: (SIGNATURE)		DATE/TIME		RECEIVED BY: (SIGNATURE)									
[Signature]		01/29/21 15:15		[Signature]		1-29-21 1575															
RELINQUISHED BY: (SIGNATURE)		DATE/TIME		RECEIVED BY: (SIGNATURE)		DATE/TIME		RELINQUISHED BY: (SIGNATURE)		DATE/TIME		RECEIVED BY: (SIGNATURE)									
RELINQUISHED BY: (SIGNATURE)		DATE/TIME		RECEIVED FOR LABORATORY BY: (SIGNATURE)		DATE/TIME		REMARKS													
								HOLD 5' samples													

ENGEO
INCORPORATED

2010 CROW CANYON PLACE SUITE 250
SAN RAMON, CALIFORNIA 94583
(925) 866-9000 FAX (888) 279-2698
WWW.ENGEO.COM

See pg 1
Pg 2 of 4 temp 2 #2

**Phase I Environmental Site Assessment – Arcadis U.S.
November 30, 2018**

SiliconSage® Builders, LLC

**PHASE I ENVIRONMENTAL SITE
ASSESSMENT REPORT**

905 Capitol Avenue
San Jose, California

November 30, 2018



D
R
A
F
T

PHASE I ENVIRONMENTAL SITE ASSESSMENT REPORT

905 North Capitol Avenue, San Jose, California

**PHASE I
ENVIRONMENTAL SITE
ASSESSMENT REPORT**

Seely Avenue
San Jose, California

Prepared for:
SiliconSage® Builders, LLC
560 S Mathilda Avenue
Sunnyvale, California

Prepared by:
Arcadis U.S., Inc.
100 Montgomery Street
Suite 300
San Francisco
California 94104
Tel 415 374 2744

Our Ref.:
SJ033300.CAP1

Date:
November 30, 2018

This document is intended only for the use of the individual or entity for which it was prepared and may contain information that is privileged, confidential and exempt from disclosure under applicable law. Any dissemination, distribution or copying of this document is strictly prohibited.

Divya Mehta
Environmental Scientist 2

Sabrina Moran
Senior Consultant
Environmental Professional*

Lucas Goldstein, PE, PG
Principal Engineer
Environmental Professional*

*The Environmental Professional's certification is provided in Section 7.1 of this report.

D
R
A
F
T

PHASE I ENVIRONMENTAL SITE ASSESSMENT REPORT

905 North Capitol Avenue, San Jose, California

CONTENTS

Executive Summary..... I

 Site Layout Description I

 Operations..... I

 Site History..... I

 Surrounding Area..... II

 Findings..... II

 Recognized Environmental Conditions II

 Controlled Recognized Environmental Conditions II

 Historical Recognized Environmental Conditions II

 Other Environmental Conditions II

1 Introduction 1

 1.1 Purpose..... 1

 1.2 Scope of Work 1

2 Site Setting and Description..... 3

 2.1 Site Location 3

 2.2 Site Layout Description 3

 2.2.1 Heating and Cooling..... 3

 2.3 Operations 3

 2.4 Physical Setting 4

 2.4.1 Topography 4

 2.4.2 Geology 4

 2.4.3 Hydrology 4

 2.4.3.1 Surface Water..... 4

 2.4.4 Hydrogeology 4

3 Site History..... 5

 3.1 Historical Site Summary 5

 3.2 Historical Information Sources..... 5

 3.3 Prior Environmental Assessments, Investigations, and Events 6

 3.4 Concurrent Environmental Assessment 6

D
R
A
F
T

PHASE I ENVIRONMENTAL SITE ASSESSMENT REPORT

905 North Capitol Avenue, San Jose, California

D
R
A
F
T

- 4 Site Regulatory Database Information 6
- 5 Operational Environmental Matters 8
 - 5.1 Material Handling and Storage 8
 - 5.1.1 Aboveground Storage Tanks 8
 - 5.1.2 Underground Storage Tanks 8
 - 5.1.3 Other Material Handling and Storage 8
 - 5.2 Air Emissions 8
 - 5.3 Waste 8
 - 5.3.1 Hazardous Waste 8
 - 5.3.2 Other Regulated Waste 8
 - 5.3.3 Non-Hazardous Waste 9
 - 5.3.4 On-site Solid Waste Disposal 9
 - 5.4 Water, Wastewater, and Stormwater 9
 - 5.4.1 Water Use and Supply 9
 - 5.4.1.1 Drains and Sumps 9
 - 5.4.1.2 Septic Systems 9
 - 5.4.1.3 Pits, Ponds, and Lagoons 10
 - 5.4.2 Stormwater 10
 - 5.5 Hazardous Building Materials 10
 - 5.5.1 Asbestos 10
 - 5.5.2 Polychlorinated Biphenyls 10
 - 5.6 Indicators of Environmental Impact 11
 - 5.6.1 Odors 11
 - 5.6.2 Stains and Corrosion 11
 - 5.6.3 Stressed Vegetation 11
 - 5.6.4 Environmental Liens and Activity and Use Limitations 11
- 6 Adjoining and Surrounding Properties 12
 - 6.1 Current Uses of Adjoining and Surrounding Properties 12
 - 6.2 Historical Uses of Adjoining and Surrounding Properties 12
 - 6.3 Environmental Record Sources and Regulatory Agency File and Records Reviews 12
 - 6.3.1 Adjoining Properties 13

PHASE I ENVIRONMENTAL SITE ASSESSMENT REPORT

905 North Capitol Avenue, San Jose, California

6.3.2 Surrounding Properties 13

7 Conclusions..... 14

7.1 Findings and Opinion 14

7.1.1 Recognized Environmental Conditions 14

7.1.2 Controlled Recognized Environmental Conditions..... 14

7.1.3 Historical Recognized Environmental Conditions 14

7.1.4 De Minimis Conditions..... 14

7.1.5 Other Environmental Conditions 14

7.2 Environmental Professional Statement..... 15

8 Sources, References, Assumptions, and Limitations 16

8.1 User-provided Information 16

8.2 Records Review..... 16

8.2.1 Regulatory Agency File and Records Reviews 16

8.2.2 Physical Setting Sources..... 16

8.2.3 Standard and Other Historical Sources..... 16

8.3 Interviews with Past and Present Owners and Occupants..... 16

8.4 Interviews with State and/or Local Government Officials 17

8.5 Other References..... 17

8.6 Significant Assumptions..... 17

8.7 Limitations and Exceptions 17

8.8 Data Gaps..... 19

8.9 Deviations 19

8.10 Reliance 19

TABLES

Table 1. Historical Information Sources5

Table 2. Adjoining Property Regulatory Database Listings..... 13

Table 3. Regulatory Agency File and Records Requests 16

D
R
A
F
T

PHASE I ENVIRONMENTAL SITE ASSESSMENT REPORT

905 North Capitol Avenue, San Jose, California

FIGURES

- Figure 1. Site Location Map
- Figure 2. Site Plan
- Figure 3. Surrounding Property Map

APPENDICES

- A Site Photographs
- B EDR Radius Map™ Report with GeoCheck®
- C Historical Records
- D Previous Environmental Reports
- E Resumes

D

R

A

F

T

EXECUTIVE SUMMARY

Arcadis U.S., Inc. (Arcadis) was retained by SiliconSage® Builders, LLC (SiliconSage) to conduct a Phase I Environmental Site Assessment (ESA) for a residential parcel at 905 North Capitol Avenue and a unaddressed vacant parcel to the south across Penitencia Creek Road in San Jose, Santa Clara County, California (the Site). The Phase I ESA was performed in general accordance with the American Society for Testing and Materials International (ASTM) Standard E1527-13, *Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process* (ASTM E1527-13).

Site Layout Description

The Site comprises one 2.1-acre parcel of land developed with a residence and a second 1.3-acre vacant parcel. The residential parcel is developed with an approximately 5,000 square foot residential home, approximately 700 square foot shed area for historical agricultural equipment storage, and an approximately 1,300 square foot abandoned greenhouse structure in the northern portion of the parcel. Two trucks and an abandoned piece of agricultural equipment were observed in the western portion of the parcel during the Site visit. The vacant parcel is vegetated land. Arcadis observed some electric cables covered by a cone in the northern portion of the vacant parcel as well as some burned debris along the boundary with North Capitol Avenue in the southeastern portion of the parcel. The Site is bounded by Kestral Way west of the Site, the Penitencia Creek Trail south of the Site, residences north of the Site, and North Capitol Avenue to the east.

Operations

The Site is owned by Mr. Chuck Wonedo and the parcel north of Penitencia Creek Road is currently utilized as a residence. The area south of Penitencia Creek Road is vacant, vegetated land.

Site History

Historical topographical maps from 1889 to 1899 show no structures at the Site. The Site was historically cultivated for agricultural use as a walnut orchard with a residence in the southern portion of the Site from at least 1939 through 1970, according to historical aerial photographs and topographic maps. In 1974, the Site appeared to be redeveloped as a row crop farm and a second residence, greenhouse, and storage shed area were constructed in the northwestern portion of the Site. Several small shed structures were observed surrounding the residence in the southern portion of the Site in 1974 and 1993. In 2006, the residence in the southern portion of the Site was demolished, Penitencia Creek Road was visible, and the Site no longer appeared to be utilized for agricultural use. No changes were evident in aerial photography through 2016. Interviews with the Site owner indicated that the Site was used as a chili farm prior to his father acquiring the land in the late 1960's and constructing the residence in the northwestern portion of the Site in the early 1970's.

Surrounding Area

From at least 1939 to 1968, the area was part of a larger tract of land developed as an orchard north, south, east, and west of the Site. Penitencia Creek was visible south of the Site in aerial photographs and topographic maps from at least 1889 through 1974, when it no longer appeared to be consistently flowing. In 1970, the area northeast of the Site across North Capitol Avenue had been developed with a residential neighborhood and areas southeast of the Site appeared to be converted to row crop agricultural land. By 1974, the area northeast and south of the Site had been redeveloped with residential neighborhoods and Interstate 680 was visible west of the Site. The surrounding area appeared to be further developed with residential and commercial properties from 1982 through 2004, when the light rail line east of the Site was constructed. By 2006, the surrounding area appeared to be in a configuration generally consistent with current property uses described above.

Findings

Arcadis has performed a Phase I ESA of the Site in conformance with the scope and limitations of ASTM Practice E1527-13 for Phase I ESAs. This assessment has revealed the following recognized environmental conditions (RECs), controlled recognized environmental conditions (CRECs), historical recognized environmental conditions (HRECs), and other environmental conditions as defined in Section 1 of this Phase I ESA Report.

Recognized Environmental Conditions

No RECs were identified in connection with the Site.

Controlled Recognized Environmental Conditions

No CRECs were identified in connection with the Site.

Historical Recognized Environmental Conditions

No HRECs were identified in connection with the Site.

Other Environmental Conditions

The following other environmental conditions were identified in connection with the Site:

Historical Agricultural Use of the Site: Based on the historical use of the Site and surrounding properties as an orchard from 1939 to 1970 and later as a chili farm from at least 1971 through the early 1990's, agricultural chemicals such as pesticides, herbicides, and fertilizers likely were historically used on the Site. In addition, arsenic and lead-containing chemicals were commonly used on orchards. Information regarding historical use, storage, or application rates was not available. A concurrent Phase II Site Assessment was conducted by Arcadis in November 18 to assess current site conditions. Ten soil samples were collected at the Site and analyzed for petroleum hydrocarbons, metals, pesticides, and organochlorine pesticides. Detected constituents were compared to the California Environmental Screening Levels (ESLs). Most constituents were below their applicable ESLs with the exception of lead,

PHASE I ENVIRONMENTAL SITE ASSESSMENT REPORT

905 North Capitol Avenue, San Jose, California

which slightly exceeded the residential ESL for direct exposure in one of the ten samples analyzed. Based on these results, the previous property use as an orchard and chili farm is considered an other environmental condition.

Current and Historical Septic Systems: The site was developed with a residence on the vacant parcel from at least 1939 through 1970. A second residence was constructed at the Site in the early 1970's. According to the San Jose Department of Transportation (DOT), sanitary sewer service was provided in the area along North Capitol Avenue as of 2004. Given the construction date of the residences at the Site, both residences were likely serviced by a septic tank system. No information was available regarding the removal of the septic system during demolition of the vacant parcel residence. The historical use and potential presence of septic systems at the Site is an other environmental condition.

D

R

A

F

T

1 INTRODUCTION

Arcadis U.S., Inc. (Arcadis) was retained by SiliconSage® Builders, LLC (SiliconSage) to conduct a Phase I Environmental Site Assessment (ESA) for a residential parcel at 905 North Capitol Avenue and an unaddressed vacant parcel to the south across Penitencia Creek Road in San Jose, Santa Clara County, California (the Site). This Phase I ESA Report has been prepared in accordance with the “Proposal & Work Plan for Conducting Phase I Environmental Site Assessment and Limited Phase II Investigation at a Portion of 905 N. Capitol Avenue, San Jose, California, dated October 12, 2018. A summary of limited Phase II work and results will be summarized in a subsequent report.

1.1 Purpose

Arcadis understands that the purpose for conducting this Phase I ESA is to assess and document the current status of environmental impact conditions at the Site.

1.2 Scope of Work

The Phase I ESA was performed in general accordance with the American Society for Testing and Materials International (ASTM) Standard E1527-13, *Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process* (ASTM E1527-13), including the limitations outlined in the standard. The goal of the Phase I ESA was to identify recognized environmental conditions (RECs), controlled recognized environmental conditions (CRECs), and historical recognized environmental conditions (HRECs) associated with the property.

Findings from this Phase I ESA are classified and defined as follows:

- A REC is defined in ASTM E1527-13 as “the presence or likely presence of any hazardous substances or petroleum products in, on, or at a property: (1) due to any release to the environment; (2) under conditions indicative of a release to the environment; or (3) under conditions that pose a material threat of a future release to the environment.”
- A CREC is defined in ASTM E1527-13 as “a [REC] resulting from a past release of hazardous substances or petroleum products that has been addressed to the satisfaction of the applicable regulatory authority... with hazardous substances or petroleum products allowed to remain in place subject to the implementation of required controls (for example, property use restrictions, activity and use limitations, institutional controls, or engineering controls).”
- An HREC is defined in ASTM E1527-13 as “a past release of any hazardous substances or petroleum products that has occurred in connection with the property and has been addressed to the satisfaction of the applicable regulatory authority or meeting unrestricted use criteria established by a regulatory authority, without subjecting the property to any required controls (for example, property use restrictions, activity and use limitations, institutional controls, or engineering controls).”
- A de minimis condition is defined in ASTM E1527-13 as “a condition that generally does not present a threat to human health or the environment and that generally would not be the subject of an enforcement action if brought to the attention of appropriate governmental agencies.”

PHASE I ENVIRONMENTAL SITE ASSESSMENT REPORT

905 North Capitol Avenue, San Jose, California

- Other environmental conditions are considered environmental issues that do not clearly fall within the ASTM definition of a REC, CREC, HREC, or de minimis condition, fall outside the scope of the ASTM practice (e.g. asbestos), or are considered a business environmental risk.

As required by ASTM E1527-13, the scope of work for this Phase I ESA included the following, except as otherwise indicated as a data gap in Section 8.8 or as a deviation in Section 8.9 of this report:

- **Records review:** Arcadis contracted Environmental Data Resources, Inc. (EDR) to provide a report (EDR Report) summarizing the federal, state, tribal, and local environmental record source database listings for the Site and for the adjoining and surrounding properties within specified search radii, as well as physical setting information for the Site and surrounding area, as required by ASTM E1527-13. Arcadis also reviewed regulatory agency files and records, as deemed necessary and documented in Section 8.2 of this Report; alternate environmental information (e.g. on-site records, user-provided records); additional physical setting sources; and historical use information, as documented in Section 3.2 of this Report.
- **Site reconnaissance:** Ms. Divya Mehta of Arcadis visited the Site on November 1, 2018 and visually observed the Site. Adjacent properties and the surrounding area were viewed from the Site and/or from publicly accessible properties or rights-of-way. Ms. Mehta was accompanied by Mr. Gabe Wonedo, the Owner's son, during the Site visit. Mr. Wonedo has lived intermittently at the residence for approximately 30 years.
- **Interviews:** Arcadis interviewed present and past owners, operators, and occupants of the property, and local government officials, as documented in Section 8.
- **Report:** This Phase I ESA Report summarizes and documents the Phase I ESA.

The scope of work for the Phase I ESA also included the following:

- A cursory visual observation for apparent wetland areas in accessible exterior areas of the Site and review of readily available wetlands information to identify wetlands that have been previously delineated and/or reported to be present on the Site.
- A cursory visual observation to identify typical suspect asbestos-containing materials (ACMs) and a review of associated documentation.

The scope of work for this Phase I ESA did not include the collection or analysis of soil, water, air, other environmental media, transformer/electrical fluids, ACMs, other building materials, mold, or other samples.

The User of this Phase I ESA is SiliconSage.

2 SITE SETTING AND DESCRIPTION

2.1 Site Location

The Site is comprised of two, non-contiguous parcels along the intersection of North Capitol Avenue and Penitencia Creek Road in San Jose, Santa Clara County, California (the Site). The parcel north of Penitencia Creek Road is developed with a residence, covered storage area for farm equipment, and an abandoned greenhouse (residential parcel). The parcel south of Penitencia Creek Road is currently undeveloped and partially vegetated (vacant parcel). The Site parcels are identified by the Santa Clara County Assessor's Office as Parcel Identification Numbers (PIN) 254-29-028 and 254-20-026 for the residential and vacant parcels, respectively. The Site is located in a commercial and residential area.

2.2 Site Layout Description

The Site comprises one 2.1-acre parcel of land developed with a residence and a second 1.3-acre vacant parcel. The residential parcel is developed with an approximately 5,000 square foot residential home, approximately 700 square foot shed area for historical agricultural equipment storage, and an approximately 1,300 square foot abandoned greenhouse structure in the northern portion of the parcel. Two trucks and an abandoned piece of agricultural equipment were observed in the western portion of the parcel during the Site visit. The vacant parcel is vegetated land. Arcadis observed some electric cables covered by a cone in the northern portion of the vacant parcel as well as some burned debris along the boundary with North Capitol Avenue in the southeastern portion of the parcel. The Site is bounded by Kestral Way west of the Site, the Penitencia Creek Trail south of the Site, residences north of the Site, and North Capitol Avenue to the east.

Photographs of the Site and surrounding areas were taken to document current conditions and are included in **Appendix A**.

2.2.1 Heating and Cooling

The residence at the residential parcel has a central HVAC system. The vacant parcel is not currently developed with buildings; therefore, heating and cooling systems do not currently exist at the vacant parcel. Arcadis also observed a commercial-sized refrigerator in the storage shed area that was historically used to store produce.

2.3 Operations

The Site is owned by Mr. Chuck Wonedo and the parcel north of Penitencia Creek Road is currently utilized as a residence. The area east of Penitencia Creek Road is vacant, vegetated land.

2.4 Physical Setting

2.4.1 Topography

According to information obtained from the U.S. Geological Survey (USGS) 7.5 Minute Series Topographic Map of the Calaveras Reservoir, San Jose East, San Jose West, and Milpitas quadrangles dated 2012, the Site is at an approximate elevation of 154 feet above mean sea level and is generally flat. The topography of the surrounding area is also flat with a general topographic gradient to the west-southwest.

2.4.2 Geology

Site-specific geology information was not available. Geologic information in the EDR Report (**Appendix B**) specifies that the sediments beneath the Site have been identified as part of the Quaternary Series of the Quaternary System of the Cenozoic Era. According to the United States Department of Agriculture (USDA) Soil Conservation Service, the Site is underlain by the Botella soil component, which has a surface soil texture of clay loam and exhibits moderate infiltration rates.

2.4.3 Hydrology

2.4.3.1 Surface Water

No surface water bodies are located on the Site. The closest surface water feature is Penitencia Creek, an intermittent stream, located east-adjacent to the vacant parcel. Calaveras Reservoir and the San Francisco Reservoir are located approximately five miles and seven miles northeast and west of the Site, respectively.

2.4.4 Hydrogeology

Site-specific hydrogeology information was not available. Groundwater commonly reflects surficial topography; however, groundwater flow can be influenced locally and regionally by the presence of local wetland features, surface topography, recharge and discharge areas, horizontal and vertical inconsistencies in the types and locations of subsurface soils, and proximity to water pumping wells. Based on interpretation of the U.S. Geological Survey 7.5 Minute Series Topographic Map of the Calaveras Reservoir, San Jose East, San Jose West, and Milpitas quadrangles dated 2012, groundwater flow appears to be to the west towards the San Francisco Bay. A hydrogeological investigation would be necessary to make a more definitive determination of the direction of groundwater flow.

No wells are currently located at the Site. According to the well search information included in the EDR Report, the closest off-site well is located approximately 0.5 miles southeast of the Site. Information regarding the ownership, depth, and approximate depth to water was not provided.

3 SITE HISTORY

3.1 Historical Site Summary

Historical topographical maps from 1889 to 1899 show no structures at the Site. The Site was historically cultivated for agricultural use as a walnut orchard with a residence in the southern portion of the Site from at least 1939 through 1970, according to historical aerial photographs and topographic maps. In 1974, the Site appeared to be redeveloped as a row crop farm and a second residence, greenhouse, and storage shed area were constructed in the northwestern portion of the Site. Several small shed structures were observed surrounding the residence in the southern portion of the Site in 1974 and 1993. In 2006, the residence in the southern portion of the Site was demolished, Penitencia Creek Road was visible, and the Site no longer appeared to be utilized for agricultural use. No changes were evident in aerial photography through 2016. Interviews with the Site owner indicated that the Site was used as a chili farm prior to his father acquiring the land in the late 1960's and constructing the residence in the northwestern portion of the Site in the early 1970's.

Based on the historical use of the Site and surrounding properties as an orchard from 1939 to 1970 and later as a chili farm from at least 1971 through the early 1990's, agricultural chemicals such as pesticides, herbicides, and fertilizers likely were historically used on the Site. In addition, arsenic and lead-containing chemicals were commonly used on orchards. Information regarding historical use, storage, or application rates was not available. Results from a limited soil investigation conducted by Arcadis in November 2018 are discussed further in Section 3.4. The historical property use as an orchard and chili farm and associated low concentrations of residual agricultural chemicals remaining in on-site environmental media are considered an other environmental condition.

The site was historically used for agricultural purposes from 1939 to 1970. During this time, several houses and associated structures were present in the southeastern portion of the Site. The buildings may have used ASTs or USTs containing fuel for building heat and/or farm vehicle fueling, and the buildings may have used septic systems for sanitary wastewater. While it is possible that releases from the potential ASTs or USTs have impacted the Site it is likely that these features, if present, would have been identified and removed when the structures were demolished between 1993 and 2006. Therefore, the potential former use of ASTs, and USTs associated with houses and associated structures is a de minimis condition.

3.2 Historical Information Sources

A list of the sources reviewed (**Appendix C**) is presented in the table below; information from these sources is summarized in Section 3.1.

Table 1. Historical Information Sources

Type of Record	Dates of Information	Source
Aerial photographs and satellite imagery	1939, 1940, 1948, 1950, 1956, 1963, 1968, 1970, 1974, 1982, 1993, 2006, 2009, 2012, 2016	The EDR Aerial Photo Decade Package

PHASE I ENVIRONMENTAL SITE ASSESSMENT REPORT

905 North Capitol Avenue, San Jose, California

Type of Record	Dates of Information	Source
Fire insurance maps	No maps available	Certified Sanborn® Map Report
Property tax files	2018	Santa Clara County Assessor's Office
Recorded land title records	No records available	Santa Clara County Clerk-Recorder
USGS topographic maps	1889, 1897, 1899, 1953, 1961, 1968, 1973, 1980, 2012	EDR Historical Topo Map Report with Quadmatch™
Local street directories	1974, 1980, 1985, 1986, 1991, 1996, 2000, 2006	EDR-City Directory Abstract

3.3 Prior Environmental Assessments, Investigations, and Events

Arcadis was provided a 2003 Phase I Environmental Site Assessment conducted by AEI Consultants for the west-adjacent parcel, which has since been developed with a residential neighborhood. This parcel was listed with the same address as the Site since it was previously a portion of a larger parcel that included the Site. The property assessed in this 2003 Phase I ESA is not part of the Site. Following a site visit and review of EDR records, AEI identified the historical use of the property as an orchard and agricultural land as a REC and took four samples to assess surface soil conditions at the property. These samples were analyzed for chlorinated pesticides and polychlorinated biphenyls (PCBs). Dichlorodiphenyldichloroethylene (p,p'-DDE) and dichlorodiphenyltrichloroethane (p,p'-DDT) were detected in the near-surface soil at the Site. AEI found that the maximum concentrations for each constituent did not exceed the preliminary remediation goals for proposed residential and industrial properties. Based on these results, no further action was required. A copy of this report is included in **Appendix D**.

3.4 Concurrent Environmental Assessment

Arcadis conducted a concurrent Phase II Site Assessment to assess if shallow soils have been impacted by historical agricultural use. On November 1, 2018, soil samples were collected from ten locations at a depth of six to twelve inches below ground surface (bgs). The samples were analyzed for the presence of total petroleum hydrocarbons (TPH) quantified as gasoline range organics (TPH-GRO), TPH quantified as diesel range organics (TPH-DRO), TPH quantified as oil range organics (TPH-ORO), CAM-17 metals, pesticides, and organochlorine pesticides. Detected concentrations of these constituents were compared to California Environmental Screening Levels (ESLs). Most constituents were detected below their applicable ELS's with the exception of one sample that had lead slightly exceeding the ESL. Based on these results, no further investigation was recommended in the report.

4 SITE REGULATORY DATABASE INFORMATION

The EDR Report summarizes the federal, state, tribal, and local environmental record source regulatory database listings for the Site and for the adjoining and surrounding properties within specified search

PHASE I ENVIRONMENTAL SITE ASSESSMENT REPORT

905 North Capitol Avenue, San Jose, California

radii, as required by ASTM E1527-13. The Site address was not identified on the database listings in the EDR Report.

Search results for the adjoining and surrounding properties are discussed in Section 6.

D
R
A
F
T

5 OPERATIONAL ENVIRONMENTAL MATTERS

5.1 Material Handling and Storage

5.1.1 Aboveground Storage Tanks

No aboveground storage tanks (ASTs) were observed at the Site, and no evidence of historical ASTs was identified through the review of the sources listed in Section 8 or through physical evidence observed during the Site visit.

5.1.2 Underground Storage Tanks

No evidence of current or historical USTs was identified through the review of the sources listed in Section 8 or through physical evidence observed during the Site visit.

5.1.3 Other Material Handling and Storage

Arcadis observed commercial quantities of cleaning products at the residence which appeared to be in good condition. Arcadis noted the presence of old 5-gallon buckets and 55-gallon drums in the storage shed area that appeared to be empty and no longer in use. No labels were observed on the outside of the drums.

Arcadis did not observe containers of hazardous substances or petroleum products or opened or damaged containers with unidentified contents suspected of being hazardous substances or petroleum products at the Site.

5.2 Air Emissions

Based on review of the sources in Section 8, no air emission sources were identified at the Site.

5.3 Waste

5.3.1 Hazardous Waste

No hazardous wastes were observed to be generated or disposed at the Site, and no evidence of historical on-site hazardous waste generation or disposal was identified through the review of the sources listed in Section 8 or through physical evidence observed during the Site visit.

5.3.2 Other Regulated Waste

No other regulated wastes were observed at the Site, and no evidence of other historical regulated wastes was identified through the review of the sources listed in Section 8.

5.3.3 Non-Hazardous Waste

Arcadis observed commercial containers for domestic refuse in the northern portion of the Site. According to Mr. Woned, the trash is taken off-Site weekly by Waste Management. Arcadis also observed wooden crates and historical equipment in the storage shed area. No other non-hazardous wastes were observed at the Site, and no evidence of other historical non-hazardous wastes was identified through the review of the sources listed in Section 8 or through physical evidence observed during the Site visit.

5.3.4 On-site Solid Waste Disposal

During the Site visit, Arcadis looked for areas that were apparently filled or graded by non-natural causes (or filled with material of unknown origin) that suggest the presence of trash construction debris, demolition debris, or other solid waste disposal, or mounds or depressions suggesting trash or other solid waste disposal. Arcadis observed an area of burned debris along the northern portion of the vacant parcel.

No other evidence of on-site disposal of hazardous wastes or other solid wastes was identified.

5.4 Water, Wastewater, and Stormwater

5.4.1 Water Use and Supply

The residence at 905 North Capitol Avenue is connected to San Jose water for potable water. Arcadis observed two water main areas east of the house along Capitol Avenue. No other sources of water are used at the Site.

5.4.1.1 Drains and Sumps

According to the owner, a sump pump is in operation under the air conditioning unit in the basement of the residence to capture condensate from the system. Arcadis did not observe the sump structure in the basement; however, Arcadis observed the sump pump drainage area along the southern wall of the residence. Arcadis also noted minor staining along the bottom of the air condenser and furnace area. According to the Site contact, this was due to a minor water accumulation following a leak from the hot water heater.

Arcadis observed floor drains in the restrooms at the residence. Floor drains or sump structures were not observed at the vacant parcel.

5.4.1.2 Septic Systems

According to the Site contact, the residence is serviced by an on-Site septic system. This property presumably has a leach field; however, Arcadis was not provided with the location. Arcadis did not observe an access area to the septic system at the Site. No information was provided regarding a septic system at the vacant property. According to the San Jose Department of Transportation (DOT), sanitary sewer service was provided in the area along North Capitol Avenue as of 2004. Given the demolition date of the residence in the early 1970s, the former residence on the vacant parcel presumably was serviced by an on-Site septic system. The San Jose DOT did not have information regarding removal of historical

PHASE I ENVIRONMENTAL SITE ASSESSMENT REPORT

905 North Capitol Avenue, San Jose, California

septic systems at the vacant parcel. The presence of current and historical septic systems at the Site is considered an other environmental condition.

5.4.1.3 Pits, Ponds, and Lagoons

No pits, ponds, or lagoons are located at the Site.

5.4.2 Stormwater

Arcadis did not observe stormwater basins at the Site. Stormwater presumably percolates into the ground during rain. According to the Site contact, no areas of standing water have been observed during historical rain events.

5.5 Hazardous Building Materials

5.5.1 Asbestos

ACMs have historically been used in a variety of building materials and other products. Between 1973 and 1978, under the asbestos National Emission Standard for Hazardous Air Pollutants (NESHAP), the USEPA banned spray-applied surfacing ACM. In 1989, the USEPA issued a final rule under Section 6 of the Toxic Substances Control Act (TSCA) banning most asbestos-containing products; however, in 1991, the rule was vacated and remanded by the Fifth Circuit Court of Appeals. Only the bans on corrugated paper, rollboard, commercial paper, specialty paper, and flooring felt and any new uses of asbestos remain banned under the 1989 rule. In addition, the Occupational Safety and Health Act defines presumed ACM (PACM) as thermal system insulation (TSI) and surfacing material found in buildings constructed no later than 1980.

The current residence was constructed by at least 1974. Based on the construction dates of the residence, ACMs may have been used during the construction of the structure.

Suspect ACMs observed at the Site includes flooring, mastic, and ceiling tiles. Arcadis did not observe building materials that were apparently damaged.

5.5.2 Polychlorinated Biphenyls

Polychlorinated biphenyls (PCBs) are a group of organic chemicals that were used historically in a variety of industrial and chemical applications, including transformers, ballasts, other electrical equipment, and hydraulic oils, among many other products. PCBs were manufactured in the United States from 1929 until 1979, when PCB manufacturing was banned due to the toxicity of PCBs.

Arcadis observed the property for types of equipment that have been historically associated with the use of PCBs. No transformers or other PCB-containing equipment were observed at the Site.

5.6 Indicators of Environmental Impact

5.6.1 Odors

No odors that would indicate a REC were noted during the Site visit.

5.6.2 Stains and Corrosion

Minor staining was observed in the basement beneath the air conditioning unit. According to the Site contact, this staining is attributed to minor water leaks from the hot water unit. Arcadis also noted the presence of what appeared to be minor oil or water staining on a wooden plank beneath a historical tractor in the storage shed.

5.6.3 Stressed Vegetation

During the Site visit, Arcadis' representative looked for areas of stressed vegetation (from other than insufficient water). An area of burned grass and debris were observed in the northeastern portion of the vacant parcel. No other areas of stressed vegetation were observed during this assessment.

5.6.4 Environmental Liens and Activity and Use Limitations

According to Arcadis's online record review, there are no environmental liens or activity and use limitations (AULs) associated with the Site.

D

R

A

F

T

6 ADJOINING AND SURROUNDING PROPERTIES

6.1 Current Uses of Adjoining and Surrounding Properties

The following properties adjoin the Site (**Figure 3**):

- **North:** North Capitol Avenue and a light rail line, beyond which are residential properties.
- **East:** North Capitol Avenue and a light rail line, beyond which is the Penitencia Creek Trail, residences, and vacant, vegetated land.
- **South:** Penitencia Creek and Trail area, beyond which are residential properties.
- **West:** A residential neighborhood, beyond which is Interstate 680.

Land use in the surrounding area consists of commercial and residential properties.

No physical evidence of impact to the Site from the adjoining properties (such as outdoor storage of drums, tanks, pooled liquids, or poor chemical or waste handling) was observed during a visual survey of the adjoining properties conducted at the time of the Site visit; however, several of the facilities adjoining and surrounding the Site were identified in the databases listed in the EDR Report, as discussed in Section 6.3.

6.2 Historical Uses of Adjoining and Surrounding Properties

From at least 1939 to 1968, the area was part of a larger tract of land developed as an orchard north, south, east, and west of the Site. Penitencia Creek was visible south of the Site in aerial photographs and topographic maps from at least 1889 through 1974, when it no longer appeared to be consistently flowing. In 1970, the area northeast of the Site across North Capitol Avenue had been developed with a residential neighborhood and areas southeast of the Site appeared to be converted to row crop agricultural land. By 1974, the area northeast and south of the Site had been redeveloped with residential neighborhoods and Interstate 680 was visible west of the Site. The surrounding area appeared to be further developed with residential and commercial properties from 1982 through 2004, when the light rail line east of the Site was constructed. By 2006, the surrounding area appeared to be in a configuration generally consistent with current property uses described above.

6.3 Environmental Record Sources and Regulatory Agency File and Records Reviews

The EDR Report summarizes the federal, state, tribal, and local environmental regulatory database listings for the Site and for the adjoining and surrounding properties within specified search radii, as required by ASTM E1527-13. Adjoining and surrounding properties identified within the search radii were evaluated to determine if they are likely to have adversely impacted the Site. The criteria used to evaluate the potential for adverse impact to the Site include:

- Distance from the Site;
- Expected depth and direction of groundwater flow;

PHASE I ENVIRONMENTAL SITE ASSESSMENT REPORT

905 North Capitol Avenue, San Jose, California

- Expected direction of surface water and stormwater runoff flow;
- Presence or absence of documented releases of hazardous substances and/or petroleum products at the identified facilities, the nature of such releases, and where applicable, status of associated investigations, remediation, and regulatory closure.

6.3.1 Adjoining Properties

Adjoining properties identified in the databases and a determination of the necessity of further regulatory agency research are listed in the following table:

Table 2. Adjoining Property Regulatory Database Listings

Property Name and Address Direction (and gradient) from Site	Database Listing(s)	Determination of Necessity of Further Regulatory Agency Research
Doggy Next Door 2677 Heron Court, San Jose, California 95133 South (crossgradient)	EDR Historical Auto	<p>This property is listed within a residential neighborhood south-adjacent to the residential parcel at the Site.</p> <p>According to the EDR Historical Auto database, the property is listed in the database as a service station from 2011 through 2014. Arcadis reviewed the California State Water Resources Control Board Geotracker database and the California Department of Toxic Substances Envirostor database for information regarding historical tanks or service station operations at this location. No additional information was provided regarding a service station at this location and a review of aerial photography confirms that it has been developed for residential use since at least 2006.</p> <p>Given the lack of compliance violations or releases, this listing is unlikely to present an environmental impact concern to the Site. Therefore, a further regulatory agency file and records review is not warranted.</p>

6.3.2 Surrounding Properties

Numerous surrounding properties were identified in the databases in the EDR Report. Based on the criteria listed in Section 6.3, none of the properties listed in the EDR database report are likely to represent a concern of environmental impairment to the Site.

7 CONCLUSIONS

7.1 Findings and Opinion

Arcadis has performed a Phase I ESA of the Site in conformance with the scope and limitations of ASTM Practice E1527-13 for Phase I ESAs. This assessment has revealed the following RECs, CRECs, HRECs, and other environmental conditions as defined in Section 1.2 of this Phase I ESA Report.

7.1.1 Recognized Environmental Conditions

No RECs were identified in connection with the Site.

7.1.2 Controlled Recognized Environmental Conditions

No CRECs were identified in connection with the Site.

7.1.3 Historical Recognized Environmental Conditions

No HRECs were identified in connection with the Site.

7.1.4 De Minimis Conditions

The following de minimis conditions were identified in connection with the Site:

Staining: De minimis staining was observed on the basement floor beneath the air conditioning unit in the current residence. This staining was attributed to minor water leaks associated with the hot water heater.

Historical Agricultural Structures at the Site: The site was historically used for agricultural purposes from 1939 to 1970. During this time, several houses and associated structures were present in the southeastern portion of the Site. The buildings may have used ASTs or USTs containing fuel for building heat and/or farm vehicle fueling, and the buildings may have used septic systems for sanitary wastewater. While it is possible that releases from the potential ASTs or USTs have impacted the Site, it is likely that these features, if present, would have been identified and removed when the structures were demolished between 1993 and 2006. Therefore, the potential former use of ASTs, and USTs associated with houses and associated structures is a de minimis condition.

7.1.5 Other Environmental Conditions

The following other environmental conditions were identified in connection with the Site:

Historical Agricultural Use of the Site: Based on the historical use of the Site and surrounding properties as an orchard from 1939 to 1970 and later as a chili farm from at least 1971 through the early 1990's, agricultural chemicals such as pesticides, herbicides, and fertilizers likely were historically used on the Site. In addition, arsenic and lead-containing chemicals were commonly used on orchards. Information regarding historical use, storage, or application rates was not available. A concurrent Phase II Site Assessment was conducted by Arcadis in November 18 to assess current site conditions. Ten soil samples were collected at the Site and analyzed for petroleum hydrocarbons, metals, pesticides, and

PHASE I ENVIRONMENTAL SITE ASSESSMENT REPORT

905 North Capitol Avenue, San Jose, California

organochlorine pesticides. Detected constituents were compared to the California Environmental Screening Levels (ESLs). Most constituents were below their applicable ESLs with the exception of lead, which slightly exceeded the residential ESL for direct exposure in one of the ten samples analyzed. Based on these results, the previous property use as an orchard and chili farm is considered an other environmental condition.

Current and Historical Septic Systems: The site was developed with a residence on the vacant parcel from at least 1939 through 1970. A second residence was constructed at the Site in the early 1970's. According to the San Jose Department of Transportation (DOT), sanitary sewer service was provided in the area along North Capitol Avenue as of 2004. Given the construction date of the residences at the Site, both residences were likely serviced by a septic tank system. No information was available regarding the removal of the septic system during demolition of the vacant parcel residence. The historical use and potential presence of septic systems at the Site is an other environmental condition.

7.2 Environmental Professional Statement

We declare that, to the best of my professional knowledge and belief, I meet the definition of environmental professional as defined in Title 40 of the Code of Federal Regulations (CFR) § 312.10, and I have the specific qualifications based on education, training, and experience to assess a property of the nature, history, and setting of the subject property. I have developed and performed all appropriate inquiries in conformance with the standards and practices set forth in 40 CFR § 312*

The designated Environmental Professionals for this project are Ms. Sabrina Moran and Mr. Lucas Goldstein.

Resumes for Ms. Moran and Mr. Goldstein are attached in **Appendix E**.

*A professional geologist's or registered environmental assessor's certification of conditions comprises a declaration of his or her professional judgment. It does not constitute a warranty or guarantee, expressed or implied, nor does it relieve any other party of its responsibility to abide by contract documents, applicable codes, standards, regulations, and ordinances.

8 SOURCES, REFERENCES, ASSUMPTIONS, AND LIMITATIONS

8.1 User-provided Information

SiliconSage did not provide information regarding the Site to satisfy the User’s responsibilities described in ASTM E1527-13 Sections 6.2 to 6.7. This is a data gap, as described in Section 8.8 of this Phase I ESA Report.

8.2 Records Review

8.2.1 Regulatory Agency File and Records Reviews

Regulatory agency files and records requested and/or reviewed for the Site and adjacent property/properties are summarized in the following table:

Table 3. Regulatory Agency File and Records Requests

Agency	Method of Request	Date of Request	Response
USEPA	Online request; Online database review (Envirofacts, ECHO)	October 30, 2018	No records available regarding the Site
California Water Resources Control Board – GeoTracker	Online Database Review	October 30, 2018	No records available regarding the Site.
California Department of Toxic Substances – Envirostor	Online Database Review	October 30, 2018	No records available regarding the Site.
Santa Clara County Assessor’s Office	Online database/records review	October 29, 2018	Records provided (see Section 3.2)

8.2.2 Physical Setting Sources

The physical setting sources are described in Section 2.4 of this Report.

8.2.3 Standard and Other Historical Sources

The standard and other historical sources are listed in Section 3.2 of this Report.

8.3 Interviews with Past and Present Owners and Occupants

Arcadis interviewed the following owners and occupants of the Site:

PHASE I ENVIRONMENTAL SITE ASSESSMENT REPORT

905 North Capitol Avenue, San Jose, California

- Mr. Chuck Wonedo, Owner of the Site.
- Mr. Gabe Wonedo, Son of the Site Owner.

Contact information for past owners and occupants of the Site was not provided to Arcadis. The Site is not abandoned; therefore, owners and occupants of neighboring or nearby properties were not interviewed.

8.4 Interviews with State and/or Local Government Officials

State and/or local government officials contacted during this Phase I ESA are summarized in Section 8.2.1.

8.5 Other References

ASTM. 2013. Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process, Designation E 1527-13.

California Envirostor Database:

<https://www.envirostor.dtsc.ca.gov/public/map>

California Geotracker Database:

http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608500971

EDR. 2018. EDR Radius Map™ Report with GeoCheck®. Inquiry Number 5468867.2s. October 30, 2018.

EDR. 2018. The EDR Aerial Photo Decade Package. Inquiry Number 5468867.8. October 30, 2018.

EDR. 2018. The EDR-City Directory Abstract. Inquiry Number 5468867.5. October 30, 2018.

EDR. 2018. EDR Historical Topo Map Report with Quadmatch™. Inquiry Number 5468867.4. October 30, 2018.

EDR. 2018. Certified Sanborn® Map Report. Inquiry Number 5468867.3. October 30, 2018.

Other documents reviewed are referenced throughout this Phase I ESA.

8.6 Significant Assumptions

Arcadis has assumed that the information sources used for this Phase I ESA provided accurate information.

Evaluations presented in this Phase I ESA Report are based exclusively on the sources listed herein; no invasive field activities were conducted, and no laboratory analyses were performed.

The boundaries of the Site were described in documents provided by SiliconSage and by interviews with Site personnel. Arcadis has assumed that this information was accurate.

8.7 Limitations and Exceptions

The services performed, and any opinions expressed by Arcadis in this Phase I ESA Report are based upon the limits of the Phase I ESA described herein. Arcadis has relied upon the accuracy of documents,

PHASE I ENVIRONMENTAL SITE ASSESSMENT REPORT

905 North Capitol Avenue, San Jose, California

D information, data, and other materials provided or made available by the User and others. Arcadis has not independently verified such information and assumes no liability for the accuracy or completeness of such information. Conclusions provided with regard to subsurface soil and groundwater impacts are limited to those that can be formed based on a non-intrusive investigation. The absence of environmental hazards in the subsurface cannot be guaranteed based on conditions observed on the surface. The scope of this project did not include sampling of environmental media. Arcadis makes no guarantee that Site conditions do not exist, or will not exist in the future, that were undetected or that could lead to liability in connection with the Site. Similarly, past and present activities on the Site indicating the potential for the existence of environmental concerns may not have been discovered by Arcadis. Such activities may include those that would indicate the potential for regulated hazardous substances at the Site. Likewise, Site conditions or Site activities that were outside the scope of the services described above, or changes to Site conditions or regulatory requirements may lead to liabilities in connection with the Site that are not identified in this Phase I ESA Report. Arcadis has reviewed the information obtained in connection with the performance of the services described above, in keeping with existing applicable environmental consulting standards and enforcement practices, but cannot predict what actions any given agency may take or what standards and practices may apply in the future.

R Unless otherwise described in the body of this Phase I ESA Report, if any one or more of the standard sources under ASTM was not reviewed, this was due to information from the source not being readily available or a determination by the Environmental Professional that the standard source was not likely to be useful. Similarly, unless otherwise noted in this Phase I ESA Report, an incompleteness in connection with the review was determined not to affect the Environmental Professional's ability to form conclusions regarding the Site.

A Arcadis evaluates the potential for the presence or likely presence of vapor in the subsurface of the Site using the Environmental Professional's professional judgment and evaluation of the available information and may use portions of ASTM E2600-10 as a guide. This evaluation is not a full Vapor Encroachment Screen (VES) pursuant to ASTM E2600-10. The vapor evaluation is not exhaustive and cannot wholly eliminate uncertainty regarding the presence or potential presence of vapors in the subsurface of the Site.

F Where access to portions of the Site or to structures on the Site was unavailable or limited, Arcadis renders no opinion and accepts no responsibility for assessment of the condition of these portions of the Site, including specifically, but not limited to, the presence of hazardous substances or petroleum products at these locations. In addition, Arcadis renders no opinion concerning the presence or absence of hazardous substances or petroleum products where direct observation of any part of the Site, or structure on the Site, is limited by physical obstructions. Unless otherwise noted herein, Arcadis did not access the roof(s) of on-site building(s).

T The conclusions and observations are based upon limited data and professional opinions, and the Site visit was performed on a particular date. Site conditions and activities may change after that date. Therefore, the risk of undiscovered environmental impairment of the Site cannot be ruled out. Arcadis does not make any representations or warranties regarding the condition or value of the Site, regardless of the results of the assessment presented in this Phase I ESA Report.

Arcadis' scope of work includes a cursory visual observation for apparent wetland areas and a cursory visual observation to identify typical suspect ACMs. The Arcadis representative who performed the Site

PHASE I ENVIRONMENTAL SITE ASSESSMENT REPORT

905 North Capitol Avenue, San Jose, California

visit and made such observations is not necessarily a US Army Corps of Engineers (USACOE)-certified wetland professional or a state-accredited asbestos.

Arcadis makes no guarantees, certifications, warranties, or representations of any kind whatsoever, whether expressed or implied, regarding this Phase I ESA, the condition of the Site, or the liabilities associated with the Site.

8.8 Data Gaps

ASTM E1527-13 defines a data gap as “a lack of or inability to obtain information required by this practice despite good faith efforts by the environmental professional to gather such information.” The following data gaps were identified during this Phase I ESA:

User’s Obligations: The User of this Phase I ESA did not provide information to the Environmental Professional(s) pursuant to ASTM E1527-13 Sections 6.2 to 6.7. Arcadis obtained information from the Site owner’s representative and reviewed publicly available environmental and historical use information to address this data gap. Based on information obtained from other sources, this data gap is unlikely to affect Arcadis’ ability to identify RECs at the Site; therefore, this data gap is considered to be non-significant.

Past Uses of the Site: Arcadis was unable to identify the past uses of the Site back to first developed use or 1940, whichever is earlier, pursuant to ASTM E1527-13 Section 8.3.2. Historical topographical maps from 1889 to 1899 show no structures at the Site. The Site was historically cultivated for agricultural use, specifically as an orchard, from 1939 to 1998, according to historical aerial photographs and topographic maps. This data gap is unlikely to affect Arcadis’ ability to identify RECs at the Site; therefore, this data gap is considered to be non-significant.

8.9 Deviations

No deviations from ASTM E1527-13 occurred in this Phase I ESA.

8.10 Reliance

This Phase I ESA Report has been prepared for the sole use of SiliconSage, and the contents thereof may not be used or relied upon by any other person without the express written consent and authorization of Arcadis. Use of this Phase I ESA Report by any other party shall be at such party’s sole risk and liability.

FIGURES


D

R

A

F


T





LEGEND:

 Site Boundary



SCALE IN FEET


SILICON SAGE BUILDERS
905 NORTH CAPITOL AVENUE, SAN JOSE, CA 95133
PHASE I ENVIRONMENTAL SITE ASSESSMENT

SITE PLAN MAP




FIGURE

2



LEGEND:

 Approximate Site Boundary



SILICON SAGE BUILDERS
905 NORTH CAPITOL AVENUE, SAN JOSE, CA 95133
PHASE I ENVIRONMENTAL SITE ASSESSMENT

SURROUNDING PROPERTY MAP



FIGURE
3

APPENDIX A

D

Site Photographs

R

A

F

T



APPENDIX B

EDR Radius Map™ Report with GeoCheck®

D

R

A

F

T



APPENDIX C

Historical Records

D

R

A

F

T



APPENDIX D

Previous Environmental Reports

D

R

A

F

T



APPENDIX E

Resumes

D

R

A

F

T



Arcadis U.S., Inc.

100 Montgomery Street

Suite 300

San Francisco

California 94104

Tel 415 374 2744

www.arcadis.com

D

R

A

F

T



Survey Memorandum– Arcadis U.S.
November 30, 2018

Ms. Shaivali Desai
SiliconSage Builders
560 South Mathilda Avenue
Sunnyvale, California 94086
VIA ELECTRONIC MAIL: shaivali@siliconsage.com

Arcadis U.S., Inc.
320 Commerce
Suite 2008
San Rafael
California 94903
Tel 415 451 4530
Fax 415 451 4531
www.arcadis.com

Subject:
Draft Phase II Site Assessment Summary Memorandum
905 North Capitol Avenue
San Jose, California

ENVIRONMENT

Date:
November 30, 2018

Dear Ms. Desai:

Arcadis U.S. Inc. (Arcadis) has prepared this Draft *Phase II Site Assessment Summary Memorandum* for SiliconSage Builders (SiliconSage) to provide site assessment results from activities conducted at 905 North Capitol Avenue, San Jose, California (the Site; Figure 1).

Contact:
Chuck Pardini

Phone:
415.915.8063

The purpose of this investigation and summary memorandum is to provide SiliconSage with a due diligence evaluation of the Site for future residential development.

Email:
Chuck.Pardini
@arcadis.com

Historical Site Description and Features

Based on review of historical sources¹, the Site was historically used for agricultural purposes as a walnut orchard with a residence in the southern portion of the Site from at least 1939 through 1970. By 1974, the Site appeared to be redeveloped as a chili pepper farm with a second residence, a greenhouse, and a storage shed area constructed in the northwestern portion of the Site. Several small shed structures were observed near the southern residence in 1974 and 1993 that were presumably associated with the farm. These structures and southern residence were demolished and the Site appeared to no longer be used for agricultural purposes by 2006.

Our ref:
SJ033300.CAP1

¹ 2018 Arcadis. Phase I Environmental Site Assessment. November 29.

Current Site Description and Features

The Site is comprised of one 2.1-acre parcel of land developed with a residence and a second 1.3-acre vacant parcel (Figure 2). The residential parcel is developed with an approximate 5,000 square foot residential home, an approximate 700 square foot shed area (used for historical agricultural equipment storage), and an approximate 1,300 square foot abandoned greenhouse structure in the northern portion of the residential parcel. During a November 1, 2018 site walk, Arcadis also observed an old tractor, commercial-sized refrigerator previously used for produce, and old wooden crates in the shed area west of the residence. Two trucks and an abandoned piece of agricultural equipment were observed in the western portion of the residential parcel during the Site visit.

The vacant parcel is currently vegetated land. Arcadis observed some electric cables covered by a cone in the eastern portion of the vacant parcel as well as some burned debris along the boundary with North Capitol Avenue in the southeastern portion of the parcel.

Site Assessment Activities

Ten shallow soil borings (SS-1 through SS-10) were advanced at the locations shown on Figure 2. Soil borings were advanced at these locations and soil samples collected to assess the extent and magnitude of potential chemical-affected soil at the Site.

Site-Specific Health and Safety Plan

As required by the Occupational Safety and Health Administration (OSHA) Standard “Hazardous Waste Operations and Emergency Response” guidelines (29 Code of Federal Regulations Section 1910.120), and by California Occupational Health and Safety Administration (Cal-OSHA) “Hazardous Waste Operations and Emergency Response” guidelines (California Code of Regulations Title 8, Section 5192), Arcadis prepared a site-specific health and safety plan (HASP) prior to commencement of fieldwork. All field staff reviewed the HASP before beginning field operations at the Site.

Permitting

The Santa Clara Valley Water District does not require permits for borings that are advanced less than 45 feet below ground surface (bgs). Since all soil borings advanced at the Site were shallower than 45 feet bgs boring permits were not obtained.

Underground Utility Locating

On October 29, 2018, Arcadis notified Underground Service Alert (USA) more than 48 hours prior to commencing intrusive field activities to identify any public utility alignments that may be in conflict with the proposed borings. Arcadis also met with representatives for PG&E to mark water and electrical utilities east of the residence.

Soil Sampling

On November 1, 2018, Arcadis representatives advanced 10 soil borings (SS-1 through SS-10) and collected 10 shallow soil samples using a one-handed pickaxe at the locations shown on Figure 2. A soil

sample was collected at each boring at a depth between approximately 6 inches bgs and 12 inches bgs. All soil samples were placed in laboratory-supplied glass jars, sealed and placed on ice for delivery to the laboratory.

All soil samples were submitted to PACE Analytical Laboratories, a California Department of Health Services-certified laboratory, under appropriate chain-of-custody protocols and analyzed for the presence of one or more of the following chemicals:

- Total petroleum hydrocarbons (TPH) quantified as gasoline range organics (TPH-GRO), TPH quantified as diesel range organics (TPH-DRO) and TPH quantified as oil range organics (TPH-ORO) using United States Environmental Protection Agency (USEPA) Method 8015;
- CAM-17 metals by EPA Method 6010B/7471A; and
- Pesticides and organochlorine pesticides (OCP) by USEPA Method 8081 and 8141, respectively.

Soil Results

All soil sample analytical results were evaluated against the San Francisco Bay Regional Water Quality Control Board (RWQCB) Residential Shallow Soil Exposure Environmental Screening Levels (ESLs)². The following summarizes all soil sample laboratory analytical results:

- TPH-GRO was detected above the laboratory reporting limit in all ten samples analyzed. However, none of the detected concentrations were above the ESL.
- TPH-DRO was detected in nine of ten samples analyzed. However, none of the detected concentrations were above the ESL.
- TPH-ORO and TPH-ORO were detected in all ten samples analyzed. However, none of the detected concentrations were above their respective ESLs.
- OCPs including dichlorodiphenyldichloroethane (4,4-DDD), dichlorodipenyldichloroethylene (4,4-DDE), and dichlorodiphenyltrichloroethane (4,4-DDT) were detected in all ten soil samples analyzed. However, none of the detected concentrations were above their respective ESLs.
- Antimony was detected in seven of the ten samples analyzed. However, none of the detected concentrations were above the ESL.
- Arsenic was detected in all ten samples analyzed, but did not exceed the established background range of arsenic in the San Francisco Bay Area (11 milligrams per kilogram [mg/kg]³) at the Site.

² San Francisco Regional Water Quality Control Board, 2016. Environmental Screening Levels (Revision 3). February.

³ Duverge. 2011. Establishing Background Arsenic in Soil of the Urbanized San Francisco Bay Region. December.

Ms. Shaivali Desai
November 30, 2018

- Barium, beryllium, cadmium, chromium, cobalt, copper, mercury, molybdenum, nickel, vanadium, zinc were detected in all ten samples analyzed. However, none of the detected concentrations were above the ESL.
- Lead was detected in all ten samples analyzed and slightly exceeded the ESL in one sample (SS-9).

Soil analytical results are summarized in Table 1. Laboratory analytical reports are included in Attachment 1.

Conclusions and Recommendations

Soil samples collected at the Site indicate there are relatively limited environmental impacts. Soil sampling analytical results indicate very low concentrations of potential contaminants of concern at shallow depths.

Any future development at the Properties should include the preparation and utilization of a site-specific soil management plan (SMP) to manage low concentrations of OCP, metals, and TPH impacted soil. The SMP should include environmental management procedures that may be required if impacted soil is encountered during site redevelopment, maintenance, and future operations to reduce potential exposures to human receptors at the Site. The SMP will describe procedures for notification of activities, soil management, dust control, site worker personal protective equipment, and air monitoring requirements during subsurface intrusive activities.

Sincerely,

Arcadis U.S., Inc.

Charles Pardini, PG
Vice President, Principal Geologist

Justin Sobieraj, PG (8524)
Senior Geologist

Copies:

Enclosures:


Table 1 – Summary of Soil Analytical Results – Detections Only

Figure 1 – Site Location Map

Figure 2 – Soil Boring Locations



Attachment 1 – Laboratory Analytical Reports

Ms. Shaivali Desai
November 30, 2018



LEGEND:

 Site Boundary



SILICON SAGE BUILDERS
 905 NORTH CAPITAL AVENUE, SAN JOSE, CA 95133
 PHASE II SITE ASSESSMENT SUMMARY MEMORANDUM



SITE LOCATION MAP




FIGURE
1



LEGEND:

-  Soil Boring Location
-  Site Boundary



SCALE IN FEET

SILICON SAGE BUILDERS
905 NORTH CAPITOL AVENUE, SAN JOSE, CA 95133
PHASE II SITE ASSESSMENT SUMMARY MEMORANDUM

SOIL BORING LOCATIONS



FIGURE
2

TABLE 1
SUMMARY OF SOIL ANALYTICAL RESULTS - DETECTIONS ONLY
METALS, TOTAL PETROLEUM HYDROCARBONS, AND ORGANOCHLORINE PESTICIDES
905 NORTH CAPITOL AVENUE
SAN JOSE, CALIFORNIA

Sample Location	Sample Date	Depth (feet bgs)	Antimony (mg/kg)	Arsenic (mg/kg)	Barium (mg/kg)	Beryllium (mg/kg)	Cadmium (mg/kg)	Chromium (mg/kg)	Cobalt (mg/kg)	Copper (mg/kg)	Lead (mg/kg)	Molybdenum (mg/kg)	Nickel (mg/kg)
Residential ESL for Direct Exposure			31	11¹	15,000	150	39	--	23	3,100	80	390	820
SS-1	11/1/2018	0.5-1	1.01 J	5.79	261	0.475	0.322 J	51	14	54.8	39.3	0.689	73.6
SS-2	11/1/2018	0.5-1	0.961 J J6	5.34	297 J6 O1	0.486	0.398 J	53.4 O1	14.5 O1	57 O1	27.8 O1	0.664	73.1 O1
SS-3	11/1/2018	0.5-1	0.959 J	5.18	220	0.419	0.331 J	47	12.4	42.3	17.6	0.393 J	67.3
SS-4	11/1/2018	0.5-1	<2.06	5.89	211	0.443	0.374 J	51.8	15.8	57.3	23	0.738	188
SS-5	11/1/2018	0.5-1	0.932 J	6.16	244	0.495	0.414 J	53.5	15.2	71.5	22	0.66	75.9
SS-6	11/1/2018	0.5-1	0.966 J	6.32	243	0.479	0.425 J	52.4	14.4	62.3	17.9	0.679	74.3
SS-7	11/1/2018	0.5-1	<2.05	4.64	183	0.518	0.293 J	58.6	12.9	31	12.6	0.56	77
SS-8	11/1/2018	0.5-1	<2.10	5.35	211	0.445	0.326 J	51	14	47.8	15.2	0.689	75.9
SS-9	11/1/2018	0.5-1	1.03 J	6.32	231	0.431	0.721	55.9	14.3	65.1	80.8	0.679	105
SS-10	11/1/2018	0.5-1	0.837 J	3.09	201	0.289	0.789	33	15.6	40	36.7	0.253 J	50.2

Notes:

¹=Background concentration range of arsenic in the San Francisco Bay Area is approximately 11 mg/kg ("Establishing Background Arsenic in Soil of the Urbanized San Francisco Bay Region". Duverge, December, 2011)

All samples were analyzed for pesticides and organochlorine pesticides using EPA Method 8081 and 8141, respectively. All samples were analyzed for metals using EPA Method 6010B/7471 and for total petroleum hydrocarbons (TPH) as gasoline range organics (TPH-GRO), diesel range organics (TPH-DRO), oil range organics and extended oil range organics (TPH-ORO/TPH ORO ext) by EPA method 8015.

Bold = analyte detected at or above laboratory reporting limit

80.8 = exceeded ESL

Abbreviations:

bgs = below ground surface

DDT = Dichlorodiphenyltrichloroethane

DDE = Dichlorodiphenyldichloroethylene

DDD = Dichlorodiphenyldichloroethane

ESL = San Francisco Bay Regional Water Quality Control Board (RWQCB). Environmental Screening Levels, February 2016 (Rev 3).

mg/kg = milligrams per kilogram

TPH = total petroleum hydrocarbons

< = analyte not detected at or above the noted laboratory reporting limit

-- = not applicable/not available

Qualifiers:

B = The same analyte is found in the associated blank.

J = The identification of the analyte is acceptable; the reported value is an estimate.

J6 = The sample matrix interfered with the ability to make any accurate determination; spike value is low.

O1 = The analyte failed the method required serial dilution test and/or subsequent post-spike criteria. These failures indicate matrix interference.

TABLE 1
SUMMARY OF SOIL ANALYTICAL RESULTS - DETECTIONS ONLY
METALS, TOTAL PETROLEUM HYDROCARBONS, AND ORGANOCHLORINE PESTICIDES
905 NORTH CAPITOL AVENUE
SAN JOSE, CALIFORNIA

Sample Location	Sample Date	Depth (feet bgs)	Vanadium (mg/kg)	Zinc (mg/kg)	Mercury (mg/kg)	TPH-GRO (mg/kg)	TPH-DRO (mg/kg)	TPH-ORO (mg/kg)	TPH-ORO (ext) (mg/kg)	4,4'-DDD (mg/kg)	4,4'-DDE (mg/kg)	4,4'-DDT (mg/kg)
Residential ESL for Direct Exposure			390	23,000	13	740	230	11,000	11,000	2.7	1.9	1.9
SS-1	11/1/2018	0.5-1	46.6	80.1	0.0523	0.191 B	5.14 J6	21.6 J6	24.1	0.021 J	0.772	0.286
SS-2	11/1/2018	0.5-1	49.1 O1	76.5 O1	0.0432	0.135 B	2.24 J	15.7	15.8	0.0117 J	0.573	0.116
SS-3	11/1/2018	0.5-1	43.1	72.3	0.0424	0.285 B	5.14	25.1	27.7	0.00481 J	0.357	0.0851
SS-4	11/1/2018	0.5-1	43.2	75.3	0.0489	0.201 B	2.95 J	10.6	12.4	0.00818 J	0.567	0.125
SS-5	11/1/2018	0.5-1	48	72.7	0.0484	0.253 B	1.85 J	11.5	15.4	0.0159 J	0.408	0.162
SS-6	11/1/2018	0.5-1	48.1	69.4	0.0404	0.173 B	3.46 J	15	19.7	0.019 J	0.483	0.159
SS-7	11/1/2018	0.5-1	66.8	69.2	0.047	0.17 B	3.95 J	42.4	35.7	0.0131 J	0.0693	0.0633
SS-8	11/1/2018	0.5-1	46.5	64.6	0.0645	0.219 B	<42.0	53.5	77.7	0.00705 J	0.26	0.0617
SS-9	11/1/2018	0.5-1	44.1	193	0.0925	0.147 B	5.49	59.1	40.1	0.0274	0.47	0.255
SS-10	11/1/2018	0.5-1	47.3	481	0.0809	0.152 B	4.73	46.4	33.1	0.0158 J	0.168	0.158

Notes:

¹=Background concentration range of arsenic in the San Francisco Bay Area is approximately 11 mg/kg ("Establishing Background Arsenic in Soil of the Urbanized San Francisco Bay Region". Duverge, December, 2011)

All samples were analyzed for pesticides and organochlorine pesticides using EPA Method 8081 and 8141, respectively. All samples were analyzed for metals using EPA Method 6010B/7471 and for total petroleum hydrocarbons (TPH) as gasoline range organics (TPH-GRO), diesel range organics (TPH-DRO), oil range organics and extended oil range organics (TPH-ORO/TPH ORO ext) by EPA method 8015.

Bold = analyte detected at or above laboratory reporting limit

Exceeded = exceeded ESL

Abbreviations:

bgs = below ground surface

DDT = Dichlorodiphenyltrichloroethane

DDE = Dichlorodiphenyldichloroethylene

DDD = Dichlorodiphenyldichloroethane

ESL = San Francisco Bay Regional Water Quality Control Board (RWQCB). Environmental Screening Levels, February 2016 (Rev 3).

mg/kg = milligrams per kilogram

TPH = total petroleum hydrocarbons

< = analyte not detected at or above the noted laboratory reporting limit

-- = not applicable/not available

Qualifiers:

B = The same analyte is found in the associated blank.

J = The identification of the analyte is acceptable; the reported value is an estimate.

J6 = The sample matrix interfered with the ability to make any accurate determination; spike value is low.

O1 = The analyte failed the method required serial dilution test and/or subsequent post-spike criteria. These failures indicate matrix interference.

**Phase I Environmental Site Assessment – AEI Consultants
March 10, 2003**

March 10, 2003

Rec'd
3-15-03

**PHASE I
ENVIRONMENTAL SITE ASSESSMENT**

905 North Capitol Avenue
San Jose, CA 95133

Project No. 6269

Prepared For



Trumark Companies
4185 Blackhawk Plaza, Suite 200
Danville, CA 94506

Prepared By

AEI Consultants
2500 Camino Diablo, Suite 200
Walnut Creek, CA 94597
(800) 801-3224

AEI

EXECUTIVE SUMMARY

AEI Consultants (AEI) was retained by Trumark Companies to conduct a Phase I Environmental Site Assessment (ESA), in conformance with the scope and limitations of ASTM Practice E1527, for the property located at 905 North Capitol Avenue in the City of San Jose, Santa Clara County, CA. Any exceptions to, or deletions from, this practice are described in Section 1.2 of this report.

Property Description

The subject property is located on the south side of North Capitol Avenue in a residential area of San Jose. The subject property is approximately 5.12 acres of vacant land, and part of a larger 9.50 acre parcel containing two residences. Based on a review of historical sources, the property was utilized as an orchard from 1954 to 1971, and for agricultural crops until the 1990s.

Findings

Recognized environmental conditions (RECs) are defined by the ASTM Standard as the presence or likely presence of any hazardous substances or petroleum products under conditions that indicate an existing release, a past release, or a material threat of a release into structures on the property or into the ground, groundwater, or surface water of the property. AEI's investigation has revealed the following recognized environmental conditions associated with the subject property or nearby properties:

- The subject property was historically used for agricultural purposes, including the cultivation of row crops and orchard trees. The agricultural nature of use at the subject property involved the application, storage, and/or mixing of pesticides and herbicides at the subject property. Based on the duration of agricultural use and the tendency of these constituents to remain in near surface soils, AEI performed a soil investigation of the subject property to determine the extent of pesticide contamination. Four composite soil samples were analyzed for chlorinated pesticides and PCBs by EPA method 8081B. This investigation identified two pesticides in the near-surface soil of the site. The concentrations of the two chemicals, p,p'-DDE and p,p'-DDT, were compared with their respective limit concentrations and preliminary remediation goals (PRGs). The total threshold limit concentrations (TTLCs) are established in the California Code of Regulations for the determination of whether a waste is considered hazardous. The PRGs are health risk based concentrations established by the United States EPA Region 9, and are used for planning purposes and as a guide during the assessment and remediation of impacted sites. The TTLCs and PRGs for each chemical detected as well as sampling results are included as Table 1 in Appendix C: References. Comparison of the concentrations of DDE and DDT detected in the soil samples with the established TTLCs indicated that the soil would not be considered hazardous for waste characterization purposes. The maximum concentrations of each of the chemicals detected were below their respective PRGs for soil at proposed residential and industrial properties. Although the sample analytical results indicated concentrations of DDE and DDT at the site, the maximum concentrations detected were below established limits for these chemicals.

Their presence is likely the result of historical pesticide use during former agricultural operations. Based on the relatively low deviation of the reported concentrations of each chemical across the suite of samples analyzed, it is concluded that the results are representative of the soils throughout the property, with no indication that significantly higher concentrations would be present.

Historical recognized environmental conditions are defined by the ASTM Standard as an environmental condition which in the past would have been considered a recognized environmental condition, but which may or may not be considered a recognized environmental condition currently. AEI's investigation has revealed the following historical recognized environmental conditions associated with the subject property or nearby properties:

- No historical recognized environmental conditions were identified during the course of this investigation.

Environmental issues include environmental concerns identified by AEI that warrant discussion but do not qualify as recognized environmental conditions, as defined by the ASTM Standard. AEI's investigation has revealed the following environmental issues associated with the subject property or nearby properties:

- No environmental issues were identified during the course of this investigation.

Conclusions, Opinions, and Recommendations

AEI's investigation has revealed no other evidence of recognized environmental conditions associated with the subject property or nearby properties. AEI recommends no further investigations for the subject property at this time and concludes that the former use of pesticides at this site should not limit the future development of the site.

TABLE OF CONTENTS

1.0 INTRODUCTION	1
1.1 Scope of Work	1
1.2 Limitations	1
1.3 Limiting Conditions	2
2.0 SITE AND VICINITY DESCRIPTION.....	3
2.1 Site Location and Description	3
2.2 Site and Vicinity Characteristics	3
2.3 Geology and Hydrogeology	3
3.0 HISTORICAL REVIEW OF SITE AND VICINITY.....	4
3.1 Aerial Photograph Review	4
3.2 Local Agencies.....	5
3.2.1 Health Department	5
3.2.2 Fire Department	5
3.2.3 Building Department	5
3.2.4 Other Agency.....	5
3.3 Sanborn Fire Insurance Maps.....	6
3.4 City Directories	6
3.5 Client-Provided Information and Interviews	6
4.0 REVIEW OF REGULATORY AGENCY RECORDS.....	7
4.1 Records Summary	7
4.2 Contaminant Migration	8
4.3 Record Details.....	8
5.0 SITE INSPECTION AND RECONNAISSANCE.....	11
5.1 On-Site Observations	11
5.2 Adjacent Property Reconnaissance Findings.....	12
6.0 FINDINGS AND CONCLUSIONS.....	14
7.0 SIGNATURE OF ENVIRONMENTAL PROFESSIONALS	16

FIGURES

- 1 SITE LOCATION MAP
- 2 SITE PLAN

APPENDICES

- A PROPERTY PHOTOGRAPHS
- B REGULATORY DATABASE
- C REFERENCES
- D QUALIFICATIONS

1.0 INTRODUCTION

This report documents the methods and findings of the Phase I Environmental Site Assessment of the property located at 905 North Capitol Avenue in the City of San Jose, CA (Figure 1: Site Location Map, Figure 2: Site Map, and Appendix A: Property Photographs).

1.1 Scope of Work

The purpose of the Phase I Environmental Site Assessment is to identify potential environmental liabilities associated with the presence of hazardous materials, its use, storage, and disposal at and in the vicinity of the subject property, as well as regulatory non-compliance that may have occurred at the subject property. Property assessment activities focused on: 1) a review of federal, state, and local lists which identify and describe underground fuel tank sites, leaking underground fuel tank sites, hazardous waste generation sites, and hazardous waste storage and disposal facility sites within the ASTM approximate minimum search distance; 2) a property and surrounding site reconnaissance with personal interviews to identify environmental contamination; and 3) a review of historical sources to help ascertain previous land use at the site and in the surrounding area.

The goal of AEI Consultants in conducting the environmental site assessment was to identify the presence or likely presence of any hazardous substances or petroleum products on the property that may indicate an existing release, a past release, or a material threat of a release of any hazardous substance or petroleum product into the soil, groundwater, or surface water of the property.

1.2 Limitations

Property conditions, as well as local, state, and federal regulations can change significantly over time. Therefore, the recommendations and conclusions presented as a result of this study apply strictly to the environmental regulations and property conditions existing at the time the study was performed. Available information has been analyzed using currently accepted assessment techniques and it is believed that the inferences made are reasonably representative of the property. AEI Consultants makes no warranty, expressed or implied, except that the services have been performed in accordance with generally accepted environmental property assessment practices applicable at the time and location of the study.

Considerations identified by ASTM as beyond the scope of a Phase I ESA that may affect business environmental risk at a given property include the following: asbestos-containing materials, radon, lead-based paint, lead in drinking water, wetlands, regulatory compliance, cultural and historic resources, industrial hygiene, health and safety, ecological resources, endangered species, indoor air quality, and high voltage lines. These environmental issues or conditions may warrant assessment based on the type of the property transaction; however, they are considered non-scope issues under ASTM Standard E 1527-00.

If requested by the client, these non-scope issues are discussed in Section 5.2. Otherwise, the purpose of this investigation is solely to satisfy one of the requirements to qualify for the innocent landowner defense under the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), that is, the practices constitute "all appropriate inquiry into the previous ownership and uses of the property consistent with good commercial or customary practice" as defined in 42 USC § 9601(35)(B), referenced in the ASTM E 1527-2000 Standard.

The Phase I Environmental Site Assessment is not, and should not be construed as, a warranty or guarantee about the presence or absence of environmental contaminants that may affect the property. Neither is the assessment intended to assure clear title to the property in question. The sole purpose of investigation into property title records is to ascertain a historical basis of prior land use. This investigation was prepared for the sole use and benefit of Trumark Companies. Neither this report, nor any of the information contained herein shall be used or relied upon for any purpose by any person or entity other than Trumark Companies.

1.3 Limiting Conditions

Pursuant to ASTM Standards, historical sources were obtained to document property use back to the property's first developed use or back to 1940, whichever is earlier. Historical data source failure may occur when standard historical sources are not reasonably ascertainable. Based on the quality of historical data obtained for this assessment, AEI does not expect historical data source failure to impact the conclusions or recommendations of this report.

The performance of this Phase I Environmental Site Assessment was not limited in any way. AEI was granted full and complete access to the subject property.

2.0 SITE AND VICINITY DESCRIPTION

2.1 Site Location and Description

The subject property is located on the south side of North Capitol Avenue in a residential area of San Jose. The property totals approximately 5.12 acres of vacant land. Based on a review of historical sources, the property was utilized as an orchard from 1954 to 1971, and for agricultural crops until the 1990s.

Refer to Figure 1: Site Location Map, Figure 2: Site Map, and Appendix A: Property Photographs for site location.

2.2 Site and Vicinity Characteristics

The subject property is located in a residential area of San Jose. The immediately surrounding properties consist of vacant land followed by residences to the northeast, an apartment complex to the northwest, Interstate 680 to the southwest, and vacant land to the southeast.

2.3 Geology and Hydrogeology

Based on a review of the USGS San Francisco Quadrangle Geologic Map, the area surrounding the subject property is underlain by Holocene and Late Pleistocene era landslide deposits and clayey colluvium, which is characterized by dark-gray, greenish-gray, bluish-gray, green and grayish-black unweathered inactive and active slump-earthflow deposits, weathering brown to reddish brown.

Based on a review of the USGS Calaveras Reservoir Topographic Map, the subject property is situated 148 feet above mean sea level, and local topography slopes to the southwest. The nearest surface water is Penitencia Creek, located approximately 450 feet southeast of the subject property. Based on local topography, the assumed flow direction of groundwater at the subject property is to the southwest. Based on monitoring reports reviewed at the Santa Clara Valley Water District, the direction of regional groundwater flow is to the northwest.

3.0 HISTORICAL REVIEW OF SITE AND VICINITY

Based on a review of historical sources, the property was utilized as an orchard from 1954 to 1971, and for agricultural crops until the 1990s.

3.1 Aerial Photograph Review

On February 28, 2003, AEI Consultants reviewed aerial photographs of the subject property and surrounding area. Aerial photographs were reviewed for the following years:

Date: 1954
Scale: 1:9,600

Date: 1980
Scale: 1:12,000

Date: 1960
Scale: 1:30,000

Date: 1990
Scale: 1:12,000

Date: 1971
Scale: 1:12,000

Date: 1999
Scale: 1:12,000

In the 1954 aerial photograph, the subject property and adjacent properties to the northwest, southwest, and southeast were utilized as orchards. Two residences were located to the northeast.

No significant changes were noted in the 1960 aerial photograph.

In the 1971 aerial photograph, the subject property was utilized for agricultural crops. No significant changes were noted in adjacent properties, except for an additional residence located to the northeast.

In the 1980 aerial photograph, no significant changes were noted for the subject property and the property to the northeast. To the northwest was vacant land, and the properties to the southwest and southeast were developed as they are today.

In the 1990 aerial photograph, no significant changes were noted for the subject property and the properties to the northeast, southeast, and southwest. The property to the northwest, an apartment complex, was developed as it is today.

In the 1999 aerial photograph, the subject property was vacant land. No significant changes were noted for the adjacent properties.

If available, high-quality copies of reviewed aerial photographs are included in Appendix C: References.

3.2 Local Agencies

Local agencies, such as environmental health departments, fire prevention bureaus, and building departments are contacted to identify any current or previous reports of hazardous materials use, storage, and/or unauthorized releases that may have impacted the subject property.

3.2.1 Health Department

On February 25, 2003, the Santa Clara County Environmental Health Department (SCCEHD) was contacted to review files on the subject property and nearby sites of concern. Files at the SCCEHD may contain information regarding hazardous materials storage, as well as information regarding unauthorized releases of petroleum hydrocarbons or other contaminants that may affect the soil or groundwater in the area.

No information indicating current or previous hazardous materials use or storage on the subject property was on file with the SCCEHD.

3.2.2 Fire Department

On February 25, 2003, the San Jose Fire Department (SJFD) was visited for information on the subject property and/or nearby sites of concern to identify any evidence of previous or current hazardous material usage.

No information indicating any underground storage tanks or any current or historical storage of hazardous materials on the subject property was on file with the SJFD.

3.2.3 Building Department

On February 25, 2003, the San Jose Building Department (SJBD) was visited for information on the subject property in order to identify historical tenants and property use.

No information for the subject property was on file with the SJBD.

3.2.4 Other Agency

On February 14, 2003, the Santa Clara Valley Water District (SCVWD) was contacted for information on the subject properties and/or nearby sites of concern. Files at the SCVWD may contain information regarding hazardous materials storage, as well as information regarding unauthorized releases of petroleum hydrocarbons or other contaminants that may affect the soil or groundwater in the area.

No information for the subject property was on file the SCVWD. Information regarding nearby sites of concern was reviewed and is included in Section 4.3.

3.3 Sanborn Fire Insurance Maps

Sanborn Fire Insurance maps were developed in the late 1800s and early 1900s for use as an assessment tool for fire insurance rates in urbanized areas. A search was made of Los Angeles Public Library on-line collection of Sanborn Fire Insurance maps on February 28, 2003. Sanborn map coverage was not available for the subject property.

3.4 City Directories

A search of historic city directories was conducted for the subject property at the San Jose Public Library on February 25, 2003. Directories were available and reviewed for the years 1970, 1976, 1981, 1985, 1989, 1995-1996, and 2000-2001. The following table summarizes the results of the city directory search.

City Directory Search Results

Year(s)	Occupant Listed
1970	No listing
1976 1981 1985 1989 1995-1996 2000-2001	Mary Yoneda

No environmental concerns were noted during the city directory review.

3.5 Client-Provided Information and Interviews

The client did not report to AEI any environmental liens encumbering the subject property or report any information to AEI regarding previous uses or ownership of the subject property that indicated recognized environmental conditions in connection with the subject property. The client did not provide any title records or previous environmental reports to AEI for review.

The property owner or key site manager was not aware of any pending, threatened, or past litigation relevant to hazardous substances or petroleum products in, on, or from the subject property; any pending, threatened, or past administrative proceedings relevant to hazardous substances or petroleum products in, on, or from the subject property; or any notices from a governmental entity regarding any possible violation of environmental laws or possible liability relating to hazardous substances or petroleum products.

Information obtained during interviews with local government officials is incorporated into the appropriate segments of this section.

4.0 REVIEW OF REGULATORY AGENCY RECORDS

The following information was obtained through a search of electronically compiled federal, state, county, and city databases provided by Track Info Services Environmental FirstSearch. The database search includes regulatory agency lists of known or potential hazardous waste sites, landfills, hazardous waste generators, and disposal facilities in addition to sites under investigation. The information provided in this report was obtained from publicly available sources. The locations of the sites listed in this report are plotted with a geographic information system utilizing geocoding of site addresses. The accuracy of these locations is generally +/- 300 feet. AEI's field representative has attempted to confirm the locations of listings on or adjacent to the subject property. Refer to the radius map (Appendix B: Regulatory Database Review Report) for a location of the sites in relation to the subject property.

4.1 Records Summary

DATABASE REVIEWED	SUBJECT PROPERTY	ADJACENT PROPERTY
Identification as National Priorities List (NPL) "Superfund" site	No	No
Identification as RCRA CORRACTS site	No	No
Identification as State (CalSites SPL/SCL) site	No	No
Identification as CERCLIS/NFRAP site	No	No
Reported as leaking underground storage tanks (LUST) site	No	No
Identification as solid waste landfill (SWLF)	No	No
Registered underground/aboveground storage tanks (UST/AST)	No	No
Emergency Response Notification System (ERNS)	No	No
Identification as hazardous waste handler and/or generator (RCRA-TSD, LG-GEN and/or SM-GEN)	No	No

The subject property was not identified during the regulatory database search.

4.2 Contaminant Migration

Migration of petroleum hydrocarbon or VOC contamination is generally via groundwater. Therefore, only those contaminant release sites located hydrologically upgradient relative to the subject property are expected to represent a potential environmental concern to the subject property. Contaminated sites located hydrologically downgradient of the subject property are not expected to represent a potential threat to the groundwater quality beneath the subject property. Sites that are situated hydrologically cross-gradient relative to the subject property are not expected to represent a concern unless close proximity allows for the potential of lateral migration. As discussed in Section 2.3, groundwater in the vicinity of the subject property is assumed to flow to the southwest and regional groundwater flow is to the northwest.

4.3 Record Details

National Priorities List (NPL) is EPA's national listing of contaminated sites targeted for cleanup because they pose a threat to human health and the environment. The Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA or Superfund) authorizes and requires the EPA to investigate, categorize, and enforce the cleanup of hazardous waste sites on the NPL. An NPL site on or near a particular property may threaten the environmental integrity of the property or affect its marketability.

No sites within a 1-mile radius of the subject property were identified during the NPL database search.

CORRACTS is an EPA-maintained database of Resource Conservation and Recovery Act (RCRA) facilities undergoing "corrective action". A "corrective action order" is issued when there has been a release of hazardous waste or constituents into the environment from a RCRA facility. Corrective actions may be required beyond the facility's boundary and can be required regardless of when the release occurred, even if it predates RCRA.

No sites within a 1-mile radius of the subject property were identified during the CORRACTS database search.

California Sites (CalSites) are provided by the California Environmental Protection Agency, Department of Toxic Substances Control and include state equivalent NPL (SPL) and CERCLIS (SCL) sites.

No sites within a 1-mile radius of the subject property were identified during the CalSites database search.

CERCLIS/NFRAP is a list of sites that the EPA has investigated or is presently investigating for release or threatened release of hazardous substances, which may be subject to review in accordance with the terms and conditions of the Comprehensive Environmental Response,

Compensation, and Liability Act of 1980 (CERCLA, also known as Superfund). Sites listed on the "No Further Remedial Action Planned" (NFRAP) database are sites where, following an initial investigation, no contamination was found, contamination was removed quickly, or the contamination was not serious enough to require federal Superfund or NPL consideration.

No sites within a ½-mile radius of the subject property were identified during the CERCLIS/NFRAP database search.

Leaking Underground Storage Tanks (LUST) List is a list produced by the Regional Water Quality Control Board (RWQCB) of known sites with current or former leaking underground storage tanks on the premises.

Eight sites within a ½-mile radius of the subject property were identified during the LUST database search.

- A site at 3027 Penitencia Creek Drive is located 0.19 miles northeast of the subject property. No information was available at the SCVWD for this site. However, based on the direction of regional groundwater flow and relative distance to the subject property, this site is not expected to represent a significant environmental concern.
- A site at 1111 North Capitol Avenue is located approximately 0.30 miles northwest of the subject property. According to records reviewed at the SCVWD, a 1,000-gallon waste oil tank was removed in January 1997 and soil samples taken after cleanup operations revealed no detectable concentrations of BTEX and TPH (total petroleum hydrocarbons). The property was granted case closure status in May 1999. Regional groundwater was reported to flow to the west-northwest. Based on the direction of regional groundwater flow and relative distance to the subject property, this site is not expected to represent a significant environmental concern.

Based on the regulatory status, the direction of groundwater flow, and/or the relative distance from the subject property, the remaining sites are not expected to represent a significant environmental concern.

Solid Waste Landfills (SWLF) is a database generated by the State of California Solid Waste Information System (SWIS), which includes active and inactive landfills and transfer stations within the state maintained by the California Integrated Waste Management Board.

No sites within a ½-mile radius of the subject property were identified during the SWLF database search.

Underground/Aboveground Storage Tanks (UST/AST) List is a comprehensive listing of registered underground and aboveground storage tanks located within the State of California.

No sites within a ¼-mile radius of the subject property were identified during the UST/AST database search.

Emergency Notification Response System (ERNS) is the EPA's database of emergency response actions.

The subject property was not identified during the ERNS database search.

Resource Conservation and Recovery Act (RCRA) Program identifies and tracks hazardous waste from the point of generation to the point of disposal. Information from the RCRA database is divided into three categories: TSD, LG GEN and SM GEN. The TSD category is searched to a ½-mile radius and tracks facilities which treat, store and/or dispose of hazardous waste. LG GEN, or large generators, are facilities that generate more than 1000 kg of hazardous waste per month. SM GEN, or small generators, are facilities that generate between 100 and 1000 kg of hazardous waste per month. The LG-GEN and SM-GEN databases are searched up to a ¼-mile radius from the subject property.

No sites within a ½-mile radius of the subject property were identified during the RCRA-TSD database search.

No sites within a ¼-mile radius of the subject property were identified during the RCRA (LG-GEN) database search.

No sites within a ¼-mile radius of the subject property were identified during the RCRA (SM-GEN) database search.

5.0 SITE INSPECTION AND RECONNAISSANCE

On February 18, 2003, a site reconnaissance of the subject property and adjacent properties was conducted by Lynn Smith of AEI in order to obtain information indicating the likelihood of recognized environmental conditions at the subject property and adjacent properties as specified in ASTM E1527 §8.4.2, 8.4.3 and 8.4.4.

5.1 On-Site Observations

Identified		Observation
Yes	No	
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Hazardous Substances and/or Petroleum Products in Connection with Property Use
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Aboveground & Underground Hazardous Substance or Petroleum Product Storage Tanks (ASTs / USTs)
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Hazardous Substance and Petroleum Product Containers and Unidentified Containers not in Connection with Property Use
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Unidentified Substance Containers
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Electrical or Mechanical Equipment Likely to Contain PCBs
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Interior Stains or Corrosion
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Strong, Pungent or Noxious Odors
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Pool of Liquid
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Drains and Sumps
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Pits, Ponds and Lagoons
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Stained Soil or Pavement
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Stressed Vegetation
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Solid Waste Disposal or Evidence of Fill Materials
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Waste Water Discharges
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Wells
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Septic Systems
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Other

None of the above listed items were observed during the site inspection.

5.2 Adjacent Property Reconnaissance Findings

Identified		Observation
Yes	No	
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Hazardous Substances and Petroleum Products in Connection with Adjacent Property Use
<input checked="" type="checkbox"/>	<input type="checkbox"/>	Aboveground & Underground Hazardous Substance or Petroleum Product Storage Tanks (ASTs / USTs)
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Hazardous Substance and Petroleum Product Containers and Unidentified Containers not in Connection with Property Use
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Unidentified Substance Containers
<input checked="" type="checkbox"/>	<input type="checkbox"/>	Electrical or Mechanical Equipment Likely to Contain PCBs
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Strong, Pungent or Noxious Odors
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Pools of Liquid
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Drains and Sumps
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Pits, Ponds and Lagoons
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Stained Soil or Pavement
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Stressed Vegetation
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Solid Waste Disposal or Evidence of Fill Materials
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Waste Water Discharges
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Wells
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Septic Systems
<input checked="" type="checkbox"/>	<input type="checkbox"/>	Other

Aboveground & Underground Hazardous Substance or Petroleum Product Storage Tanks (ASTs / USTs)

One AST was observed on the adjacent parcel to the northeast. The AST was presumably utilized for water storage and associated with prior agricultural use. No staining was observed on the vegetation or ground near the AST. Based on these observations, the AST is not expected to represent an environmental concern.

Electrical or Mechanical Equipment with the Potential to Contain PCBs

Electrical transformers can potentially contain toxic polychlorinated biphenyl's (PCB's). Transformers that contain 50 to 500 parts per million (ppm) PCB's are classified as PCB contaminated. The management of potential PCB-containing transformers is the responsibility of the local utility or the transformer owner. Actual material samples need to be collected to determine if transformers are PCB-containing.

Three pole-mounted transformers were observed southeast of the subject property during the site inspection. No spills, staining or leaks were observed on or around the transformers. Based on this observation, the presence of the transformers is not expected to represent a significant environmental concern.

Other

Assorted waste products were stored on the adjacent residences to the northeast. The products consisted primarily of wooden pallets at the south residence and an abandoned automobile at the north residence. No evidence of leaking or spilling of hazardous substances or petroleum products was observed. Based on the quantity and nature of items discarded, it is not expected to represent a significant environmental concern.

6.0 FINDINGS AND CONCLUSIONS

Findings

Recognized environmental conditions (RECs) are defined by the ASTM Standard as the presence or likely presence of any hazardous substances or petroleum products under conditions that indicate an existing release, a past release, or a material threat of a release into structures on the property or into the ground, groundwater, or surface water of the property. AEI's investigation has revealed the following recognized environmental conditions associated with the subject property or nearby properties:

- The subject property was historically used for agricultural purposes, including the cultivation of row crops and orchard trees. The agricultural nature of use at the subject property involved the application, storage, and/or mixing of pesticides and herbicides at the subject property. Based on the duration of agricultural use and the tendency of these constituents to remain in near surface soils, AEI performed a soil investigation of the subject property to determine the extent of pesticide contamination. Four composite soil samples were analyzed for chlorinated pesticides and PCBs by EPA method 8081B. This investigation identified two pesticides in the near-surface soil of the site. The concentrations of the two chemicals, p,p'-DDE and p,p'-DDT, were compared with their respective limit concentrations and preliminary remediation goals (PRGs). The total threshold limit concentrations (TTLCs) are established in the California Code of Regulations for the determination of whether a waste is considered hazardous. The PRGs are health risk based concentrations established by the United States EPA Region 9, and are used for planning purposes and as a guide during the assessment and remediation of impacted sites. The TTLCs and PRGs for each chemical detected as well as sampling results are included as Table 1 in Appendix C: References. Comparison of the concentrations of DDE and DDT detected in the soil samples with the established TTLCs indicated that the soil would not be considered hazardous for waste characterization purposes. The maximum concentrations of each of the chemicals detected were below their respective PRGs for soil at proposed residential and industrial properties. Although the sample analytical results indicated concentrations of DDE and DDT at the site, the maximum concentrations detected were below established limits for these chemicals. Their presence is likely the result of historical pesticide use during former agricultural operations. Based on the relatively low deviation of the reported concentrations of each chemical across the suite of samples analyzed, it is concluded that the results are representative of the soils throughout the property, with no indication that significantly higher concentrations would be present.

Historical recognized environmental conditions are defined by the ASTM Standard as an environmental condition which in the past would have been considered a recognized environmental condition, but which may or may not be considered a recognized environmental condition currently. AEI's investigation has revealed the following historical recognized environmental conditions associated with the subject property or nearby properties:

- No historical recognized environmental conditions were identified during the course of this investigation.

Environmental issues include environmental concerns identified by AEI that warrant discussion but do not qualify as recognized environmental conditions, as defined by the ASTM Standard. AEI's investigation has revealed the following environmental issues associated with the subject property or nearby properties:

- No environmental issues were identified during the course of this investigation.

Conclusions, Opinions, and Recommendations

AEI's investigation has revealed no other evidence of recognized environmental conditions associated with the subject property or nearby properties. AEI recommends no further investigations for the subject property at this time.

7.0 SIGNATURE OF ENVIRONMENTAL PROFESSIONALS

AEI Consultants has performed a Phase I Environmental Site Assessment for the property located at 905 North Capitol Avenue in the City of San Jose, Santa Clara County, California, in conformance with the scope and limitations of ASTM Standard E1527. Any exceptions to, or deletions from, this practice are described in Section 1.2 of this report.

Prepared By:




Lynn Smith
Environmental Scientist

Reviewed By:




Holly Gannaway
Senior Author





NORTH CAPITOL AVENUE



INTERSTATE 680



AEI CONSULTANTS 2500 CAMINO DIABLO WALNUT CREEK, CA	
SITE PLAN	
905 NORTH CAPITOL AVE SAN JOSE, CALIFORNIA	FIGURE 2 PROJECT No 6269



1. View of the subject property facing southwest.



2. View of the subject property facing southeast.




3. View of the subject property facing northeast.


AEI CONSULTANTS	
PROPERTY PHOTOGRAPHS	
905 North Capitol Avenue San Jose, California	Project No: 6269



4. View of the subject property and adjacent property facing northwest.




5. Residence to the south-northeast.



6. Residence to the north-northeast.

AEI CONSULTANTS	
PROPERTY PHOTOGRAPHS	
905 North Capitol Avenue San Jose, California	Project No: 6269



7. AST located on the adjacent property to the northeast.

8. Transformers located on the adjacent property to the southeast.




AEI CONSULTANTS	
PROPERTY PHOTOGRAPHS	
905 North Capitol Avenue San Jose, California	Project No: 6269



Environmental FirstSearch
 1 Mile Radius
 ASTM Map: NPL, RCRACOR, STATE Sites



905 NORTH CAPITAL AVE, SAN JOSE CA 95133



Source: 1999 U.S. Census TIGER Files

- Target Site (Latitude: 37.381976 Longitude: -121.857832)
- Identified Site, Multiple Sites, Receptor
- NPL, Solid Waste Landfill (SWL) or Hazardous Waste
- Railroads

Black Rings Represent 1/4 Mile Radii; Red Ring Represents 500 ft. Radius



Environmental FirstSearch
 .5 Mile Radius
 ASTM Map: CERCLIS, RCRATSD, LUST, SWL



905 NORTH CAPITAL AVE, SAN JOSE CA 95133



Source: 1999 U.S. Census TIGER Files

- Target Site (Latitude: 37.381976 Longitude: -121.857832)
 - Identified Site, Multiple Sites, Receptor
 - NPL, Solid Waste Landfill (SWL) or Hazardous Waste
 - Railroads
- Black Rings Represent 1/4 Mile Radii; Red Ring Represents 500 ft. Radius




Environmental FirstSearch

.25 Mile Radius







ASTM Map: RCRA GEN, ERNS, UST



905 NORTH CAPITAL AVE, SAN JOSE CA 95133



Source: 1999 U.S. Census TIGER Files

- Target Site (Latitude: 37.381976 Longitude: -121.857832) 
- Identified Site, Multiple Sites, Receptor   
- NPL, Solid Waste Landfill (SWL) or Hazardous Waste 
- Railroads 
- Black Rings Represent 1/4 Mile Radii; Red Ring Represents 500 ft. Radius




Environmental FirstSearch

.25 Mile Radius

Non-ASTM Map: No Sites Found



905 NORTH CAPITAL AVE, SAN JOSE CA 95133



Source: 1999 U.S. Census TIGER Files

Target Site (Latitude: 37.381976 Longitude: -121.857832)

Identified Site, Multiple Sites, Receptor

NPL, Solid Waste Landfill (SWL) or Hazardous Waste

National Historic Sites and Landmark Sites

Railroads

Black Rings Represent 1/4 Mile Radii; Red Ring Represents 500 ft. Radius



TRACK ► INFO SERVICES, LLC

Environmental FirstSearch™ Report

TARGET PROPERTY:

905 NORTH CAPITAL AVE

SAN JOSE CA 95133

Job Number: 6269

PREPARED FOR:

AEI Consultants

3210 Old Tunnel Road, Suite B

Lafayette, CA 94549

02-14-03



Tel: (323) 664-9981

Fax: (323) 664-9982

**Environmental FirstSearch
Site Information Report**

Request Date: 02-14-03
Requestor Name: Shannon Soule
Standard: ASTM

Search Type: COORD
Job Number: 6269
Filtered Report

**TARGET ADDRESS: 905 NORTH CAPITAL AVE
SAN JOSE CA 95133**

Demographics

Sites: 11	Non-Geocoded: 3	Population: NA
Radon: 0.6 PCI/L		

Site Location

	<u>Degrees (Decimal)</u>	<u>Degrees (Min/Sec)</u>		<u>UTMs</u>
Longitude:	-121.857832	-121:51:28	Easting:	601119.265
Latitude:	37.381976	37:22:55	Northing:	4137655.38
			Zone:	10

Comment

Comment:

Additional Requests/Services

Adjacent ZIP Codes: 1 Mile(s)					Services:																																													
<table border="1"> <thead> <tr> <th>ZIP Code</th> <th>City Name</th> <th>ST</th> <th>Dist/Dir</th> <th>Sel</th> </tr> </thead> <tbody> <tr> <td>95127</td> <td>SAN JOSE</td> <td>CA</td> <td>0.79 NE</td> <td>Y</td> </tr> <tr> <td>95131</td> <td>SAN JOSE</td> <td>CA</td> <td>0.32 NW</td> <td>Y</td> </tr> <tr> <td>95132</td> <td>SAN JOSE</td> <td>CA</td> <td>0.09 NE</td> <td>Y</td> </tr> </tbody> </table>					ZIP Code	City Name	ST	Dist/Dir	Sel	95127	SAN JOSE	CA	0.79 NE	Y	95131	SAN JOSE	CA	0.32 NW	Y	95132	SAN JOSE	CA	0.09 NE	Y	<table border="1"> <thead> <tr> <th></th> <th>Requested?</th> <th>Date</th> </tr> </thead> <tbody> <tr> <td>Sanborns</td> <td>No</td> <td></td> </tr> <tr> <td>Aerial Photographs</td> <td>No</td> <td></td> </tr> <tr> <td>Topographical Maps</td> <td>No</td> <td></td> </tr> <tr> <td>City Directories</td> <td>No</td> <td></td> </tr> <tr> <td>Title Search</td> <td>No</td> <td></td> </tr> <tr> <td>Municipal Reports</td> <td>No</td> <td></td> </tr> <tr> <td>Online Topos</td> <td>No</td> <td></td> </tr> </tbody> </table>			Requested?	Date	Sanborns	No		Aerial Photographs	No		Topographical Maps	No		City Directories	No		Title Search	No		Municipal Reports	No		Online Topos	No	
ZIP Code	City Name	ST	Dist/Dir	Sel																																														
95127	SAN JOSE	CA	0.79 NE	Y																																														
95131	SAN JOSE	CA	0.32 NW	Y																																														
95132	SAN JOSE	CA	0.09 NE	Y																																														
	Requested?	Date																																																
Sanborns	No																																																	
Aerial Photographs	No																																																	
Topographical Maps	No																																																	
City Directories	No																																																	
Title Search	No																																																	
Municipal Reports	No																																																	
Online Topos	No																																																	

**Environmental FirstSearch
Site Detail Report**

TARGET SITE: 905 NORTH CAPITAL AVE
SAN JOSE CA 95133

JOB: 6269

LEAKING UNDERGROUND STORAGE TANKS

SEARCH ID: 8

DIST/DIR: 0.19 NE

MAP ID: 7

NAME: SANTA CLARA COUNTY PARK PENITE
ADDRESS: 3027 PENITENCIA CREEK DR
SAN JOSE CA 95132
SANTA CLARA

REV: 06/31/01
ID1: 43-1760
ID2:
STATUS: LEAK BEING CONFIRMED
PHONE:

CONTACT:

CASE TYPE: UNDEFINED
SUBSTANCE LEAKED: DIESEL
SUBSTANCE QUANTITY:
LEAD AGENCY: LOCAL AGENCY
REGIONAL BOARD: SAN FRANCISCO BAY REGION
STATUS: LEAK BEING CONFIRMED
ABATEMENT METHOD: NO ACTION TAKEN- NO ACTION HAS YET BEEN TAKEN AT THE SITE
REVIEW DATE: 7/23/96
DATE OF LEAK CONFIRMATION: 1/7/88
DATE PRELIMINARY SITE ASSESSMENT PLAN WAS SUBMITTED:
DATE PRELIMINARY SITE ASSESSMENT PLAN BEGAN:
DATE POLLUTION CHARACTERIZATION PLAN BEGAN:
DATE REMEDIATION PLAN WAS SUBMITTED:
DATE REMEDIAL ACTION UNDERWAY:
DATE POST REMEDIAL ACTION MONITORING BEGAN:
DATE CLOSURE LETTER ISSUED (SITE CLOSED):
REPORT DATE: 10/1/93

***Environmental FirstSearch
Site Detail Report***

TARGET SITE: 905 NORTH CAPITAL AVE
SAN JOSE CA 95133

JOB: 6269

RCRA GENERATOR SITE

SEARCH ID: 9

DIST/DIR: NON GC

MAP ID:

NAME: CHEVRON NO 93837
ADDRESS: 1140 N CAPITOL AVE
SAN JOSE CA 95133
SANTA CLARA

REV: 12/9/02
ID1: CAP000067553
ID2:
STATUS: LGN
PHONE:

CONTACT:

DETAILS NOT AVAILABLE

**Environmental FirstSearch
Site Detail Report**

TARGET SITE: 905 NORTH CAPITAL AVE
SAN JOSE CA 95133

JOB: 6269

EMERGENCY RESPONSE NOTIFICATION SITE			
SEARCH ID: 11	DIST/DIR: NON GC	MAP ID:	
NAME: EXXON	REV: 12/18/91	ID1: 241839	
ADDRESS: STATION # 736641 1898 N CAPITOL AVE SAN JOSE CA SANTA CLARA	ID2:	STATUS: FIXED FACILITY	
CONTACT:	PHONE:		
OTHER CAUSE: NO	TRANSP. ACCIDENT: YES		
UNKNOWN: NO			
ACTIONS TAKEN: CLEANUP BY PRIVATE CONTRACTOR			
RELEASE DETECTION: VEHICLE IMPACT WITH EQUIPMENT			
MISC. NOTES:			
<u>DISCHARGER INFORMATION</u>			
DISCHARGER ID: 241839	DUN & BRADSTREET #:		
TYPE OF DISCHARGER: PRIVATE CITIZEN			
NAME OF DISCHARGER: EXXON			
ADDRESS: ONE CONCORD CENTER CONCORD CA 94521-			
<u>CAUSE OF RELEASE</u>			
DUMPING: NO	EQUIPMENT FAILURE: NO		
NATURAL PHENOMENON: NO	OPERATOR ERROR: NO		
OTHER CAUSE: NO	TRANSP. ACCIDENT: YES		
UNKNOWN: NO			
ACTIONS TAKEN: CLEANUP BY PRIVATE CONTRACTOR			
RELEASE DETECTION: VEHICLE IMPACT WITH EQUIPMENT			
MISC. NOTES:			
<u>DISCHARGER INFORMATION</u>			
DISCHARGER ID: 241839	DUN & BRADSTREET #:		
TYPE OF DISCHARGER: PRIVATE CITIZEN			
NAME OF DISCHARGER: EXXON			
ADDRESS: ONE CONCORD CENTER CONCORD CA 94521-			

**Environmental FirstSearch
Federal Databases and Sources**

ASTM Databases:

CERCLIS: *Comprehensive Environmental Response Compensation and Liability Information System.* The EPA's database of current and potential Superfund sites currently or previously under investigation. Source: Environmental Protection Agency.

Updated quarterly.

ERNS: *Emergency Response Notification System.* The EPA's database of emergency response actions. Source: Environmental Protection Agency. Data since January, 2001, has been received from the National Response Center as the EPA no longer maintains this data.

Updated quarterly.

FINDS: *The Facility Index System.* The EPA's Index of identification numbers associated with a property or facility which the EPA has investigated or has been made aware of in conjunction with various regulatory programs. Each record indicates the EPA office that may have files on the site or facility. Source: Environmental Protection Agency.

Updated semi-annually.

NPL: *National Priority List.* The EPA's list of confirmed or proposed Superfund sites. Source: Environmental Protection Agency.

Updated quarterly.

RCRIS: *Resource Conservation and Recovery Information System.* The EPA's database of registered hazardous waste generators and treatment, storage and disposal facilities. Included are RAATS (RCRA Administrative Action Tracking System) and CMEL (Compliance Monitoring & Enforcement List). Source: Environmental Protection Agency.

RCRA TSD: *Resource Conservation and Recovery Information System Treatment, Storage, and Disposal Facilities.* The EPA's database of RCRIS sites which treat, store, dispose, or incinerate hazardous waste. This information is also reported in the standard RCRIS detailed data.

RCRA COR: *Resource Conservation and Recovery Information System Corrective Action Sites.* The EPA's database of RCRIS sites with reported corrective action. This information is also reported in the standard RCRIS detailed data.

RCRA GEN: *Resource Conservation and Recovery Information System Large and Small Quantity Generators.* The EPA's database of RCRIS sites that create more than 100kg of hazardous waste per month or meet other RCRA requirements. Included are RAATS (RCRA Administrative Action Tracking System) and CMEL (Compliance Monitoring & Enforcement List).

WMUDS: DB TYPE = SW (SOLID WASTE RELATED SITES)

Source: The State Water Resources Control Board
Phone: (916) 227-4365

The State Water Resources Control Board maintained the Waste Management Unit Database System (WMUDS). It is no longer updated. It tracked management units for several regulatory programs related to waste management and its potential impact on groundwater. Two of these programs (SWAT & TPCA) are no longer on-going regulatory programs as described below. Chapter 15 (SC15) is still an on-going regulatory program and information is updated periodically but not to the WMUDS database. The WMUDS System contains information from the following agency databases: Facility, Waste Management Unit (WMU), Waste Discharger System (WDS), SWAT, Chapter 15, TPCA, RCRA, Inspections, Violations, and Enforcement's.

Note: This database contains poor site location information for many sites in the First Search reports; therefore, it may not be possible to locate or plot some sites in First Search reports.

ORANGE COUNTY LANDFILLS: DB TYPE = SW (SOLID WASTE RELATED SITES)

Source: Orange County Health Dept.
Phone: (714) 834-3536

LUSTIS: DB TYPE = LU (LEAKING UNDERGROUND STORAGE TANKS)

Source: The State Water Resources Control Board
Phone: (916) 227-4416

The State Water Resources Control Board maintains a database of sites with confirmed or unconfirmed leaking underground storage tanks. Information for this database is collected from the states regional boards quarterly and integrated with this database.

**SAN DIEGO COUNTY LEAKING TANKS: DB TYPE = LU
(LEAKING UNDERGROUND STORAGE TANKS)**

Source: San Diego County Dept. of Environmental Health
Phone: (619) 338-2242

Maintains a database of sites with confirmed or unconfirmed leaking underground storage tanks within its HE17/58 database. For more information on a specific file call the HazMat Duty Specialist at phone number listed above.

SLIC REGIONS 1 - 9: DB TYPE = SP (SPILLS-90)

Source: The CAL EPA Regional Water Quality Control Boards 1 - 9

The California Regional Water Quality Control Boards maintain report of sites that have records of spills, leaks, investigation, and cleanups. For phone number listings of departments within each region visit their web sites at: <http://www.swrcb.ca.gov/regions.html>

SAN DIEGO COUNTY HE17 PERMITS: DB TYPE = PE (PERMITS)

Source: The San Diego County Depart. Of Environmental Health
Phone: (619) 338-2211

The HE17/58 database tracks establishments issued permits and the status of their permits in relation to compliance with federal, state, and local regulations that the County oversees. It tracks if a site is a hazardous waste generator, TSD, gas station, has underground tanks, violations, or unauthorized releases. For more information on a specific file call the HazMat Duty Specialist at the phone number listed above.

CUPA DATABASES & SOURCES
(DB TYPE = US (UNDERGROUND STORAGE TANKS))

DEFINITION OF A CUPA: A Certified Unified Program Agency (CUPA) is a local agency that has been certified by the CAL EPA to implement six state environmental programs within the local agency's jurisdiction. These can be a county, city, or JPA (Joint Powers Authority). This program was established under the amendments to the California Health and Safety Code made by SB 1082 in 1994.

A Participating Agency (PA) is a local agency that has been designated by the local CUPA to administer one or more Unified Programs within their jurisdiction on behalf of the CUPA. A Designated Agency (DA) is an agency that has not been certified by the CUPA but is the responsible local agency that would implement the six unified programs until they are certified.

Please Note: Track Info Services, LLC collects and maintains information regarding Underground Storage Tanks from majority of the CUPAS and Participating Agencies in the State of California. These agencies typically do not maintain nor release such information on a uniform or consistent schedule; therefor, currency of the data may vary. Please look at the details on a specific site with a UST record in the First Search Report to determine the actual currency date of the record as provided by the relevant agency. Numerous efforts are made on a regular basis to obtain updated records.

ALAMEDA COUNTY CUPA'S

- * County of Alameda Department of Environmental Health
- * Cities of Berkeley, Fremont, Hayward, Livermore / Pleasanton, Newark, Oakland, San Leandro, Union

ALPINE COUNTY CUPA

- * Health Department (Only updated by agency annually)

AMADOR COUNTY CUPA

- * County of Amador Environmental Health Department

BUTTE COUNTY CUPA

- * County of Butte Environmental Health Division (Only updated by agency biannually)

CALAVERAS COUNTY CUPA

- * County of Calaveras Environmental Health Department

COLUSA COUNTY CUPA

- * Environmental Health Dept.

CONTRA COSTA COUNTY CUPA

- * Hazardous Materials Program

DEL NORTE COUNTY CUPA (US)

- * Department of Health and Social Services

EL DORADO COUNTY CUPA'S

- * County of El Dorado Environmental Health - Solid Waste Div (Only updated by agency annually)
- * County of El Dorado EMD Tahoe Division (Only updated by agency annually)

FRESNO COUNTY CUPA

- * Haz. Mat and Solid Waste Programs

GLENN COUNTY CUPA

- * Air Pollution Control District

HUMBOLDT COUNTY CUPA (US)

- * Environmental Health Division

IMPERIAL COUNTY CUPA (US)

- * Department of Planning and Building

INYO COUNTY CUPA (US)

- * Environmental Health Department

SAN LUIS OBISPO COUNTY CUPA'S (US)

- * County of San Luis Obispo Environmental Health Division
- * City of San Luis Obispo City Fire Department

SAN MATEO COUNTY CUPA (US)

- * Environmental Health Department

SANTA BARBARA COUNTY CUPA (US)

- * Co Fire Dept Protective Services Div

SANTA CLARA COUNTY CUPA'S (US)

- * County of Santa Clara Hazardous Materials Compliance Division
- * Santa Clara Co Central Fire Prot. Dist. (Covers Campbell, Cupertino, Los Gatos, & Morgan Hill)
- * Cities of Gilroy, Milpitas, Mountain View, Palo Alto, San Jose Fire, Santa Clara, Sunnyvale

SANTA CRUZ COUNTY CUPA (US)

- * Environmental Health Department

SHASTA COUNTY CUPA (US)

- * Environmental Health Department

SIERRA COUNTY CUPA (US)

- * Health Department

SISKIYOU COUNTY CUPA (US)

- * Environmental Health Department

SONOMA COUNTY CUPA'S (US)

- * County of Sonoma Department Of Environmental Health
- * Cities of Healdsburg / Sebastapol, Petaluma, Santa Rosa

STANISLAUS COUNTY CUPA (US)

- * Dept. of Env. Rsrcs. Haz. Mat. Div.

SUTTER COUNTY CUPA (US)

- * Department of Agriculture

TEHAMA COUNTY CUPA (US)

- * Department of Environmental Health

TRINITY COUNTY CUPA (US)

- * Department of Health

TULARE COUNTY CUPA (US)

- * Environmental Health Department

TUOLUMNE COUNTY CUPA (US)

- * Environmental Health

VENTURA COUNTY CUPA'S (BWT UST'S & CERTIFIED UST'S)

- * County of Ventura Environmental Health Division
- * Cities of Oxnard, Ventura

YOLO COUNTY CUPA (US)

- * Environmental Health Department

YUBA COUNTY CUPA (US)

- * Yuba County of Emergency Services

TABLE 1
Chlorinated Pesticides
by EPA method 8081B

Sample Area	1	2	3	4	Average	TTLC	PRGs (res / ind)
Pesticide							
Aldrin	<10	<10	<10	<10	-	-	-
α-BHC	<10	<10	<10	<10	-	-	-
β-BHC	<10	<10	<10	<10	-	-	-
γ-BHC (Lindane)	<10	<10	<10	<10	-	-	-
o-BHC	<10	<10	<10	<10	-	-	-
Chlordane	<10	<10	<10	<10	-	-	-
p,p'-DDD	<10	<10	<10	<10	-	-	-
p,p'-DDE	77	41	74	67	65	1000*	1,700 / 13,000
p,p'-DDT	17	12	15	15	15	1000*	1,700 / 13,000
Dieldrin	<10	<10	<10	<10	-	-	-
Endosulfan I	<10	<10	<10	<10	-	-	-
Endosulfan II	<10	<10	<10	<10	-	-	-
Endosulfan Sulfate	<10	<10	<10	<10	-	-	-
Endrin	<10	<10	<10	<10	-	-	-
Endrin Aldehyde	<10	<10	<10	<10	-	-	-
Heptachlor	<10	<10	<10	<10	-	-	-
Heptachlor Epoxide	<10	<10	<10	<10	-	-	-
p,p'-Methoxychlor	<10	<10	<10	<10	-	-	-
Toxaphene	<100	<100	<100	<100	-	-	-

All results and limit concentrations are expressed in µg/kg

TTLC = Total Threshold Limit Concentrations for Hazardous Waste under Title 22 California Code of Regulations

PRGs = Preliminary Remediation Goals, US EPA Region 9, 1999

res = PRGs for residential soil

ind = PRGs for industrial soil

* = The TTLC for DDD, DDE, and DDT is additive

- = not applicable for this investigation

Please refer to Laboratory Analytical Data for detailed lab information including reporting limits and dilution factors

REFERENCES

Aerial Photographs obtained from Pacific Aerial Surveys.

Geologic Map of the Calaveras Reservoir Quadrangle, USGS.

City Directories, San Jose Public Library, February 25, 2003.

Santa Clara County Environmental Health Department, February 25, 2003.

Santa Clara Valley Water District, February 14, 2003.

San Jose Building Department, February 25, 2003.

San Jose Fire Department, February 25, 2003.

Sanborn maps, Los Angeles Public Library On-line Collection, February 28, 2003.

Holly B. Gannaway, REA

Director, Due Diligence Services

BA – Environmental Studies, University of Kansas
REA Registered Environmental Assessor REA 1 - 07393
EPA Accredited Asbestos Inspector
DHS Certified Lead-Based Paint Inspector
EPA Certified Radon Measurement Operator
OSHA 40-Hour Hazardous Waste Worker Training

Ms. Gannaway has seven years experience in the environmental service industry. Her project experience has included: Phase I Environmental Site Assessments, Real Estate Transaction Screens, radon screening projects, asbestos inspections, lead-based paint inspections, and reviewing/evaluating Phase II and Phase III reports. Her experience includes management of portfolio projects involving numerous properties throughout Northern California, Nevada, and Arizona. In addition, Ms. Gannaway participated in conducting comprehensive radon, asbestos, and lead-based paint surveys of numerous housing facilities in California for the United States Coast Guard.

Ms. Gannaway has technical experience working for the following financial institutions:

- Bank of America
- Wells Fargo Bank
- California Bank & Trust
- Washington Mutual Bank
- Bank of the Orient
- First Republic Bank

As a senior member of the ESA staff, Ms. Gannaway provides senior review expertise on a company-wide basis to ensure ASTM compliance and satisfaction of client requirements for Phase I Environmental Site Assessments and Transaction Screens. As the Director of Due Diligence Services, Ms. Gannaway is responsible for ensuring the consistency and quality of due diligence services throughout AEI. AEIs review process provides for customization of reports to client needs, as well as strict conformance to ASTM standards.

Lynn Smith

Environmental Scientist

BS – Environmental Biology, Taylor University, Indiana
OSHA 40-Hour Hazardous Waste Worker Training

Mrs. Smith has four years experience in the environmental sciences and over one year experience in environmental consulting. Her project experience has included: NEPA reviews, Phase I Environmental Site Assessments, and Environmental Transaction Screens. In addition, Mrs. Smith has trained to complete wetland delineations.

Mrs. Smith has technical experience working for the following financial institutions:

- United Commercial Bank
- Bank of Walnut Creek

Mrs. Smith provides project management to ensure ASTM compliance and satisfaction of client requirements for Phase I Environmental Site Assessments and Transaction Screens.