

IsenGarden LLC - Riverside-South Coast County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

IsenGarden LLC

Riverside-South Coast County, Winter

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
General Light Industry	20.52	1000sqft	0.47	20,518.00	0
Other Non-Asphalt Surfaces	4.26	Acre	4.26	185,565.60	0
Parking Lot	11.82	1000sqft	0.27	11,816.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.4	Precipitation Freq (Days)	28
Climate Zone	10			Operational Year	2023
Utility Company	Southern California Edison				
CO2 Intensity (lb/MW hr)	531.98	CH4 Intensity (lb/MW hr)	0.033	N2O Intensity (lb/MW hr)	0.004

1.3 User Entered Comments & Non-Default Data

- Project Characteristics -
- Land Use -
- Construction Off-road Equipment Mitigation -
- Construction Phase -
- Off-road Equipment - Per Contractor
- Grading - .

Table Name	Column Name	Default Value	New Value
tblAreaCoating	Area_Parking	0	11843
tblGrading	AcresOfGrading	4.38	7.50

IsenGarden LLC - Riverside-South Coast County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	2.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	4.00	2.00
tblOffRoadEquipment	UsageHours	8.00	7.00
tblOffRoadEquipment	UsageHours	8.00	7.00

2.0 Emissions Summary

IsenGarden LLC - Riverside-South Coast County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

2.1 Overall Construction (Maximum Daily Emission)

Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2022	2.6944	25.7592	21.0780	0.0420	12.2412	1.2435	13.1298	5.9943	1.1560	6.8119	0.0000	4,105.439 2	4,105.439 2	1.0562	0.1271	4,159.391 6
2023	13.8696	15.8476	19.4779	0.0415	1.2589	0.7148	1.9737	0.3391	0.6727	1.0118	0.0000	4,052.230 4	4,052.230 4	0.6356	0.1210	4,104.170 8
Maximum	13.8696	25.7592	21.0780	0.0420	12.2412	1.2435	13.1298	5.9943	1.1560	6.8119	0.0000	4,105.439 2	4,105.439 2	1.0562	0.1271	4,159.391 6

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2022	2.6944	25.7592	21.0780	0.0420	5.5700	1.2435	6.4587	2.7137	1.1560	3.5313	0.0000	4,105.439 2	4,105.439 2	1.0562	0.1271	4,159.391 6
2023	13.8696	15.8476	19.4779	0.0415	1.2589	0.7148	1.9737	0.3391	0.6727	1.0118	0.0000	4,052.230 4	4,052.230 4	0.6356	0.1210	4,104.170 8
Maximum	13.8696	25.7592	21.0780	0.0420	5.5700	1.2435	6.4587	2.7137	1.1560	3.5313	0.0000	4,105.439 2	4,105.439 2	1.0562	0.1271	4,159.391 6

IsenGarden LLC - Riverside-South Coast County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	49.42	0.00	44.17	51.80	0.00	41.93	0.00	0.00	0.00	0.00	0.00	0.00

IsenGarden LLC - Riverside-South Coast County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	0.5437	3.0000e-005	3.7400e-003	0.0000		1.0000e-005	1.0000e-005		1.0000e-005	1.0000e-005		8.0100e-003	8.0100e-003	2.0000e-005		8.5400e-003
Energy	0.0196	0.1782	0.1497	1.0700e-003		0.0135	0.0135		0.0135	0.0135		213.8105	213.8105	4.1000e-003	3.9200e-003	215.0810
Mobile	0.3241	0.5821	3.5892	8.9700e-003	0.9601	7.3400e-003	0.9674	0.2562	6.8800e-003	0.2630		914.0988	914.0988	0.0450	0.0446	928.5088
Total	0.8873	0.7603	3.7426	0.0100	0.9601	0.0209	0.9810	0.2562	0.0204	0.2766		1,127.9173	1,127.9173	0.0491	0.0485	1,143.5984

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	0.5437	3.0000e-005	3.7400e-003	0.0000		1.0000e-005	1.0000e-005		1.0000e-005	1.0000e-005		8.0100e-003	8.0100e-003	2.0000e-005		8.5400e-003
Energy	0.0196	0.1782	0.1497	1.0700e-003		0.0135	0.0135		0.0135	0.0135		213.8105	213.8105	4.1000e-003	3.9200e-003	215.0810
Mobile	0.3241	0.5821	3.5892	8.9700e-003	0.9601	7.3400e-003	0.9674	0.2562	6.8800e-003	0.2630		914.0988	914.0988	0.0450	0.0446	928.5088
Total	0.8873	0.7603	3.7426	0.0100	0.9601	0.0209	0.9810	0.2562	0.0204	0.2766		1,127.9173	1,127.9173	0.0491	0.0485	1,143.5984

IsenGarden LLC - Riverside-South Coast County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	2/25/2022	3/24/2022	5	20	
2	Site Preparation	Site Preparation	3/25/2022	3/31/2022	5	5	
3	Grading	Grading	4/1/2022	4/12/2022	5	8	
4	Building Construction	Building Construction	4/13/2022	2/28/2023	5	230	
5	Paving	Paving	3/1/2023	3/24/2023	5	18	
6	Architectural Coating	Architectural Coating	3/25/2023	4/19/2023	5	18	

Acres of Grading (Site Preparation Phase): 7.5

Acres of Grading (Grading Phase): 8

Acres of Paving: 4.53

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 30,777; Non-Residential Outdoor: 10,259; Striped Parking Area: 11,843 (Architectural Coating – sqft)

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Excavators	3	8.00	158	0.38
Demolition	Rubber Tired Dozers	2	8.00	247	0.40
Site Preparation	Rubber Tired Dozers	2	7.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	2	7.00	97	0.37

IsenGarden LLC - Riverside-South Coast County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

Grading	Excavators	1	8.00	158	0.38
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Tractors/Loaders/Backhoes	3	8.00	97	0.37
Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Paving	Cement and Mortar Mixers	2	6.00	9	0.56
Paving	Pavers	1	8.00	130	0.42
Paving	Paving Equipment	2	6.00	132	0.36
Paving	Rollers	2	6.00	80	0.38
Paving	Tractors/Loaders/Backhoes	1	8.00	97	0.37
Architectural Coating	Air Compressors	1	6.00	78	0.48

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	6	15.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	4	10.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading	6	15.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	92.00	36.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	8	20.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	18.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Water Exposed Area

IsenGarden LLC - Riverside-South Coast County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.2 Demolition - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	2.6392	25.7194	20.5941	0.0388		1.2427	1.2427		1.1553	1.1553		3,746.7812	3,746.7812	1.0524		3,773.0920
Total	2.6392	25.7194	20.5941	0.0388		1.2427	1.2427		1.1553	1.1553		3,746.7812	3,746.7812	1.0524		3,773.0920

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0552	0.0398	0.4840	1.3800e-003	0.1677	8.3000e-004	0.1685	0.0445	7.7000e-004	0.0452		139.5236	139.5236	3.8100e-003	3.9000e-003	140.7822
Total	0.0552	0.0398	0.4840	1.3800e-003	0.1677	8.3000e-004	0.1685	0.0445	7.7000e-004	0.0452		139.5236	139.5236	3.8100e-003	3.9000e-003	140.7822

IsenGarden LLC - Riverside-South Coast County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.2 Demolition - 2022

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	2.6392	25.7194	20.5941	0.0388		1.2427	1.2427		1.1553	1.1553	0.0000	3,746.7812	3,746.7812	1.0524		3,773.0920
Total	2.6392	25.7194	20.5941	0.0388		1.2427	1.2427		1.1553	1.1553	0.0000	3,746.7812	3,746.7812	1.0524		3,773.0920

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0552	0.0398	0.4840	1.3800e-003	0.1677	8.3000e-004	0.1685	0.0445	7.7000e-004	0.0452		139.5236	139.5236	3.8100e-003	3.9000e-003	140.7822
Total	0.0552	0.0398	0.4840	1.3800e-003	0.1677	8.3000e-004	0.1685	0.0445	7.7000e-004	0.0452		139.5236	139.5236	3.8100e-003	3.9000e-003	140.7822

IsenGarden LLC - Riverside-South Coast County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.3 Site Preparation - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					12.1294	0.0000	12.1294	5.9647	0.0000	5.9647			0.0000			0.0000
Off-Road	1.7532	18.3213	10.1849	0.0204		0.8881	0.8881		0.8171	0.8171		1,974.4800	1,974.4800	0.6386		1,990.4447
Total	1.7532	18.3213	10.1849	0.0204	12.1294	0.8881	13.0175	5.9647	0.8171	6.7817		1,974.4800	1,974.4800	0.6386		1,990.4447

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0368	0.0265	0.3226	9.2000e-004	0.1118	5.6000e-004	0.1123	0.0296	5.1000e-004	0.0302		93.0158	93.0158	2.5400e-003	2.6000e-003	93.8548
Total	0.0368	0.0265	0.3226	9.2000e-004	0.1118	5.6000e-004	0.1123	0.0296	5.1000e-004	0.0302		93.0158	93.0158	2.5400e-003	2.6000e-003	93.8548

IsenGarden LLC - Riverside-South Coast County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.3 Site Preparation - 2022

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					5.4582	0.0000	5.4582	2.6841	0.0000	2.6841			0.0000			0.0000
Off-Road	1.7532	18.3213	10.1849	0.0204		0.8881	0.8881		0.8171	0.8171	0.0000	1,974.480 0	1,974.480 0	0.6386		1,990.444 7
Total	1.7532	18.3213	10.1849	0.0204	5.4582	0.8881	6.3463	2.6841	0.8171	3.5012	0.0000	1,974.480 0	1,974.480 0	0.6386		1,990.444 7

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0368	0.0265	0.3226	9.2000e-004	0.1118	5.6000e-004	0.1123	0.0296	5.1000e-004	0.0302		93.0158	93.0158	2.5400e-003	2.6000e-003	93.8548
Total	0.0368	0.0265	0.3226	9.2000e-004	0.1118	5.6000e-004	0.1123	0.0296	5.1000e-004	0.0302		93.0158	93.0158	2.5400e-003	2.6000e-003	93.8548

IsenGarden LLC - Riverside-South Coast County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.4 Grading - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					7.0826	0.0000	7.0826	3.4247	0.0000	3.4247			0.0000			0.0000
Off-Road	1.9486	20.8551	15.2727	0.0297		0.9409	0.9409		0.8656	0.8656		2,872.046 4	2,872.046 4	0.9289		2,895.268 4
Total	1.9486	20.8551	15.2727	0.0297	7.0826	0.9409	8.0234	3.4247	0.8656	4.2903		2,872.046 4	2,872.046 4	0.9289		2,895.268 4

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0552	0.0398	0.4840	1.3800e-003	0.1677	8.3000e-004	0.1685	0.0445	7.7000e-004	0.0452		139.5236	139.5236	3.8100e-003	3.9000e-003	140.7822
Total	0.0552	0.0398	0.4840	1.3800e-003	0.1677	8.3000e-004	0.1685	0.0445	7.7000e-004	0.0452		139.5236	139.5236	3.8100e-003	3.9000e-003	140.7822

IsenGarden LLC - Riverside-South Coast County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.4 Grading - 2022

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					3.1872	0.0000	3.1872	1.5411	0.0000	1.5411			0.0000			0.0000
Off-Road	1.9486	20.8551	15.2727	0.0297		0.9409	0.9409		0.8656	0.8656	0.0000	2,872.046 4	2,872.046 4	0.9289		2,895.268 4
Total	1.9486	20.8551	15.2727	0.0297	3.1872	0.9409	4.1280	1.5411	0.8656	2.4067	0.0000	2,872.046 4	2,872.046 4	0.9289		2,895.268 4

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0552	0.0398	0.4840	1.3800e-003	0.1677	8.3000e-004	0.1685	0.0445	7.7000e-004	0.0452		139.5236	139.5236	3.8100e-003	3.9000e-003	140.7822
Total	0.0552	0.0398	0.4840	1.3800e-003	0.1677	8.3000e-004	0.1685	0.0445	7.7000e-004	0.0452		139.5236	139.5236	3.8100e-003	3.9000e-003	140.7822

IsenGarden LLC - Riverside-South Coast County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.5 Building Construction - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612		2,554.3336	2,554.3336	0.6120		2,569.6322
Total	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612		2,554.3336	2,554.3336	0.6120		2,569.6322

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0561	1.6038	0.5497	6.5600e-003	0.2306	0.0220	0.2526	0.0664	0.0211	0.0874		695.3608	695.3608	7.2400e-003	0.1032	726.2953
Worker	0.3386	0.2438	2.9682	8.4700e-003	1.0283	5.1200e-003	1.0335	0.2727	4.7100e-003	0.2774		855.7449	855.7449	0.0234	0.0239	863.4641
Total	0.3947	1.8476	3.5179	0.0150	1.2589	0.0271	1.2861	0.3391	0.0258	0.3649		1,551.1056	1,551.1056	0.0306	0.1271	1,589.7594

IsenGarden LLC - Riverside-South Coast County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.5 Building Construction - 2022

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612	0.0000	2,554.3336	2,554.3336	0.6120		2,569.6322
Total	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612	0.0000	2,554.3336	2,554.3336	0.6120		2,569.6322

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0561	1.6038	0.5497	6.5600e-003	0.2306	0.0220	0.2526	0.0664	0.0211	0.0874		695.3608	695.3608	7.2400e-003	0.1032	726.2953
Worker	0.3386	0.2438	2.9682	8.4700e-003	1.0283	5.1200e-003	1.0335	0.2727	4.7100e-003	0.2774		855.7449	855.7449	0.0234	0.0239	863.4641
Total	0.3947	1.8476	3.5179	0.0150	1.2589	0.0271	1.2861	0.3391	0.0258	0.3649		1,551.1056	1,551.1056	0.0306	0.1271	1,589.7594

IsenGarden LLC - Riverside-South Coast County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.5 Building Construction - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584		2,555.2099	2,555.2099	0.6079		2,570.4061
Total	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584		2,555.2099	2,555.2099	0.6079		2,570.4061

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0376	1.2473	0.5006	6.3100e-003	0.2306	0.0103	0.2409	0.0664	9.8300e-003	0.0762		668.6309	668.6309	6.6700e-003	0.0989	698.2660
Worker	0.3149	0.2154	2.7333	8.2000e-003	1.0283	4.8100e-003	1.0332	0.2727	4.4300e-003	0.2772		828.3896	828.3896	0.0211	0.0221	835.4988
Total	0.3524	1.4627	3.2339	0.0145	1.2589	0.0151	1.2740	0.3391	0.0143	0.3534		1,497.0205	1,497.0205	0.0277	0.1210	1,533.7648

IsenGarden LLC - Riverside-South Coast County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.5 Building Construction - 2023

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584	0.0000	2,555.2099	2,555.2099	0.6079		2,570.4061
Total	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584	0.0000	2,555.2099	2,555.2099	0.6079		2,570.4061

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0376	1.2473	0.5006	6.3100e-003	0.2306	0.0103	0.2409	0.0664	9.8300e-003	0.0762		668.6309	668.6309	6.6700e-003	0.0989	698.2660
Worker	0.3149	0.2154	2.7333	8.2000e-003	1.0283	4.8100e-003	1.0332	0.2727	4.4300e-003	0.2772		828.3896	828.3896	0.0211	0.0221	835.4988
Total	0.3524	1.4627	3.2339	0.0145	1.2589	0.0151	1.2740	0.3391	0.0143	0.3534		1,497.0205	1,497.0205	0.0277	0.1210	1,533.7648

IsenGarden LLC - Riverside-South Coast County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.6 Paving - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.9181	8.7903	12.1905	0.0189		0.4357	0.4357		0.4025	0.4025		1,805.4304	1,805.4304	0.5673		1,819.6122
Paving	0.0393					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.9574	8.7903	12.1905	0.0189		0.4357	0.4357		0.4025	0.4025		1,805.4304	1,805.4304	0.5673		1,819.6122

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0684	0.0468	0.5942	1.7800e-003	0.2236	1.0500e-003	0.2246	0.0593	9.6000e-004	0.0603		180.0847	180.0847	4.5800e-003	4.8000e-003	181.6302
Total	0.0684	0.0468	0.5942	1.7800e-003	0.2236	1.0500e-003	0.2246	0.0593	9.6000e-004	0.0603		180.0847	180.0847	4.5800e-003	4.8000e-003	181.6302

IsenGarden LLC - Riverside-South Coast County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.6 Paving - 2023

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.9181	8.7903	12.1905	0.0189		0.4357	0.4357		0.4025	0.4025	0.0000	1,805.4304	1,805.4304	0.5673		1,819.6122
Paving	0.0393					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.9574	8.7903	12.1905	0.0189		0.4357	0.4357		0.4025	0.4025	0.0000	1,805.4304	1,805.4304	0.5673		1,819.6122

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0684	0.0468	0.5942	1.7800e-003	0.2236	1.0500e-003	0.2246	0.0593	9.6000e-004	0.0603		180.0847	180.0847	4.5800e-003	4.8000e-003	181.6302
Total	0.0684	0.0468	0.5942	1.7800e-003	0.2236	1.0500e-003	0.2246	0.0593	9.6000e-004	0.0603		180.0847	180.0847	4.5800e-003	4.8000e-003	181.6302

IsenGarden LLC - Riverside-South Coast County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.7 Architectural Coating - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	13.6163					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1917	1.3030	1.8111	2.9700e-003		0.0708	0.0708		0.0708	0.0708		281.4481	281.4481	0.0168		281.8690
Total	13.8080	1.3030	1.8111	2.9700e-003		0.0708	0.0708		0.0708	0.0708		281.4481	281.4481	0.0168		281.8690

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0616	0.0421	0.5348	1.6000e-003	0.2012	9.4000e-004	0.2021	0.0534	8.7000e-004	0.0542		162.0762	162.0762	4.1200e-003	4.3200e-003	163.4672
Total	0.0616	0.0421	0.5348	1.6000e-003	0.2012	9.4000e-004	0.2021	0.0534	8.7000e-004	0.0542		162.0762	162.0762	4.1200e-003	4.3200e-003	163.4672

IsenGarden LLC - Riverside-South Coast County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.7 Architectural Coating - 2023

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	13.6163					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1917	1.3030	1.8111	2.9700e-003		0.0708	0.0708		0.0708	0.0708	0.0000	281.4481	281.4481	0.0168		281.8690
Total	13.8080	1.3030	1.8111	2.9700e-003		0.0708	0.0708		0.0708	0.0708	0.0000	281.4481	281.4481	0.0168		281.8690

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0616	0.0421	0.5348	1.6000e-003	0.2012	9.4000e-004	0.2021	0.0534	8.7000e-004	0.0542		162.0762	162.0762	4.1200e-003	4.3200e-003	163.4672
Total	0.0616	0.0421	0.5348	1.6000e-003	0.2012	9.4000e-004	0.2021	0.0534	8.7000e-004	0.0542		162.0762	162.0762	4.1200e-003	4.3200e-003	163.4672

IsenGarden LLC - Riverside-South Coast County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	0.3241	0.5821	3.5892	8.9700e-003	0.9601	7.3400e-003	0.9674	0.2562	6.8800e-003	0.2630		914.0988	914.0988	0.0450	0.0446	928.5088
Unmitigated	0.3241	0.5821	3.5892	8.9700e-003	0.9601	7.3400e-003	0.9674	0.2562	6.8800e-003	0.2630		914.0988	914.0988	0.0450	0.0446	928.5088

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
General Light Industry	101.78	40.83	102.60	412,672	412,672
Other Non-Asphalt Surfaces	0.00	0.00	0.00		
Parking Lot	0.00	0.00	0.00		
Total	101.78	40.83	102.60	412,672	412,672

4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
General Light Industry	16.60	8.40	6.90	59.00	28.00	13.00	92	5	3
Other Non-Asphalt Surfaces	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Parking Lot	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0

IsenGarden LLC - Riverside-South Coast County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
General Light Industry	0.534849	0.056022	0.172639	0.141007	0.026597	0.007310	0.011327	0.018693	0.000616	0.000315	0.024057	0.001100	0.005468
Other Non-Asphalt Surfaces	0.534849	0.056022	0.172639	0.141007	0.026597	0.007310	0.011327	0.018693	0.000616	0.000315	0.024057	0.001100	0.005468
Parking Lot	0.534849	0.056022	0.172639	0.141007	0.026597	0.007310	0.011327	0.018693	0.000616	0.000315	0.024057	0.001100	0.005468

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
NaturalGas Mitigated	0.0196	0.1782	0.1497	1.0700e-003		0.0135	0.0135		0.0135	0.0135		213.8105	213.8105	4.1000e-003	3.9200e-003	215.0810
NaturalGas Unmitigated	0.0196	0.1782	0.1497	1.0700e-003		0.0135	0.0135		0.0135	0.0135		213.8105	213.8105	4.1000e-003	3.9200e-003	215.0810

IsenGarden LLC - Riverside-South Coast County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
General Light Industry	1817.39	0.0196	0.1782	0.1497	1.0700e-003		0.0135	0.0135		0.0135	0.0135		213.8105	213.8105	4.1000e-003	3.9200e-003	215.0810
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0196	0.1782	0.1497	1.0700e-003		0.0135	0.0135		0.0135	0.0135		213.8105	213.8105	4.1000e-003	3.9200e-003	215.0810

IsenGarden LLC - Riverside-South Coast County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

5.2 Energy by Land Use - NaturalGas

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
General Light Industry	1.81739	0.0196	0.1782	0.1497	1.0700e-003		0.0135	0.0135		0.0135	0.0135		213.8105	213.8105	4.1000e-003	3.9200e-003	215.0810
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0196	0.1782	0.1497	1.0700e-003		0.0135	0.0135		0.0135	0.0135		213.8105	213.8105	4.1000e-003	3.9200e-003	215.0810

6.0 Area Detail

6.1 Mitigation Measures Area

IsenGarden LLC - Riverside-South Coast County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	0.5437	3.0000e-005	3.7400e-003	0.0000		1.0000e-005	1.0000e-005		1.0000e-005	1.0000e-005		8.0100e-003	8.0100e-003	2.0000e-005		8.5400e-003
Unmitigated	0.5437	3.0000e-005	3.7400e-003	0.0000		1.0000e-005	1.0000e-005		1.0000e-005	1.0000e-005		8.0100e-003	8.0100e-003	2.0000e-005		8.5400e-003

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.0672					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	0.4762					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Landscaping	3.5000e-004	3.0000e-005	3.7400e-003	0.0000		1.0000e-005	1.0000e-005		1.0000e-005	1.0000e-005		8.0100e-003	8.0100e-003	2.0000e-005		8.5400e-003
Total	0.5437	3.0000e-005	3.7400e-003	0.0000		1.0000e-005	1.0000e-005		1.0000e-005	1.0000e-005		8.0100e-003	8.0100e-003	2.0000e-005		8.5400e-003

IsenGarden LLC - Riverside-South Coast County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

6.2 Area by SubCategory

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.0672					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	0.4762					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Landscaping	3.5000e-004	3.0000e-005	3.7400e-003	0.0000		1.0000e-005	1.0000e-005		1.0000e-005	1.0000e-005		8.0100e-003	8.0100e-003	2.0000e-005		8.5400e-003
Total	0.5437	3.0000e-005	3.7400e-003	0.0000		1.0000e-005	1.0000e-005		1.0000e-005	1.0000e-005		8.0100e-003	8.0100e-003	2.0000e-005		8.5400e-003

7.0 Water Detail

7.1 Mitigation Measures Water

IsenGarden LLC - Riverside-South Coast County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

8.0 Waste Detail

8.1 Mitigation Measures Waste

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation
