

# Summary Form for Electronic Document Submittal

Form F

Lead agencies may include 15 hardcopies of this document when submitting electronic copies of Environmental Impact Reports, Negative Declarations, Mitigated Negative Declarations, or Notices of Preparation to the State Clearinghouse (SCH). The SCH also accepts other summaries, such as EIR Executive Summaries prepared pursuant to CEQA Guidelines Section 15123. Please include one copy of the Notice of Completion Form (NOC) with your submission and attach the summary to each electronic copy of the document.

SCH #: \_\_\_\_\_

Project Title: Pioneer Avenue over Lone Tree Creek Bridge Replacement

Lead Agency: County of Stanislaus

Contact Name: Chuck Covolo

Email: Covoloc@stancounty.com

Phone Number: 209-353-5938

Project Location: about 0.6 miles south of Valley Home, Stanislaus County

*City*

*County*

Project Description (Proposed actions, location, and/or consequences).

Stanislaus County, in coordination with the California Department of Transportation, proposes to replace the existing Pioneer Avenue over Lone Tree Creek Bridge (Bridge No. 38C0262) to provide improved safety and operations on the facility. The Pioneer Avenue over Lone Tree Creek Bridge is located in Stanislaus County, California approximately 100 feet south of Freelove Road and south of the town of Valley Home. The existing 2-span reinforced concrete slab bridge is 32 feet long and 21 feet wide. The bridge replacement includes a 45-foot cast-in-place, two-lane, single-span bridge that will be constructed on the existing alignment. Two 10-foot lanes, 3-foot shoulders, and railing Concrete Barrier Type 85 will yield a total width of 30 feet.

Identify the project's significant or potentially significant effects and briefly describe any proposed mitigation measures that would reduce or avoid that effect.

The IS/MND prepared for the project identifies the following categories as having a less than significant effect, with mitigation incorporated. The below list describes the proposed mitigation measures to reduce/avoid the effect.

**Air Quality:** Best management practices for dust control, such as water or soil stabilizer applications.

**Biological Resources:** Pre-construction surveys, limit vegetation removal, biological awareness training, burrow avoidance, daily clearance inspections, consultation with wildlife agency.

**Cultural Resources/Tribal Cultural Resources:** Activities shall stop if a resources is identified.

**Hazards and Hazardous Materials:** Site investigation for asbestos, ACMs, and lead-based paints, handled and disposed according to prepared plan.

**Hydrology and Water Quality:** Implement best management practices, cover loose dirt, straw wattles, etc.

**Noise:** Noise from construction will adhere to the County's noise ordinance, when applicable, but operation hours will be determined in coordination with adjacent private property and business owners.

If applicable, describe any of the project's areas of controversy known to the Lead Agency, including issues raised by agencies and the public.

A public meeting for the project was held on April 6, 2022. During this public meeting one property owner, directly west of the proposed project, raised concerns about noise and access to the property, on which a private business is located. The County assured this owner that access will be maintained to the property throughout construction and construction work hours will be determined in coordination with the property owner in order to minimize disturbance during business hours.

Provide a list of the responsible or trustee agencies for the project.

Stanislaus County