

MITIGATION MONITORING AND REPORTING PROGRAM

Anthony Lamperti / Lamperti Farm

Initial Study IS 20-75

Major Use Permit UP 20-51

Potential Impact	Mitigation Measure	Implementation Responsibility	Monitoring & Reporting Responsibility	Timing	Date Implemented
AESTHETICS					
The proposed project has the potential to generate a new source of light and glare from exterior and interior lighting.	AES-1: The applicant shall plant trees along the western border of the cultivation site to screen the operation from public view. The vegetative screening trees shall be maintained for the life of the project.	Applicant/ Contractor(s)	Applicant	During construction and operation; Life of Project	
	AES-2: All lighting equipment shall comply with the recommendations of the International Dark-Sky Association (www.darksky.org) and provisions of Section 21.48 of the Zoning Ordinance, and all outdoor lighting shall be shielded and downcast or otherwise positioned in a manner that would not broadcast light or glare beyond the boundaries of the subject property.	Applicant/ Contractor(s)	Applicant	During construction and operation; Life of Project	
AIR QUALITY					
Potential to impact air quality temporarily during construction activities and permanently throughout operation.	AQ-1: Prior to obtaining the necessary permits and/or approvals for any phase, applicant shall contact the Lake County Air Quality Management District and obtain an Authority to Construct (A/C) Permit for all operations and for any diesel powered equipment and/or other equipment with potential for air emissions.	Applicant/ Contractor(s)	Applicant	Prior to and during construction and operation	
	AQ-2: All mobile diesel equipment used must be in compliance with State registration requirements. Portable and stationary diesel powered equipment must meet the requirements of the State Air Toxic Control Measures for CI engines as well as Lake County Noise Emission Standards.	Applicant/ Contractor(s)	Applicant	During construction and operation	
	AQ-3: Construction and/or work practices that involve masonry, gravel, grading activities, vehicular and fugitive dust shall be managed by use of water or other acceptable dust palliatives to mitigate dust generation during and after site development.	Applicant/ Contractor(s)	Applicant	During construction and operation	
	AQ-4: All vegetation during site development shall be chipped and spread for ground cover and/or erosion control. The burning of vegetation, construction debris, including waste material is prohibited.	Applicant/ Contractor(s)	Applicant	During construction and operation	
	AQ-5: The applicant shall have the primary access and parking areas surfaced with chip seal, asphalt or an equivalent all weather surfacing to reduce fugitive dust generation. The use of white rock as a road base or surface material for travel routes and/or parking areas is prohibited.	Applicant/ Contractor(s)	Applicant	During construction and operation	

	AQ-6: All areas subject infrequent use of driveways, over flow parking, etc., shall be surfaced with gravel. Applicant shall regularly use and/or maintain graveled area to reduce fugitive dust generations.	Applicant/ Contractor(s)	Applicant	During construction and operation	
BIOLOGICAL RESOURCES					
Potential to impact species identified as a candidate, sensitive, or special status species.	BIO-1: All work should incorporate erosion control measures consistent with the engineered Erosion and Sediment Control Plans submitted, Lake County Grading Regulations, and the State Water Resources Control Board’s Cannabis General Order (Order No. WQ 2019-001-DWQ).	Applicant/ Contractor(s)	Applicant	Prior to and during site development and construction	
	BIO-2: Pesticides and fertilizer storage facilities shall be located outside of riparian setbacks and not located within 100 feet of a well head and all watercourses.	Applicant/ Contractor(s)	Applicant	Prior to and during site development and construction	
	BIO-3: The applicant shall maintain a minimum of a one-hundred-foot setback/buffer from the top of bank of any creek (perennial and intermittent), the edge of a lake, delineated wetland, and/or vernal pool.	Applicant/ Contractor(s)	Applicant	During construction and operation; Life of Project	
	BIO-4: Prior to commencement of activities within the bed or bank of a creek, a Streambed Alteration Agreement shall be obtained from the California Department of Fish and Wildlife. All the conditions of such permit shall be adhered to throughout the course of the project to reduce the impacts to a less than significant level.	Applicant/ Contractor(s)	Applicant	During construction and operation; Life of Project	
CULTURAL RESOURCES/TRIBAL CULTURAL RESOURCES					
Disturb an archaeological resource or human remains during construction activities.	CUL-1: Should any archaeological, paleontological, or cultural materials be discovered during site development, all activity shall be halted in the vicinity of the find(s), the culturally affiliated Tribe shall be notified, and a qualified archaeologist retained to evaluate the find(s) and recommend mitigation procedures, if necessary, subject to the approval of the Community Development Department.	Applicant/ Contractor(s)	Applicant	During construction and operation; Life of Project	
	CUL-2: All employees shall be trained in recognizing potentially significant artifacts that may be discovered during ground disturbance. If any artifacts or remains are found, the culturally affiliated Tribe shall immediately be notified; a licensed archaeologist shall be notified, and the Lake County Community Development Department shall be notified of such finds.	Applicant/ Contractor(s)	Applicant	During construction and operation; Life of Project	
	CUL-3: A 50-foot buffer shall be established around the boundaries of the archeological site, and no ground-disturbance shall occur with that buffer during project development and operation.	Applicant/ Contractor(s)	Applicant	During site development and construction; Life of Project	
GEOLOGY AND SOILS					
The proposed project will not cause potential subtidal adverse effects. However,	GEO-1: Prior to any ground disturbance, the permittee shall submit Erosion Control and Sediment Plans to the Water Resource Department and the Community Development Department for review and approval.	Applicant/ Contractor(s)	Applicant	During site development and	

minor ground disturbance is proposed for site preparation.	Said Sediment and Erosion Control Plans shall protect the local watershed from runoff pollution through the implementation of appropriate Best Management Practices (BMPs) in accordance with the Grading Ordinance. Typical BMPs include the placement of straw, mulch, seeding, straw wattles, silt fencing and the planting of native vegetation on all disturbed areas. No silt, sediment or other materials exceeding natural background levels shall be allowed to flow from the project area. All BMPs shall be maintained for the life of the project.			construction; Life of Project	
	GEO-2: Prior to any ground disturbance, (if applicable), the applicant shall submit and obtain a Grading Permit from the Community Development in accordance with Chapters 29 and 30 of the Lake County Code.	Applicant/ Contractor(s)	Applicant	During site development and construction; Life of Project	
	GEO-3: Excavation, filling, vegetation clearing or other disturbance of the soil shall not occur between October 15 and April 15 unless authorized by the Community Development Director. The actual dates of this defined grading period may be adjusted according to weather and soil conditions at the discretion of the Community Development Director.	Applicant/ Contractor(s)	Applicant	During site development and construction; Life of Project	
	GEO-4: The applicant shall monitor the site during the rainy season including post-installation, application of BMPs, erosion control maintenance, and other improvements as needed. Said measures shall be maintained for life of the project and replace/repared when necessary.	Applicant/ Contractor(s)	Applicant	During site development and construction; Life of Project	
HAZARDS AND HAZARDOUS MATERIALS					
The proposed project has the potential to create a hazard to the environment through routine transport, use or disposal of hazardous materials.	HAZ-1: All equipment shall be maintained and operated to minimize spillage or leakage of hazardous materials. All equipment shall be refueled in locations more than 100 feet from surface water bodies. Servicing of equipment shall occur on an impermeable surface. In an event of a spill or leak, the contaminated soil shall be stored, transported, and disposed of consistent with applicable local, state, and federal regulations.	Applicant/ Contractor(s)	Applicant	During construction and operation; Life of Project	
	HAZ-2: The storage of hazardous materials equal to or greater than fifty-five (55) gallons of a liquid, 500 pounds of a solid, or 200 cubic feet of compressed gas, then a Hazardous Materials Inventory Disclosure Statement/Business Plan shall be submitted and maintained in compliance with requirements of Lake County Environmental Health Division. Industrial waste shall not be disposed of on site without review or permit from Lake County Environmental Health Division or the California Regional Water Quality Control Board. The permit holder shall comply with petroleum fuel storage tank regulations if fuel is to be stored on site.	Applicant/ Contractor(s)	Applicant	During construction and operation; Life of Project	
	HAZ-3: Any spills of oils, fluids, fuel, concrete, or other hazardous construction material shall be immediately cleaned up. All equipment	Applicant/ Contractor(s)	Applicant	During construction	

	and materials shall be stored in the staging areas away from all known waterways.			and operation; Life of Project	
	HAZ-4: All food scraps, wrappers, food containers, cans, bottles, and other trash from the project area should be deposited in trash containers with an adequate lid or cover to contain trash. All food waste should be placed in a securely covered bin and removed from the site weekly to avoid attracting animals.	Applicant/ Contractor(s)	Applicant	During construction and operation; Life of Project	
	HAZ-5: The applicant shall maintain records of all hazardous or toxic materials used, including a Material Safety Data Sheet (MSDS) for all volatile organic compounds utilized, including cleaning materials. Said information shall be made available upon request and/or the ability to provide the Lake County Air Quality Management District such information to complete an updated Air Toxic Emission Inventory.	Applicant/ Contractor(s)	Applicant	During construction and operation; Life of Project	
	HAZ-6: Prior to operation, all employees shall have access to restrooms and hand-wash stations. The restrooms and hand wash stations shall meet all accessibility requirements.	Applicant/ Contractor(s)	Applicant	During construction and operation; Life of Project	
	HAZ-7: The proper storage of equipment, removal of litter and waste, and cutting of weeds or grass shall not constitute an attractant, breeding place, or harborage for pests.	Applicant/ Contractor(s)	Applicant	During construction and operation; Life of Project	
	HAZ-8: The applicant shall obtain an Operator Identification Number from the California Department of Pesticide Regulation prior to using pesticides onsite for cannabis cultivation.	Applicant/ Contractor(s)	Applicant	During construction and operation; Life of Project	
HYDROLOGY AND WATER QUALITY					
The proposed project has potential to affect water quality of creeks that flow through the property.	HYD-1: Before this permit having any force or effect, the permittee(s) shall adhere to the Lake County Division of Environmental Health requirements regarding on-site wastewater treatment and/or potable water requirements. The permittee shall contact the Lake County Division of Environmental Health for details.	Applicant/ Contractor(s)	Applicant; Community Development Department; Division of Environmental Health	Prior to construction and operation; Life of Project	
	HYD-2: The production well shall have a meter to measure the amount of water pumped. The production wells shall have continuous water level monitors. The methodology of the monitoring program shall be described. A monitoring well of equal depth within the cone of influence of the production well may be substituted for the water level monitoring of the production well. The monitoring wells shall be constructed and monitoring begun at least three months prior to the use of the supply well. An applicant shall maintain a record of all data collected and shall provide a report of the data collected to the County annually.	Applicant/ Contractor(s)	Applicant; Community Development Department; Department of Water Resources	Prior to construction and operation; Life of Project	

NOISE					
The proposed project will not have any adverse effect on the noise. However, the future project may create short-term increases in ambient noise levels to uncomfortable levels during project preparation, construction, and operations.	NOI-1: All construction activities including engine warm-up shall be limited Monday Through Friday, between the hours of 7:00am and 7:00pm to minimize noise impacts on nearby residents. Back-up beepers shall be adjusted to the lowest allowable levels. This mitigation does not apply to night work.	Applicant/ Contractor(s)	Applicant	During site development and operation; Life of Project	
	NOI-2: Maximum non-construction related sound levels shall not exceed levels of 55 dBA between the hours of 7:00AM to 7:00PM and 45 dBA between the hours of 10:00PM to 7:00AM within residential areas as specified within Zoning Ordinance Section 21-41.11 (Table 11.1) at the property lines.	Applicant/ Contractor(s)	Applicant	During site development and operation; Life of Project	
	NOI-3: The operation of the Air Filtration System shall not exceed levels of 57 dBA between the hours of 7:00AM to 10:00PM and 50 dBA from 10:00PM to 7:00AM within residential areas as specified within Zoning Ordinance Section 21-41.11 (Table 11.2) measured at the property lines.	Applicant/ Contractor(s)	Applicant	During site development and operation; Life of Project	
WILDFIRE					
Due to the steep slopes of the Project Parcel, the proposed project has potential expose people or structures to downslope/downstream flooding or landslides, as a result of post-fire runoff, slope instability, or drainage changes.	WILDFIRE-1: Prior to this use permit having any force or effect, the applicant shall comply with Public Resources Code 4290 and 4291 Fire Safe Requirements.	Applicant/ Contractor(s)	Applicant	During site development and construction	
	WILDFIRE-2: Construction activities shall not take place during a red flag warning (per the local fire department and/or national weather service) and wind, temperature and relative humidity will be monitored in order to minimize the risk of wildfire. Grading shall not occur on windy days that could increase the risk of wildfire spread should the equipment create a spark.	Applicant/ Contractor(s)	Applicant	During site development and construction	
	WILDFIRE-3: Any vegetation removal or manipulation shall take place in the early morning hours before relative humidity drops below 30%.	Applicant/ Contractor(s)	Applicant	During site development and construction	
	WILDFIRE-4: Water tender shall be present on site during earth work to reduce the risk of wildfire and dust.	Applicant/ Contractor(s)	Applicant	During site development and construction	