

Notice of Determination

Appendix D

To: [X] Office of Planning and Research
U.S. Mail: P.O. Box 3044 Sacramento, CA 95812-3044
Street Address: 1400 Tenth St., Rm 113 Sacramento, CA 95814

[X] County Clerk
County of: Ventura
Address: 800 S Victoria Ave Ventura, CA 93009

From: Public Agency: Casitas Municipal Water District
Address: 1055 Ventura Ave Oak View, CA 93022
Contact: Jordan Switzer
Phone: (805) 649-2251 x120

Lead Agency (if different from above):
Address:
Contact:
Phone:

SUBJECT: Filing of Notice of Determination in compliance with Section 21108 or 21152 of the Public Resources Code.

State Clearinghouse Number (if submitted to State Clearinghouse): 2022060526

Project Title: Use of Copper to Control Algae and Aquatic Animal Invasive Species in Lake Casitas

Project Applicant: Casitas Municipal Water District

Project Location (include county): Lake Casitas, Ventura County

Project Description:

Casitas Municipal Water District proposes to apply copper-containing algaecides and/or molluscicides in compliance with Water Quality Order 2013-0002-DWQ (CAG990005) Statewide General NPDES Permit for Residual Aquatic Pesticide Discharges to Waters of the U.S. from Algae and Aquatic Weed Control Applications & Water Quality Order 2016-XXXX-DWQ (CAG990006) Statewide General NPDES Permit for Biological Pesticides and Residual Chemical Pesticide Discharges to Waters of the U.S. from Aquatic Animal Invasive Species Control Applications to control algae and invasive mussels that threaten to degrade Lake Casitas' existing and potential beneficial uses.

This is to advise that the Casitas Municipal Water District has approved the above (X) Lead Agency or () Responsible Agency

described project on August 10, 2022 and has made the following determinations regarding the above described project.

- 1. The project () will (X) will not have a significant effect on the environment.
2. () An Environmental Impact Report was prepared for this project pursuant to the provisions of CEQA. (X) A Negative Declaration was prepared for this project pursuant to the provisions of CEQA.
3. Mitigation measures (X) were () were not made a condition of the approval of the project.
4. A mitigation reporting or monitoring plan (X) was () was not adopted for this project.
5. A statement of Overriding Considerations () was (X) was not adopted for this project.
6. Findings (X) were () were not made pursuant to the provisions of CEQA.

This is to certify that the final EIR with comments and responses and record of project approval, or the negative Declaration, is available to the General Public at:

1055 Ventura Ave, Oak View, CA 93022

Signature (Public Agency): [Signature] Title: General Manager

Date: August 11, 2022 Date Received for filing at OPR: