

Notice of Determination

Appendix D

To:
[] Office of Planning and Research
U.S. Mail: Street Address:
P.O. Box 3044 1400 Tenth St., Rm 113
Sacramento, CA 95812-3044 Sacramento, CA 95814

From:
Public Agency: Eastern Municipal Water District
Address: 2270 Trumble Road
PO Box 8300
Contact: Joe Broadhead
Phone: (279) 234-0229

[] County Clerk
County of: Riverside
Address: 2724 Gateway Drive
Riverside, CA 92507

Lead Agency (if different from above):
Address:
Contact:
Phone:

SUBJECT: Filing of Notice of Determination in compliance with Section 21108 or 21152 of the Public Resources Code.

State Clearinghouse Number (if submitted to State Clearinghouse): 2022080329

Project Title: Golden Meadows Parkway Tanks Project

Project Applicant: Eastern Municipal Water District

Project Location (include county): Riverside County

Project Description:

The Golden Meadows Parkway Tanks Project (project) is located on a 5.6-acre portion of a larger 206.8-acre residential development project site, Tract 31194, known as "Golden Meadows." The project would result in the construction of two water storage tanks, each measuring 2.0 million gallons in size. Phase 1 of the project consists of site grading to accommodate both tank sites, and the construction of an access road, one 2.0-million-gallon tank and associated supply pipeline to service the Golden Meadows Development project. Phase 2 would result in the construction of a second 2.0-million-gallon tank and associated supply pipeline as part of a District Capital Improvement Project.

This is to advise that the Eastern Municipal Water District has approved the above ([] Lead Agency or [] Responsible Agency)

described project on November 16, 2022 and has made the following determinations regarding the above (date) described project.

- 1. The project [] will [] will not have a significant effect on the environment.
2. [] An Environmental Impact Report was prepared for this project pursuant to the provisions of CEQA. [] A Negative Declaration was prepared for this project pursuant to the provisions of CEQA.
3. Mitigation measures [] were [] were not made a condition of the approval of the project.
4. A mitigation reporting or monitoring plan [] was [] was not adopted for this project.
5. A statement of Overriding Considerations [] was [] was not adopted for this project.
6. Findings [] were [] were not made pursuant to the provisions of CEQA.

This is to certify that the final EIR with comments and responses and record of project approval, or the negative Declaration, is available to the General Public at:

Eastern Municipal Water District, 2270 Trumble Road; Perris, CA 92572

Signature (Public Agency): [Signature] Title: Principal Water Resources Specialist

Date: 11/16/22 Date Received for filing at OPR: