Print Form

Summary Form for Electronic Document Submittal

Form F

Lead agencies may include 15 hardcopies of this document when submitting electronic copies of Environmental Impact Reports, Negative Declarations, Mitigated Negative Declarations, or Notices of Preparation to the State Clearinghouse (SCH). The SCH also accepts other summaries, such as EIR Executive Summaries prepared pursuant to CEQA Guidelines Section 15123. Please include one copy of the Notice of Completion Form (NOC) with your submission and attach the summary to each electronic copy of the document.

SCH #: _____

Project Title: City of Sanger New Water Well

Lead Agency: City of Sanger

Contact Name: David Brletic

Email: dbrletic@ci.sanger.ca.us. Phone Number: 559-876-6300

Project Location: Sanger, Fresno County
City *County*

Project Decription (Proposed actions, location, and/or consequences).

The proposed Project consists of construction and operation of a new municipal water well. As described previously, the City is evaluating two potential sites for the new well, although only one well will ultimately be constructed. Project construction and operation would be similar at either site. The proposed Project consists of construction and operation of a new municipal water well, which would occur in three phases. The first phase would be the construction of a test well to determine the potential capacity of the well and to test for water quality of the aquifer. If the capacity of the well and the water quality meet Health Department standards, then the second phase for Drilling and Developing the well would occur. This phase would drill the well hole and install blank and louvered casing to the necessary depths for the well. The third and last phase would be the Pump and Motor phase. This would include the installation of a drive motor, discharge line, sand separator, emergency generator, site lighting, electrical equipment and other site improvements. The new well will help provide water supply and pressure requirements for the area. For the purposes of this evaluation, it is assumed this new well will produce approximately 1,200 gallons per minute (gpm). Based upon the 5- year average maximum day demand (MDD) factor of 0.97 gpm per service connection, this well could serve approximately 1,200 single family residential homes.

Identify the project's significant or potentially significant effects and briefly describe any proposed mitigation measures that would reduce or avoid that effect.

The proposed project results less than significant impacts with mitigation incorporation to biological and cultural resources.

A brief description of mitigation measures included in the Mitigated Negative Declaration include:

Mitigation Measure Biology: Nesting Birds: Includes preconstruction surveys, avoidance, timing of construction, and similar protection measures for protected nesting bird species.

Mitigation Measure Cultural Resources: Avoidance and/or care of undiscovered/unknown cultural resources.

If applicable, describe any of the project's areas of controversy known to the Lead Agency, including issues raised by agencies and the public.

None so far. A CEQA public hearing will be held on November 3, 2022

In addition, the public, local agencies, and stakeholders will be informed via newspaper noticing and direct mailing.

Provide a list of the responsible or trustee agencies for the project.

The proposed Project will include, but not be limited to, the following regulatory requirements:

- The adoption of a Mitigated Negative Declaration by the City of Sanger
- State Water Board approval
- Regional Water Quality Control Boards SWPPP approval
- Air District Permits
- Compliance with other federal, state and local requirements.