



## County of Sacramento

---

### Mitigated Negative Declaration

Pursuant to Title 14, Division 6, Chapter 3, Article 6, Sections 15070 and 15071 of the California Code of Regulations and pursuant to the Procedures for Preparation and Processing of Environmental Documents adopted by the County of Sacramento pursuant to Sacramento County Ordinance No. SCC-116, the Environmental Coordinator of Sacramento County, State of California, does prepare, make, declare, publish, and cause to be filed with the County Clerk of Sacramento County, State of California, this Negative Declaration re: The Project described as follows:

1. **Control Number:** PLNP2021-00176
2. **Title and Short Description of Project:** Kochoo Construction (AKA 6141 Bradshaw Road)
3. **Assessor's Parcel Number:** 063-0180-017-0000
4. **Location of Project:** The project site is located at 6141 Bradshaw Road approximately 1,645 feet north of Elder Greek Road in the Vineyard Community.
5. **Project Applicant:** JTS Engineering Consultants, Inc.
6. Said project will not have a significant effect on the environment for the following reasons:
  - a. It will not have the potential to degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, reduce the number or restrict the range of a rare or endangered plant or animal or eliminate important examples of the major periods of California history or prehistory.
  - b. It will not have the potential to achieve short-term, to the disadvantage of long-term, environmental goals.
  - c. It will not have impacts, which are individually limited, but cumulatively considerable.
  - d. It will not have environmental effects, which will cause substantial adverse effects on human beings, either directly or indirectly.
7. As a result thereof, the preparation of an environmental impact report pursuant to the Environmental Quality Act (Division 13 of the Public Resources Code of the State of California) is not required.
8. The attached Initial Study has been prepared by the Sacramento County Office of Planning and Environmental Review in support of this Negative Declaration. Further information may be obtained by contacting the Office of Planning and Environmental Review at 827 Seventh Street, Room 225, Sacramento, California, 95814, or phone (916) 874-6141.

**[Original Signature on File]**

**Joelle Inman**

Environmental Coordinator  
County of Sacramento, State of California



**COUNTY OF SACRAMENTO**  
**PLANNING AND ENVIRONMENTAL REVIEW**  
**INITIAL STUDY**

**PROJECT INFORMATION**

---

**CONTROL NUMBER:** PLNP2021-00176

**NAME:** Kochoo Construction (AKA 6141 Bradshaw Road)

**LOCATION:** The project site is located at 6141 Bradshaw Road approximately 1,645 feet north of Elder Greek Road in the Vineyard Community.

**ASSESSOR'S PARCEL NUMBER:** 063-0180-017-0000

**OWNER:**

William Kochoo  
3185 Lago Vista Drive  
El Dorado Hills, CA 95762  
Contact: William Kochoo

**APPLICANT:**

JTS Engineering Consultants, Inc.  
1808 J Street  
Sacramento, CA 95811  
Contact: Javed T. Siddiqui

**AGENT:**

Contact: John Leonard

**PROJECT DESCRIPTION**

---

The project consists of the following planning entitlement requests:

1. A **Use Permit** to develop a portion of the subject property as a contractors yard at 6141 Bradshaw Road in the Vineyard community.
2. A **Design Review** to determine substantial compliance with the *Sacramento County Countywide Design Guidelines* (Design Guidelines).

The project is to construct a new general contractor's office and fenced yard, including a 3,750-square foot (sf) metal shop and office building with the office being less than 500 sf, fencing, and parking area, on approximately 3-acres of the larger 10-acre vacant lot at 6141 Bradshaw Road (Plate IS-1).



## **ENVIRONMENTAL SETTING**

---

The project is located along Bradshaw Road approximately 1,595 feet north of Elder Creek Road and approximately 4,500 feet south of Jackson Road in the Vineyard community (Plate IS-2). The project is also located within the South Sacramento Habitat Conservation Plan (SSHCP) area and is considered a covered activity under the Plan. While photos of the site show that the site has been used to store trucks, the project site is currently undeveloped open space consisting of grassland and scattered native and non-native trees. The eastern portion of the Project area contains a detention basin and a drainage ditch. In addition, this eastern area is also identified as being in a flood zone. Surrounding land uses include aggregate surface mining facilities, truck storage yards, light industrial uses and a few residential properties. The Project site is zoned IR (SM) - Interim-Agricultural Reserve/Surface Mining, which is also the designation of the site by the Vineyard Community Plan (Plate IS-3). The General Plan designation is EXT IND - Extensive Industrial (Plate IS-4).

## **ENVIRONMENTAL EFFECTS**

---

Appendix G of the California Environmental Quality Act (CEQA) provides guidance for assessing the significance of potential environmental impacts. Based on this guidance, Sacramento County has developed an Initial Study Checklist (located at the end of this report). The Checklist identifies a range of potential significant effects by topical area. The topical discussions that follow are provided only when additional analysis beyond the Checklist is warranted.


### **AIR QUALITY**

This section supplements the Initial Study Checklist by analyzing if the proposed project would:

- Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is in non-attainment under an applicable federal or state ambient air quality standard.


The proposed project site is located in the Sacramento Valley Air Basin (SVAB). The SVAB's frequent temperature inversions result in a relatively stable atmosphere that increases the potential for pollution. Within the SVAB, the Sacramento Metropolitan Air Quality Management District (SMAQMD) is responsible for ensuring that emission standards are not violated. Project related air emissions would have a significant effect if they would result in concentrations that either violate an ambient air quality standard or contribute to an existing air quality violation (Table IS-1). Moreover, SMAQMD has established significance thresholds to determine if a proposed project's emission contribution significantly contributes to regional air quality impacts (Table IS-2).

Plate IS-2: Aerial Map





### Plate IS-4: Land Use Map





**Table IS-1: Air Quality Standards Attainment Status**

Pollutant	Attainment with State Standards	Attainment with Federal Standards
Ozone	Non-Attainment (1 hour Standard <sup>1</sup> and 8 hour standard)	Non-Attainment, Classification = Severe -15* (8 hour <sup>3</sup> Standards) Attainment (1 hour standard <sup>2</sup> )
Particulate Matter 10 Micron	Non-Attainment (24 hour Standard and Annual Mean)	Attainment (24 hour standard)
Particulate Matter 2.5 Micron	Attainment (Annual Standard)	Non-Attainment (24 hour Standard) and Attainment (Annual)
Carbon Monoxide	Attainment (1 hour and 8 hour Standards)	Attainment (1 hour and 8 hour Standards)
Nitrogen Dioxide	Attainment (1 hour Standard and Annual)	Unclassified/Attainment (1 hour and Annual)
Sulfur Dioxide <sup>4</sup>	Attainment (1 hour and 24 hour Standards)	Attainment/unclassifiable <sup>5</sup>
Lead	Attainment (30 Day Standard)	Attainment (3-month rolling average)
Visibility Reducing Particles	Unclassified (8 hour Standard)	No Federal Standard
Sulfates	Attainment (24 hour Standard)	No Federal Standard
Hydrogen Sulfide	Unclassified (1 hour Standard)	No Federal Standard
<p>1. Per Health and Safety Code (HSC) § 40921.59(c), the classification is based on 1989-1001 data, and therefore does not change.</p> <p>2. Air Quality meets Federal 1-hour Ozone standard (77 FR 64036). EPA revoked this standard, but some associated requirements still apply. The SMAQMD attained the standard in 2009.</p> <p>3. For the 1997, 2008 and the 2015 Standard.</p> <p>4. Cannot be classified</p> <p>5. Designation was made as part of EPA's designations for the 2010 SO<sub>2</sub> Primary National Ambient Air Quality Standard – Round 3 Designation in December 2017</p> <p>* Designations based on information from <a href="http://www.arb.ca.gov/degis/changes.htm#reports">http://www.arb.ca.gov/degis/changes.htm#reports</a></p> <p>Source: SMAQMD. "Air Quality Pollutants and Standards". Web. Accessed: December 3, 2018. <a href="http://airquality.org/air-quality-health/air-quality-pollutants-and-standards">http://airquality.org/air-quality-health/air-quality-pollutants-and-standards</a></p>		

**Table IS-2: SMAQMD Significance Thresholds**

	ROG <sup>1</sup> (lbs/day)	NO <sub>x</sub> (lbs/day)	CO (µg/m <sup>3</sup> )	PM <sub>10</sub> (lbs/day)	PM <sub>2.5</sub> (lbs/day)
Construction (short-term)	None	85	CAAQS <sup>2</sup>	80 <sup>3*</sup>	82 <sup>3*</sup>
Operational (long-term)	65	65	CAAQS	80 <sup>3*</sup>	82 <sup>3*</sup>
1. Reactive Organic Gas 2. California Ambient Air Quality Standards 3*. Only applies to projects for which all feasible best available control technology (BACT) and best management practices (BMPs) have been applied. Projects that fail to apply all feasible BACT/BMPs must meet a significance threshold of 0 lbs/day.					

### ***CONSTRUCTION EMISSIONS/SHORT-TERM IMPACTS***

Short-term air quality impacts are mostly due to dust (PM<sub>10</sub> and PM<sub>2.5</sub>) generated by construction and development activities, and emissions from equipment and vehicle engines (NO<sub>x</sub>) operated during these activities. Dust generation is dependent on soil type and soil moisture, as well as the amount of total acreage actually involved in clearing, grubbing and grading activities. Clearing and earthmoving activities comprise the major source of construction dust generation, but traffic and general disturbance of the soil also contribute to the problem. Sand, lime or other fine particulate materials may be used during construction, and stored on-site. If not stored properly, such materials could become airborne during periods of high winds. The effects of construction activities include increased dust fall and locally elevated levels of suspended particulates. PM<sub>10</sub> and PM<sub>2.5</sub> are considered unhealthy because the particles are small enough to inhale and damage lung tissue, which can lead to respiratory problems.

### **PARTICULATE MATTER EMISSIONS**

The SMAQMD Guide includes screening criteria for construction-related particulate matter. Projects that are 35 acres or less in size will generally not exceed the SMAQMD's construction PM<sub>10</sub> or PM<sub>2.5</sub> thresholds of significance provided that the project does not:

- Include buildings more than 4 stories tall;
- Include demolition activities;
- Include significant trenching activities;
- Have a construction schedule that is unusually compact, fast-paced, or involves more than 2 phases (i.e., grading, paving, building construction, and architectural coatings) occurring simultaneously;
- Involve cut-and-fill operations (moving earth with haul trucks and/or flattening or terracing hills); or,
- Require import or export of soil materials that will require a considerable amount of haul truck activity

Some PM<sub>10</sub> and PM<sub>2.5</sub> emissions during project construction can be reduced through compliance with institutional requirements for dust abatement and erosion control. These institutional measures include the SMAQMD “District Rule 403-Fugitive Dust” and measures in the Sacramento County Code relating to land grading and erosion control [Title 16, Chapter 16.44, Section 16.44.090(K)].

The project site is less than 35 acres (3-acres of a 10-acre site) and does not involve buildings more than 4 stories tall; demolition activities; significant trenching activities; an unusually compact construction schedule; or, import or export of soil materials requiring a considerable amount of haul truck activity. However, the project does include industrial activities that are not addressed in the screening criteria, so the CalEEMod emissions model was run to determine if the project emissions would meet the SMAQMD Guide screening criteria for PM<sub>10</sub> and PM<sub>2.5</sub>. Table IS-3 shows the results of the CalEEMod model run and that emissions are less than significant.

**Table IS-3: Project Emissions**

	ROG <sup>1</sup> (lbs/day)	NO <sub>x</sub> (lbs/day)	PM <sub>10</sub> (lbs/day)	PM <sub>2.5</sub> (lbs/day)
Construction (short-term)	None	85	80 <sup>3*</sup>	82 <sup>3*</sup>
Construction emissions	2	18	8	4
Significant (Yes/No)	No	No	No	No
Operational (long-term)	65	65	80 <sup>3*</sup>	82 <sup>3*</sup>
Operational emissions	<0.1	<0.1	7	1
Significant (Yes/No)	No	No	No	No
1. Reactive Organic Gas 2. California Ambient Air Quality Standards 3*. Only applies to projects for which all feasible best available control technology (BACT) and best management practices (BMPs) have been applied. Projects that fail to apply all feasible BACT/BMPs must meet a significance threshold of 0 lbs/day.				

The SMAQMD Guide includes a list of Basic Construction Emissions Control Practices that should be implemented on all projects, regardless of size. Dust abatement practices are required pursuant to SMAQMD Rule 403 and California Code of Regulations, Title 13, sections 2449(d)(3) and 2485; the SMAQMD Guide simply lays out the basic practices needed to comply. These requirements are already required by existing rules and regulations, and have also been included as mitigation. Impacts from PM<sub>10</sub> and PM<sub>2.5</sub> emissions are ***less than significant***.

### **OZONE PRECURSOR EMISSIONS (NO<sub>x</sub>)**

The SMAQMD Guide currently provides screening criteria for construction-related ozone precursor emissions (NO<sub>x</sub>) similar to those which will be implemented for particulate matter. Projects that are 35 acres or less in size will generally not exceed the SMAQMD’s construction NO<sub>x</sub> thresholds of significance provided that the project does not:

- Include buildings more than 4 stories tall;

- Include demolition activities;
- Include significant trenching activities;
- Have a construction schedule that is unusually compact, fast-paced, or involves more than 2 phases (i.e., grading, paving, building construction, and architectural coatings) occurring simultaneously;
- Involve cut-and-fill operations (moving earth with haul trucks and/or flattening or terracing hills);
- Require import or export of soil materials that will require a considerable amount of haul truck activity; or,
- Require soil disturbance (i.e., grading) that exceeds 15 acres per day. Note that 15 acres is a screening level and shall not be used as a mitigation measure.

The project meets the SMAQMD Guide screening criteria for Ozone precursors impacts are considered to be ***less than significant***.

#### ***OPERATIONAL EMISSIONS/LONG-TERM IMPACTS***

Once a project is completed, additional pollutants are emitted through the use, or operation, of the site. Land use development projects typically involve the following sources of emissions: motor vehicle trips generated by the land use; fuel combustion from landscape maintenance equipment; natural gas combustion emissions used for space and water heating; evaporative emissions of ROG associated with the use of consumer products; and, evaporative emissions of ROG resulting from the application of architectural coatings.

The project site is less than 35 acres (3-acres of a 10-acre site) and does not involve buildings more than 4 stories tall; significant trenching activities; an unusually compact construction schedule; or, import or export of soil materials requiring a considerable amount of haul truck activity. However, the project does include industrial activities that are not addressed in the SMAQMD screening criteria therefore the CalEEMod emissions model was run to determine if the project emissions would meet the screening criteria for Ozone precursors. Table IS-3 shows the results of the CalEEMod model run and whether the emissions are significant impacts. Based on the results shown on Table IS-3 the impacts to air quality from Ozone precursors are considered to be ***less than significant***.

#### ***CRITERIA POLLUTANT HEALTH RISKS***

All criteria air pollutants can have human health effects at certain concentrations. Air districts develop region-specific CEQA thresholds of significance in consideration of existing air quality concentrations and attainment designations under the national ambient air quality standards (NAAQS) and California ambient air quality standards (CAAQS). The NAAQS and CAAQS are informed by a wide range of scientific evidence, which demonstrates that there are known safe concentrations of criteria air pollutants. Because

the NAAQS and CAAQS are based on maximum pollutant levels in outdoor air that would not harm the public's health, and air district thresholds pertain to attainment of these standards, the thresholds established by air districts are also protective of human health. Sacramento County is currently in nonattainment of the NAAQS and CAAQS for ozone. Projects that emit criteria air pollutants in exceedance of SMAQMD's thresholds would contribute to the regional degradation of air quality that could result in adverse human health impacts.

Acute health effects of ozone exposure include increased respiratory and pulmonary resistance, cough, pain, shortness of breath, and lung inflammation. Chronic health effects include permeability of respiratory epithelia and the possibility of permanent lung impairment (EPA 2016).

### **HEALTH EFFECTS SCREENING**

In order to estimate the potential health risks that could result from the operational emissions of ROG, NOX, and PM2.5, PER staff implemented the procedures within SMAQMD's Instructions for Sac Metro Air District Minor Project and Strategic Area Project Health Effects Screening Tools (SMAQMD's Instructions). To date, SMAQMD has published three options for analyzing projects: small projects may use the Minor Project Health Screening Tool, while larger projects may use the Strategic Area Project Health Screening Tool, and practitioners have the option to conduct project-specific modeling.

Both the Minor Project Health Screening Tool and Strategic Area Project Health Screening Tool are based on the maximum thresholds of significance adopted within the five air district regions contemplated within SMAQMD's Guidance to Address the Friant Ranch Ruling for CEQA Projects in the Sac Metro Air District (SMAQMD's Friant Guidance; October 2020). The air district thresholds considered in SMAQMD's Friant Guidance included thresholds from SMAQMD as well as the El Dorado County Air Quality Management District, the Feather River Air Quality Management District, the Placer County Air Pollution Control District, and the Yolo Solano Air Quality Management District. The highest allowable emission rates of NOX, ROG, PM10, and PM2.5 from the five air districts is 82 pounds per day (lbs/day) for all four pollutants. Thus, the Minor Project Health Screening Tool is intended for use by projects that would result in emissions at or below 82 lbs/day, while the Strategic Area Project Health Screening Tool is intended for use by projects that would result in emissions between two and eight times greater than 82 lbs/day. The Strategic Area Project Screening Model was prepared by SMAQMD for five locations throughout the Sacramento region for two scenarios: two times and eight times the threshold of significance level (2xTOS and 8xTOS). The corresponding emissions levels included in the model for 2xTOS were 164 lb/day for ROG and NOX, and 656 lb/day under the 8xTOS for ROG and NOX (SMAQMD 2020).

As noted in SMAQMD's Friant Guidance, "each model generates conservative estimates of health effects, for two reasons: The tools' outputs are based on the simulation of a full year of exposure at the maximum daily average of the increases in air pollution concentration... [and] [t]he health effects are calculated for emissions levels that are very high" (SMAQMD 2020).

The model derives the estimated health risk associated with operation of the project based on increases in concentrations of ozone and PM<sub>2.5</sub> that were estimated using a photochemical grid model (PGM). The concentration estimates of the PGM are then applied to the U.S. Environmental Protection Agency’s Benefits Mapping and Analysis Program (BenMAP) to estimate the resulting health effects from concentration increases. PGMs and BenMAP were developed to assess air pollution and human health impacts over large areas and populations that far exceed the area of an average land use development project. These models were never designed to determine whether emissions generated by an individual development project would affect community health or the date an air basin would attain an ambient air quality standard. Rather, they are used to help inform regional planning strategies based on cumulative changes in emissions within an air basin or larger geography.

It must be cautioned that within the typical project-level scope of CEQA analyses, PGMs are unable to provide precise, spatially defined pollutant data at a local scale. In addition, as noted in SMAQMD’s Friant Guidance, “BenMAP estimates potential health effects from a change in air pollutant concentrations, but does not fully account for other factors affecting health such as access to medical care, genetics, income levels, behavior choices such as diet and exercise, and underlying health conditions” (2020). Thus, the modeling conducted for the health risk analysis is based on imprecise mapping and only takes into account one of the main public health determinants (i.e., environmental influences).

**DISCUSSION OF PROJECT IMPACTS: CRITERIA POLLUTANT HEALTH RISKS**

Since the project was below the daily operational thresholds for criteria air pollutants, the Minor Project Health Screening Tool was used to estimate health risks. The results are shown in Table IS-4 and Table IS-5.

**Table IS-4: PM<sub>2.5</sub> Health Risk Estimates**

PM <sub>2.5</sub> Health Endpoint	Age Range <sup>1</sup>	Incidences Across the Reduced Sacramento 4-km Modeling Domain Resulting from Project Emissions (per year) <sup>2,5</sup>	Incidence s Across the 5-Air-District Region Resulting from Project Emissions (per year) <sup>2</sup>	Percent of Background Health Incidences Across the 5-Air-District Region <sup>3</sup>	Total Number of Health Incidences Across the 5-Air-District Region (per year) <sup>4</sup>
		(Mean)	(Mean)		
<b>Respiratory</b>					

Emergency Room Visits, Asthma	0 - 99	0.96	0.89	0.0048%	18419
Hospital Admissions, Asthma	0 - 64	0.064	0.059	0.0032%	1846
Hospital Admissions, All Respiratory	65 - 99	0.31	0.27	0.0014%	19644
<b>Cardiovascular</b>					
Hospital Admissions, All Cardiovascular (less Myocardial Infarctions)	65 - 99	0.17	0.16	0.00065%	24037
Acute Myocardial Infarction, Nonfatal	18 - 24	0.000080	0.000074	0.0020%	4
Acute Myocardial Infarction, Nonfatal	25 - 44	0.0073	0.0069	0.0022%	308
Acute Myocardial Infarction, Nonfatal	45 - 54	0.018	0.017	0.0023%	741
Acute Myocardial Infarction, Nonfatal	55 - 64	0.029	0.028	0.0022%	1239
Acute Myocardial Infarction, Nonfatal	65 - 99	0.11	0.10	0.0020%	5052
<b>Mortality</b>					
Mortality, All Cause	30 - 99	2.0	1.8	0.0041%	44766
Notes:					
<ol style="list-style-type: none"> <li>1. Affected age ranges are shown. Other age ranges are available, but the endpoints and age ranges shown here are the ones used by the USEPA in their health assessments. The age ranges are consistent with the epidemiological study that is the basis of the health function.</li> <li>2. Health effects are shown in terms of incidences of each health endpoint and how it compares to the base (2035 base year health effect incidences, or "background health incidence") values. Health effects are shown for the Reduced Sacramento 4-km Modeling Domain and the 5-Air-District Region.</li> <li>3. The percent of background health incidence uses the mean incidence. The background health incidence is an estimate of the average number of people that are affected by the health endpoint in a given population over a given period of time. In this case, the background incidence rates cover the 5-Air-District Region (estimated 2035 population of 3,271,451 persons). Health incidence rates and other health data are typically collected by the government as well as the World Health Organization. The background incidence rates used here are obtained from BenMAP.</li> <li>4. The total number of health incidences across the 5-Air-District Region is calculated based on the modeling data. The information is presented to assist in providing overall health context.</li> </ol>					

5. The technical specifications and map for the Reduced Sacramento 4-km Modeling Domain are included in Appendix A, Table A-1 and Appendix B, Figure B-2 of the *Guidance to Address the Friant Ranch Ruling for CEQA Projects in the Sac Metro Air District*.

**Table IS-5: Ozone Health Risk Estimates**

Ozone Health Endpoint	Age Range <sup>1</sup>	Incidences Across the Reduced Sacramento 4-km Modeling Domain Resulting from Project Emissions (per year) <sup>2,5</sup>	Incidences Across the 5-Air-District Region Resulting from Project Emissions (per year) <sup>2</sup>	Percent of Background Health Incidences Across the 5-Air-District Region <sup>3</sup>	Total Number of Health Incidences Across the 5-Air-District Region (per year) <sup>4</sup>
		(Mean)	(Mean)		
<b>Respiratory</b>					
Hospital Admissions, All Respiratory	65 - 99	0.071	0.057	0.00029%	19644
Emergency Room Visits, Asthma	0 - 17	0.33	0.28	0.0048%	5859
Emergency Room Visits, Asthma	18 - 99	0.54	0.46	0.0036%	12560
<b>Mortality</b>					
Mortality, Non-Accidental	0 - 99	0.044	0.037	0.00012%	30386
Notes:					
<ol style="list-style-type: none"> <li>Affected age ranges are shown. Other age ranges are available, but the endpoints and age ranges shown here are the ones used by the USEPA in their health assessments. The age ranges are consistent with the epidemiological study that is the basis of the health function.</li> <li>Health effects are shown in terms of incidences of each health endpoint and how it compares to the base (2035 base year health effect incidences, or “background health incidence”) values. Health effects are shown for the Reduced Sacramento 4-km Modeling Domain and the 5-Air-District Region.</li> <li>The percent of background health incidence uses the mean incidence. The background health incidence is an estimate of the average number of people that are affected by the health endpoint in a given population over a given period of time. In this case, the background incidence rates cover the 5-Air-District Region (estimated 2035 population of 3,271,451 persons). Health incidence rates and other health data are typically collected by the government as well as the World Health Organization. The background incidence rates used here are obtained from BenMAP.</li> <li>The total number of health incidences across the 5-Air-District Region is calculated based on the modeling data. The information is presented to assist in providing overall health context.</li> <li>The technical specifications and map for the Reduced Sacramento 4-km Modeling Domain are included in Appendix A, Table A-1 and Appendix B, Figure B-2 of the <i>Guidance to Address the Friant Ranch Ruling for CEQA Projects in the Sac Metro Air District</i>.</li> </ol>					

Again, it is important to note that the “model outputs are derived from the numbers of people who would be affected by [the] project due to their geographic proximity and based on average population through the Five-District-Region. The models do not take into account population subgroups with greater vulnerabilities to air pollution, except for ages



for certain endpoints” (SMAQMD 2020). Therefore, it would be misleading to correlate the levels of criteria air pollutant and precursor emissions associated with project implementation to specific health outcomes. While the effects noted above could manifest in individuals, actual effects depend on factors specific to each individual, including life stage (e.g., older adults are more sensitive), preexisting cardiovascular or respiratory diseases, and genetic polymorphisms. Even if this specific medical information was known about each individual, there are wide ranges of potential outcomes from exposure to ozone precursors and particulates, from no effect to the effects listed in the tables. Ultimately, the health effects associated with the project, using the SMAQMD guidance “are conservatively estimated, and the actual effects may be zero” (SMAQMD 2020).

### **CONCLUSION: CRITERIA POLLUTANT HEALTH RISKS**

Neither SMAQMD nor the County of Sacramento have adopted thresholds of significance for the assessment of health risks related to the emission of criteria pollutants. Furthermore, an industry standard level of significance has not been adopted or proposed. Due to the lack of adopted thresholds of significance the health risks, this data is presented for informational purposes and does not represent an attempt to arrive at any level-of-significance conclusions.

### **HYDROLOGY AND WATER QUALITY**

This section supplements the Initial Study Checklist by analyzing if the proposed project would:

- Substantially alter the existing drainage pattern of the project area and/or increase the rate or amount of surface runoff in a manner that would result in flooding on- or off-site.
- Develop within a 100-year floodplain as mapped on a federal Flood Insurance Rate Map or within a local flood hazard area.
- Place structures that would impede or redirect flood flows within a 100-year floodplain.
- Create or contribute runoff that would exceed the capacity of existing or planned stormwater drainage systems.
- Create substantial sources of polluted runoff or otherwise substantially degrade ground or surface water quality.


### ***DRAINAGE AND FLOODING***

The project site is within three Federal Emergency Management Agency (FEMA) Flood Zone areas (Plate IS-5). Most of the eastern side of the site is within Zone AE and the area to the west of the Zone AE portion of the site and in the northwest corner of the site is within Zone X-500 as determined by the 2012 FEMA Flood Insurance Rate Map, panel number 06067C0215H. The remainder of the project site is within Zone X.

Most of the proposed development would occur in Flood Zone X, which is defined as an area determined to be outside the 100-year floodplain that indicates there is statistically, for insurance rate mapping purposes, a less than 0.2 percent chance of a flood event occurring on the site for any given year. Flood Zone X-500, which would include the northwest portion of the project development, is defined as an “Area of 500-year flood; areas of 100-year flood with average depths of less than 1 foot or with drainage areas less than 1 square mile; and areas protected by levees from 100-year flood.” While the area designated as Flood Zone AE does not include any proposed development, the area of Flood Zone AE is defined as Area inundated by the Base Flood with Base Flood Elevations determined. The site contains areas designated as Flood Zone X-500 and Flood Zone AE, which are flood hazard areas; however, FEMA considers Flood Zone X-500 as a “moderate risk” versus the high risk areas list as Flood Zone AE. Flood Zone X-500 does not require flood insurance and there are no Federal or local regulations that would preclude development within the zone. With development occurring in Zone X and Zone X-500, and with the avoidance of Flood Zone AE, along with compliance with applicable requirements of the Sacramento County Floodplain Management Ordinance, Sacramento County Water Agency Code, and Sacramento County Improvement Standards impacts would be ***less than significant***.

Plate IS-5: Flood Zone Map

National Flood Hazard Layer FIRMette



**Legend**

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

SPECIAL FLOOD HAZARD AREAS		Without Base Flood Elevation (BFE) Zone A, X, A99
		With BFE or Depth Zone AC, AG, AV, VE, AR
		Regulatory Floodway
OTHER AREAS OF FLOOD HAZARD		0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X
		Future Conditions 1% Annual Chance Flood Hazard Zone X
		Area with Reduced Flood Risk due to Levee. See Notes, Zone X
		Area with Flood Risk due to Levee Zone D
OTHER AREAS		NO SCREEN Area of Minimal Flood Hazard Zone X
		Effective LOMRs
		Area of Undetermined Flood Hazard Zone D
GENERAL STRUCTURES		Channel, Culvert, or Storm Sewer
		Levee, Dike, or Floodwall
OTHER FEATURES		Cross Sections with 1% Annual Chance
		Water Surface Elevation
		Coastal Transect
		Base Flood Elevation Line (BFE)
		Limit of Study
		Jurisdiction Boundary
MAP PANELS		Digital Data Available
		No Digital Data Available
		Unmapped

The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards.

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 9/29/2022 at 5:33 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.

## **CONSTRUCTION WATER QUALITY: EROSION AND GRADING**

Construction on undeveloped land exposes bare soil, which can be mobilized by rain or wind and displaced into waterways or become an air pollutant. Construction equipment can also track mud and dirt onto roadways, where rains will wash the sediment into storm drains and thence into surface waters. After construction is complete, various other pollutants generated by site use can also be washed into local waterways. These pollutants include, but are not limited to, vehicle fluids, heavy metals deposited by vehicles, and pesticides or fertilizers used in landscaping.

Sacramento County has a National Pollutant Discharge Elimination System (NPDES) Municipal Stormwater Permit issued by Regional Water Board. The Municipal Stormwater Permit requires the County to reduce pollutants in stormwater discharges to the maximum extent practicable and to effectively prohibit non-stormwater discharges. The County complies with this permit in part by developing and enforcing ordinances and requirements to reduce the discharge of sediments and other pollutants in runoff from newly developing and redeveloping areas of the County.

The County has established a Stormwater Ordinance (Sacramento County Code 15.12). The Stormwater Ordinance prohibits the discharge of unauthorized non-stormwater to the County's stormwater conveyance system and local creeks. It applies to all private and public projects in the County, regardless of size or land use type. In addition, Sacramento County Code 16.44 (Land Grading and Erosion Control) requires private construction sites disturbing one or more acres or moving 350 cubic yards or more of earthen material to obtain a grading permit. To obtain a grading permit, project proponents must prepare and submit for approval an Erosion and Sediment Control (ESC) Plan describing erosion and sediment control best management practices (BMPs) that will be implemented during construction to prevent sediment from leaving the site and entering the County's storm drain system or local receiving waters. Construction projects not subject to SCC 16.44 are subject to the Stormwater Ordinance (SCC 15.12) described above.

In addition to complying with the County's ordinances and requirements, construction sites disturbing one or more acres are required to comply with the State's General Stormwater Permit for Construction Activities (CGP). CGP coverage is issued by the State Water Resources Control Board (State Board) [http://www.waterboards.ca.gov/water\\_issues/programs/stormwater/construction.shtml](http://www.waterboards.ca.gov/water_issues/programs/stormwater/construction.shtml) and enforced by the Regional Water Board. Coverage is obtained by submitting a Notice of Intent (NOI) to the State Board prior to construction and verified by receiving a WDID#. The CGP requires preparation and implementation of a site-specific Stormwater Pollution Prevention Plan (SWPPP) that must be kept on site at all times for review by the State inspector.

Applicable projects applying for a County grading permit must show proof that a WDID # has been obtained and must submit a copy of the SWPPP. Although the County has no enforcement authority related to the CGP, the County does have the authority to ensure sediment/pollutants are not discharged and is required by its Municipal Stormwater Permit to verify that SWPPPs include the minimum components.

The project must include an effective combination of erosion, sediment and other pollution control BMPs in compliance with the County ordinances and the State's CGP.

Erosion controls should always be the *first line of defense*, to keep soil from being mobilized in wind and water. Examples include stabilized construction entrances, tackified mulch, 3-step hydroseeding, spray-on soil stabilizers and anchored blankets. Sediment controls are the *second line of defense*; they help to filter sediment out of runoff before it reaches the storm drains and local waterways. Examples include rock bags to protect storm drain inlets, staked or weighted straw wattles/fiber rolls, and silt fences.

In addition to erosion and sediment controls, the project must have BMPs in place to keep other construction-related wastes and pollutants out of the storm drains. Such practices include, but are not limited to: filtering water from dewatering operations, providing proper washout areas for concrete trucks and stucco/paint contractors, containing wastes, managing portable toilets properly, and dry sweeping instead of washing down dirty pavement.

It is the responsibility of the project proponent to verify that the proposed BMPs for the project are appropriate for the unique site conditions, including topography, soil type and anticipated volumes of water entering and leaving the site during the construction phase. In particular, the project proponent should check for the presence of colloidal clay soils on the site. Experience has shown that these soils do not settle out with conventional sedimentation and filtration BMPs. The project proponent may wish to conduct settling column tests in addition to other soils testing on the site, to ascertain whether conventional BMPs will work for the project.

If sediment-laden or otherwise polluted runoff discharges from the construction site are found to impact the County's storm drain system and/or Waters of the State, the property owner will be subject to enforcement action and possible fines by the County and the Regional Water Board.

Project compliance with requirements outlined above, as administered by the County and the Regional Water Board will ensure that project-related erosion and pollution impacts are *less than significant*.

#### **OPERATION: STORMWATER RUNOFF**

Development and urbanization can increase pollutant loads, temperature, volume and discharge velocity of runoff over the predevelopment condition. The increased volume, increased velocity, and discharge duration of stormwater runoff from developed areas has the potential to greatly accelerate downstream erosion and impair stream habitat in natural drainage systems. Studies have demonstrated a direct correlation between the degree of imperviousness of an area and the degradation of its receiving waters. These impacts must be mitigated by requiring appropriate runoff reduction and pollution prevention controls to minimize runoff and keep runoff clean for the life of the project.

The County requires that projects include source and/or treatment control measures on selected new development and redevelopment projects. Source control BMPs are

intended to keep pollutants from contacting site runoff. Examples include “No Dumping-Drains to Creek/River” stencils/stamps on storm drain inlets to educate the public, and providing roofs over areas likely to contain pollutants, so that rainfall does not contact the pollutants. Treatment control measures are intended to remove pollutants that have already been mobilized in runoff. Examples include vegetated swales and water quality detention basins. These facilities slow water down and allow sediments and pollutants to settle out prior to discharge to receiving waters. Additionally, vegetated facilities provide filtration and pollutant uptake/adsorption. The project proponent should consider the use of “low impact development” techniques to reduce the amount of imperviousness on the site, since this will reduce the volume of runoff and therefore will reduce the size/cost of stormwater quality treatment required. Examples of low impact development techniques include pervious pavement and bioretention facilities.

The County requires developers to utilize the *Stormwater Quality Design Manual for the Sacramento Region, 2018* (Design Manual) in selecting and designing post-construction facilities to treat runoff from the project. Regardless of project type or size, developers are required to implement the minimum source control measures (Chapter 4 of the Design Manual). Low impact development measures and Treatment Control Measures are required of all projects exceeding the impervious surface threshold defined in Table 3-2 and 3-3 of the Design Manual. Further, depending on project size and location, hydromodification control measures may be required (Chapter 5 of the Design Manual).

Updates and background on the County’s requirements for post-construction stormwater quality treatment controls, along with several downloadable publications, can be found at the following websites:

<http://www.waterresources.saccounty.net/stormwater/Pages/default.aspx>

<http://www.beriverfriendly.net/Newdevelopment/>

The final selection and design of post-construction stormwater quality control measures is subject to the approval of the County Department of Water Resources; therefore, they should be contacted as early as possible in the design process for guidance. Project compliance with requirements outlined above will ensure that project-related stormwater pollution impacts are *less than significant*.

## **BIOLOGICAL RESOURCES**

This section supplements the Initial Study Checklist by analyzing if the proposed project would:

- Have a substantial adverse effect on any special status species, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, or threaten to eliminate a plant or animal community;
- Have a substantial adverse effect on riparian habitat or other sensitive natural communities;

- Have a substantial adverse effect on streams, wetlands, or other surface waters that are protected by federal, state, or local regulations and policies;
- Adversely affect or result in the removal of native or landmark trees; and/or,
- Conflict with the provisions of an adopted Habitat Conservation Plan or other approved local, regional, state or federal plan for the conservation of habitat

### ***SURVEYS AND STUDIES***

The Biological Resources Assessment for the 6141 Bradshaw Road Study Area addresses the biological resources in the project area. Salix Consulting Inc. (Salix) prepared a biological resources evaluation report on behalf of the applicant. Studies included a floristic survey and analysis of potential special-status species. Salix reviewed and analyzed a variety of data from state and federal agencies. A list of special-status species known or with potential to occur on the project site or in the immediate vicinity was developed from database queries of United States Fish and Wildlife Service (USFWS) Information for Planning and Consultation (IPaC), California Department of Fish and Wildlife (CDFW) California Natural Diversity Database (CNDDDB). California Tree and Landscape Consulting, Inc. (CalTLC) prepared the tree inventory and arborist report on behalf of the applicant. Significance findings have been based on the impact conclusions of applicable surveys and studies. In absence of such published documents, the analyses rely on the general definitions of significance.

The following technical studies were submitted and/or utilized as part of the biological resources analysis for this project:

- Biological Resources Report (Appendix A)
- Arborist Report (Appendix B)
- South Sacramento Habitat Conservation Plan (SSHCP)

### ***SOUTH SACRAMENTO COUNTY HABITAT CONSERVATION PLAN (SSHCP)***

The SSHCP is a regional approach to addressing development, habitat conservation, and agricultural lands within the south Sacramento County region, including the cities of Galt and Rancho Cordova. The specific geographic scope of the SSHCP includes U.S. Highway 50 to the north, the Sacramento River levee and County Road J11 (connects the towns of Walnut Grove and Thornton, it is known as the Walnut Grove-Thornton Road) to the west, the Sacramento County line with El Dorado and Amador counties to the east, and San Joaquin County to the south. The SSHCP Project area excludes the City of Sacramento, the City of Folsom, the City of Elk Grove, most of the Sacramento-San Joaquin Delta, and the Sacramento community of Rancho Murieta.

The SSHCP covers 28 different species of plants and wildlife, including 10 that are state and/or federally-listed as threatened or endangered. The SSHCP has been developed as a collaborative effort to streamline permitting and protect covered species habitat. .

On May 15, 2018, the Final SSHCP and EIS/EIR was published in the federal Register for a 30-day review period. Public hearings on the proposed adoption of the final SSHCP, final EIS/EIR, final Aquatic Resources Plan (ARP), and final Implementation Agreement (IA) began in August 2018, and adoption by the County occurred on September 11, 2018. The permit was received on June 12, 2019 from the U.S. Fish and Wildlife Service, July 25, 2019 from the U.S. Army Corps of Engineers, and August 20, 2019 from the California Department of Fish and Wildlife.

The proposed project is in the Urban Development Area (UDA) and considered a covered activity in the SSHCP; therefore, the Project must comply with the provisions of the SSHCP and associated permits. The analysis contained below addresses the applicability of the SSHCP, and mitigation has been designed to comply with the SSHCP.

**CONSISTENCY WITH THE SOUTH SACRAMENTO COUNTY HABITAT CONSERVATION PLAN**

The proposed project's design and construction must comply with all SSHCP requirements including SSHCP avoidance and minimization measures (AMMs). The SSHCP is a habitat-based plan in which mitigation fees are based on impacts to habitat or land cover rather than impacts to individual species.

The baseline mapping for the SSHCP landcovers is illustrated in Plate IS-6. Plate IS-7 shows the existing landcovers identified by Salix.



Plate IS-6: SSHCP Baseline Landcover Map





Plate IS-7: Verified SSHCP Landcovers



The landcovers outlined in the baseline map are an interpretation of habitat based on remote sensing analysis over a number of years prior to adoption of the SSHCP. Therefore, these landcovers are intended to serve as a guide as to what may be present on the project site and are intended to be updated. Salix's biological resources evaluation determined that the site consisted of valley grassland landcover and that there were two drainage features on site. According to the development plans, 2.96 acres of the 9.6 acre parcel will be developed with the remainder being left undeveloped.

The analysis contained in this section is consistent with the protocol for covered species analysis under the SSHCP. Compliance with the SSHCP will ensure that impacts to covered species and their habitat will be less than significant. The mitigation contained in this chapter has been structured such that the required mitigation is consistent with the adopted SSHCP mitigation and monitoring protocols.

The applicant will be required to obtain a signed SSHCP authorization form from the Environmental Coordinator for potential impacts to terrestrial and aquatic habitats. The project will comply with the requirements of the SSHCP, including adherence to the Avoidance and Minimization Measures (Appendix C), as well as payment of fees to support the overall SSHCP Conservation Strategy. The project is consistent with, and aids in the goals set forth in the proposed SSHCP. Impacts with regards to consistency with the proposed SSHCP are ***less than significant***.

### ***AQUATIC RESOURCES***

As shown on Plate IS-7, there are two features on the project site that qualify as aquatic resources; a seasonal detention pond and an irrigation drainage swale. These features are not necessarily regulated by state and federal agencies, however, if any disturbance is proposed to occur to these features, a formal Aquatic Resources Delineation would be required and submitted to the Corps of Engineers with a request for a jurisdictional determination. As proposed, the project would avoid these features with more than a 50 foot buffer, therefore a formal delineation is not required. Mitigation has been included to ensure that project activities avoid on-site waters. Any future activities that would take place near these features would be subject to future jurisdictional determination. With avoidance impacts to aquatic resources would be ***less than significant***.

### ***SPECIAL STATUS SPECIES***

As part of the preparation of the Biological Resources Assessment, Salix queried the CNDDDB and found that six special-status plant species and 13 special-status animal species were identified as occurring within a five-mile radius of the project site; these are listed below along with their potential to be found on the project site. In addition, on October 9, 2021 Salix performed a field survey of the project area to assess the potential for sensitive plant and wildlife resources to occur, and to determine if aquatic resources were present onsite. During the field assessment, biological communities were mapped and assessed for the potential to support special-species, as outlined below.

**PLANTS:**

- Ahart's dwarf rush (*Juncus leiospermus* var. *ahartii*); no potential for occurrence due to the lack of suitable habitat.
- Boggs Lake hedge-hyssop (*Gratiola heterosepala*); no potential for occurrence due to the lack of suitable habitat.
- Legenere (*Legenere limosa*); no potential for occurrence due to the lack of suitable habitat.
- Sacramento Orcutt grass (*Orcuttia tenuis*); no potential for occurrence due to the lack of suitable habitat.
- Sanford's arrowhead (*Sagittaria sanfordi*); potential to occur due to the presence of potential habitat around the irrigation drainage swale along the eastern fence line of the property. Sanford's arrowhead was not observed during field survey.

**ANIMALS**

- Vernal pool fairy shrimp (*Branchinecta lynchi*); no potential for occurrence due to the lack of suitable habitat.
- Vernal pool tadpole shrimp (*Lepidurus packardii*); no potential for occurrence due to the lack of suitable habitat.
- Mid-valley fairy shrimp (*Branchinecta mesovallensis*); no potential for occurrence due to the lack of suitable habitat.
- Richsecker's water scavenger beetle (*Hydrochara rickseckeri*); no potential for occurrence due to the lack of suitable habitat.
- Valley elderberry longhorn beetle (*Desmocerus californicus dimorphus*); no potential for occurrence due to the lack of any occurrences of its host plant, the elderberry shrub.
- American badger (*Taxidea taxus*); no potential for occurrence due to the lack of suitable habitat.
- White-tailed kite (*Elanus leucurus*); no potential for occurrence due to the lack of suitable nesting and roosting habitat.
- Cooper's hawk (*Accipiter cooperii*); no potential for occurrence due to the lack of suitable nesting and roosting habitat.
- Tricolored blackbird (*Agelaius tricolor*); no potential for occurrence due to the lack of suitable nesting and roosting habitat.

- Swainson's Hawk (*Buteo swainsoni*); although Salix found that the project site did not have taller trees associated with riparian areas or lone trees near agricultural field or pastures, there are a number of native and non-native trees that could provide nesting habit and may provide foraging habit.
- Ferruginous hawk (*Buteo regalis*); winter visitor that does not regularly nest in California but site may provide foraging habit.
- Western burrowing owl (*Athene cunicularia hypugaea*); not observed in the project area and no burrows were observed, but valley grassland provides suitable habitat.

While not listed within the five mile radius of the CNDDDB two aquatic species have some limited potential to occur in or around the seasonal detention pond northeast of the property these are the California tiger salamander (*Ambystoma californiense*) and the western spadefoot toad (*Spea hammondi*). The project is limited to the western side of the subject parcel and will not result in ground disturbing activities in the vicinity of any aquatic resources. Therefore, potential impacts related to aquatic species are not discussed further.

## **IMPACTS TO SPECIAL-STATUS SPECIES**

### **PLANTS**

Of the potential special-status plants that could be present, it was determined that only one plant species – Sanford's arrowhead has the greatest potential to occur within the project area due to the presence of potential habitat within the irrigation drainage swale along the eastern fence line of the property. The proposed project will avoid the eastern portion of the project site, so any potentially present plants would be avoided. Any future development of the eastern portion of the project site could impact plants therefore the SSHCP AMM for Sanford's arrowhead is included. With avoidance and the implementation of the AMM the impacts to Sanford's arrowhead would be **less than significant**.

### **ANIMALS**

#### **BIRDS**

##### **SWAINSON'S HAWK**

Although Salix determined that there was a low potential for the site to be used for nesting by Swainson's hawk, the eastern portion of the project site is to remain open field. Therefore, even if not used for nesting the site still may be used for foraging. By implementing the AMMs for Swainson's hawk as well as payment of mitigation fees for valley grassland to support the overall SSHCP Conservation Strategy, the impacts to Swainson's hawk would be **less than significant**.

##### **BURROWING OWL**

The biological report did not find evidence that the project site has been used by western burrowing owl; however, the presence of valley grassland does provide potentially

suitable habitat for this species. By implementing the AMMs for western burrowing owl as well as payment of fees to support the overall SSHCP Conservation Strategy the impacts to western burrowing owl would be **less than significant**.

#### MIGRATORY BIRDS

The Migratory Bird Treaty Act of 1918, which states “unless and except as permitted by regulations, it shall be unlawful at any time, by any means or in any manner, to pursue, hunt, take, capture, kill, attempt to take, capture, or kill” a migratory bird. Section 3(19) of the Federal Endangered Species Act defines the term “take” means to harass, harm, pursue, hunt, shoot, wound, kill, trap, capture, or collect, or to attempt to engage in any such conduct. Causing a bird to abandon an active nest may cause harm to egg(s) or chick(s) and is therefore considered “take.” To avoid take of nesting migratory birds, mitigation has been included to require that activities either occur outside of the nesting season, or to require that nests be buffered from construction activities until the nesting season is concluded.

Trees and the existing habitat provide potential nesting and foraging habitat for common bird species protected by the Migratory Bird Treaty Act. With pre-construction surveys conducted prior to development will determine the appropriate mitigation to reduce potential impacts to **less than significant**.

#### **NATIVE TREES**

Sacramento County has identified the value of its native and landmark trees and has adopted measures for their preservation. The Tree Ordinance (Chapter 19.04 and 19.12 of the County Code) provides protections for landmark trees and heritage trees. The County Code defines a landmark tree as “an especially prominent or stately tree on any land in Sacramento County, including privately owned land” and a heritage tree as “native oak trees that are at or over 19” diameter at breast height (dbh).” Chapter 19.12 of the County Code, titled Tree Preservation and Protection, defines native oak trees as valley oak (*Quercus lobata*), interior live oak (*Quercus wislizenii*), blue oak (*Quercus douglasii*), or oracle oak (*Quercus morehus*) and states that “it shall be the policy of the County to preserve all trees possible through its development review process.” It should be noted that to be considered a tree, as opposed to a seedling or sapling, the tree must have a diameter at breast height (dbh) of at least 6 inches or, if it has multiple trunks of less than 6 inches each, a combined dbh of 10 inches. The Sacramento County General Plan Conservation Element policies CO-138 and CO-139 also provide protections for native trees:

CO-138. Protect and preserve non-oak native trees along riparian areas if used by Swainson’s Hawk, as well as landmark and native oak trees measuring a minimum of 6 inches in diameter or 10 inches aggregate for multi-trunk trees at 4.5 feet above ground.

CO-139. Native trees other than oaks, which cannot be protected through development, shall be replaced with in-kind species in accordance with established

tree planting specifications, the combined diameter of which shall equal the combined diameter of the trees removed.

Native trees other than oaks include Fremont cottonwood (*Populus fremontii*), California sycamore (*Platanus racemosa*), California black walnut (*Juglans californica*), Oregon ash (*Fraxinus latifolia*), western redbud (*Cercis occidentalis*), gray pine (*Pinus sabiniana*), California white alder (*Alnus rhombifolia*), boxelder (*Acer negundo*), California buckeye (*Aesculus californica*), narrowleaf willow (*Salix exigua*), Gooding’s willow (*Salix gooddingii*), red willow (*Salix laevigata*), arroyo willow (*Salix lasiolepis*), shining willow (*Salix lucida*), Pacific willow (*Salix lasiandra*), and dusky willow (*Salix melanopsis*).

**TREE INVENTORY**

The applicant provided an Arborist Report prepared by California Tree and Landscape Consulting, Inc. (CalTLC) (Appendix B). The Arborist Report identified the species, size, and location of onsite and overhanging offsite trees. CalTLC inventoried and evaluated trees 4 inches or greater diameter at breast height (dbh) and all multi-trunk trees with an aggregate dbh of 10 inches or greater. A total of 29 trees were inventoried and evaluated. Of the 29 trees, 26 of the trees qualify as “protected trees” by the standards of the Sacramento County Tree Ordinance and Zoning Code (Table IS-6). All of the protected trees identified by the survey are located within the project area. All trees identified are shown on Plate IS-8.

**Table IS-5: Tree Inventory of Protected Native Trees**

Tree #	Common Name	DBH (Inches)	Dripline (Feet)	Condition Rating*	Action	Mitigation Inches
8063	Valley Oak	14	18	3	Remove	14
8064	Valley Oak	20	18	2	Remove	20
8065	Valley Oak	6	8	4	Remove	6
8067	Valley Oak	9	9	4	Remove	9
8068	Valley Oak	13	15	3	Remove	13
8069	Valley Oak	8, 7	12	2	Retain	N/A
8070	Valley Oak	9	12	2	Retain	N/A
8071	Valley Oak	17	18	3	Retain	N/A
8072	Valley Oak	10	9	0	Remove by Arborist recommendation	N/A

<b>Tree #</b>	<b>Common Name</b>	<b>DBH (Inches)</b>	<b>Dripline (Feet)</b>	<b>Condition Rating*</b>	<b>Action</b>	<b>Mitigation Inches</b>
8073	Valley Oak	10	9	0	Remove by Arborist recommendation	N/A
8074	Valley Oak	14	12	0	Remove by Arborist recommendation	N/A
8075	Valley Oak	14	12	0	Remove by Arborist recommendation	N/A
8076	Valley Oak	10	12	0	Remove by Arborist recommendation	N/A
8077	Valley Oak	6	12	0	Remove by Arborist recommendation	N/A
8078	Valley Oak	8	12	0	Remove by Arborist recommendation	N/A
8079	Valley Oak	12	12	0	Remove by Arborist recommendation	N/A
8080	Valley Oak	12	12	1	Remove by Arborist recommendation	N/A
8081	Valley Oak	13	15	2	Retain	N/A
8082	Valley Oak	6	6	2	Retain	N/A
8083	Valley Oak	8	6	3	Retain	N/A
8084	Valley Oak	9	9	2	Retain	N/A
8085	Valley Oak	13	15	3	Retain	N/A
8087	Valley Oak	13	18	3	Retain	N/A
8089	Valley Oak	7	9	3	Retain	N/A
8090	Valley Oak	18	21	3	Retain	N/A



Tree #	Common Name	DBH (Inches)	Dripline (Feet)	Condition Rating*	Action	Mitigation Inches
8091	Valley Oak	10	12	3	Retain	N/A
<b>Total</b>						<b>62</b>
* Ratings 0 (dead), 1 (severe decline), 2 (declining), 3 (fair), 4 (good), or 5 (excellent) **If removed for development.						

**DISCUSSION OF PROJECT IMPACTS**

***ONSITE AND OFFSITE PROTECTED NATIVE TREES TO BE REMOVED***

The applicant is proposing to remove 14 native oak trees. However, of these 14 trees, nine trees are dead and recommended for removal by the arborist. As such, these nine tree would not require mitigation. The remaining five trees (trees 8063, 8064, 8065,8067, and 8068) are healthy and will require mitigation for removal. A total of 62 inches of oak trees will need to mitigated as required by County Ordinance. With mitigation, project impacts associated with the removal of protected native trees are ***less than significant***.

***NON-NATIVE TREES***

The Sacramento County General Plan Conservation Element contains several policies aimed at preserving tree canopy within the County. These are:

CO-145. Removal of non-native tree canopy for development shall be mitigated by creation of new tree canopy equivalent to the acreage of non-native tree canopy removed. New tree canopy acreage shall be calculated using the 15-year shade cover values for tree species.

CO-146. If new tree canopy cannot be created onsite to mitigate for the non-native tree canopy removed for new development, project proponents (including public agencies) shall contribute to the Greenprint funding in an amount proportional to the tree canopy of the specific project.

CO-147. Increase the number of trees planted within residential lots and within new and existing parking lots.

CO-149. Trees planted within new or existing parking lots should utilize pervious cement and structured soils in a radius from the base of the tree necessary to maximize water infiltration sufficient to sustain the tree at full growth.

The 15-year shade cover values for tree species referenced in policy CO-145 are also referenced by the Sacramento County Zoning Code, Chapter 30, Article 4, and the list is maintained by the Sacramento County Department of Transportation, Landscape

Planning and Design Division. The list includes more than seventy trees, so is not included here, but it is available at:

<http://www.per.saccounty.net/Programs/Documents/Tree%20Coordinator/Tree%2015-year%20shade%20values%201-8-14.pdf#search=15%20year%20shade%20value>.

Policy CO-146 references the Greenprint program, which is run by the Sacramento Tree Foundation and has a goal of planting five million trees in the Sacramento region.

**TREE INVENTORY**

The Arborist Report identified the species, size, and location of onsite and overhanging offsite trees. Of the 29 trees, three of the trees are non-native and are not considered “protected trees” by the standards of the Sacramento County Tree Ordinance and Zoning Code (Table IS-7). However, any non-native tree canopy removed would require mitigation. All trees identified are shown on Plate IS-8.

**Table IS-6: Tree Inventory of Non-Protected Trees**

Tree #	Common Name	DBH (Inches)	Dripline (Feet)	Condition Rating	Action	Mitigation sq. ft.
8066	Elm	12	12	4	Remove	100
8086	Almond	13	15	2	Retain	N/A
8088	Pacific Willow	13	18	1	Remove by Arborist recommendation	N/A
<b>Total</b>						<b>100</b>

**DISCUSSION OF PROJECT IMPACTS**


Development of the project would be required to replace tree canopy of the trees removed with the exception of tree 8088, which is recommended for removal by the arborist. With the replacement of the 100 square feet of canopy, as required, project impacts to non-protected trees are expected to be ***less than significant***.

**GREENHOUSE GAS EMISSIONS**

This section supplements the Initial Study Checklist by analyzing if the proposed project would:

- Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment.

Plate IS-8: Tree Locations



## **GREENHOUSE GAS EMISSIONS REGULATORY BACKGROUND**

California has adopted statewide legislation addressing various aspects of climate change and GHG emissions mitigation. Much of this establishes a broad framework for the State's long-term GHG reduction and climate change adaptation program. Of particular importance is AB 32, which establishes a statewide goal to reduce GHG emissions back to 1990 levels by 2020, and Senate Bill (SB) 375 supports AB 32 through coordinated transportation and land use planning with the goal of more sustainable communities. SB 32 extends the State's GHG policies and establishes a near-term GHG reduction goal of 40% below 1990 emissions levels by 2030. Executive Order (EO) S-03-05 identifies a longer-term goal for 2050.<sup>1</sup>

### **COUNTY OF SACRAMENTO CLIMATE ACTION PLANNING**

In November of 2011, Sacramento County approved the Phase 1 Climate Action Plan Strategy and Framework document (Phase 1 CAP), which is the first phase of developing a community-level Climate Action Plan. The Phase 1 CAP provides a framework and overall policy strategy for reducing greenhouse gas emissions and managing our resources in order to comply with AB 32. It also highlights actions already taken to become more efficient, and targets future mitigation and adaptation strategies. This document is available at [http://www.green.saccounty.net/Documents/sac\\_030843.pdf](http://www.green.saccounty.net/Documents/sac_030843.pdf). The CAP contains policies/goals related to agriculture, energy, transportation/land use, waste, and water.

Goals in the section on agriculture focus on promoting the consumption of locally-grown produce, protection of local farmlands, educating the community about the intersection of agriculture and climate change, educating the community about the importance of open space, pursuing sequestration opportunities, and promoting water conservation in agriculture. Actions related to these goals cover topics related to urban forest management, water conservation programs, open space planning, and sustainable agriculture programs.

Goals in the section on energy focus on increasing energy efficiency and increasing the usage of renewable sources. Actions include implementing green building ordinances and programs, community outreach, renewable energy policies, and partnerships with local energy producers.

Goals in the section on transportation/land use cover a wide range of topics but are principally related to reductions in vehicle miles traveled, usage of alternative fuel types, and increases in vehicle efficiency. Actions include programs to increase the efficiency of the County vehicle fleet, and an emphasis on mixed use and higher density development,

---

<sup>1</sup> EO S-03-05 has set forth a reduction target to reduce GHG emissions by 80 percent below 1990 levels by 2050. This target has not been legislatively adopted.

implementation of technologies and planning strategies that improve non-vehicular mobility.

Goals in the section on waste include reductions in waste generation, maximizing waste diversion, and reducing methane emissions at Kiefer landfill. Actions include solid waste reduction and recycling programs, a regional composting facility, changes in the waste vehicle fleet to use non-petroleum fuels, carbon sequestration at the landfill, and methane capture at the landfill.

Goals in the section on water include reducing water consumption, emphasizing water efficiency, reducing uncertainties in water supply by increasing the flexibility of the water allocation/distribution system, and emphasizing the importance of floodplain and open space protection as a means of providing groundwater recharge. Actions include metering, water recycling programs, water use efficiency policy, water efficiency audits, greywater programs/policies, river-friendly landscape demonstration gardens, participation in the water forum, and many other related measures.

The Phase 1 CAP is a strategy and framework document. The County adopted the Phase 2A CAP (Government Operations) on September 11, 2012. Neither the Phase 1 CAP nor the Phase 2A CAP are “qualified” plans through which subsequent projects may receive CEQA streamlining benefits. The County is currently developing a Communitywide CAP, which will flesh out the strategies involved in the strategy and framework CAP, and will include economic analysis, intensive vetting with all internal departments, community outreach/information sharing, timelines, and detailed performance measures.. The Communitywide CAP is targeted for adoption in fall 2022.

### ***GREENHOUSE GAS EMISSIONS THRESHOLDS OF SIGNIFICANCE***

Addressing GHG generation impacts requires an agency to make a determination as to what constitutes a significant impact. Governor’s Office of Planning and Research’s (OPR’s) Guidance does not include a quantitative threshold of significance to use for assessing a proposed development’s GHG emissions under CEQA. Moreover, CARB has not established such a threshold or recommended a method for setting a threshold for proposed development-level analysis.

In April 2020, SMAQMD adopted an update to their land development project operational GHG threshold, which requires a project to demonstrate consistency with CARB’s 2017 Climate Change Scoping Plan. The Sacramento County Board of Supervisors adopted the updated GHG threshold in December 2020. SMAQMD’s technical support document, “Greenhouse Gas Thresholds for Sacramento County”, identifies operational measures that should be applied to a project to demonstrate consistency.

All projects must implement Tier 1 Best Management Practices to demonstrate consistency with the Climate Change Scoping Plan. After implementation of Tier 1 Best Management Practices, project emissions are compared to the operational land use screening levels table (equivalent to 1,100 metric tons of CO<sub>2</sub>e per year). If a project’s operational emissions are less than or equal to 1,100 metric tons of CO<sub>2</sub>e per year after implementation of Tier 1 Best Management Practices, the project will result in a less than

cumulatively considerable contribution and has no further action. Tier 1 Best Management Practices include:

- BMP 1 – no natural gas: projects shall be designed and constructed without natural gas infrastructure.
- BMP 2 – electric vehicle (EV) Ready: projects shall meet the current CalGreen Tier 2 standards.
  - EV Capable requires the installation of “raceway” (the enclosed conduit that forms the physical pathway for electrical wiring to protect it from damage) and adequate panel capacity to accommodate future installation of a dedicated branch circuit and charging station(s)
  - EV Ready requires all EV Capable improvements plus installation of dedicated branch circuit(s) (electrical pre-wiring), circuit breakers, and other electrical components, including a receptacle (240-volt outlet) or blank cover needed to support future installation of one or more charging stations

Projects that implement BMP 1 and BMP 2 can utilize the screening criteria for operation emissions outlined in Table IS-7. Projects that do not exceed 1,100 metric tons per year are then screened out of further requirements. For projects that exceed 1,100 metric tons per year, then compliance with BMP 3 is also required:

- BMP 3 – Reduce applicable project VMT by 15% residential and 15% worker relative to Sacramento County targets, and no net increase in retail VMT. In areas with above-average existing VMT, commit to provide electrical capacity for 100% electric vehicles.

SMAQMD’s GHG construction and operational emissions thresholds for Sacramento County are shown in Table IS-8.

**Table IS-7: SMAQMD Thresholds of Significance for Greenhouse Gases**

<b>Land Development and Construction Projects</b>		
	Construction Phase	Operational Phase
Greenhouse Gas as CO <sub>2</sub> e	1,100 metric tons per year	1,100 metric tons per year
<b>Stationary Source Only</b>		
	Construction Phase	Operational Phase
Greenhouse Gas as CO <sub>2</sub> e	1,100 metric tons per year	10,000 metric tons per year

***GREENHOUSE GAS EMISSIONS PROJECT IMPACTS*****CONSTRUCTION-GENERATED GREENHOUSE GAS EMISSIONS**

GHG emissions associated with the project would occur over the short term from construction activities, consisting primarily of emissions from equipment exhaust. The project is within the screening criteria for construction related impacts related to air quality. According to SMAQMD guidelines, projects are assumed to have less than significant construction impacts when the project site is less than 35 acres (9.96 acres of which approximately 3 acres will be used), and does not involve buildings more than 4 stories tall; demolition activities; significant trenching activities; an unusually compact construction schedule; cut-and-fill operations; or, import or export of soil materials requiring a considerable amount of haul truck activity. However, given that industrial activities are not addressed in the SMAQMD screening criteria CalEEMod was run for the potential construction CO<sub>2</sub>e emissions. The results of the CalEEMod calculations found that 151 MT of CO<sub>2</sub>e emissions would occur which is less than the SMAQMD construction phase threshold. Therefore, construction-related GHG impacts are considered ***less than significant***.

**OPERATIONAL PHASE GREENHOUSE GAS EMISSIONS**

The project is a small construction service yard and the proposed office/storage building will use electrical heating and cooling for the project thereby implementing BMP 1. Given the nature of the proposed project (equipment and truck storage) BMP 2 would not apply as proposed. Therefore to determine the potential CO<sub>2</sub>e emissions the CalEEMod model was run using no mitigation measures. The operational emissions associated with the project are calculated to be 9 MT of CO<sub>2</sub>e per year, which is less than 1,100 MT of CO<sub>2</sub>e per year threshold. Although the proposed project would not exceed the threshold mitigation has been included such that the project will implement BMP 1 and BMP 2 for any future uses of the site beyond the current project as well as future electrification of construction equipment. The impacts from GHG emissions are ***less than significant***.

## **ENVIRONMENTAL MITIGATION MEASURES**

---

Mitigation Measures (A, B, C, D, E, F, and G) are critical to ensure that identified significant impacts of the project are reduced to a level of less than significant. Pursuant to Section 15074.1(b) of the CEQA Guidelines, each of these measures must be adopted exactly as written unless both of the following occur: (1) A public hearing is held on the proposed changes; (2) The hearing body adopts a written finding that the new measure is equivalent or more effective in mitigating or avoiding potential significant effects and that it in itself will not cause any potentially significant effect on the environment.

As the applicant, or applicant's representative, for this project, I acknowledge that project development creates the potential for significant environmental impact and agree to implement the mitigation measures listed below, which are intended to reduce potential impacts to a less than significant level.

Applicant \_\_\_\_\_ Date: \_\_\_\_\_

### **MITIGATION MEASURE A: BASIC CONSTRUCTION EMISSIONS CONTROL PRACTICES**

The following Basic Construction Emissions Control Practices are considered feasible for controlling fugitive dust from a construction site. The practices also serve as best management practices (BMPs), allowing the use of the non-zero particulate matter significance thresholds.

Control of fugitive dust is required by District Rule 403 and enforced by District staff.

- Water all exposed surfaces two times daily. Exposed surfaces include, but are not limited to soil piles, graded areas, unpaved parking areas, staging areas, and access roads.
- Cover or maintain at least two feet of free board space on haul trucks transporting soil, sand, or other loose material on the site. Any haul trucks that would be traveling along freeways or major roadways should be covered.
- Use wet power vacuum street sweepers to remove any visible trackout mud or dirt onto adjacent public roads at least once a day. Use of dry power sweeping is prohibited.
- Limit vehicle speeds on unpaved roads to 15 miles per hour (mph).
- All roadways, driveways, sidewalks, parking lots to be paved should be completed as soon as possible. In addition, building pads should be laid as soon as possible after grading unless seeding or soil binders are used.

The following practices describe exhaust emission control from diesel powered fleets working at a construction site. California regulations limit idling from both on-road and off-



road diesel-powered equipment. The California Air Resources Board (CARB) enforces idling limitations and compliance with diesel fleet regulations.

- Minimize idling time either by shutting equipment off when not in use or reducing the time of idling to 5 minutes [California Code of Regulations, Title 13, sections 2449(d)(3) and 2485]. Provide clear signage that posts this requirement for workers at the entrances to the site.
- Provide current certificate(s) of compliance for CARB's In-Use Off-Road Diesel-Fueled Fleets Regulation [California Code of Regulations, Title 13, sections 2449 and 2449.1]. For more information contact CARB at 877-593-6677, [doors@arb.ca.gov](mailto:doors@arb.ca.gov), or [www.arb.ca.gov/doors/compliance\\_cert1.html](http://www.arb.ca.gov/doors/compliance_cert1.html).
- Maintain all construction equipment in proper working condition according to manufacturer's specifications. The equipment must be checked by a certified mechanic

### **MITIGATION MEASURE B: SSCHP COMPLIANCE**

The applicant shall obtain authorization through the SSHCP prior to all ground disturbing activities, on-site and off-site. Authorization under the SSHCP shall include implementation and conformance with all applicable Avoidance and Minimization Measures (Appendix D) and payment of fees necessary to mitigate for impacts to species and habitat.

SSHCP Authorization shall compensate for impacts associated with:

1. Impacts to SSHCP landcovers, including:
  - Valley grassland – 2.96 acres
2. Potential species-specific impacts including:
  - Rare plants (Sanford's Arrowhead)
  - Burrowing owl
  - Swainson's Hawk
  - Special status raptors

### **MITIGATION MEASURE C: MIGRATORY BIRD NEST PROTECTION**

To avoid impacts to nesting migratory birds the following shall apply:

1. If construction activity (which includes clearing, grubbing, or grading) is to commence within 50 feet of nesting habitat between February 1 and September 15, a survey for active migratory bird nests shall be conducted no more than 14 day prior to construction by a qualified biologist.
2. Trees slated for removal shall be removed during the period of September through January, in order to avoid the nesting season. Any trees that are to be removed

during the nesting season, which is February through August, shall be surveyed by a qualified biologist and will only be removed if no nesting migratory birds are found.

If active nest(s) are found in the survey area, a non-disturbance buffer, the size of which has been determined by a qualified biologist, shall be established and maintained around the nest to prevent nest failure. All construction activities shall be avoided within this buffer area until a qualified biologist determines that nestlings have fledged.

### **MITIGATION MEASURE D: NATIVE TREE REMOVAL**

The project proposes to remove 82 inches of native oak trees, requiring compensatory plantings, based on the ratios listed below, at locations that are authorized by the Planning and Environmental Review (PER). On-site preservation of native trees that are less than 6 inches (<6 inches) dbh, may also be used to meet this compensation requirement.

Equivalent compensation based on the following ratio is required:

- one preserved native oak tree < 6 inches dbh on-site = 1 inch dbh
- one D-pot seedling (40 cubic inches or larger) = 1 inch dbh
- one 15-gallon tree = 1 inch dbh
- one 24-inch box tree = 2 inches dbh
- one 36-inch box tree = 3 inches dbh

Replacement tree planting shall be completed prior to the issuance of building permits or a bond shall be posted by the applicant in order to provide funding for purchase, planting, irrigation, and 3-year maintenance period, should the applicant default on replacement tree mitigation. The bond shall be in an amount equal to the prevailing rate of the County Tree Preservation Fund and will be due within one year of posting the bond.

Prior to the approval of Improvement Plans or Building Permits, whichever occurs first, a Native Oak Replacement Tree Planting Plan shall be prepared by a certified arborist or licensed landscape architect and shall be submitted to the Environmental Coordinator for approval. The Native Oak Replacement Tree Planting Plan shall include the following minimum elements:

1. Species, size and locations of all replacement plantings and < 6-inch dbh trees to be preserved;
2. Method of irrigation;
3. If planting in soils with a hardpan/duripan or claypan layer, include the Sacramento County Standard Tree Planting Detail L-1, including the 10-foot deep boring hole to provide for adequate drainage;

4. Planting, irrigation, and maintenance schedules;
5. Identification of the maintenance entity and a written agreement with that entity to provide care and irrigation of the trees for a 3-year establishment period, and to replace any of the replacement native oak trees which do not survive during that period; and
6. Designation of 20 foot root zone radius and landscaping to occur within the radius of native oak trees < 6-inches dbh to be preserved on-site.

No replacement tree shall be planted within 15 feet of the driplines of existing native oak trees or landmark size trees that are retained on-site, or within 15 feet of a building foundation or swimming pool excavation. The minimum spacing for replacement oak trees shall be 20 feet on-center. Examples of acceptable planting locations are publicly owned lands, common areas, and landscaped frontages (with adequate spacing). Generally unacceptable locations are utility easements (PUE, sewer, storm drains), under overhead utility lines, private yards of single family lots (including front yards), and roadway medians.

Native trees <6 inches dbh to be retained on-site shall have at least a 20-foot radius suitable root zone. The suitable root zone shall not have impermeable surfaces, turf/lawn, dense plantings, soil compaction, drainage conditions that create ponding, utility easements, or other overstory tree(s) within 20 feet of the tree to be preserved. Trees to be retained shall be determined to be healthy and structurally sound for future growth, by an ISA Certified Arborist subject to PER approval.

If native tree replacement plantings are demonstrated to the satisfaction of the Environmental Coordinator to be infeasible for any or all trees removed, then compensation shall be through payment into the County Tree Preservation Fund. Payment shall be made at a rate of \$325.00 per dbh inch removed but not otherwise compensated, or at the prevailing rate at the time payment into the fund is made.

If off-site improvements result in the removal of native trees, then an arborist report shall determine the total dbh of trees impacted, and mitigation as outlined above shall apply to the total inches of trees removed.

#### **MITIGATION MEASURE E: NON-NATIVE CANOPY REPLACEMENT**

Removal of 100 square feet of non-native tree canopy for development shall be mitigated by creation of new tree canopy equivalent to the acreage of non-native tree canopy removed. New tree canopy acreage shall be calculated using the Sacramento County Department of Transportation 15-year shade cover values for tree species. Preference is given to on-site mitigation, but if this is infeasible, then funding shall be contributed to the Sacramento Tree Foundation's Greenprint Program in an amount proportional to the tree canopy lost.

**MITIGATION MEASURE F: CULTURAL RESOURCES UNANTICIPATED DISCOVERY**

In the event that human remains are discovered in any location other than a dedicated cemetery, work shall be halted and the County Coroner contacted. For all other unexpected cultural resources discovered during project construction, work shall be halted until a qualified archaeologist may evaluate the resource encountered.

1. Pursuant to Sections 5097.97 and 5097.98 of the State Public Resources Code, and Section 7050.5 of the State Health and Safety Code, if a human bone or bone of unknown origin is found during construction, all work is to stop and the County Coroner and the Office of Planning and Environmental Review shall be immediately notified. If the remains are determined to be Native American, the coroner shall notify the Native American Heritage Commission within 24 hours, and the Native American Heritage Commission shall identify the person or persons it believes to be the most likely descendent from the deceased Native American. The most likely descendent may make recommendations to the landowner or the person responsible for the excavation work, for means of treating or disposition of, with appropriate dignity, the human remains and any associated grave goods.
2. In the event of an inadvertent discovery of cultural resources (excluding human remains) during construction, all work must halt within a 100-foot radius of the discovery. A qualified professional archaeologist, meeting the Secretary of the Interior's Professional Qualification Standards for prehistoric and historic archaeology, shall be retained at the Applicant's expense to evaluate the significance of the find. If it is determined due to the types of deposits discovered that a Native American monitor is required, the Guidelines for Monitors/Consultants of Native American Cultural, Religious, and Burial Sites as established by the Native American Heritage Commission shall be followed, and the monitor shall be retained at the Applicant's expense.
  - a. Work cannot continue within the 100-foot radius of the discovery site until the archaeologist and/or tribal monitor conducts sufficient research and data collection to make a determination that the resource is either 1) not cultural in origin; or 2) not potentially eligible for listing on the National Register of Historic Places or California Register of Historical Resources.
  - b. If a potentially-eligible resource is encountered, then the archaeologist and/or tribal monitor, Planning and Environmental Review staff, and project proponent shall arrange for either 1) total avoidance of the resource, if possible; or 2) test excavations or total data recovery as mitigation. The determination shall be formally documented in writing and submitted to the County Environmental Coordinator as verification that the provisions of CEQA for managing unanticipated discoveries have been met.

## **MITIGATION MEASURE G: GREENHOUSE GASES**

The project is required to incorporate the following Tier 1 Best Management Practices (BMPs)

- BMP 1: No natural gas: Projects shall be designed and constructed without natural gas infrastructure.
- BMP 2: Electric vehicle ready: Projects shall meet the current CalGreen Tier 2 standards, except all EV Capable spaces shall instead by EV Ready.
  - EV Capable requires the installation of “raceway” (the enclosed conduit that forms the physical pathway for electrical wiring to protect it from damage) and adequate panel capacity to accommodate future installation of a dedicated branch circuit and charging station(s)
  - EV Ready requires all EV Capable improvements plus installation of dedicated branch circuit(s) (electrical pre-wiring), circuit breakers, and other electrical components, including a receptacle (240-volt outlet) or blank cover needed to support future installation of one or more charging stations

## **MITIGATION MEASURE COMPLIANCE**

Comply with the Mitigation Monitoring and Reporting Program (MMRP) for this project as follows:

1. The proponent shall comply with the MMRP for this project, including the payment of a fee to cover Planning and Environmental Review staff costs incurred during implementation of the MMRP. The MMRP fee for this project is \$9,800.00. This fee includes administrative costs of \$1,050.00.
2. Until the MMRP has been recorded and the administrative portion of the MMRP fee has been paid, no final parcel map or final subdivision map for the subject property shall be approved. Until the balance of the MMRP fee has been paid, no encroachment, grading, building, sewer connection, water connection or occupancy permit from Sacramento County shall be approved.

## **INITIAL STUDY CHECKLIST**

---

Appendix G of the California Environmental Quality Act (CEQA) provides guidance for assessing the significance of potential environmental impacts. Based on this guidance, Sacramento County has developed the following Initial Study Checklist. The Checklist identifies a range of potential significant effects by topical area. The words "significant" and "significance" used throughout the following checklist are related to impacts as defined by the California Environmental Quality Act as follows:

- 1 Potentially Significant indicates there is substantial evidence that an effect MAY be significant. If there are one or more "Potentially Significant" entries an Environmental Impact Report (EIR) is required. Further research of a potentially significant impact may reveal that the impact is actually less than significant or less than significant with mitigation.
- 2 Less than Significant with Mitigation applies where an impact could be significant but specific mitigation has been identified that reduces the impact to a less than significant level.
- 3 Less than Significant or No Impact indicates that either a project will have an impact but the impact is considered minor or that a project does not impact the particular resource.

	Potentially Significant	Less Than Significant with Mitigation	Less Than Significant	No Impact	Comments
<b>1. LAND USE - Would the project:</b>					
a. Cause a significant environmental impact due to a conflict with any applicable land use plan, policy, or regulation adopted for the purpose of avoiding or mitigating an environmental effect?			X		The project is consistent with environmental policies of the Sacramento County General Plan, Vineyard Community Plan, and Sacramento County Zoning Code.
b. Physically disrupt or divide an established community?			X		The project will not create physical barriers that substantially limit movement within or through the community.
<b>2. POPULATION/HOUSING - Would the project:</b>					
a. Induce substantial unplanned population growth in an area either directly (e.g., by proposing new homes and businesses) or indirectly (e.g., through extension of infrastructure)?			X		The project will neither directly nor indirectly induce substantial unplanned population growth; the proposal is consistent with existing land use designations.
b. Displace substantial amounts of existing people or housing, necessitating the construction of replacement housing elsewhere?			X		The project will not result in the removal of existing housing, and thus will not displace substantial amounts of existing housing.
<b>3. AGRICULTURAL RESOURCES - Would the project:</b>					
a. Convert Prime Farmland, Unique Farmland, Farmland of Statewide Importance or areas containing prime soils to uses not conducive to agricultural production?				X	The project site is not designated as Prime Farmland, Unique Farmland, or Farmland of Statewide Importance on the current Sacramento County Important Farmland Map published by the California Department of Conservation. The site does not contain prime soils.
b. Conflict with any existing Williamson Act contract?				X	No Williamson Act contracts apply to the project site.
c. Introduce incompatible uses in the vicinity of existing agricultural uses?			X		The project does not occur in an area of agricultural production.

	Potentially Significant	Less Than Significant with Mitigation	Less Than Significant	No Impact	Comments
<b>4. AESTHETICS - Would the project:</b>					
a. Substantially alter existing viewsheds such as scenic highways, corridors or vistas?			X		The project does not occur in the vicinity of any scenic highways, corridors, or vistas.
b. In non-urbanized area, substantially degrade the existing visual character or quality of public views of the site and its surroundings?			X		The project is not located in a non-urbanized area.
c. If the project is in an urbanized area, would the project conflict with applicable zoning and other regulations governing scenic quality?			X		Construction will not substantially degrade the visual character or quality of the project site.
d. Create a new source of substantial light, glare, or shadow that would result in safety hazards or adversely affect day or nighttime views in the area?			X		The project will not result in a new source of substantial light, glare or shadow that would result in safety hazards or adversely affect day or nighttime views in the area.
<b>5. AIRPORTS - Would the project:</b>					
a. Result in a safety hazard for people residing or working in the vicinity of an airport/airstrip?			X		The project occurs outside of any identified public or private airport/airstrip safety zones.
b. Expose people residing or working in the project area to aircraft noise levels in excess of applicable standards?			X		The project occurs outside of any identified public or private airport/airstrip noise zones or contours.
c. Result in a substantial adverse effect upon the safe and efficient use of navigable airspace by aircraft?			X		The project does not affect navigable airspace.
d. Result in a change in air traffic patterns, including either an increase in traffic levels or a change in location that results in substantial safety risks?				X	The project does not involve or affect air traffic movement.
<b>6. PUBLIC SERVICES - Would the project:</b>					
a. Have an adequate water supply for full buildout of the project?			X		The water service provider has adequate capacity to serve the water needs of the proposed project.



	Potentially Significant	Less Than Significant with Mitigation	Less Than Significant	No Impact	Comments
b. Have adequate wastewater treatment and disposal facilities for full buildout of the project?			X		Septic systems would be required. The Environmental Health Division of the County Environmental Management Department has permit approval authority for any new water wells and septic systems on the site. Compliance with existing regulations will ensure that impacts are less than significant.
c. Be served by a landfill with sufficient permitted capacity to accommodate the project's solid waste disposal needs?			X		The Kiefer Landfill has capacity to accommodate solid waste until the year 2050.
d. Result in substantial adverse physical impacts associated with the construction of new water supply or wastewater treatment and disposal facilities or expansion of existing facilities?			X		Both a water well and septic system would be required. The Environmental Health Division of the County Environmental Management Department has permit approval authority for any new water wells and septic systems on the site. Compliance with existing regulations will ensure that impacts are less than significant.
e. Result in substantial adverse physical impacts associated with the provision of storm water drainage facilities?			X		Minor extension of infrastructure would be necessary to serve the proposed project. Existing stormwater drainage facilities are located within existing roadways and other developed areas, along with existing drainage on the eastern part of the project site. The extension of facilities would take place within areas already proposed for development as part of the project. No significant new impacts would result from stormwater facility extension.
f. Result in substantial adverse physical impacts associated with the provision of electric or natural gas service?			X		Minor extension of utility lines would be necessary to serve the proposed project. Existing utility lines are located along existing roadways and other developed areas, and the extension of lines would take place within areas already proposed for development as part of the project. No significant new impacts would result from utility extension.

	Potentially Significant	Less Than Significant with Mitigation	Less Than Significant	No Impact	Comments
g. Result in substantial adverse physical impacts associated with the provision of emergency services?			X		The project would incrementally increase demand for emergency services, but would not cause substantial adverse physical impacts as a result of providing adequate service.
h. Result in substantial adverse physical impacts associated with the provision of public school services?				X	The project will not require the use of public school services.
i. Result in substantial adverse physical impacts associated with the provision of park and recreation services?				X	The project will not require park and recreation services.
<b>7. TRANSPORTATION - Would the project:</b>					
a. Conflict with or be inconsistent with CEQA Guidelines section 15064.3, subdivision (b) – measuring transportation impacts individually or cumulatively, using a vehicles miles traveled standard established by the County?			X		According to Table 3-1 in the Sacramento County Transportation Analysis Guidelines, the project is considered a small project as it would generate less than 237 daily trips. The estimated trip generation for the proposed project concluded that the number of trips is below the thresholds established by Sacramento County Department of Transportation; therefore, project impacts individually or cumulatively are less than significant.
b. Result in a substantial adverse impact to access and/or circulation?			X		The project will be required to comply with applicable access and circulation requirements of the County Improvement Standards and the Uniform Fire Code. Upon compliance, impacts are less than significant.
c. Result in a substantial adverse impact to public safety on area roadways?			X		The project will be required to comply with applicable access and circulation requirements of the County Improvement Standards and the Uniform Fire Code. Upon compliance, impacts are less than significant.

	Potentially Significant	Less Than Significant with Mitigation	Less Than Significant	No Impact	Comments
d. Conflict with adopted policies, plans, or programs supporting alternative transportation (e.g., bus turnouts, bicycle racks)?			X		The project does not conflict with alternative transportation policies of the Sacramento County General Plan, with the Sacramento Regional Transit Master Plan, or other adopted policies, plans or programs supporting alternative transportation.
<b>8. AIR QUALITY - Would the project:</b>					
a. Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is in non-attainment under an applicable federal or state ambient air quality standard?			X		The project site is less than 35 acres (9.96 acres of which approximately 3 acres will be used) and does not involve buildings more than 4 stories tall; demolition activities; significant trenching activities; an unusually compact construction schedule; cut-and-fill operations; or, import or export of soil materials requiring a considerable amount of haul truck activity. Therefore, the project meets the Sacramento Metropolitan Air Quality Management District's screening criteria for PM <sub>10</sub> and PM <sub>2.5</sub> and Ozone precursors and will not result in a cumulatively considerable net increase of any criteria pollutant for which the project region is in non-attainment.
b. Expose sensitive receptors to pollutant concentrations in excess of standards?			X		See Response 8.a.
c. Create objectionable odors affecting a substantial number of people?			X		The project will not generate objectionable odors.
<b>9. NOISE - Would the project:</b>					
a. Result in generation of a temporary or permanent increase in ambient noise levels in the vicinity of the project in excess of standards established by the local general plan, noise ordinance or applicable standards of other agencies?			X		The project is not in the vicinity of any uses that generate substantial noise, nor will the completed project generate substantial noise. The project will not result in exposure of persons to, or generation of, noise levels in excess of applicable standards.

	Potentially Significant	Less Than Significant with Mitigation	Less Than Significant	No Impact	Comments
b. Result in a substantial temporary increase in ambient noise levels in the project vicinity?			X		Project construction will result in a temporary increase in ambient noise levels in the project vicinity. This impact is less than significant due to the temporary nature of these activities, limits on the duration of noise, and evening and nighttime restrictions imposed by the County Noise Ordinance (Chapter 6.68 of the County Code).
c. Generate excessive groundborne vibration or groundborne noise levels.			X		The project will not involve the use of pile driving or other methods that would produce excessive groundborne vibration or noise levels at the property boundary.
<b>10. HYDROLOGY AND WATER QUALITY - Would the project:</b>					
a. Substantially deplete groundwater supplies or substantially interfere with groundwater recharge?			X		The project will incrementally add to groundwater consumption; however, the singular and cumulative impacts of the proposed project upon the groundwater decline in the project area are minor.
b. Substantially alter the existing drainage pattern of the project area and/or increase the rate or amount of surface runoff in a manner that would result in flooding on- or off-site?			X		Compliance with applicable requirements of the Sacramento County Floodplain Management Ordinance, Sacramento County Water Agency Code, and Sacramento County Improvement Standards will ensure that impacts are less than significant.
c. Develop within a 100-year floodplain as mapped on a federal Flood Insurance Rate Map or within a local flood hazard area?			X		The project is within a 100-year floodplain as mapped on a federal Flood Insurance Rate Map (Flood Zone X-500). The Sacramento County Floodplain Management Ordinance, Sacramento County Water Agency Code, and Sacramento County Improvement Standards require that the project be located outside or above the floodplain, and will ensure that impacts are less than significant. Refer to the Hydrology discussion in the Environmental Effects section above.

	Potentially Significant	Less Than Significant with Mitigation	Less Than Significant	No Impact	Comments
d. Place structures that would impede or redirect flood flows within a 100-year floodplain?			X		Although the project is within a 100-year floodplain, compliance with the Sacramento County Floodplain Management Ordinance, Sacramento County Water Agency Code, and Sacramento County Improvement Standards will ensure that impacts are less than significant.
e. Develop in an area that is subject to 200 year urban levels of flood protection (ULOP)?			X		The project is not located in an area subject to 200-year urban levels of flood protection (ULOP).
f. Expose people or structures to a substantial risk of loss, injury or death involving flooding, including flooding as a result of the failure of a levee or dam?			X		The project will not expose people or structures to a substantial risk of loss, injury, or death involving flooding, including flooding as a result of the failure of a levee or dam.
g. Create or contribute runoff that would exceed the capacity of existing or planned stormwater drainage systems?			X		Adequate on- and/or off-site drainage improvements will be required pursuant to the Sacramento County Floodplain Management Ordinance and Improvement Standards.
h. Create substantial sources of polluted runoff or otherwise substantially degrade ground or surface water quality?			X		Compliance with the Stormwater Ordinance and Land Grading and Erosion Control Ordinance (Chapters 15.12 and 14.44 of the County Code respectively) will ensure that the project will not create substantial sources of polluted runoff or otherwise substantially degrade ground or surface water quality. Sacramento County Code Chapters 6.28 and 6.32 provide rules and regulations for water wells and septic systems that are designed to protect water quality. The Environmental Health Division of the County Environmental Management Department has permit approval authority for any new water wells and septic systems on the site. Compliance with existing regulations will ensure that impacts are less than significant.
<b>11. GEOLOGY AND SOILS - Would the project:</b>					

	Potentially Significant	Less Than Significant with Mitigation	Less Than Significant	No Impact	Comments
a. Directly or indirectly cause potential substantial adverse effects, including risk of loss, injury or death involving rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault?			X		Sacramento County is not within an Alquist-Priolo Earthquake Fault Zone. Although there are no known active earthquake faults in the project area, the site could be subject to some ground shaking from regional faults. The Uniform Building Code contains applicable construction regulations for earthquake safety that will ensure less than significant impacts.
b. Result in substantial soil erosion, siltation or loss of topsoil?			X		Compliance with the County's Land Grading and Erosion Control Ordinance will reduce the amount of construction site erosion and minimize water quality degradation by providing stabilization and protection of disturbed areas, and by controlling the runoff of sediment and other pollutants during the course of construction.
c. Be located on a geologic unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on- or off-site landslide, lateral spreading, subsidence, soil expansion, liquefaction or collapse?			X		The project is not located on an unstable geologic or soil unit.
d. Have soils incapable of adequately supporting the use of septic tanks or alternative wastewater disposal systems where sewers are not available?			X		All septic systems must comply with the requirements of the County Environmental Management Department, Environmental Health Division, as set forth in Chapter 6.32 of the County Code. Compliance with County standards will ensure impacts are less than significant.
e. Result in a substantial loss of an important mineral resource?			X		Although located in an area with known mineral resources, the proposed project would not significantly impact future use of important mineral resources located on site.
f. Directly or indirectly destroy a unique paleontological resource or site or unique geologic feature?			X		No known paleontological resources (e.g. fossil remains) or sites occur at the project location.
<b>12. BIOLOGICAL RESOURCES - Would the project:</b>					

	Potentially Significant	Less Than Significant with Mitigation	Less Than Significant	No Impact	Comments
a. Have a substantial adverse effect on any special status species, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, or threaten to eliminate a plant or animal community?		X			The project site contains suitable habitat for Swainson's Hawk and burrowing owl. Mitigation is included to reduce impacts to less than significant levels. Refer to the Biological Resources discussion in the Environmental Effects section above.
b. Have a substantial adverse effect on riparian habitat or other sensitive natural communities?		X			The project site contains 2.96 acres of valley grassland habitat. Mitigation is included to reduce impacts to less than significant levels. Refer to the Biological Resources discussion in the Environmental Effects section above.
c. Have a substantial adverse effect on streams, wetlands, or other surface waters that are protected by federal, state, or local regulations and policies?		X			There are wetlands located within the project area. Mitigation is included to require that construction activities remain a minimum of 25 feet from the wetlands, which will ensure that impacts are less than significant. Refer to the Biological Resources discussion in the Environmental Effects section above.
d. Have a substantial adverse effect on the movement of any native resident or migratory fish or wildlife species?			X		Resident and/or migratory wildlife may be displaced by project construction; however, impacts are not anticipated to result in significant, long-term effects upon the movement of resident or migratory fish or wildlife species, and no major wildlife corridors would be affected.
e. Adversely affect or result in the removal of native or landmark trees?		X			Native and/or landmark trees occur on the project site and/or may be affected by on and/or off-site construction. Mitigation is included to ensure impacts are less than significant. Refer to the Biological Resources discussion in the Environmental Effects section above.
f. Conflict with any local policies or ordinances protecting biological resources?			X		The project is consistent with local policies/ordinances protecting biological resources.

	Potentially Significant	Less Than Significant with Mitigation	Less Than Significant	No Impact	Comments
g. Conflict with the provisions of an adopted Habitat Conservation Plan or other approved local, regional, state or federal plan for the conservation of habitat?		X			The project is within the Urban Development Area of the South Sacramento Habitat Conservation Plan (SSHCP). The project will need to comply with the applicable avoidance and minimization measures outlined in the SSHCP. Refer to the Biological Resources discussion in the Environmental Effects section above.
<b>13. CULTURAL RESOURCES - Would the project:</b>					
a. Cause a substantial adverse change in the significance of a historical resource?			X		A Determination of Eligibility and Effect was prepared for the project by Peak and Associates. On October 3, 2021 Peak and Associates conducted a field survey of the project site. The archaeologists walked parallel transects of five-meter separation. The survey found no pre-historic or historic resources. Therefore, no historical resources would be affected by the proposed project.
b. Have a substantial adverse effect on an archaeological resource?			X		Peak and Associates field survey found no known archaeological resources occur on-site.
c. Disturb any human remains, including those interred outside of formal cemeteries?		X			No known human remains exist on the project site. Nonetheless, mitigation has been recommended to ensure appropriate treatment should remains be uncovered during project implementation.



	Potentially Significant	Less Than Significant with Mitigation	Less Than Significant	No Impact	Comments
<b>14. TRIBAL CULTURAL RESOURCES - Would the project:</b>					
a. Would the project cause a substantial adverse change in the significance of a tribal cultural resource as defined in Public Resources Code 21074?		X			<p>Peak and Associates submitted a Sacred Lands File Search (SLFS) request to the Native American Heritage Commission (NAHC) in October 2021. On November 5, 2021, the NAHC responded that there was a positive SLFS for the project site. In accordance with the Native American Heritage Commission recommendation, the United Auburn Indian Community of the Auburn Rancheria (Auburn) was contacted by Sacramento County and on March 17, 2022 Auburn informed the County that there was no SLF on file at this location and that there was no specific cultural sensitivity in this location.</p> <p>In accordance with Assembly Bill (AB) 52, codified as Section 21080.3.1 of CEQA, formal notification letters were sent to those tribes who had previously requested to be notified of Sacramento County projects on February 25, 2022. As noted, Auburn found that there was not sacred lands associated with the project area nor were there any specific culturally sensitivity resources and closed further consultation. No other tribes notified requested consultation.</p>
<b>15. HAZARDS AND HAZARDOUS MATERIALS - Would the project:</b>					
a. Create a substantial hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials?			X		The project does not involve the transport, use, and/or disposal of hazardous material.
b. Expose the public or the environment to a substantial hazard through reasonably foreseeable upset conditions involving the release of hazardous materials?			X		The project does not involve the transport, use, and/or disposal of hazardous material.

	Potentially Significant	Less Than Significant with Mitigation	Less Than Significant	No Impact	Comments
c. Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances or waste within one-quarter mile of an existing or proposed school?			X		The project does not involve the use or handling of hazardous material.
d. Be located on a site that is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5, resulting in a substantial hazard to the public or the environment?			X		The project is not located on a known hazardous materials site.
e. Impair implementation of or physically interfere with an adopted emergency response or emergency evacuation plan?			X		The project would not interfere with any known emergency response or evacuation plan.
f. Expose people or structures to a significant risk of loss, injury or death involving wildland fires, including where wildlands are adjacent to or intermixed with urbanized areas?			X		The project is within the urbanized area of the unincorporated County. There is no significant risk of loss, injury, or death to people or structures associated with wildland fires.
<b>16. ENERGY – Would the project:</b>					
a. Result in potentially significant environmental impacts due to wasteful, inefficient, or unnecessary consumption of energy resources, during project construction?			X		While the project will introduce an office structure and increase energy consumption, compliance with Title 24, Green Building Code, will ensure that all project energy efficiency requirements are net resulting in less than significant impacts.
b. Conflict with or obstruct a state or local plan for renewable energy or energy efficiency?			X		The project will comply with Title 24, Green Building Code, for all project efficiency requirements.
<b>17. GREENHOUSE GAS EMISSIONS – Would the project:</b>					
a. Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?		X			The project will fully comply with the SMAQMD GHG Tier 1 BMPs. As such, the project screens out of further analysis and impacts are less than significant. See the GHG discussion above.

	Potentially Significant	Less Than Significant with Mitigation	Less Than Significant	No Impact	Comments
b. Conflict with an applicable plan, policy or regulation for the purpose of reducing the emission of greenhouse gases?			X		The project is consistent with County policies adopted for the purpose or reducing the emission of greenhouse gases.

**SUPPLEMENTAL INFORMATION**

LAND USE CONSISTENCY	Current Land Use Designation	Consistent	Not Consistent	Comments
General Plan	EXT IND - Extensive Industrial (Aggregate Resource Area)	X		
Community Plan	IR (SM)	X		
Land Use Zone	IR (SM) - Interim-Agricultural Reserve/Surface Mining	X		

## **APPENDICES**

---

- Biological Resources Report (Appendix A)
- Arborist Report (Appendix B)
- Avoidance and Minimization Measures (Appendix C)

## **INITIAL STUDY PREPARERS**

---

Environmental Coordinator: Joelle Inman

Senior Environmental Analyst: Julie Newton

Associate Environmental Analyst: Kurtis Steinert

Office Manager: Belinda Wekesa-Batts

Administrative Support: Justin Maulit