

# Summary Form for Electronic Document Submittal

Form F

Lead agencies may include 15 hardcopies of this document when submitting electronic copies of Environmental Impact Reports, Negative Declarations, Mitigated Negative Declarations, or Notices of Preparation to the State Clearinghouse (SCH). The SCH also accepts other summaries, such as EIR Executive Summaries prepared pursuant to CEQA Guidelines Section 15123. Please include one copy of the Notice of Completion Form (NOC) with your submission and attach the summary to each electronic copy of the document.

SCH #: \_\_\_\_\_

Project Title: S Wells PFAS Groundwater Treatment and Disinfection Facility Project

Lead Agency: Santa Clarita Valley Water Agency

Contact Name: Rick Vasilopoulos, Water Resources Planner

Email: rvasilopoulos@scvwa.org Phone Number: (661) 705-7912

Project Location: Santa Clarita Los Angeles County  
*City* *County*

Project Description (Proposed actions, location, and/or consequences).

The project involves construction of a per- and polyfluoroalkyl (PFAS) groundwater treatment and disinfection facility and associated pipelines. The proposed facility would restore the use of Wells S6, S7 and S8 and would reduce SCV Water's dependency on imported water. In addition, a new groundwater well (S9) and a chloramine disinfection building would be constructed. The new S9 well would produce an additional 1,000 gallons per minute of potable water that would also be filtered through the proposed PFAS treatment system before distribution to SCV Water customers. Construction of the new groundwater treatment facility would occur between approximately April 2024 and October 2025. The groundwater treatment and disinfection facility would operate 24 hours per day, 365 days per year. Maintenance activities would include daily maintenance staff visits, chemical deliveries via a midsize delivery truck twice a month, and resin media replacement via a semitruck two to three times a year.

Identify the project's significant or potentially significant effects and briefly describe any proposed mitigation measures that would reduce or avoid that effect.

The project would result in potentially significant effects to biological resources, cultural resources, paleontological resources, hazards and hazardous materials, hydrology and water quality, land use/planning, noise, transportation, tribal cultural resources, and wildfire. However, implementation of the following mitigation measures was determined in the IS-MND to reduce these project effects to less-than-significant levels:

- BIO-1 (Worker's Environmental Awareness Program)
- BIO-2 (General Best Management Practices)
- BIO-3 (Groundwater Pumping Regime Management)
- BIO-4 (Least Bell's Vireo Pre-construction Surveys)
- BIO-5 (Protection of Nesting Birds)
- CR-1 (Worker's Environmental Awareness Program)
- CR-2 (Unanticipated Discovery of Cultural Resources)
- GEO-1 (Paleontological Resources Mitigation and Monitoring Plan)
- HAZ-1 (Hazardous Materials Management and Spill Control Plan)
- HAZ-2 (Traffic Control Plan)
- HAZ-3 (Fire Hazards Measures)
- N-1 (Construction Noise Reduction Plan)
- T-1 (Address Potential Transportation Congestion Conflicts)
- T-2 (Address Potential Transit Service Conflicts)

If applicable, describe any of the project's areas of controversy known to the Lead Agency, including issues raised by agencies and the public.

Concerns have been raised by community members regarding the design and appearance of the proposed groundwater treatment and disinfection facility.

Provide a list of the responsible or trustee agencies for the project.

- City of Santa Clarita