

Replenish Big Bear Program AIR QUALITY IMPACT ANALYSIS BIG BEAR AREA REGIONAL WASTEWATER AGENCY

PREPARED BY:

Haseeb Qureshi hqureshi@urbanxroads.com

Ali Dadabhoy adadabhoy@urbanxroads.com

SEPTEMBER 7, 2023

15309-04 AQ Report

TABLE OF CONTENTS

TΑ	TABLE OF CONTENTS					
ΑP	PEND	ICES	II			
LIS	T OF E	XHIBITS	II			
		TABLES				
		ABBREVIATED TERMS				
EX	ECUTI	VE SUMMARY	1			
	ES.1	Summary of Findings	1			
	ES.2	Regulatory Requirements				
	SCAQ	MD Rules	2			
	ES.3	Construction-Source Mitigation Measures	3			
1	INT	TRODUCTION	5			
	1.1	Site Location	5			
	1.2	Project Description				
2	AIF	R QUALITY SETTING	9			
	2.1	South Coast Air Basin	<u>9</u>			
	2.2	Regional Climate	9			
	2.3	Wind Patterns and Project Location	10			
	2.4	Criteria Pollutants	11			
	2.5	Existing Air Quality	18			
	2.6	Regional Air Quality	21			
	2.7	Local Air Quality	21			
	2.8	Regulatory Background	22			
3	PR	OJECT AIR QUALITY IMPACT	28			
	3.1	Introduction	28			
	3.2	Standards of Significance	28			
	3.3	California Emissions Estimator Model™ Employed To Analyze Air Quality				
	3.4	Regional Construction Emissions	29			
	3.5	Regional Operational Emissions				
	3.6	Localized Significance				
	3.7	Localized Construction-Source Emissions				
	3.8	Localized Operational-Source Emissions	43			
	3.9	CO "Hot Spot" Analysis				
	3.10	Air Quality Management Planning				
	3.11	Potential Impacts to Sensitive Receptors				
	3.12	Odors				
	3.13	Cumulative Impacts				
4		FERENCES				
5	CEI	RTIFICATIONS	55			



APPENDICES

LICT OF EVALUATE	
OUTPUTS	
APPENDIX 3.10: CALEEMOD REPLENISH BIG BEAR COMPONENT 5 MITIGATED EMISSIONS MODEL	
OUTPUTS	
APPENDIX 3.9: CALEEMOD REPLENISH BIG BEAR COMPONENT 4 MITIGATED EMISSIONS MODEL	
OUTPUTS	
APPENDIX 3.8: CALEEMOD REPLENISH BIG BEAR COMPONENT 3 MITIGATED EMISSIONS MODEL	
OUTPUTS	
APPENDIX 3.7: CALEEMOD REPLENISH BIG BEAR COMPONENT 2 MITIGATED EMISSIONS MODEL	
OUTPUTS	
APPENDIX 3.6: CALEEMOD REPLENISH BIG BEAR COMPONENT 1 MITIGATED EMISSIONS MODEL	
OUTPUTS	
APPENDIX 3.5: CALEEMOD REPLENISH BIG BEAR COMPONENT 5 UNMITIGATED EMISSIONS MODI	FI
OUTPUTS	<u>L</u> L
APPENDIX 3.4: CALEEMOD REPLENISH BIG BEAR COMPONENT 4 UNMITIGATED EMISSIONS MODI	EI
OUTPUTS	CL
APPENDIX 3.3: CALEEMOD REPLENISH BIG BEAR COMPONENT 3 UNMITIGATED EMISSIONS MODI	- 1
APPENDIX 3.2: CALEEMOD REPLENISH BIG BEAR COMPONENT 2 UNMITIGATED EMISSIONS MODIOUTPUTS	ŁL
OUTPUTS	
APPENDIX 3.1: CALEEMOD REPLENISH BIG BEAR COMPONENT 1 UNMITIGATED EMISSIONS MODI	EL
APPENDIX 2.1: STATE/FEDERAL ATTAINMENT STATUS OF CRITERIA POLLUTANTS	

LIST OF EXHIBITS

EXHIBIT 1-A: PROJECT LOCATION MAP	7
LIST OF TABLES	
TABLE ES-1: SUMMARY OF CEQA SIGNIFICANCE FINDINGS	1
TABLE 2-1: CRITERIA POLLUTANTS	11
TABLE 2-2: AMBIENT AIR QUALITY STANDARDS (1 OF 2)	19
TABLE 2-2: AMBIENT AIR QUALITY STANDARDS (2 OF 2)	
TABLE 2-3: ATTAINMENT STATUS OF CRITERIA POLLUTANTS IN THE SCAB	21
TABLE 2-4: PROJECT AREA AIR QUALITY MONITORING SUMMARY 2019-2021	22
TABLE 3-1: MAXIMUM DAILY REGIONAL EMISSIONS THRESHOLDS	
TABLE 3-2: CONSTRUCTION DURATION	33
TABLE 3-3: CONSTRUCTION EQUIPMENT ASSUMPTIONS	33
TABLE 3-4: OVERALL CONSTRUCTION EMISSIONS SUMMARY – WITHOUT MITIGATION	36
TABLE 3-5: OVERALL CONSTRUCTION EMISSIONS SUMMARY – WITH MITIGATION	37
TABLE 3-6: SUMMARY OF PEAK OPERATIONAL EMISSIONS	38
TABLE 3-7: MAXIMUM DAILY LOCALIZED EMISSIONS THRESHOLDS	41
TABLE 3-8: LOCALIZED SIGNIFICANCE SUMMARY OF CONSTRUCTION – WITHOUT MITIGATION	42
TABLE 3-9: LOCALIZED SIGNIFICANCE SUMMARY OF CONSTRUCTION – WITH MITIGATION	43
TABLE 3-10: CO MODEL RESULTS	
TABLE 3-11: TRAFFIC VOLUMES	



LIST OF ABBREVIATED TERMS

% Percent

°F Degrees Fahrenheit

(1) Reference

μg/m³ Microgram per Cubic Meter
AB 2595 California Clean Air Act

af Acre-Feet

AQIA Air Quality Impact Analysis

AQMD Air Quality Management District
AQMP Air Quality Management Plan
BACM Best Available Control Measures

BAAQMD Bay Area Air Quality Management District
BBARWA Big Bear Area Regional Wastewater Agency

C₂H₃Cl Vinyl Chloride

CAA Federal Clean Air Act

CAAQS California Ambient Air Quality Standards
CalEEMod California Emissions Estimator Model

CalEPA California Environmental Protection Agency
CALGreen California Green Building Standards Code

CAPCOA California Air Pollution Control Officers Association

CARB California Air Resources Board
CCR California Code of Regulations
CEC California Energy Commission

CEQA California Environmental Quality Act

CO Carbon Monoxide COHb carboxyhemoglobin

EMFAC EMissions FACtor Model

EPA Environmental Protection Agency

GHG Greenhouse Gas
H₂S Hydrogen Sulfide
HI Hazard Index
hp Horsepower
lbs/day Pounds Per Day
LF Linear Feet

LST Localized Significance Threshold

LST METHODOLOGY Final Localized Significance Threshold Methodology

MAR Managed Aquifer Recharge



MICR Maximum Individual Cancer Risk

MM Mitigation Measures

mph Miles Per Hour

MS4 Municipal Separate Storm Sewer System

MWELO California Department of Water Resources' Model Water

Efficient

N₂ Nitrogen N₂O Nitrous Oxide

NAAQS National Ambient Air Quality Standards

NO Nitric Oxide

NO₂ Nitrogen Dioxide NO_X Nitrogen Oxides

O₂ Oxygen
O₃ Ozone

O₂ Deficiency Chronic Hypoxemia

Pb Lead

PM₁₀ Particulate Matter 10 microns in diameter or less PM_{2.5} Particulate Matter 2.5 microns in diameter or less

ppm Parts Per Million

Project Replenish Big Bear Program ROG Reactive Organic Gases

RTP/SCS Regional Transportation Plan/ Sustainable Communities

Strategy

Rule 403 Fugitive Dust

Rule 1113 Architectural Coating SCAB South Coast Air Basin

SCAG Southern California Association of Governments
SCAQMD South Coast Air Quality Management District

SO₂ Sulfur Dioxide

SO₄ Sulfates

SO_X Sulfur Oxides

SRA Source Receptor Area
Title 24 California Building Code
TITLE I Non-Attainment Provisions
TITLE II Mobile Sources Provisions

C₂H₃Cl Vinyl Chloride

VOC Volatile Organic Compounds

vph Vehicles Per Hour



This page intentionally left blank



EXECUTIVE SUMMARY

ES.1 SUMMARY OF FINDINGS

The results of this *Replenish Big Bear Program Air Quality Impact Analysis* (AQIA) are summarized below based on the significance criteria in Section 3 of this report consistent with Appendix G of the California Environmental Quality Act (CEQA) Guidelines (1). Table ES-1 shows the findings of significance for each potential air quality impact under CEQA before and after any required mitigation measures (MM) described below.

TABLE ES-1: SUMMARY OF CEQA SIGNIFICANCE FINDINGS

Analysis	Report	Significan	ce Findings	
Alidiysis	Section	Unmitigated	Mitigated	
Regional Construction Emissions	3.4	Potentially Significant	Less Than Significant	
Localized Construction Emissions	3.7	Potentially Significant	Less Than Significant	
Regional Operational Emissions	3.5	Less Than Significant	n/a	
Localized Operational Emissions	3.8	Less Than Significant	n/a	
CO "Hot Spot" Analysis	3.9	Less Than Significant	n/a	
Air Quality Management Plan	3.10	Potentially Significant	Less Than Significant	
Sensitive Receptors	3.11	Less Than Significant	n/a	
Odors	3.12	Less Than Significant	n/a	
Cumulative Impacts	3.13	Potentially Significant	Less Than Significant	

ES.2 REGULATORY REQUIREMENTS

There are numerous requirements that development projects must comply with by law, and that were put in place by federal, State, and local regulatory agencies for the improvement of air quality.

Any operation or activity that might cause the emission of any smoke, fly ash, dust, fumes, vapors, gases, or other forms of air pollution, which can cause damage to human health, vegetation, or



other forms of property, or can cause excessive soiling on any other parcel shall conform to the requirements of the SCAQMD.

SCAQMD RULES

SCAQMD Rules that are currently applicable during construction activity for this Project are described below.

SCAQMD RULE 402

A person shall not discharge from any source whatsoever such quantities of air contaminants or other material that cause injury, detriment, nuisance, or annoyance to any considerable number of persons or to the public, or that endanger the comfort, repose, health, or safety of any such persons or the public, or that cause, or have a natural tendency to cause, injury or damage to business or property. The provisions of this rule do not apply to odors emanating from agricultural operations necessary for the growing of crops or the raising of fowl or animals.

Odor Emissions. All uses shall be operated in a manner such that no offensive odor is perceptible at or beyond the property line of that use.

SCAQMD RULE 403

This rule is intended to reduce the amount of particulate matter entrained in the ambient air as a result of anthropogenic (human-made) fugitive dust sources by requiring actions to prevent and reduce fugitive dust emissions. Rule 403 applies to any activity or human-made condition capable of generating fugitive dust and requires best available control measures to be applied to earth moving and grading activities.

The contractor shall adhere to the following applicable measures of Rule 403 including, but not limited to:

- All clearing, grading, earth-moving, or excavation activities shall cease when winds exceed 25 miles per hour (mph) per SCAQMD guidelines in order to limit fugitive dust emissions.
- The contractor shall ensure that all disturbed unpaved roads and disturbed areas within the Project are watered at least three (3) times daily during dry weather. Watering, with complete coverage of disturbed areas, shall occur at least three times a day, preferably in the mid-morning, afternoon, and after work is done for the day.
- All access points to the Project site shall have track out devices installed.
- The contractor shall ensure that traffic speeds on unpaved roads and Project site areas are limited to 15 mph or less

Dust Control, Operations. Any operation or activity that might cause the emission of any smoke, fly ash, dust, fumes, vapors, gases, or other forms of air pollution, which can cause damage to human health, vegetation, or other forms of property, or can cause excessive soiling on any other parcel, shall conform to the requirements of the SCAQMD.



SCAQMD RULE 1113

This rule serves to limit the VOC content of architectural coatings used on projects in the SCAQMD. Any person who supplies, sells, offers for sale, or manufactures any architectural coating for use on projects.

ES.3 Construction-Source Mitigation Measures

MM AQ-1

When using construction equipment greater than 150 horsepower (>150 hp), the Construction Contractor shall ensure that off-road diesel construction equipment complies with the Environmental Protection Agency (EPA)/California Air Resources Board (CARB) Tier 4 emissions standards or equivalent and shall ensure that all construction equipment is tuned and maintained in accordance with the manufacturer's specifications.



This page intentionally left blank



1 INTRODUCTION

This report presents the results of the AQIA prepared by Urban Crossroads, Inc., for the proposed Replenish Big Bear Program (Project). The purpose of this AQIA is to evaluate the potential impacts to air quality associated with construction and operation of the proposed Project and, if warranted, recommend measures to mitigate impacts considered potentially significant in comparison to thresholds established by the SCAQMD.

1.1 SITE LOCATION

The Project site is located within the Big Bear Valley Groundwater Management Zone (GMZ or Basin). Big Bear Lake and Baldwin Lake are located in the middle of this Basin. The overall project area consists of the Valley in the County of San Bernardino, as shown on Exhibit 1-A.

1.2 PROJECT DESCRIPTION

The proposed Project includes upgrades and additions to Big Bear Area Regional Wastewater Agency's (BBARWA) wastewater treatment plant (WWTP) to produce purified water through full advanced treatment to protect the receiving waters and their beneficial uses. The Replenish Big Bear Program would upgrade BBARWA's WWTP to produce full advanced treated water that would be retained within the Big Bear Valley watershed to be used to increase the sustainability of local water supplies, consequently, wastewater currently delivered to Lucerne Valley will be modified. The proposed Project consists of construction and operation of the various facilities which are separated into five project categories: 1) Replenish Big Bear Component 1: Lake Discharge Pipeline Alignment; 2) Replenish Big Bear Component 2: Shay Pond; 3) Replenish Big Bear Component 3: Evaporation Pond; 4) Replenish Big Bear Component 4: BBARWA WWTP Upgrades; and 5) Replenish Big Bear Component 5: Sand Canyon.

REPLENISH BIG BEAR COMPONENT 1: BBARWA WWTP UPGRADES

This Replenish Big Bear Component includes upgrades to the BBARWA WWTP, to include 2.2 MGD of full advanced treatment, producing up to 2,210 AFY of purified water. The upgrades include the construction of a 40,000 SF building which would provide the following upgrades and new construction in order of process flow:

- Upgrades to the Oxidation Ditches
- New Denitrification Filter
- New UF and RO filtration membranes
- New UV Disinfection
- New AOP
- New Pellet Reactor: 0.22 MGD

The BBARWA WWTP Treatment Upgrades also includes the installation of about 1,350 LF of brine pipeline anticipated to be sized between 8" to 10" from the pellet reactor to the solar evaporation ponds. Additionally, the BBARWA WWTP Treatment Upgrades also includes installation of a 50 gpm brine pump station and a 1,520 gpm pump station at the BBARWA WWTP to pump purified water to Shay Pond and Stanfield Marsh.



REPLENISH BIG BEAR COMPONENT 2: LAKE DISCHARGE PIPELINE ALIGNMENT

The Replenish Big Bear Program would ultimately install a pipeline utilizing one of three alignments from the WWTP to Stanfield Marsh in the amount of about 19,940 LF sized at 12" in diameter.

REPLENISH BIG BEAR COMPONENT 3: SHAY POND CONVEYANCE PIPELINE

The Replenish Big Bear Program would ultimately install about 710 LF of 4" pipeline to reach Shay Pond from either an existing pipeline or a new 6" pipeline that would be 5,600 LF. As such, this Replenish Big Bear Component includes the installation of up to 6,310 LF of conveyance pipeline.

REPLENISH BIG BEAR COMPONENT 4: EVAPORATION POND

The Replenish Big Bear Program would include between 23 and 57 acres of evaporation ponds at the BBARWA WWTP site. The ponds would be segmented into different storage basins to allow for evaporation of the brine stream in a cycle of filling with brine, allowing the brine to evaporate, and then removing remaining brine. This Replenish Big Bear Component includes the installation of up to 2 monitoring wells.

REPLENISH BIG BEAR COMPONENT 5: SAND CANYON

The Sand Canyon groundwater recharge project involves extracting Project water stored in the Lake to a temporary storage pond using existing infrastructure owned by a local resort. The Project water will then be pumped and conveyed to the Sand Canyon recharge area using a new pump station and pipeline.

As part of the Replenish Big Bear Program, the following will be constructed:

- A new 471 gpm pump station near the snowmaking pond, at the BBLDWP Sand Canyon Well site, to convey water to Sand Canyon.
- A new 8-inch pipeline that will discharge into Sand Canyon and will be approximately 7,200 feet in length.
- Two monitoring wells for groundwater recharge at Sand Canyon, as required by the future discharge permit.
- Installation of erosion control using rip rap or similar erosion control methods, at Sand Canyon



HOLCOMB VALLEY Site Sources: Esri, HERE, Garmin, Intermap, incremem P Corp., GEBCO, USGS, TAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap cantributors, and the GIS

EXHIBIT 1-A: PROJECT LOCATION MAP



This page intentionally left blank



2 AIR QUALITY SETTING

This section provides an overview of the existing air quality conditions in the Project area and region.

2.1 SOUTH COAST AIR BASIN

The Project site is located in the South Coast Air Basin (SCAB) within the jurisdiction of SCAQMD (2). The SCAQMD was created by the 1977 Lewis-Presley Air Quality Management Act, which merged four county air pollution control bodies into one regional district. Under the Act, the SCAQMD is responsible for bringing air quality in areas under its jurisdiction into conformity with federal and state air quality standards. As previously stated, the Project site is located within the SCAB, a 6,745-square mile subregion of the SCAQMD, which includes portions of Los Angeles, Riverside, and San Bernardino Counties, and all of Orange County.

The SCAB is bounded by the Pacific Ocean to the west and the San Gabriel, San Bernardino, and San Jacinto Mountains to the north and east. The Los Angeles County portion of the Mojave Desert Air Basin is bounded by the San Gabriel Mountains to the south and west, the Los Angeles / Kern County border to the north, and the Los Angeles / San Bernardino County border to the east. The Riverside County portion of the Salton Sea Air Basin is bounded by the San Jacinto Mountains in the west and spans eastward up to the Palo Verde Valley.

2.2 REGIONAL CLIMATE

The regional climate has a substantial influence on air quality in the SCAB. In addition, the temperature, wind, humidity, precipitation, and amount of sunshine influence the air quality.

The annual average temperatures throughout the SCAB vary from the low to middle 60s degrees Fahrenheit (°F). Due to a decreased marine influence, the eastern portion of the SCAB shows greater variability in average annual minimum and maximum temperatures. January is the coldest month throughout the SCAB, with average minimum temperatures of 47°F in downtown Los Angeles and 36°F in San Bernardino. All portions of the SCAB have recorded maximum temperatures above 100°F.

Although the climate of the SCAB can be characterized as semi-arid, the air near the land surface is quite moist on most days because of the presence of a marine layer. This shallow layer of sea air is an important modifier of SCAB climate. Humidity restricts visibility in the SCAB, and the conversion of sulfur dioxide (SO_2) to sulfates (SO_4) is heightened in air with high relative humidity. The marine layer provides an environment for that conversion process, especially during the spring and summer months. The annual average relative humidity within the SCAB is 71% along the coast and 59% inland. Since the ocean effect is dominant, periods of heavy early morning fog are frequent and low stratus clouds are a characteristic feature. These effects decrease with distance from the coast.

More than 90% of the SCAB's rainfall occurs from November through April. The annual average rainfall varies from approximately nine inches in Riverside to fourteen inches in downtown Los



Angeles. Monthly and yearly rainfall totals are extremely variable. Summer rainfall usually consists of widely scattered thunderstorms near the coast and slightly heavier shower activity in the eastern portion of the SCAB with frequency being higher near the coast.

Due to its generally clear weather, about three-quarters of available sunshine is received in the SCAB. The remaining one-quarter is absorbed by clouds. The ultraviolet portion of this abundant radiation is a key factor in photochemical reactions. On the shortest day of the year there are approximately 10 hours of possible sunshine, and on the longest day of the year there are approximately 14½ hours of possible sunshine.

The importance of wind to air pollution is considerable. The direction and speed of the wind determines the horizontal dispersion and transport of the air pollutants. During the late autumn to early spring rainy season, the SCAB is subjected to wind flows associated with the traveling storms moving through the region from the northwest. This period also brings five to ten periods of strong, dry offshore winds, locally termed "Santa Anas" each year. During the dry season, which coincides with the months of maximum photochemical smog concentrations, the wind flow is bimodal, typified by a daytime onshore sea breeze and a nighttime offshore drainage wind. Summer wind flows are created by the pressure differences between the relatively cold ocean and the unevenly heated and cooled land surfaces that modify the general northwesterly wind circulation over southern California. Nighttime drainage begins with the radiational cooling of the mountain slopes. Heavy, cool air descends the slopes and flows through the mountain passes and canyons as it follows the lowering terrain toward the ocean. Another characteristic wind regime in the SCAB is the "Catalina Eddy," a low level cyclonic (counterclockwise) flow centered over Santa Catalina Island which results in an offshore flow to the southwest. On most spring and summer days, some indication of an eddy is apparent in coastal sections.

In the SCAB, there are two distinct temperature inversion structures that control vertical mixing of air pollution. During the summer, warm high-pressure descending (subsiding) air is undercut by a shallow layer of cool marine air. The boundary between these two layers of air is a persistent marine subsidence/inversion. This boundary prevents vertical mixing which effectively acts as an impervious lid to pollutants over the entire SCAB. The mixing height for the inversion structure is normally situated 1,000 to 1,500 feet above mean sea level.

A second inversion-type forms in conjunction with the drainage of cool air off the surrounding mountains at night followed by the seaward drift of this pool of cool air. The top of this layer forms a sharp boundary with the warmer air aloft and creates nocturnal radiation inversions. These inversions occur primarily in the winter, when nights are longer and onshore flow is weakest. They are typically only a few hundred feet above mean sea level. These inversions effectively trap pollutants, such as nitrogen oxides (NO_X) and carbon monoxide (CO) from vehicles, as the pool of cool air drifts seaward. Winter is therefore a period of high levels of primary pollutants along the coastline.

2.3 WIND PATTERNS AND PROJECT LOCATION

The distinctive climate of the Project area and the SCAB is determined by its terrain and geographical location. The SCAB is located in a coastal plain with connecting broad valleys and



low hills, bounded by the Pacific Ocean in the southwest quadrant with high mountains forming the remainder of the perimeter.

Wind patterns across the south coastal region are characterized by westerly and southwesterly onshore winds during the day and easterly or northeasterly breezes at night. Winds are characteristically light although the speed is somewhat greater during the dry summer months than during the rainy winter season.

2.4 Criteria Pollutants

Criteria pollutants are pollutants that are regulated through the development of human health based and/or environmentally based criteria for setting permissible levels. Criteria pollutants, their typical sources, and health effects are identified below (3):

TABLE 2-1: CRITERIA POLLUTANTS

Criteria Pollutant	Description	Sources	Health Effects
СО	CO is a colorless, odorless gas produced by the incomplete combustion of carbon-containing fuels, such as gasoline or wood. CO concentrations tend to be the highest during the winter morning, when little to no wind and surface-based inversions trap the pollutant at ground levels. Because CO is emitted directly from internal combustion engines, unlike ozone (O ₃), motor vehicles operating at slow speeds are the primary source of CO in the SCAB. The highest ambient CO concentrations are generally found near congested transportation corridors and intersections.	Any source that burns fuel such as automobiles, trucks, heavy construction equipment, farming equipment and residential heating.	Individuals with a deficient blood supply to the heart are the most susceptible to the adverse effects of CO exposure. The effects observed include earlier onset of chest pain with exercise, and electrocardiograph changes indicative of decreased oxygen (O ₂) supply to the heart. Inhaled CO has no direct toxic effect on the lungs but exerts its effect on tissues by interfering with O ₂ transport and competing with O ₂ to combine with hemoglobin present in the blood to form carboxyhemoglobin (COHb). Hence, conditions with an increased demand for O ₂ supply can be adversely affected by exposure to CO. Individuals most at risk include fetuses, patients with diseases involving heart and blood vessels, and patients with chronic hypoxemia (O ₂ deficiency) as seen at high altitudes.



Criteria Pollutant	Description	Sources	Health Effects
SO ₂	SO ₂ is a colorless, extremely irritating gas or liquid. It enters the atmosphere as a pollutant mainly as a result of burning high sulfur-content fuel oils and coal and from chemical processes occurring at chemical plants and refineries. When SO ₂ oxidizes in the atmosphere, it forms SO ₄ . Collectively, these pollutants are referred to as sulfur oxides (SO _X).	Coal or oil burning power plants and industries, refineries, diesel engines	A few minutes of exposure to low levels of SO ₂ can result in airway constriction in some asthmatics, all of whom are sensitive to its effects. In asthmatics, increase in resistance to air flow, as well as reduction in breathing capacity leading to severe breathing difficulties, are observed after acute exposure to SO ₂ . In contrast, healthy individuals do not exhibit similar acute responses even after exposure to higher concentrations of SO ₂ . Animal studies suggest that despite SO ₂ being a respiratory irritant, it does not cause substantial lung injury at ambient concentrations. However, very high levels of exposure can cause lung edema (fluid accumulation), lung tissue damage, and sloughing off of cells lining the respiratory tract. Some population-based studies indicate that the mortality and morbidity effects associated with fine particles show a similar association with ambient SO ₂ levels. In these studies, efforts to separate the effects of SO ₂ from those of fine particles have not been successful. It is not clear whether the two pollutants act synergistically, or one pollutant alone is the predominant factor.



Criteria Pollutant	Description	Sources	Health Effects
NOx	NO _x consist of nitric oxide (NO), nitrogen dioxide (NO ₂) and nitrous oxide (N ₂ O) and are formed when nitrogen (N ₂) combines with O ₂ . Their lifespan in the atmosphere ranges from one to seven days for NO and N ₂ O, to 170 years for nitrous oxide. NO _x is typically created during combustion processes and are major contributors to smog formation and acid deposition. NO ₂ is a criteria air pollutant and may result in numerous adverse health effects; it absorbs blue light, resulting in a brownish-red cast to the atmosphere and reduced visibility. Of the seven types of nitrogen oxide compounds, NO ₂ is the most abundant in the atmosphere. As ambient concentrations of NO ₂ are related to traffic density, commuters in heavy traffic may be exposed to higher concentrations of NO ₂ than those indicated by regional monitoring station.	Any source that burns fuel such as automobiles, trucks, heavy construction equipment, farming equipment and residential heating.	Population-based studies suggest that an increase in acute respiratory illness, including infections and respiratory symptoms in children (not infants), is associated with long-term exposure to NO2 at levels found in homes with gas stoves, which are higher than ambient levels found in Southern California. Increase in resistance to air flow and airway contraction is observed after short-term exposure to NO2 in healthy subjects. Larger decreases in lung functions are observed in individuals with asthma or chronic obstructive pulmonary disease (e.g., chronic bronchitis, emphysema) than in healthy individuals, indicating a greater susceptibility of these sub-groups. In animals, exposure to levels of NO2 considerably higher than ambient concentrations result in increased susceptibility to infections, possibly due to the observed changes in cells involved in maintaining immune functions. The severity of lung tissue damage associated with high levels of O3 exposure increases when animals are exposed to a combination of O3 and NO2.
O ₃	O ₃ is a highly reactive and unstable gas that is formed when VOCs and NO _x , both byproducts of internal combustion engine exhaust, undergo slow photochemical reactions in the presence of sunlight. O ₃ concentrations are generally	Formed when reactive organic gases (ROG) and NO _x react in the presence of sunlight. ROG sources	Individuals exercising outdoors, children, and people with preexisting lung disease, such as asthma and chronic pulmonary lung disease, are considered to be the most susceptible subgroups for O ₃ effects. Short-



Criteria Pollutant	Description	Sources	Health Effects
	highest during the summer months when direct sunlight, light wind, and warm temperature conditions are favorable to the formation of this pollutant.	include any source that burns fuels, (e.g., gasoline, natural gas, wood, oil) solvents, petroleum processing and storage and pesticides.	term exposure (lasting for a few hours) to O ₃ at levels typically observed in Southern California can result in breathing pattern changes, reduction of breathing capacity, increased susceptibility to infections, inflammation of the lung tissue, and some immunological changes. Elevated O ₃ levels are associated with increased school absences. In recent years, a correlation between elevated ambient O ₃ levels and increases in daily hospital admission rates, as well as mortality, has also been reported. An increased risk for asthma has been found in children who participate in multiple outdoor sports and live in communities with high O ₃ levels. O ₃ exposure under exercising conditions is known to increase the severity of the responses described above. Animal studies suggest that exposure to a combination of pollutants that includes O ₃ may be more toxic than exposure to O ₃ alone. Although lung volume and resistance changes observed after a single exposure diminish with repeated exposures, biochemical and cellular changes appear to persist, which can lead to subsequent lung structural changes.
Particulate Matter	PM ₁₀ : A major air pollutant consisting of tiny solid or liquid particles of soot, dust, smoke, fumes, and aerosols. Particulate matter pollution is a major cause of reduce visibility (haze) which is	Sources of PM ₁₀ include road dust, windblown dust and construction. Also formed from other pollutants (acid	A consistent correlation between elevated ambient fine particulate matter (PM ₁₀ and PM _{2.5}) levels and an increase in mortality rates, respiratory infections,



Criteria Pollutant	Description	Sources	Health Effects
	caused by the scattering of light and consequently the significant reduction air clarity. The size of the particles (10 microns or smaller, about 0.0004 inches or less) allows them to easily enter the lungs where they may be deposited, resulting in adverse health effects. Additionally, it should be noted that PM ₁₀ is considered a criteria air pollutant. PM _{2.5} : A similar air pollutant to PM ₁₀ consisting of tiny solid or liquid particles which are 2.5 microns or smaller (which is often referred to as fine particles). These particles are formed in the atmosphere from primary gaseous emissions that include SO ₄ formed from SO ₂ release from power plants and industrial facilities and nitrates that are formed from NO _x release from power plants, automobiles and other types of combustion sources. The chemical composition of fine particles highly depends on location, time of year, and weather conditions. PM _{2.5} is a criteria air pollutant.	rain, NO _x , SO _x , organics). Incomplete combustion of any fuel. PM _{2.5} comes from fuel combustion in motor vehicles, equipment and industrial sources, residential and agricultural burning. Also formed from reaction of other pollutants (acid rain, NO _x , SO _x , organics).	number and severity of asthma attacks and the number of hospital admissions has been observed in different parts of the United States and various areas around the world. In recent years, some studies have reported an association between long-term exposure to air pollution dominated by fine particles and increased mortality, reduction in lifespan, and an increased mortality from lung cancer. Daily fluctuations in PM _{2.5} concentration levels have also been related to hospital admissions for acute respiratory conditions in children, to school and kindergarten absences, to a decrease in respiratory lung volumes in normal children, and to increased medication use in children and adults with asthma. Recent studies show lung function growth in children is reduced with long term exposure to particulate matter. The elderly, people with preexisting respiratory or cardiovascular disease, and children appear to be more susceptible to the effects of high levels of PM ₁₀ and PM _{2.5} .
VOC	VOCs are hydrocarbon compounds (any compound containing various combinations of hydrogen and carbon atoms) that exist in the ambient air. VOCs contribute to the formation of smog through atmospheric photochemical reactions and/or may be toxic. Compounds of carbon (also known as organic compounds) have different levels	Organic chemicals are widely used as ingredients in household products. Paints, varnishes and wax all contain organic solvents, as do many cleaning, disinfecting, cosmetic,	Breathing VOCs can irritate the eyes, nose and throat, can cause difficulty breathing and nausea, and can damage the central nervous system as well as other organs. Some VOCs can cause cancer. Not all VOCs have all these health effects, though many have several.



Criteria Pollutant	Description	Sources	Health Effects
	of reactivity; that is, they do not react at the same speed or do not form O ₃ to the same extent when exposed to photochemical processes. VOCs often have an odor, and some examples include gasoline, alcohol, and the solvents used in paints. Exceptions to the VOC designation include CO, carbon dioxide, carbonic acid, metallic carbides or carbonates, and ammonium carbonate. VOCs are a criteria pollutant since they are a precursor to O ₃ , which is a criteria pollutant. The terms VOC and ROG (see below) interchangeably.	degreasing and hobby products. Fuels are made up of organic chemicals. All of these products can release organic compounds while you are using them, and, to some degree, when they are stored.	
ROG	Similar to VOC, ROGs are also precursors in forming O ₃ and consist of compounds containing methane, ethane, propane, butane, and longer chain hydrocarbons, which are typically the result of some type of combustion/decomposition process. Smog is formed when ROG and NO _X react in the presence of sunlight. ROGs are a criteria pollutant since they are a precursor to O ₃ , which is a criteria pollutant. The terms ROG and VOC (see previous) interchangeably.	Sources similar to VOCs.	Health effects similar to VOCs.
Lead (Pb)	Pb is a heavy metal that is highly persistent in the environment and is considered a criteria pollutant. In the past, the primary source of Pb in the air was emissions from vehicles burning leaded gasoline. The major sources of Pb emissions are ore and metals processing, particularly Pb smelters, and piston-engine aircraft operating on leaded aviation gasoline. Other stationary sources include waste incinerators, utilities, and	Metal smelters, resource recovery, leaded gasoline, deterioration of Pb paint.	Fetuses, infants, and children are more sensitive than others to the adverse effects of Pb exposure. Exposure to low levels of Pb can adversely affect the development and function of the central nervous system, leading to learning disorders, distractibility, inability to follow simple commands, and lower intelligence quotient. In adults, increased Pb levels are



Criteria Pollutant	Description	Sources	Health Effects
	lead-acid battery manufacturers. It should be noted that the Project does not include operational activities such as metal processing or Pb acid battery manufacturing. As such, the Project is not anticipated to generate a quantifiable amount of Pb emissions.		associated with increased blood pressure. Pb poisoning can cause anemia, lethargy, seizures, and death; although it appears that there are no direct effects of Pb on the respiratory system. Pb can be stored in the bone from early age environmental exposure, and elevated blood Pb levels can occur due to breakdown of bone tissue during pregnancy, hyperthyroidism (increased secretion of hormones from the thyroid gland) and osteoporosis (breakdown of bony tissue). Fetuses and breast-fed babies can be exposed to higher levels of Pb because of previous environmental Pb exposure of their mothers.
Odor	Odor means the perception experienced by a person when one or more chemical substances in the air come into contact with the human olfactory nerves (4).	Odors can come from many sources including animals, human activities, industry, natures, and vehicles.	Offensive odors can potentially affect human health in several ways. First, odorant compounds can irritate the eye, nose, and throat, which can reduce respiratory volume. Second, studies have shown that the VOCs that cause odors can stimulate sensory nerves to cause neurochemical changes that might influence health, for instance, by compromising the immune system. Finally, unpleasant odors can trigger memories or attitudes linked to unpleasant odors, causing cognitive and emotional effects such as stress.



2.5 EXISTING AIR QUALITY

Existing air quality is measured at established SCAQMD air quality monitoring stations. Monitored air quality is evaluated in the context of ambient air quality standards. These standards are the levels of air quality that are considered safe, with an adequate margin of safety, to protect the public health and welfare. National Ambient Air Quality Standards (NAAQS) and California Ambient Air Quality Standards (CAAQS) currently in effect are shown in Table 2-2 (5).

The determination of whether a region's air quality is healthful or unhealthful is determined by comparing contaminant levels in ambient air samples to the state and federal standards. At the time of this AQIA, the most recent state and federal standards are presented in Table 2-2. The air quality in a region is considered to be in attainment if the measured ambient air pollutant levels for O₃, CO (except 8-hour Lake Tahoe), SO₂ (1 and 24 hour), NO₂, PM₁₀, and PM_{2.5} are not to be exceeded. All others are not to be equaled or exceeded. It should be noted that the three-year period is presented for informational purposes and is not the basis for how attainment status is determined. Attainment status for a pollutant means that the SCAB meets the standards set by the U.S. Environmental Protection Agency (EPA) or the California EPA (CalEPA). Conversely, nonattainment means that an area has monitored air quality that does not meet the NAAQS or CAAQS. A State Implementation Plan (SIP) is required by the federal Clean Air Act (CAA) for area that are designated non-attainment under the NAAQS. A SIP outlines the measures that a state will take to improve air quality in the area designated nonattainment. Once a nonattainment area meets the standards and additional redesignation requirements, the EPA designates the area as a maintenance area (6).



TABLE 2-2: AMBIENT AIR QUALITY STANDARDS (1 OF 2)

Pollutant	Averaging Time	California Standards 1		National Standards ²			
		Concentration ³	Method ⁴	Primary 3,5	Secondary 3,6	Method 7	
Ozone (O ₃) ^a	1 Hour	0.09 ppm (180 µg/m³)	Ultraviolet Photometry	_	Same as	Ultraviolet Photometry	
	8 Hour	0.070 ppm (137 μg/m³)		0.070 ppm (137 µg/m³)	Primary Standard		
Respirable Particulate Matter (PM10) ³	24 Hour	50 μg/m ³	Gravimetric or	150 µg/m³	Same as	Inertial Separatio	
	Annual Arithmetic Mean	20 μg/m³	Beta Attenuation	-	Primary Standard	and Gravimetric Analysis	
Fine Particulate Matter (PM2.5) ⁹	24 Hour	-	_	35 µg/m³	Same as Primary Standard	Inertial Separation and Gravimetric Analysis	
	Annual Arithmetic Mean	12 µg/m³	Gravimetric or Beta Attenuation	12.0 μg/m³	15 µg/m³		
Carbon Monoxide (CO)	1 Hour	20 ppm (23 mg/m ³)	Non-Dispersive Infrared Photometry (NDIR)	35 ppm (40 mg/m³)	_		
	8 Hour	9.0 ppm (10 mg/m³)		9 ppm (10 mg/m ³)	_	Non-Dispersive Infrared Photometry	
	8 Hour (Lake Tahoe)	6 ppm (7 mg/m³)		_	_	(NDIR)	
Nitrogen Dioxide (NO ₂) ¹⁰	1 Hour	0.18 ppm (339 µg/m³)	Gas Phase	100 ppb (188 µg/m³)	_	Gas Phase	
	Annual Arithmetic Mean	0.030 ppm (57 µg/m³)	Chemiluminescence	0.053 ppm (100 µg/m³)	Same as Primary Standard	Chemiluminescence	
	1 Hour	0.25 ppm (655 µg/m³)	Ultraviolet Fluorescence	75 ppb (196 µg/m³)	_		
Sulfur Dioxide	3 Hour	_		_	0.5 ppm (1300 µg/m³)	Ultraviolet Flourescence; Spectrophotometry (Pararosaniline Method)	
(SO ₂) ¹¹	24 Hour	0.04 ppm (105 µg/m³)		0.14 ppm (for certain areas) ¹¹	_		
	Annual Arithmetic Mean	-		0.030 ppm (for certain areas) ¹¹	_		
Lead ^{12,13}	30 Day Average	1.5 µg/m³		_	_		
	Calendar Quarter	-	Atomic Absorption	1.5 µg/m ³ (for certain areas) ¹²	Same as	High Volume Sampler and Atom Absorption	
	Rolling 3-Month Average	-		0.15 µg/m³	Primary Standard		
Visibility Reducing Particles ¹⁴	8 Hour	See footnote 14	Beta Attenuation and Transmittance through Fitter Tape	No National Standards			
Sulfates	24 Hour	25 μg/m³	Ion Chromatography				
Hydrogen Sulfide	1 Hour	0.03 ppm (42 µg/m³)	Ultraviolet Fluorescence				
Vinyl Chloride ¹²	24 Hour	0.01 ppm (26 µg/m³)	Gas Chromatography	- Carlon do			

For more information please call ARB-PIO at (916) 322-2990

California Air Resources Board (5/4/16)



TABLE 2-2: AMBIENT AIR QUALITY STANDARDS (2 OF 2)

- California standards for ozone, carbon monoxide (except 8-hour Lake Tahoe), sulfur dioxide (1 and 24 hour), nitrogen dioxide, and
 particulate matter (PM10, PM2.5, and visibility reducing particles), are values that are not to be exceeded. All others are not to be
 equaled or exceeded. California ambient air quality standards are listed in the Table of Standards in Section 70200 of Title 17 of the
 California Code of Regulations.
- 2. National standards (other than ozone, particulate matter, and those based on annual arithmetic mean) are not to be exceeded more than once a year. The ozone standard is attained when the fourth highest 8-hour concentration measured at each site in a year, averaged over three years, is equal to or less than the standard. For PM10, the 24 hour standard is attained when the expected number of days per calendar year with a 24-hour average concentration above 150 µg/m³ is equal to or less than one. For PM2.5, the 24 hour standard is attained when 98 percent of the daily concentrations, averaged over three years, are equal to or less than the standard. Contact the U.S. EPA for further clarification and current national policies.
- 3. Concentration expressed first in units in which it was promulgated. Equivalent units given in parentheses are based upon a reference temperature of 25°C and a reference pressure of 760 torr. Most measurements of air quality are to be corrected to a reference temperature of 25°C and a reference pressure of 760 torr; ppm in this table refers to ppm by volume, or micromoles of pollutant per mole of gas.
- Any equivalent measurement method which can be shown to the satisfaction of the ARB to give equivalent results at or near the level of
 the air quality standard may be used.
- 5. National Primary Standards: The levels of air quality necessary, with an adequate margin of safety to protect the public health.
- National Secondary Standards: The levels of air quality necessary to protect the public welfare from any known or anticipated adverse effects of a pollutant.
- Reference method as described by the U.S. EPA. An "equivalent method" of measurement may be used but must have a "consistent relationship to the reference method" and must be approved by the U.S. EPA.
- 8. On October 1, 2015, the national 8-hour ozone primary and secondary standards were lowered from 0.075 to 0.070 ppm.
- 9. On December 14, 2012, the national annual PM2.5 primary standard was lowered from 15 μg/m³ to 12.0 μg/m³. The existing national 24-hour PM2.5 standards (primary and secondary) were retained at 35 μg/m³, as was the annual secondary standard of 15 μg/m³. The existing 24-hour PM10 standards (primary and secondary) of 150 μg/m³ also were retained. The form of the annual primary and secondary standards is the annual mean, averaged over 3 years.
- 10. To attain the 1-hour national standard, the 3-year average of the annual 98th percentile of the 1-hour daily maximum concentrations at each site must not exceed 100 ppb. Note that the national 1-hour standard is in units of parts per billion (ppb). California standards are in units of parts per million (ppm). To directly compare the national 1-hour standard to the California standards the units can be converted from ppb to ppm. In this case, the national standard of 100 ppb is identical to 0.100 ppm.
- 11. On June 2, 2010, a new 1-hour SO₂ standard was established and the existing 24-hour and annual primary standards were revoked. To attain the 1-hour national standard, the 3-year average of the annual 99th percentile of the 1-hour daily maximum concentrations at each site must not exceed 75 ppb. The 1971 SO₂ national standards (24-hour and annual) remain in effect until one year after an area is designated for the 2010 standard, except that in areas designated nonattainment for the 1971 standards, the 1971 standards remain in effect until implementation plans to attain or maintain the 2010 standards are approved.
 - Note that the 1-hour national standard is in units of parts per billion (ppb). California standards are in units of parts per million (ppm). To directly compare the 1-hour national standard to the California standard the units can be converted to ppm. In this case, the national standard of 75 ppb is identical to 0.075 ppm.
- 12. The ARB has identified lead and vinyl chloride as 'toxic air contaminants' with no threshold level of exposure for adverse health effects determined. These actions allow for the implementation of control measures at levels below the ambient concentrations specified for these pollutants.
- 13. The national standard for lead was revised on October 15, 2008 to a rolling 3-month average. The 1978 lead standard (1.5 µg/m³ as a quarterly average) remains in effect until one year after an area is designated for the 2008 standard, except that in areas designated nonattainment for the 1978 standard, the 1978 standard remains in effect until implementation plans to attain or maintain the 2008 standard are approved.
- 14. In 1989, the ARB converted both the general statewide 10-mile visibility standard and the Lake Tahoe 30-mile visibility standard to instrumental equivalents, which are "extinction of 0.23 per kilometer" and "extinction of 0.07 per kilometer" for the statewide and Lake Tahoe Air Basin standards, respectively.

For more information please call ARB-PIO at (916) 322-2990

California Air Resources Board (5/4/16)



2.6 REGIONAL AIR QUALITY

Air pollution contributes to a wide variety of adverse health effects. The EPA has established NAAQS for six of the most common air pollutants: CO, Pb, O_3 , particulate matter (PM₁₀ and PM_{2.5}), NO₂, and SO₂ which are known as criteria pollutants. The SCAQMD monitors levels of various criteria pollutants at 37 permanent monitoring stations and 5 single-pollutant source Pb air monitoring sites throughout the air district (7). On December 28, 2021, CARB posted the proposed 2021 amendments to the state and national area designations. See Table 2-3 for attainment designations for the SCAB (8). Appendix 2.1 provides geographic representation of the state and federal attainment status for applicable criteria pollutants within the SCAB.

TABLE 2-3: ATTAINMENT STATUS OF CRITERIA POLLUTANTS IN THE SCAB

Criteria Pollutant	State Designation	Federal Designation	
O ₃ – 1-hour standard	Nonattainment		
O ₃ – 8-hour standard	Nonattainment	Nonattainment	
PM ₁₀	Nonattainment	Attainment	
PM _{2.5}	Nonattainment	Nonattainment	
СО	Attainment	Unclassifiable/Attainment	
NO ₂	Attainment	Unclassifiable/Attainment	
SO ₂	Attainment	Unclassifiable/Attainment	
Pb ¹	Attainment	Unclassifiable/Attainment	

Note: See Appendix 2.1 for a detailed map of State/National Area Designations within the SCAB

2.7 LOCAL AIR QUALITY

The Project site is located within Source Receptor Area (SRA) 38 (9). Within SRA 38, the SCAQMD East San Bernardino Mountains monitoring station, located 0.28 mile north of the Project site, is the nearest long-term air quality monitoring station for PM_{2.5}. As the East San Bernardino Mountains monitoring station does not provide data for O3, CO, NO₂, or PM₁₀, the next nearest monitoring stations will be utilized. Data for O₃ and PM₁₀ was obtained from the Central San Bernardino Mountains monitoring station, located in SRA 37, approximately 22.31 miles west of the Project site. The nearest station for CO and NO₂ data was obtained from the Central San Bernardino Valley 2 monitoring station which is located approximately 24.18 miles southwest of the Project site in SRA 34. It should be noted that the Central San Bernardino Mountains and Central San Bernardino Valley 2 monitoring stations were utilized in lieu of the East San Bernardino Mountains monitoring station only in instances where data was not available.

The most recent three (3) years of data available is shown on Table 2-4 and is considered to be representative of the local air quality at the Project site (10). Please note, data for SO₂ has been

 $^{^{}m 1}$ The Federal nonattainment designation for lead is only applicable towards the Los Angeles County portion of the SCAB.





[&]quot;-" = The national 1-hour O_3 standard was revoked effective June 15, 2005

omitted as attainment is regularly met in the SCAB and few monitoring stations measure SO₂ concentrations.

TABLE 2-4: PROJECT AREA AIR QUALITY MONITORING SUMMARY 2019-2021

Dallutant	Chandond	Year				
Pollutant	Standard	2019	2020	2021		
O ₃						
Maximum Federal 1-Hour Concentration (ppm)		0.137	0.173	0.145		
Maximum Federal 8-Hour Concentration (ppm)		0.117	0.136	0.119		
Number of Days Exceeding State 1-Hour Standard	> 0.09 ppm	73	104	74		
Number of Days Exceeding Federal/State 8-Hour Standard	> 0.070 ppm	109	141	118		
СО						
Maximum Federal 1-Hour Concentration	> 35 ppm	1.3	1.9	2.0		
Maximum Federal 8-Hour Concentration	> 20 ppm	1.1	1.4	1.6		
NO ₂						
Maximum Federal 1-Hour Concentration	> 0.100 ppm	0.059	0.054	0.056		
Annual Federal Standard Design Value		0.014	0.015	0.015		
PM ₁₀						
Maximum Federal 24-Hour Concentration (μg/m³)	> 150 μg/m ³	44	57	44		
Annual Federal Arithmetic Mean (μg/m³)		21.2	23.4	23.2		
Number of Days Exceeding Federal 24-Hour Standard	> 150 μg/m ³	0	0	0		
Number of Days Exceeding State 24-Hour Standard	> 50 μg/m ³	0	1	0		
PM _{2.5}						
Maximum Federal 24-Hour Concentration (μg/m³)	> 35 μg/m ³	31.0	24.3	24.5		
Annual Federal Arithmetic Mean (μg/m³)	> 12 μg/m ³	5.94	7.62	7.04		
Number of Days Exceeding Federal 24-Hour Standard	> 35 μg/m ³	0	0	0		

ppm = Parts Per Million

Source: Data for O_3 , CO, NO_2 , PM_{10} , and $PM_{2.5}$ was obtained from SCAQMD Air Quality Data Tables.

2.8 REGULATORY BACKGROUND

2.8.1 FEDERAL REGULATIONS

The EPA is responsible for setting and enforcing the NAAQS for O_3 , CO, NO_X , SO_2 , PM_{10} , and Pb (11). The EPA has jurisdiction over emissions sources that are under the authority of the federal government including aircraft, locomotives, and emissions sources outside state waters (Outer Continental Shelf). The EPA also establishes emission standards for vehicles sold in states other than California. Automobiles sold in California must meet the stricter emission requirements of the CARB.

The Federal Clean Air Act (CAA) was first enacted in 1955 and has been amended numerous times in subsequent years (1963, 1965, 1967, 1970, 1977, and 1990). The CAA establishes the federal



air quality standards, the NAAQS, and specifies future dates for achieving compliance (12). The CAA also mandates that states submit and implement SIPs for local areas not meeting these standards. These plans must include pollution control measures that demonstrate how the standards will be met.

The 1990 amendments to the CAA that identify specific emission reduction goals for areas not meeting the NAAQS require a demonstration of reasonable further progress toward attainment and incorporate additional sanctions for failure to attain or to meet interim milestones. The sections of the CAA most directly applicable to the development of the Project site include Title I (Non-Attainment Provisions) and Title II (Mobile Source Provisions) (13) (14). Title I provisions were established with the goal of attaining the NAAQS for the following criteria pollutants O₃, NO₂, SO₂, PM₁₀, CO, PM_{2.5}, and Pb. The NAAQS were amended in July 1997 to include an additional standard for O₃ and to adopt a NAAQS for PM_{2.5}. Table 2-3 (previously presented) provides the NAAQS within the SCAB.

Mobile source emissions are regulated in accordance with Title II provisions. These provisions require the use of cleaner burning gasoline and other cleaner burning fuels such as methanol and natural gas. Automobile manufacturers are also required to reduce tailpipe emissions of hydrocarbons and NO_X . NO_X is a collective term that includes all forms of NO_X which are emitted as byproducts of the combustion process.

2.8.2 CALIFORNIA REGULATIONS

CARB

The CARB, which became part of the CalEPA in 1991, is responsible for ensuring implementation of the California Clean Air Act (AB 2595), responding to the federal CAA, and for regulating emissions from consumer products and motor vehicles. AB 2595 mandates achievement of the maximum degree of emissions reductions possible from vehicular and other mobile sources in order to attain the state ambient air quality standards by the earliest practical date. The CARB established the CAAQS for all pollutants for which the federal government has NAAQS and, in addition, establishes standards for SO₄, visibility, hydrogen sulfide (H₂S), and vinyl chloride (C₂H₃Cl). However, at this time, H₂S and C₂H₃Cl are not measured at any monitoring stations in the SCAB because they are not considered to be a regional air quality problem. Generally, the CAAQS are more stringent than the NAAQS (15) (11).

Local air quality management districts, such as the SCAQMD, regulate air emissions from stationary sources such as commercial and industrial facilities. All air pollution control districts have been formally designated as attainment or non-attainment for each CAAQS.

Serious non-attainment areas are required to prepare Air Quality Management Plans (AQMP) that include specified emission reduction strategies in an effort to meet clean air goals. These plans are required to include:

- Application of Best Available Retrofit Control Technology to existing sources;
- Developing control programs for area sources (e.g., architectural coatings and solvents) and indirect sources (e.g. motor vehicle use generated by residential and commercial development);



- A District permitting system designed to allow no net increase in emissions from any new or modified permitted sources of emissions;
- Implementing reasonably available transportation control measures and assuring a substantial reduction in growth rate of vehicle trips and miles traveled;
- Significant use of low emissions vehicles by fleet operators;
- Sufficient control strategies to achieve a 5% or more annual reduction in emissions or 15% or more in a period of three years for ROGs, NO_x, CO and PM₁₀. However, air basins may use alternative emission reduction strategy that achieves a reduction of less than 5% per year under certain circumstances.

TITLE 24 ENERGY EFFICIENCY STANDARDS AND CALIFORNIA GREEN BUILDING STANDARDS

California Code of Regulations (CCR) Title 24 Part 6: The California Energy Code was first adopted in 1978 in response to a legislative mandate to reduce California's energy consumption.

The standards are updated periodically to allow consideration and possible incorporation of new energy efficient technologies and methods. CCR, Title 24, Part 11: California Green Building Standards Code (CALGreen) is a comprehensive and uniform regulatory code for all residential, commercial, and school buildings that went in effect on August 1, 2009, and is administered by the California Building Standards Commission.

CALGreen is updated on a regular basis, with the most recent approved update consisting of the 2022 California Green Building Code Standards that became effective on January 1, 2023. The CEC anticipates that the 2022 energy code will provide \$1.5 billion in consumer benefits and reduce GHG emissions by 10 million metric tons (16). The Project would be required to comply with the applicable standards in place at the time plan check submittals are made. These require, among other items (17):

NONRESIDENTIAL MANDATORY MEASURES

- Short-term bicycle parking. If the new project or an additional alteration is anticipated to generate visitor traffic, provide permanently anchored bicycle racks within 200 feet of the visitors' entrance, readily visible to passers-by, for 5% of new visitor motorized vehicle parking spaces being added, with a minimum of one two-bike capacity rack (5.106.4.1.1).
- Long-term bicycle parking. For new buildings with tenant spaces that have 10 or more tenant-occupants, provide secure bicycle parking for 5% of the tenant-occupant vehicular parking spaces with a minimum of one bicycle parking facility (5.106.4.1.2).
- Designated parking for clean air vehicles. In new projects or additions to alterations that add 10 or more vehicular parking spaces, provide designated parking for any combination of low-emitting, fuel-efficient and carpool/van pool vehicles as shown in Table 5.106.5.2 (5.106.5.2).
- EV charging stations. New construction shall facilitate the future installation of EV supply equipment. The compliance requires empty raceways for future conduit and documentation that the electrical system has adequate capacity for the future load. The number of spaces to be provided for is contained in Table 5.106. 5.3.3 (5.106.5.3). Additionally, Table 5.106.5.4.1 specifies requirements for the installation of raceway conduit and panel power requirements for medium- and heavy-duty EV supply equipment for warehouses, grocery stores, and retail stores.



- Outdoor light pollution reduction. Outdoor lighting systems shall be designed to meet the backlight, uplight and glare ratings per Table 5.106.8 (5.106.8).
- Construction waste management. Recycle and/or salvage for reuse a minimum of 65% of the nonhazardous construction and demolition waste in accordance with Section 5.408.1.1. 5.405.1.2, or 5.408.1.3; or meet a local construction and demolition waste management ordinance, whichever is more stringent (5.408.1).
- Excavated soil and land clearing debris. 100% of trees, stumps, rocks and associated vegetation and soils resulting primarily from land clearing shall be reuse or recycled. For a phased project, such material may be stockpiled on site until the storage site is developed (5.408.3).
- Recycling by Occupants. Provide readily accessible areas that serve the entire building and are identified for the depositing, storage, and collection of non-hazardous materials for recycling, including (at a minimum) paper, corrugated cardboard, glass, plastics, organic waste, and metals or meet a lawfully enacted local recycling ordinance, if more restrictive (5.410.1).
- Water conserving plumbing fixtures and fittings. Plumbing fixtures (water closets and urinals) and fittings (faucets and showerheads) shall comply with the following:
 - Water Closets. The effective flush volume of all water closets shall not exceed
 1.28 gallons per flush (5.303.3.1)
 - Urinals. The effective flush volume of wall-mounted urinals shall not exceed
 0.125 gallons per flush (5.303.3.2.1). The effective flush volume of floor- mounted or other urinals shall not exceed 0.5 gallons per flush (5.303.3.2.2).
 - Showerheads. Single showerheads shall have a minimum flow rate of not more than 1.8 gallons per minute and 80 psi (5.303.3.3.1). When a shower is served by more than one showerhead, the combine flow rate of all showerheads and/or other shower outlets controlled by a single valve shall not exceed 1.8 gallons per minute at 80 psi (5.303.3.3.2).
 - o Faucets and fountains. Nonresidential lavatory faucets shall have a maximum flow rate of not more than 0.5 gallons per minute at 60 psi (5.303.3.4.1). Kitchen faucets shall have a maximum flow rate of not more than 1.8 gallons per minute of 60 psi (5.303.3.4.2). Wash fountains shall have a maximum flow rate of not more than 1.8 gallons per minute (5.303.3.4.3). Metering faucets shall not deliver more than 0.20 gallons per cycle (5.303.3.4.4). Metering faucets for wash fountains shall have a maximum flow rate not more than 0.20 gallons per cycle (5.303.3.4.5).
- Outdoor potable water uses in landscaped areas. Nonresidential developments shall comply
 with a local water efficient landscape ordinance or the current California Department of
 Water Resources' Model Water Efficient Landscape Ordinance (MWELO), whichever is more
 stringent (5.304.1).
- Water meters. Separate submeters or metering devices shall be installed for new buildings or additions in excess of 50,000 sf or for excess consumption where any tenant within a new building or within an addition that is project to consume more than 1,000 gallons per day (GPD) (5.303.1.1 and 5.303.1.2).
- Outdoor water uses in rehabilitated landscape projects equal or greater than 2,500 sf. Rehabilitated landscape projects with an aggregate landscape area equal to or greater than 2,500 sf requiring a building or landscape permit (5.304.3).



Commissioning. For new buildings 10,000 sf and over, building commissioning shall be included
in the design and construction processes of the building project to verify that the building systems
and components meet the owner's or owner representative's project requirements (5.410.2).

2.8.3 AIR QUALITY MANAGEMENT PLANNING

Currently, the NAAQS and CAAQS are exceeded in most parts of the SCAB. In response, the SCAQMD has adopted a series of AQMPs to meet the state and federal ambient air quality standards (18). AQMPs are updated regularly in order to more effectively reduce emissions, accommodate growth, and to minimize any negative fiscal impacts of air pollution control on the economy. Under State law, the SCAQMD is required to prepare a plan for air quality improvement for pollutants for which the district is in non-compliance. Each iteration of the SCAQMD's Air Quality Management Plan (AQMP) is an update of the previous plan and has a 20-year horizon. The latest AQMP, the 2022 AQMP, adopted by the SCAQMD Governing Board on December 2, 2022. The 2022 AQMP was developed to address the requirements for meeting the 2015 8-hour O₃ standard. The 2022 AQMP builds upon measures already in place from previous AQMPs. It also includes a variety of additional strategies such as regulation, accelerated deployment of available cleaner technologies (e.g., zero emissions technologies, when cost-effective and feasible, and low NO_x technologies in other applications), best management practices, cobenefits from existing programs (e.g., climate and energy efficiency), incentives, and other FCAA measures to achieve the 2015 8-hour ozone standard. The 2022 AQMP incorporates the latest scientific and technological information and planning assumptions, including the 2020-2045 Regional Transportation Plan/Sustainable Communities Strategy (RTP/SCS) and updated emission inventory methodologies for various source categories. The 2022 AQMP requires CARB's adoption before submittal for the U.S. EPA's final approval, which is expected to occur sometime in 2023. Additional discussion and Project consistency with the AQMP is provided in Section 3. 10.



This page intentionally left blank



3 PROJECT AIR QUALITY IMPACT

3.1 Introduction

This study quantifies air quality emissions generated by construction and operation of the Project and addresses whether the Project conflicts with implementation of the SCAQMD's AQMP and Lead Agency planning regulations. The analysis of Project-generated air emissions determines whether the Project would result in a cumulatively considerable net increase of any criteria pollutant for which the SCAB is in non-attainment under an applicable NAAQS and CAAQS. Additionally, the Project has been evaluated to determine whether the Project would expose sensitive receptors to substantial pollutant concentrations and the impacts of odors. The significance of these potential impacts is described in the following sections.

3.2 STANDARDS OF SIGNIFICANCE

The criteria used to determine the significance of potential Project-related air quality impacts are taken from the Initial Study Checklist in Appendix G of the State CEQA Guidelines (14 CCR §§15000, et seq.). Based on these thresholds, a project would result in a significant impact related to air quality if it would (1):

- Conflict with or obstruct implementation of the applicable air quality plan.
- Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is in non-attainment under an applicable federal or state ambient air quality standard.
- Expose sensitive receptors to substantial pollutant concentrations.
- Result in other emissions (such as those leading to odors) adversely affecting a substantial number of people.

The SCAQMD has also developed regional significance thresholds for other regulated pollutants, as summarized at Table 3-1 (19). The SCAQMD's CEQA Air Quality Significance Thresholds (March 2023) indicate that any projects in the SCAB with daily emissions that exceed any of the indicated thresholds should be considered as having an individually and cumulatively significant air quality impact.

TABLE 3-1: MAXIMUM DAILY REGIONAL EMISSIONS THRESHOLDS

Pollutant	Construction Regional Thresholds	Operational Regional Thresholds
NO _X	100 lbs/day	55 lbs/day
VOC	75 lbs/day	55 lbs/day
PM ₁₀	150 lbs/day	150 lbs/day
PM _{2.5}	55 lbs/day	55 lbs/day
SO _X	150 lbs/day	150 lbs/day
СО	550 lbs/day	550 lbs/day

lbs/day = Pounds Per Day



3.3 CALIFORNIA EMISSIONS ESTIMATOR MODEL™ EMPLOYED TO ANALYZE AIR QUALITY

Land uses such as the Project affect air quality through construction-source and operational-source emissions.

In May 2023 the California Air Pollution Control Officers Association (CAPCOA) in conjunction with other California air districts, including SCAQMD, released the latest version of CalEEMod version 2022.1.1.12. The purpose of this model is to calculate construction-source and operational-source criteria pollutant (VOCs, NO_X, SO_X, CO, PM₁₀, and PM_{2.5}) and GHG emissions from direct and indirect sources; and quantify applicable air quality and GHG reductions achieved from mitigation measures (20). Accordingly, the latest version of CalEEMod has been used for this Project to determine construction and operational air quality emissions. Output from the model runs for both construction and operational activity are provided in Appendices 3.1 through 3.5.

3.4 REGIONAL CONSTRUCTION EMISSIONS

As previously stated, the Project consists of the construction and operation of the following facilities:

REPLENISH BIG BEAR COMPONENT 1: BBARWA WWTP UPGRADES

This Replenish Big Bear Component includes upgrades to the BBARWA WWTP, to include 2.2 MGD of full advanced treatment, producing up to 2,210 AFY of purified water. The upgrades include the construction of a 40,000 SF building which would provide the following upgrades and new construction in order of process flow:

- Upgrades to the Oxidation Ditches
- New Denitrification Filter
- New UF and RO filtration membranes
- New UV Disinfection
- New AOP
- New Pellet Reactor: 0.22 MGD

The BBARWA WWTP Treatment Upgrades also includes the installation of about 1,350 LF of brine pipeline anticipated to be sized between 8" to 10" from the pellet reactor to the solar evaporation ponds.

Additionally, the BBARWA WWTP Treatment Upgrades also includes installation of a 50 gpm brine pump station and a 1,520 gpm pump station at the BBARWA WWTP to pump purified water to Shay Pond and Stanfield Marsh.

REPLENISH BIG BEAR COMPONENT 2: LAKE DISCHARGE PIPELINE ALIGNMENT

The Replenish Big Bear Program would ultimately install a pipeline utilizing one of three alignments from the WWTP to Stanfield Marsh in the amount of about 19,940 LF sized at 12" in diameter.



REPLENISH BIG BEAR COMPONENT 3: SHAY POND CONVEYANCE PIPELINE

The Replenish Big Bear Program would ultimately install about 710 LF of 4" pipeline to reach Shay Pond from either an existing pipeline or a new 6" pipeline that would be 5,600 LF. As such, this Replenish Big Bear Component includes the installation of up to 6,310 LF of conveyance pipeline.

REPLENISH BIG BEAR COMPONENT 4: EVAPORATION POND

The Replenish Big Bear Program would include between 23 and 57 acres of evaporation ponds at the BBARWA WWTP site. The ponds would be segmented into different storage basins to allow for evaporation of the brine stream in a cycle of filling with brine, allowing the brine to evaporate, and then removing remaining brine. This Replenish Big Bear Component includes the installation of up to 2 monitoring wells.

REPLENISH BIG BEAR COMPONENT 5: SAND CANYON

The Sand Canyon groundwater recharge project involves extracting Project water stored in the Lake to a temporary storage pond using existing infrastructure owned by a local resort. The Project water will then be pumped and conveyed to the Sand Canyon recharge area using a new pump station and pipeline.

As part of the Replenish Big Bear Program, the following will be constructed:

- A new 471 gpm pump station near the snowmaking pond, at the BBLDWP Sand Canyon Well site, to convey water to Sand Canyon.
- A new 8-inch pipeline that will discharge into Sand Canyon and will be approximately 7,200 feet in length.
- Two monitoring wells for groundwater recharge at Sand Canyon, as required by the future discharge permit.
- Installation of erosion control using rip rap or similar erosion control methods, at Sand Canyon

Because few details are known at this time regarding construction of specific projects, it is assumed that construction of any Project facilities may occur simultaneously. As a conservative measure, and in order to identify the maximum daily emissions, this AQIA assumes that the Project would construct the following features simultaneously:

REPLENISH BIG BEAR COMPONENT 1: BBARWA WWTP UPGRADES

- 2 pump stations: 20 gpm and 1,520 gpm
- 1,350 LF of brine pipeline
- Total building area: 40,000 SF total on site
- Installation of 2 MW on existing BBARWA property

REPLENISH BIG BEAR COMPONENT 2: LAKE DISCHARGE PIPELINE ALIGNMENT

• 19,940 LF of pipeline



REPLENISH BIG BEAR COMPONENT 3: SHAY POND CONVEYANCE PIPELINE

6,310 LF of pipeline on unpaved area

REPLENISH BIG BEAR COMPONENT 4: EVAPORATION POND

- 57 acres of evaporation ponds
- 2 monitoring wells

REPLENISH BIG BEAR COMPONENT 5: SAND CANYON

- 1 pump station
- 2 monitoring wells
- 7,210 LF of conveyance pipeline
- Erosion control/rip rap at pipeline discharge

3.4.1 CONSTRUCTION ACTIVITIES

During construction activities associated with individual projects, emissions of VOCs, NO_X , SO_X , CO, PM_{10} , and $PM_{2.5}$ will likely be released through the burning of fossil fuel in construction equipment, grading fugitive dust, asphalt paving, and the application of architectural coatings during painting activity.

DEMOLITION

The site is currently developed with existing uses/structures and asphalt which would require demolition. Per BBARWA and the Project Team provided data, is anticipated that the following tons of demolished material would be hauled off-site. The cubic yards of export will be analyzed using the BBARWA and the Project Team provided hauling trip length of 100 miles.

Replenish Big Bear Component 1: BBARWA WWTP Upgrades, 3,000 tons of asphalt/concrete would be demolished. Additionally, up to 1,350 CY of asphalt export would be needed.

Replenish Big Bear Component 2: Lake Discharge Pipeline Alignment, it is estimated that up to 5,875 tons of asphalt/concrete would be demolished.

Replenish Big Bear Component 3: Shay Pond Conveyance Pipeline, it was estimated that up to 710 CY of asphalt/concrete export would be needed.

Replenish Big Bear Component 5: Sand Canyon, it was estimated that up to 1,500 tons of asphalt/concrete would be demolished.

GRADING ACTIVITIES

Dust is typically a major concern during grading activities. Because such emissions are not amenable to collection and discharge through a controlled source, they are called "fugitive emissions". Fugitive dust emissions rates vary as a function of many parameters (soil silt, soil moisture, wind speed, area disturbed, number of vehicles, depth of disturbance or excavation, etc.). The CalEEMod model was utilized to calculate fugitive dust emissions resulting from this phase of activity. The Project is anticipated to include soil import and export within the Project



site boundaries as a part of Project construction. Per BBARWA and the Project Team provided data, it is anticipated that the following cubic yards of export would occur. The cubic yards of export will be analyzed using BBARWA and the Project Team provided hauling trip length of 100 miles.

Replenish Big Bear Component 1: BBARWA WWTP Upgrades, it was estimated that up to 8,000 CY of export would be needed during construction of the building.

Replenish Big Bear Component 4: Evaporation Ponds, it was estimated that up to 175,000 CY of material would be hauled off-site during excavation.

Additionally, for purposes of analysis, and as a conservative measure, it is anticipated that the following cubic yards of export would occur during the pipeline installations. The cubic yards of export will be analyzed using BBARWA and the Project Team provided hauling trip length of 100 miles.

Replenish Big Bear Component 1: BBARWA WWTP Upgrades, it was estimated that up to 1,350 CY of export would be needed.

Replenish Big Bear Component 2: Lake Discharge Pipeline Alignment, it was estimated that up to 19,940 CY of export would be needed.

Replenish Big Bear Component 3: Shay Pond Conveyance Pipeline, it was estimated that up to 6,310 CY of export would be needed.

Replenish Big Bear Component 5: Sand Canyon, it was estimated that up to 7,210 CY of export would be needed.

CONSTRUCTION WORKER VEHICLE TRIPS

Construction emissions for construction worker vehicles traveling to and from the Project site, as well as vendor trips (construction materials delivered to the Project site) were estimated based on information from CalEEMod model defaults, BBARWA and the Project Team. Additionally, it should be noted that the trip lengths were adjusted using BBARWA and the Project Team provided trip length of 100 miles.

3.4.2 Construction Duration

Based on information provided by BBARWA and the Project Team, construction activities for Replenish Big Bear Component 1 is expected to occur over a 24-month period while construction activities for Project Categories 2 through 5 will occur over a 17-month period. Construction duration utilized in the analysis represents a "worst-case" analysis scenario should construction occur any time after the respective dates since emission factors for construction decrease as the analysis year increases.



TABLE 3-2: CONSTRUCTION DURATION

Construction Activity		End Date	Days
Replenish Big Bear Component 1: BBARWA WWTP Upgrades	Jan 2025	Jan 2027	515
Replenish Big Bear Component 2: Lake Discharge Pipeline Alignment	May 2025	Oct 2026	370
Replenish Big Bear Component 3: Shay Pond Conveyance Pipeline	May 2025	Oct 2026	370
Replenish Big Bear Component 4: Evaporation Pond	May 2025	Oct 2026	370
Replenish Big Bear Component 5: Sand Canyon	May 2025	Oct 2026	370

3.4.3 CONSTRUCTION EQUIPMENT

Associated equipment was based on information provided by the Project Description. Please refer to specific detailed modeling inputs/outputs contained in Appendices 3.1 through 3.5 of this AQIA. A detailed summary of construction equipment is provided on Table 3-3.

TABLE 3-3: CONSTRUCTION EQUIPMENT ASSUMPTIONS

Equipment	CalEEMod Equivalent	Amount	Hours Per Day
Replenish Big B	ear Component 1: BBARWA WV	VTP Upgrades	
Dozers	Rubber Tired Dozers	1	8
Graders	Graders	1	8
Cranes	Cranes	1	8
Backhoes	Tractors/Loaders/Backhoes	1	8
Drill Rig	Bore/Drill Rig	1	8
Cement Trucks	Off-Highway Trucks	1	8
Forklifts	Forklifts 1		4
Backhoes	Tractors/Loaders/Backhoes 1		4
Front Loaders	Crawler Tractors	Crawler Tractors 1	
Dump/Delivery Trucks	Off-Highway Trucks	2	8
Replenish Big Bear	Component 2: Lake Discharge Pi	peline Alignmen	t
Excavator	Excavator	1	8
Backhoe	Tractors/Loaders/Backhoes	1	8
Compaction Equipment	Plate Compactor	1	8
Pickup Trucks	Off-Highway Trucks 2		8
Paver	Paver 1		8
Roller	Roller 1		8
Water Truck	Off-Highway Trucks	1	8



Equipment	CalEEMod Equivalent	Amount	Hours Per Day		
Traffic Control Signage and Devices	Signal Boards	1	8		
Dump/Delivery Trucks	Off-Highway Trucks	10	8		
Backhoe	Tractors/Loaders/Backhoes	1	6		
Compactor	Plate Compactor	1	6		
Roller/Vibrator	Roller 1		6		
Pavement Cutter	Concrete/Industrial Saws	1	6		
Grinder	Concrete/Industrial Saws	1	6		
Haul Truck	Off-Highway Trucks	1	6		
Dump Truck	Off-Highway Trucks	2	6		
Water Truck	Off-Highway Trucks	1	4		
Excavator	Excavator	1	4		
Paving Machine	Pavers	Pavers 1			
Replenish Big Bea	r Component 3: Shay Pond Conv	eyance Pipeline			
Excavator	Excavator 1		8		
Backhoe	Tractors/Loaders/Backhoes	Tractors/Loaders/Backhoes 1			
Compaction Equipment	Plate Compactor	1	8		
Pickup Trucks	Off-Highway Trucks	2	8		
Roller	Roller	1	8		
Water Truck	Off-Highway Trucks	1	8		
Traffic Control Signage and Devices	Signal Boards	1	8		
Dump/Delivery Trucks	Off-Highway Trucks	10	8		
Backhoe	Tractors/Loaders/Backhoes	1	6		
Compactor	Plate Compactor	1	6		
Roller/Vibrator	Roller	1	6		
Haul Truck	Off-Highway Trucks	1	6		
Dump Truck	Off-Highway Trucks	2	6		
Water Truck	Off-Highway Trucks 1		4		
Excavator	Excavator	1	4		
Replenish Big Bear Component 4: Evaporation Pond					
Bulldozers	Rubber Tired Dozers	2	8		
Front End Loaders	Crawler Tractors	2	8		
	+		8		



Equipment	CalEEMod Equivalent	Amount	Hours Per Day
Scrapers	Scraper	7	8
Excavators	Excavator	2	8
Dump Trucks	Off-Highway Trucks	4	8
Replenis	sh Big Bear Component 5: Sand (Canyon	
Drill Rig	Bore/Drill Rig	1	8
Cranes	Cranes	1	4
Forklifts	Forklifts	1	4
Backhoes	Tractors/Loaders/Backhoes	1	4
Front Loaders	Crawler Tractors	1	4
Cement Trucks	Off-Highway Trucks	1	8
Excavator	Excavator	1	8
Backhoe	Tractors/Loaders/Backhoes	1	8
Compaction Equipment	Plate Compactor	1	8
Pickup Trucks	Off-Highway Trucks	2	8
Paver	Paver	1	8
Roller	Roller	1	8
Water Truck	Off-Highway Trucks	1	8
Traffic Control Signage and Devices	Signal Boards	1	8
Dump/Delivery Trucks	Off-Highway Trucks	10	8
Backhoe	Tractors/Loaders/Backhoes	1	6
Compactor	Plate Compactor	1	6
Roller/Vibrator	Roller	1	6
Pavement Cutter	Concrete/Industrial Saws	1	6
Grinder	Concrete/Industrial Saws	1	6
Haul Truck	Off-Highway Trucks	1	6
Dump Truck	Off-Highway Trucks	2	6
Water Truck	Off-Highway Trucks	1	4
Excavator	Excavator	1	4
Paving Machine	Pavers	1	2
Compactor	Plate Compactor	1	2

Source: Construction equipment based on information provided by BBARWA and the Project Team. It should be noted that the Haul/Dump/Delivery trucks are modeled into the Trips & VMT section of CalEEMod.



It is assumed that the construction of analyzed features would use the equipment listed in Table 3-3 simultaneously. Furthermore, the construction equipment provided in Table 3-3 represent a "worst-case" (i.e. overestimation) of actual construction equipment that may likely be used during construction activities.

3.4.4 REGIONAL CONSTRUCTION EMISSIONS SUMMARY

The estimated maximum daily construction emissions without mitigation are summarized on Table 3-4. Detailed unmitigated construction model outputs are presented in Appendices 3.1 through 3.5. Under the assumed scenarios, emissions resulting from the Project construction would exceed criteria pollutant thresholds established by the SCAQMD for emissions of NO_X .

TABLE 3-4: OVERALL CONSTRUCTION EMISSIONS SUMMARY – WITHOUT MITIGATION

Wa an			Emissions (lb	s/day)		
Year	voc	NO _x	со	SO _x	PM ₁₀	PM _{2.5}
		Summer				
Replenish Big Bear Component 1	3.82	27.47	44.30	0.08	7.30	2.95
Replenish Big Bear Component 2	1.41	28.15	27.16	0.15	9.00	2.52
Replenish Big Bear Component 3	0.92	10.79	10.24	0.06	1.95	0.73
Replenish Big Bear Component 4	25.23	77.74	92.44	0.20	7.07	2.41
Replenish Big Bear Component 5	1.73	24.18	28.67	0.11	7.46	2.16
Total	33.11	168.33	202.81	0.59	32.78	10.77
		Winter				
Replenish Big Bear Component 1	4.63	30.88	56.16	0.16	13.44	3.82
Replenish Big Bear Component 2	1.53	22.04	25.79	0.11	6.09	1.89
Replenish Big Bear Component 3	1.33	13.76	14.21	0.07	2.05	0.82
Replenish Big Bear Component 4	25.22	77.94	91.34	0.20	7.07	2.41
Replenish Big Bear Component 5	2.37	24.67	36.02	0.10	6.16	2.03
Total	35.08	169.29	223.52	0.63	34.81	10.96
Maximum Daily Emissions	35.08	169.29	223.52	0.63	34.81	10.96
SCAQMD Regional Threshold	75	100	550	150	150	55
Threshold Exceeded?	NO	YES	NO	NO	NO	NO

Source: The unmitigated CalEEMod regional construction-source emissions are presented in Appendices 3.1 through 3.5.

IMPACTS WITH MITIGATION

The estimated maximum daily construction emissions with mitigation are summarized on Table 3-5. Detailed mitigated construction model outputs are presented in Appendices 3.6 through 3.10. MM AQ-1 is recommended to reduce the severity of the impacts. After implementation of



MM AQ-1, Project construction-source emissions of NO_X would not exceed the applicable SCAQMD thresholds for any criteria pollutant. Thus, a less than significant impact would occur for Project-related construction-source emissions.

TABLE 3-5: OVERALL CONSTRUCTION EMISSIONS SUMMARY – WITH MITIGATION

Wassi			Emissions (I	bs/day)		
Year	voc	NO _x	со	so _x	PM ₁₀	PM _{2.5}
		Summer				
Replenish Big Bear Component 1	2.06	11.73	52.47	0.08	6.65	2.36
Replenish Big Bear Component 2	1.09	26.07	30.75	0.15	8.93	2.46
Replenish Big Bear Component 3	0.60	8.71	13.84	0.06	1.88	0.66
Replenish Big Bear Component 4	19.05	15.43	123.73	0.20	7.82	3.08
Replenish Big Bear Component 5	1.41	22.09	32.26	0.11	7.39	2.10
Total	24.21	84.03	253.04	0.59	32.66	10.66
		Winter				
Replenish Big Bear Component 1	2.61	25.00	68.39	0.16	13.44	3.38
Replenish Big Bear Component 2	1.05	19.20	31.16	0.11	5.99	1.80
Replenish Big Bear Component 3	0.86	10.92	19.58	0.07	1.96	0.73
Replenish Big Bear Component 4	19.05	15.62	122.63	0.20	7.82	3.08
Replenish Big Bear Component 5	1.75	20.35	42.30	0.10	6.00	1.89
Total	25.32	91.08	284.06	0.63	35.21	10.88
Maximum Daily Emissions	25.32	91.08	284.06	0.63	35.21	10.88
SCAQMD Regional Threshold	75	100	550	150	150	55
Threshold Exceeded?	NO	NO	NO	NO NO	NO	NO

Source: The mitigated CalEEMod regional construction-source emissions are presented in Appendices 3.6 through 3.10.

3.5 REGIONAL OPERATIONAL EMISSIONS

Long-term air quality impacts occur from mobile source emission generated from project-related traffic and from stationary source emissions generated from natural gas. The proposed Project primarily involves construction activity. For on-going operations, mobile emissions would be generated by the motor vehicles traveling to and from the Project sites during on-going maintenance. However, the Project would generate a nominal number of traffic trips for periodic maintenance and inspections and would not result in any substantive new long-term emissions sources. Stationary area source emissions are typically generated by the consumption of natural gas for space and water heating devices and the use of consumer products. As this Project involves the construction of monitoring wells, conveyance facilities and ancillary facilities, evaporation ponds, advanced water purification facilities, and associated improvements, heating



and consumer products would not be used. Stationary energy emissions would result from energy consumption associated with the proposed Project. However, the proposed Project may include the use of an emergency diesel generator, allowing the pump station to run on backup power in case of emergency. If a backup generator is installed, the lead agency would be required to obtain the applicable permits from SCAQMD for operation of such equipment. The SCAQMD is responsible for issuing permits for the operation of stationary sources in order to reduce air pollution, and to attain and maintain the national and California ambient air quality standards in the SCAB. The Project would not result in a cumulatively considerable net increase of any criteria pollutant for which the Project region is non-attainment. Backup generators would be used only in emergency situations and for routine testing and maintenance purposes and would not contribute a substantial amount of emissions capable of exceeding SCAQMD thresholds. As shown on Table 3-6, project operations would not exceed SCAQMD thresholds, the project would not violate an air quality standard or contribute to an existing violation. Therefore, project operations would not result in a cumulatively considerable net increase of any criteria pollutant and impacts would be less than significant.

TABLE 3-6: SUMMARY OF PEAK OPERATIONAL EMISSIONS

Source	Emissions (lbs/day)					
Source	voc	NO _x	со	SO _x	PM ₁₀	PM _{2.5}
	Summer	(Smog Seas	on)			
Area Source	1.61	0.01	1.74	0.00	0.00	0.00
Energy Source	0.01	0.20	0.17	0.00	0.02	0.02
Stationary Source	2.76	14.38	12.73	0.01	1.47	1.47
Total Maximum Daily Emissions	4.38	14.60	14.64	0.01	1.49	1.49
SCAQMD Regional Threshold	55	55	550	150	150	55
Threshold Exceeded?	NO	NO	NO	NO	NO	NO
		Winter				
Area Source	1.33	0.00	0.00	0.00	0.00	0.00
Energy Source	0.01	0.20	0.17	0.00	0.02	0.02
Stationary Source	2.76	14.38	12.73	0.01	1.47	1.47
Total Maximum Daily Emissions	4.10	14.58	12.90	0.01	1.49	1.49
SCAQMD Regional Threshold	55	55	550	150	150	55
Threshold Exceeded?	NO	NO	NO	NO	NO	NO

3.6 LOCALIZED SIGNIFICANCE

BACKGROUND ON LST DEVELOPMENT

The analysis makes use of methodology included in the SCAQMD *Final Localized Significance Threshold Methodology* (LST Methodology). The SCAQMD has established that impacts to air



quality are significant if there is a potential to contribute or cause localized exceedances of the federal and/or state ambient air quality standards (NAAQS/CAAQS). Collectively, these are referred to as Localized Significance Thresholds (LSTs).

The SCAQMD established LSTs in response to the SCAQMD Governing Board's Environmental Justice Initiative I-4². LSTs represent the maximum emissions from a project that would not cause or contribute to an exceedance of the most stringent applicable federal or state ambient air quality standard at the nearest residence or sensitive receptor. The SCAQMD states that lead agencies can use the LSTs as another indicator of significance in its air quality impact analyses.

LSTs were developed in response to environmental justice and health concerns raised by the public regarding exposure of individuals to criteria pollutants in local communities. To address the issue of localized significance, the SCAQMD adopted LSTs that show whether a project would cause or contribute to localized air quality impacts and thereby cause or contribute to potential localized adverse health effects. The analysis makes use of methodology included in the *LST Methodology* (21).

APPLICABILITY OF LSTS FOR THE PROJECT

For this Project, the appropriate SRA for the LST analysis is the SCAQMD East San Bernardino Mountains (SRA 38). LSTs apply to CO, NO₂, PM₁₀, and PM_{2.5}. The SCAQMD produced look-up tables for projects less than or equal to 5 acres in size.

In order to determine the appropriate methodology for determining localized impacts that could occur as a result of Project-related construction, the following process is undertaken:

- Identify the maximum daily on-site emissions that would occur during construction activity:
 - The maximum daily on-site emissions could be based on information provided by the Project Applicant; or
 - The SCAQMD's Fact Sheet for Applying CalEEMod to Localized Significance Thresholds and CalEEMod User's Guide Appendix A: Calculation Details for CalEEMod can be used to determine the maximum site acreage that is actively disturbed based on the construction equipment fleet and equipment hours as estimated in CalEEMod (22) (23).
- If the total acreage disturbed is less than or equal to 5 acres per day, then the SCAQMD's screening
 look-up tables are utilized to determine if a Project has the potential to result in a significant
 impact. The look-up tables establish a maximum daily emissions threshold in lbs/day that can be
 compared to CalEEMod outputs.
- If the total acreage disturbed is greater than 5 acres per day, then LST impacts may still be conservatively evaluated using the LST look-up tables for a 5-acre disturbance area. Use of the 5-acre disturbance area thresholds can be used to show that even if the daily emissions from all construction activity were emitted within a 5-acre area, and therefore concentrated over a

² The purpose of SCAQMD's Environmental Justice program is to ensure that everyone has the right to equal protection from air pollution and fair access to the decision-making process that works to improve the quality of air within their communities. Further, the SCAQMD defines Environmental Justice as "...equitable environmental policymaking and enforcement to protect the health of all residents, regardless of age, culture, ethnicity, gender, race, socioeconomic status, or geographic location, from the health effects of air pollution."



15309-04 AQ Report

- smaller area which would result in greater site adjacent concentrations, the impacts would still be less than significant if the applicable 5-acre thresholds are utilized.
- The LST Methodology presents mass emission rates for each SRA, project sizes of 1, 2, and 5 acres, and nearest receptor distances of 25, 50, 100, 200, and 500 meters. For project sizes between the values given, or with receptors at distances between the given receptors, the methodology uses linear interpolation to determine the thresholds.

EMISSIONS CONSIDERED

Based on SCAQMD's LST Methodology, emissions for concern during construction activities are on-site NO_X, CO, PM_{2.5}, and PM₁₀. The LST Methodology clearly states that "off-site mobile emissions from the Project should not be included in the emissions compared to LSTs (24)." As such, for purposes of the construction LST analysis, only emissions included in the CalEEMod "onsite" emissions outputs were considered.

MAXIMUM DAILY DISTURBED-ACREAGE

Based on information provided, it was assumed that 2 acres would be disturbed per day for all Project Categories. This is conservative as the construction impacts are assessed against a smaller acreage threshold which would represent a more conservative assessment.

RECEPTORS

As previously stated, LSTs represent the maximum emissions from a project that would not cause or contribute to an exceedance of the most stringent applicable NAAQS and CAAQS at the nearest residence or sensitive receptor. Receptor locations are off-site locations where individuals may be exposed to emissions from Project activities.

Some people are especially sensitive to air pollution and are given special consideration when evaluating air quality impacts from projects. These groups of people include children, the elderly, and individuals with pre-existing respiratory or cardiovascular illness. Structures that house these persons or places where they gather are defined as "sensitive receptors". These structures typically include uses such as residences, hotels, and hospitals where an individual can remain for 24 hours. Consistent with the LST Methodology, the nearest land use where an individual could remain for 24 hours to the Project site has been used to determine construction and operational air quality impacts for emissions of PM₁₀ and PM_{2.5}, since PM₁₀ and PM_{2.5} thresholds are based on a 24-hour averaging time.

LSTs apply, even for non-sensitive land uses, consistent with *LST Methodology* and SCAQMD guidance. Per the *LST Methodology*, commercial and industrial facilities are not included in the definition of sensitive receptor because employees and patrons do not typically remain onsite for a full 24 hours but are typically onsite for 8 hours or less. However, *LST Methodology* explicitly states that "*LSTs based on shorter averaging periods, such as the NO2 and CO LSTs, could also be applied to receptors such as industrial or commercial facilities since it is reasonable to assume that a worker at these sites could be present for periods of one to eight hours (24)." Therefore, any adjacent land use where an individual could remain for 1 or 8-hours, that is located at a closer distance to the Project site than the receptor used for PM₁₀ and PM_{2.5} analysis, must be*



considered to determine construction and operational LST air impacts for emissions of NO₂ and CO since these pollutants have an averaging time of 1 and 8-hours.

PROJECT-RELATED RECEPTORS

The SCAQMD recommends that the nearest sensitive receptor be considered when determining the Project's potential to cause an individual and cumulatively significant impact. As a conservative measure it is assumed that the nearest sensitive receptor could potentially be located immediately adjacent to construction activities. It should be noted that the LST Methodology also explicitly states that "It is possible that a project may have receptors closer than 25 meters. Projects with boundaries located closer than 25 meters to the nearest receptor should use the LSTs for receptors located at 25 meters (25)." Consistent with the SCAQMD's LST Methodology, a 25-meter receptor distance is utilized in this analysis and provide for a conservative i.e. "health protective" standard of care.

3.7 LOCALIZED CONSTRUCTION-SOURCE EMISSIONS

3.7.1 LOCALIZED THRESHOLDS FOR CONSTRUCTION ACTIVITY

Since the total acreage disturbed is less than five acres per day for construction activities, the SCAQMD's screening look-up tables are utilized in determining impacts. It should be noted that since the look-up tables identifies thresholds at only 1 acre, 2 acres, and 5 acres, linear regression has been utilized to determine localized significance thresholds. Consistent with SCAQMD guidance, the thresholds presented in Table 3-7 were calculated by interpolating the threshold values for the Project's disturbed acreage.

TABLE 3-7: MAXIMUM DAILY LOCALIZED EMISSIONS THRESHOLDS

Pollutant	Construction Localized Thresholds			
All Project Categories				
NO _X	170 lbs/day			
СО	1,174 lbs/day			
PM ₁₀	7 lbs/day			
PM _{2.5}	5 lbs/day			

Source: Localized Thresholds presented in this table are based on the SCAQMD Final Localized Significance Threshold Methodology, July 2008

3.7.2 CONSTRUCTION-SOURCE LOCALIZED EMISSIONS

IMPACTS WITHOUT MITIGATION

Table 3-8 identifies the localized impacts at the nearest receptor location in the vicinity of the Project. Without mitigation, localized construction emissions would exceed the applicable SCAQMD LSTs for emissions of PM_{10} during Replenish Big Bear Component 3. Outputs from the model runs for construction LSTs are provided in Appendix 3.1 through 3.5.



TABLE 3-8: LOCALIZED SIGNIFICANCE SUMMARY OF CONSTRUCTION – WITHOUT MITIGATION

On-Site Construction Emissions		Emissions	s (lbs/day)	
On-Site Construction Emissions	NO _X	со	PM ₁₀	PM _{2.5}
Replenish Big B	ear Component 1	•		
Maximum Daily Emissions	24.02	23.88	3.24	1.88
SCAQMD Localized Threshold	170	1,174	7	5
Threshold Exceeded?	NO	NO	NO	NO
Replenish Big B	ear Component 2			
Maximum Daily Emissions	4.92	6.11	1.68	0.30
SCAQMD Localized Threshold	170	1,174	7	5
Threshold Exceeded?	NO	NO	NO	NO
Replenish Big B	ear Component 3			
Maximum Daily Emissions	5.81	7.09	0.22	0.20
SCAQMD Localized Threshold	170	1,174	7	5
Threshold Exceeded?	NO	NO	NO	NO
Replenish Big B	ear Component 4			
Maximum Daily Emissions	73.58	86.55	8.53	4.85
SCAQMD Localized Threshold	170	1,174	7	5
Threshold Exceeded?	NO	NO	YES	NO
Replenish Big B	ear Component 5	•	•	•
Maximum Daily Emissions	8.12	9.44	1.68	0.35
SCAQMD Localized Threshold	170	1,174	7	5
Threshold Exceeded?	NO	NO	NO	NO

Source: CalEEMod unmitigated localized construction-source emissions are presented in Appendix 3.1 through 3.5.

IMPACTS WITH MITIGATION

Table 3-9 identifies mitigated localized impacts at the receptors nearest the Project site. After implementation of mitigation measure (MM AQ-1), construction-source emissions would not exceed the applicable SCAQMD LSTs thresholds and would be less-than-significant. Outputs from the model runs for mitigated localized construction-source emissions are provided in Appendix 3.6 through 3.10.



TABLE 3-9: LOCALIZED SIGNIFICANCE SUMMARY OF CONSTRUCTION – WITH MITIGATION

On-Site Construction Emissions		Emissions	(lbs/day)	
On-Site Construction Emissions	NO _x	со	PM ₁₀	PM _{2.5}
Replenish Big Be	ear Component 1			
Maximum Daily Emissions	8.28	32.04	3.24	1.29
SCAQMD Localized Threshold	170	1,174	7	5
Threshold Exceeded?	NO	NO	NO	NO
Replenish Big Be	ear Component 2	2		
Maximum Daily Emissions	2.84	9.69	1.88	0.33
SCAQMD Localized Threshold	170	1,174	7	5
Threshold Exceeded?	NO	NO	NO	NO
Replenish Big Be	ear Component 3	3		
Maximum Daily Emissions	3.73	10.68	0.14	0.13
SCAQMD Localized Threshold	170	1,174	7	5
Threshold Exceeded?	NO	NO	NO	NO
Replenish Big Be	ear Component 4	ļ		
Maximum Daily Emissions	11.26	117.83	6.04	2.58
SCAQMD Localized Threshold	170	1,174	7	5
Threshold Exceeded?	NO	NO	NO	NO
Replenish Big Be	ear Component 5		•	•
Maximum Daily Emissions	6.04	13.03	1.68	0.30
SCAQMD Localized Threshold	170	1,174	7	5
Threshold Exceeded?	NO	NO	NO	NO

Source: CalEEMod mitigated localized construction-source emissions are presented in Appendix 3.6 through 3.10.

3.8 LOCALIZED OPERATIONAL-SOURCE EMISSIONS

According to SCAQMD localized significance threshold methodology, LSTs would apply to the operational phase of a proposed project if the project includes stationary sources or attracts mobile sources that may spend extended periods queuing and idling at the site (e.g., warehouse or transfer facilities). As previously discussed, the Project would generate a nominal number of traffic trips in the context of on-going maintenance resulting in a negligible amount of new mobile source emissions. Additionally, all pumps associated with the Project are assumed to be electrically powered and would not directly generate air emissions. However, the proposed Project may include the use of an emergency diesel generators, allowing pump stations to run on backup power in case of emergency. If backup generator would be installed, the lead agency would be required to obtain the applicable permits from SCAQMD for operation of such equipment. The SCAQMD is responsible for issuing permits for the operation of stationary



sources in order to reduce air pollution, and to attain and maintain the national and California ambient air quality standards in the SCAB. Upon compliance with SCAQMD permitting procedures, localized emissions from any potential diesel generator would not result in substantial pollutant concentrations capable of exceeding operational LST thresholds. Therefore, the Project would not expose sensitive receptors to substantial pollutant concentrations and impacts would be less than significant.

3.9 CO "HOT SPOT" ANALYSIS

As discussed below, the Project would not result in potentially adverse CO concentrations or "hot spots." An adverse CO concentration, known as a "hot spot", would occur if an exceedance of the state one-hour standard of 20 ppm or the eight-hour standard of 9 ppm were to occur.

It has long been recognized that CO hotspots are caused by vehicular emissions, primarily when idling at congested intersections. In response, vehicle emissions standards have become increasingly stringent in the last twenty years. Currently, the allowable CO emissions standard in California is a maximum of 3.4 grams/mile for passenger cars (there are requirements for certain vehicles that are more stringent). With the turnover of older vehicles, introduction of cleaner fuels, and implementation of increasingly sophisticated and efficient emissions control technologies, CO concentration in the SCAB is now designated as attainment.

To establish a more accurate record of baseline CO concentrations affecting the SCAB, a CO "hot spot" analysis was conducted in 2003 for four busy intersections in Los Angeles at the peak morning and afternoon time periods³. This "hot spot" analysis did not predict any exceedance e of the 1-hour (20.0 ppm) or 8-hour (9.0 ppm) CO standards, as shown on Table 3-10.

TABLE 3-10: CO MODEL RESULTS

Intersection Location	CO Concentrations (ppm)					
intersection Location	Morning 1-hour	Afternoon 1-hour	8-hour			
Wilshire Boulevard/Veteran Avenue	4.6	3.5	3.7			
Sunset Boulevard/Highland Avenue	4	4.5	3.5			
La Cienega Boulevard/Century Boulevard	3.7	3.1	5.2			
Long Beach Boulevard/Imperial Highway	3	3.1	8.4			

Source: 2003 AQMP, Appendix V: Modeling and Attainment Demonstrations

Notes: Federal 1-hour standard is 35 ppm and the deferral 8-hour standard is 9.0 ppm.

Based on the SCAQMD's 2003 AQMP and the 1992 Federal Attainment Plan for Carbon Monoxide (1992 CO Plan), peak carbon monoxide concentrations in the SCAB were a result of unusual meteorological and topographical conditions and not a result of traffic volumes and congestion at a particular intersection. As evidence of this, for example, of the 8.4 ppm 8-hr CO concentration measured at the Long Beach Blvd. and Imperial Hwy. intersection (i.e., the highest CO generating intersection within the "hot spot" analysis), only 0.7 ppm was attributable to the



³ The CO "hot spot" analysis conducted in 2003 is the most current study used for CO "hot spot" analysis in the SCAB.

traffic volumes and congestion at this intersection; the remaining 7.7 ppm were due to the ambient air measurements at the time the 2003 AQMP was prepared (26). In contrast, an adverse CO concentration, known as a "hot spot", would occur if an exceedance of the state one-hour standard of 20 parts per million (ppm) or the eight-hour standard of 9 ppm were to occur.

The ambient 1-hr and 8-hr CO concentration within the Project study area is estimated to be 2.0 ppm and 1.6 ppm, respectively (data from East San Bernardino Mountains monitoring station for 2021). Therefore, even if the traffic volumes for the proposed Project were ten times the traffic volumes generated at the Long Beach Blvd. and Imperial Hwy. intersection, due to the on-going improvements in ambient air quality and vehicular emissions controls, the Project would not be capable of resulting in a CO "hot spot" at any study area intersections. As noted above, only 0.7 ppm were attributable to the traffic volumes and congestion at one of the busiest intersections in the SCAB. Therefore if these traffic volumes were multiplied by ten times, it could be expected that the CO attributable to traffic would increase tenfold as well, resulting in 7 ppm — even if this were added to either the 1-hour or 8-hour CO concentrations within the Project study area, this would result in 9.0 ppm and 8.6 ppm for the 1-hr and 8-hr timeframes, respectively. Neither of which would exceed the applicable 1-hr standard of 20 ppm or the 8-hr standard of 9 ppm.

Similar considerations are also employed by other Air Districts when evaluating potential CO concentration impacts. More specifically, the Bay Area Air Quality Management District (BAAQMD) concludes that under existing and future vehicle emission rates, a given project would have to increase traffic volumes at a single intersection by more than 44,000 vehicles per hour (vph)—or 24,000 vph where vertical and/or horizontal air does not mix—in order to generate a significant CO impact (27). Traffic volumes generating the CO concentrations for the "hot spot" analysis is shown on Table 3-11. The busiest intersection evaluated was that at Wilshire Boulevard and Veteran Avenue, which had AM/PM traffic volumes of 8,062 vph and 7,719 vph respectively (26).

At buildout of the Project, the highest daily traffic volumes generated at the roadways within the vicinity of the Project are expected to generate less than the highest daily traffic volumes generated at the busiest intersection in the CO "hot spot" analysis. As such, the Project would not likely exceed the most stringent 1-hour CO standard.

TABLE 3-11: TRAFFIC VOLUMES

	Peak Traffic Volumes (vph)					
Intersection Location	Eastbound (AM/PM)	Westbound (AM/PM)	Southbound (AM/PM)	Northbound (AM/PM)	Total (AM/PM)	
Wilshire Boulevard/Veteran Avenue	4,954/2,069	1,830/3,317	721/1,400	560/933	8,062/7,719	
Sunset Boulevard/Highland Avenue	1,417/1,764	1,342/1,540	2,304/1,832	1,551/2,238	6,614/5,374	
La Cienega Boulevard/Century Boulevard	2,540/2,243	1,890/2,728	1,384/2,029	821/1,674	6,634/8,674	
Long Beach Boulevard/Imperial Highway	1,217/2,020	1,760/1,400	479/944	756/1,150	4,212/5,514	

Source: 2003 AQMP



3.10 AIR QUALITY MANAGEMENT PLANNING

The Project site is located within the SCAB, which is characterized by relatively poor air quality. The SCAQMD has jurisdiction over an approximately 10,743 square-mile area consisting of the four-county Basin and the Los Angeles County and Riverside County portions of what use to be referred to as the Southeast Desert Air Basin. In these areas, the SCAQMD is principally responsible for air pollution control, and works directly with the Southern California Association of Governments (SCAG), county transportation commissions, local governments, as well as state and federal agencies to reduce emissions from stationary, mobile, and indirect sources to meet state and federal ambient air quality standards.

Currently, these state and federal air quality standards are exceeded in most parts of the SCAB. In response, the SCAQMD has adopted a series of AQMPs to meet the state and federal ambient air quality standards. AQMPs are updated regularly in order to more effectively reduce emissions, accommodate growth, and to minimize any negative fiscal impacts of air pollution control on the economy.

In December 2022, the SCAQMD released the *Final 2022 AQMP* (2022 AQMP). The 2022 AQMP continues to evaluate current integrated strategies and control measures to meet the CAAQS, as well as explore new and innovative methods to reach its goals. Some of these approaches include utilizing incentive programs, recognizing existing co-benefit programs from other sectors, and developing a strategy with fair-share reductions at the federal, state, and local levels (28). Similar to the 2016 AQMP, the 2022 AQMP incorporates scientific and technological information and planning assumptions, including the 2020-2045 RTP/SCS, a planning document that supports the integration of land use and transportation to help the region meet the federal CAA requirements (29). The Project's consistency with the AQMP will be determined using the 2022 AQMP as discussed below.

Criteria for determining consistency with the AQMP are defined in Chapter 12, Section 12.2 and Section 12.3 of the SCAQMD's CEQA Air Quality Handbook (1993) (30). These indicators are discussed below:

3.10.1 Consistency Criterion No. 1

The proposed Project will not result in an increase in the frequency or severity of existing air quality violations or cause or contribute to new violations or delay the timely attainment of air quality standards or the interim emissions reductions specified in the AQMP.

The violations that Consistency Criterion No. 1 refers to are the CAAQS and NAAQS. CAAQS and NAAQS violations would occur if regional or localized significance thresholds were exceeded.

Construction Impacts - Consistency Criterion 1

The violations that Consistency Criterion No. 1 refers to are the CAAQS and NAAQS. CAAQS and NAAQS violations would occur if localized or regional significance thresholds were exceeded. The Project would not exceed the applicable LST thresholds or regional significance thresholds for



construction activity after implementation of applicable mitigation measures. Therefore, the Project would not conflict with the AQMP according to this criterion.

Operational Impacts – Consistency Criterion 1

As evaluated, the Project's localized and regional operation-source emissions would not exceed applicable regional significance threshold and LST thresholds. As such, a less than significant impact is expected.

On the basis of the preceding discussion, the Project would not conflict with the AQMP according to this criterion.

3.10.2 Consistency Criterion No. 2

The Project will not exceed the assumptions in the AQMP based on the years of Project buildout phase.

The 2022 AQMP demonstrates that the applicable ambient air quality standards can be achieved within the timeframes required under federal law. Growth projections from local general plans adopted by counties in the district are provided to the SCAG, which develops regional growth forecasts, which are then used to develop future air quality forecasts for the AQMP. Development consistent with the growth projections of the Big Bear Area Regional Wastewater Agency is considered to be consistent with the AQMP.

Construction Impacts – Consistency Criterion 2

Peak day emissions generated by construction activities are largely independent of land use assignments, but rather are a function of development scope and maximum area of disturbance. Irrespective of the site's land use designation, development of the site to its maximum potential would likely occur, with disturbance of the entire site occurring during construction activities. As such, when considering that no emissions thresholds will be exceeded, a less than significant impact would result.

Operational Impacts – Consistency Criterion 2

Since the Project's proposed land uses are consistent with the Big Bear Area Regional Wastewater Agency and as the Project's construction and operational-source air pollutant emissions would not exceed the regional or localized significance thresholds, the Project is determined to be consistent with the second criterion.

On the basis of the preceding discussion, the Project is determined to be consistent with the second criterion.

AQMP CONSISTENCY CONCLUSION

The Project would not result in or cause NAAQS or CAAQS violations. The Project proposes to construct but rather involves pump station, well construction, monitoring and associated improvements. The Project is therefore considered to be consistent with the AQMP.



3.11 POTENTIAL IMPACTS TO SENSITIVE RECEPTORS

The potential impact of Project-generated air pollutant emissions at sensitive receptors has also been considered. Sensitive receptors can include uses such as long-term health care facilities, rehabilitation centers, and retirement homes. Residences, schools, playgrounds, childcare centers, and athletic facilities can also be considered as sensitive receptors.

Results of the LST analysis indicate that, the Project would not exceed the SCAQMD localized significance thresholds during construction. Therefore, sensitive receptors would not be exposed to substantial pollutant concentrations during Project construction.

Results of the LST analysis indicate that the Project would not exceed the SCAQMD localized significance thresholds during operational activity. Further Project traffic would not create or result in a CO "hotspot." Therefore, sensitive receptors would not be exposed to substantial pollutant concentrations as the result of Project construction.

3.12 ODORS

The potential for the Project to generate objectionable odors has also been considered. Land uses generally associated with odor complaints include:

- Agricultural uses (livestock and farming)
- Wastewater treatment plants
- Food processing plants
- Chemical plants
- Composting operations
- Refineries
- Landfills
- Dairies
- Fiberglass molding facilities

The Project contains a land use associated with emitting objectionable odors. Potential odor sources associated with the proposed Project may result from construction equipment exhaust during construction activities and the temporary storage of typical solid waste (refuse) associated with the proposed Project's uses. Standard construction requirements would minimize odor impacts from construction. The construction odor emissions would be temporary, short-term, and intermittent in nature and would cease upon completion of the respective phase of construction and is thus considered less than significant.

The Project could potentially emit odors from the evaporation ponds that may result in an odor complaint. However, based on a review of similar solar evaporations pond operations handling brine, odor does not appear to be an issue with operations of this type. BBARWA will maintain the brine evaporation ponds by periodically removing the salt crystals and hauling the precipitated crystal to the local landfill. This is anticipated to prevent odors from accumulating at the solar evaporation ponds and migrating to nearby sensitive receptors. Furthermore, given the



location proposed for installation of the brine evaporation ponds at a 0.25 mile distance from the nearest sensitive receptor (residents, hospitals, senior living, churches, schools, etc.) any odors generated by the brine evaporation ponds are anticipated to dissipate at the nearest sensitive receptor. Furthermore, the operations of the BBARWA WWTP involve a greater potential for odors to travel, and odor nuisance has not been a reported issue in the Community as a result of BBARWA operations. Thus, there has been no indication that odor traveling to sensitive receptors will result from operation of the brine ponds, but mitigation has been identified that would require odor observation for the first year of the Program, with an odor response component in the event that odors are observed by nearby sensitive receptors. Additionally, it is expected that Project-generated refuse would be stored in covered containers and removed at regular intervals in compliance with the lead agency's solid waste regulations. The Project would be required to comply with SCAQMD Rule 402 to prevent occurrences of public nuisances. Therefore, odors associated with the proposed Project construction and operations would be less than significant and no mitigation is required (31).

3.13 CUMULATIVE IMPACTS

As previously shown in Table 2-3, the CAAQS designate the Project site as nonattainment for O_3 PM₁₀, and PM_{2.5} while the NAAQS designates the Project site as nonattainment for O_3 and PM_{2.5}.

The AQMD has published a report on how to address cumulative impacts from air pollution: White Paper on Potential Control Strategies to Address Cumulative Impacts from Air Pollution (32). In this report the AQMD clearly states (Page D-3):

"...the AQMD uses the same significance thresholds for project specific and cumulative impacts for all environmental topics analyzed in an Environmental Assessment or Environmental Impact Report (EIR). The only case where the significance thresholds for project specific and cumulative impacts differ is the Hazard Index (HI) significance threshold for TAC emissions. The project specific (project increment) significance threshold is HI > 1.0 while the cumulative (facilitywide) is HI > 3.0. It should be noted that the HI is only one of three TAC emission significance thresholds considered (when applicable) in a CEQA analysis. The other two are the maximum individual cancer risk (MICR) and the cancer burden, both of which use the same significance thresholds (MICR of 10 in 1 million and cancer burden of 0.5) for project specific and cumulative impacts.

Projects that exceed the project-specific significance thresholds are considered by the SCAQMD to be cumulatively considerable. This is the reason project-specific and cumulative significance thresholds are the same. Conversely, projects that do not exceed the project-specific thresholds are generally not considered to be cumulatively significant."`

Therefore, this analysis assumes that individual projects that do not generate operational or construction emissions that exceed the SCAQMD's recommended daily thresholds for project-specific impacts would also not cause a cumulatively considerable increase in emissions for those



pollutants for which the Basin is in nonattainment, and, therefore, would not be considered to have a significant, adverse air quality impact. Alternatively, individual project-related construction and operational emissions that exceed SCAQMD thresholds for project-specific impacts would be considered cumulatively considerable.

CONSTRUCTION IMPACTS

The Project-specific evaluation of emissions presented in the preceding analysis demonstrates that Project construction-source air pollutant emissions would not result in exceedances of regional thresholds after implementation of MM AQ-1 and MM AQ-2. Therefore, Project construction-source emissions would be considered less than significant on a project-specific and cumulative basis.

OPERATIONAL IMPACTS

The Project-specific evaluation of emissions presented in the preceding analysis demonstrates that proposed Project operation-source air pollutant emissions would not result in exceedances of regional thresholds. Therefore, proposed Project operation-source emissions would be considered less than significant on a project-specific and cumulative basis.



This page intentionally left blank



4 REFERENCES

- 1. **State of California.** *2023 CEQA California Environmental Quality Act.* 2023.
- 2. **South Coast Air Quality Management District.** Southern California Air Basins. [Online] https://www.arb.ca.gov/msprog/onroad/porttruck/maps/scabc7map.pdf.
- 3. —. Guidance Document for Addressing Air Quality Issues in General Plans and Local Planning. 2005.
- 4. **St. Croix Sensory, Inc.** The "Gray Line" Between Odor Nuisance and Health Effects. 2000.
- 5. **California Air Resources Board.** Ambient Air Quality Standards (AAQS). [Online] 2016. http://www.arb.ca.gov/research/aaqs/aaqs2.pdf.
- 6. **United State Environmental Protection Agency.** Frequent Questions about General Conformity . *EPA*. [Online] https://www.epa.gov/general-conformity/frequent-questions-about-general-conformity#8.
- 7. **South Coast Air Quality Management District.** Annual Air Quality Monitoring Network Plan. [Online] July 2018. http://www.aqmd.gov/docs/default-source/clean-air-plans/air-quality-monitoring-network-plan/annual-air-quality-monitoring-network-plan-v2.pdf?sfvrsn=2.
- 8. **Air Resources Board.** State and National Ambient Air Quality Standards. [Online] https://ww2.arb.ca.gov/sites/default/files/barcu/regact/2022/sad2022/appc.pdf.
- South Coast Air Quality Management District. Map of Monitoring Areas. [Online] http://www.aqmd.gov/docs/default-source/default-document-library/map-of-monitoring-areas.pdf.
- 10. **District, South Coast Air Quality Management.** Air Quality Data Tables. [Online] https://www.aqmd.gov/home/air-quality/air-quality-data-studies/historical-data-by-year.
- 11. **Environmental Protection Agency.** National Ambient Air Quality Standards (NAAQS). [Online] 1990. https://www.epa.gov/environmental-topics/air-topics.
- 12. —. Air Pollution and the Clean Air Act. [Online] http://www.epa.gov/air/caa/.
- 13. **United States Environmental Protection Agency.** 1990 Clean Air Act Amendment Summary: Title I. [Online] https://www.epa.gov/clean-air-act-overview/1990-clean-air-act-amendment-summary-title-i.
- 14. —. 1990 Clean Air Act Amendment Summary: Title II. [Online] https://www.epa.gov/clean-air-act-overview/1990-clean-air-act-amendment-summary-title-ii.
- 15. **Air Resources Board.** California Ambient Air Quality Standards (CAAQS). [Online] 2009. [Cited: April 16, 2018.] http://www.arb.ca.gov/research/aaqs/caaqs/caaqs.htm.
- 16. California Energy Commission. Energy Commission Adopts Updated Building Standards to Improve Efficiency, Reduce Emissions from Homes and Businesses. [Online] August 11, 2021. https://www.energy.ca.gov/news/2021-08/energy-commission-adopts-updated-building-standards-improve-efficiency-reduce-0.
- 17. **California Department of General Services.** 2022 CALGreen Code. *CALGreen.* [Online] https://codes.iccsafe.org/content/CAGBC2022P1.
- 18. **Southern California Association of Governments.** 2016-2040 Regional Transportation Plan/Sustainable Communities Strategy. [Online] April 2016. http://scagrtpscs.net/Documents/2016/final/f2016RTPSCS.pdf.



- 19. **South Coast Air Quality Management District (SCAQMD).** SCAQMD Air Quality Significance Thresholds. [Online] http://www.aqmd.gov/docs/default-source/ceqa/handbook/scaqmd-air-quality-significance-thresholds.pdf?sfvrsn=2.
- 20. **California Air Pollution Control Officers Association (CAPCOA).** California Emissions Estimator Model (CalEEMod). [Online] May 2023. www.caleemod.com.
- 21. **Lake Environmental.** US EPA Models. *Lake Environmental.* [Online] http://www.weblakes.com/download/us_epa.html.
- 22. **South Coast Air Quality Management District.** Fact Sheet for Applying CalEEMod to Localized Significance Thresholds. [Online] http://www.aqmd.gov/docs/default-source/ceqa/handbook/localized-significance-thresholds/caleemod-guidance.pdf.
- 23. California Air Pollution Control Officers Association (CAPCOA). Appendix C: Emission Calculation Details for CalEEMod. [Online] May 2022. https://www.caleemod.com/documents/userguide/04_Appendix%20C.pdf.
- 24. **South Coast Air Quality Management District.** *Localized Significance Thresholds Methodology.* s.l. : South Coast Air Quality Management District, 2008.
- 25. . Localized Significance Thresholds Methodology. s.l. : South Coast Air Quality Managment District, 2003.
- 26. —. 2003 Air Quality Management Plan. [Online] 2003. https://www.aqmd.gov/home/air-quality/clean-air-plans/air-quality-mgt-plan/2003-aqmp.
- 27. Bay Area Air Quality Management District. [Online] http://www.baaqmd.gov/.
- 28. **South Coast Air Quality Management District.** Final 2016 Air Quality Management Plan (AQMP). [Online] March 2017. http://www.aqmd.gov/docs/default-source/clean-air-plans/air-quality-management-plan/final-2016-aqmp/final2016aqmp.pdf?sfvrsn=11.
- 29. **Southern California Association of Governments.** 2020-2045 Regional Transportation Plan/Sustainable Communities Strategy. [Online] September 2020. https://scag.ca.gov/sites/main/files/file-attachments/0903fconnectsocal-plan_0.pdf?1606001176.
- 30. South coast Air Quality Management District. CEQA Air Quality Handbook (1993). 1993.
- 31. **South Coast Air Quality Management District.** RULE 402 NUISANCE. [Online] http://www.aqmd.gov/docs/default-source/rule-book/rule-iv/rule-402.pdf.
- 32. **Goss, Tracy A and Kroeger, Amy.** White Paper on Potential Control Strategies to Address Cumulative Impacts from Air Pollution. [Online] South Coast Air Quality Management District, 2003. http://www.aqmd.gov/rules/ciwg/final_white_paper.pdf.



This page intentionally left blank



5 CERTIFICATIONS

The contents of this air study report represent an accurate depiction of the environmental impacts associated with the proposed Replenish Big Bear Program. The information contained in this air quality impact assessment report is based on the best available data at the time of preparation. If you have any questions, please contact me directly at hourshi@urbanxroads.com

Haseeb Qureshi
Principal
URBAN CROSSROADS, INC.
hqureshi@urbanxroads.com

EDUCATION

Master of Science in Environmental Studies California State University, Fullerton • May 2010

Bachelor of Arts in Environmental Analysis and Design University of California, Irvine • June 2006

PROFESSIONAL AFFILIATIONS

AEP – Association of Environmental Planners AWMA – Air and Waste Management Association ASTM – American Society for Testing and Materials

PROFESSIONAL CERTIFICATIONS

Environmental Site Assessment – American Society for Testing and Materials • June 2013 Planned Communities and Urban Infill – Urban Land Institute • June 2011 Indoor Air Quality and Industrial Hygiene – EMSL Analytical • April 2008 Principles of Ambient Air Monitoring – California Air Resources Board • August 2007 AB2588 Regulatory Standards – Trinity Consultants • November 2006 Air Dispersion Modeling – Lakes Environmental • June 2006



This page intentionally left blank



APPENDIX 2.1:

STATE/FEDERAL ATTAINMENT STATUS OF CRITERIA POLLUTANTS



Appendix C Maps and Tables of Area Designations for State and National Ambient Air Quality Standards

Appendix C Maps and Tables of Area Designations for State and National Ambient Air Quality Standards

This attachment fulfills the requirement of Health and Safety Code section 40718 for CARB to publish maps that identify areas where one or more violations of any State ambient air quality standard (State standard) or national ambient air quality standard (national standard) have been measured. The national standards are those promulgated under section 109 of the federal Clean Air Act (42 U.S.C. § 7409).

This attachment is divided into three parts. The first part comprises a table showing the levels, averaging times, and measurement methods for each of the State and national standards. This is followed by a section containing maps and tables showing the area designations for each pollutant for which there is a State standard in the California Code of Regulations, title 17, section 70200. The last section contains maps and tables showing the most current area designations for the national standards.

Politon	Averaging Time	Colliniale Steadards *		Redonal Standards			
		Concentration *	Method*	Palmany *	Secondary "	Method	
Czone (U.)	1 (50) 8 d or	0.09 ppm (190 pg/m) 0.170 ppm (197 pg/m)	(Ilmy of the presence by	- 0 170 gra(187 gg/m)	Some dia Primery Standard	Limitalist Photomesy	
Respirable Particulate Retire (1988)	24 Boar Anstel Arthroctic Mean	50 sqtar 70 pg/w	Daminship or Robe Allowalite	150 police	Same por Primary Standard	hedial Separation and Germanical Analysis	
Fine Particulate Motter (FM2.5)	241 our Annual Amminede Hear	15 pg/m	Organization or Bella Alternation	is paim Proporti	Same as Primary Shadord 15 pp. 1	heta Jesarator ard Gaurnalis 482/56	
Carbon Monoxida (CO)	1 None	20 pgm (2) ag/m) a 0 pgm (10 ag/m)	Son-Especialic Intered Protectiy (STS)	35 pp.m (40 mg/m) 3 pp.m (40 mg/m)	-	See-Objective Intrace Perhand	
	6 Sour (Lake Taken)	E pyra (7 mplan)		3-0-4			
Nitrogen Dioxide (NO:)-	1 lour	Und aprillability upin	Cas Flux	All pob (100 ppm)		Cas Plus	
	Princat Americans Blue	COS. pumith? Jyling	Chemiluminescence	0,,58 apri(100 ag/m)	Sames Para y Should d	Chemiluminescen	
501 (501	1 Sour 3 Sour 24 Sour	0.25 ppm (506 pg/m²) 0.04 ppm (106 pg/m²)	(Rinylekt) (Inserscence	A ppd (105 pplm) 0.14 ppm (for contain arces)**	0.5 pp.m (1700 pq/m²)	Disvisit Powerson, Specinglishmen (Personalite Malicel)	
	Annel Allende Mem	- C	4	(got caupity mean) 0 0.00 Min			
Land D. D	Off Day Average Calencar Oyaner	/ # pg/m	Atomic Absorption	1,6 agin (i adin mass)	Same soffers (lligh Voture San Jer and fill in Australian	
	Rakina 3-Month (TVerage)	14		6-Ejudin	Shor don't		
Visibility Reducing Particles	18-	See Industrial 14	Octa Alternative and Irracantasce Strongs Filer Tage		No		
Sulfares	241 041	23 hāum	for Chromatography	National Standards			
Hydrogen Sullide	116	(مارم 42) سيم 625	(Rimyteks) (Inorescence				
Vinyl Chlorider-	24 hour	0.01 ppm (25 Joyn)	Gas- Chin linguida				

- 1. California standards for ozone, carbon monoxide (except 8-hour Lake Tahoe), sulfur dioxide (1- and 24-hour), nitrogen dioxide, and particulate matter (PM10, PM2.5, and visibility reducing particles), are values that are not to be exceeded. All others are not to be equaled or exceeded. California ambient air quality standards are listed in the Table of Standards in Section 70200 of Title 17 of the California Code of Regulations.
- 2. National standards (other than ozone, particulate matter, and those based on annual arithmetic mean) are not to be exceeded more than once a year. The ozone standard is attained when the fourth highest 8-hour concentration measured at each site in a year, averaged over three years, is equal to or less than the standard. For PM10, the 24-hour standard is attained when the expected number of days per calendar year with a 24-hour average concentration above 150 μg/m³ is equal to or less than one. For PM2.5, the 24-hour standard is attained when 98 percent of the daily concentrations, averaged over three years, are equal to or less than the standard. Contact the U.S. Environmental Protection Agency (U.S. EPA) for further clarification and current national policies.
- 3. Concentration expressed first in units in which it was promulgated. Equivalent units given in parentheses are based upon a reference temperature of 25°C and a reference pressure of 760 torr. Most measurements of air quality are to be corrected to a reference temperature of 25°C and a reference pressure of 760 torr; ppm in this table refers to ppm by volume, or micromoles of pollutant per mole of gas.
- 4. Any equivalent measurement method which can be shown to the satisfaction of the CARB to give equivalent results at or near the level of the air quality standard may be used.
- 5. National Primary Standards: The levels of air quality necessary, with an adequate margin of safety to protect the public health.
- 6. National Secondary Standards: The levels of air quality necessary to protect the public welfare from any known or anticipated adverse effects of a pollutant.
- 7. Reference method as described by the U.S. EPA. An "equivalent method" of measurement may be used but must have a "consistent relationship to the reference method" and must be approved by the U.S. EPA.
- 8. On October 1, 2015, the national 8-hour ozone primary and secondary standards were lowered from 0.075 to 0.070 ppm.
- 9. On December 14, 2012, the national annual PM2.5 primary standard was lowered from 15 μg/m³ to 12.0 μg/m³. The existing national 24-hour PM2.5 standards (primary and secondary) were retained at 35 μg/m³, as was the annual secondary standard of 15 μg/m³. The existing 24-hour PM10 standards (primary and secondary) of 150 μg/m³ also were retained. The form of the annual primary and secondary standards is the annual mean, averaged over 3 years.
- 10. To attain the 1-hour national standard, the 3-year average of the annual 98th percentile of the 1-hour daily maximum concentrations at each site must not exceed 100 ppb. Note that the national 1-hour standard is in units of parts per billion (ppb). California standards are in units of parts per million (ppm). To directly compare the national 1-hour standard to the California standards the units can be converted from ppb to ppm. In this case, the national standard of 100 ppb is identical to 0.100 ppm.
- 11. On June 2, 2010, a new 1-hour SO₂ standard was established and the existing 24-hour and annual primary standards were revoked. To attain the 1-hour national standard, the 3-year average of the annual 99th percentile of the 1-hour daily maximum concentrations at each site must not exceed 75 ppb. The 1971 SO₂ national standards (24-hour and annual) remain in effect until one year after an area is designated for the 2010 standard, except that in areas designated nonattainment for the 1971 standards, the 1971 standards remain in effect until implementation plans to attain or maintain the 2010 standards are approved.
 - Note that the 1-hour national standard is in units of parts per billion (ppb). California standards are in units of parts per million (ppm). To directly compare the 1-hour national standard to the California standard the units can be converted to ppm. In this case, the national standard of 75 ppb is identical to 0.075 ppm.
- 12. The CARB has identified lead and vinyl chloride as 'toxic air contaminants' with no threshold level of exposure for adverse health effects determined. These actions allow for the implementation of control measures at levels below the ambient concentrations specified for these pollutants.
- 13. The national standard for lead was revised on October 15, 2008 to a rolling 3-month average. The 1978 lead standard (1.5 μ g/m³)as a quarterly average) remains in effect until one year after an area is designated for the 2008 standard, except that in areas designated nonattainment for the 1978 standard, the 1978 standard remains in effect until implementation plans to attain or maintain the 2008 standard are approved.
- 14. In 1989, the CARB converted both the general statewide 10-mile visibility standard and the Lake Tahoe 30-mile visibility standard to instrumental equivalents, which are "extinction of 0.23 per kilometer" and "extinction of 0.07 per kilometer" for the statewide and Lake Tahoe Air Basin standards, respectively.

Area Designations for the State Ambient Air Quality Standards

The following maps and tables show the area designations for each pollutant with a State standard set forth in the California Code of Regulations, title 17, section 60200. Each area is identified as attainment, nonattainment, nonattainment, or unclassified for each pollutant, as shown below:

Attainment A
Nonattainment N
Nonattainment-Transitional NA-T
Unclassified U

In general, CARB designates areas by air basin for pollutants with a regional impact and by county for pollutants with a more local impact. However, when there are areas within an air basin or county with distinctly different air quality deriving from sources and conditions not affecting the entire air basin or county, CARB may designate a smaller area. Generally, when boundaries of the designated area differ from the air basin or county boundaries, the description of the specific area is referenced at the bottom of the summary table.

Figure 1



Table 1
California Ambient Air Quality Standards Area Designations for Ozone¹

N	NA-T	U	Α
		U	
N			
N			
			Α
			Α
N			
	NA-T		
N			
N			
N			
N			
N			
		U	
		U	
N			
			Α
			Α
	N N N N N N N N N N	N N NA-T N N N N N N N N N N N N N N N N N N N	

	N	NA-T	U	Α
NORTHEAST PLATEAU AIR BASIN				Α
SACRAMENTO VALLEY AIR BASIN				
Colusa and Glenn Counties				Α
Shasta County		NA-T		
Sutter/Yuba Counties				
Sutter Buttes	N			
Remainder of Sutter County	N			
Yuba County	N			
Yolo/Solano Counties		NA-T		
Remainder of Air Basin	N			
SALTON SEA AIR BASIN	N			
SAN DIEGO AIR BASIN	N			
SAN FRANCISCO BAY AREA AIR BASIN	N			
SAN JOAQUIN VALLEY AIR BASIN	N			
SOUTH CENTRAL COAST AIR BASIN				
San Luis Obispo County	N			
Santa Barbara County	N			
Ventura County	N			
SOUTH COAST AIR BASIN	N			

¹ AB 3048 (Olberg) and AB 2525 (Miller) signed into law in 1996, made changes to Health and Safety Code, section 40925.5. One of the changes allows nonattainment districts to become nonattainment-transitional for ozone by operation of law.

Figure 2




Table 2 California Ambient Air Quality Standards Area Designation for Suspended Particulate Matter (PM_{10})

	N	U	Α
GREAT BASIN VALLEYS AIR BASIN	N		
LAKE COUNTY AIR BASIN			Α
LAKE TAHOE AIR BASIN	N		
MOJAVE DESERT AIR BASIN	N		
MOUNTAIN COUNTIES AIR BASIN			
Amador County		U	
Calaveras County	N		
El Dorado County (portion)	N		
Mariposa County			
- Yosemite National Park	N		
- Remainder of County		U	
Nevada County	N		
Placer County (portion)	N		
Plumas County	N		
Sierra County	N		
Tuolumne County		U	

	N	U	Α
NORTH CENTRAL COAST AIR BASIN	N		
NORTH COAST AIR BASIN			
Del Norte, Mendocino, Sonoma (portion) and Trinity Counties			Α
Remainder of Air Basin	N		
NORTHEAST PLATEAU AIR BASIN			
Siskiyou County			Α
Remainder of Air Basin		U	
SACRAMENTO VALLEY AIR BASIN			
Shasta County			Α
Remainder of Air Basin	N		
SALTON SEA AIR BASIN	N		
SAN DIEGO AIR BASIN	N		
SAN FRANCISCO BAY AREA AIR BASIN	N		
SAN JOAQUIN VALLEY AIR BASIN	N		
SOUTH CENTRAL COAST AIR BASIN	N		
SOUTH COAST AIR BASIN	N		

Figure 3




Table 3 California Ambient Air Quality Standards Area Designations for Fine Particulate Matter ($PM_{2.5}$)

	N	U	Α
GREAT BASIN VALLEYS AIR BASIN			Α
LAKE COUNTY AIR BASIN			Α
LAKE TAHOE AIR BASIN			Α
MOJAVE DESERT AIR BASIN			Α
MOUNTAIN COUNTIES AIR BASIN			Α
Plumas County			Α
- Portola Valley¹	N		
Remainder of Air Basin		U	
NORTH CENTRAL COAST AIR BASIN			Α
NORTH COAST AIR BASIN			Α
NORTHEAST PLATEAU AIR BASIN			Α
SACRAMENTO VALLEY AIR BASIN			
Butte County	N		
Colusa County			Α
Glenn County			Α
Placer County (portion)			Α
Sacramento County			Α
Shasta County			Α
Sutter and Yuba Counties			Α
Remainder of Air Basin		U	

	N	U	Α
SALTON SEA AIR BASIN			
Imperial County			
- City of Calexico ²	N		
Remainder of Air Basin			Α
SAN DIEGO AIR BASIN	N		
SAN FRANCISCO BAY AREA AIR BASIN	N		
SAN JOAQUIN VALLEY AIR BASIN	N		
SOUTH CENTRAL COAST AIR BASIN			Α
SOUTH COAST AIR BASIN	N		

¹ California Code of Regulations, title 17, section 60200(c)

² California Code of Regulations, title 17, section 60200(a)

Figure 4




Table 4
California Ambient Air Quality Standards Area Designation for Carbon Monoxide*

	N	NA-T	U	Α		N	NA-T	U	Α
GREAT BASIN VALLEYS AIR BASIN					SACRAMENTO VALLEY AIR BASIN				
Alpine County			U		Butte County				Α
Inyo County				Α	Colusa County			U	
Mono County				Α	Glenn County			U	
LAKE COUNTY AIR BASIN				Α	Placer County (portion)				Α
LAKE TAHOE AIR BASIN				Α	Sacramento County				Α
MOJAVE DESERT AIR BASIN					Shasta County			U	
Kern County (portion)			U		Solano County (portion)				Α
Los Angeles County (portion)				Α	Sutter County				Α
Riverside County (portion)			U		Tehama County			U	
San Bernardino County (portion)				Α	Yolo County				Α
MOUNTAIN COUNTIES AIR BASIN					Yuba County			U	
Amador County			U		SALTON SEA AIR BASIN				Α
Calaveras County			U		SAN DIEGO AIR BASIN				Α
El Dorado County (portion)			U		SAN FRANCISCO BAY AREA AIR BASIN				Α
Mariposa County			U		SAN JOAQUIN VALLEY AIR BASIN				
Nevada County			U		Fresno County				Α
Placer County (portion)			U		Kern County (portion)				Α
Plumas County				Α	Kings County			U	
Sierra County			U		Madera County			U	
Tuolumne County				Α	Merced County			U	
NORTH CENTRAL COAST AIR BASIN					San Joaquin County				Α
Monterey County				Α	Stanislaus County				Α
San Benito County			U		Tulare County				Α
Santa Cruz County			U		SOUTH CENTRAL COAST AIR BASIN				Α
NORTH COAST AIR BASIN					SOUTH COAST AIR BASIN				Α
Del Norte County			U						
Humboldt County				Α					
Mendocino County				Α					
Sonoma County (portion)			U						
Trinity County			U						
NORTHEAST PLATEAU AIR BASIN			U						
			_						

^{*} The area designated for carbon monoxide is a county or portion of a county

Figure 5




Table 5 California Ambient Air Quality Standards Area Designations for Nitrogen Dioxide

	Ν	U	Α
GREAT BASIN VALLEYS AIR BASIN			Α
LAKE COUNTY AIR BASIN			Α
LAKE TAHOE AIR BASIN			Α
MOJAVE DESERT AIR BASIN			Α
MOUNTAIN COUNTIES AIR BASIN			Α
NORTH CENTRAL COAST AIR BASIN			Α
NORTH COAST AIR BASIN			Α
NORTHEAST PLATEAU AIR BASIN			Α

	N	U	Α
SACRAMENTO VALLEY AIR BASIN			Α
SALTON SEA AIR BASIN			Α
SAN DIEGO AIR BASIN			Α
SAN FRANCISCO BAY AREA AIR BASIN			Α
SAN JOAQUIN VALLEY AIR BASIN			Α
SOUTH CENTRAL COAST AIR BASIN			Α
SOUTH COAST AIR BASIN			
CA 60 Near-road Portion of San Bernardino, Riverside, and Los Angeles Counties			А
Remainder of Air Basin			Α

Figure 6



Table 6 California Ambient Air Quality Standards Area Designation for Sulfur Dioxide*

	N	Α
GREAT BASIN VALLEYS AIR BASIN		Α
LAKE COUNTY AIR BASIN		Α
LAKE TAHOE AIR BASIN		Α
MOJAVE DESERT AIR BASIN		Α
MOUNTAIN COUNTIES AIR BASIN		Α
NORTH CENTRAL COAST AIR BASIN		Α
NORTH COAST AIR BASIN		Α
NORTHEAST PLATEAU AIR BASIN		Α

	N	Α
SACRAMENTO VALLEY AIR BASIN		Α
SALTON SEA AIR BASIN		Α
SAN DIEGO AIR BASIN		Α
SAN FRANCISCO BAY AREA AIR BASIN		Α
SAN JOAQUIN VALLEY AIR BASIN		Α
SOUTH CENTRAL COAST AIR BASIN		Α
SOUTH COAST AIR BASIN		A

^{*} The area designated for sulfur dioxide is a county or portion of a county. Since all areas in the State are in attainment for this standard, air basins are indicated here for simplicity.

Figure 7



Table 7 California Ambient Air Quality Standards Area Designation for Sulfates

	N	U	Α
GREAT BASIN VALLEYS AIR BASIN			Α
LAKE COUNTY AIR BASIN			Α
LAKE TAHOE AIR BASIN			Α
MOJAVE DESERT AIR BASIN			Α
MOUNTAIN COUNTIES AIR BASIN			Α
NORTH CENTRAL COAST AIR BASIN			Α
NORTH COAST AIR BASIN			Α
NORTHEAST PLATEAU AIR BASIN			Α

	N	U	Α
SACRAMENTO VALLEY AIR BASIN			Α
SALTON SEA AIR BASIN			Α
SAN DIEGO AIR BASIN			Α
SAN FRANCISCO BAY AREA AIR BASIN			Α
SAN JOAQUIN VALLEY AIR BASIN			Α
SOUTH CENTRAL COAST AIR BASIN			Α
SOUTH COAST AIR BASIN			Α

Figure 8



Table 8
California Ambient Air Quality Standards Area Designations for Lead (particulate)*

	Ν	U	Α
GREAT BASIN VALLEYS AIR BASIN			Α
LAKE COUNTY AIR BASIN			Α
LAKE TAHOE AIR BASIN			Α
MOJAVE DESERT AIR BASIN			Α
MOUNTAIN COUNTIES AIR BASIN			Α
NORTH CENTRAL COAST AIR BASIN			Α
NORTH COAST AIR BASIN			Α
NORTHEAST PLATEAU AIR BASIN			Α
SACRAMENTO VALLEY AIR BASIN			Α

	Ν	ح	Α
SALTON SEA AIR BASIN			Α
SAN DIEGO AIR BASIN			Α
SAN FRANCISCO BAY AREA AIR BASIN			Α
SAN JOAQUIN VALLEY AIR BASIN			Α
SOUTH CENTRAL COAST AIR BASIN			Α
SOUTH COAST AIR BASIN			Α

^{*} The area designated for lead is a county or portion of a county. Since all areas in the State are in attainment for this standard, air basins are indicated here for simplicity.

Figure 9



Table 9 California Ambient Air Quality Standards Area Designation for Hydrogen Sulfide*

	N	NA-T	U	Α
GREAT BASIN VALLEYS AIR BASIN				
Alpine County			U	
Inyo County				Α
Mono County				Α
LAKE COUNTY AIR BASIN				Α
LAKE TAHOE AIR BASIN			U	
MOJAVE DESERT AIR BASIN				
Kern County (portion)			U	
Los Angeles County (portion)			U	
Riverside County (portion)			U	
San Bernardino County (portion)		•		
- Searles Valley Planning Area ¹	N			
- Remainder of County			U	
MOUNTAIN COUNTIES AIR BASIN				
Amador County				
- City of Sutter Creek	N			
- Remainder of County			U	
Calaveras County			U	
El Dorado County (portion)			U	
Mariposa County			U	
Nevada County			U	
Placer County (portion)			U	
Plumas County			U	
Sierra County			U	
Tuolumne County			U	

			I	
	N	NA-T	U	Α
NORTH CENTRAL COAST AIR BASIN			U	
NORTH COAST AIR BASIN				
Del Norte County			U	
Humboldt County				Α
Mendocino County			U	
Sonoma County (portion)				
- Geyser Geothermal Area ²				Α
- Remainder of County			U	
Trinity County			U	
NORTHEAST PLATEAU AIR BASIN			U	
SACRAMENTO VALLEY AIR BASIN			U	
SALTON SEA AIR BASIN			U	
SAN DIEGO AIR BASIN			U	
SAN FRANCISCO BAY AREA AIR BASIN			U	
SAN JOAQUIN VALLEY AIR BASIN			U	
SOUTH CENTRAL COAST AIR BASIN				
San Luis Obispo County				Α
Santa Barbara County				Α
Ventura County			U	
SOUTH COAST AIR BASIN			U	

 $[\]ensuremath{^{\star}}$ The area designated for hydrogen sulfide is a county or portion of a county

¹ 52 Federal Register 29384 (August 7, 1987)

² California Code of Regulations, title 17, section 60200(d)

Figure 10




Table 10 California Ambient Air Quality Standards Area Designation for Visibility Reducing Particles

	Ν	NA-T	υ	Α
GREAT BASIN VALLEYS AIR BASIN			U	
LAKE COUNTY AIR BASIN				Α
LAKE TAHOE AIR BASIN			U	
MOJAVE DESERT AIR BASIN			U	
MOUNTAIN COUNTIES AIR BASIN			U	
NORTH CENTRAL COAST AIR BASIN			U	
NORTH COAST AIR BASIN			U	
NORTHEAST PLATEAU AIR BASIN			U	

	Ν	NA-T	U	Α
SACRAMENTO VALLEY AIR BASIN			U	
SALTON SEA AIR BASIN			U	
SAN DIEGO AIR BASIN			U	
SAN FRANCISCO BAY AREA AIR BASIN			U	
SAN JOAQUIN VALLEY AIR BASIN			U	
SOUTH CENTRAL COAST AIR BASIN			U	
SOUTH COAST AIR BASIN			U	

Area Designations for the National Ambient Air Quality Standards

The following maps and tables show the area designations for each pollutant with a national ambient air quality standard. Additional information about the federal area designations is available on the U.S. Environmental Protection Agency (U.S. EPA) website:

https://www.epa.gov/green-book

Over the last several years, U.S. EPA has been reviewing the levels of the various national standards. The agency has already promulgated new standard levels for some pollutants and is considering revising the levels for others. Information about the status of these reviews is available on the U.S. EPA website:

https://www.epa.gov/criteria-air-pollutants

Designation Categories

Suspended Particulate Matter (PM_{10}). The U.S. EPA uses three categories to designate areas with respect to PM_{10} :

- Attainment (A)
- Nonattainment (N)
- Unclassifiable (U)

Ozone, Fine Suspended Particulate Matter ($PM_{2.5}$), Carbon Monoxide (CO), and Nitrogen Dioxide (NO_2). The U.S. EPA uses two categories to designate areas with respect to these standards:

- Nonattainment (N)
- Unclassifiable/Attainment (U/A)

The national 1-hour ozone standard was revoked effective June 15, 2005, and the area designations map reflects the 2015 national 8-hour ozone standard of 0.070 ppm. Area designations were finalized on August 3, 2018.

On December 14, 2012, the U.S. EPA established a new national annual primary PM_{2.5} standard of 12.0 μ g/m³. Area designations were finalized in December 2014. The current designation map reflects the most recently revised (2012) annual average standard of 12.0 μ g/m³ as well as the 24-hour standard of 35 μ g/m³, revised in 2006.

On January 22, 2010, the U.S. EPA established a new national 1-hour NO₂ standard of 100 parts per billion (ppb) and retained the annual average standard of 53 ppb. Designations for the primary NO_2 standard became effective on February 29, 2012. All areas of California meet this standard.

Sulfur Dioxide (SO₂). The U.S. EPA uses three categories to designate areas with respect to the 24-hour and annual average sulfur dioxide standards. These designation categories are:

- Nonattainment (N),
- Unclassifiable (U), and
- Unclassifiable/Attainment (U/A).


On June 2, 2010, the U.S. EPA established a new primary 1-hour SO₂ standard of 75 parts per billion (ppb). At the same time, U.S. EPA revoked the 24-hour and annual average standards. Area designations for the 1-hour SO₂ standard were finalized on December 21, 2017 and are reflected in the area designations map.

Lead (particulate). The U.S. EPA promulgated a new rolling 3-month average lead standard in October 2008 of 0.15 μ g/m³. Designations were made for this standard in November 2010.

Designation Areas

From time to time, the boundaries of the California air basins have been changed to facilitate the planning process. CARB generally initiates these changes, and they are not always reflected in the U.S. EPA's area designations. For purposes of consistency, the maps in this attachment reflect area designation boundaries and nomenclature as promulgated by the U.S. EPA. In some cases, these may not be the same as those adopted by CARB. For example, the national area designations reflect the former Southeast Desert Air Basin. In accordance with Health and Safety Code section 39606.1, CARB redefined this area in 1996 to be the Mojave Desert Air Basin and Salton Sea Air Basin. The definitions and boundaries for all areas designated for the national standards can be found in Title 40, Code of Federal Regulations (CFR), Chapter I, Subchapter C, Part 81.305. They are available on the web at: https://ecfr.io/Title-40/se40.20.81 1305

Figure 11



Last Updated: October 2021 Map reflects the 2015 8-hour ozone standard of 0.070 ppm Air Quality Planning and Science Division, CARB

Table 11
National Ambient Air Quality Standards Area Designations for 8-Hour Ozone*

	Т	
CDEAT DACINIVALLENC AID DACINI	N	U/A
GREAT BASIN VALLEYS AIR BASIN		U/A
LAKE COUNTY AIR BASIN	+	U/A
LAKE TAHOE AIR BASIN		U/A
MOUNTAIN COUNTIES AIR BASIN		
Amador County	N	
Calaveras County	N	
El Dorado County (portion) ¹	N	
Mariposa County	N	
Nevada County		
- Western Nevada County	N	
- Remainder of County		U/A
Placer County (portion) ¹	N	
Plumas County		U/A
Sierra County		U/A
Tuolumne County	N	
NORTH CENTRAL COAST AIR BASIN		U/A
NORTH COAST AIR BASIN		U/A
NORTHEAST PLATEAU AIR BASIN		U/A
SACRAMENTO VALLEY AIR BASIN		
Butte County	N	
Colusa County		U/A
Glenn County		U/A
Sacramento Metro Area ¹	N	
Shasta County		U/A
Sutter County		
- Sutter Buttes	N	
- Southern portion of Sutter County ¹	N	
- Remainder of Sutter County		U/A
Tehama County		
- Tuscan Buttes	N	
- Remainder of Tehama County		U/A

	N	U/A
SACRAMENTO VALLEY AIR BASIN (cont.)		
Yolo County ¹	N	
Yuba County		U/A
SAN DIEGO COUNTY	N	
SAN FRANCISCO BAY AREA AIR BASIN	N	
SAN JOAQUIN VALLEY AIR BASIN	N	
SOUTH CENTRAL COAST AIR BASIN ²		
San Luis Obispo County		
- Eastern San Luis Obispo County	N	
- Remainder of County		U/A
Santa Barbara County		U/A
Ventura County		
- Area excluding Anacapa and San Nicolas Islands	N	
- Channel Islands ²		U/A
SOUTH COAST AIR BASIN ²	N	
SOUTHEAST DESERT AIR BASIN		
Kern County (portion)	N	
- Indian Wells Valley		U/A
Imperial County	N	
Los Angeles County (portion)	N	
Riverside County (portion)		
- Coachella Valley	N	
- Non-AQMA portion		U/A
San Bernardino County		
- Western portion (AQMA)	N	
- Eastern portion (non-AQMA)		U/A

Santa Barbara County includes Santa Cruz, San Miguel, Santa Rosa, and Santa Barbara Islands. Ventura County includes Anacapa and San Nicolas Islands.

South Coast Air Basin:

^{*} Definitions and references for all areas can be found in 40 CFR, Chapter I, Part 81.305. NOTE: This map and Table reflect the 2015 8-hour ozone standard of 0.070 ppm.

¹ For this purpose, the Sacramento Metro Area comprises all of Sacramento and Yolo Counties, the Sacramento Valley Air Basin portion of Solano County, the southern portion of Sutter County, and the Sacramento Valley and Mountain Counties Air Basins portions of Placer and El Dorado counties.

² South Central Coast Air Basin Channel Islands:

Los Angeles County includes San Clemente and Santa Catalina Islands.

Figure 12




Table 12 National Ambient Air Quality Standards Area Designations for Suspended Particulate Matter $(PM_{10})^*$

	Т		
	N	U	Α
GREAT BASIN VALLEYS AIR BASIN			
Alpine County		U	
Inyo County			
- Owens Valley Planning Area	N		
- Coso Junction			Α
- Remainder of County		U	
Mono County			
- Mammoth Lake Planning Area			Α
- Mono Lake Basin	N		
- Remainder of County		U	
LAKE COUNTY AIR BASIN		U	
LAKE TAHOE AIR BASIN		U	
MOUNTAIN COUNTIES AIR BASIN		U	
NORTH CENTRAL COAST AIR BASIN		U	
NORTH COAST AIR BASIN		U	
NORTHEAST PLATEAU AIR BASIN		U	
SACRAMENTO VALLEY AIR BASIN			
Sacramento County ¹			Α
Remainder of Air Basin		U	
SAN DIEGO COUNTY		U	

	N	U	Α
SAN FRANCISCO BAY AREA AIR BASIN		U	
SAN JOAQUIN VALLEY AIR BASIN			Α
SOUTH CENTRAL COAST AIR BASIN		U	
SOUTH COAST AIR BASIN			Α
SOUTHEAST DESERT AIR BASIN			
Eastern Kern County			
- Indian Wells Valley			Α
- Portion within San Joaquin Valley Planning Area	N		
- Remainder of County		U	
Imperial County			
- Imperial Valley Planning Area ²			Α
- Remainder of County		U	
Los Angeles County (portion)		U	
Riverside County (portion)			
- Coachella Valley	N		
- Non-AQMA portion		U	
San Bernardino County			
- Trona	N		
- Remainder of County	N		

^{*} Definitions and references for all areas can be found in 40 CFR, Chapter I, Part 81.305.

 $^{^{1}}$ Air quality in Sacramento County meets the national PM $_{10}$ standards. The request for redesignation to attainment was approved by U.S. EPA in September 2013.

² The request for redesignation to attainment for the Imperial Valley Planning Area was approved by U.S. EPA in September 2020, effective October 2020.

Figure 13




Table 13 National Ambient Air Quality Standards Area Designations for Fine Particulate Matter ($PM_{2.5}$)

	N	U/A
GREAT BASIN VALLEYS AIR BASIN		U/A
LAKE COUNTY AIR BASIN		U/A
LAKE TAHOE AIR BASIN		U/A
MOUNTAIN COUNTIES AIR BASIN		
Plumas County		
- Portola Valley Portion of Plumas	N	
- Remainder of Plumas County		U/A
Remainder of Air Basin		U/A
NORTH CENTRAL COAST AIR BASIN		U/A
NORTH COAST AIR BASIN		U/A
NORTHEAST PLATEAU AIR BASIN		U/A
SACRAMENTO VALLEY AIR BASIN		
Sacramento Metro Area ¹	N	
Remainder of Air Basin		U/A

	Ν	U/A
SAN DIEGO COUNTY		U/A
SAN FRANCISCO BAY AREA AIR BASIN ²	Ν	
SAN JOAQUIN VALLEY AIR BASIN	Ν	
SOUTH CENTRAL COAST AIR BASIN		U/A
SOUTH COAST AIR BASIN ³	Ν	
SOUTHEAST DESERT AIR BASIN		
Imperial County (portion) ⁴	Ν	
Remainder of Air Basin		U/A

^{*} Definitions and references for all areas can be found in 40 CFR, Chapter I, Part 81.305. This map reflects the 2006 24-hour $PM_{2.5}$ standard as well as the 1997 and 2012 $PM_{2.5}$ annual standards.

 $^{^1}$ For this purpose, Sacramento Metro Area comprises all of Sacramento and portions of El Dorado, Placer, Solano, and Yolo Counties. Air quality in this area meets the national PM_{2.5} standards. A Determination of Attainment for the 2006 24-hour PM_{2.5} standard was made by U.S. EPA in June 2017.

 $^{^2}$ Air quality in this area meets the national PM_{2.5} standards. A Determination of Attainment for the 2006 24-hour PM_{2.5} standard was made by U.S. EPA in June 2017.

³ Those lands of the Santa Rosa Band of Cahulla Mission Indians in Riverside County are designated Unclassifiable/Attainment.

⁴ That portion of Imperial County encompassing the urban and surrounding areas of Brawley, Calexico, El Centro, Heber, Holtville, Imperial, Seeley, and Westmorland. Air quality in this area meets the national PM_{2.5} standards. A Determination of Attainment for the 2006 24-hour PM_{2.5} standard was made by U.S. EPA in June 2017.

Figure 14



Table 14 National Ambient Air Quality Standards Area Designations for Carbon Monoxide*

	N	U/A
GREAT BASIN VALLEYS AIR BASIN		U/A
LAKE COUNTY AIR BASIN		U/A
LAKE TAHOE AIR BASIN		U/A
MOUNTAIN COUNTIES AIR BASIN		U/A
NORTH CENTRAL COAST AIR BASIN		U/A
NORTH COAST AIR BASIN		U/A
NORTHEAST PLATEAU AIR BASIN		U/A

	Z	U/A
SACRAMENTO VALLEY AIR BASIN		U/A
SAN DIEGO COUNTY		U/A
SAN FRANCISCO BAY AREA AIR BASIN		U/A
SAN JOAQUIN VALLEY AIR BASIN		U/A
SOUTH CENTRAL COAST AIR BASIN		U/A
SOUTH COAST AIR BASIN		U/A
SOUTHEAST DESERT AIR BASIN		U/A

^{*} Definitions and references for all areas can be found in 40 CFR, Chapter I, Part 81.305.

Figure 15



Table 15 National Ambient Air Quality Standards Area Designations for Nitrogen Dioxide*

	N	U/A
GREAT BASIN VALLEYS AIR BASIN		U/A
LAKE COUNTY AIR BASIN		U/A
LAKE TAHOE AIR BASIN		U/A
MOUNTAIN COUNTIES AIR BASIN		U/A
NORTH CENTRAL COAST AIR BASIN		U/A
NORTH COAST AIR BASIN		U/A
NORTHEAST PLATEAU AIR BASIN		U/A

	Z	U/A
SACRAMENTO VALLEY AIR BASIN		U/A
SAN DIEGO COUNTY		U/A
SAN FRANCISCO BAY AREA AIR BASIN		U/A
SAN JOAQUIN VALLEY AIR BASIN		U/A
SOUTH CENTRAL COAST AIR BASIN		U/A
SOUTH COAST AIR BASIN		U/A
SOUTHEAST DESERT AIR BASIN		U/A

 $^{^{\}star}$ Definitions and references for all areas can be found in 40 CFR, Chapter I, Part 81.305.

Figure 16



C-37

Table 16
National Ambient Air Quality Standards Area Designations for Sulfur Dioxide*

	N	U/A
GREAT BASIN VALLEYS AIR BASIN		U/A
LAKE COUNTY AIR BASIN		U/A
LAKE TAHOE AIR BASIN		U/A
MOUNTAIN COUNTIES AIR BASIN		U/A
NORTH CENTRAL COAST AIR BASIN		U/A
NORTH COAST AIR BASIN		U/A
NORTHEAST PLATEAU AIR BASIN		U/A
SACRAMENTO VALLEY AIR BASIN		U/A
SAN DIEGO COUNTY		U/A
SAN FRANCISCO BAY AREA AIR BASIN		U/A
SAN JOAQUIN VALLEY AIR BASIN		U/A
SOUTH CENTRAL COAST AIR BASIN ¹		U/A
SOUTH COAST AIR BASIN		U/A
SOUTHEAST DESERT AIR BASIN		U/A

^{*} Definitions and references for all areas can be found in 40 CFR, Chapter I, Part 81.305. NOTE: This map and table reflect the 2010 1-hour SO_2 standard of 75 ppb.

¹ South Central Coast Air Basin Channel Islands:

Santa Barbara County includes Santa Cruz, San Miguel, Santa Rosa, and Santa Barbara Islands. Ventura County includes Anacapa and San Nicolas Islands.

Note that the San Clemente and Santa Catalina Islands are considered part of Los Angeles County, and therefore, are included as part of the South Coast Air Basin.

Figure 17




Table 17 National Ambient Air Quality Standards Area Designations for Lead (particulate)

	N	U/A
GREAT BASIN VALLEYS AIR BASIN		U/A
LAKE COUNTY AIR BASIN		U/A
LAKE TAHOE AIR BASIN		U/A
MOUNTAIN COUNTIES AIR BASIN		U/A
NORTH CENTRAL COAST AIR BASIN		U/A
NORTH COAST AIR BASIN		U/A
NORTHEAST PLATEAU AIR BASIN		U/A
SACRAMENTO VALLEY AIR BASIN		U/A

	N	U/A
SAN DIEGO COUNTY		U/A
SAN FRANCISCO BAY AREA AIR BASIN		U/A
SAN JOAQUIN VALLEY AIR BASIN		U/A
SOUTH CENTRAL COAST AIR BASIN		U/A
SOUTH COAST AIR BASIN		
Los Angeles County (portion) ¹	N	
Remainder of Air Basin		U/A
SOUTHEAST DESERT AIR BASIN		U/A

¹ Portion of County in Air Basin, not including Channel Islands

This page intentionally left blank



APPENDIX 3.1:

CALEEMOD REPLENISH BIG BEAR COMPONENT 1 UNMITIGATED EMISSIONS MODEL
OUTPUTS



15309-WWTP Upgrades (Unmitigated) Detailed Report

Table of Contents

- 1. Basic Project Information
 - 1.1. Basic Project Information
 - 1.2. Land Use Types
 - 1.3. User-Selected Emission Reduction Measures by Emissions Sector
- 2. Emissions Summary
 - 2.1. Construction Emissions Compared Against Thresholds
 - 2.2. Construction Emissions by Year, Unmitigated
 - 2.3. Construction Emissions by Year, Mitigated
 - 2.4. Operations Emissions Compared Against Thresholds
 - 2.5. Operations Emissions by Sector, Unmitigated
 - 2.6. Operations Emissions by Sector, Mitigated
- 3. Construction Emissions Details
 - 3.1. Linear, Grading & Excavation (2026) Unmitigated
 - 3.2. Linear, Grading & Excavation (2026) Mitigated

- 3.3. Linear, Grading & Excavation (2027) Unmitigated
- 3.4. Linear, Grading & Excavation (2027) Mitigated
- 3.5. Demolition (2025) Unmitigated
- 3.6. Demolition (2025) Mitigated
- 3.7. Building Construction (2025) Unmitigated
- 3.8. Building Construction (2025) Mitigated
- 3.9. Building Construction (2026) Unmitigated
- 3.10. Building Construction (2026) Mitigated
- 4. Operations Emissions Details
 - 4.1. Mobile Emissions by Land Use
 - 4.1.1. Unmitigated
 - 4.1.2. Mitigated
 - 4.2. Energy
 - 4.2.1. Electricity Emissions By Land Use Unmitigated
 - 4.2.2. Electricity Emissions By Land Use Mitigated
 - 4.2.3. Natural Gas Emissions By Land Use Unmitigated
 - 4.2.4. Natural Gas Emissions By Land Use Mitigated

- 4.3. Area Emissions by Source
 - 4.3.1. Unmitigated
 - 4.3.2. Mitigated
- 4.4. Water Emissions by Land Use
 - 4.4.1. Unmitigated
 - 4.4.2. Mitigated
- 4.5. Waste Emissions by Land Use
 - 4.5.1. Unmitigated
 - 4.5.2. Mitigated
- 4.6. Refrigerant Emissions by Land Use
 - 4.6.1. Unmitigated
 - 4.6.2. Mitigated
- 4.7. Offroad Emissions By Equipment Type
 - 4.7.1. Unmitigated
 - 4.7.2. Mitigated
- 4.8. Stationary Emissions By Equipment Type
 - 4.8.1. Unmitigated

- 4.8.2. Mitigated
- 4.9. User Defined Emissions By Equipment Type
 - 4.9.1. Unmitigated
 - 4.9.2. Mitigated
- 4.10. Soil Carbon Accumulation By Vegetation Type
 - 4.10.1. Soil Carbon Accumulation By Vegetation Type Unmitigated
 - 4.10.2. Above and Belowground Carbon Accumulation by Land Use Type Unmitigated
 - 4.10.3. Avoided and Sequestered Emissions by Species Unmitigated
 - 4.10.4. Soil Carbon Accumulation By Vegetation Type Mitigated
 - 4.10.5. Above and Belowground Carbon Accumulation by Land Use Type Mitigated
 - 4.10.6. Avoided and Sequestered Emissions by Species Mitigated
- 5. Activity Data
 - 5.1. Construction Schedule
 - 5.2. Off-Road Equipment
 - 5.2.1. Unmitigated
 - 5.2.2. Mitigated
 - 5.3. Construction Vehicles

- 5.3.1. Unmitigated
- 5.3.2. Mitigated
- 5.4. Vehicles
 - 5.4.1. Construction Vehicle Control Strategies
- 5.5. Architectural Coatings
- 5.6. Dust Mitigation
 - 5.6.1. Construction Earthmoving Activities
 - 5.6.2. Construction Earthmoving Control Strategies
- 5.7. Construction Paving
- 5.8. Construction Electricity Consumption and Emissions Factors
- 5.9. Operational Mobile Sources
 - 5.9.1. Unmitigated
 - 5.9.2. Mitigated
- 5.10. Operational Area Sources
 - 5.10.1. Hearths
 - 5.10.1.1. Unmitigated
 - 5.10.1.2. Mitigated

- 5.10.2. Architectural Coatings
- 5.10.3. Landscape Equipment
- 5.10.4. Landscape Equipment Mitigated
- 5.11. Operational Energy Consumption
 - 5.11.1. Unmitigated
 - 5.11.2. Mitigated
- 5.12. Operational Water and Wastewater Consumption
 - 5.12.1. Unmitigated
 - 5.12.2. Mitigated
- 5.13. Operational Waste Generation
 - 5.13.1. Unmitigated
 - 5.13.2. Mitigated
- 5.14. Operational Refrigeration and Air Conditioning Equipment
 - 5.14.1. Unmitigated
 - 5.14.2. Mitigated
- 5.15. Operational Off-Road Equipment
 - 5.15.1. Unmitigated

- 5.15.2. Mitigated
- 5.16. Stationary Sources
 - 5.16.1. Emergency Generators and Fire Pumps
 - 5.16.2. Process Boilers
- 5.17. User Defined
- 5.18. Vegetation
 - 5.18.1. Land Use Change
 - 5.18.1.1. Unmitigated
 - 5.18.1.2. Mitigated
 - 5.18.1. Biomass Cover Type
 - 5.18.1.1. Unmitigated
 - 5.18.1.2. Mitigated
 - 5.18.2. Sequestration
 - 5.18.2.1. Unmitigated
 - 5.18.2.2. Mitigated
- 6. Climate Risk Detailed Report
 - 6.1. Climate Risk Summary

- 6.2. Initial Climate Risk Scores
- 6.3. Adjusted Climate Risk Scores
- 6.4. Climate Risk Reduction Measures
- 7. Health and Equity Details
 - 7.1. CalEnviroScreen 4.0 Scores
 - 7.2. Healthy Places Index Scores
 - 7.3. Overall Health & Equity Scores
 - 7.4. Health & Equity Measures
 - 7.5. Evaluation Scorecard
 - 7.6. Health & Equity Custom Measures
- 8. User Changes to Default Data

1. Basic Project Information

1.1. Basic Project Information

Data Field	Value Value
Project Name	15309-WWTP Upgrades (Unmitigated)
Construction Start Date	1/1/2025
Operational Year	2027
ead Agency	
and Use Scale	Project/site
analysis Level for Defaults	County
Vindspeed (m/s)	2.50
Precipitation (days)	1.80
ocation	34.269428, -116.815824
County	San Bernardino-South Coast
City	Unincorporated
Air District	South Coast AQMD
Air Basin	South Coast
AZ	5156
EDFZ	10
Electric Utility	Bear Valley Electric Service
Gas Utility	Southwest Gas Corp.
pp Version	2022.1.1.18

1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq	Special Landscape	Population	Description
					ft)	Area (sq ft)		

Unrefrigerated Warehouse-Rail	40.0	1000sqft	0.92	40,000	0.00	-	_	_
Other Non-Asphalt Surfaces	2.00	Acre	2.00	0.00	0.00		_	Pump Station
Parking Lot	0.50	Acre	0.50	0.00	0.00	j-	_	_
User Defined Linear	0.26	Mile	0.14	0.00	0.00	_	_	_
Other Asphalt Surfaces	0.44	Acre	0.44	0.00	0.00	-	_	Remaining SF

1.3. User-Selected Emission Reduction Measures by Emissions Sector

Sector	#	Measure Title
Energy	E-10-B	Establish Onsite Renewable Energy Systems: Solar Power

2. Emissions Summary

2.1. Construction Emissions Compared Against Thresholds

Un/Mit.	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	-		-	-	-				_	-				-	T		
Unmit.	4.18	3.82	27.5	44.3	0.08	1.10	6.19	7.30	1.02	1.93	2.95	-	12,560	12,560	0.56	0.57	21.3	12,766
Daily, Winter (Max)	_					-	-	-	-		-	-	_		-			
Unmit.	5.21	4.63	30.9	56.2	0.16	1.15	13.1	13.4	1.06	3.06	3.82	-	26,339	26,339	2.04	3.77	1.79	27,515
Average Daily (Max)	_	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-
Unmit.	2.72	2.46	18.6	26.1	0.06	0.70	4.55	5.24	0.65	1.36	2.01	_	9,047	9,047	0.46	0.56	7.33	9,233

Annual (Max)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unmit.	0.50	0.45	3.40	4.76	0.01	0.13	0.83	0.96	0.12	0.25	0.37	_	1,498	1,498	0.08	0.09	1.21	1,529

2.2. Construction Emissions by Year, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Year	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily - Summer (Max)	-	_	-	_	-	_	_	-	_	_	-	-	-		_	-	_	_
2025	4.18	3.82	27.5	44.3	0.08	1.10	6.19	7.30	1.02	1.93	2.95	_	12,560	12,560	0.56	0.57	21.3	12,766
2026	4.03	3.67	25.4	42.3	0.08	1.01	6.19	7.20	0.93	1.93	2.87	-	12,440	12,440	0.54	0.57	19.4	12,642
Daily - Winter (Max)	-										-						-	
2025	4.16	3.80	27.7	38.8	0.16	1.10	13.1	13.4	1.02	3.06	3.38	-	26,339	26,339	2.04	3.77	1.79	27,515
2026	5.21	4.63	30.9	56.2	0.09	1.15	9.73	10.9	1.06	2.76	3.82	_	17,376	17,376	0.51	0.70	0.83	17,598
2027	1.19	0.96	5.01	18.1	0.02	0.13	3.53	3.66	0.12	0.83	0.94	-	5,177	5,177	0.08	0.13	0.30	5,218
Average Daily	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-
2025	2.72	2.39	18.6	25.9	0.06	0.70	4.55	5.24	0.65	1.36	2.01	-	9,047	9,047	0.46	0.56	7.33	9,233
2026	2.70	2.46	17.2	26.1	0.05	0.67	4.27	4.94	0.62	1.32	1.94	-	8,305	8,305	0.29	0.38	5.82	8,432
2027	0.03	0.02	0.11	0.40	< 0.005	< 0.005	0.08	0.08	< 0.005	0.02	0.02	-	112	112	< 0.005	< 0.005	0.11	113
Annual	-	_	-	-	_	_	_	-	_	-	_	-	1-	-	-	-	_	_
2025	0.50	0.44	3.40	4.73	0.01	0.13	0.83	0.96	0.12	0.25	0.37	_	1,498	1,498	0.08	0.09	1.21	1,529
2026	0.49	0.45	3.14	4.76	0.01	0.12	0.78	0.90	0.11	0.24	0.35	-	1,375	1,375	0.05	0.06	0.96	1,396
2027	< 0.005	< 0.005	0.02	0.07	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	-	18.6	18.6	< 0.005	< 0.005	0.02	18.8

2.3. Construction Emissions by Year, Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

				J. J		,												
Year	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily - Summer (Max)	-		-				-				-			_	-		_	
2025	4.18	3.82	27.5	44.3	0.08	1.10	6.19	7.30	1.02	1.93	2.95	_	12,560	12,560	0.56	0.57	21.3	12,766
2026	4.03	3.67	25.4	42.3	0.08	1.01	6.19	7.20	0.93	1.93	2.87	_	12,440	12,440	0.54	0.57	19.4	12,642
Daily - Winter (Max)	-	-	-		-	-			-		-	-	-	-	-	-	-	-
2025	4.16	3.80	27.7	38.8	0.16	1.10	13.1	13.4	1.02	3.06	3.38	-	26,339	26,339	2.04	3.77	1.79	27,515
2026	5.21	4.63	30.9	56.2	0.09	1.15	9.73	10.9	1.06	2.76	3.82	_	17,376	17,376	0.51	0.70	0.83	17,598
2027	1.19	0.96	5.01	18.1	0.02	0.13	3.53	3.66	0.12	0.83	0.94	-	5,177	5,177	0.08	0.13	0.30	5,218
Average Daily	-	-	-	-	_	_	-	-	-	-	-	-	_	-	-	-	-	_
2025	2.72	2.39	18.6	25.9	0.06	0.70	4.55	5.24	0.65	1.36	2.01	-	9,047	9,047	0.46	0.56	7.33	9,233
2026	2.70	2.46	17.2	26.1	0.05	0.67	4.27	4.94	0.62	1.32	1.94	-	8,305	8,305	0.29	0.38	5.82	8,432
2027	0.03	0.02	0.11	0.40	< 0.005	< 0.005	0.08	0.08	< 0.005	0.02	0.02	-	112	112	< 0.005	< 0.005	0.11	113
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	<u> </u>	_	_
2025	0.50	0.44	3.40	4.73	0.01	0.13	0.83	0.96	0.12	0.25	0.37	_	1,498	1,498	0.08	0.09	1.21	1,529
2026	0.49	0.45	3.14	4.76	0.01	0.12	0.78	0.90	0.11	0.24	0.35	_	1,375	1,375	0.05	0.06	0.96	1,396
2027	< 0.005	< 0.005	0.02	0.07	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	_	18.6	18.6	< 0.005	< 0.005	0.02	18.8

2.4. Operations Emissions Compared Against Thresholds

Un/Mit.	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)					-				_		_	_	_	-	-	-	_	-
Unmit.	1.20	2.01	4.33	5.92	0.01	0.48	0.00	0.48	0.48	0.00	0.48	20.3	10,709	10,729	2.75	0.09	0.00	10,824

Mit.	1.20	2.01	4.33	5.92	0.01	0.48	0.00	0.48	0.48	0.00	0.48	20.3	5,694	5,714	2.41	0.05	0.00	5,788
% Reduced	-	-	-	-	-	-	-	-	-	-	-	-	47%	47%	12%	48%	-	47%
Daily, Winter (Max)	_	_	-		-	-	-		-		-		-		T	-	-	_
Unmit.	0.89	1.73	4.31	4.18	0.01	0.48	0.00	0.48	0.48	0.00	0.48	20.3	10,701	10,722	2.75	0.09	0.00	10,816
Mit.	0.89	1.73	4.31	4.18	0.01	0.48	0.00	0.48	0.48	0.00	0.48	20.3	5,687	5,707	2.41	0.05	0.00	5,781
% Reduced	-	-	-	-	-	-	-	-	-	-	-	-	47%	47%	12%	48%	-	47%
Average Daily (Max)	-					-									Ī			
Unmit.	1.10	1.92	4.32	5.37	0.01	0.48	0.00	0.48	0.48	0.00	0.48	20.3	10,706	10,727	2.75	0.09	0.00	10,821
Mit.	1.10	1.92	4.32	5.37	0.01	0.48	0.00	0.48	0.48	0.00	0.48	20.3	5,691	5,712	2.41	0.05	0.00	5,786
% Reduced	-	-	-	-	-	-	-	1-	-	-	-	-	47%	47%	12%	48%	-	47%
Annual (Max)	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Unmit.	0.20	0.35	0.79	0.98	< 0.005	0.09	0.00	0.09	0.09	0.00	0.09	3.35	1,773	1,776	0.46	0.01	0.00	1,792
Mit.	0.20	0.35	0.79	0.98	< 0.005	0.09	0.00	0.09	0.09	0.00	0.09	3.35	942	946	0.40	0.01	0.00	958
% Reduced	-	-	1	-	-	-	-	-	-	-	1	-	47%	47%	12%	48%	-	47%

2.5. Operations Emissions by Sector, Unmitigated

Sector	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)			_	_			_			_	_		_	_		_	_	
Mobile	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00

Area	0.31	1.21	0.01	1.74	< 0.005	< 0.005	_	< 0.005	< 0.005	-	< 0.005	-	7.15	7.15	< 0.005	< 0.005	_	7.18
Energy	0.02	0.01	0.20	0.17	< 0.005	0.02	-	0.02	0.02	-	0.02	-	5,258	5,258	0.37	0.04	-	5,280
Water	_	_	I -	_	-	_	_	-	_	-	_	0.00	5,040	5,040	0.35	0.04	-	5,061
Waste	_	-	1-	-	-	_	-	-	_	-	_	20.3	0.00	20.3	2.03	0.00	-	70.9
Stationar y	0.87	0.79	4.11	4.01	< 0.005	0.46	0.00	0.46	0.46	0.00	0.46	0.00	403	403	0.02	< 0.005	0.00	404
Total	1.20	2.01	4.33	5.92	0.01	0.48	0.00	0.48	0.48	0.00	0.48	20.3	10,709	10,729	2.75	0.09	0.00	10,824
Daily, Winter (Max)	_						-		_	-	-	-	-	-	-	-	-	-
Mobile	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Area	_	0.93	_	_	_	_	_	_	_	_	_	_	-	_	-	_	-	-
Energy	0.02	0.01	0.20	0.17	< 0.005	0.02	_	0.02	0.02	-	0.02	_	5,258	5,258	0.37	0.04	-	5,280
Water	_	-	-	-	-	_	_	_	_	_	_	0.00	5,040	5,040	0.35	0.04	_	5,061
Waste	_	-	1-	-	-	-	_	-	_	-	-	20.3	0.00	20.3	2.03	0.00	-	70.9
Stationar y	0.87	0.79	4.11	4.01	< 0.005	0.46	0.00	0.46	0.46	0.00	0.46	0.00	403	403	0.02	< 0.005	0.00	404
Total	0.89	1.73	4.31	4.18	0.01	0.48	0.00	0.48	0.48	0.00	0.48	20.3	10,701	10,722	2.75	0.09	0.00	10,816
Average Daily	-		-		-	-	-		-	-	-	-	-	-	-	-	-	-
Mobile	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Area	0.21	1.12	0.01	1.19	< 0.005	< 0.005	-	< 0.005	< 0.005	-	< 0.005	-	4.90	4.90	< 0.005	< 0.005	-	4.92
Energy	0.02	0.01	0.20	0.17	< 0.005	0.02	_	0.02	0.02	_	0.02	_	5,258	5,258	0.37	0.04	-	5,280
Water	_	-	-	-	-	-	_	-	_	-	-	0.00	5,040	5,040	0.35	0.04	_	5,061
Waste	_	-	-	-	-	_	_	-	_	_	-	20.3	0.00	20.3	2.03	0.00	_	70.9
Stationar y	0.87	0.79	4.11	4.01	< 0.005	0.46	0.00	0.46	0.46	0.00	0.46	0.00	403	403	0.02	< 0.005	0.00	404
Total	1.10	1.92	4.32	5.37	0.01	0.48	0.00	0.48	0.48	0.00	0.48	20.3	10,706	10,727	2.75	0.09	0.00	10,821
Annual	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mobile	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00

Area	0.04	0.20	< 0.005	0.22	< 0.005	< 0.005	-	< 0.005	< 0.005	-	< 0.005	-	0.81	0.81	< 0.005	< 0.005	-	0.81
Energy	< 0.005	< 0.005	0.04	0.03	< 0.005	< 0.005	-	< 0.005	< 0.005	-	< 0.005	-	871	871	0.06	0.01	-	874
Water	_	_	_	_	-	_	_	-	_	-	-	0.00	834	834	0.06	0.01	_	838
Waste	_	-	-	-	-	-	-	-	_	-	-	3.35	0.00	3.35	0.34	0.00	_	11.7
Stationar y	0.16	0.14	0.75	0.73	< 0.005	0.08	0.00	0.08	0.08	0.00	0.08	0.00	66.7	66.7	< 0.005	< 0.005	0.00	66.9
Total	0.20	0.35	0.79	0.98	< 0.005	0.09	0.00	0.09	0.09	0.00	0.09	3.35	1,773	1,776	0.46	0.01	0.00	1,792

2.6. Operations Emissions by Sector, Mitigated

Sector	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	СО2Т	CH4	N2O	R	CO2e
Daily, Summer (Max)	-	-	Ť	Ť	-	-	-	-	-		-			-	Ĺ		_	
Mobile	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Area	0.31	1.21	0.01	1.74	< 0.005	< 0.005	-	< 0.005	< 0.005	_	< 0.005	-	7.15	7.15	< 0.005	< 0.005	-	7.18
Energy	0.02	0.01	0.20	0.17	< 0.005	0.02	_	0.02	0.02	-	0.02	_	244	244	0.02	< 0.005	_	244
Water	_	-	-	-	-	-	_	-	-	-	-	0.00	5,040	5,040	0.35	0.04	_	5,061
Waste	_	-	_	-	_	-	_	-	_	_	_	20.3	0.00	20.3	2.03	0.00	-	70.9
Stationar y	0.87	0.79	4.11	4.01	< 0.005	0.46	0.00	0.46	0.46	0.00	0.46	0.00	403	403	0.02	< 0.005	0.00	404
Total	1.20	2.01	4.33	5.92	0.01	0.48	0.00	0.48	0.48	0.00	0.48	20.3	5,694	5,714	2.41	0.05	0.00	5,788
Daily, Winter (Max)		-		1	-	-		-	-	-	-		-	-	-	-	-	-
Mobile	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Area	-	0.93	-	-	-	-	-	-	_	-	_	_	-	-	-	_	-	-
Energy	0.02	0.01	0.20	0.17	< 0.005	0.02	-	0.02	0.02	-	0.02	_	244	244	0.02	< 0.005	-	244
Water	_	_	1_	1	_	_	_		_	_	_	0.00	5,040	5,040	0.35	0.04		5,061

Waste	_	_	_	-	_	-	_	_	_	-	-	20.3	0.00	20.3	2.03	0.00	_	70.9
Stationar y	0.87	0.79	4.11	4.01	< 0.005	0.46	0.00	0.46	0.46	0.00	0.46	0.00	403	403	0.02	< 0.005	0.00	404
Total	0.89	1.73	4.31	4.18	0.01	0.48	0.00	0.48	0.48	0.00	0.48	20.3	5,687	5,707	2.41	0.05	0.00	5,781
Average Daily	-	-	-		-	-	-	-	-		-		-	-	-	-	-	-
Mobile	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Area	0.21	1.12	0.01	1.19	< 0.005	< 0.005	-	< 0.005	< 0.005	-	< 0.005	-	4.90	4.90	< 0.005	< 0.005	_	4.92
Energy	0.02	0.01	0.20	0.17	< 0.005	0.02	-	0.02	0.02	-	0.02	_	244	244	0.02	< 0.005	_	244
Water	_	-	-	-	-	-	-	-	-	-	-	0.00	5,040	5,040	0.35	0.04	-	5,061
Waste	_	-	_	-	-	_	_	-	_	_	_	20.3	0.00	20.3	2.03	0.00	_	70.9
Stationar y	0.87	0.79	4.11	4.01	< 0.005	0.46	0.00	0.46	0.46	0.00	0.46	0.00	403	403	0.02	< 0.005	0.00	404
Total	1.10	1.92	4.32	5.37	0.01	0.48	0.00	0.48	0.48	0.00	0.48	20.3	5,691	5,712	2.41	0.05	0.00	5,786
Annual	-	-	-	-	-	-	-	-	_	-	-	-	-	-	1-	_		-
Mobile	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Area	0.04	0.20	< 0.005	0.22	< 0.005	< 0.005	_	< 0.005	< 0.005	-	< 0.005	-	0.81	0.81	< 0.005	< 0.005	_	0.81
Energy	< 0.005	< 0.005	0.04	0.03	< 0.005	< 0.005	-	< 0.005	< 0.005	_	< 0.005	-	40.3	40.3	< 0.005	< 0.005	-	40.5
Water	_	-	-	-	-	-	-	-	-	-	-	0.00	834	834	0.06	0.01	_	838
Waste	_	_	_	_	-	_	_	_	_	_	_	3.35	0.00	3.35	0.34	0.00	_	11.7
Stationar y	0.16	0.14	0.75	0.73	< 0.005	0.08	0.00	0.08	0.08	0.00	0.08	0.00	66.7	66.7	< 0.005	< 0.005	0.00	66.9
Total	0.20	0.35	0.79	0.98	< 0.005	0.09	0.00	0.09	0.09	0.00	0.09	3.35	942	946	0.40	0.01	0.00	958

3. Construction Emissions Details

3.1. Linear, Grading & Excavation (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
		×	1-	Y					10/04								-	

16 / 81

Onsite	_	-	_	_	_	_	-	_	_	_	_	_	_	_	_	_	_	_
Daily, Summer (Max)	_	-					-		-			r		-		-	-	-
Daily, Winter (Max)					-	-	-	-	-	-					-		-	
Off-Road Equipmen		0.59	4.26	6.30	0.02	0.14	-	0.14	0.13	-	0.13	-	1,863	1,863	0.08	0.02	-	1,869
Dust From Material Movement	_ t						0.00	0.00		0.00	0.00						-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Average Daily	-	-	-	1	-	-	-	1-	-	-	-	-	1-	-	1- 1	-	-	-
Off-Road Equipmen		0.04	0.26	0.38	< 0.005	0.01	-	0.01	0.01	-	0.01	-	113	113	< 0.005	< 0.005	-	113
Dust From Material Movement	 t		-		-		0.00	0.00	-	0.00	0.00	-	-				-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Annual	_	_	_	_	_	_	_	_	_	_	_	_	-	_	_	_	_	_
Off-Road Equipmen		0.01	0.05	0.07	< 0.005	< 0.005	-	< 0.005	< 0.005	-	< 0.005	-	18.7	18.7	< 0.005	< 0.005	-	18.8
Dust From Material Movement							0.00	0.00		0.00	0.00						-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Offsite	_		1	_	_		_	_	_	_	_	_		-	-	_	_	_

Daily, Summer (Max)			-	-	-	-	-		-							-	-	-
Daily, Winter (Max)		-	-		-	-	-		-					-		-	-	-
Worker	0.50	0.38	1.03	12.7	0.00	0.00	3.53	3.53	0.00	0.83	0.83	_	3,383	3,383	0.01	0.11	0.33	_
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	-
Average Daily	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Worker	0.03	0.02	0.07	0.82	0.00	0.00	0.21	0.21	0.00	0.05	0.05	-	208	208	< 0.005	0.01	0.33	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	_
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	_
Annual	-	-	-	-	-	-	-	-	-	_	-	_	-	-	-	_	_	_
Worker	0.01	< 0.005	0.01	0.15	0.00	0.00	0.04	0.04	0.00	0.01	0.01	_	34.5	34.5	< 0.005	< 0.005	0.06	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	_
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	_

3.2. Linear, Grading & Excavation (2026) - Mitigated

Location	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	СО2Т	CH4	N2O	R	CO2e
Onsite	_	_	_	1-	_	_	-	_	_	_	_	_	_	_	_	_	_	_
Daily, Summer (Max)			-		-				-	-	-	-	-	-	-	-		
Daily, Winter (Max)	_				-				_	-			-	-		-		-
Off-Road Equipmen		0.59	4.26	6.30	0.02	0.14	-	0.14	0.13		0.13	-	1,863	1,863	0.08	0.02	-	1,869

Dust From Material	-	-	-			-	0.00	0.00	-	0.00	0.00	-	-			-		r
Movement	t																	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Average Daily	_	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Off-Road Equipmen		0.04	0.26	0.38	< 0.005	0.01	-	0.01	0.01	-	0.01	-	113	113	< 0.005	< 0.005	-	113
Dust From Material Movement	_ t						0.00	0.00		0.00	0.00			-	-			-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Annual	_	-	-	_	_	_	-	_	_	_	_	-	-	_	_	_	_	-
Off-Road Equipmen		0.01	0.05	0.07	< 0.005	< 0.005	-	< 0.005	< 0.005	-	< 0.005	-	18.7	18.7	< 0.005	< 0.005	-	18.8
Dust From Material Movement	_ t			T			0.00	0.00	-	0.00	0.00				-		-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Offsite	_	_	_	_	_	_	-	_	_	_	_	_	_	_	1-	_	_	_
Daily, Summer (Max)	-	-	-	-	-		-	-	-	-	-	-	-			-	-	
Daily, Winter (Max)	_	-			-		-		-	-	-	-	-				-	
Worker	0.50	0.38	1.03	12.7	0.00	0.00	3.53	3.53	0.00	0.83	0.83	-	3,383	3,383	0.01	0.11	0.33	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	-
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	

19 / 81

Average Daily	-	-	-	-	-	-	-	-	_	-	-		-	-	-	-	-	-
Worker	0.03	0.02	0.07	0.82	0.00	0.00	0.21	0.21	0.00	0.05	0.05	-	208	208	< 0.005	0.01	0.33	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Annual	-	-	_	1	_	_	<u> </u>	1	_	-	_	-	_	-	-	_	-	-
Worker	0.01	< 0.005	0.01	0.15	0.00	0.00	0.04	0.04	0.00	0.01	0.01	-	34.5	34.5	< 0.005	< 0.005	0.06	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.00	0.00	0.00	0.00	0.00	_

3.3. Linear, Grading & Excavation (2027) - Unmitigated

Location	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	_	1-	_	1	1-	Ĭ-	i-	-	_	-	-	-	-	-	<u> </u>	1-	_	_
Daily, Summer (Max)	_				-		-	-	-		-					-	-	
Daily, Winter (Max)	_						-		-	-	-	-				-	-	
Off-Road Equipmen		0.59	4.09	6.32	0.02	0.13	-	0.13	0.12	-	0.12	-	1,862	1,862	0.08	0.02	-	1,868
Dust From Material Movement	_ t				-		0.00	0.00		0.00	0.00	_			-		-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Average Daily	_	-	-		-	-	-	-	_	-	-	-	-	-	-	-	-	-
Off-Road Equipmen		0.01	0.09	0.14	< 0.005	< 0.005	-	< 0.005	< 0.005	-	< 0.005	-	40.1	40.1	< 0.005	< 0.005	-	40.2

Dust From Material Movement	_		-		_		0.00	0.00		0.00	0.00							Γ
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Annual	_	_	_	-	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Off-Road Equipmen		< 0.005	0.02	0.02	< 0.005	< 0.005	-	< 0.005	< 0.005	-	< 0.005	-	6.64	6.64	< 0.005	< 0.005	-	6.66
Dust From Material Movement	_		-				0.00	0.00		0.00	0.00	-						
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Offsite	_	-	-	-	-	-	-	-	-	-	-	-	1-	-	1-	-	-	1-
Daily, Summer (Max)	_	-	-	-	-	_	-		-	-	-		-	-	-	-	-	-
Daily, Winter (Max)	_	_	-		-	-	-		-	-	-	-	-			_	-	
Worker	0.49	0.37	0.92	11.8	0.00	0.00	3.53	3.53	0.00	0.83	0.83	_	3,315	3,315	0.01	0.11	0.30	_
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	_
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	-
Average Daily	-	-	-	-	-	-	-	-	-	-	-	-	1-	-	-	-	-	-
Worker	0.01	0.01	0.02	0.27	0.00	0.00	0.08	0.08	0.00	0.02	0.02	-	72.4	72.4	< 0.005	< 0.005	0.11	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Annual	_	_	_	_	-	_	_	-	_	-	_	_	-	-	1-	_	_	_
Worker	< 0.005	< 0.005	< 0.005	0.05	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	-	12.0	12.0	< 0.005	< 0.005	0.02	_
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	_

	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.00	0.00	0.00	0.00	0.00	
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	_

3.4. Linear, Grading & Excavation (2027) - Mitigated

Location	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	_	-	-	<u> </u>	<u>'</u> —	<u>-</u>	_	1	_	<u> </u>	_	1—	·	<u> </u>	<u> </u>	1—	-	<u> </u>
Daily, Summer (Max)	_	_	-								_						_	
Daily, Vinter Max)	-	-	-		-	-	-	-	-	_	-	-	-	-	-	-	-	-
Off-Road Equipmen		0.59	4.09	6.32	0.02	0.13	-	0.13	0.12	-	0.12	-	1,862	1,862	0.08	0.02	-	1,868
Dust From Material Movemen	_ t		-		-		0.00	0.00	_	0.00	0.00		-	_	-		-	-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Average Daily	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Off-Road Equipmen		0.01	0.09	0.14	< 0.005	< 0.005	-	< 0.005	< 0.005	-	< 0.005	-	40.1	40.1	< 0.005	< 0.005	-	40.2
Dust From Material Movemen	_ t				-		0.00	0.00		0.00	0.00		-		-			
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Annual	_	_	-	1-	-	_	-	-	_	_	-	-	I -	-	II-	-	_	-
Off-Road Equipmen		< 0.005	0.02	0.02	< 0.005	< 0.005	Ī-	< 0.005	< 0.005	-	< 0.005	<u> </u> -	6.64	6.64	< 0.005	< 0.005	-	6.66

Dust From Material Movemer	— nt					T	0.00	0.00		0.00	0.00						-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Offsite	_	_	_	_	_	_	_	_	_	-	_	_	_	_	_	_	_	-
Daily, Summer (Max)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Daily, Winter (Max)	-	-	-				-			-	-	-		-		-	-	
Worker	0.49	0.37	0.92	11.8	0.00	0.00	3.53	3.53	0.00	0.83	0.83	-	3,315	3,315	0.01	0.11	0.30	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	-
Average Daily	-	_	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-
Worker	0.01	0.01	0.02	0.27	0.00	0.00	0.08	0.08	0.00	0.02	0.02	-	72.4	72.4	< 0.005	< 0.005	0.11	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	_
Annual	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1-	-	-	-
Worker	< 0.005	< 0.005	< 0.005	0.05	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	-	12.0	12.0	< 0.005	< 0.005	0.02	_
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	_

3.5. Demolition (2025) - Unmitigated

Location	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Daily, Summer (Max)	_	-	-	-	-	-		_	-	-	-				-	-	-	
Daily, Winter (Max)	_	-	-				-	-	-	-	-		-	-			-	-
Dust From Material Movement	_ t	-	-				< 0.005	< 0.005	-	< 0.005	< 0.005							
Demolitio n	_	-	-	-	-	-	3.24	3.24	-	0.49	0.49	-	-	-	-	-	-	-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Average Daily	_	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dust From Material Movement	_ t						< 0.005	< 0.005	-	< 0.005	< 0.005	-						
Demolitio n	-	-	-		-	-	0.18	0.18	-	0.03	0.03	-	-	-	-	-	-	-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Annual	_	-	-	-	-	-	-	-	_	_	_	_	-	-	-	-	-	-
Dust From Material Movement	 t						< 0.005	< 0.005	-	< 0.005	< 0.005							
Demolitio n	-	-	-	-	-	-	0.03	0.03	-	< 0.005	< 0.005	-	1	-	-	-	-	-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Offsite	_	_	_	_	-	_	-	-	_	_	_	_	-	-	_	_	_	_

Daily, Summer (Max)	-		-				-			-							-	
Daily, Winter (Max)	-		-		-		-			-				-	-	_	-	
Worker	0.51	0.39	1.14	13.7	0.00	0.00	3.53	3.53	0.00	0.83	0.83	_	3,452	3,452	0.12	0.11	0.37	-
Vendor	0.52	0.12	6.59	2.89	0.06	0.11	2.10	2.21	0.11	0.58	0.69	_	7,322	7,322	0.46	1.11	0.55	_
Hauling	1.70	0.23	17.3	8.55	0.10	0.20	4.26	4.46	0.20	1.17	1.37	_	15,565	15,565	1.47	2.55	0.87	_
Average Daily	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Worker	0.03	0.02	0.07	0.80	0.00	0.00	0.19	0.19	0.00	0.05	0.05	_	192	192	0.01	0.01	0.33	-
Vendor	0.03	0.01	0.37	0.16	< 0.005	0.01	0.11	0.12	0.01	0.03	0.04	_	401	401	0.02	0.06	0.51	_
Hauling	0.09	0.01	0.96	0.47	0.01	0.01	0.23	0.24	0.01	0.06	0.07	_	853	853	0.08	0.14	0.80	_
Annual	_	_	-	_	_	_	-	_	_	-	_	_	-	_	_	_	-	-
Worker	0.01	< 0.005	0.01	0.15	0.00	0.00	0.04	0.04	0.00	0.01	0.01	_	31.8	31.8	< 0.005	< 0.005	0.06	-
Vendor	0.01	< 0.005	0.07	0.03	< 0.005	< 0.005	0.02	0.02	< 0.005	0.01	0.01	_	66.4	66.4	< 0.005	0.01	0.08	_
Hauling	0.02	< 0.005	0.18	0.09	< 0.005	< 0.005	0.04	0.04	< 0.005	0.01	0.01	_	141	141	0.01	0.02	0.13	_

3.6. Demolition (2025) - Mitigated

Location	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Summer (Max)	-	_	-														_	
Daily, Winter (Max)			_			_			_				_				_	

Dust From Material Movement	 t						< 0.005	< 0.005		< 0.005	< 0.005		-					
Demolitio n	-	-	-	-	1-	-	3.24	3.24	-	0.49	0.49	-	-	-	-	-	-	-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Average Daily	_	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dust From Material Movement	_ t						< 0.005	< 0.005		< 0.005	< 0.005	-						
Demolitio n	_	-	-	-	-	-	0.18	0.18	-	0.03	0.03	-	-	-	-	-	-	-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Annual	_	-	_	_	_	-	_	-	_	_	_	_	-	-	_	-	_	_
Dust From Material Movement	_ t		-	-	-	-	< 0.005	< 0.005		< 0.005	< 0.005	-	-			-		
Demolitio n	-	-	-	-	-	-	0.03	0.03	-	< 0.005	< 0.005	-	1-	-	1-	1-	-	-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Offsite	_	-	1-	1-	1	-	1-	-	-	-	Î-	-	1-	1-	-	1-	1-	-
Daily, Summer (Max)	-		-		-	-			-	-	-	-	-		-	-	-	-
Daily, Winter (Max)			-		-		-			-			-		r		-	
Worker	0.51	0.39	1.14	13.7	0.00	0.00	3.53	3.53	0.00	0.83	0.83	_	3,452	3,452	0.12	0.11	0.37	_

Vendor	0.52	0.12	6.59	2.89	0.06	0.11	2.10	2.21	0.11	0.58	0.69	-	7,322	7,322	0.46	1.11	0.55	_
Hauling	1.70	0.23	17.3	8.55	0.10	0.20	4.26	4.46	0.20	1.17	1.37	-	15,565	15,565	1.47	2.55	0.87	_
Average Daily	-	-	-	1	-	-	-		-		-		-	_	-	-	-	-
Worker	0.03	0.02	0.07	0.80	0.00	0.00	0.19	0.19	0.00	0.05	0.05	1-	192	192	0.01	0.01	0.33	-
Vendor	0.03	0.01	0.37	0.16	< 0.005	0.01	0.11	0.12	0.01	0.03	0.04	_	401	401	0.02	0.06	0.51	-
Hauling	0.09	0.01	0.96	0.47	0.01	0.01	0.23	0.24	0.01	0.06	0.07	-	853	853	0.08	0.14	0.80	-
Annual	-	-	-	I -	_	_	-	I -	_	-	-	-	-	-	-	_	_	-
Worker	0.01	< 0.005	0.01	0.15	0.00	0.00	0.04	0.04	0.00	0.01	0.01	-	31.8	31.8	< 0.005	< 0.005	0.06	-
Vendor	0.01	< 0.005	0.07	0.03	< 0.005	< 0.005	0.02	0.02	< 0.005	0.01	0.01	-	66.4	66.4	< 0.005	0.01	0.08	-
Hauling	0.02	< 0.005	0.18	0.09	< 0.005	< 0.005	0.04	0.04	< 0.005	0.01	0.01	_	141	141	0.01	0.02	0.13	

3.7. Building Construction (2025) - Unmitigated

Location	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	_	<u> </u>	-	1-	_	<u> </u>	I -	-	-	-	-	-	_	-	_	1-	<u> </u>	_
Daily, Summer (Max)	_		-		-		-	-	-	-	-	-	-	-	-	-		-
Off-Road Equipmen		2.89	24.0	23.9	0.06	1.07	-	1.07	0.98	-	0.98	-	6,142	6,142	0.25	0.05	-	6,163
Dust From Material Movemen	_ t						1.91	1.91		0.90	0.90	_		-	-		-	-
Architect ural Coatings	_	0.48			-				-	-	-	-	-	-	-			-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-

Daily, Winter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(Max)																		
Off-Road Equipmen		2.89	24.0	23.9	0.06	1.07	-	1.07	0.98	-	0.98		6,142	6,142	0.25	0.05	_	6,163
Dust From Material Movemen	_ t				-		1.91	1.91	-	0.90	0.90				-		-	
Architect ural Coatings	_	0.48					-		-	-			-		-	-		
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Average Daily	_	-	-	-	-	-	1		-	-	-	1-	-	-	1		-	-
Off-Road Equipmen		1.79	14.9	14.8	0.04	0.66	-	0.66	0.61	-	0.61	-	3,798	3,798	0.15	0.03	-	3,811
Dust From Material Movemen	_ t	-	-			-	1.18	1.18	-	0.56	0.56							
Architect ural Coatings		0.29				-	-				-							
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1	0.00	0.00	0.00	0.00	0.00	-
Annual	_	_	-	-	_	_	-	-	_	_	1-	-	_	_	_	1-	_	_
Off-Road Equipmen		0.33	2.71	2.69	0.01	0.12	-	0.12	0.11	-	0.11	-	629	629	0.03	0.01	-	631
Dust From Material Movemen	_ t	-			-	-	0.22	0.22	-	0.10	0.10					-	-	-

Architect ural Coatings	-	0.05	-				-											
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Offsite	_	_	_	-	_	_	_	-	_	-	-	-	_	-	_	-	-	-
Daily, Summer (Max)	-		-		-		-		-		-		-		-		-	
Worker	0.52	0.41	1.03	19.3	0.00	0.00	3.53	3.53	0.00	0.83	0.83	_	3,769	3,769	0.12	0.11	14.1	-
Vendor	0.14	0.03	1.65	0.77	0.01	0.03	0.55	0.58	0.03	0.15	0.18	_	1,920	1,920	0.12	0.29	5.58	-
Hauling	0.08	0.01	0.77	0.40	< 0.005	0.01	0.20	0.21	0.01	0.05	0.06	-	728	728	0.07	0.12	1.58	-
Daily, Winter (Max)	-	-	-		-	_	-		-		-	-	-	-	-	-	-	-
Worker	0.51	0.39	1.14	13.7	0.00	0.00	3.53	3.53	0.00	0.83	0.83	-	3,452	3,452	0.12	0.11	0.37	-
Vendor	0.14	0.03	1.73	0.76	0.01	0.03	0.55	0.58	0.03	0.15	0.18	-	1,920	1,920	0.12	0.29	0.14	-
Hauling	0.08	0.01	0.81	0.40	< 0.005	0.01	0.20	0.21	0.01	0.05	0.06	-	728	728	0.07	0.12	0.04	-
Average Daily	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Worker	0.31	0.24	0.77	9.03	0.00	0.00	2.18	2.18	0.00	0.51	0.51	-	2,165	2,165	0.07	0.07	3.77	-
Vendor	0.08	0.02	1.08	0.47	0.01	0.02	0.34	0.36	0.02	0.09	0.11	-	1,187	1,187	0.07	0.18	1.50	-
Hauling	0.05	0.01	0.51	0.25	< 0.005	0.01	0.12	0.13	0.01	0.03	0.04	-	450	450	0.04	0.07	0.42	-
Annual	_	-	_	-	-	_	_	-	-	-	-	-	-	-	1-	-	-	_
Worker	0.06	0.04	0.14	1.65	0.00	0.00	0.40	0.40	0.00	0.09	0.09	-	358	358	0.01	0.01	0.62	-
Vendor	0.02	< 0.005	0.20	0.09	< 0.005	< 0.005	0.06	0.07	< 0.005	0.02	0.02	-	197	197	0.01	0.03	0.25	_
Hauling	0.01	< 0.005	0.09	0.05	< 0.005	< 0.005	0.02	0.02	< 0.005	0.01	0.01		74.6	74.6	0.01	0.01	0.07	_

3.8. Building Construction (2025) - Mitigated

Location	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	СО2Т	CH4	N2O	R	CO2e
Onsite	_	_	_	_	<u>'</u> —	-	_	_	<u></u>	_	_	_	_	_	_	1-	_	_
Daily, Summer (Max)	_		-	-	-	-			-	-			-			-	-	r
Off-Road Equipmen		2.89	24.0	23.9	0.06	1.07	-	1.07	0.98	-	0.98	-	6,142	6,142	0.25	0.05	-	6,163
Dust From Material Movemen	_ t						1.91	1.91	-	0.90	0.90	-						
Architect ural Coatings	_	0.48									_	-	-				-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	
Daily, Winter (Max)	_		-								-	-	-	-	-		-	
Off-Road Equipmen		2.89	24.0	23.9	0.06	1.07	-	1.07	0.98	-	0.98	-	6,142	6,142	0.25	0.05	_	6,163
Dust From Material Movemen	_ t						1.91	1.91		0.90	0.90						-	-
Architect ural Coatings	_	0.48									-			-				
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Average Daily	-	-	-	-	-	1	-	-	-	-	-	-	-	-		-	-	-
Off-Road Equipmen		1.79	14.9	14.8	0.04	0.66	-	0.66	0.61	-	0.61	-	3,798	3,798	0.15	0.03	-	3,811

Dust From Material Movement	_						1.18	1.18		0.56	0.56			Г				
Architect ural Coatings		0.29		-	-	-	-	-	-	-	-		-			H	-	-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Annual	_	_	-	1-	1-	-	_	_	_	_	_	_	_	-	_	_	_	-
Off-Road Equipmen		0.33	2.71	2.69	0.01	0.12	-	0.12	0.11	-	0.11	-	629	629	0.03	0.01	-	631
Dust From Material Movement	_ t		-		-	-	0.22	0.22		0.10	0.10		-					
Architect ural Coatings	_	0.05	T	T	-				Ī				-		-	L	-	r
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.00	0.00	0.00	0.00	0.00	-
Offsite	_	-	-	-		_	_	_	_	_	_	_	-	_	_	_	-	_
Daily, Summer (Max)	-	-	-	1	-	-	-	r		-	-	-	-	-	ľ	T	-	-
Worker	0.52	0.41	1.03	19.3	0.00	0.00	3.53	3.53	0.00	0.83	0.83	-	3,769	3,769	0.12	0.11	14.1	_
Vendor	0.14	0.03	1.65	0.77	0.01	0.03	0.55	0.58	0.03	0.15	0.18	-	1,920	1,920	0.12	0.29	5.58	-
Hauling	0.08	0.01	0.77	0.40	< 0.005	0.01	0.20	0.21	0.01	0.05	0.06	_	728	728	0.07	0.12	1.58	_
Daily, Winter (Max)	-	-	-		-		-	L		T	-		-	F		L		Г
Worker	0.51	0.39	1.14	13.7	0.00	0.00	3.53	3.53	0.00	0.83	0.83	_	3,452	3,452	0.12	0.11	0.37	-
Vendor	0.14	0.03	1.73	0.76	0.01	0.03	0.55	0.58	0.03	0.15	0.18	-	1,920	1,920	0.12	0.29	0.14	-
Hauling	0.08	0.01	0.81	0.40	< 0.005	0.01	0.20	0.21	0.01	0.05	0.06	_	728	728	0.07	0.12	0.04	_

Average Daily	-	-	-	-	-	-	-	-	-		-		-	-	-	-	-	-
Worker	0.31	0.24	0.77	9.03	0.00	0.00	2.18	2.18	0.00	0.51	0.51	-	2,165	2,165	0.07	0.07	3.77	-
Vendor	0.08	0.02	1.08	0.47	0.01	0.02	0.34	0.36	0.02	0.09	0.11	-	1,187	1,187	0.07	0.18	1.50	_
Hauling	0.05	0.01	0.51	0.25	< 0.005	0.01	0.12	0.13	0.01	0.03	0.04	1	450	450	0.04	0.07	0.42	-
Annual	_	-	_	_	_	_	-	_	_	-	-	-	-	-	-	_	_	-
Worker	0.06	0.04	0.14	1.65	0.00	0.00	0.40	0.40	0.00	0.09	0.09	-	358	358	0.01	0.01	0.62	-
Vendor	0.02	< 0.005	0.20	0.09	< 0.005	< 0.005	0.06	0.07	< 0.005	0.02	0.02	-	197	197	0.01	0.03	0.25	-
Hauling	0.01	< 0.005	0.09	0.05	< 0.005	< 0.005	0.02	0.02	< 0.005	0.01	0.01	_	74.6	74.6	0.01	0.01	0.07	_

3.9. Building Construction (2026) - Unmitigated

Location	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E		PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	_	<u> </u>	-	<u> </u>	1-	<u> </u>	I -	-	_	_	-	-	-	-	-	<u> </u>	T -	_
Daily, Summer (Max)	_		-					-	-		-				T			-
Off-Road Equipmer		2.78	22.2	23.4	0.06	0.97	-	0.97	0.89	-	0.89	-	6,145	6,145	0.25	0.05	-	6,166
Dust From Material Movemen	 t	-			-		1.91	1.91		0.90	0.90	-		-				
Architect ural Coatings	-	0.48	-								-	-		-	-			-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Daily, Winter (Max)	-		-	-	-		-		-	-	-	-	-	-	-	-		-

Off-Road Equipmen		2.78	22.2	23.4	0.06	0.97	-	0.97	0.89		0.89	1	6,145	6,145	0.25	0.05	-	6,166
Dust From Material Movement	_						1.91	1.91		0.90	0.90							ľ
Architect ural Coatings	_	0.48	-				-										-	-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Average Daily	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-
Off-Road Equipmen		1.82	14.5	15.3	0.04	0.64	-	0.64	0.59	-	0.59	-	4,029	4,029	0.16	0.03	-	4,042
Dust From Material Movement	_						1.25	1.25		0.59	0.59				I			-
Architect ural Coatings	_	0.31							-									-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Annual	_	-	-	-	-	-	-	-	_	_	_	<u> </u>	-	-	-	-	-	-
Off-Road Equipmen		0.33	2.65	2.79	0.01	0.12	-	0.12	0.11	-	0.11	-	667	667	0.03	0.01	-	669
Dust From Material Movement	_						0.23	0.23		0.11	0.11							-
Architect ural Coatings		0.06					-		-	-								-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1-	0.00	0.00	0.00	0.00	0.00	-

Offsite	_	-	-	-	-	-	-	-	_	_	-	-	-	-	_	_	-	_
Daily, Summer (Max)	-				-		-		-	-	-		-	-	Ī	-		
Worker	0.51	0.40	0.92	17.8	0.00	0.00	3.53	3.53	0.00	0.83	0.83	-	3,692	3,692	0.12	0.11	12.8	-
Vendor	0.14	0.02	1.56	0.73	0.01	0.03	0.55	0.58	0.03	0.15	0.18	-	1,888	1,888	0.10	0.29	5.15	-
Hauling	0.07	0.01	0.74	0.39	< 0.005	0.01	0.20	0.21	0.01	0.05	0.06	-	715	715	0.06	0.11	1.48	-
Daily, Winter (Max)			-		-	-	-		-		-			-		-		
Worker	0.50	0.38	1.03	12.7	0.00	0.00	3.53	3.53	0.00	0.83	0.83	-	3,383	3,383	0.01	0.11	0.33	_
Vendor	0.14	0.02	1.63	0.73	0.01	0.03	0.55	0.58	0.03	0.15	0.18	_	1,888	1,888	0.10	0.29	0.13	-
Hauling	0.07	0.01	0.77	0.39	< 0.005	0.01	0.20	0.21	0.01	0.05	0.06	_	715	715	0.06	0.11	0.04	_
Average Daily	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Worker	0.33	0.25	0.75	8.83	0.00	0.00	2.31	2.31	0.00	0.54	0.54	-	2,249	2,249	0.01	0.08	3.62	_
Vendor	0.09	0.01	1.08	0.48	0.01	0.02	0.36	0.38	0.02	0.10	0.12	-	1,238	1,238	0.07	0.19	1.45	-
Hauling	0.05	< 0.005	0.51	0.26	< 0.005	0.01	0.13	0.14	0.01	0.04	0.04	-	469	469	0.04	0.08	0.42	_
Annual	_	_	-	-	_	_	-	1-	_	-	-	-	-	-	1-	-	_	_
Worker	0.06	0.05	0.14	1.61	0.00	0.00	0.42	0.42	0.00	0.10	0.10	-	372	372	< 0.005	0.01	0.60	-
Vendor	0.02	< 0.005	0.20	0.09	< 0.005	< 0.005	0.07	0.07	< 0.005	0.02	0.02	-	205	205	0.01	0.03	0.24	_
Hauling	0.01	< 0.005	0.09	0.05	< 0.005	< 0.005	0.02	0.02	< 0.005	0.01	0.01	_	77.6	77.6	0.01	0.01	0.07	-

3.10. Building Construction (2026) - Mitigated

Location	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	_	_	_	_	_	-	_	_	_	-	_	_	_	_	_	_	_	_
Daily, Summer (Max)	-	_		-	-	-					_	_		_	_		-	-

Off-Road Equipmen		2.78	22.2	23.4	0.06	0.97	_	0.97	0.89		0.89		6,145	6,145	0.25	0.05	_	6,166
Dust From Material Movement	_		-				1.91	1.91		0.90	0.90							-
Architect ural Coatings	_	0.48													-		-	-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Daily, Winter (Max)	_																	-
Off-Road Equipmen		2.78	22.2	23.4	0.06	0.97	-	0.97	0.89	-	0.89	-	6,145	6,145	0.25	0.05	-	6,166
Dust From Material Movement	 t	Ī					1.91	1.91		0.90	0.90							
Architect ural Coatings	_	0.48								-	-	-						-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Average Daily	_	-	-		-	-	-	-	_	-	-		-	-	1	-	_	-
Off-Road Equipmen		1.82	14.5	15.3	0.04	0.64	-	0.64	0.59	-	0.59	-	4,029	4,029	0.16	0.03	-	4,042
Dust From Material Movement	_						1.25	1.25		0.59	0.59							
Architect ural Coatings		0.31	FI	t	-	-	ŀ	ij-	-	-	-	t	-	F	-	II-	-	

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Annual	-	_	-	_	_	_	1	_	_	-	-	-	-	-	-	-	_	-
Off-Road Equipmen		0.33	2.65	2.79	0.01	0.12	-	0.12	0.11	-	0.11	-	667	667	0.03	0.01	_	669
Dust From Material Movemen	_ t			r			0.23	0.23		0.11	0.11							Ī
Architect ural Coatings	-	0.06	-			-	-		-	-	-							
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Offsite	_	_	-	_	-	_	-	_	_	_	_	_	-	_	-	_	-	_
Daily, Summer (Max)	-	-	-		-		-			-	-		-	-	-		-	
Worker	0.51	0.40	0.92	17.8	0.00	0.00	3.53	3.53	0.00	0.83	0.83	_	3,692	3,692	0.12	0.11	12.8	_
Vendor	0.14	0.02	1.56	0.73	0.01	0.03	0.55	0.58	0.03	0.15	0.18	-	1,888	1,888	0.10	0.29	5.15	-
Hauling	0.07	0.01	0.74	0.39	< 0.005	0.01	0.20	0.21	0.01	0.05	0.06	-	715	715	0.06	0.11	1.48	-
Daily, Winter (Max)	_	-	-	-	-	-	-		-	-	-	-	-	-	-	-		-
Worker	0.50	0.38	1.03	12.7	0.00	0.00	3.53	3.53	0.00	0.83	0.83	-	3,383	3,383	0.01	0.11	0.33	_
Vendor	0.14	0.02	1.63	0.73	0.01	0.03	0.55	0.58	0.03	0.15	0.18	-	1,888	1,888	0.10	0.29	0.13	_
Hauling	0.07	0.01	0.77	0.39	< 0.005	0.01	0.20	0.21	0.01	0.05	0.06	-	715	715	0.06	0.11	0.04	_
Average Daily	_	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-
Worker	0.33	0.25	0.75	8.83	0.00	0.00	2.31	2.31	0.00	0.54	0.54	-	2,249	2,249	0.01	0.08	3.62	_
Vendor	0.09	0.01	1.08	0.48	0.01	0.02	0.36	0.38	0.02	0.10	0.12	-	1,238	1,238	0.07	0.19	1.45	-
Hauling	0.05	< 0.005	0.51	0.26	< 0.005	0.01	0.13	0.14	0.01	0.04	0.04	1_	469	469	0.04	0.08	0.42	_

Annual	_	-	_	-	-	_	-	-	_	_	-	-	-	-	_	-	_	_
Worker	0.06	0.05	0.14	1.61	0.00	0.00	0.42	0.42	0.00	0.10	0.10	-	372	372	< 0.005	0.01	0.60	-
Vendor	0.02	< 0.005	0.20	0.09	< 0.005	< 0.005	0.07	0.07	< 0.005	0.02	0.02	_	205	205	0.01	0.03	0.24	_
Hauling	0.01	< 0.005	0.09	0.05	< 0.005	< 0.005	0.02	0.02	< 0.005	0.01	0.01	_	77.6	77.6	0.01	0.01	0.07	_

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

Land Use	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	-			-	-		-	_	-	-		-	_		-	-	-
Unrefrige rated Warehou se-Rail	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.00	0.00	0.00	0.00	0.00	0.00
Other Non-Asph Surfaces	0.00 alt	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	-	-		1	-	-		H	-	-			-			1		-

Unrefrige Warehous		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Other Non-Asph Surfaces	0.00 alt	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Annual	_	_	-	-	_	-	_	-			_	-	-	-	-	_	_	-
Unrefrige rated Warehou se-Rail	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Other Non-Asph Surfaces	0.00 alt	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.00	0.00	0.00	0.00	0.00	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00

4.1.2. Mitigated

Land Use	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_		_	_	_		-		_				_	_	_			

Unrefrige rated	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Other Non-Asph Surfaces	0.00 alt	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	_		-		-		-		-	-	-	-			1		-	-
Unrefrige rated Warehou se-Rail	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.00	0.00	0.00	0.00	0.00	0.00
Other Non-Asph Surfaces	0.00 alt	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Annual	_	-	-	1-	-	-	-	-	-	-	-	-	-	-	-	1-	1-	-
Unrefrige rated Warehou se-Rail	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.00	0.00	0.00	0.00	0.00	0.00
Other Non-Asph Surfaces	0.00 alt	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00

Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.00	0.00	0.00	0.00	0.00	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

Land Use	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-	-		-	1-		-		-		-		-		Ė	-	-	
Unrefrige rated Warehou se-Rail			-					-	-	-	-		5,015	5,015	0.34	0.04	-	5,036
Other Non-Asph Surfaces									-		-	-	0.00	0.00	0.00	0.00		0.00
Parking Lot	-	-	-			_	-	-	_	_	-	-	0.00	0.00	0.00	0.00		0.00
Other Asphalt Surfaces			-			-	-		-	_	-	-	0.00	0.00	0.00	0.00	-	0.00
Total	_	-	-	-	-	_	-	-	_	_	_	-	5,015	5,015	0.34	0.04	-	5,036
Daily, Winter (Max)	-				7				_	_	-	-	-	-			-	

Unrefrige — rated Warehou	-	-	-			-					-	5,015	5,015	0.34	0.04		5,036
Other — Non-Asphalt Surfaces	F	-	-	-		-	F		F	-	-	0.00	0.00	0.00	0.00	Н	0.00
Parking — Lot	-	-	-	-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	-	0.00
Other — Asphalt Surfaces		-	-	-			-	-	-	-	-	0.00	0.00	0.00	0.00	-	0.00
Total —	-	-	-	-	-	1-	-	-	-	-	-	5,015	5,015	0.34	0.04	-	5,036
Annual —	_	1-	_	-	_	-	_	_	_	-	-	_	_	-	-	-	_
Unrefrige — rated Warehou se-Rail												830	830	0.06	0.01		834
Other — Non-Asphalt Surfaces		-		-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	-	0.00
Parking — Lot	-	-		-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	-	0.00
Other — Asphalt Surfaces		1	Ī		-					Ī		0.00	0.00	0.00	0.00		0.00
Total —	_	1_	_	_	_	_	_	_	_	_	_	830	830	0.06	0.01	_	834

4.2.2. Electricity Emissions By Land Use - Mitigated

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	-	_	_	-	_	_	_		_	_	-		-	_			_

Unrefrige Warehouse		-	-	-	-	-	-		-		-		0.00	0.00	0.00	0.00	-	0.00
Other Non-Aspha Surfaces	— alt	-	-	-	-	-	-	ŀ	-	F	-	-	0.00	0.00	0.00	0.00	-	0.00
Parking Lot	_	-	-	-	_	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	-	0.00
Other Asphalt Surfaces		-		-	-	F	-	-	-		-	-	0.00	0.00	0.00	0.00	-	0.00
Total	_	-	-	-	-	-	1-		-	-		-	0.00	0.00	0.00	0.00	-	0.00
Daily, Winter (Max)		-	-		-		-					-					-	
Unrefrige rated Warehou se-Rail		Ī		Ī	L				1				0.00	0.00	0.00	0.00		0.00
Other Non-Aspha Surfaces	— alt	Г	-		-	-	-		-	-	-		0.00	0.00	0.00	0.00	-	0.00
Parking Lot	_	-	-	-	-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	-	0.00
Other Asphalt Surfaces		-							-			1	0.00	0.00	0.00	0.00	-	0.00
Total	_	-	-	-	_	-	_	_	-	_	_	_	0.00	0.00	0.00	0.00	-	0.00
Annual	_	_	-	_	-	_	-	_	-	_	-	-	-	_	-	-	-	_
Unrefrige rated Warehou se-Rail												-	0.00	0.00	0.00	0.00		0.00
Other Non-Aspha Surfaces	— alt	-			-				-			-	0.00	0.00	0.00	0.00	-	0.00

Parking Lot	-	-	-	-	-	-	-	-	_	-	-	-	0.00	0.00	0.00	0.00	-	0.00
Other Asphalt Surfaces	-		-	_	-	_			_			_	0.00	0.00	0.00	0.00	-	0.00
Total	-	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	_	0.00

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

Land Use	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	СО2Т	CH4	N2O	R	CO2e
Daily, Summer (Max)	_			-		-	-	-		-	_		-	-	-	-	-	-
Unrefrige rated Warehou se-Rail	0.02	0.01	0.20	0.17	< 0.005	0.02		0.02	0.02	-	0.02		244	244	0.02	< 0.005	_	244
Other Non-Asph Surfaces	0.00 alt	0.00	0.00	0.00	0.00	0.00		0.00	0.00		0.00		0.00	0.00	0.00	0.00	-	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	_	0.00	-	0.00	0.00	0.00	0.00	-	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	-	0.00
Total	0.02	0.01	0.20	0.17	< 0.005	0.02	-	0.02	0.02	_	0.02	-	244	244	0.02	< 0.005	-	244
Daily, Winter (Max)	_								_	-	-	-	-	_			-	
Unrefrige rated Warehou se-Rail	0.02	0.01	0.20	0.17	< 0.005	0.02		0.02	0.02	-	0.02		244	244	0.02	< 0.005		244

Other Non-Asph	0.00 alt	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	-	0.00	-	0.00	0.00	0.00	0.00	-	0.00
Surfaces																		
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	-	0.00	-	0.00	0.00	0.00	0.00	-	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00		0.00		0.00	0.00	0.00	0.00	_	0.00
Total	0.02	0.01	0.20	0.17	< 0.005	0.02	-	0.02	0.02	_	0.02	_	244	244	0.02	< 0.005	_	244
Annual	_	-	-	-	-	-	_	_	_	-	_	-	-	-	-	-	-	-
Unrefrige rated Warehou se-Rail	< 0.005	< 0.005	0.04	0.03	< 0.005	< 0.005	_	< 0.005	< 0.005	-	< 0.005	-	40.3	40.3	< 0.005	< 0.005	-	40.5
Other Non-Asph Surfaces	0.00 alt	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	-	0.00	-	0.00	0.00	0.00	0.00	-	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	-	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	_	0.00	-	0.00	0.00	0.00	0.00	-	0.00
Total	< 0.005	< 0.005	0.04	0.03	< 0.005	< 0.005	_	< 0.005	< 0.005	_	< 0.005	_	40.3	40.3	< 0.005	< 0.005	_	40.5

4.2.4. Natural Gas Emissions By Land Use - Mitigated

Land Use	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)							_							_	_		_	_

Unrefrige rated Warehou se-Rail	0.02	0.01	0.20	0.17	< 0.005	0.02		0.02	0.02		0.02		244	244	0.02	< 0.005		244
Other Non-Asph Surfaces	0.00 alt	0.00	0.00	0.00	0.00	0.00		0.00	0.00	-	0.00	-	0.00	0.00	0.00	0.00		0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	-	0.00	-	0.00	0.00	0.00	0.00	-	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	-	0.00	-	0.00	0.00	0.00	0.00		0.00
Total	0.02	0.01	0.20	0.17	< 0.005	0.02	_	0.02	0.02	-	0.02	-	244	244	0.02	< 0.005	-	244
Daily, Winter (Max)						-				-					T	-		
Unrefrige rated Warehou se-Rail	0.02	0.01	0.20	0.17	< 0.005	0.02	Ī	0.02	0.02	-	0.02	-	244	244	0.02	< 0.005	-	244
Other Non-Asph Surfaces	0.00 alt	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	-	0.00	-	0.00	0.00	0.00	0.00		0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	-	0.00	-	0.00	0.00	0.00	0.00	-	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00		0.00	0.00		0.00		0.00	0.00	0.00	0.00		0.00
Total	0.02	0.01	0.20	0.17	< 0.005	0.02	_	0.02	0.02	-	0.02	_	244	244	0.02	< 0.005	_	244
Annual	_	-	-	-	_	_	-	-	-	_	_	-	-	_	-	-	_	-
Unrefrige rated Warehou se-Rail	< 0.005	< 0.005	0.04	0.03	< 0.005	< 0.005		< 0.005	< 0.005		< 0.005		40.3	40.3	< 0.005	< 0.005	-	40.5

Other Non-Asph Surfaces	0.00 alt	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00		0.00		0.00	0.00	0.00	0.00		0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	-	0.00	-	0.00	0.00	0.00	0.00	-	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00		0.00	0.00	-	0.00	-	0.00	0.00	0.00	0.00	-	0.00
Total	< 0.005	< 0.005	0.04	0.03	< 0.005	< 0.005	_	< 0.005	< 0.005	_	< 0.005	_	40.3	40.3	< 0.005	< 0.005	_	40.5

4.3. Area Emissions by Source

4.3.1. Unmitigated

Source	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	СО2Т	CH4	N2O	R	CO2e
Daily, Summer (Max)	_		-		-	_	-	_	-		-	-		-	-	-	-	
Consum er Products		0.87	-			-	-	-	-	_	-	_		_		-	-	
Architect ural Coatings		0.06			-	-	_		-	-	-	-		-		-	-	
Landsca pe Equipme nt		0.29	0.01	1.74	< 0.005	< 0.005	-	< 0.005	< 0.005	-	< 0.005	_	7.15	7.15	< 0.005	< 0.005	-	7.18
Total	0.31	1.21	0.01	1.74	< 0.005	< 0.005	-	< 0.005	< 0.005	_	< 0.005	-	7.15	7.15	< 0.005	< 0.005	_	7.18
Daily, Winter (Max)	_				-	-	-	-	_	_	-	_	-	_	-	-	-	-

Consum er Products	-	0.87	-		-	-		-	-		-		-	-	-	-	-	
Architect ural Coatings		0.06	-	-	-		-	-	_	_	-	_	-		-	-	-	-
Total	-	0.93	_	-	-	_	-	-	_	_	_	_	_	-	_	_	-	-
Annual	-	_	-	-	-	_	_	-	_	_	-	-	_	-	-	_	_	-
Consum er Products	_	0.16	-	_	-		-		-	-	-	-	-		-		-	
Architect ural Coatings	-	0.01	-	-			-			-		Ī			-		-	
Landsca pe Equipme nt	0.04	0.04	< 0.005	0.22	< 0.005	< 0.005		< 0.005	< 0.005		< 0.005		0.81	0.81	< 0.005	< 0.005	_	0.81
Total	0.04	0.20	< 0.005	0.22	< 0.005	< 0.005	_	< 0.005	< 0.005	_	< 0.005	_	0.81	0.81	< 0.005	< 0.005	_	0.81

4.3.2. Mitigated

Source	TOG	ROG		СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-		_	_	_	_		_	_	_	_	_	_	_	_	_	_	_
Consum er Products	_	0.87			_								_					
Architect ural Coatings		0.06	-		_				_			_	_	-		-		_

Landsca pe Equipme	0.31	0.29	0.01	1.74	< 0.005	< 0.005	-	< 0.005	< 0.005		< 0.005	-	7.15	7.15	< 0.005	< 0.005	-	7.18
Total	0.31	1.21	0.01	1.74	< 0.005	< 0.005	-	< 0.005	< 0.005	-	< 0.005	-	7.15	7.15	< 0.005	< 0.005	-	7.18
Daily, Winter (Max)	_	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	
Consum er Products	_	0.87	-	-	-	_	-	-	-	-	-	-	-	-	-	-	-	r
Architect ural Coatings	_	0.06	-	-	-		-	-	-	-	-	-		-	-	-	-	
Total	_	0.93	_	-	_	_	_	-	_	_	_	-	-	-	_	_	-	-
Annual	_	_	-	-	_	_	_	-	_	-	_	-	-	-	-	_	-	-
Consum er Products	_	0.16	-	-	-		-	-	-	-	-	-		-	-	-	-	-
Architect ural Coatings	-	0.01	-		-	-	-	-	-	-	-	-	-	-	-	-	-	
Landsca pe Equipme nt	0.04	0.04	< 0.005	0.22	< 0.005	< 0.005		< 0.005	< 0.005		< 0.005	Ī	0.81	0.81	< 0.005	< 0.005		0.81
Total	0.04	0.20	< 0.005	0.22	< 0.005	< 0.005	_	< 0.005	< 0.005	_	< 0.005	_	0.81	0.81	< 0.005	< 0.005	_	0.81

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

Land	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Use																		

Daily, Summer (Max)	-		-		-		-					-	-		-			
Unrefrige rated Warehou se-Rail	_		-		-		-				-	0.00	5,040	5,040	0.35	0.04	-	5,061
Other Non-Asph Surfaces	— alt		-		-						-	0.00	0.00	0.00	0.00	0.00		0.00
Parking Lot	-	-	-	-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Other Asphalt Surfaces	-		-	-	-		-					0.00	0.00	0.00	0.00	0.00		0.00
Total	_	_	_	-	_	_	-	-	-	-	-	0.00	5,040	5,040	0.35	0.04	-	5,061
Daily, Winter (Max)	-		-					F			-	-			F			
Unrefrige rated Warehou se-Rail	_		-		-		-					0.00	5,040	5,040	0.35	0.04		5,061
Other Non-Asph Surfaces	— alt	-	-		-		1					0.00	0.00	0.00	0.00	0.00	-	0.00
Parking Lot	-	-	1	-	-	-	-	-	-	-	1	0.00	0.00	0.00	0.00	0.00	-	0.00
Other Asphalt Surfaces	-			-	-							0.00	0.00	0.00	0.00	0.00	-	0.00
Total	_	_	-	-	-	-	-	_	_	_	-	0.00	5,040	5,040	0.35	0.04	_	5,061
Annual	_	_	_	_	_	_	_	_	_	_	-	_	_	_	1-	1_	_	_

Unrefrige — rated Warehou se-Rail									0.00	834	834	0.06	0.01		838
Other — Non-Asphalt Surfaces	-	-	-			-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Parking — Lot		1	-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Other — Asphalt Surfaces				-		-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Total —	 - -	1-	-	1-	-	1-	-	1	0.00	834	834	0.06	0.01	1-	838

4.4.2. Mitigated

Land Use	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_				-	-	-	-	_	-	-		-					_
Unrefrige rated Warehou se-Rail	_									-	-	0.00	5,040	5,040	0.35	0.04		5,061
Other Non-Asph Surfaces	— alt		-		-				_	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Parking Lot	-	-	-	-	-	-	-	-	-	_	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Other Asphalt Surfaces			-	-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00		0.00
Total	_	_	_	_	! —	_	_	I_	-	_	_	0.00	5,040	5,040	0.35	0.04	V-	5,061

Daily, — Winter (Max)		-	-	-		-	-	-		-			-	-	-	-	
Unrefrige — rated Warehou se-Rail		-				-			Г		0.00	5,040	5,040	0.35	0.04		5,061
Other — Non-Asphalt Surfaces		-		-		-	-		r		0.00	0.00	0.00	0.00	0.00		0.00
Parking — Lot	-	-	-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Other — Asphalt Surfaces			-	-				-			0.00	0.00	0.00	0.00	0.00	-	0.00
Total —	_	-	_	_	_	_	_	_	_	_	0.00	5,040	5,040	0.35	0.04	_	5,061
Annual —	-	1-	-	1-	-	-	-	-	-	-	1-	-	-	1-	-	-	-
Unrefrige — rated Warehou se-Rail		-				-			-		0.00	834	834	0.06	0.01	-	838
Other — Non-Asphalt Surfaces				-			-	-		Ī	0.00	0.00	0.00	0.00	0.00	-	0.00
Parking — Lot	-	-	-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Other — Asphalt Surfaces		-	1	-	-		-	-		-	0.00	0.00	0.00	0.00	0.00		0.00
Total —	_	_	_	_	_	_	_	_	_	_	0.00	834	834	0.06	0.01	_	838

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

Land Use	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	СО2Т	CH4	N2O	R	CO2e
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unrefrige rated Warehou se-Rail		-		-	-		-	-	_	_	-	20.3	0.00	20.3	2.03	0.00	-	70.9
Other Non-Aspha Surfaces	— alt				-	-	-	-	-	_	-	0.00	0.00	0.00	0.00	0.00		0.00
Parking Lot	-	-	-	-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Other Asphalt Surfaces	-	-	-	-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Total	_	-	-	-	-	-	-	-	_	-	-	20.3	0.00	20.3	2.03	0.00	-	70.9
Daily, Winter (Max)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Unrefrige rated Warehou se-Rail	_											20.3	0.00	20.3	2.03	0.00		70.9
Other Non-Aspha Surfaces	— alt							-	-	_	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Parking Lot	_	-	-	-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Other Asphalt Surfaces	-		-				-	-		_	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Total	_	_	_	_	_	_	_	_	_	_	_	20.3	0.00	20.3	2.03	0.00	_	70.9

Annual —	_	_	-	_	_	_	-	-	-	-	-	_	_	_	_	_	_
Unrefrige — rated Warehou se-Rail								-			3.35	0.00	3.35	0.34	0.00		11.7
Other — Non-Asphalt Surfaces		-		-	1						0.00	0.00	0.00	0.00	0.00	-	0.00
Parking — Lot	1	-		-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Other — Asphalt Surfaces											0.00	0.00	0.00	0.00	0.00		0.00
Total —	_	_		_		1-	_	-	-	1-	3.35	0.00	3.35	0.34	0.00	-	11.7

4.5.2. Mitigated

Land Use	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-	-	-	-	-	-	-			-	-	-		-		-	-	-
Unrefrige rated Warehou se-Rail					-	-				-	-	20.3	0.00	20.3	2.03	0.00	-	70.9
Other Non-Aspl Surfaces									-		-	0.00	0.00	0.00	0.00	0.00		0.00
Parking Lot	-	-	1	-	-	-	-	-	_	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Other Asphalt Surfaces	-	-	-	F	1	F	-		-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00

Total	_	_	_	_	_	_	_	_	_	_	_	20.3	0.00	20.3	2.03	0.00	_	70.9
Daily, Winter (Max)	-				-	-			-				-	-	-		-	-
Unrefrige rated Warehou se-Rail	_				-		Ī					20.3	0.00	20.3	2.03	0.00	-	70.9
Other Non-Asph Surfaces	— alt		-	r		-						0.00	0.00	0.00	0.00	0.00	-	0.00
Parking Lot	-	-	-	-	-	-			-	-	-	0.00	0.00	0.00	0.00	0.00	1	0.00
Other Asphalt Surfaces	-		-		F	T	-	I			-	0.00	0.00	0.00	0.00	0.00	-	0.00
Total	-	-	-	-	-	-	-	-	-	_	_	20.3	0.00	20.3	2.03	0.00	-	70.9
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Unrefrige rated Warehou se-Rail												3.35	0.00	3.35	0.34	0.00		11.7
Other Non-Asph Surfaces	— alt					-						0.00	0.00	0.00	0.00	0.00	-	0.00
Parking Lot	_	-	-	1	-	-	-	1	-			0.00	0.00	0.00	0.00	0.00	-	0.00
Other Asphalt Surfaces			-		-	-	-	-				0.00	0.00	0.00	0.00	0.00	-	0.00
Total	_	_	_	_	_	_	_	_	_	_	_	3.35	0.00	3.35	0.34	0.00	_	11.7

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

		,	,	J, J			'		J,		,							
Land Use	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)			-		_	-		_	_	-		_	-	-	_	-	_	-
Total	-	-	-	-	_	_	_	_	_	_	_	-	_	_	_	-	_	_
Daily, Winter (Max)	-	-	-	-	-	-	_	_		-	-	-	-	-	-	_	-	-
Total	-	-	-	-	_	_	-	_	_	_	_	_	_	_	_	-	_	- 1
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_		_	_	_	_	_	_	_	_	_	_

4.6.2. Mitigated

Land Use	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	-	-	-			-	-		-	-	_	_	-			-	-
Total	_	-	_	_	-	-	_	_	_	_	_	-	_	_	-		_	_
Daily, Winter (Max)	-	-	-	-	_	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	_	_	_	_	-	_	-	_	_	_	-	-	_	_	-	_	_	_
Annual	_	_	_	_	_	_	-	_	_	_	_	_	_	_	_	_	_	_
Total	-	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipme		ROG				PM10E			PM2.5E			BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
nt		ROO	NOX		002	I WITOL	I WITOD	I WITOT	I WIZ.JL	1 WZ.3D	1 1012.01	D002	NBOOZ	0021	OI I	1420		0026
Туре																		
Daily, Summer (Max)	-	_	_	_	_		_		_		_	_	_	_	_	_	-	
Total	_	_	_	-	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Winter (Max)	-	-	-	-	-	-			-	-	-	-	-	-	_	-	-	-
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	- 111	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.7.2. Mitigated

Equipme nt Type	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	-	_	_	_	_	_			_	_	_	_	_	_	_	_
Total	-	-	-	_	_	-	-	-	_	_	_	_	_	_	-	_	_	-
Daily, Winter (Max)	_	_	_	_	_	-		_			_		_	_	_		_	-
Total	_	_	_	_	_	-	- 1	_	_	_	_	_	_	_	_	_	-	_

Annual —	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	
Total —	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

Equipme nt Type	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-			-		-	-	-	-	-	-	-		-	-	_	-	
Fire Pump	0.87	0.79	4.11	4.01	< 0.005	0.46	0.00	0.46	0.46	0.00	0.46	0.00	403	403	0.02	< 0.005	0.00	0.00
undefine d	_	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	404
Total	0.87	0.79	4.11	4.01	< 0.005	0.46	0.00	0.46	0.46	0.00	0.46	0.00	403	403	0.02	< 0.005	0.00	404
Daily, Winter (Max)	-	-	-	-	-	_	_	-	-	-	_	-	-	_	-	-	-	-
Fire Pump	0.87	0.79	4.11	4.01	< 0.005	0.46	0.00	0.46	0.46	0.00	0.46	0.00	403	403	0.02	< 0.005	0.00	0.00
undefine d	_	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	404
Total	0.87	0.79	4.11	4.01	< 0.005	0.46	0.00	0.46	0.46	0.00	0.46	0.00	403	403	0.02	< 0.005	0.00	404
Annual	-	1-	-	-	-	-	-	-	-	-	-	-	_	_	_	-	_	_
Fire Pump	0.16	0.14	0.75	0.73	< 0.005	0.08	0.00	0.08	0.08	0.00	0.08	0.00	66.7	66.7	< 0.005	< 0.005	0.00	0.00
undefine d	-	-	-	-	-	-	-	-	_	-	-	-	_	-	-	-	_	66.9
Total	0.16	0.14	0.75	0.73	< 0.005	0.08	0.00	0.08	0.08	0.00	0.08	0.00	66.7	66.7	< 0.005	< 0.005	0.00	66.9

4.8.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipme nt Type	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-	-	-		-				-	-	-		-	-	-		-	-
Fire Pump	0.87	0.79	4.11	4.01	< 0.005	0.46	0.00	0.46	0.46	0.00	0.46	0.00	403	403	0.02	< 0.005	0.00	0.00
undefine d	_	-	_	-	-	-	-	-	-	-	-	-	-	-	-	-	-	404
Total	0.87	0.79	4.11	4.01	< 0.005	0.46	0.00	0.46	0.46	0.00	0.46	0.00	403	403	0.02	< 0.005	0.00	404
Daily, Winter (Max)	_	-	-		-	_		-	-		-		-	-	_	-	_	_
Fire Pump	0.87	0.79	4.11	4.01	< 0.005	0.46	0.00	0.46	0.46	0.00	0.46	0.00	403	403	0.02	< 0.005	0.00	0.00
undefine d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_	404
Total	0.87	0.79	4.11	4.01	< 0.005	0.46	0.00	0.46	0.46	0.00	0.46	0.00	403	403	0.02	< 0.005	0.00	404
Annual	_	_	_	_	_	_	_	_	_	_	-	-	_	-	_	_	-	-
Fire Pump	0.16	0.14	0.75	0.73	< 0.005	0.08	0.00	0.08	0.08	0.00	0.08	0.00	66.7	66.7	< 0.005	< 0.005	0.00	0.00
undefine d	_	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66.9
Total	0.16	0.14	0.75	0.73	< 0.005	0.08	0.00	0.08	0.08	0.00	0.08	0.00	66.7	66.7	< 0.005	< 0.005	0.00	66.9

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

Equipme Type	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-		_		_		_		_	-			_	-				
Total	-	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Winter (Max)	-	-	-	-	-	-	_	-	-	-	-	-	_	-	-	-	-	-
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.9.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipme nt Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	-	-				_		-	_	-		_	_	-	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	-
Daily, Winter (Max)	_	_	_	_	_	_	_		_	_	_	_	_	_			_	-
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	-	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetatio n	TOG	ROG		со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)			_		_	_		_		-		_	-	-	-	-	_	-
Total	_	_	-	_	_	_	_	_	_	_	_	_	_	_	_	-	_	_
Daily, Winter (Max)	-	-	-	-	_	-	_	_	_	-		_	_	-	_	-	_	-
Total	_	-	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Land Use	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_				-				_	_	-	_	_		-		_	_
Total	-	-	-	-	-	-	-	-	-	_	-	-	_	-	-		_	_
Daily, Winter	_	_	_	_	_	-	-	-	-	-	-	-	-	-	-	-	_	-
(Max)																		
Total	-	-	-	_	-	_	-	-	_	_	_	-	_	-	-	-	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_		-	-	_	_
Total	-	-	-	-	-	-	_	_	_	_	-	-	_	_	-	_	_	-

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Species	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-	-	-					-	_	-	-	-	_	-		-		-
Avoided	-	-	-	-	-	-	-	-	-	-	_	-	-	_	_	_	_	-
Subtotal	_	_	_	_	-	_	_	_	-	_	_	_	_	_	_	_	_	-
Sequest ered	-	-	-			-	_	-	_	_	_	_	-	-	-	-	-	
Subtotal	-	-	-	-	-	_	_	_	_	_	_	_	_	_	_	_	_	_
Remove d	-	-	-	-	-	-	-	-	-	_	-	-	-	-	-	-	-	-
Subtotal	_	_	-	-	-	-	_	_	_	_	_	-	_	_	-	-	_	-
-	-	-	1-	-	-	-	_	_	_	_	_	_	_	-	_	-	_	-
Daily, Winter (Max)				I					-		-				T			
Avoided	-	-	-	1-	1-		-	-	_	_	-	-	-	-	I-	-	-	-
Subtotal	_	-	_	-	-	_	-	-	_	_	_	_	_	-	_	_	_	_
Sequest ered	-	-	-			-	-	-	-	-	-	-	-	-	-	-	-	-
Subtotal	-	_	-	-	-	_	-	-	_	_	_	-	_	-	_	-	_	-
Remove d	-	-	-		-	-	-	-	-	-	-	-	-	-	-		-	-
Subtotal	-	-	_	-	-	_	_	-	-	_	_	_	_	-	_	-	_	_
_	-	-	-	-	-	_	-	-	-	_	-	-	_	-	-	-	_	-
Annual	-	-	_	-	-	_	-	_	-	_	_	_	_	-	_	_	_	_
Avoided	_	-	-	-	1-	-	-	-	_	_	_	_	-	-	-	_	_	-
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Sequest —	_	_	-	_	_	_	-	_	_	_	_	_	_	_	_	-	_
Subtotal —	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Remove — d	-	-	-	-	_	-	-	-	_	-		_	_	-	_	-	-
Subtotal —	-	-	-	_	_	-	1	-	-	-	-	_	_	-	-	-	- 1
	_	_				_	-	_	_	_	_				_	_	_

4.10.4. Soil Carbon Accumulation By Vegetation Type - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetatio n	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_			_								_	_		_		
Total	-	_	_	_	_	_	_	_	_	_	_	_	_	_	-	_	_	_
Daily, Winter (Max)	-	_	_	_	_													
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	-	_	_	_	_	_	_	_	_	-	_	_	_	_

4.10.5. Above and Belowground Carbon Accumulation by Land Use Type - Mitigated

Land	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Use																		
030																		
Daily,	_		_						_				_	_		_	_	
Summer																		
(Max)																		
,																		
Total	_	_	_			_	_	_	_	_	_	_		_	_		_	_

Daily, Winter (Max)		-	-	-	-	-	_		_		-		-		_		_	-
Total	_	_	-	-	_	-	-	-	_	_	_	-	_	-	-	-	_	-
Annual	_	_	_	_	_	_	_	_	_	-	_	_	_	-	_	_	_	_
Total	_	-	-	-	-	_	-	-	_	-	-	-	_	-	-	_	_	_

4.10.6. Avoided and Sequestered Emissions by Species - Mitigated

Species	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T		PM2.5D		BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-	_	-				-	-	-	-	-	-	-	-	-			-
Avoided	_	_	-	-	-	_	-	_	_	_	_	_	_	_	-	_	_	_
Subtotal	_	-	-	-	-	-	-	-	_	_	_	_	-	-	-	-	_	_
Sequest ered	-	-	-	-	-	-	-	-	-	_	-	-	-	-	-	-	-	-
Subtotal	-	-	-	-	-	-	_	_	-	_	_	-	_	_	-	-	-	-
Remove d	-	-	-	-	-	-	-	-	-	_	-	-	-	-	-	-	-	-
Subtotal	_	-	-	-	-	-	_	-	-	_	_	_	-	_	-	-	-	-
-	_	_	-			_	_	_	_	_	-	-	_	-	-	-	_	_
Daily, Winter (Max)	-		-			-	-		_	_	-	-	-		-		-	
Avoided	-	-	1-	1-	-	-	-	-	-	_	-	-	_	-	1-	1-	-	_
Subtotal	-	-	-	-	-	_	-	_	-	_	-	-	_	-	-	-	_	-
Sequest ered	-		-		-	-	-	-	-	_	-	-	-	-	-	-	_	-
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Remove d	-		_		-		-	Г	_	-	-	-	_	_	-	-	_	_
Subtotal	_	-	1-	-	-	-	-	-	-	-	-	-	_	_	_	_	_	_
-	_	-	_	_	_	_	_	-	-	_	-	_	_	_	-	-	-	-
Annual	_	-	-	-	_	-	-	-	-	_	-	-	_	_	_	_	_	_
Avoided	_	-	_	-	_	_	_	-	_	_	_	_	_	_	_	_	_	_
Subtotal	_	-	-	-	-	-	-	-	_	_	-	-	_	_	_	_	_	_
Sequest ered	-	-	-	-	_	_	-	-	-	-	-	-	_	_	-	-	_	-
Subtotal	_	-	_	I-	_	-	-	-	-	-	-	-	-	-	-	-	_	_
Remove d	-	-	-	-	-	_	-	-	-	-	-	_	_	-	-	_	_	-
Subtotal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_	_

5. Activity Data

5.1. Construction Schedule

Phase Name	Phase Type	Start Date	End Date	Days Per Week	Work Days per Phase	Phase Description
Linear, Grading & Excavation	Linear, Grading & Excavation	12/1/2026	1/11/2027	5.00	30.0	Pipeline Installation
Demolition	Demolition	1/1/2025	1/29/2025	5.00	20.0	_
Building Construction	Building Construction	2/19/2025	12/1/2026	5.00	465	_

5.2. Off-Road Equipment

5.2.1. Unmitigated

Phase Name	Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor

Linear, Grading & Excavation	Bore/Drill Rigs	Diesel	Average	1.00	8.00	83.0	0.50
Linear, Grading & Excavation	Off-Highway Trucks	Diesel	Average	1.00	8.00	376	0.38
Linear, Grading & Excavation	Tractors/Loaders/Backh oes	Diesel	Average	1.00	4.00	84.0	0.37
Building Construction	Rubber Tired Dozers	Diesel	Average	1.00	8.00	367	0.40
Building Construction	Graders	Diesel	Average	1.00	8.00	148	0.41
Building Construction	Cranes	Diesel	Average	1.00	8.00	367	0.29
Building Construction	Tractors/Loaders/Backh oes	Diesel	Average	1.00	8.00	84.0	0.37
Building Construction	Off-Highway Trucks	Diesel	Average	2.00	8.00	376	0.38
Building Construction	Crawler Tractors	Diesel	Average	1.00	4.00	87.0	0.43
Building Construction	Forklifts	Diesel	Average	1.00	4.00	82.0	0.20

5.2.2. Mitigated

Phase Name	Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
Linear, Grading & Excavation	Bore/Drill Rigs	Diesel	Average	1.00	8.00	83.0	0.50
Linear, Grading & Excavation	Off-Highway Trucks	Diesel	Average	1.00	8.00	376	0.38
Linear, Grading & Excavation	Tractors/Loaders/Backh oes	Diesel	Average	1.00	4.00	84.0	0.37
Building Construction	Rubber Tired Dozers	Diesel	Average	1.00	8.00	367	0.40
Building Construction	Graders	Diesel	Average	1.00	8.00	148	0.41
Building Construction	Cranes	Diesel	Average	1.00	8.00	367	0.29
Building Construction	Tractors/Loaders/Backh oes	Diesel	Average	1.00	8.00	84.0	0.37
Building Construction	Off-Highway Trucks	Diesel	Average	2.00	8.00	376	0.38
Building Construction	Crawler Tractors	Diesel	Average	1.00	4.00	87.0	0.43

Building Construction	Forklifts	Diesel	Average	1.00	4.00	82.0	0.20

5.3. Construction Vehicles

5.3.1. Unmitigated

Phase Name	Trip Type	One-Way Trips per Day	Miles per Trip	Vehicle Mix
Demolition	_	_	_	-
Demolition	Worker	50.0	100	LDA,LDT1,LDT2
Demolition	Vendor	25.0	100	HHDT,MHDT
Demolition	Hauling	46.0	100	HHDT
Demolition	Onsite truck	_	-	HHDT
Building Construction	_	_	_	_
Building Construction	Worker	50.0	100	LDA,LDT1,LDT2
Building Construction	Vendor	6.56	100	HHDT,MHDT
Building Construction	Hauling	2.15	100	HHDT
Building Construction	Onsite truck	-	-	HHDT
Linear, Grading & Excavation	_	_	_	_
Linear, Grading & Excavation	Worker	50.0	100	LDA,LDT1,LDT2
Linear, Grading & Excavation	Vendor	0.00	10.2	HHDT,MHDT
Linear, Grading & Excavation	Hauling	0.00	100	HHDT
Linear, Grading & Excavation	Onsite truck	_	_	HHDT

5.3.2. Mitigated

Phase Name	Trip Type	One-Way Trips per Day	Miles per Trip	Vehicle Mix
Demolition	_	_	_	_
Demolition	Worker	50.0	100	LDA,LDT1,LDT2
Demolition	Vendor	25.0	100	HHDT,MHDT

Demolition	Hauling	46.0	100	HHDT
Demolition	Onsite truck	_	_	HHDT
Building Construction	_	_	_	_
Building Construction	Worker	50.0	100	LDA,LDT1,LDT2
Building Construction	Vendor	6.56	100	HHDT,MHDT
Building Construction	Hauling	2.15	100	HHDT
Building Construction	Onsite truck	_	_	HHDT
Linear, Grading & Excavation	_	_	_	_
Linear, Grading & Excavation	Worker	50.0	100	LDA,LDT1,LDT2
Linear, Grading & Excavation	Vendor	0.00	10.2	HHDT,MHDT
Linear, Grading & Excavation	Hauling	0.00	100	HHDT
Linear, Grading & Excavation	Onsite truck	_	_	HHDT

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

Non-applicable. No control strategies activated by user.

5.5. Architectural Coatings

Phase Name	Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
Building Construction	0.00	0.00	60,000	20,000	7,684

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

Phase Name	Material Imported (Cubic Yards)	Material Exported (Cubic Yards)		Material Demolished (Ton of Debris)	Acres Paved (acres)
Linear, Grading & Excavation		_	0.14	0.00	_
		67	/ 81		

Demolition	_	1,350	0.14	3,000	-
Building Construction	_	8,000	581	0.00	_

5.6.2. Construction Earthmoving Control Strategies

Control Strategies Applied	Frequency (per day)	PM10 Reduction	PM2.5 Reduction
Water Exposed Area	3	74%	74%

5.7. Construction Paving

Land Use	Area Paved (acres)	% Asphalt
Unrefrigerated Warehouse-Rail	0.00	0%
Other Non-Asphalt Surfaces	2.00	0%
Parking Lot	0.50	100%
User Defined Linear	0.14	100%
Other Asphalt Surfaces	0.44	100%

5.8. Construction Electricity Consumption and Emissions Factors

kWh per Year and Emission Factor (lb/MWh)

Year	kWh per Year	CO2	CH4	N2O
2025	0.00	565	0.03	< 0.005
2026	0.00	482	0.03	< 0.005
2027	0.00	482	0.03	< 0.005

5.9. Operational Mobile Sources

5.9.1. Unmitigated

La	and Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
----	--------------	---------------	----------------	--------------	------------	-------------	--------------	------------	----------

Unrefrigerated Warehouse-Rail	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Other Non-Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

5.9.2. Mitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
Unrefrigerated Warehouse-Rail	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Other Non-Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.1.2. Mitigated

5.10.2. Architectural Coatings

Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
0	0.00	60,000	20,000	7,684

5.10.3. Landscape Equipment

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	250

5.10.4. Landscape Equipment - Mitigated

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	250

5.11. Operational Energy Consumption

5.11.1. Unmitigated

Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
Unrefrigerated Warehouse-Rail	3,800,000	482	0.0330	0.0040	760,427
Other Non-Asphalt Surfaces	0.00	482	0.0330	0.0040	0.00
Parking Lot	0.00	482	0.0330	0.0040	0.00
Other Asphalt Surfaces	0.00	482	0.0330	0.0040	0.00

5.11.2. Mitigated

Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
Unrefrigerated Warehouse-Rail	0.00	482	0.0330	0.0040	760,427
Other Non-Asphalt Surfaces	0.00	482	0.0330	0.0040	0.00
Parking Lot	0.00	482	0.0330	0.0040	0.00

Other Asphalt Surfaces	0.00	482	0.0330	0.0040	0.00

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Unrefrigerated Warehouse-Rail	0.00	719,653,531
Other Non-Asphalt Surfaces	0.00	0.00
Parking Lot	0.00	0.00
Other Asphalt Surfaces	0.00	0.00

5.12.2. Mitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Unrefrigerated Warehouse-Rail	0.00	719,653,531
Other Non-Asphalt Surfaces	0.00	0.00
Parking Lot	0.00	0.00
Other Asphalt Surfaces	0.00	0.00

5.13. Operational Waste Generation

5.13.1. Unmitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Unrefrigerated Warehouse-Rail	37.6	-
Other Non-Asphalt Surfaces	0.00	_
Parking Lot	0.00	-
Other Asphalt Surfaces	0.00	<u> </u>

Load Factor

5.13.2. Mitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Unrefrigerated Warehouse-Rail	37.6	_
Other Non-Asphalt Surfaces	0.00	_
Parking Lot	0.00	_
Other Asphalt Surfaces	0.00	_

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced
5.14.2. Mitigated							
Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

Equipment Type

1	Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
	45.0 Mg						
5	.15.2. Mitigated						

Number per Day

Hours Per Day

Horsepower

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

Fuel Type

Engine Tier

Equipment Type	Fuel Type	Number per Day	Hours per Day	Hours per Year	Horsepower	Load Factor
Fire Pump	Diesel	1.00	24.0	8,760	5.00	0.73
Fire Pump	Diesel	1.00	24.0	8,760	25.0	0.73
Fire Pump	Diesel	1.00	24.0	8,760	15.0	0.73

5.16.2. Process Boilers

1	Equipment Type	Fuel Type	Number	Boiler Rating (MMBtu/hr)	Daily Heat Input (MMBtu/day)	Annual Heat Input (MMBtu/vr)
	Ederbring (1) bo	. 33) 53			Daily 1. Toda 11. par (1111. Daay day)	

5.17. User Defined

Equipment Type	Fuel Type
_	_

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres

5.18.1.2. Mitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

Biomass Cover Type Initial Acres Final Acres

5.18.1.2. Mitigated

Biomass Cover Type	Initial Acres	Final A	cres
5.18.2. Sequestration			
5.18.2.1. Unmitigated			
Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)
5.18.2.2. Mitigated			
Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	38.6	annual days of extreme heat
Extreme Precipitation	7.50	annual days with precipitation above 20 mm
Sea Level Rise	0.00	meters of inundation depth
Wildfire	35.6	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about ¾ an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider different increments of sea level rise coupled with extreme storm events. Users may select from four model simulations to view the range in potential inundation depth for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 50 meters (m) by 50 m, or about 164 feet (ft) by 164 ft.

Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	5	0	0	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	0	0	N/A
Wildfire	1	0	0	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	0	0	0	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	5	1	1	4
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	1	1	2
Wildfire	1	1	1	2
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A

Air Quality Degradation	1	1	1	2	
-------------------------	---	---	---	---	--

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Exposure Indicators	——————————————————————————————————————
AQ-Ozone	97.6
AQ-PM	1.68
AQ-DPM	4.41
Drinking Water	60.7
Lead Risk Housing	11.6
Pesticides	11.0
Toxic Releases	8.39
Traffic	1.35
Effect Indicators	_
CleanUp Sites	0.00
Groundwater	0.00
Haz Waste Facilities/Generators	0.00
mpaired Water Bodies	0.00
Solid Waste	11.6

Sensitive Population	-	
Asthma	63.6	
Cardio-vascular	92.9	
Low Birth Weights	66.3	
Socioeconomic Factor Indicators	_	
Education	33.5	
Housing	22.1	
Linguistic	8.49	
Poverty	67.0	
Unemployment	64.5	

7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	-
Above Poverty	54.07416913
Employed	2.34826126
Median HI	47.09354549
Education	
Bachelor's or higher	24.38085461
High school enrollment	100
Preschool enrollment	95.7141024
Transportation	
Auto Access	86.34672142
Active commuting	8.161170281
Social	
2-parent households	29.38534582

Voting	73.38637239
Neighborhood	
Alcohol availability	87.1423072
Park access	51.00731426
Retail density	9.110740408
Supermarket access	10.57359168
Tree canopy	85.29449506
Housing	_
Homeownership	77.15898884
Housing habitability	49.54446298
Low-inc homeowner severe housing cost burden	35.91684845
Low-inc renter severe housing cost burden	3.708456307
Uncrowded housing	96.93314513
Health Outcomes	_
Insured adults	30.92518927
Arthritis	0.0
Asthma ER Admissions	46.4
High Blood Pressure	0.0
Cancer (excluding skin)	0.0
Asthma	0.0
Coronary Heart Disease	0.0
Chronic Obstructive Pulmonary Disease	0.0
Diagnosed Diabetes	0.0
Life Expectancy at Birth	16.7
Cognitively Disabled	5.2
Physically Disabled	5.0
Heart Attack ER Admissions	10.8

Mental Health Not Good	0.0
Chronic Kidney Disease	0.0
Obesity	0.0
Pedestrian Injuries	59.1
Physical Health Not Good	0.0
Stroke	0.0
Health Risk Behaviors	-
Binge Drinking	0.0
Current Smoker	0.0
No Leisure Time for Physical Activity	0.0
Climate Change Exposures	-
Wildfire Risk	87.1
SLR Inundation Area	0.0
Children	65.5
Elderly	25.8
English Speaking	82.2
Foreign-born	0.7
Outdoor Workers	31.4
Climate Change Adaptive Capacity	
Impervious Surface Cover	94.7
Traffic Density	3.7
Traffic Access	23.0
Other Indices	_
Hardship	62.9
Other Decision Support	
2016 Voting	81.4

7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	19.0
Healthy Places Index Score for Project Location (b)	41.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	No
Project Located in a Low-Income Community (Assembly Bill 1550)	No
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

7.4. Health & Equity Measures

No Health & Equity Measures selected.

7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

8. User Changes to Default Data

Screen	Justification
Construction: Construction Phases	Based on Client Provided data and construction schedule
Construction: Off-Road Equipment	Client Provided construction equipment list
Construction: Trips and VMT	Per Project applicant, the hauling trucks would travel a distance of up to 100 miles round trip, as such hauling for both the Linear, Grading & Excavation and Demolition phase was adjusted to 100 miles.
Operations: Vehicle Data	No trips data available
Operations: Architectural Coatings	SCAQMD Rule 1113
Construction: Dust From Material Movement Export expected per Project data	

b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Construction: Architectural Coatings	SCAQMD Rule 1113
Operations: Energy Use	Electricity adjusted based on client provided data
Operations: Water and Waste Water	Taken from 2022 Lake Analysis report

This page intentionally left blank



APPENDIX 3.2:

CALEEMOD REPLENISH BIG BEAR COMPONENT 2 UNMITIGATED EMISSIONS MODEL
OUTPUTS



15309-Lake Pipeline (Unmitigated) Detailed Report

Table of Contents

- 1. Basic Project Information
 - 1.1. Basic Project Information
 - 1.2. Land Use Types
 - 1.3. User-Selected Emission Reduction Measures by Emissions Sector
- 2. Emissions Summary
 - 2.1. Construction Emissions Compared Against Thresholds
 - 2.2. Construction Emissions by Year, Unmitigated
 - 2.4. Operations Emissions Compared Against Thresholds
 - 2.5. Operations Emissions by Sector, Unmitigated
- 3. Construction Emissions Details
 - 3.1. Linear, Grading & Excavation (2025) Unmitigated
 - 3.3. Linear, Grading & Excavation (2026) Unmitigated
 - 3.5. Linear, Drainage, Utilities, & Sub-Grade (2026) Unmitigated
 - 3.7. Demolition (2025) Unmitigated

- 4. Operations Emissions Details
 - 4.1. Mobile Emissions by Land Use
 - 4.1.1. Unmitigated
 - 4.2. Energy
 - 4.2.1. Electricity Emissions By Land Use Unmitigated
 - 4.2.3. Natural Gas Emissions By Land Use Unmitigated
 - 4.3. Area Emissions by Source
 - 4.3.1. Unmitigated
 - 4.4. Water Emissions by Land Use
 - 4.4.1. Unmitigated
 - 4.5. Waste Emissions by Land Use
 - 4.5.1. Unmitigated
 - 4.6. Refrigerant Emissions by Land Use
 - 4.6.1. Unmitigated
 - 4.7. Offroad Emissions By Equipment Type
 - 4.7.1. Unmitigated
 - 4.8. Stationary Emissions By Equipment Type

- 4.8.1. Unmitigated
- 4.9. User Defined Emissions By Equipment Type
 - 4.9.1. Unmitigated
- 4.10. Soil Carbon Accumulation By Vegetation Type
 - 4.10.1. Soil Carbon Accumulation By Vegetation Type Unmitigated
 - 4.10.2. Above and Belowground Carbon Accumulation by Land Use Type Unmitigated
 - 4.10.3. Avoided and Sequestered Emissions by Species Unmitigated
- 5. Activity Data
 - 5.1. Construction Schedule
 - 5.2. Off-Road Equipment
 - 5.2.1. Unmitigated
 - 5.3. Construction Vehicles
 - 5.3.1. Unmitigated
 - 5.4. Vehicles
 - 5.4.1. Construction Vehicle Control Strategies
 - 5.5. Architectural Coatings
 - 5.6. Dust Mitigation

- 5.6.1. Construction Earthmoving Activities
- 5.6.2. Construction Earthmoving Control Strategies
- 5.7. Construction Paving
- 5.8. Construction Electricity Consumption and Emissions Factors
- 5.9. Operational Mobile Sources
 - 5.9.1. Unmitigated
- 5.10. Operational Area Sources
 - 5.10.1. Hearths
 - 5.10.1.1. Unmitigated
 - 5.10.2. Architectural Coatings
 - 5.10.3. Landscape Equipment
- 5.11. Operational Energy Consumption
 - 5.11.1. Unmitigated
- 5.12. Operational Water and Wastewater Consumption
 - 5.12.1. Unmitigated
- 5.13. Operational Waste Generation
 - 5.13.1. Unmitigated

- 5.14. Operational Refrigeration and Air Conditioning Equipment
 - 5.14.1. Unmitigated
- 5.15. Operational Off-Road Equipment
 - 5.15.1. Unmitigated
- 5.16. Stationary Sources
 - 5.16.1. Emergency Generators and Fire Pumps
 - 5.16.2. Process Boilers
- 5.17. User Defined
- 5.18. Vegetation
 - 5.18.1. Land Use Change
 - 5.18.1.1. Unmitigated
 - 5.18.1. Biomass Cover Type
 - 5.18.1.1. Unmitigated
 - 5.18.2. Sequestration
 - 5.18.2.1. Unmitigated
- 6. Climate Risk Detailed Report
 - 6.1. Climate Risk Summary

- 6.2. Initial Climate Risk Scores
- 6.3. Adjusted Climate Risk Scores
- 6.4. Climate Risk Reduction Measures
- 7. Health and Equity Details
 - 7.1. CalEnviroScreen 4.0 Scores
 - 7.2. Healthy Places Index Scores
 - 7.3. Overall Health & Equity Scores
 - 7.4. Health & Equity Measures
 - 7.5. Evaluation Scorecard
 - 7.6. Health & Equity Custom Measures
- 8. User Changes to Default Data

1. Basic Project Information

1.1. Basic Project Information

Data Field	Value	
Project Name	15309-Lake Pipeline (Unmitigated)	
Construction Start Date	5/1/2025	
Operational Year	2027	
Lead Agency	_	
and Use Scale	Project/site	
Analysis Level for Defaults	County	
Nindspeed (m/s)	2.50	
Precipitation (days)	1.80	
Location	34.269428, -116.815824	
County	San Bernardino-South Coast	
Dity	Unincorporated	
Air District	South Coast AQMD	
Air Basin	South Coast	
AZ	5156	
EDFZ	10	
Electric Utility	Bear Valley Electric Service	
Gas Utility	Southwest Gas Corp.	
App Version	2022.1.1.18	

1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq	Special Landscape	Population	Description
					ft)	Area (sq ft)		

User Defined Linear	3.78	Mile	2.06	0.00	_	_	-	-
Other Non-Asphalt Surfaces	1.00	Acre	1.00	0.00	0.00	-	-	-

1.3. User-Selected Emission Reduction Measures by Emissions Sector

No measures selected

2. Emissions Summary

2.1. Construction Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-		-		-	-	-				-					-	-	
Unmit.	3.47	1.41	28.1	27.2	0.15	0.49	8.51	9.00	0.47	2.05	2.52	-	22,975	22,975	1.96	3.22	47.5	24,031
Daily, Winter (Max)	-		-	-		-			-						-	-	-	
Unmit.	2.98	1.53	22.0	25.8	0.11	0.46	5.63	6.09	0.43	1.45	1.89	-	17,145	17,145	1.26	2.04	0.86	17,776
Average Daily (Max)	-					-	-	-	-		-				-	-	-	
Unmit.	1.33	0.55	11.1	9.79	0.06	0.19	2.89	3.08	0.18	0.73	0.91	-	8,713	8,713	0.74	1.21	7.77	9,099
Annual (Max)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unmit.	0.24	0.10	2.03	1.79	0.01	0.03	0.53	0.56	0.03	0.13	0.17	_	1,443	1,443	0.12	0.20	1.29	1,506

2.2. Construction Emissions by Year, Unmitigated

Year	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily - Summer (Max)	-	-	Ī	T	-	_	-	_	-		_	_	-	-	-		-	_
2025	3.47	1.41	28.1	27.2	0.15	0.49	8.51	9.00	0.47	2.05	2.52	-	22,975	22,975	1.96	3.22	47.5	24,031
2026	0.79	0.65	4.07	11.1	0.01	0.14	1.24	1.38	0.13	0.29	0.42	_	2,467	2,467	0.09	0.05	4.47	2,489
Daily - Winter (Max)	-		-		_	_	-		-	-	-		_	-	-		-	_
2025	2.30	0.98	18.8	16.9	0.10	0.33	4.40	4.73	0.32	1.16	1.48	_	15,029	15,029	1.26	2.04	0.80	15,670
2026	2.98	1.53	22.0	25.8	0.11	0.46	5.63	6.09	0.43	1.45	1.89	-	17,145	17,145	1.20	2.01	0.86	17,776
Average Daily	-	-	-	-	-	-	-	-	-	- 1	-		-	-	_	-	_	_
2025	1.33	0.55	11.1	9.79	0.06	0.19	2.89	3.08	0.18	0.73	0.91	_	8,713	8,713	0.74	1.21	7.77	9,099
2026	0.50	0.37	2.90	5.68	0.01	0.09	0.82	0.91	0.08	0.20	0.28	_	1,845	1,845	0.07	0.11	1.51	1,880
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
2025	0.24	0.10	2.03	1.79	0.01	0.03	0.53	0.56	0.03	0.13	0.17	_	1,443	1,443	0.12	0.20	1.29	1,506
2026	0.09	0.07	0.53	1.04	< 0.005	0.02	0.15	0.17	0.01	0.04	0.05		305	305	0.01	0.02	0.25	311

2.4. Operations Emissions Compared Against Thresholds

Un/Mit.	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-		-		_		_		_			_	_	_	_	_	Ī	-
Unmit.	0.00	0.22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	-	-	-	-	-	-	-	_	_	-	-	-	-	-	-	-	-	-
Unmit.	0.00	0.22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Average Daily (Max)	-																	
Unmit.	0.00	0.22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Annual (Max)	-	-	-	-	-	-	-	-	1-	-	-		-	-	-	-	-	-
Unmit.	0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

2.5. Operations Emissions by Sector, Unmitigated

Sector	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-	-	-	_	-	-	_	-	-	-	-	_	_	_	-		-	-
Mobile	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Area	0.00	0.22	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	-	0.00	0.00	0.00	0.00	_	0.00
Energy	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Water	_	_	-	-	-	_	_	-	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Waste	_	_	_	-	-	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Total	0.00	0.22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	-		-	-	-	-	-		-	-	-	-	-	-	-	-	-	-
Mobile	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Area	-	0.22	-	-	-	-	_	-	-	-	_	-	-	-	-	-	1-	-
Energy	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	-	0.00	-	0.00	0.00	0.00	0.00	-	0.00
Water	-	-	-	-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Waste	-	-	-	-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Total	0.00	0.22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Average Daily	_	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mobile	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Area	0.00	0.22	0.00	0.00	0.00	0.00	-	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Energy	0.00	0.00	0.00	0.00	0.00	0.00	1-	0.00	0.00	-	0.00	-	0.00	0.00	0.00	0.00	-	0.00
Water	_	-	_	-	_	-	_	-	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Waste	-	-	-	-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Total	0.00	0.22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Annual	-	-	-	-	-	-	-	-	-	_	_	_	1-	-	-	-	-	-
Mobile	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Area	0.00	0.04	0.00	0.00	0.00	0.00	-	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	-	0.00
Energy	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	—	0.00
Water	-	-	-	_	-	_	1-	-	-	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Waste	_	_	_	-	_	-	<u> </u>	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Total	0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3. Construction Emissions Details

3.1. Linear, Grading & Excavation (2025) - Unmitigated

Location -	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite -	_	-	-	-	-	-	-	-	_	_	-	-	-	-	-	_	-	-
Daily, - Summer (Max)		_			-				_						_		-	
Off-Road (Equipment		0.68	4.92	6.09	0.02	0.18	-	0.18	0.16	-	0.16	-	1,799	1,799	0.07	0.01	-	1,805

Dust From Material	-	-	-	-			< 0.005	< 0.005	-	< 0.005	< 0.005 —	- -	-	-	-	-	
Movement	t																
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00 —	- 0.00	0.00	0.00	0.00	0.00	-
Daily, Winter (Max)	_		-			-	-		-					I		_	r
Off-Road Equipmen		0.68	4.92	6.09	0.02	0.18	-	0.18	0.16	-	0.16 —	- 1,799	1,799	0.07	0.01	-	1,805
Dust From Material Movement	_ t						< 0.005	< 0.005	-	< 0.005	< 0.005 —					-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00 —	- 0.00	0.00	0.00	0.00	0.00	-
Average Daily	-	-	-	-	-	-	-	-	-	-		- -	-	-	-	-	-
Off-Road Equipmen		0.33	2.36	2.92	0.01	0.08	-	0.08	0.08	-	0.08 —	- 862	862	0.03	0.01	-	865
Dust From Material Movement	_ t	Ī	Ī				< 0.005	< 0.005		< 0.005	< 0.005 —	- -	-	-		-	T
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00 —	- 0.00	0.00	0.00	0.00	0.00	-
Annual	_	_	_	_	_	-	_	_	_	_		- -	_	_	_	_	_
Off-Road Equipmen		0.06	0.43	0.53	< 0.005	0.02	-	0.02	0.01	-	0.01 —	- 143	143	0.01	< 0.005	-	143
Dust From Material Movement	_	-	-	-			< 0.005	< 0.005	-	< 0.005	< 0.005 —		-	-	-	-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00 —	- 0.00	0.00	0.00	0.00	0.00	-

Offsite	_	-	-	-	-	-	-	-	-	_		-	-	-	_	_	_	
Daily, Summer (Max)	-				-						-				-		-	
Worker	0.16	0.12	0.31	5.78	0.00	0.00	1.06	1.06	0.00	0.25	0.25	-	1,131	1,131	0.04	0.03	4.24	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Hauling	1.33	0.18	13.0	6.69	0.08	0.16	3.34	3.50	0.16	0.91	1.07	-	12,194	12,194	1.15	1.99	26.4	-
Daily, Winter (Max)	-		-		-		-		-	-	-			-		-		-
Worker	0.15	0.12	0.34	4.11	0.00	0.00	1.06	1.06	0.00	0.25	0.25	_	1,036	1,036	0.04	0.03	0.11	_
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	_
Hauling	1.33	0.18	13.5	6.70	0.08	0.16	3.34	3.50	0.16	0.91	1.07	_	12,195	12,195	1.15	2.00	0.69	_
Average Daily	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Worker	0.07	0.06	0.18	2.10	0.00	0.00	0.51	0.51	0.00	0.12	0.12	-	504	504	0.02	0.02	0.88	_
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Hauling	0.64	0.09	6.59	3.21	0.04	0.08	1.60	1.67	0.08	0.44	0.51	-	5,846	5,846	0.55	0.96	5.50	_
Annual	_	_	-	-	_	-	1	-	_	-	-	-	-	-	-	-	_	_
Worker	0.01	0.01	0.03	0.38	0.00	0.00	0.09	0.09	0.00	0.02	0.02	-	83.4	83.4	< 0.005	< 0.005	0.15	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	_
Hauling	0.12	0.02	1.20	0.59	0.01	0.01	0.29	0.31	0.01	0.08	0.09	1-	968	968	0.09	0.16	0.91	-

3.3. Linear, Grading & Excavation (2026) - Unmitigated

Location	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	_	_	_	_	_	_	-	-	_	-	_	_	_	-	_	_	_	_
Daily, Summer (Max)			-		-	-					-	_			-	-	-	-

Daily, Winter (Max)	_		-	-	-	_	-	_		_							-	
Off-Road Equipmen		0.67	4.65	6.11	0.02	0.16	-	0.16	0.15	-	0.15	-	1,800	1,800	0.07	0.01	-	1,806
Dust From Material Movemen	 t						< 0.005	< 0.005		< 0.005	< 0.005		-		-		-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Average Daily	_	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Off-Road Equipmen		0.03	0.19	0.25	< 0.005	0.01	-	0.01	0.01	-	0.01	-	74.0	74.0	< 0.005	< 0.005	-	74.2
Dust From Material Movemen	 t	-					< 0.005	< 0.005		< 0.005	< 0.005	_	-				-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	
Annual	_	_	1-	_	-	_	_	_	_	_	_	_	_	_	_	_	_	_
Off-Road Equipmen		0.01	0.03	0.05	< 0.005	< 0.005	-	< 0.005	< 0.005	-	< 0.005	-	12.2	12.2	< 0.005	< 0.005	-	12.3
Dust From Material Movemen	 t		I			-	< 0.005	< 0.005		< 0.005	< 0.005	_					-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Offsite	_	_	_	_	_	_	_	_	-	_	-	_	_	-	_	-	_	_
Daily, Summer (Max)	_		Ī		-						-			-			-	

Daily, Winter (Max)		-	-	-		_					-	-					-	-
Worker	0.15	0.11	0.31	3.81	0.00	0.00	1.06	1.06	0.00	0.25	0.25	-	1,015	1,015	< 0.005	0.03	0.10	_
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	-
Hauling	1.25	0.10	13.0	6.54	0.08	0.16	3.34	3.50	0.16	0.91	1.07	-	11,972	11,972	1.07	1.92	0.64	-
Average Daily	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Worker	0.01	< 0.005	0.01	0.17	0.00	0.00	0.04	0.04	0.00	0.01	0.01	-	42.3	42.3	< 0.005	< 0.005	0.07	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Hauling	0.05	< 0.005	0.54	0.27	< 0.005	0.01	0.14	0.14	0.01	0.04	0.04	-	492	492	0.04	0.08	0.44	-
Annual	_	_	_	-	_	_	-	-	-	-	-	-	-	-	-	_	_	-
Worker	< 0.005	< 0.005	< 0.005	0.03	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	-	7.00	7.00	< 0.005	< 0.005	0.01	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	_
Hauling	0.01	< 0.005	0.10	0.05	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	-	81.5	81.5	0.01	0.01	0.07	_

3.5. Linear, Drainage, Utilities, & Sub-Grade (2026) - Unmitigated

Location	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	_	_	-	1	-	_	_	1-	_	-	_	_	<u> </u>	_	_	1-	_	-
Daily, Summer (Max)	-			-	-	-	-	-	-	-	-		-	_			-	-
Off-Road Equipmen		0.51	3.75	4.89	0.01	0.14	-	0.14	0.13	-	0.13	-	1,175	1,175	0.05	0.01	-	1,179
Dust From Material Movemen	_ t						0.00	0.00		0.00	0.00							
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-

Daily, Winter	-	-	1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(Max)																		
Off-Road Equipmen		0.51	3.75	4.89	0.01	0.14	-	0.14	0.13	-	0.13	-	1,175	1,175	0.05	0.01	-	1,179
Dust From Material Movemen	_ t					-	0.00	0.00		0.00	0.00				-		-	-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Average Daily	_	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-
Off-Road Equipmen		0.27	1.95	2.55	0.01	0.07	-	0.07	0.07	-	0.07	-	612	612	0.02	< 0.005	-	614
Dust From Material Movemen	_ t						0.00	0.00		0.00	0.00						-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	_
Annual	_	-	-	-	_	-	_		_	_	_		-	-	_	_	_	-
Off-Road Equipmen		0.05	0.36	0.46	< 0.005	0.01	1-	0.01	0.01	-	0.01	-	101	101	< 0.005	< 0.005	-	102
Dust From Material Movemen	 t					-	0.00	0.00		0.00	0.00	-		-	-		_	-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	_
Offsite	_	_	_	_	-	_	_	_	_	-	_	_	-	_	_	_	_	_
Daily, Summer (Max)	-				-	-	-				-		-				-	-
Worker	0.18	0.14	0.32	6.23	0.00	0.00	1.24	1.24	0.00	0.29	0.29	_	1,292	1,292	0.04	0.04	4.47	_

Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Daily, Winter (Max)	-						-										-	-
Worker	0.17	0.13	0.36	4.44	0.00	0.00	1.24	1.24	0.00	0.29	0.29	-	1,184	1,184	< 0.005	0.04	0.12	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Average Daily	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E
Worker	0.09	0.07	0.21	2.45	0.00	0.00	0.64	0.64	0.00	0.15	0.15	-	625	625	< 0.005	0.02	1.01	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Annual	_	_	_	-	_	_	_	_	_	_	_	-	_	_	-	_	_	-
Worker	0.02	0.01	0.04	0.45	0.00	0.00	0.12	0.12	0.00	0.03	0.03	-	103	103	< 0.005	< 0.005	0.17	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	_

3.7. Demolition (2025) - Unmitigated

	TOG	ROG	NOx	СО	SO2					PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	_	_	_	_	_	_	_	_	-	_	_	-	_	_	_	_	_	_
Daily, Summer (Max)		-	-	-	_					-	-		_	_				
Off-Road Equipment		0.28	2.32	2.77	< 0.005	0.06	-	0.06	0.06	-	0.06	_	366	366	0.01	< 0.005	-	368
Demolitio n	-	-	-	-	-	-	1.81	1.81	-	0.27	0.27	-	-	-	-	-	-	-

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Daily, Winter (Max)	_	-		-	-	_	-		-	-	-		-	-		_	-	-
Average Daily	_	-	-	-	-	-	-	-	_	-	-	-	-	-	-	-	-	-
Off-Road Equipmen		0.05	0.44	0.53	< 0.005	0.01	-	0.01	0.01	-	0.01	-	70.3	70.3	< 0.005	< 0.005	-	70.5
Demolitio n	-	-	-	-	-	-	0.35	0.35	-	0.05	0.05	-	-	-	-	-	-	-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	Н
Annual	_	_	-	_	-	_	_	_	_	_	_	_	-	_	-	_	-	_
Off-Road Equipmen		0.01	0.08	0.10	< 0.005	< 0.005	-	< 0.005	< 0.005	-	< 0.005	-	11.6	11.6	< 0.005	< 0.005	-	11.7
Demolitio n	-	-	-	-	-	-	0.06	0.06	-	0.01	0.01	-	-	-	-	-	-	-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Offsite	_	-	-	-	-	-	_	-	-	_	-	_	-	-	_	_	_	-
Daily, Summer (Max)	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	
Worker	0.05	0.04	0.10	1.93	0.00	0.00	0.35	0.35	0.00	0.08	0.08	_	377	377	0.01	0.01	1.41	_
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	_
Hauling	0.78	0.11	7.55	3.90	0.05	0.09	1.95	2.04	0.09	0.53	0.63	-	7,108	7,108	0.67	1.16	15.4	-
Daily, Winter (Max)	_	-	-		-	-	-		-	-	-	-	-	-	-	-	-	
Average Daily	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Worker	0.01	0.01	0.02	0.28	0.00	0.00	0.07	0.07	0.00	0.02	0.02	_	67.1	67.1	< 0.005	< 0.005	0.12	_

Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	_
Hauling	0.15	0.02	1.54	0.75	0.01	0.02	0.37	0.39	0.02	0.10	0.12	-	1,363	1,363	0.13	0.22	1.28	_
Annual	_	_	_	_	_	_	-	-	-	-	_	-	-	_	-	-	_	-
Worker	< 0.005	< 0.005	< 0.005	0.05	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	-	11.1	11.1	< 0.005	< 0.005	0.02	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	_
Hauling	0.03	< 0.005	0.28	0.14	< 0.005	< 0.005	0.07	0.07	< 0.005	0.02	0.02	_	226	226	0.02	0.04	0.21	-

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

Land Use	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)		-	Ī	Ī		-	_	_					-	_	Ī	r		-
Other Non-Asph Surfaces	0.00 nalt	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.00	0.00	0.00	0.00	0.00	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	-		-						-	-	-		-					-
Other Non-Asph Surfaces	0.00 nalt	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.00	0.00	0.00	0.00	0.00	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Annual	_	_	_	_	-	_	_	-	_	_	_	_	-	_	_	1-	-	_

Other Non-As Surface		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.00	0.00	0.00	0.00	0.00	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land I	тоо		NO	00	000	PM10E	DMAOD	PM10T	DMO EE	DMO ED	DMO ST	DOOG	NIDOOO	СООТ	OLIA	Noo		000-
Land Use	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PIVITOT	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-			-	-		_	_		-	_	-	-	-	-	-		
Other Non-Asph Surfaces	— alt		-		-	-		-	-		-	_	0.00	0.00	0.00	0.00		0.00
Total	_	_	_	_	-	_	_	-	_	-	-	-	0.00	0.00	0.00	0.00	_	0.00
Daily, Winter (Max)	-			_	-			-	-			-	-	-				
Other Non-Asph Surfaces	— alt		-		-			-	_			-	0.00	0.00	0.00	0.00		0.00
Total	_	_	-	_	-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	-	0.00
Annual	_	-	-	-	_	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Non-Asph Surfaces	— alt				-		_	_	-	_	-	-	0.00	0.00	0.00	0.00		0.00
Total	_	-	-	-	-	-	_	_	_	_	_	_	0.00	0.00	0.00	0.00	1-	0.00

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

		(1.0, 0.	o., . o. o.	J j, 10	<i>j</i>	ridai, aria		,	, a.a,,	,	J							
Land Use	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
D <mark>aily,</mark> Summer (Max)	_	-	-		-	-	-		-	-	-		-	-		-		
Other Non-Aspl Surfaces		0.00	0.00	0.00	0.00	0.00		0.00	0.00	-	0.00	-	0.00	0.00	0.00	0.00	-	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	_	0.00	-	0.00	0.00	0.00	0.00	-	0.00
Daily, Winter (Max)	_	-	-	r	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Non-Aspl Surfaces		0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	-	0.00	-	0.00	0.00	0.00	0.00	-	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	_	0.00	-	0.00	0.00	0.00	0.00	_	0.00
Annual	_	II-	-	_	_	_	_	-	-	_	_	-	_	-	_	_	-	_
Other Non-Aspl Surfaces		0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	-	0.00	-	0.00	0.00	0.00	0.00	-	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00

4.3. Area Emissions by Source

4.3.1. Unmitigated

Ontona	· onatai	110 (10) 44	y ioi aai	.y, to., y.	ioi aiiii	adi, dila	000	ioracy io	adily, iv	11/91 101	armaarj							
Source	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	-	_	-	_	-	_	-	-	_	_	-	-	

Consum er Products	-	< 0.005	-														-	
Architect ural Coatings	-	0.22		-	-	-		-	-		-		-					-
Landsca pe Equipme nt	0.00	0.00	0.00	0.00	0.00	0.00		0.00	0.00		0.00		0.00	0.00	0.00	0.00	-	0.00
Total	0.00	0.22	0.00	0.00	0.00	0.00	-	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	-	0.00
Daily, Winter (Max)	-	-	-		-					-		-						
Consum er Products	_	< 0.005	-	-	-	-		-	-	-	-					-	-	-
Architect ural Coatings	-	0.22			-		Г	r	-		-	-	-		-	-	Г	
Total	_	0.22	-	1-	1-	-	-	-	_	-	_	-	_	_	-	_	-	-
Annual	_	-	_	-	-	-	-	-	-	_	-	_	-	-	-	_	_	_
Consum er Products	-	< 0.005	-	-	-	-		-	-		-	ľ			-		-	
Architect ural Coatings	_	0.04	-		-	-		1	-	-							-	
Landsca pe Equipme nt	0.00	0.00	0.00	0.00	0.00	0.00		0.00	0.00	l	0.00		0.00	0.00	0.00	0.00		0.00
Total	0.00	0.04	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	1-	0.00

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	со	SO2	PM10E	PM10D		PM2.5E			BCO2	NBCO2	СО2Т	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	-	_			_				-	_		_			-	_	-
Other Non-Asph Surfaces		-	-	_	_	-				-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Total	_	-	_	_	_	_	_	-	-	-	-	0.00	0.00	0.00	0.00	0.00	_	0.00
Daily, Winter (Max)	-	Г	Г	Г	-	-	-		-	-	-	-	-	-	-	-	-	-
Other Non-Asph Surfaces		-	-			-	-		-	-	-	0.00	0.00	0.00	0.00	0.00	_	0.00
Total	_	-	-	-	_	_	_	-	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Other Non-Asph Surfaces	— nalt	-	-	-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	_	0.00
Total	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

			(, 6.6.	, 101 0.0	<i>y</i> ,, <i>y</i> .		iai, aira	· · · · · · · · · · · · · · · · · · ·	o, c.c., .c.	J. J	, ,	o,							
Land	TO	G	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Use											_	_	_						

Daily, — Summer (Max)										-						-	
Other — Non-Asphalt Surfaces	-			-				-		-	0.00	0.00	0.00	0.00	0.00	-	0.00
Total —	_	-	_	-	_	_	_	_	_		0.00	0.00	0.00	0.00	0.00	_	0.00
Daily, — Winter (Max)							r	F								-	F
Other — Non-Asphalt Surfaces					-						0.00	0.00	0.00	0.00	0.00	-	0.00
Total —	_	-	_	-		-	_	-	_	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Annual —	_	-	-	-		-	-	-	-	-	-	1-	-	-	_	-	-
Other — Non-Asphalt Surfaces	-	-		-	-	-	-			-	0.00	0.00	0.00	0.00	0.00	-	0.00
Total —	-	_	-	-	-	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	1-	0.00

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

Land Use	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_		-	-	-	-		_	-	_	-	_	-	-	-	-	_	
Total	_	_	_	-	_	_	_	_	_	_	_	_	_	_	-	_	_	_
Daily, Winter (Max)	-		-	-	-	-	-	-	_	-	-	-	-	-	-	-	-	

Total —	_	-	-	-	-	_	-	-	-	-	-	-	-	-	-	-	_
Annual —	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total —	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

		(,	,	,		,			, , , , , , , , , , , , , , , , , , ,	,	,							
Equipme nt Type	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-	-	-	-	_	-	_	-	-	-	-	_	-	-	-	-	-	-
Total	-	_	-	-	_	_	_	_	_	_	_	_	_	_	_	_	-	_
Daily, Winter (Max)	-	-	_	_	-	_	_	_	_	_	_	_	_	-	_	_	-	-
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	- "
Total	_	_	_	_	_		_	_	_	_	_	_	_	_	_	_	_	_

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

П	Equipme	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Н	nt																		
ш	Туре																		

Daily, Summer (Max)	-	-		-	_	_	-		-	-		-	_	_	_	-	_	_
Total	_	-	-	_	_	_	<u> </u>	-	-	I —	_	-	-	_	<u> </u>	-	_	-
Daily, Winter (Max)	-	-	-		-	-			-	-	-	-	-	-	-	-	-	
Total	_	-	-	-	_	_	-	-	-	-	-	-	_	_	_	-	-	_
Annual	_	_	!	_	_	_	1_	_	_	<u> </u>	-		_	_	1_	1_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipme nt Type	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-		_	-	_	-	_	-			_		_		_	_		
Total	-	_	_	_	_	_	-	_	_	_	_	_	_	_	-	_	_	-
Daily, Winter (Max)	_	_	_	_	_	_										-	-	-
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_ !
Annual	_	_	_	_	_	_	_	-	-	_	_	_	_	_	-	-	_	_
Total	-	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetatio n	TOG	ROG		СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)					_	_							-	-	-	_	_	
Total	-	_	-	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Winter (Max)	-	-	-	-	-	_	-	-	-	-	-	-	_	-	_	-	_	-
Total	-	-	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	- 1
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	-	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Land Use	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-	-		-		-	-	-	_	-	-		-	-	-	_	_	-
Total	-	-	-	-	-	_	_	_	_	_	-	-	_	_	-		_	-
Daily, Winter (Max)	-	-	-	-	_	-			-	-	-	-	-	-	-	-	-	-
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	_	_	_	_	_	_	-	_	_	_	_	_	_	_	_	_	_	_
Total	-	-	-	-	_	_	-	_	_	_	-	-	_	_	-	_	_	_

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Species	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-	-	-					-	_	-	-	-	_	-		-		-
Avoided	-	-	-	-	-	-	-	-	-	-	_	-	-	_	_	_	_	-
Subtotal	_	_	_	_	-	_	_	_	-	_	_	_	_	_	_	_	_	-
Sequest ered	-	-	-			-	_	-	_	_	_	-	-	-	-	-	-	
Subtotal	-	-	-	-	-	_	_	_	_	_	_	_	_	_	_	_	_	_
Remove d	-	-	-	-	-	-	-	-	-	_	-	-	-	-	-	-	-	-
Subtotal	_	_	-	-	-	-	_	_	_	_	_	-	_	_	-	-	_	-
-	-	-	1-	-	-	-	_	_	_	_	_	_	_	-	_	-	_	-
Daily, Winter (Max)				I					-		-				T			
Avoided	-	-	-	1-	1-		-	-	_	_	-	-	-	-	I-	-	-	-
Subtotal	_	-	_	-	-	_	-	-	_	_	_	_	_	-	_	_	_	_
Sequest ered	-	-	-			-	-	-	-	-	-	-	-	-	-	-	-	-
Subtotal	-	_	-	-	-	_	-	-	_	_	_	-	_	-	_	-	_	-
Remove d	-	-	-		-	-	-	-	-	-	-	-	-	-	-		-	-
Subtotal	-	-	_	-	-	_	_	-	-	_	_	_	_	-	_	-	_	_
_	-	-	-	-	-	_	-	-	-	_	-	-	_	-	-	-	_	-
Annual	-	-	_	-	-	_	-	_	-	_	_	_	_	-	_	_	_	_
Avoided	_	-	-	-	1-	-	-	-	_	_	_	_	_	-	-	_	_	-
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Sequest —	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal —	_	_	_	_	_	_	_	_	-	_	_	_	_	_	_	-	_
Remove — d	_	_	_	_	_	_	-	-	-	_	_	_	_	_	_	_	-
Subtotal —	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
_	_					_	_	_							_	_	_

5. Activity Data

5.1. Construction Schedule

Phase Name	Phase Type	Start Date	End Date	Days Per Week	Work Days per Phase	Phase Description
Linear, Grading & Excavation	Linear, Grading & Excavation	5/1/2025	1/21/2026	5.00	190	_
Linear, Drainage, Utilities, & Sub-Grade	Linear, Drainage, Utilities, & Sub-Grade	1/21/2026	10/13/2026	5.00	190	-
Demolition	Demolition	5/1/2025	8/7/2025	5.00	70.0	_

5.2. Off-Road Equipment

5.2.1. Unmitigated

Phase Name	Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
Linear, Grading & Excavation	Excavators	Diesel	Average	1.00	8.00	36.0	0.38
Linear, Grading & Excavation	Tractors/Loaders/Backh oes	Diesel	Average	1.00	8.00	84.0	0.37
Linear, Grading & Excavation	Plate Compactors	Diesel	Average	1.00	8.00	8.00	0.43
Linear, Grading & Excavation	Signal Boards	Electric	Average	1.00	8.00	6.00	0.82

Linear, Grading & Excavation	Off-Highway Trucks	Diesel	Average	1.00	8.00	376	0.38
Linear, Drainage, Utilities, & Sub-Grade	Tractors/Loaders/Backh oes	Diesel	Average	1.00	6.00	84.0	0.37
Linear, Drainage, Utilities, & Sub-Grade	Plate Compactors	Diesel	Average	1.00	6.00	8.00	0.43
Linear, Drainage, Utilities, & Sub-Grade	Rollers	Diesel	Average	1.00	6.00	36.0	0.38
Linear, Drainage, Utilities, & Sub-Grade	Off-Highway Trucks	Diesel	Average	1.00	4.00	376	0.38
Linear, Drainage, Utilities, & Sub-Grade	Excavators	Diesel	Average	1.00	4.00	36.0	0.38
Linear, Drainage, Utilities, & Sub-Grade	Pavers	Diesel	Average	1.00	2.00	81.0	0.42
Linear, Drainage, Utilities, & Sub-Grade	Plate Compactors	Diesel	Average	1.00	2.00	8.00	0.43
Demolition	Concrete/Industrial Saws	Diesel	Average	2.00	6.00	33.0	0.73

5.3. Construction Vehicles

5.3.1. Unmitigated

Phase Name	Trip Type	One-Way Trips per Day	Miles per Trip	Vehicle Mix
Linear, Grading & Excavation	_	_	_	_
Linear, Grading & Excavation	Worker	15.0	100	LDA,LDT1,LDT2
Linear, Grading & Excavation	Vendor	0.00	10.2	HHDT,MHDT
Linear, Grading & Excavation	Hauling	36.0	100	HHDT
Linear, Grading & Excavation	Onsite truck	_	_	HHDT
Linear, Drainage, Utilities, & Sub-Grade	_	_	_	_
Linear, Drainage, Utilities, & Sub-Grade	Worker	17.5	100	LDA,LDT1,LDT2
Linear, Drainage, Utilities, & Sub-Grade	Vendor	0.00	10.2	HHDT,MHDT

Linear, Drainage, Utilities, & Sub-Grade	Hauling	0.00	20.0	HHDT
Linear, Drainage, Utilities, & Sub-Grade	Onsite truck	_	_	HHDT
Demolition	_	_	_	_
Demolition	Worker	5.00	100	LDA,LDT1,LDT2
Demolition	Vendor	_	10.2	HHDT,MHDT
Demolition	Hauling	21.0	100	HHDT
Demolition	Onsite truck	-	_	HHDT

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

Non-applicable. No control strategies activated by user.

5.5. Architectural Coatings

Т	Phase Name	Residential Interior Area Coated	Residential Exterior Area Coated	Non-Residential Interior Area	Non-Residential Exterior Area	Parking Area Coated (sq ft)
Ш		(sq ft)	(sq ft)	Coated (sq ft)	Coated (sq ft)	

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

Phase Name	Material Imported (Cubic Yards)	Material Exported (Cubic Yards)	Acres Graded (acres)	Material Demolished (Ton of Debris)	Acres Paved (acres)
Linear, Grading & Excavation	_	19,940	5.00	0.00	_
Linear, Drainage, Utilities, & Sub-Grade	_	_	2.06	0.00	_
Demolition	0.00	0.00	0.00	5,875	_

5.6.2. Construction Earthmoving Control Strategies

Control Strategies Applied	Frequency (per day)	PM10 Reduction	PM2.5 Reduction
	21	/ //	

Water Exposed Area 3 74% 74%

5.7. Construction Paving

Land Use	Area Paved (acres)	% Asphalt
User Defined Linear	5.00	100%
Other Non-Asphalt Surfaces	66.0	0%

5.8. Construction Electricity Consumption and Emissions Factors

kWh per Year and Emission Factor (lb/MWh)

Year	kWh per Year	CO2	CH4	N2O
2025	29.4	565	0.03	< 0.005
2026	29.4	482	0.03	< 0.005

5.9. Operational Mobile Sources

5.9.1. Unmitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
Other Non-Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.2. Architectural Coatings

Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
0	0.00	0.00	0.00	172,498

5.10.3. Landscape Equipment

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	250

5.11. Operational Energy Consumption

5.11.1. Unmitigated

Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
Other Non-Asphalt Surfaces	0.00	482	0.0330	0.0040	0.00

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Other Non-Asphalt Surfaces	0.00	0.00

5.13. Operational Waste Generation

5.13.1. Unmitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Other Non-Asphalt Surfaces	0.00	_

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated



5.18. Vegetation

Equipment Type

5.18.1. Land Use Change

Fuel Type

5.18.1.1. Unmitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

Biomass Cover Type	Initial Acres	Final Acres
--------------------	---------------	-------------

5.18.2. Sequestration

5.18.2.1. Unmitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)
nos typo	Tomas C	= country carea (itting) care	raiara. Sas Sarsa (Star) sar)

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	38.6	annual days of extreme heat
Extreme Precipitation	7.50	annual days with precipitation above 20 mm
Sea Level Rise	0.00	meters of inundation depth
Wildfire	35.6	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi. Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about ¾ an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider different increments of sea level rise coupled with extreme storm events. Users may select from four model simulations to view the range in potential inundation depth for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 50 meters (m) by 50 m, or about 164 feet (ft) by 164 ft.

Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	5	0	0	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	0	0	N/A
Wildfire	1	0	0	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	0	0	0	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	5	1	1	4
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	1	1	2
Wildfire	1	1	1	2
Flooding	N/A	N/A	N/A	N/A

Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	1	1	1	2

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Exposure Indicators	-
AQ-Ozone	97.6
AQ-PM	1.68
AQ-DPM	4.41
Drinking Water	60.7
Lead Risk Housing	11.6
Pesticides	11.0
Toxic Releases	8.39
Traffic	1.35
Effect Indicators	
CleanUp Sites	0.00
Groundwater	0.00
Haz Waste Facilities/Generators	0.00

Impaired Water Bodies	0.00
Solid Waste	11.6
Sensitive Population	
Asthma	63.6
Cardio-vascular	92.9
Low Birth Weights	66.3
Socioeconomic Factor Indicators	_
Education	33.5
Housing	22.1
Linguistic	8.49
Poverty	67.0
Unemployment	64.5

7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	-
Above Poverty	54.07416913
Employed	2.34826126
Median HI	47.09354549
Education	_
Bachelor's or higher	24.38085461
ligh school enrollment	100
Preschool enrollment	95.7141024
ransportation	_
Auto Access	86.34672142
Active commuting	8.161170281

Social	_
2-parent households	29.38534582
Voting	73.38637239
Neighborhood	-
Alcohol availability	87.1423072
Park access	51.00731426
Retail density	9.110740408
Supermarket access	10.57359168
Tree canopy	85.29449506
Housing	
Homeownership	77.15898884
Housing habitability	49.54446298
Low-inc homeowner severe housing cost burden	35.91684845
Low-inc renter severe housing cost burden	3.708456307
Uncrowded housing	96.93314513
Health Outcomes	
Insured adults	30.92518927
Arthritis	0.0
Asthma ER Admissions	46.4
High Blood Pressure	0.0
Cancer (excluding skin)	0.0
Asthma	0.0
Coronary Heart Disease	0.0
Chronic Obstructive Pulmonary Disease	0.0
Diagnosed Diabetes	0.0
Life Expectancy at Birth	16.7
Cognitively Disabled	5.2

Physically Disabled	5.0
Heart Attack ER Admissions	10.8
Mental Health Not Good	0.0
Chronic Kidney Disease	0.0
Obesity	0.0
Pedestrian Injuries	59.1
Physical Health Not Good	0.0
Stroke	0.0
Health Risk Behaviors	_
Binge Drinking	0.0
Current Smoker	0.0
No Leisure Time for Physical Activity	0.0
Climate Change Exposures	_
Wildfire Risk	87.1
SLR Inundation Area	0.0
Children	65.5
Elderly	25.8
English Speaking	82.2
Foreign-born	0.7
Outdoor Workers	31.4
Climate Change Adaptive Capacity	_
Impervious Surface Cover	94.7
Traffic Density	3.7
Traffic Access	23.0
Other Indices	_
Hardship	62.9
Other Decision Support	_

2016 Voting	81.4

7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	19.0
Healthy Places Index Score for Project Location (b)	41.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	No
Project Located in a Low-Income Community (Assembly Bill 1550)	No
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

7.4. Health & Equity Measures

No Health & Equity Measures selected.

7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

8. User Changes to Default Data

Screen	Justification
Construction: Construction Phases	Client Provided Schedule
Construction: Off-Road Equipment	Client Provided Equipment list
Construction: Trips and VMT	13 haul trucks and 2 worker trucks accounted for in Linear, Grading & Excavation Phase in addition to default CalEEMod hauling trucks. Per Project applicant, the hauling trucks would travel a distance of up to 100 miles round trip, as such hauling for both the Linear, Grading & Excavation and Demolition phase was adjusted to 100 miles.

b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

This page intentionally left blank



APPENDIX 3.3:

CALEEMOD REPLENISH BIG BEAR COMPONENT 3 UNMITIGATED EMISSIONS MODEL
OUTPUTS



15309-Shay Ponds (Unmitigated) Detailed Report

Table of Contents

- 1. Basic Project Information
 - 1.1. Basic Project Information
 - 1.2. Land Use Types
 - 1.3. User-Selected Emission Reduction Measures by Emissions Sector
- 2. Emissions Summary
 - 2.1. Construction Emissions Compared Against Thresholds
 - 2.2. Construction Emissions by Year, Unmitigated
- 3. Construction Emissions Details
 - 3.1. Linear, Grading & Excavation (2025) Unmitigated
 - 3.3. Linear, Grading & Excavation (2026) Unmitigated
 - 3.5. Linear, Drainage, Utilities, & Sub-Grade (2026) Unmitigated
- 4. Operations Emissions Details
 - 4.10. Soil Carbon Accumulation By Vegetation Type
 - 4.10.1. Soil Carbon Accumulation By Vegetation Type Unmitigated

- 4.10.2. Above and Belowground Carbon Accumulation by Land Use Type Unmitigated
- 4.10.3. Avoided and Sequestered Emissions by Species Unmitigated
- 5. Activity Data
 - 5.1. Construction Schedule
 - 5.2. Off-Road Equipment
 - 5.2.1. Unmitigated
 - 5.3. Construction Vehicles
 - 5.3.1. Unmitigated
 - 5.4. Vehicles
 - 5.4.1. Construction Vehicle Control Strategies
 - 5.5. Architectural Coatings
 - 5.6. Dust Mitigation
 - 5.6.1. Construction Earthmoving Activities
 - 5.6.2. Construction Earthmoving Control Strategies
 - 5.7. Construction Paving
 - 5.8. Construction Electricity Consumption and Emissions Factors
 - 5.18. Vegetation

- 5.18.1. Land Use Change
 - 5.18.1.1. Unmitigated
- 5.18.1. Biomass Cover Type
 - 5.18.1.1. Unmitigated
- 5.18.2. Sequestration
 - 5.18.2.1. Unmitigated
- 6. Climate Risk Detailed Report
 - 6.1. Climate Risk Summary
 - 6.2. Initial Climate Risk Scores
 - 6.3. Adjusted Climate Risk Scores
 - 6.4. Climate Risk Reduction Measures
- 7. Health and Equity Details
 - 7.1. CalEnviroScreen 4.0 Scores
 - 7.2. Healthy Places Index Scores
 - 7.3. Overall Health & Equity Scores
 - 7.4. Health & Equity Measures
 - 7.5. Evaluation Scorecard

- 7.6. Health & Equity Custom Measures
- 8. User Changes to Default Data

1. Basic Project Information

1.1. Basic Project Information

Data Field	Value	
Project Name	15309-Shay Ponds (Unmitigated)	
Construction Start Date	5/1/2025	
Lead Agency	_	
and Use Scale	Project/site	
Analysis Level for Defaults	County	
Nindspeed (m/s)	3.30	
Precipitation (days)	1.80	
ocation	34.253674, -116.80784	
County	San Bernardino-South Coast	
City	Unincorporated	
Air District	South Coast AQMD	
Air Basin	South Coast	
AZ	5156	
EDFZ	10	
Electric Utility	Bear Valley Electric Service	
Gas Utility	Southwest Gas Corp.	
App Version	2022.1.1.18	

1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq ft)	Special Landscape Area (sq ft)	Population	Description
User Defined Linear	1.20	Mile	0.65	0.00	_	_	_	_

1.3. User-Selected Emission Reduction Measures by Emissions Sector

No measures selected

2. Emissions Summary

2.1. Construction Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-		-		-		-	-	-		-	_	-	-	-	-	-	-
Unmit.	1.44	0.92	10.8	10.2	0.06	0.29	1.66	1.95	0.28	0.45	0.73	-	7,464	7,464	0.47	0.85	15.0	7,744
Daily, Winter (Max)	_		-		-	_			_		-		_	-	-	-	-	-
Unmit.	1.96	1.33	13.8	14.2	0.07	0.39	1.66	2.05	0.37	0.45	0.82	-	8,444	8,444	0.47	0.85	0.39	8,710
Average Daily (Max)	-					_	-	_	-				_	_	_	-		-
Unmit.	0.69	0.44	5.32	4.81	0.03	0.14	0.80	0.94	0.13	0.22	0.35	_	3,573	3,573	0.22	0.41	3.12	3,704
Annual (Max)	_	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unmit.	0.13	0.08	0.97	0.88	< 0.005	0.03	0.15	0.17	0.02	0.04	0.06	_	592	592	0.04	0.07	0.52	613

2.2. Construction Emissions by Year, Unmitigated

Year	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily - Summer (Max)	-		-	-	_	-			_	_	-	_	_	_	_	_	_	_

2025	1.44	0.92	10.8	10.2	0.06	0.29	1.66	1.95	0.28	0.45	0.73	-	7,464	7,464	0.47	0.85	15.0	7,744
2026	0.56	0.47	3.30	4.32	0.01	0.12	0.00	0.12	0.11	0.00	0.11	-	1,087	1,087	0.04	0.01	0.00	1,091
Daily - Winter (Max)	-					-			-		-	T	-		-		_	-
2025	1.44	0.92	11.0	10.00	0.06	0.29	1.66	1.95	0.28	0.45	0.73	-	7,451	7,451	0.47	0.85	0.39	7,717
2026	1.96	1.33	13.8	14.2	0.07	0.39	1.66	2.05	0.37	0.45	0.82	_	8,444	8,444	0.47	0.85	0.36	8,710
Average Daily	_	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2025	0.69	0.44	5.32	4.81	0.03	0.14	0.80	0.94	0.13	0.22	0.35	-	3,573	3,573	0.22	0.41	3.12	3,704
2026	0.35	0.28	2.15	2.66	0.01	0.07	0.07	0.14	0.07	0.02	0.09	-	868	868	0.04	0.04	0.25	881
Annual	-	-	-	-	_	-	1	-	-	-	-	-	-	-	-	-	_	-
2025	0.13	0.08	0.97	0.88	< 0.005	0.03	0.15	0.17	0.02	0.04	0.06	-	592	592	0.04	0.07	0.52	613
2026	0.06	0.05	0.39	0.49	< 0.005	0.01	0.01	0.03	0.01	< 0.005	0.02	_	144	144	0.01	0.01	0.04	146

3. Construction Emissions Details

3.1. Linear, Grading & Excavation (2025) - Unmitigated

Location	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	_	_	_	-	_	_	_	_	_	_	_	-	_	_	_	-	_	-
Daily, Summer (Max)	-				-	_						-	_	_		-	-	_
Off-Road Equipmen		0.82	5.81	7.09	0.02	0.22	-	0.22	0.20	-	0.20	_	1,940	1,940	0.08	0.02	_	1,947
Dust From Material Movemen	t						< 0.005	< 0.005		< 0.005	< 0.005							

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Daily, Winter (Max)	_	-	-	-	-	-	-	-	-	-	-	-	-			-	-	T
Off-Road Equipmen		0.82	5.81	7.09	0.02	0.22	-	0.22	0.20		0.20	-	1,940	1,940	0.08	0.02	-	1,947
Dust From Material Movement	_ t				-	-	< 0.005	< 0.005	-	< 0.005	< 0.005						-	-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Average Daily	_	-	_	-	_	-	-	-	_	-	-	-	1	-	-	-	-	-
Off-Road Equipmen		0.39	2.78	3.40	0.01	0.10	-	0.10	0.09	-	0.09	-	930	930	0.04	0.01	-	933
Dust From Material Movement	 t					-	< 0.005	< 0.005	_	< 0.005	< 0.005	-					-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Annual	_	-	1-	1-	1-	I-	1-	-	_	-	-	-	1-	-	1-	1-	_	-
Off-Road Equipmen		0.07	0.51	0.62	< 0.005	0.02	-	0.02	0.02	-	0.02	-	154	154	0.01	< 0.005	-	155
Dust From Material Movement	 t	-			-	_	< 0.005	< 0.005		< 0.005	< 0.005	_					-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Offsite	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Daily, Summer (Max)	_		_		-		_				_		_					
Worker	0.02	0.02	0.04	0.77	0.00	0.00	0.14	0.14	0.00	0.03	0.03	_	151	151	< 0.005	< 0.005	0.56	-
Vendor	0.27	0.06	3.28	1.53	0.03	0.06	1.09	1.15	0.06	0.30	0.36	_	3,807	3,807	0.24	0.58	11.1	-
Hauling	0.17	0.02	1.66	0.86	0.01	0.02	0.43	0.45	0.02	0.12	0.14	-	1,565	1,565	0.15	0.26	3.39	-
Daily, Winter (Max)	-		-	-	-		-		_			-	-				-	-
Worker	0.02	0.02	0.05	0.55	0.00	0.00	0.14	0.14	0.00	0.03	0.03	-	138	138	< 0.005	< 0.005	0.01	_
Vendor	0.27	0.06	3.42	1.50	0.03	0.06	1.09	1.15	0.06	0.30	0.36	_	3,808	3,808	0.24	0.58	0.29	_
Hauling	0.17	0.02	1.74	0.86	0.01	0.02	0.43	0.45	0.02	0.12	0.14	-	1,565	1,565	0.15	0.26	0.09	_
Average Daily	-	_	-	-	-	-	-	-	_	-	-		-	-	-	-	-	-
Worker	0.01	0.01	0.02	0.28	0.00	0.00	0.07	0.07	0.00	0.02	0.02	-	67.1	67.1	< 0.005	< 0.005	0.12	-
Vendor	0.13	0.03	1.67	0.72	0.01	0.03	0.52	0.55	0.03	0.14	0.17	-	1,826	1,826	0.11	0.28	2.30	-
Hauling	0.08	0.01	0.85	0.41	< 0.005	0.01	0.21	0.21	0.01	0.06	0.07	_	750	750	0.07	0.12	0.71	_
Annual	_	_	_	-	-	-	_	_	_	_	_	_	-	_	-	_	_	-
Worker	< 0.005	< 0.005	< 0.005	0.05	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	-	11.1	11.1	< 0.005	< 0.005	0.02	-
Vendor	0.02	0.01	0.30	0.13	< 0.005	0.01	0.10	0.10	0.01	0.03	0.03	-	302	302	0.02	0.05	0.38	-
Hauling	0.01	< 0.005	0.15	0.08	< 0.005	< 0.005	0.04	0.04	< 0.005	0.01	0.01	_	124	124	0.01	0.02	0.12	_

3.3. Linear, Grading & Excavation (2026) - Unmitigated

Location	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	_	_	-	_	_	-	_	_	_	_	-	_	_	-	_	_	_	_
Daily, Summer (Max)	-	_	_	-	_	_	_	-						-	_		-	

Daily, Winter (Max)					_				_		_		_				-	
Off-Road Equipmer		0.80	5.53	7.09	0.02	0.20	-	0.20	0.18	-	0.18	-	1,942	1,942	0.08	0.02	-	1,948
Dust From Material Movemen	_ t						< 0.005	< 0.005		< 0.005	< 0.005		-		-		-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Average Daily	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-
Off-Road Equipmer		0.03	0.23	0.29	< 0.005	0.01	-	0.01	0.01	-	0.01	-	79.8	79.8	< 0.005	< 0.005	-	80.1
Dust From Material Movemen	 t		I				< 0.005	< 0.005		< 0.005	< 0.005	-					-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Annual	_	_	1-	_	1-	_	_	_	_	_	_	_	_	_	_	_	_	_
Off-Road Equipmer		0.01	0.04	0.05	< 0.005	< 0.005	-	< 0.005	< 0.005	-	< 0.005	-	13.2	13.2	< 0.005	< 0.005	-	13.3
Dust From Material Movemen	_ t		I				< 0.005	< 0.005		< 0.005	< 0.005	-		-			-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Offsite	_	_	_	-	_	_	_	_	-	-	-	_	_	_	_	-	_	_
Daily, Summer (Max)	-		T		-						_		-	-			-	

Daily, Winter (Max)	_		-	_	-				_		-		-				_	
Worker	0.02	0.02	0.04	0.51	0.00	0.00	0.14	0.14	0.00	0.03	0.03	-	135	135	< 0.005	< 0.005	0.01	_
Vendor	0.27	0.03	3.22	1.44	0.03	0.06	1.09	1.15	0.06	0.30	0.36	_	3,743	3,743	0.21	0.58	0.26	_
Hauling	0.16	0.01	1.66	0.84	0.01	0.02	0.43	0.45	0.02	0.12	0.14	-	1,537	1,537	0.14	0.25	0.08	-
Average Daily	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	-	5.64	5.64	< 0.005	< 0.005	0.01	_
Vendor	0.01	< 0.005	0.13	0.06	< 0.005	< 0.005	0.04	0.05	< 0.005	0.01	0.01	-	154	154	0.01	0.02	0.18	-
Hauling	0.01	< 0.005	0.07	0.03	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	0.01	-	63.1	63.1	0.01	0.01	0.06	-
Annual	_	_	_	_	_	_	-	_	_	-	_	-	-	_	-	_	_	-
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	-	0.93	0.93	< 0.005	< 0.005	< 0.005	-
Vendor	< 0.005	< 0.005	0.02	0.01	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	-	25.5	25.5	< 0.005	< 0.005	0.03	-
Hauling	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	-	10.5	10.5	< 0.005	< 0.005	0.01	-

3.5. Linear, Drainage, Utilities, & Sub-Grade (2026) - Unmitigated

Location	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	_	-	-	-	-	_	_	1-	_	-	_	-	<u> </u>	_	-	-	-	-
Daily, Summer (Max)	-		Г			-	-	_	-	-	-	-		_	Г			
Off-Road Equipmer		0.47	3.30	4.32	0.01	0.12	-	0.12	0.11	-	0.11	-	1,087	1,087	0.04	0.01	-	1,091
Dust From Material Movemen	_ t						0.00	0.00		0.00	0.00							
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	-

Daily, Winter	-	-	1-	1	-		-	-	-	-	-	-	-	-	-	-	-	
(Max)																		
Off-Road Equipmen		0.47	3.30	4.32	0.01	0.12	-	0.12	0.11	-	0.11	-	1,087	1,087	0.04	0.01	-	1,091
Dust From Material Movemen	_ t		П	Г			0.00	0.00		0.00	0.00						-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Average Daily	_	-	-	-	-	-	-	-	-	-	-	-	1		-	-	-	-
Off-Road Equipmen		0.24	1.72	2.25	0.01	0.06	-	0.06	0.06	-	0.06	-	566	566	0.02	< 0.005	-	568
Dust From Material Movemen	_ t					-	0.00	0.00		0.00	0.00						-	-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Annual	_	_	1-	_	_	_	_	_	_	_	_	_	_	_	_	_	_	-
Off-Road Equipmen		0.04	0.31	0.41	< 0.005	0.01	-	0.01	0.01	-	0.01	-	93.7	93.7	< 0.005	< 0.005	-	94.0
Dust From Material Movemen	_ t	-					0.00	0.00	-	0.00	0.00	-	-	-	-	_	-	-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Offsite	_	_	_	_	_	_	_	_	_	_	_	-	_	_	_	_	_	-
Daily, Summer (Max)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	_

Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	-
Daily, Winter (Max)	-		-						-		-		-				-	
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	_
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Average Daily	-	-	-		-	-	-		-	-	-	-	-		-	-	-	-
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	-	-
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	_
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-

4. Operations Emissions Details

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Vegetatio n	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)		-	-	_	-	-	_		_	_	_	_	_	-	-	_	-	-
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Daily, — Winter	-	-	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
(Max)																	
Total —	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual —	_	_	_	_	_	_	_			_	_	_		_			
Total —	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-				-	-					_		-	-			-	-
Total	_	-	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Winter (Max)	-	-		-	-	-			-	-	-	-	-	-	-	-	-	-
Total	_	-	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	_	_	_	_	_	-	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Species	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-	-					-	-	-				_	-		-	-	_
Avoided	_	_	_	_	-	_	-	-	-	-	-	_	-	-	_	-	_	-
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Sequest	-	-	_	_	_	_	_	_	_	-	_	-	_	_	_	_	_	_
Subtotal	_	-	_	_	_	-	_	-	_	-	_	_	_	-	_	_	_	-
Remove d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	- 1
Subtotal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	_	_	_	_	_	-	_	_	_	-	_	_	_	-	_	-	_	-
Daily, Winter (Max)	-										_		-	-	_			
Avoided	_	_	_	-	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	-	-	-	-	-	_	_	_	-	_	_	_	_	-	_	_	_	-
Sequest ered	-	-	-	-	-	-	- 1	-	-	_	_	_	_	_	-	-	_	-
Subtotal	_	-	_	-	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Remove d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Subtotal	_	_	_	_	_	_	_	-	_	_	_	_	_	_	_	_	_	_
-	-	-	-	-	_	-	-	-	-	-	_	-	_	-	_	-	_	-
Annual	_	-	_	-	_	-	-	-	_	_	-	_	_	_	-	_	_	_
Avoided	-	-	_	-	_	-	_	-	_	-	_	-	_	-	_	-	_	- 1
Subtotal	_	_	_	_	_	-	_	-	_	-	_	_	_	-	_	_	_	_
Sequest ered	-	-	-	-	-	-	-	-	-	-	-	-	-	-	- 1	-	-	-
Subtotal	-	_	-	-	_	_	_	- 1	-	-	_	-	_	-	_	-	_	- 1
Remove d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Subtotal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_
-	-		-		I-		-	-	_	-	_	-	_	-	_	-	_	-

5. Activity Data

5.1. Construction Schedule

Phase Name	Phase Type	Start Date	End Date	Days Per Week	Work Days per Phase	Phase Description
Linear, Grading & Excavation	Linear, Grading & Excavation	5/1/2025	1/21/2026	5.00	190	-
Linear, Drainage, Utilities, & Sub-Grade	Linear, Drainage, Utilities, & Sub-Grade	1/21/2026	10/13/2026	5.00	190	-

5.2. Off-Road Equipment

5.2.1. Unmitigated

Phase Name	Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
Linear, Grading & Excavation	Signal Boards	Electric	Average	1.00	8.00	6.00	0.82
Linear, Grading & Excavation	Excavators	Diesel	Average	1.00	8.00	36.0	0.38
Linear, Grading & Excavation	Tractors/Loaders/Backh oes	Diesel	Average	1.00	8.00	84.0	0.37
Linear, Grading & Excavation	Plate Compactors	Diesel	Average	1.00	8.00	8.00	0.43
Linear, Grading & Excavation	Rollers	Diesel	Average	1.00	8.00	36.0	0.38
Linear, Grading & Excavation	Off-Highway Trucks	Diesel	Average	1.00	8.00	376	0.38
Linear, Drainage, Utilities, & Sub-Grade	Tractors/Loaders/Backh oes	Diesel	Average	1.00	6.00	84.0	0.37
Linear, Drainage, Utilities, & Sub-Grade	Plate Compactors	Diesel	Average	1.00	6.00	8.00	0.43
Linear, Drainage, Utilities, & Sub-Grade	Rollers	Diesel	Average	1.00	6.00	36.0	0.38

Linear, Drainage, Utilities, & Sub-Grade	Excavators	Diesel	Average	1.00	4.00	36.0	0.38
Linear, Drainage,	Off-Highway Trucks	Diesel	Average	1.00	4.00	376	0.38

5.3. Construction Vehicles

5.3.1. Unmitigated

Phase Name	Trip Type	One-Way Trips per Day	Miles per Trip	Vehicle Mix
Linear, Grading & Excavation	_	_	_	_
Linear, Grading & Excavation	Worker	2.00	100	LDA,LDT1,LDT2
Linear, Grading & Excavation	Vendor	13.0	100	HHDT,MHDT
Linear, Grading & Excavation	Hauling	4.62	100	HHDT
Linear, Grading & Excavation	Onsite truck	_	_	HHDT
Linear, Drainage, Utilities, & Sub-Grade	_	_	_	<u> </u>
Linear, Drainage, Utilities, & Sub-Grade	Worker	0.00	18.5	LDA,LDT1,LDT2
Linear, Drainage, Utilities, & Sub-Grade	Vendor	0.00	10.2	HHDT,MHDT
Linear, Drainage, Utilities, & Sub-Grade	Hauling	0.00	20.0	HHDT
Linear, Drainage, Utilities, & Sub-Grade	Onsite truck	_	_	HHDT

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

Non-applicable. No control strategies activated by user.

5.5. Architectural Coatings

-1			B 11 (15 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	N. B. H. CHILLER	N. B. H. CIEVA	D 11 A O (1/ W)
_	Phase Name	Residential Interior Area Coated	Residential Exterior Area Coated	Non-Residential Interior Area	Non-Residential Exterior Area	Parking Area Coated (sq ft)
		(ti)	(ft)	01-1/10	O = 4 = 4 (= = 4)	
		(sq ft)	(sq ft)	Coated (sq ft)	Coated (sq ft)	

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

Phase Name	Material Imported (Cubic Yards)	Material Exported (Cubic Yards)	Acres Graded (acres)	Material Demolished (sq. ft.)	Acres Paved (acres)
Linear, Grading & Excavation	_	7,020	0.65	0.00	_
Linear, Drainage, Utilities, & Sub-Grade	-	_	0.65	0.00	_

5.6.2. Construction Earthmoving Control Strategies

Control Strategies Applied	Frequency (per day)	PM10 Reduction	PM2.5 Reduction
Water Exposed Area	3	74%	74%

5.7. Construction Paving

Land Use	Area Paved (acres)	% Asphalt
User Defined Linear	0.65	100%

5.8. Construction Electricity Consumption and Emissions Factors

kWh per Year and Emission Factor (lb/MWh)

Year	kWh per Year	CO2	CH4	N2O
2025	29.4	565	0.03	< 0.005
2026	29.4	482	0.03	< 0.005

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

Vegetation Land Use Type Vegetation Soil Type Initial Acres Final Acres

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

Biomass Cover Type Initial Acres Final Acres

5.18.2. Sequestration

5.18.2.1. Unmitigated

Tree Type Number Electricity Saved (kWh/year) Natural Gas Saved (btu/year)

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	39.3	annual days of extreme heat
Extreme Precipitation	4.40	annual days with precipitation above 20 mm
Sea Level Rise	0.00	meters of inundation depth
Wildfire	31.0	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi. Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about ¾ an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider different increments of sea level rise coupled with extreme storm events. Users may select from four model simulations to view the range in potential inundation depth for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 50 meters (m) by 50 m, or about 164 feet (ft) by 164 ft.

Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	5	0	0	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	0	0	N/A
Wildfire	1	0	0	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	0	0	0	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	5	1	1	4
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	1	1	2
Wildfire	1	1	1	2
Flooding	N/A	N/A	N/A	N/A

Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	1	1	1	2

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Exposure Indicators	-
AQ-Ozone	97.6
AQ-PM	1.68
AQ-DPM	4.41
Drinking Water	60.7
Lead Risk Housing	11.6
Pesticides	11.0
Toxic Releases	8.39
Traffic	1.35
Effect Indicators	
CleanUp Sites	0.00
Groundwater	0.00
Haz Waste Facilities/Generators	0.00

Impaired Water Bodies	0.00
Solid Waste	11.6
Sensitive Population	_
Asthma	63.6
Cardio-vascular	92.9
Low Birth Weights	66.3
Socioeconomic Factor Indicators	_
Education	33.5
Housing	22.1
Linguistic	8.49
Poverty	67.0
Unemployment	64.5

7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract	
Economic	-	
Above Poverty	54.07416913	
Employed	2.34826126	
Median HI	47.09354549	
Education	_	
Bachelor's or higher	24.38085461	
ligh school enrollment	100	
Preschool enrollment	95.7141024	
ransportation	_	
Auto Access	86.34672142	
Active commuting	8.161170281	

Social	_
2-parent households	29.38534582
Voting	73.38637239
Neighborhood	-
Alcohol availability	87.1423072
Park access	51.00731426
Retail density	9.110740408
Supermarket access	10.57359168
Tree canopy	85.29449506
Housing	
Homeownership	77.15898884
Housing habitability	49.54446298
Low-inc homeowner severe housing cost burden	35.91684845
Low-inc renter severe housing cost burden	3.708456307
Uncrowded housing	96.93314513
Health Outcomes	
Insured adults	30.92518927
Arthritis	0.0
Asthma ER Admissions	46.4
High Blood Pressure	0.0
Cancer (excluding skin)	0.0
Asthma	0.0
Coronary Heart Disease	0.0
Chronic Obstructive Pulmonary Disease	0.0
Diagnosed Diabetes	0.0
Life Expectancy at Birth	16.7
Cognitively Disabled	5.2

Physically Disabled	5.0
Heart Attack ER Admissions	10.8
Mental Health Not Good	0.0
Chronic Kidney Disease	0.0
Obesity	0.0
Pedestrian Injuries	59.1
Physical Health Not Good	0.0
Stroke	0.0
Health Risk Behaviors	_
Binge Drinking	0.0
Current Smoker	0.0
No Leisure Time for Physical Activity	0.0
Climate Change Exposures	_
Wildfire Risk	87.1
SLR Inundation Area	0.0
Children	65.5
Elderly	25.8
English Speaking	82.2
Foreign-born	0.7
Outdoor Workers	31.4
Climate Change Adaptive Capacity	_
Impervious Surface Cover	94.7
Traffic Density	3.7
Traffic Access	23.0
Other Indices	_
Hardship	62.9
Other Decision Support	_

2016 Voting	81.4
2010 voting	01.4

7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	19.0
Healthy Places Index Score for Project Location (b)	41.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	No
Project Located in a Low-Income Community (Assembly Bill 1550)	No
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

7.4. Health & Equity Measures

No Health & Equity Measures selected.

7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

8. User Changes to Default Data

Screen	Justification
Construction: Construction Phases	Client Provided Schedule
Construction: Off-Road Equipment	Client Provided Equipment list
Construction: Trips and VMT	13 haul trucks and 2 worker trucks accounted for in Linear, Grading & Excavation Phase.

b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

This page intentionally left blank



APPENDIX 3.4:

CALEEMOD REPLENISH BIG BEAR COMPONENT 4 UNMITIGATED EMISSIONS MODEL
OUTPUTS



15309-Evaporation Ponds Detailed Report

Table of Contents

- 1. Basic Project Information
 - 1.1. Basic Project Information
 - 1.2. Land Use Types
 - 1.3. User-Selected Emission Reduction Measures by Emissions Sector
- 2. Emissions Summary
 - 2.1. Construction Emissions Compared Against Thresholds
 - 2.2. Construction Emissions by Year, Unmitigated
 - 2.4. Operations Emissions Compared Against Thresholds
 - 2.5. Operations Emissions by Sector, Unmitigated
- 3. Construction Emissions Details
 - 3.1. Site Preparation (2025) Unmitigated
 - 3.3. Site Preparation (2026) Unmitigated
- 4. Operations Emissions Details
 - 4.1. Mobile Emissions by Land Use

- 4.1.1. Unmitigated
- 4.2. Energy
 - 4.2.1. Electricity Emissions By Land Use Unmitigated
 - 4.2.3. Natural Gas Emissions By Land Use Unmitigated
- 4.3. Area Emissions by Source
 - 4.3.2. Unmitigated
- 4.4. Water Emissions by Land Use
 - 4.4.2. Unmitigated
- 4.5. Waste Emissions by Land Use
 - 4.5.2. Unmitigated
- 4.6. Refrigerant Emissions by Land Use
 - 4.6.1. Unmitigated
- 4.7. Offroad Emissions By Equipment Type
 - 4.7.1. Unmitigated
- 4.8. Stationary Emissions By Equipment Type
 - 4.8.1. Unmitigated
- 4.9. User Defined Emissions By Equipment Type

- 4.9.1. Unmitigated
- 4.10. Soil Carbon Accumulation By Vegetation Type
 - 4.10.1. Soil Carbon Accumulation By Vegetation Type Unmitigated
 - 4.10.2. Above and Belowground Carbon Accumulation by Land Use Type Unmitigated
 - 4.10.3. Avoided and Sequestered Emissions by Species Unmitigated
- 5. Activity Data
 - 5.1. Construction Schedule
 - 5.2. Off-Road Equipment
 - 5.2.1. Unmitigated
 - 5.3. Construction Vehicles
 - 5.3.1. Unmitigated
 - 5.4. Vehicles
 - 5.4.1. Construction Vehicle Control Strategies
 - 5.5. Architectural Coatings
 - 5.6. Dust Mitigation
 - 5.6.1. Construction Earthmoving Activities
 - 5.6.2. Construction Earthmoving Control Strategies

- 5.7. Construction Paving
- 5.8. Construction Electricity Consumption and Emissions Factors
- 5.9. Operational Mobile Sources
 - 5.9.1. Unmitigated
- 5.10. Operational Area Sources
 - 5.10.1. Hearths
 - 5.10.1.1. Unmitigated
 - 5.10.2. Architectural Coatings
 - 5.10.3. Landscape Equipment
- 5.11. Operational Energy Consumption
 - 5.11.1. Unmitigated
- 5.12. Operational Water and Wastewater Consumption
 - 5.12.1. Unmitigated
- 5.13. Operational Waste Generation
 - 5.13.1. Unmitigated
- 5.14. Operational Refrigeration and Air Conditioning Equipment
 - 5.14.1. Unmitigated

- 5.15. Operational Off-Road Equipment
 - 5.15.1. Unmitigated
- 5.16. Stationary Sources
 - 5.16.1. Emergency Generators and Fire Pumps
 - 5.16.2. Process Boilers
- 5.17. User Defined
- 5.18. Vegetation
 - 5.18.1. Land Use Change
 - 5.18.1.1. Unmitigated
 - 5.18.1. Biomass Cover Type
 - 5.18.1.1. Unmitigated
 - 5.18.2. Sequestration
 - 5.18.2.1. Unmitigated
- 6. Climate Risk Detailed Report
 - 6.1. Climate Risk Summary
 - 6.2. Initial Climate Risk Scores
 - 6.3. Adjusted Climate Risk Scores

- 6.4. Climate Risk Reduction Measures
- 7. Health and Equity Details
 - 7.1. CalEnviroScreen 4.0 Scores
 - 7.2. Healthy Places Index Scores
 - 7.3. Overall Health & Equity Scores
 - 7.4. Health & Equity Measures
 - 7.5. Evaluation Scorecard
 - 7.6. Health & Equity Custom Measures
- 8. User Changes to Default Data

1. Basic Project Information

1.1. Basic Project Information

Data Field	Value Value
Project Name	15309-Evaporation Ponds
Construction Start Date	5/1/2025
Operational Year	2027
Lead Agency	_
Land Use Scale	Project/site
Analysis Level for Defaults	County
Windspeed (m/s)	2.50
Precipitation (days)	1.80
Location	34.270764, -116.820355
County	San Bernardino-South Coast
City	Unincorporated
Air District	South Coast AQMD
Air Basin	South Coast
TAZ	5156
EDFZ	10
Electric Utility	Bear Valley Electric Service
Gas Utility	Southwest Gas Corp.
App Version	2022.1.1.14

1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq	Special Landscape	Population	Description
					ft)	Area (sq ft)		

Other Non-Asphalt 57.0 Acre	57.0	0.00	0.00	_		
Other Non-Asphalt 57.0 Acre	57.0	0.00	0.00	_		
Surfaces						

1.3. User-Selected Emission Reduction Measures by Emissions Sector

No measures selected

2. Emissions Summary

2.1. Construction Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	-	Ī	_	_		_	-	-	-	-	-	-	-	-	-	-
Unmit.	27.3	25.2	77.7	92.4	0.20	3.24	7.07	10.3	2.94	2.41	5.34	-	23,481	23,481	1.15	0.79	10.9	23,755
Daily, Winter (Max)	_				-				_	_			-	-	-		_	
Unmit.	27.2	25.2	77.9	91.3	0.20	3.24	7.07	10.3	2.94	2.41	5.34	_	23,418	23,418	1.15	0.79	0.28	23,681
Average Daily (Max)	-	-	-	-	-				-	-	-	-	-	-	-	H		-
Unmit.	15.1	14.0	40.3	50.2	0.11	1.69	3.97	5.66	1.53	1.35	2.88	_	13,113	13,113	0.62	0.43	2.46	13,259
Annual (Max)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unmit.	2.75	2.55	7.35	9.16	0.02	0.31	0.72	1.03	0.28	0.25	0.53	_	2,171	2,171	0.10	0.07	0.41	2,195

2.2. Construction Emissions by Year, Unmitigated

Year TOG ROG NOx CO SO2 PM10E PM10D PM10T PM2.5E PM2.5D PM2.5T BCO2 NBCO2 CO2T CH4 N2O R CO2e	Year	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
---	------	-----	-----	-----	----	-----	-------	-------	-------	--------	--------	--------	------	-------	------	-----	-----	---	------

Daily - Summer (Max)	-		-		-													
2025	27.3	25.2	77.7	92.4	0.20	3.24	7.07	10.3	2.94	2.41	5.34	-	23,481	23,481	1.15	0.79	10.9	23,755
2026	26.8	24.9	71.5	90.3	0.20	3.01	7.07	10.1	2.72	2.41	5.13	-	23,400	23,400	1.12	0.76	10.1	23,665
Daily - Winter (Max)			-				-								T			
2025	27.2	25.2	77.9	91.3	0.20	3.24	7.07	10.3	2.94	2.41	5.34	_	23,418	23,418	1.15	0.79	0.28	23,681
2026	26.8	24.9	71.7	89.3	0.20	3.01	7.07	10.1	2.72	2.41	5.13	_	23,338	23,338	1.10	0.76	0.26	23,593
Average Daily	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2025	13.1	12.1	37.4	43.9	0.10	1.55	3.39	4.94	1.41	1.15	2.56	_	11,232	11,232	0.55	0.38	2.26	11,361
2026	15.1	14.0	40.3	50.2	0.11	1.69	3.97	5.66	1.53	1.35	2.88	_	13,113	13,113	0.62	0.43	2.46	13,259
Annual	_	-	-	-	_	_	_	-	_	_	_	-	-	<u>-</u>	-	-	1-	_
2025	2.38	2.21	6.83	8.01	0.02	0.28	0.62	0.90	0.26	0.21	0.47	-	1,860	1,860	0.09	0.06	0.37	1,881
2026	2.75	2.55	7.35	9.16	0.02	0.31	0.72	1.03	0.28	0.25	0.53	_	2,171	2,171	0.10	0.07	0.41	2,195

2.4. Operations Emissions Compared Against Thresholds

Un/Mit.	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_			-	-				_			-		_		_	_	
Unmit.	0.00	0.38	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	-		-		-			-	-				-	-	-	-	-	
Unmit.	0.00	0.38	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Average Daily (Max)	_		-		-						-							-
Unmit.	< 0.005	0.38	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.62	0.62	< 0.005	< 0.005	< 0.005	0.63
Annual (Max)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unmit.	< 0.005	0.07	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.10	0.10	< 0.005	< 0.005	< 0.005	0.10

2.5. Operations Emissions by Sector, Unmitigated

Sector	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-	-	-		-	-	_		-	-	-	_	_		_	-	-	
Mobile	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Area	0.00	0.38	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	-	0.00	0.00	0.00	0.00	_	0.00
Energy	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Water	_	-	_	-	_	-	_	-	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Waste	_	_	_	-	_	-	_	-	_	_	-	0.00	0.00	0.00	0.00	0.00]-	0.00
Total	0.00	0.38	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	
Mobile	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Area	_	0.38	-	-	-	-	_	_	_	_	_	-	-	-	-	-	1-	-
Energy	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	-	0.00
Water	_	_	-	-	_	_	_	-	_	_	_	0.00	0.00	0.00	0.00	0.00	-	0.00
Waste	_	_	_	-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Total	0.00	0.38	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Average Daily	_		-	_	-	-	-	_	-	_	-	_	-	-	-		-	-
Mobile	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	-	0.62	0.62	< 0.005	< 0.005	< 0.005	0.63
Area	0.00	0.38	0.00	0.00	0.00	0.00	-	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Energy	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	-	0.00	-	0.00	0.00	0.00	0.00	-	0.00
Water	_	-	_	-	_	-	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Waste	_	_	_	-	-	_	_	-	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Total	< 0.005	0.38	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.62	0.62	< 0.005	< 0.005	< 0.005	0.63
Annual	-	-	-	-	-	_	-	-	-	-	-	-	-	-	-	-	-	-
Mobile	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	_	0.10	0.10	< 0.005	< 0.005	< 0.005	0.10
Area	0.00	0.07	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	-	0.00	0.00	0.00	0.00	_	0.00
Energy	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	-	0.00	0.00	0.00	0.00	_	0.00
Water	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Waste	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Total	< 0.005	0.07	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.10	0.10	< 0.005	< 0.005	< 0.005	0.10

3. Construction Emissions Details

3.1. Site Preparation (2025) - Unmitigated

Location 1	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite -	-	_	-	-	-	-	-	_	_	_	-	-	-	_	-	_	-	-
Daily, - Summer (Max)		_			_				_					_	_		-	
Off-Road 2 Equipment		25.1	73.6	86.5	0.18	3.19	-	3.19	2.89	-	2.89	-	19,001	19,001	0.77	0.15	-	19,066

Dust From	-	-	1-	-	-	-	5.34	5.34	-	1.96	1.96	-	-	-		-	1-	
Material Movemen	t																	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	_		-	-			-		-		-	-		-			-	
Off-Road Equipmen		25.1	73.6	86.5	0.18	3.19	-	3.19	2.89	-	2.89	-	19,001	19,001	0.77	0.15	-	19,066
Dust From Material Movement	_ t		-				5.34	5.34		1.96	1.96						-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Off-Road Equipmen		12.0	35.3	41.5	0.08	1.53	-	1.53	1.38	-	1.38	-	9,110	9,110	0.37	0.07	-	9,141
Dust From Material Movement	_ t	Ī	T		-		2.56	2.56	-	0.94	0.94	-		-	-	-	-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Annual	_	_	_	-	_	_	_	-	-	-	_	-	_	_	-	_	_	-
Off-Road Equipmen		2.20	6.44	7.57	0.02	0.28	-	0.28	0.25	-	0.25	-	1,508	1,508	0.06	0.01	-	1,513
Dust From Material Movement							0.47	0.47		0.17	0.17	-						
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00

Offsite	_	-	_	-	-	-	_	-	_	_	_	_	_	-	_	_	-	-
Daily, Summer (Max)	-	-				-	-				-				Ī		-	
Worker	0.10	0.08	0.21	3.85	0.00	0.00	0.71	0.71	0.00	0.17	0.17	-	754	754	0.02	0.02	2.82	764
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.41	0.06	3.96	2.04	0.02	0.05	1.02	1.07	0.05	0.28	0.33	-	3,726	3,726	0.35	0.61	8.08	3,924
Daily, Winter (Max)	-		-		-					-	-						-	
Worker	0.10	0.08	0.23	2.74	0.00	0.00	0.71	0.71	0.00	0.17	0.17	-	690	690	0.02	0.02	0.07	698
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.41	0.05	4.13	2.05	0.02	0.05	1.02	1.07	0.05	0.28	0.33	_	3,726	3,726	0.35	0.61	0.21	3,917
Average Daily	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Worker	0.05	0.04	0.12	1.40	0.00	0.00	0.34	0.34	0.00	0.08	0.08	-	336	336	0.01	0.01	0.58	340
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.20	0.03	2.01	0.98	0.01	0.02	0.49	0.51	0.02	0.13	0.16	-	1,786	1,786	0.17	0.29	1.68	1,879
Annual	_	-	-	-	_	-	-	1-	-	-	-	-	-	-	1-	-	_	_
Worker	0.01	0.01	0.02	0.26	0.00	0.00	0.06	0.06	0.00	0.01	0.01	-	55.6	55.6	< 0.005	< 0.005	0.10	56.3
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.04	< 0.005	0.37	0.18	< 0.005	< 0.005	0.09	0.09	< 0.005	0.02	0.03	_	296	296	0.03	0.05	0.28	311

3.3. Site Preparation (2026) - Unmitigated

Location	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	-	_	_	_	_	_	_	_	_	_	-	_	-	-	_	-	_	-
Daily, Summer (Max)	-	_				-					_				-	-		-

Off-Road Equipmen		24.8	67.5	84.7	0.18	2.96	-	2.96	2.67	-	2.67	— 19,00	19,004	0.77	0.15	-	19,069
Dust From Material Movement	_ t		-		-		5.34	5.34		1.96	1.96						
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	— 0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	_		-		-	-	-			-	-	- -		-	-	-	
Off-Road Equipmen		24.8	67.5	84.7	0.18	2.96	-	2.96	2.67	-	2.67	— 19,00	19,004	0.77	0.15	-	19,069
Dust From Material Movement	_ t		-				5.34	5.34	-	1.96	1.96						
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	— 0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	_	-	-	-	-	-	-	-	-	-	_	- -	-	-	-	-	
Off-Road Equipmen		13.9	37.9	47.6	0.10	1.66	-	1.66	1.50	-	1.50	— 10,6	73 10,673	0.43	0.09	_	10,710
Dust From Material Movement	 t						3.00	3.00		1.10	1.10						
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	— 0.00	0.00	0.00	0.00	0.00	0.00
Annual	_	_	_	_	-	-	_	_	-	-	-	_ -	-	-	-	-	-
Off-Road Equipmen		2.54	6.92	8.68	0.02	0.30	-	0.30	0.27	-	0.27	— 1,76	1,767	0.07	0.01	-	1,773
Dust From Material Movement	_ t	-	-		-	-	0.55	0.55	-	0.20	0.20			-	-	-	-

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	_	_	_	-	_	_	_	_	-	_	-	-	-	_	-	-	_	-
Daily, Summer (Max)	-	-	-	-	-	-	-		-	-	-		-			-	-	
Worker	0.10	0.08	0.18	3.56	0.00	0.00	0.71	0.71	0.00	0.17	0.17	-	738	738	0.02	0.02	2.55	748
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.38	0.03	3.81	2.00	0.02	0.05	1.02	1.07	0.05	0.28	0.33	-	3,658	3,658	0.33	0.59	7.59	3,848
Daily, Winter (Max)	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	
Worker	0.10	0.08	0.21	2.54	0.00	0.00	0.71	0.71	0.00	0.17	0.17	-	677	677	< 0.005	0.02	0.07	683
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.38	0.03	3.96	2.00	0.02	0.05	1.02	1.07	0.05	0.28	0.33	-	3,658	3,658	0.33	0.59	0.20	3,841
Average Daily	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Worker	0.06	0.04	0.13	1.51	0.00	0.00	0.40	0.40	0.00	0.09	0.09	-	385	385	< 0.005	0.01	0.62	390
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.21	0.02	2.25	1.12	0.01	0.03	0.57	0.60	0.03	0.16	0.18	-	2,054	2,054	0.18	0.33	1.84	2,159
Annual	-	_	-	-	_	-	-	-	1-	-	1-	-	-	-	(-	-	-	-
Worker	0.01	0.01	0.02	0.28	0.00	0.00	0.07	0.07	0.00	0.02	0.02	-	63.8	63.8	< 0.005	< 0.005	0.10	64.5
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.04	< 0.005	0.41	0.20	< 0.005	< 0.005	0.10	0.11	< 0.005	0.03	0.03	1-	340	340	0.03	0.05	0.30	357

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

Mobile source emissions results are presented in Sections 2.6. No further detailed breakdown of emissions is available.

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_				_	_			_		_		_	_	_	_	-	-
Other Non-Aspha Surfaces	— alt				_	-	-				-	-	0.00	0.00	0.00	0.00	-	0.00
Total	_	_	-	-	_	_	_	_	_	_	-	-	0.00	0.00	0.00	0.00	_	0.00
Daily, Winter (Max)	_		-	r	_	-	-		-		-		_	-	-	_	_	-
Other Non-Aspha Surfaces	— alt			Т	-	-	-		-		-	-	0.00	0.00	0.00	0.00	-	0.00
Total	_	-	_	_	_	_	_	-	_	_	_	_	0.00	0.00	0.00	0.00	_	0.00
Annual	_	_	_	_	_	_	-	-	-	-	-	-	_	_	_	-	_	_
Other Non-Aspha Surfaces	— alt	_	-	-	_	-	-		-	-	-	-	0.00	0.00	0.00	0.00	_	0.00
Total	_	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	_	0.00

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

					J,		,			,		,	_						
-					0.0	000									000-				000
	Land	HOG	IROG	NOx	CO	ISO2	PM10E	PM10D	PM101	PM2.5E	PM2.5D	PM2.51	IBCO2	INBCO2	CO21	ICH4	N2O	IR	CO2e
	Use																		

Daily, Summer (Max)	_		-		-								-			-		
Other Non-Asph Surfaces	0.00 alt	0.00	0.00	0.00	0.00	0.00		0.00	0.00		0.00		0.00	0.00	0.00	0.00	-	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	-	0.00	-	0.00	0.00	0.00	0.00	-	0.00
Daily, Winter (Max)	_						T	r				r		Г	-		-	
Other Non-Asph Surfaces	0.00 alt	0.00	0.00	0.00	0.00	0.00	T	0.00	0.00	-	0.00		0.00	0.00	0.00	0.00		0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	-	0.00	-	0.00	0.00	0.00	0.00	-	0.00
Annual	_	_	-	-	-	_	-	-	-	-	-	-	-	-	-	-	-	-
Other Non-Asph Surfaces	0.00 alt	0.00	0.00	0.00	0.00	0.00		0.00	0.00		0.00		0.00	0.00	0.00	0.00		0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	-	0.00

4.3. Area Emissions by Source

4.3.2. Unmitigated

Source	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_		_	_		_	_		_	_	_	_	_	_	_	_
Consum er Products		0.20	_		-						-	-			-			_

Architect ural Coatings	-	0.19							-	Г								
Landsca pe Equipme nt	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	T	0.00		0.00	0.00	0.00	0.00		0.00
Total	0.00	0.38	0.00	0.00	0.00	0.00	-	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Daily, Winter (Max)	-	-	-		-	-	-	-	-	-	-	-	-		-	-	-	-
Consum er Products	-	0.20					-						-	-				
Architect ural Coatings	-	0.19	-				-			-							-	
Total	_	0.38	_	-	_	_	-	-	_	-	_	-	-	-	_	_	-	_
Annual	_	-	_	_	_	_	_	-	_	_	_	_	_	_	_	_	_	_
Consum er Products		0.04	-		-		-		-				-					
Architect ural Coatings	-	0.03					-							-				
Landsca pe Equipme nt		0.00	0.00	0.00	0.00	0.00		0.00	0.00	-	0.00		0.00	0.00	0.00	0.00	-	0.00
Total	0.00	0.07	0.00	0.00	0.00	0.00	_	0.00	0.00	-	0.00	_	0.00	0.00	0.00	0.00	_	0.00

4.4. Water Emissions by Land Use

4.4.2. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Non-Asph Surfaces	— alt	-	-	-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Total	_	-	-	-	-	-	_	-	-	-	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Daily, Winter (Max)	_	-	-	-	-	-	-		-	-	-	-	-	-	-		-	-
Other Non-Asph Surfaces	— alt	-	-	-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Total	_	-	-	-	_	_	-	-	-	_	-	0.00	0.00	0.00	0.00	0.00	- 1//	0.00
Annual	-	-	I-	_	_	_	_	-	-	_	-	-	_	-	_	_	_	_
Other Non-Asph Surfaces	— alt	-	-	-	_	-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Total		_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00

4.5. Waste Emissions by Land Use

4.5.2. Unmitigated

Land	TOG	ROG	NOx	СО	SO2			PM10T				BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Use																		
Daily,	-	-	_	_	_	-	_	_	_	-	-	_	_	_	_	_	_	_
Summer (Max)																		

Other — Non-Asphalt Surfaces								-			0.00	0.00	0.00	0.00	0.00		0.00
Total —	_	-	-	-	_	_	-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Daily, — Winter (Max)	-	-		-	-	-	-	-		-			-			-	-
Other — Non-Asphalt Surfaces	-	-		-		-	-	-		-	0.00	0.00	0.00	0.00	0.00	F	0.00
Total —	-	-	-		-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Annual —	-	_	-	-	-	_	-	-	-	_	-	-	-	-	-	-	_
Other — Non-Asphalt Surfaces	-			-	-	-		-			0.00	0.00	0.00	0.00	0.00	-	0.00
Total —	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

Land Use	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-						_	_	_	_	_	_	_		_		_	-
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	-	_	-	_	_
Daily, Winter (Max)	-			-	_	-							_			-	_	-
Total	_	_	_	-	_	_	-	-	_	_	-	-	_	_	-	-	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipme nt Type	TOG	ROG		со	SO2	PM10E	PM10D		PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_			_	_	-	_				_	-	_	-	-	-	_	
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Winter (Max)	_		_		_	_							_		-		_	
Total	_	-	-	_	_	_	_	_	_	_	_	_	_	_	_	_	-	-
Annual	-	-	-	-	-	- 1	-	-	-	-		-	-	-	-	-	-	-
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

Equipme nt Type	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)						_	_	_			_					-		
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_		_	_	_

Daily, — Winter (Max)	-		-	-	-	-	-	-	-	-	-	_	_	-	_	-	-	_
Total –		-	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual —		-	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	-
Total –		_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipme nt Type	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_				_		-				_		-	_		_		
Total	_	_	_	_	_	_	_	-	_	_	_	_	_	_	-	_	_	_
Daily, Winter (Max)	-	_	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	-	-	_	_	_	-	-	-	_	_	-	_	_	-	-	-	_	_
Total	_		_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Vegetatio	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
n																		

Daily, Summer (Max)	-	_	_	_	-	_	-	_	_	-	_	_	-	-	-	-	-	-
Total	_	-	-	-	_	_	_	-	_	_	_	_	_	_	_	_	_	_
Daily, Winter (Max)	-	-			-	-		r			Т		-	-	-	-	-	-
Total	_	-	-	-	_	_	-	-	-	-	-	-	_	_	_	_	_	_
Annual	_	_	_		_	_	_	_	_			_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	-	_	_	_	-	_			-
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Winter (Max)	-	_			_	-	_				-	_	_	-	-	-	-	_
Total	-	-	-	_	_	_	-	_	_	-	-	_	_	_	_	-	_	_
Annual	-	_	_	_	_	_	_	_	_	_	_	_	_	-	_	-	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	-

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

		_															
Consider	TOO	DOC	NO	1000	DIMAGE	DMAAAD	DMAAOT	DMOCE	DMO CD	DMO ET	DCCC	NIDCOO	COST	CLIA	NOO	I D	0000
Species	IIUG	IRUG	INUX	1502	PIVITUE	PIVITUD	PIVITUT	PM2.5E	1 PIVIZ.5D	1 PIVIZ.5 I	BCOZ	INBCOZ	LU21	I CH4	INZO	IK	COZe
														1.5			

Daily, Summer (Max)			-		-		-	-		-	-	-	-		_	-	_	
Avoided	_	_	_	_	_	_	_	_	_	-	-	_	-	_	_	_	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	-	_	_	_	_
Sequest ered	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Subtotal	_	_	_	_	_	_	_	-	_	_	-	_	_	_	_	-	-	_
Remove d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Subtotal	_	-	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
_	_	-	_	_	_	-	_	-	_	_	_	_	_	_	_	_	_	_
Daily, Winter (Max)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Avoided	_	_	-	_	-	_	_	_	_	_	-	_	_	_	_	_	_	_
Subtotal	_	-	-	-	-	-	_	-	-	-	-	-	_	-	_	-	_	_
Sequest ered	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Subtotal	_	-	-	-	-	-	-	-	_	-	-	-	-	-	-	-	-	_
Remove d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Subtotal	_	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_	-
_	_	_	-	-	-	_	-	-	_	-	-	-	-	_	-	_	_	_
Annual	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_
Avoided	_	-	_	_	_	-	-	-	_	-	-	-	_	-	-	-	_	-
Subtotal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sequest ered	_	-	-	-	-	-	-	-	_	-	-	-	-	-	-	-	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Remove — d	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal —	-	-	-	-	_	_	_	-	-	-	-	-	_	_	_	-	_
	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

5. Activity Data

5.1. Construction Schedule

Phase Name	Phase Type	Start Date	End Date	Days Per Week	Work Days per Phase	Phase Description
Site Preparation	Site Preparation	5/1/2025	10/14/2026	5.00	380	_

5.2. Off-Road Equipment

5.2.1. Unmitigated

Phase Name	Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
Site Preparation	Rubber Tired Dozers	Diesel	Average	2.00	8.00	367	0.40
Site Preparation	Crushing/Proc. Equipment	Gasoline	Average	2.00	2.00	12.0	0.85
Site Preparation	Off-Highway Trucks	Diesel	Average	2.00	8.00	376	0.38
Site Preparation	Scrapers	Diesel	Average	7.00	8.00	423	0.48
Site Preparation	Excavators	Diesel	Average	2.00	8.00	36.0	0.38

5.3. Construction Vehicles

5.3.1. Unmitigated

Phase Name	Trip Type	One-Way Trips per Day	Miles per Trip	Vehicle Mix
Site Preparation	_	_	_	_

Site Preparation	Worker	10.0	100	LDA,LDT1,LDT2
Site Preparation	Vendor	_	10.2	HHDT,MHDT
Site Preparation	Hauling	11.0	100	HHDT
Site Preparation	Onsite truck	-	_	HHDT

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

Non-applicable. No control strategies activated by user.

5.5. Architectural Coatings

ı	Phase Name	Residential Interior Area Coated	Residential Exterior Area Coated	Non-Residential Interior Area	Non-Residential Exterior Area	Parking Area Coated (sq ft)
П		(sq ft)	(sq ft)	Coated (sq ft)	Coated (sq ft)	

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

Phase Name	Material Imported (Cubic Yards)	Material Exported (Cubic Yards)	Acres Graded (acres)	Material Demolished (sq. ft.)	Acres Paved (acres)
Site Preparation	_	175,000	3,040	0.00	_

5.6.2. Construction Earthmoving Control Strategies

Control Strategies Applied	Frequency (per day)	PM10 Reduction	PM2.5 Reduction
Water Exposed Area	3	74%	74%

5.7. Construction Paving

Land Use	Area Paved (acres)	% Asphalt
Other Non-Asphalt Surfaces	57.0	0%

5.8. Construction Electricity Consumption and Emissions Factors

kWh per Year and Emission Factor (lb/MWh)

Year	kWh per Year	CO2	CH4	N2O
2025	0.00	565	0.03	< 0.005
2026	0.00	482	0.03	< 0.005

5.9. Operational Mobile Sources

5.9.1. Unmitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
Total all Land Uses	0.00	0.00	0.00	3.00	0.00	0.00	0.00	300

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.2. Architectural Coatings

Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
0	0.00	0.00	0.00	148,975

5.10.3. Landscape Equipment

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	250

5.11. Operational Energy Consumption

5.11.1. Unmitigated

Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
Other Non-Asphalt Surfaces	0.00	482	0.0330	0.0040	0.00

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Other Non-Asphalt Surfaces	0.00	0.00

5.13. Operational Waste Generation

5.13.1. Unmitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Other Non-Asphalt Surfaces	0.00	<u>-</u>

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

				_			
Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced
Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Service

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated



5.18.2. Sequestration

5.18.2.1. Unmitigated

Tree Type Number Electricity Saved (kWh/year) Natural Gas Saved (btu/year)	-
--	---

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	38.6	annual days of extreme heat
Extreme Precipitation	7.50	annual days with precipitation above 20 mm
Sea Level Rise	0.00	meters of inundation depth
Wildfire	35.6	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about ¾ an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider different increments of sea level rise coupled with extreme storm events. Users may select from four model simulations to view the range in potential inundation depth for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 50 meters (m) by 50 m, or about 164 feet (ft) by 164 ft.

Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	5	0	0	N/A

Extreme Precipitation	N/A	N/A	N/A	N/A	
Sea Level Rise	1	0	0	N/A	
Wildfire	1	0	0	N/A	
Flooding	N/A	N/A	N/A	N/A	
Drought	N/A	N/A	N/A	N/A	
Snowpack Reduction	N/A	N/A	N/A	N/A	
Air Quality Degradation	0	0	0	N/A	

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	5	1	1	4
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	1	1	2
Wildfire	1	1	1	2
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	1	1	1	2

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

Indicator	Result for Project Census Tract
Exposure Indicators	i -
AQ-Ozone	97.6
AQ-PM	1.68
AQ-DPM	4.41
Drinking Water	60.7
Lead Risk Housing	11.6
Pesticides	11.0
Toxic Releases	8.39
Traffic	1.35
Effect Indicators	_
CleanUp Sites	0.00
Groundwater	0.00
Haz Waste Facilities/Generators	0.00
Impaired Water Bodies	0.00
Solid Waste	11.6
Sensitive Population	_
Asthma	63.6
Cardio-vascular	92.9
Low Birth Weights	66.3
Socioeconomic Factor Indicators	_
Education	33.5
Housing	22.1

Linguistic	8.49	
Poverty	67.0	
Unemployment	64.5	

7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	-
Above Poverty	54.07416913
Employed	2.34826126
Median HI	47.09354549
Education	_
Bachelor's or higher	24.38085461
High school enrollment	100
Preschool enrollment	95.7141024
Transportation	-
Auto Access	86.34672142
Active commuting	8.161170281
Social	_
2-parent households	29.38534582
Voting	73.38637239
Neighborhood	-
Alcohol availability	87.1423072
Park access	51.00731426
Retail density	9.110740408
Supermarket access	10.57359168
Tree canopy	85.29449506

Homeownership Housing habitability Low-inc homeowner severe housing cost burden Low-inc renter severe housing cost burden	77.15898884 49.54446298
Housing habitability Low-inc homeowner severe housing cost burden Low-inc renter severe housing cost burden	49.54446298
Low-inc homeowner severe housing cost burden Low-inc renter severe housing cost burden	
Low-inc renter severe housing cost burden	
	35.91684845
Uncrowded housing	3.708456307
	96.93314513
Health Outcomes	_
Insured adults	30.92518927
Arthritis	0.0
Asthma ER Admissions	46.4
High Blood Pressure	0.0
Cancer (excluding skin)	0.0
Asthma	0.0
Coronary Heart Disease	0.0
Chronic Obstructive Pulmonary Disease	0.0
Diagnosed Diabetes	0.0
Life Expectancy at Birth	16.7
Cognitively Disabled	5.2
Physically Disabled	5.0
Heart Attack ER Admissions	10.8
Mental Health Not Good	0.0
Chronic Kidney Disease	0.0
Obesity	0.0
Pedestrian Injuries	59.1
Physical Health Not Good	0.0
Stroke	0.0
Health Risk Behaviors	

Binge Drinking	0.0
Current Smoker	0.0
No Leisure Time for Physical Activity	0.0
Climate Change Exposures	
Wildfire Risk	87.1
SLR Inundation Area	0.0
Children	65.5
Elderly	25.8
English Speaking	82.2
Foreign-born	0.7
Outdoor Workers	31.4
Climate Change Adaptive Capacity	
Impervious Surface Cover	94.7
Traffic Density	3.7
Traffic Access	23.0
Other Indices	_
Hardship	62.9
Other Decision Support	
2016 Voting	81.4

7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	19.0
Healthy Places Index Score for Project Location (b)	41.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	No
Project Located in a Low-Income Community (Assembly Bill 1550)	No
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

7.4. Health & Equity Measures

No Health & Equity Measures selected.

7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

8. User Changes to Default Data

Screen	Justification
Construction: Construction Phases	Client Provided schedule
Construction: Off-Road Equipment	Client provided equipment list
Construction: Trips and VMT	Client provided total worker trips and hauling trips which equals 8,000 round trips.

This page intentionally left blank



APPENDIX 3.5:

CALEEMOD REPLENISH BIG BEAR COMPONENT 5 UNMITIGATED EMISSIONS MODEL
OUTPUTS



15309-Sand Canyon Detailed Report

Table of Contents

- 1. Basic Project Information
 - 1.1. Basic Project Information
 - 1.2. Land Use Types
 - 1.3. User-Selected Emission Reduction Measures by Emissions Sector
- 2. Emissions Summary
 - 2.1. Construction Emissions Compared Against Thresholds
 - 2.2. Construction Emissions by Year, Unmitigated
 - 2.4. Operations Emissions Compared Against Thresholds
 - 2.5. Operations Emissions by Sector, Unmitigated
- 3. Construction Emissions Details
 - 3.1. Linear, Grading & Excavation (2025) Unmitigated
 - 3.3. Linear, Grading & Excavation (2026) Unmitigated
 - 3.5. Linear, Drainage, Utilities, & Sub-Grade (2026) Unmitigated
 - 3.7. Demolition (2025) Unmitigated

- 3.9. Building Construction (2025) Unmitigated
- 3.11. Building Construction (2026) Unmitigated
- 4. Operations Emissions Details
 - 4.1. Mobile Emissions by Land Use
 - 4.1.1. Unmitigated
 - 4.2. Energy
 - 4.2.1. Electricity Emissions By Land Use Unmitigated
 - 4.2.3. Natural Gas Emissions By Land Use Unmitigated
 - 4.3. Area Emissions by Source
 - 4.3.2. Unmitigated
 - 4.4. Water Emissions by Land Use
 - 4.4.2. Unmitigated
 - 4.5. Waste Emissions by Land Use
 - 4.5.2. Unmitigated
 - 4.6. Refrigerant Emissions by Land Use
 - 4.6.1. Unmitigated
 - 4.7. Offroad Emissions By Equipment Type

- 4.7.1. Unmitigated
- 4.8. Stationary Emissions By Equipment Type
 - 4.8.1. Unmitigated
- 4.9. User Defined Emissions By Equipment Type
 - 4.9.1. Unmitigated
- 4.10. Soil Carbon Accumulation By Vegetation Type
 - 4.10.1. Soil Carbon Accumulation By Vegetation Type Unmitigated
 - 4.10.2. Above and Belowground Carbon Accumulation by Land Use Type Unmitigated
 - 4.10.3. Avoided and Sequestered Emissions by Species Unmitigated
- 5. Activity Data
 - 5.1. Construction Schedule
 - 5.2. Off-Road Equipment
 - 5.2.1. Unmitigated
 - 5.3. Construction Vehicles
 - 5.3.1. Unmitigated
 - 5.4. Vehicles
 - 5.4.1. Construction Vehicle Control Strategies

- 5.5. Architectural Coatings
- 5.6. Dust Mitigation
 - 5.6.1. Construction Earthmoving Activities
 - 5.6.2. Construction Earthmoving Control Strategies
- 5.7. Construction Paving
- 5.8. Construction Electricity Consumption and Emissions Factors
- 5.9. Operational Mobile Sources
 - 5.9.1. Unmitigated
- 5.10. Operational Area Sources
 - 5.10.1. Hearths
 - 5.10.1.1. Unmitigated
 - 5.10.2. Architectural Coatings
 - 5.10.3. Landscape Equipment
- 5.11. Operational Energy Consumption
 - 5.11.1. Unmitigated
- 5.12. Operational Water and Wastewater Consumption
 - 5.12.1. Unmitigated

- 5.13. Operational Waste Generation
 - 5.13.1. Unmitigated
- 5.14. Operational Refrigeration and Air Conditioning Equipment
 - 5.14.1. Unmitigated
- 5.15. Operational Off-Road Equipment
 - 5.15.1. Unmitigated
- 5.16. Stationary Sources
 - 5.16.1. Emergency Generators and Fire Pumps
 - 5.16.2. Process Boilers
- 5.17. User Defined
- 5.18. Vegetation
 - 5.18.1. Land Use Change
 - 5.18.1.1. Unmitigated
 - 5.18.1. Biomass Cover Type
 - 5.18.1.1. Unmitigated
 - 5.18.2. Sequestration
 - 5.18.2.1. Unmitigated

- 6. Climate Risk Detailed Report
 - 6.1. Climate Risk Summary
 - 6.2. Initial Climate Risk Scores
 - 6.3. Adjusted Climate Risk Scores
 - 6.4. Climate Risk Reduction Measures
- 7. Health and Equity Details
 - 7.1. CalEnviroScreen 4.0 Scores
 - 7.2. Healthy Places Index Scores
 - 7.3. Overall Health & Equity Scores
 - 7.4. Health & Equity Measures
 - 7.5. Evaluation Scorecard
 - 7.6. Health & Equity Custom Measures
- 8. User Changes to Default Data

1. Basic Project Information

1.1. Basic Project Information

Data Field	Value
Project Name	15309-Sand Canyon
Construction Start Date	5/1/2025
Operational Year	2027
Lead Agency	_
Land Use Scale	Project/site
Analysis Level for Defaults	County
Windspeed (m/s)	2.50
Precipitation (days)	1.80
Location	34.224799, -116.85662
County	San Bernardino-South Coast
City	Unincorporated
Air District	South Coast AQMD
Air Basin	South Coast
TAZ	5157
EDFZ	10
Electric Utility	Southern California Edison
Gas Utility	Southwest Gas Corp.
App Version	2022.1.1.14

1.2. Land Use Types

1	Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq	Special Landscape	Population	Description
ı						ft)	Area (sq ft)		

User Defined Linear	1.37	Mile	0.74	0.00	_	_	_	Pipeline
Other Non-Asphalt Surfaces	2.00	Acre	2.00	0.00	0.00	-	-	Pump/Monitoring Wells
Parking Lot	0.50	Acre	0.50	0.00	0.00	_	_	_

1.3. User-Selected Emission Reduction Measures by Emissions Sector

No measures selected

2. Emissions Summary

2.1. Construction Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_		-		-	-	-	_	_	_	-	_		-	-	_		-
Unmit.	3.23	1.73	24.2	28.7	0.11	0.60	6.86	7.46	0.56	1.60	2.16	-	16,984	16,984	1.34	2.11	34.1	17,682
Daily, Winter (Max)			-		-	-	-	-	-	-			-		-	Ī	-	
Unmit.	3.53	2.37	24.7	36.0	0.10	0.73	5.42	6.16	0.68	1.35	2.03	-	15,465	15,465	0.86	1.36	0.74	15,893
Average Daily (Max)						-		-	_	_	-	-	-	_	-		-	
Unmit.	1.24	0.75	9.47	11.7	0.04	0.26	2.04	2.31	0.24	0.51	0.76	-	6,132	6,132	0.43	0.68	5.38	6,350
Annual (Max)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unmit.	0.23	0.14	1.73	2.13	0.01	0.05	0.37	0.42	0.04	0.09	0.14	_	1,015	1,015	0.07	0.11	0.89	1,051

2.2. Construction Emissions by Year, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

		,	,	, , , ,		,	,		,	,	,							
Year	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily - Summer (Max)	-						-	-	-		-				-			-
2025	3.23	1.73	24.2	28.7	0.11	0.60	6.86	7.46	0.56	1.60	2.16	_	16,984	16,984	1.34	2.11	34.1	17,682
2026	1.48	1.14	9.93	20.8	0.04	0.32	2.27	2.59	0.29	0.55	0.85	-	5,995	5,995	0.25	0.34	11.1	6,114
Daily - Winter (Max)	-		-			-	-		-		-	-	-	_	-	_	-	-
2025	2.54	1.57	19.2	24.2	0.08	0.55	4.01	4.55	0.51	1.02	1.53	-	12,475	12,475	0.86	1.34	0.66	12,898
2026	3.53	2.37	24.7	36.0	0.10	0.73	5.42	6.16	0.68	1.35	2.03	_	15,465	15,465	0.83	1.36	0.74	15,893
Average Daily	_	-	-	-	-	-	-	-	-	-	-	-	_	-	-	_	-	_
2025	1.24	0.75	9.47	11.7	0.04	0.26	2.04	2.31	0.24	0.51	0.76	_	6,132	6,132	0.43	0.68	5.38	6,350
2026	0.74	0.57	4.76	8.65	0.02	0.16	1.05	1.21	0.15	0.25	0.40	_	2,633	2,633	0.09	0.13	2.01	2,678
Annual	_	-	_	-	_	_	_	_	_	_	_	_	_	_	_	_	_	_
2025	0.23	0.14	1.73	2.13	0.01	0.05	0.37	0.42	0.04	0.09	0.14	_	1,015	1,015	0.07	0.11	0.89	1,051
2026	0.13	0.10	0.87	1.58	< 0.005	0.03	0.19	0.22	0.03	0.05	0.07	_	436	436	0.02	0.02	0.33	443

2.4. Operations Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-	-	-	-			-	-	-	-		-	-	-				
Unmit.	2.16	1.99	10.3	8.72	0.01	1.01	0.00	1.01	1.01	0.00	1.01	0.00	1,035	1,035	0.04	0.01	0.00	1,039
Daily, Winter (Max)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unmit.	2.16	1.99	10.3	8.72	0.01	1.01	0.00	1.01	1.01	0.00	1.01	0.00	1,035	1,035	0.04	0.01	0.00	1,039

9 / 46

Average Daily (Max)	-	-	-		-	-	-			-	-	-	-			-	-	-
Unmit.	2.16	1.99	10.3	8.72	0.01	1.01	0.00	1.01	1.01	0.00	1.01	0.00	1,035	1,035	0.04	0.01	0.00	1,039
Annual (Max)	-	-	-	-	-	-	-	-	1-	-	-	-	1	-	-	-	-	-
Unmit.	0.39	0.36	1.87	1.59	< 0.005	0.18	0.00	0.18	0.18	0.00	0.18	0.00	171	171	0.01	< 0.005	0.00	172

2.5. Operations Emissions by Sector, Unmitigated

Sector	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)					-			-		_	-	_			-	-	-	
Mobile	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Area	_	0.02	-	-	-	_	_	-	_	_	_	_	_	-	-	-	_	-
Energy	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	-	27.8	27.8	< 0.005	< 0.005	_	27.9
Water	_	_	-	1-	-	_	_	-	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Waste	_	_	-	-	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Stationar y	2.16	1.97	10.3	8.72	0.01	1.01	0.00	1.01	1.01	0.00	1.01	0.00	1,007	1,007	0.04	0.01	0.00	1,011
Total	2.16	1.99	10.3	8.72	0.01	1.01	0.00	1.01	1.01	0.00	1.01	0.00	1,035	1,035	0.04	0.01	0.00	1,039
Daily, Winter (Max)	-					-	-	-	_	_	-	-	-	-		-	_	-
Mobile	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Area	_	0.02	-	1-	-	_	_	-	_	_	-	-	-	-	_	_	-	-
Energy	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	-	0.00	-	27.8	27.8	< 0.005	< 0.005	-	27.9
Water	_	_	-	I-	_	_	_	-	-	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Waste	_	_		_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00

Stationar	2.16	1.97	10.3	8.72	0.01	1.01	0.00	1.01	1.01	0.00	1.01	0.00	1,007	1,007	0.04	0.01	0.00	1,011
Total	2.16	1.99	10.3	8.72	0.01	1.01	0.00	1.01	1.01	0.00	1.01	0.00	1,035	1,035	0.04	0.01	0.00	1,039
Average Daily	-	-	-		-		-		-		-	-	-		-	-	-	-
Mobile	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Area	_	0.02	_	_	-	-	_	_	_	-	_	-	-	-	_	_	_	_
Energy	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	-	0.00	-	27.8	27.8	< 0.005	< 0.005	-	27.9
Water	_	_	-	-	_	-	<u> </u>	_	_	_	_	0.00	0.00	0.00	0.00	0.00	-	0.00
Waste	_	-	-	1-	-	-	1-	1-	-	-	1-	0.00	0.00	0.00	0.00	0.00	_	0.00
Stationar y	2.16	1.97	10.3	8.72	0.01	1.01	0.00	1.01	1.01	0.00	1.01	0.00	1,007	1,007	0.04	0.01	0.00	1,011
Total	2.16	1.99	10.3	8.72	0.01	1.01	0.00	1.01	1.01	0.00	1.01	0.00	1,035	1,035	0.04	0.01	0.00	1,039
Annual	_	_	-	1-	_	-	1-	-	_	_	_	_	-	-	1-	_	_	-
Mobile	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Area	_	< 0.005	_	-	_	_	1-	-	_	_	_	_	1-	-	1-	_	_	-
Energy	0.00	0.00	0.00	0.00	0.00	0.00	1-	0.00	0.00	_	0.00	_	4.60	4.60	< 0.005	< 0.005	-	4.62
Water	_	_	-	-	_	-	1-	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Waste	_	_	-	-	_	-	_	-	-	-	-	0.00	0.00	0.00	0.00	0.00	_	0.00
Stationar y	0.39	0.36	1.87	1.59	< 0.005	0.18	0.00	0.18	0.18	0.00	0.18	0.00	167	167	0.01	< 0.005	0.00	167
Total	0.39	0.36	1.87	1.59	< 0.005	0.18	0.00	0.18	0.18	0.00	0.18	0.00	171	171	0.01	< 0.005	0.00	172

3. Construction Emissions Details

3.1. Linear, Grading & Excavation (2025) - Unmitigated

Location	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Daily, Summer (Max)					-													
Off-Road Equipmen		1.06	8.12	9.44	0.02	0.37	-	0.37	0.34	-	0.34	-	2,285	2,285	0.09	0.02	-	2,293
Dust From Material Movement	_ t		П				0.07	0.07		0.01	0.01						-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	_					-						-					-	
Off-Road Equipmen		1.06	8.12	9.44	0.02	0.37	-	0.37	0.34	-	0.34	-	2,285	2,285	0.09	0.02	-	2,293
Dust From Material Movement	_ t		Ī				0.07	0.07		0.01	0.01				-		-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	_	-	-	-	-	-	-	-	_	-	-	-	-	-	-	1	-	-
Off-Road Equipmen		0.51	3.88	4.51	0.01	0.18	-	0.18	0.16	-	0.16	-	1,091	1,091	0.04	0.01	-	1,095
Dust From Material Movement	<u> </u>						0.03	0.03		< 0.005	< 0.005						-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Annual	_	_	-	-	-	-	_	-	_	_	_	-	-	_	_	-	-	-
Off-Road Equipmen		0.09	0.71	0.82	< 0.005	0.03	-	0.03	0.03	-	0.03	-	181	181	0.01	< 0.005	-	181

Dust From Material Movemer	— nt						0.01	0.01		< 0.005	< 0.005							
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	_	_	-	-	-	_	_	_	-	-	_	_	-	-	-	_	-	_
Daily, Summer (Max)	-		-	-	-	Г	-	-		-	-	r	-	-	-	-	-	F
Worker	0.21	0.16	0.41	7.70	0.00	0.00	1.41	1.41	0.00	0.33	0.33	-	1,508	1,508	0.05	0.05	5.65	1,528
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.67	0.09	6.48	3.35	0.04	0.08	1.67	1.75	0.08	0.46	0.54	_	6,097	6,097	0.58	1.00	13.2	6,422
Daily, Winter (Max)	-				-	-	-			-	-	-	-				-	-
Worker	0.20	0.16	0.46	5.49	0.00	0.00	1.41	1.41	0.00	0.33	0.33	_	1,381	1,381	0.05	0.05	0.15	1,396
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.67	0.09	6.76	3.35	0.04	0.08	1.67	1.75	0.08	0.46	0.54	_	6,097	6,097	0.58	1.00	0.34	6,409
Average Daily	-	-	-	1	-	-	-	1	-	1	-	-		-	-	-	-	-
Worker	0.10	0.07	0.24	2.79	0.00	0.00	0.67	0.67	0.00	0.16	0.16	-	669	669	0.02	0.02	1.17	677
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.32	0.04	3.28	1.60	0.02	0.04	0.80	0.83	0.04	0.22	0.26	-	2,911	2,911	0.27	0.48	2.74	3,063
Annual	_	_	_	_	_	_	_	_	-	-	_	-	-	_	-	_	_	_
Worker	0.02	0.01	0.04	0.51	0.00	0.00	0.12	0.12	0.00	0.03	0.03	-	111	111	< 0.005	< 0.005	0.19	112
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.06	0.01	0.60	0.29	< 0.005	0.01	0.15	0.15	0.01	0.04	0.05	-	482	482	0.05	0.08	0.45	507

3.3. Linear, Grading & Excavation (2026) - Unmitigated

Location	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	СО2Т	CH4	N2O	R	CO2e
Onsite	_	<u> </u>	_	_	_	_	_	_	_	-	-	1-	<u> </u>	-	<u> </u>	_	_	1-
Daily, Summer (Max)	-		-		-		-		-	_	-		-	-		-	-	-
Daily, Winter (Max)	-		-				-		_		-		-	-			-	
Off-Road Equipmen		1.03	7.73	9.43	0.02	0.34	-	0.34	0.31	-	0.31	-	2,286	2,286	0.09	0.02	-	2,294
Dust From Material Movemen	 t		-		-		0.07	0.07		0.01	0.01		-		-			
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	_	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Off-Road Equipmen		0.04	0.33	0.41	< 0.005	0.01	-	0.01	0.01	-	0.01	-	98.4	98.4	< 0.005	< 0.005	-	98.8
Dust From Material Movemen	 t						< 0.005	< 0.005		< 0.005	< 0.005		-				-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Annual	_	-	-	-	_	_	_	_	_	_	_	-	_	-	-	_	-	-
Off-Road Equipmen		0.01	0.06	0.07	< 0.005	< 0.005	-	< 0.005	< 0.005	-	< 0.005	-	16.3	16.3	< 0.005	< 0.005	-	16.4
Dust From Material Movemen	t						< 0.005	< 0.005		< 0.005	< 0.005							

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	_	_	-	-	_	_	_	-	_	_	-	-	-	-	_	-	_	-
Daily, Summer (Max)	-	-	-		-	-	-		-	-	-		-			_	-	
Daily, Winter (Max)	-	-	-		-	-	-		-	-	-		-		-	-	-	
Worker	0.20	0.15	0.41	5.08	0.00	0.00	1.41	1.41	0.00	0.33	0.33	_	1,353	1,353	< 0.005	0.05	0.13	1,367
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.63	0.05	6.48	3.27	0.04	0.08	1.67	1.75	0.08	0.46	0.54	-	5,986	5,986	0.53	0.96	0.32	6,285
Average Daily	-	-	-	-	-	-	-	-	-	-	-	-	1-	-	-	-	-	-
Worker	0.01	0.01	0.02	0.23	0.00	0.00	0.06	0.06	0.00	0.01	0.01	-	59.1	59.1	< 0.005	< 0.005	0.10	59.8
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.03	< 0.005	0.28	0.14	< 0.005	< 0.005	0.07	0.08	< 0.005	0.02	0.02	-	258	258	0.02	0.04	0.23	271
Annual	_	-	_	_	_	-	_	-	_	_	_	_	-	_	-	_	_	_
Worker	< 0.005	< 0.005	< 0.005	0.04	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	_	9.78	9.78	< 0.005	< 0.005	0.02	9.89
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	< 0.005	< 0.005	0.05	0.03	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	-	42.7	42.7	< 0.005	0.01	0.04	44.8

3.5. Linear, Drainage, Utilities, & Sub-Grade (2026) - Unmitigated

Location	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Summer (Max)			-				-			-	-				-		_	

Off-Road Equipmen		0.75	6.00	7.37	0.02	0.23	-	0.23	0.21		0.21		1,810	1,810	0.07	0.01	-	1,816
Dust From Material Movement	_ t				-	-	0.00	0.00		0.00	0.00						-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	_		-		-	-	-		-	-	-	-	-		-		-	-
Off-Road Equipmen		0.75	6.00	7.37	0.02	0.23	-	0.23	0.21	-	0.21	-	1,810	1,810	0.07	0.01	-	1,816
Dust From Material Movement	_ t						0.00	0.00		0.00	0.00	-					-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	_	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Off-Road Equipmen		0.39	3.12	3.84	0.01	0.12	-	0.12	0.11	-	0.11	-	942	942	0.04	0.01	-	945
Dust From Material Movement	_ t						0.00	0.00		0.00	0.00							-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Annual	_	_	-	_	-	-	-	-	_	_	_	_	-	-	-	-	-	-
Off-Road Equipmen		0.07	0.57	0.70	< 0.005	0.02	-	0.02	0.02	-	0.02	-	156	156	0.01	< 0.005	-	157
Dust From Material Movement	_ t				-	-	0.00	0.00		0.00	0.00		-		-		-	-

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	_	_	_	_	-	_	_	_	_	_	_	_	_	_	_	_	_	-
Daily, Summer (Max)	-	-		-	-		-		-	-	-	-	-	-				
Worker	0.20	0.16	0.37	7.12	0.00	0.00	1.41	1.41	0.00	0.33	0.33	-	1,477	1,477	0.05	0.05	5.11	1,497
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	-	-	-	-	-	-	-	-		-	-	-			-	-	-	-
Worker	0.20	0.15	0.41	5.08	0.00	0.00	1.41	1.41	0.00	0.33	0.33	-	1,353	1,353	< 0.005	0.05	0.13	1,367
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	-		-	-	-		-	-	-		-	-	-	-	-	-	-	-
Worker	0.10	0.08	0.24	2.80	0.00	0.00	0.73	0.73	0.00	0.17	0.17	-	714	714	< 0.005	0.02	1.15	723
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Annual	-	-	-	-]-	-	-	-	-	-	1-	-	-	-	<u>-</u>	-	-	-
Worker	0.02	0.01	0.04	0.51	0.00	0.00	0.13	0.13	0.00	0.03	0.03	-	118	118	< 0.005	< 0.005	0.19	120
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00

3.7. Demolition (2025) - Unmitigated

			,	, ,		,	,			,	,							
Location	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Daily,	_	-	-	-	-	-	_	-	_	-	-	-	1-	-	-	-	_	-
Summer (Max)																		
Off-Road Equipmen		0.28	2.32	2.77	< 0.005	0.06	-	0.06	0.06	-	0.06		366	366	0.01	< 0.005	-	368
Demolitio n	-	-	-	-	-	-	1.62	1.62	-	0.25	0.25	-	-	-	-	-	-	-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)			-				-				_						-	
Average Daily	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Off-Road Equipmen		0.02	0.13	0.15	< 0.005	< 0.005	-	< 0.005	< 0.005	-	< 0.005	-	20.1	20.1	< 0.005	< 0.005	-	20.1
Demolitio n	-	-	-	-	-	-	0.09	0.09	-	0.01	0.01	-	-	-	-	-	-	-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Annual	_	_	-	_	_	_	_	_	_	_	_	_	-	_	_	_	_	_
Off-Road Equipmen		< 0.005	0.02	0.03	< 0.005	< 0.005	-	< 0.005	< 0.005	-	< 0.005	-	3.32	3.32	< 0.005	< 0.005	-	3.34
Demolitio n	-	-	-	-	-	-	0.02	0.02	-	< 0.005	< 0.005	-	-	-	-	-	-	-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	_	_	_	_	_	_	-	-	-	-	_	-	-	-	_	_	-	-
Daily, Summer (Max)				-	-		-			-	-	-	-	-	_	-	-	
Worker	0.05	0.04	0.10	1.93	0.00	0.00	0.35	0.35	0.00	0.08	0.08	-	377	377	0.01	0.01	1.41	382
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00

Hauling	0.69	0.09	6.75	3.49	0.04	0.08	1.74	1.82	0.08	0.48	0.56	_	6,351	6,351	0.60	1.04	13.8	6,689
Daily, Winter (Max)		-			-	-	-	-	-	-		-		-			-	
Average Daily	_	-	_	-	-	-	-	-	_	_	-	-	-	-	-	_	-	-
Worker	< 0.005	< 0.005	0.01	0.08	0.00	0.00	0.02	0.02	0.00	< 0.005	< 0.005	_	19.2	19.2	< 0.005	< 0.005	0.03	19.4
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.04	0.01	0.39	0.19	< 0.005	< 0.005	0.10	0.10	< 0.005	0.03	0.03	-	348	348	0.03	0.06	0.33	366
Annual	_	_	_	-	-	-	-	_	_	_	_	-	-	_	-	_	_	_
Worker	< 0.005	< 0.005	< 0.005	0.01	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	-	3.18	3.18	< 0.005	< 0.005	0.01	3.22
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.01	< 0.005	0.07	0.03	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	0.01	_	57.6	57.6	0.01	0.01	0.05	60.6

3.9. Building Construction (2025) - Unmitigated

Location	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	_	<u> </u>	4-	1-	-	1-	-	-	-	-	-	-	-	-	-	1	_	_
Daily, Summer (Max)	-				-		-	-	-	-	-	-		-	-	-	-	-
Off-Road Equipmen		0.19	2.17	3.86	0.01	0.07	-	0.07	0.07	-	0.07	-	609	609	0.02	< 0.005	-	611
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	_				-			-	-	-	-	-	-	-	-	-	-	-
Off-Road Equipmen		0.19	2.17	3.86	0.01	0.07	-	0.07	0.07	-	0.07	-	609	609	0.02	< 0.005	-	611

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Off-Road Equipmer		0.08	0.86	1.53	< 0.005	0.03	-	0.03	0.03	-	0.03	-	241	241	0.01	< 0.005	-	242
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Annual	_	_	_	-	_	_	_	_	_	_	-	_	-	_	_	_	_	_
Off-Road Equipmer		0.01	0.16	0.28	< 0.005	0.01	-	0.01	< 0.005	-	< 0.005	-	39.9	39.9	< 0.005	< 0.005	-	40.0
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	_	_	-	_	_	_	_	_	_	_	_	_	-	_	1-	_	_	_
Daily, Summer (Max)		-	1-	-	-				-		-	-	-	-		-		
Worker	0.05	0.04	0.10	1.93	0.00	0.00	0.35	0.35	0.00	0.08	0.08	_	377	377	0.01	0.01	1.41	382
Vendor	0.13	0.03	1.51	0.71	0.01	0.03	0.50	0.53	0.03	0.14	0.17	-	1,757	1,757	0.11	0.27	5.11	1,844
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	-				-						-		-				-	
Worker	0.05	0.04	0.11	1.37	0.00	0.00	0.35	0.35	0.00	0.08	0.08	-	345	345	0.01	0.01	0.04	349
Vendor	0.13	0.03	1.58	0.69	0.01	0.03	0.50	0.53	0.03	0.14	0.17	-	1,757	1,757	0.11	0.27	0.13	1,839
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Worker	0.02	0.02	0.05	0.58	0.00	0.00	0.14	0.14	0.00	0.03	0.03	_	138	138	< 0.005	< 0.005	0.24	140
Vendor	0.05	0.01	0.63	0.27	0.01	0.01	0.20	0.21	0.01	0.05	0.07	_	695	695	0.04	0.10	0.87	728
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Worker	< 0.005	< 0.005	0.01	0.11	0.00	0.00	0.03	0.03	0.00	0.01	0.01	-	22.9	22.9	< 0.005	< 0.005	0.04	23.2
Vendor	0.01	< 0.005	0.12	0.05	< 0.005	< 0.005	0.04	0.04	< 0.005	0.01	0.01	_	115	115	0.01	0.02	0.14	121
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00

3.11. Building Construction (2026) - Unmitigated

Location	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	_	_	-	<u> </u>	-	_	_	_	_	_	_	-	i-	-	1	_	_	-
Daily, Summer (Max)	_		-				-			-	-	-	-	-			-	
Off-Road Equipmen		0.18	2.04	3.86	0.01	0.06	-	0.06	0.05	-	0.05	-	611	611	0.02	< 0.005	-	613
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	_	-	-			-	-	-	-	_	-	-	-	-	-	-	-	-
Off-Road Equipmen		0.18	2.04	3.86	0.01	0.06	-	0.06	0.05	-	0.05	-	611	611	0.02	< 0.005	-	613
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Off-Road Equipmen		0.04	0.43	0.81	< 0.005	0.01	-	0.01	0.01	-	0.01	-	128	128	0.01	< 0.005	-	128
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Annual	-	-	-	1-	1-	-	-	-	-	-	-	-	1-	-	1-	-	-	-
Off-Road Equipmen		0.01	0.08	0.15	< 0.005	< 0.005	-	< 0.005	< 0.005	-	< 0.005	-	21.2	21.2	< 0.005	< 0.005	-	21.2

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	-	-	-	_	_	_	_	-	_	-	-	-	1-	_	-	_	_	-
Daily, Summer (Max)	_	_	_	-	-	_	-		-	-	-		-			-	-	
Worker	0.05	0.04	0.09	1.78	0.00	0.00	0.35	0.35	0.00	0.08	0.08	-	369	369	0.01	0.01	1.28	374
Vendor	0.13	0.02	1.43	0.66	0.01	0.03	0.50	0.53	0.03	0.14	0.17	_	1,728	1,728	0.10	0.27	4.71	1,814
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	-	-	-	-	-	_	-	-	-	-	-	-	-	-	-	-	-	-
Worker	0.05	0.04	0.10	1.27	0.00	0.00	0.35	0.35	0.00	0.08	0.08	-	338	338	< 0.005	0.01	0.03	342
Vendor	0.12	0.02	1.49	0.67	0.01	0.03	0.50	0.53	0.03	0.14	0.17	_	1,728	1,728	0.10	0.27	0.12	1,809
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Worker	0.01	0.01	0.02	0.28	0.00	0.00	0.07	0.07	0.00	0.02	0.02	-	71.8	71.8	< 0.005	< 0.005	0.12	72.7
Vendor	0.03	< 0.005	0.32	0.14	< 0.005	0.01	0.11	0.11	0.01	0.03	0.03	_	362	362	0.02	0.06	0.42	379
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Annual	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Worker	< 0.005	< 0.005	< 0.005	0.05	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	-	11.9	11.9	< 0.005	< 0.005	0.02	12.0
Vendor	< 0.005	< 0.005	0.06	0.03	< 0.005	< 0.005	0.02	0.02	< 0.005	0.01	0.01	-	59.9	59.9	< 0.005	0.01	0.07	62.8
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

Mobile source emissions results are presented in Sections 2.6. No further detailed breakdown of emissions is available.

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

Land Use	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-	-								-	-		-					-
Other Non-Asph Surfaces	— nalt		-					-			-	-	0.00	0.00	0.00	0.00	-	0.00
Parking Lot	-	-	-	-	-	-	-	-	-	-	-	-	27.8	27.8	< 0.005	< 0.005	-	27.9
Total	_	-	-	-	-	-	_	_	-	-	-	-	27.8	27.8	< 0.005	< 0.005	-	27.9
Daily, Winter (Max)	-		-	-			-		-		-	-	-	-	-	-	-	-
Other Non-Asph Surfaces	— nalt		r		-	-	-	-		-	-		0.00	0.00	0.00	0.00	-	0.00
Parking Lot	-	-	-		-	-	-	-	-	-	-	-	27.8	27.8	< 0.005	< 0.005	-	27.9
Total	_	_	-	-	1-	_	_	_	_	_	_	_	27.8	27.8	< 0.005	< 0.005	-	27.9
Annual	_	-	-	1-	1-	_	_	-	-	-	_	_	-	_	-	_	_	-
Other Non-Asph Surfaces	— nalt		-		-	-	-	-	-	_	-		0.00	0.00	0.00	0.00	-	0.00
Parking Lot	-	-	-	-	-	-	-	-	-	-	-	-	4.60	4.60	< 0.005	< 0.005	-	4.62
Total	_	_	_	_	_	_	_	_	_	_	_	_	4.60	4.60	< 0.005	< 0.005	_	4.62

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Non-Aspl Surfaces		0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	_	0.00	-	0.00	0.00	0.00	0.00		0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	_	0.00	-	0.00	0.00	0.00	0.00	-	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	-	0.00	-	0.00	0.00	0.00	0.00	-	0.00
Daily, Winter (Max)					-		-	-		_	-	-					Ī	
Other Non-Aspl Surfaces	0.00 halt	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	-	0.00	-	0.00	0.00	0.00	0.00		0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	-	0.00	-	0.00	0.00	0.00	0.00	-	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Annual	-	-	1-	-	_	_	_	_	_	-	_	-	-	-	-	_	-	-
Other Non-Aspl Surfaces		0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	-	0.00		0.00	0.00	0.00	0.00	-	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	-	0.00	-	0.00	0.00	0.00	0.00	-	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00

4.3. Area Emissions by Source

4.3.2. Unmitigated

Source	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_		-		-	_	-	_	-	_	_	-	-	-	-			-
Consum er Products	_	0.01	-	-	-	-	-	_	-	_	-		-			-	-	
Architect ural Coatings	_	0.01	-				-		-		-	-		-	-		-	
Total	_	0.02	_	-	_	-	_	_	-	_	_	_	_	-	1-	_	_	_
Daily, Winter (Max)		-		-	-	-	-	-	-	_	-		-			-	-	
Consum er Products	-	0.01	-		-	-	-	-	-	-	-	-	-	-	T		-	
Architect ural Coatings	_	0.01	-		-	-	-	-	-	_	-	-	-	_			_	
Total	_	0.02	-	-	-	-	-	-	_	-	_	_	_	-	_	_	_	-
Annual	_	_	_	-	_	-	_	-	_	-	_	-	_	-	-	-	_	_
Consum er Products	_	< 0.005	-		-	-	-	-	-	-	-		-				-	
Architect ural Coatings		< 0.005	-	-	-	-	-	-		-	-		-			-	-	
Total	_	< 0.005	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.4. Water Emissions by Land Use

4.4.2. Unmitigated

Land Use	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Non-Asp Surfaces		-	-	-		-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00		0.00
Parking Lot	-	-	-	-	-	_	-	-	_	_	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Total	_	-	-	-	_	-	-	-	-	_	_	0.00	0.00	0.00	0.00	0.00	-	0.00
Daily, Winter (Max)	-					-	-	-	-	-	-	-	-	-	-			
Other Non-Asp Surfaces		T			Ī	-		-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Parking Lot	-		-	-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Total	_	_	_	-	_	_	_	-	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Annual	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Non-Asp Surfaces		-	-		-	-			_	_	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Parking Lot	-	-	-	-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Total	-	-	-	-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	_	0.00

4.5. Waste Emissions by Land Use

4.5.2. Unmitigated

Land Use	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Non-Asp Surfaces		-	-	-		-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00		0.00
Parking Lot	-	-	-	-	-	_	-	-	_	_	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Total	_	-	-	-	_	-	-	-	-	_	_	0.00	0.00	0.00	0.00	0.00	-	0.00
Daily, Winter (Max)	-					-	-	-	-	-	-	-	-	-	-			
Other Non-Asp Surfaces		T			Ī	-		-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Parking Lot	-		-	-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Total	_	_	_	-	_	_	_	-	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Annual	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Non-Asp Surfaces		-	-		-	-			_	_	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Parking Lot	-	-	-	-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Total	-	-	-	-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	_	0.00

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

OTTOTIO		(10) 00	,	<i>y</i> ,, <i>y</i> .		,	J		G.Gy,		J. 11 . J. J. J. J.					_		
Land Use	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)			_		_		_		_		_	-	_		_		-	
Total	_	_	_	_	_	-	-	-	_	-	_	-	_	-	-	-	_	-
Daily, Winter (Max)	-	-	_	_	_	-	-	_	_	-	-	-	_	-	-	-	_	- 7
Total	_	_	_	-	-	-	-	-	_	_	_	_	_	_	-	_	- 1///	_
Annual	-	_	_	_	_	_	-	_	_	_	-	_	_	_	-	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

Equipme nt Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-				_	_		_						_	_	_	_	
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Winter (Max)	_	-	-	-	-	_						-		_	_	-	-	-

Total -	_	_	-	-	_	_	_	_	-	-	-	_	_	_	_	_	_	_
Annual -	-	_	_	_	_	_	_	-	_	_	_	_	_	_	_	_	_	_
iorai -	_	_	<u> </u>				_	_	_	_	_	_	_			_	_	_

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipme nt	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Type Daily, Summer (Max)	-	-	-	-			-		-	-	-	-	-	-	-	-	-	-
Fire Pump	2.16	1.97	10.3	8.72	0.01	1.01	0.00	1.01	1.01	0.00	1.01	0.00	1,007	1,007	0.04	0.01	0.00	1,011
Total	2.16	1.97	10.3	8.72	0.01	1.01	0.00	1.01	1.01	0.00	1.01	0.00	1,007	1,007	0.04	0.01	0.00	1,011
Daily, Winter (Max)	-	-	-	-	-	-	-	-	_	-			-					
Fire Pump	2.16	1.97	10.3	8.72	0.01	1.01	0.00	1.01	1.01	0.00	1.01	0.00	1,007	1,007	0.04	0.01	0.00	1,011
Total	2.16	1.97	10.3	8.72	0.01	1.01	0.00	1.01	1.01	0.00	1.01	0.00	1,007	1,007	0.04	0.01	0.00	1,011
Annual	_	-	-	_	_	_	_	_	_	_	_	_	_	_	-	_	-	
Fire Pump	0.39	0.36	1.87	1.59	< 0.005	0.18	0.00	0.18	0.18	0.00	0.18	0.00	167	167	0.01	< 0.005	0.00	167
Total	0.39	0.36	1.87	1.59	< 0.005	0.18	0.00	0.18	0.18	0.00	0.18	0.00	167	167	0.01	< 0.005	0.00	167

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipme nt Type	TOG	ROG		СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-	-					_		-				-		-			
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Winter (Max)	-	_	_	_	-	-	_	_	_	-	-	_	_	_	_	_	_	-
Total	- 11	-	_	_	_	_	_	_	_	_	_	_	_	_	_	_	- 7	_
Annual	_	-	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_			_	_

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Vegetatio n	TOG	ROG			_	PM10E		_	PM2.5E			BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-	-							-	-			-		-	-		
Total Daily, Winter (Max)	_		-			-	_	-	_	_	-		_	_	-	-	-	-
Total	-	-	_	-	-	-	-	_	-	-	-	_	_	_	-	-	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	-	-	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	-

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG		со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-				-								-	-	_		-	
Total	-	-	-	_	_	_	_	_	_	_	_	-	_	_	_	-	_	_
Daily, Winter (Max)	-	-		-	_	- 1				_	-		-	- 1	-		-	-
Total	-	-	-	-	_	_	_	_	_	_	_	-	_	_	_	-	_	_
Annual	-	_	-	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Species	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	-	-										_					_
Avoided	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	_	1-	_	-	_	_	_	_	_	_	_	_	_	_	_	_	_	-
Sequest ered	-	-	-	-	-	-	-	-	-	-	-	-	_	-	-	-	-	-
Subtotal	_	-	-	-	_	_	_	_	_	_	-	_	_	_	_	_	_	_
Remove d	-	-	_	-	-	-	_	-	_	-	_	-	_	-	_	-	-	-
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Daily, Winter (Max)	_		-			_	_		_		_	_	_	_				
Avoided	_	_	-	_	_	_	_	-	_	_	_	_	_	_	_	_	-	_
Subtotal	_	_	-	_	_	_	_	_	_	_	_	_	_	_	_	_	_	-
Sequest ered	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Remove d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_	-
Subtotal	_	_	_	-	-	-	_	-	_	_	_	-	_	_	_	_	_	_
-	_	_	_	_	_	_	_	-	_	_	_	_	_	_	_	-	_	_
Annual	_	_	_	_	_	_	_	_	-	_	_	_	_	_	_	_	_	_
Avoided	_	_	_	-	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	_	_	_	_	_	_	-	_	_	_	_	_	_	_	_	_	_	_
Sequest ered	_	-	-	-	-	-	-	-	_	-	-	-	-	_	-	-	_	_
Subtotal	-	_	-	_	_	_	_	_	-	_	_	_	_	-	-	-	_	_
Remove d	_	-	-	-	-	-	-	-	_	-	-	-	-		-	-	_	-
Subtotal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_
_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

5. Activity Data

5.1. Construction Schedule

Phase Name	Phase Type	Start Date	End Date	Days Per Week	Work Days per Phase	Phase Description
Linear, Grading & Excavation	Linear, Grading & Excavation	5/2/2025	1/22/2026	5.00	190	-

Linear, Drainage, Utilities, & Sub-Grade	Linear, Drainage, Utilities, & Sub-Grade	1/22/2026	10/14/2026	5.00	190	
Demolition	Demolition	5/1/2025	5/29/2025	5.00	20.0	-
Building Construction	Building Construction	6/13/2025	4/17/2026	5.00	220	-

5.2. Off-Road Equipment

5.2.1. Unmitigated

Phase Name	Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
Linear, Grading & Excavation	Tractors/Loaders/Backh oes	Diesel	Average	1.00	4.00	84.0	0.37
Linear, Grading & Excavation	Crawler Tractors	Diesel	Average	1.00	4.00	87.0	0.43
Linear, Grading & Excavation	Excavators	Diesel	Average	1.00	8.00	36.0	0.38
Linear, Grading & Excavation	Plate Compactors	Diesel	Average	1.00	8.00	8.00	0.43
Linear, Grading & Excavation	Pavers	Diesel	Average	1.00	8.00	81.0	0.42
Linear, Grading & Excavation	Rollers	Diesel	Average	1.00	8.00	36.0	0.38
Linear, Grading & Excavation	Off-Highway Trucks	Diesel	Average	1.00	8.00	376	0.38
Linear, Grading & Excavation	Signal Boards	Electric	Average	1.00	8.00	6.00	0.82
Linear, Drainage, Utilities, & Sub-Grade	Cranes	Diesel	Average	1.00	4.00	367	0.29
Linear, Drainage, Utilities, & Sub-Grade	Forklifts	Diesel	Average	1.00	4.00	82.0	0.20
Linear, Drainage, Utilities, & Sub-Grade	Tractors/Loaders/Backh oes	Diesel	Average	1.00	8.00	84.0	0.37

Linear, Drainage, Utilities, & Sub-Grade	Plate Compactors	Diesel	Average	1.00	6.00	8.00	0.43
Linear, Drainage, Utilities, & Sub-Grade	Rollers	Diesel	Average	1.00	6.00	36.0	0.38
Linear, Drainage, Utilities, & Sub-Grade	Excavators	Diesel	Average	1.00	4.00	36.0	0.38
Linear, Drainage, Utilities, & Sub-Grade	Off-Highway Trucks	Diesel	Average	1.00	4.00	376	0.38
Linear, Drainage, Utilities, & Sub-Grade	Pavers	Diesel	Average	1.00	2.00	81.0	0.42
Demolition	Concrete/Industrial Saws	Diesel	Average	2.00	6.00	33.0	0.73
Building Construction	Bore/Drill Rigs	Diesel	Average	1.00	8.00	83.0	0.50
Building Construction	Plate Compactors	Diesel	Average	1.00	2.00	8.00	0.43
Building Construction	Tractors/Loaders/Backh oes	Diesel	Average	1.00	6.00	84.0	0.37

5.3. Construction Vehicles

5.3.1. Unmitigated

Phase Name	Trip Type	One-Way Trips per Day	Miles per Trip	Vehicle Mix
Demolition	_	_	_	<u> </u>
Demolition	Worker	5.00	100	LDA,LDT1,LDT2
Demolition	Vendor	-	10.2	HHDT,MHDT
Demolition	Hauling	18.8	100	HHDT
Demolition	Onsite truck	-	_	HHDT
Linear, Grading & Excavation	_	-	_	_
Linear, Grading & Excavation	Worker	20.0	100	LDA,LDT1,LDT2
Linear, Grading & Excavation	Vendor	0.00	10.2	HHDT,MHDT
Linear, Grading & Excavation	Hauling	18.0	100	HHDT

Linear, Grading & Excavation	Onsite truck	_	_	HHDT
Linear, Drainage, Utilities, & Sub-Grade	_	-	_	_
Linear, Drainage, Utilities, & Sub-Grade	Worker	20.0	100	LDA,LDT1,LDT2
Linear, Drainage, Utilities, & Sub-Grade	Vendor	0.00	10.2	HHDT,MHDT
Linear, Drainage, Utilities, & Sub-Grade	Hauling	0.00	20.0	HHDT
Linear, Drainage, Utilities, & Sub-Grade	Onsite truck	_	_	HHDT
Building Construction	_	_	_	_
Building Construction	Worker	5.00	100	LDA,LDT1,LDT2
Building Construction	Vendor	6.00	100	HHDT,MHDT
Building Construction	Hauling	0.00	20.0	HHDT
Building Construction	Onsite truck	_	_	HHDT

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

Non-applicable. No control strategies activated by user.

5.5. Architectural Coatings

Phase Name	Residential Interior Area Coated	Residential Exterior Area Coated	Non-Residential Interior Area	Non-Residential Exterior Area	Parking Area Coated (sq ft)
	(sq ft)	(sq ft)	Coated (sq ft)	Coated (sq ft)	

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

Phase Name	Material Imported (Cubic Yards)	Material Exported (Cubic Yards)	Acres Graded (acres)	Material Demolished (Ton of Debris)	Acres Paved (acres)
Linear, Grading & Excavation	_	7,210	0.74	0.00	_
Linear, Drainage, Utilities, & Sub-Grade	_	_	0.74	0.00	_

Demolition	0.00	0.00	0.00	1,500	_

5.6.2. Construction Earthmoving Control Strategies

Control Strategies Applied	Frequency (per day)	PM10 Reduction	PM2.5 Reduction
Water Exposed Area	3	74%	74%

5.7. Construction Paving

Land Use	Area Paved (acres)	% Asphalt
User Defined Linear	0.74	100%
Other Non-Asphalt Surfaces	2.00	0%
Parking Lot	0.50	100%

5.8. Construction Electricity Consumption and Emissions Factors

kWh per Year and Emission Factor (lb/MWh)

Year	kWh per Year	CO2	CH4	N2O
2025	29.4	349	0.03	< 0.005
2026	29.4	346	0.03	< 0.005

5.9. Operational Mobile Sources

5.9.1. Unmitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
Total all Land Uses	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.2. Architectural Coatings

Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
0	0.00	0.00	0.00	6,534

5.10.3. Landscape Equipment

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	250

5.11. Operational Energy Consumption

5.11.1. Unmitigated

Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
Other Non-Asphalt Surfaces	0.00	532	0.0330	0.0040	0.00
Parking Lot	19,079	532	0.0330	0.0040	0.00

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Other Non-Asphalt Surfaces	0.00	0.00

Parking Lot 0.00 0.00

5.13. Operational Waste Generation

5.13.1. Unmitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Other Non-Asphalt Surfaces	0.00	_
Parking Lot	0.00	_

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced
---------------	----------------	-------------	-----	---------------	----------------------	-------------------	----------------

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated


Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
Equipment Type	i dei Type	Lingine riei	Number per Day	Hours I er Day	Tiorsepower	Load I actor

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

Equipment Type	Fuel Type	Number per Day	Hours per Day	Hours per Year	Horsepower	Load Factor
Fire Pump	Diesel	1.00	24.0	8,760	25.0	0.73

5.16.2. Process Boilers



6. Climate Risk Detailed Report

6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	38.1	annual days of extreme heat
Extreme Precipitation	8.60	annual days with precipitation above 20 mm
Sea Level Rise	0.00	meters of inundation depth
Wildfire	32.4	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about ¾ an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider different increments of sea level rise coupled with extreme storm events. Users may select from four model simulations to view the range in potential inundation depth for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 50 meters (m) by 50 m, or about 164 feet (ft) by 164 ft.

Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	5	0	0	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	0	0	N/A
Wildfire	1	0	0	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	0	0	0	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	5	1	1	4
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	1	1	2
Wildfire	1	1	1	2
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	1	1	1	2

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Exposure Indicators	
AQ-Ozone	98.7
AQ-PM	4.43
AQ-DPM	1.14
	41 / 46

Drinking Water	70.5
Lead Risk Housing	65.1
Pesticides	4.55
Toxic Releases	18.1
Traffic	3.04
Effect Indicators	_
CleanUp Sites	0.00
Groundwater	0.00
Haz Waste Facilities/Generators	1.80
Impaired Water Bodies	90.1
Solid Waste	75.7
Sensitive Population	_
Asthma	26.6
Cardio-vascular	44.6
Low Birth Weights	67.2
Socioeconomic Factor Indicators	_
Education	9.73
Housing	12.8
Linguistic	0.26
Poverty	55.9
Unemployment	35.0

7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	
Above Poverty	53.62504812

Employed	15.8475555
Median HI	38.16245348
Education	
Bachelor's or higher	57.65430515
High school enrollment	0.372128834
Preschool enrollment	1.873476197
Transportation	
Auto Access	44.50147568
Active commuting	57.28217631
Social	_
2-parent households	49.63428718
Voting	87.82240472
Neighborhood	_
Alcohol availability	85.88476838
Park access	61.54240985
Retail density	2.078788656
Supermarket access	11.39484152
Tree canopy	94.22558707
Housing	_
Homeownership	62.4534839
Housing habitability	66.86770178
Low-inc homeowner severe housing cost burden	47.83780316
Low-inc renter severe housing cost burden	50.78916977
Uncrowded housing	77.4541255
Health Outcomes	_
Insured adults	70.78147055
Arthritis	0.0

Asthma ER Admissions	68.5
High Blood Pressure	0.0
Cancer (excluding skin)	0.0
Asthma	0.0
Coronary Heart Disease	0.0
Chronic Obstructive Pulmonary Disease	0.0
Diagnosed Diabetes	0.0
Life Expectancy at Birth	87.1
Cognitively Disabled	32.0
Physically Disabled	7.5
Heart Attack ER Admissions	26.6
Mental Health Not Good	0.0
Chronic Kidney Disease	0.0
Obesity	0.0
Pedestrian Injuries	97.6
Physical Health Not Good	0.0
Stroke	0.0
Health Risk Behaviors	_
Binge Drinking	0.0
Current Smoker	0.0
No Leisure Time for Physical Activity	0.0
Climate Change Exposures	_
Wildfire Risk	72.7
SLR Inundation Area	0.0
Children	75.0
Elderly	8.4
English Speaking	75.9

Foreign-born	3.5
Outdoor Workers	55.8
Climate Change Adaptive Capacity	
Impervious Surface Cover	98.3
Traffic Density	2.9
Traffic Access	23.0
Other Indices	_
Hardship	33.2
Other Decision Support	_
2016 Voting	97.1

7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	24.0
Healthy Places Index Score for Project Location (b)	21.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	No
Project Located in a Low-Income Community (Assembly Bill 1550)	No
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

7.4. Health & Equity Measures

No Health & Equity Measures selected.

7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

8. User Changes to Default Data

Screen	Justification
Characteristics: Project Details	Rural Big Bear
Construction: Construction Phases	Client Provided Schedule
Construction: Off-Road Equipment	Client provided schedule
Construction: Trips and VMT	Client provided pump station trips

This page intentionally left blank



APPENDIX 3.6:

CALEEMOD REPLENISH BIG BEAR COMPONENT 1 MITIGATED EMISSIONS MODEL
OUTPUTS



15309-WWTP Upgrades (Mitigated) Detailed Report

Table of Contents

- 1. Basic Project Information
 - 1.1. Basic Project Information
 - 1.2. Land Use Types
 - 1.3. User-Selected Emission Reduction Measures by Emissions Sector
- 2. Emissions Summary
 - 2.1. Construction Emissions Compared Against Thresholds
 - 2.2. Construction Emissions by Year, Unmitigated
 - 2.3. Construction Emissions by Year, Mitigated
 - 2.4. Operations Emissions Compared Against Thresholds
 - 2.5. Operations Emissions by Sector, Unmitigated
 - 2.6. Operations Emissions by Sector, Mitigated
- 3. Construction Emissions Details
 - 3.1. Linear, Grading & Excavation (2026) Unmitigated
 - 3.2. Linear, Grading & Excavation (2026) Mitigated

- 3.3. Linear, Grading & Excavation (2027) Unmitigated
- 3.4. Linear, Grading & Excavation (2027) Mitigated
- 3.5. Demolition (2025) Unmitigated
- 3.6. Demolition (2025) Mitigated
- 3.7. Building Construction (2025) Unmitigated
- 3.8. Building Construction (2025) Mitigated
- 3.9. Building Construction (2026) Unmitigated
- 3.10. Building Construction (2026) Mitigated
- 4. Operations Emissions Details
 - 4.1. Mobile Emissions by Land Use
 - 4.1.1. Unmitigated
 - 4.1.2. Mitigated
 - 4.2. Energy
 - 4.2.1. Electricity Emissions By Land Use Unmitigated
 - 4.2.2. Electricity Emissions By Land Use Mitigated
 - 4.2.3. Natural Gas Emissions By Land Use Unmitigated
 - 4.2.4. Natural Gas Emissions By Land Use Mitigated

- 4.3. Area Emissions by Source
 - 4.3.1. Unmitigated
 - 4.3.2. Mitigated
- 4.4. Water Emissions by Land Use
 - 4.4.1. Unmitigated
 - 4.4.2. Mitigated
- 4.5. Waste Emissions by Land Use
 - 4.5.1. Unmitigated
 - 4.5.2. Mitigated
- 4.6. Refrigerant Emissions by Land Use
 - 4.6.1. Unmitigated
 - 4.6.2. Mitigated
- 4.7. Offroad Emissions By Equipment Type
 - 4.7.1. Unmitigated
 - 4.7.2. Mitigated
- 4.8. Stationary Emissions By Equipment Type
 - 4.8.1. Unmitigated

- 4.8.2. Mitigated
- 4.9. User Defined Emissions By Equipment Type
 - 4.9.1. Unmitigated
 - 4.9.2. Mitigated
- 4.10. Soil Carbon Accumulation By Vegetation Type
 - 4.10.1. Soil Carbon Accumulation By Vegetation Type Unmitigated
 - 4.10.2. Above and Belowground Carbon Accumulation by Land Use Type Unmitigated
 - 4.10.3. Avoided and Sequestered Emissions by Species Unmitigated
 - 4.10.4. Soil Carbon Accumulation By Vegetation Type Mitigated
 - 4.10.5. Above and Belowground Carbon Accumulation by Land Use Type Mitigated
 - 4.10.6. Avoided and Sequestered Emissions by Species Mitigated
- 5. Activity Data
 - 5.1. Construction Schedule
 - 5.2. Off-Road Equipment
 - 5.2.1. Unmitigated
 - 5.2.2. Mitigated
 - 5.3. Construction Vehicles

- 5.3.1. Unmitigated
- 5.3.2. Mitigated
- 5.4. Vehicles
 - 5.4.1. Construction Vehicle Control Strategies
- 5.5. Architectural Coatings
- 5.6. Dust Mitigation
 - 5.6.1. Construction Earthmoving Activities
 - 5.6.2. Construction Earthmoving Control Strategies
- 5.7. Construction Paving
- 5.8. Construction Electricity Consumption and Emissions Factors
- 5.9. Operational Mobile Sources
 - 5.9.1. Unmitigated
 - 5.9.2. Mitigated
- 5.10. Operational Area Sources
 - 5.10.1. Hearths
 - 5.10.1.1. Unmitigated
 - 5.10.1.2. Mitigated

- 5.10.2. Architectural Coatings
- 5.10.3. Landscape Equipment
- 5.10.4. Landscape Equipment Mitigated
- 5.11. Operational Energy Consumption
 - 5.11.1. Unmitigated
 - 5.11.2. Mitigated
- 5.12. Operational Water and Wastewater Consumption
 - 5.12.1. Unmitigated
 - 5.12.2. Mitigated
- 5.13. Operational Waste Generation
 - 5.13.1. Unmitigated
 - 5.13.2. Mitigated
- 5.14. Operational Refrigeration and Air Conditioning Equipment
 - 5.14.1. Unmitigated
 - 5.14.2. Mitigated
- 5.15. Operational Off-Road Equipment
 - 5.15.1. Unmitigated

- 5.15.2. Mitigated
- 5.16. Stationary Sources
 - 5.16.1. Emergency Generators and Fire Pumps
 - 5.16.2. Process Boilers
- 5.17. User Defined
- 5.18. Vegetation
 - 5.18.1. Land Use Change
 - 5.18.1.1. Unmitigated
 - 5.18.1.2. Mitigated
 - 5.18.1. Biomass Cover Type
 - 5.18.1.1. Unmitigated
 - 5.18.1.2. Mitigated
 - 5.18.2. Sequestration
 - 5.18.2.1. Unmitigated
 - 5.18.2.2. Mitigated
- 6. Climate Risk Detailed Report
 - 6.1. Climate Risk Summary

- 6.2. Initial Climate Risk Scores
- 6.3. Adjusted Climate Risk Scores
- 6.4. Climate Risk Reduction Measures
- 7. Health and Equity Details
 - 7.1. CalEnviroScreen 4.0 Scores
 - 7.2. Healthy Places Index Scores
 - 7.3. Overall Health & Equity Scores
 - 7.4. Health & Equity Measures
 - 7.5. Evaluation Scorecard
 - 7.6. Health & Equity Custom Measures
- 8. User Changes to Default Data

1. Basic Project Information

1.1. Basic Project Information

Data Field	Value	
Project Name	15309-WWTP Upgrades (Mitigated)	
Construction Start Date	1/1/2025	
Operational Year	2027	
Lead Agency	_	
and Use Scale	Project/site	
Analysis Level for Defaults	County	
Windspeed (m/s)	2.50	
Precipitation (days)	1.80	
Location	34.269428, -116.815824	
County	San Bernardino-South Coast	
Dity	Unincorporated	
Air District	South Coast AQMD	
Air Basin	South Coast	
ΓΑZ	5156	
EDFZ	10	
Electric Utility	Bear Valley Electric Service	
Gas Utility	Southwest Gas Corp.	
App Version	2022.1.1.18	

1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq	Special Landscape	Population	Description
					ft)	Area (sq ft)		

Unrefrigerated Warehouse-Rail	40.0	1000sqft	0.92	40,000	0.00	_	_	_
Other Non-Asphalt Surfaces	2.00	Acre	2.00	0.00	0.00	-	_	Pump Station
Parking Lot	0.50	Acre	0.50	0.00	0.00	j-	_	-
Jser Defined Linear	0.26	Mile	0.14	0.00	0.00	_	_	_
Other Asphalt Surfaces	0.44	Acre	0.44	0.00	0.00	-	_	Remaining SF

1.3. User-Selected Emission Reduction Measures by Emissions Sector

Sector	#	Measure Title
Energy	E-10-B	Establish Onsite Renewable Energy Systems: Solar Power

2. Emissions Summary

2.1. Construction Emissions Compared Against Thresholds

Un/Mit.	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-					-	-		-	-	-							
Unmit.	2.00	2.06	11.7	52.5	0.08	0.46	6.19	6.65	0.43	1.93	2.36	-	12,560	12,560	0.56	0.57	21.3	12,766
Daily, Winter (Max)	_		-			-				-	-	-	Г	_	-			
Unmit. Average Daily (Max)	2.73	2.61	25.0 —	68.4	0.16 —	0.49	13.1 —	13.4	0.46	3.06	3.38		26,339 —	26,339 —	2.04	3.77	1.79	27,515 —
Unmit.	1.37	1.33	8.88	32.0	0.06	0.30	4.55	4.85	0.28	1.36	1.65	_	9,047	9,047	0.46	0.56	7.33	9,233

Annual (Max)	-	-	-	-	_	-	-	-	-	-	-	-	-	-	-	-	-	-
Unmit.	0.25	0.24	1.62	5.83	0.01	0.05	0.83	0.88	0.05	0.25	0.30	_	1,498	1,498	0.08	0.09	1.21	1,529

2.2. Construction Emissions by Year, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Year	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily - Summer (Max)	-	_	-	<u> </u>	_	_		-	_			_	_	_		-	_	-
2025	2.00	2.06	11.7	52.5	0.08	0.46	6.19	6.65	0.43	1.93	2.36	_	12,560	12,560	0.56	0.57	21.3	12,766
2026	1.92	1.98	11.0	50.9	0.08	0.42	6.19	6.61	0.39	1.93	2.33	-	12,440	12,440	0.54	0.57	19.4	12,642
Daily - Winter (Max)	-										-						-	
2025	2.73	2.04	25.0	46.9	0.16	0.46	13.1	13.4	0.43	3.06	3.38	_	26,339	26,339	2.04	3.77	1.79	27,515
2026	2.70	2.61	14.6	68.4	0.09	0.49	9.73	10.2	0.46	2.76	3.22	_	17,376	17,376	0.51	0.70	0.83	17,598
2027	0.78	0.64	3.23	21.7	0.02	0.07	3.53	3.60	0.06	0.83	0.89	-	5,177	5,177	0.08	0.13	0.30	5,218
Average Daily	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2025	1.37	1.30	8.88	31.0	0.06	0.30	4.55	4.85	0.28	1.36	1.65	-	9,047	9,047	0.46	0.56	7.33	9,233
2026	1.30	1.33	7.63	32.0	0.05	0.28	4.27	4.55	0.26	1.32	1.58	-	8,305	8,305	0.29	0.38	5.82	8,432
2027	0.02	0.01	0.07	0.48	< 0.005	< 0.005	0.08	0.08	< 0.005	0.02	0.02	-	112	112	< 0.005	< 0.005	0.11	113
Annual	-	-	-	-	_	_	_	-	_	-	_	-	1-	-	-	-	-	_
2025	0.25	0.24	1.62	5.65	0.01	0.05	0.83	0.88	0.05	0.25	0.30	-	1,498	1,498	0.08	0.09	1.21	1,529
2026	0.24	0.24	1.39	5.83	0.01	0.05	0.78	0.83	0.05	0.24	0.29	-	1,375	1,375	0.05	0.06	0.96	1,396
2027	< 0.005	< 0.005	0.01	0.09	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	-	18.6	18.6	< 0.005	< 0.005	0.02	18.8

2.3. Construction Emissions by Year, Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Year	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily - Summer (Max)	-		-				_		_		-				-		_	
2025	2.00	2.06	11.7	52.5	0.08	0.46	6.19	6.65	0.43	1.93	2.36	-	12,560	12,560	0.56	0.57	21.3	12,766
2026	1.92	1.98	11.0	50.9	0.08	0.42	6.19	6.61	0.39	1.93	2.33	-	12,440	12,440	0.54	0.57	19.4	12,642
Daily - Winter (Max)	-		-		-	-	-		-		-	-	-	_	-	-	_	-
2025	2.73	2.04	25.0	46.9	0.16	0.46	13.1	13.4	0.43	3.06	3.38	-	26,339	26,339	2.04	3.77	1.79	27,515
2026	2.70	2.61	14.6	68.4	0.09	0.49	9.73	10.2	0.46	2.76	3.22	_	17,376	17,376	0.51	0.70	0.83	17,598
2027	0.78	0.64	3.23	21.7	0.02	0.07	3.53	3.60	0.06	0.83	0.89	-	5,177	5,177	0.08	0.13	0.30	5,218
Average Daily	_	-	-	_	_	_	-	-	-	-	-	-	_	_	-	-	-	-
2025	1.37	1.30	8.88	31.0	0.06	0.30	4.55	4.85	0.28	1.36	1.65	-	9,047	9,047	0.46	0.56	7.33	9,233
2026	1.30	1.33	7.63	32.0	0.05	0.28	4.27	4.55	0.26	1.32	1.58	-	8,305	8,305	0.29	0.38	5.82	8,432
2027	0.02	0.01	0.07	0.48	< 0.005	< 0.005	0.08	0.08	< 0.005	0.02	0.02	-	112	112	< 0.005	< 0.005	0.11	113
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
2025	0.25	0.24	1.62	5.65	0.01	0.05	0.83	0.88	0.05	0.25	0.30	_	1,498	1,498	0.08	0.09	1.21	1,529
2026	0.24	0.24	1.39	5.83	0.01	0.05	0.78	0.83	0.05	0.24	0.29	_	1,375	1,375	0.05	0.06	0.96	1,396
2027	< 0.005	< 0.005	0.01	0.09	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	_	18.6	18.6	< 0.005	< 0.005	0.02	18.8

2.4. Operations Emissions Compared Against Thresholds

Un/Mit.	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_				-		_		-	_		-	_	-	_	-	_	-
Unmit.	1.20	2.01	4.33	5.92	0.01	0.48	0.00	0.48	0.48	0.00	0.48	20.3	10,709	10,729	2.75	0.09	0.00	10,824

Mit.	1.20	2.01	4.33	5.92	0.01	0.48	0.00	0.48	0.48	0.00	0.48	20.3	5,694	5,714	2.41	0.05	0.00	5,788
% Reduced	-	-	-	-	-	-	-	-	-	-	-	-	47%	47%	12%	48%	-	47%
Daily, Winter (Max)	-				-	-					-		-		T	-	-	
Unmit.	0.89	1.73	4.31	4.18	0.01	0.48	0.00	0.48	0.48	0.00	0.48	20.3	10,701	10,722	2.75	0.09	0.00	10,816
Mit.	0.89	1.73	4.31	4.18	0.01	0.48	0.00	0.48	0.48	0.00	0.48	20.3	5,687	5,707	2.41	0.05	0.00	5,781
% Reduced	-	-	-	-	-	-	-	-	-	-	-	-	47%	47%	12%	48%	-	47%
Average Daily (Max)	-		T							-	-				T		-	
Unmit.	1.10	1.92	4.32	5.37	0.01	0.48	0.00	0.48	0.48	0.00	0.48	20.3	10,706	10,727	2.75	0.09	0.00	10,821
Mit.	1.10	1.92	4.32	5.37	0.01	0.48	0.00	0.48	0.48	0.00	0.48	20.3	5,691	5,712	2.41	0.05	0.00	5,786
% Reduced	-	-	-	-	1-	-	-	-	-	-	-	-	47%	47%	12%	48%	-	47%
Annual (Max)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unmit.	0.20	0.35	0.79	0.98	< 0.005	0.09	0.00	0.09	0.09	0.00	0.09	3.35	1,773	1,776	0.46	0.01	0.00	1,792
Mit.	0.20	0.35	0.79	0.98	< 0.005	0.09	0.00	0.09	0.09	0.00	0.09	3.35	942	946	0.40	0.01	0.00	958
% Reduced	-	-	-	-	-	-	-	-	-	-	-	-	47%	47%	12%	48%	-	47%

2.5. Operations Emissions by Sector, Unmitigated

Sector	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_		_	_	_	_	_			_	_	_		_				_
Mobile	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00

Area	0.31	1.21	0.01	1.74	< 0.005	< 0.005	_	< 0.005	< 0.005	-	< 0.005	-	7.15	7.15	< 0.005	< 0.005	_	7.18
Energy	0.02	0.01	0.20	0.17	< 0.005	0.02	-	0.02	0.02	-	0.02	-	5,258	5,258	0.37	0.04	-	5,280
Water	_	_	-	_	_	_	_	-	-	-	_	0.00	5,040	5,040	0.35	0.04	-	5,061
Waste	_	-	-	-	_	-	-	-	-	-	_	20.3	0.00	20.3	2.03	0.00	_	70.9
Stationar y	0.87	0.79	4.11	4.01	< 0.005	0.46	0.00	0.46	0.46	0.00	0.46	0.00	403	403	0.02	< 0.005	0.00	404
Total	1.20	2.01	4.33	5.92	0.01	0.48	0.00	0.48	0.48	0.00	0.48	20.3	10,709	10,729	2.75	0.09	0.00	10,824
Daily, Winter (Max)	_				-	_				-	-	-		-			-	
Mobile	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Area	_	0.93	_	_	_	_	-	_	-	_	_	_	-	_	_	-	-	-
Energy	0.02	0.01	0.20	0.17	< 0.005	0.02	-	0.02	0.02	_	0.02	_	5,258	5,258	0.37	0.04	_	5,280
Water	_	_	_	-	_	_	_	-	-	_	_	0.00	5,040	5,040	0.35	0.04	_	5,061
Waste	_	-	1-	-	-	-	-	-	-	-	-	20.3	0.00	20.3	2.03	0.00	_	70.9
Stationar y	0.87	0.79	4.11	4.01	< 0.005	0.46	0.00	0.46	0.46	0.00	0.46	0.00	403	403	0.02	< 0.005	0.00	404
Total	0.89	1.73	4.31	4.18	0.01	0.48	0.00	0.48	0.48	0.00	0.48	20.3	10,701	10,722	2.75	0.09	0.00	10,816
Average Daily	-			-	-	-	-	1	-	-	-	-	-		-	-	-	_
Mobile	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Area	0.21	1.12	0.01	1.19	< 0.005	< 0.005	-	< 0.005	< 0.005	-	< 0.005	-	4.90	4.90	< 0.005	< 0.005	-	4.92
Energy	0.02	0.01	0.20	0.17	< 0.005	0.02	_	0.02	0.02	-	0.02	-	5,258	5,258	0.37	0.04	-	5,280
Water	_	-	-	-	_	-	_	-	_	-	-	0.00	5,040	5,040	0.35	0.04	_	5,061
Waste	_	-	_	-	_	_	_	-	_	-	_	20.3	0.00	20.3	2.03	0.00	_	70.9
Stationar y	0.87	0.79	4.11	4.01	< 0.005	0.46	0.00	0.46	0.46	0.00	0.46	0.00	403	403	0.02	< 0.005	0.00	404
Total	1.10	1.92	4.32	5.37	0.01	0.48	0.00	0.48	0.48	0.00	0.48	20.3	10,706	10,727	2.75	0.09	0.00	10,821
Annual	_	-	-	_	_	_	_	-	-	-	_	-	[-	[-	-	-	-	-
Mobile	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00

Area	0.04	0.20	< 0.005	0.22	< 0.005	< 0.005	-	< 0.005	< 0.005	-	< 0.005	-	0.81	0.81	< 0.005	< 0.005	-	0.81
Energy	< 0.005	< 0.005	0.04	0.03	< 0.005	< 0.005	-	< 0.005	< 0.005	-	< 0.005	-	871	871	0.06	0.01	-	874
Water	-	_	_	_	-	_	_	_	_	-	-	0.00	834	834	0.06	0.01	_	838
Waste	-	_	-	-	-	-	-	-	_	-	-	3.35	0.00	3.35	0.34	0.00	_	11.7
Stationar y	0.16	0.14	0.75	0.73	< 0.005	0.08	0.00	0.08	0.08	0.00	0.08	0.00	66.7	66.7	< 0.005	< 0.005	0.00	66.9
Total	0.20	0.35	0.79	0.98	< 0.005	0.09	0.00	0.09	0.09	0.00	0.09	3.35	1,773	1,776	0.46	0.01	0.00	1,792

2.6. Operations Emissions by Sector, Mitigated

			,	J,		,	,		J,		,			_				
Sector	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)				_	-				-		_			-		Ī		
Mobile	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Area	0.31	1.21	0.01	1.74	< 0.005	< 0.005	-	< 0.005	< 0.005	-	< 0.005	-	7.15	7.15	< 0.005	< 0.005	-	7.18
Energy	0.02	0.01	0.20	0.17	< 0.005	0.02	_	0.02	0.02	-	0.02	-	244	244	0.02	< 0.005	_	244
Water	_	-	-	-	_	-	-	-	-	-	-	0.00	5,040	5,040	0.35	0.04	-	5,061
Waste	_	-	_	-		-	_	-	_	_	_	20.3	0.00	20.3	2.03	0.00	-	70.9
Stationar y	0.87	0.79	4.11	4.01	< 0.005	0.46	0.00	0.46	0.46	0.00	0.46	0.00	403	403	0.02	< 0.005	0.00	404
Total	1.20	2.01	4.33	5.92	0.01	0.48	0.00	0.48	0.48	0.00	0.48	20.3	5,694	5,714	2.41	0.05	0.00	5,788
Daily, Winter (Max)									-		-	-	-	-		-	-	
Mobile	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Area	_	0.93	-	-	-	-	-	-	_	_	_	_	-	-	-	_	_	-
Energy	0.02	0.01	0.20	0.17	< 0.005	0.02	-	0.02	0.02	_	0.02	-	244	244	0.02	< 0.005	-	244
Water	_	_	_	_	J_	_	_	_	_	_	_	0.00	5,040	5,040	0.35	0.04	_	5,06

Waste	_	_	_	-	_	-	_	_	_	-	-	20.3	0.00	20.3	2.03	0.00	_	70.9
Stationar y	0.87	0.79	4.11	4.01	< 0.005	0.46	0.00	0.46	0.46	0.00	0.46	0.00	403	403	0.02	< 0.005	0.00	404
Total	0.89	1.73	4.31	4.18	0.01	0.48	0.00	0.48	0.48	0.00	0.48	20.3	5,687	5,707	2.41	0.05	0.00	5,781
Average Daily	-		-		-	-	-	-	-		-		-	-	-	-	-	-
Mobile	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Area	0.21	1.12	0.01	1.19	< 0.005	< 0.005	-	< 0.005	< 0.005	-	< 0.005	-	4.90	4.90	< 0.005	< 0.005	_	4.92
Energy	0.02	0.01	0.20	0.17	< 0.005	0.02	-	0.02	0.02	_	0.02	_	244	244	0.02	< 0.005	_	244
Water	_	-	-	-	-	-	-	-	-	-	-	0.00	5,040	5,040	0.35	0.04	-	5,061
Waste	_	_	_	-	_	_	_	-	_	_	_	20.3	0.00	20.3	2.03	0.00	_	70.9
Stationar y	0.87	0.79	4.11	4.01	< 0.005	0.46	0.00	0.46	0.46	0.00	0.46	0.00	403	403	0.02	< 0.005	0.00	404
Total	1.10	1.92	4.32	5.37	0.01	0.48	0.00	0.48	0.48	0.00	0.48	20.3	5,691	5,712	2.41	0.05	0.00	5,786
Annual	_	-	-	-	-	-	-	-	_	-	_	_	-	-	1-	-	-	-
Mobile	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Area	0.04	0.20	< 0.005	0.22	< 0.005	< 0.005	_	< 0.005	< 0.005	-	< 0.005	-	0.81	0.81	< 0.005	< 0.005	_	0.81
Energy	< 0.005	< 0.005	0.04	0.03	< 0.005	< 0.005	-	< 0.005	< 0.005	_	< 0.005	_	40.3	40.3	< 0.005	< 0.005	_	40.5
Water	_	_	-	-	-	-	-	-	_	-	-	0.00	834	834	0.06	0.01	_	838
Waste	_	-	_		_	-	_	_	-	-	_	3.35	0.00	3.35	0.34	0.00	_	11.7
Stationar y	0.16	0.14	0.75	0.73	< 0.005	0.08	0.00	0.08	0.08	0.00	0.08	0.00	66.7	66.7	< 0.005	< 0.005	0.00	66.9
Total	0.20	0.35	0.79	0.98	< 0.005	0.09	0.00	0.09	0.09	0.00	0.09	3.35	942	946	0.40	0.01	0.00	958

3. Construction Emissions Details

3.1. Linear, Grading & Excavation (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
			1															

16 / 81

Onsite	_	_	_	_	-	_	-	_	_	_	_	-	-	-	_	_	_	-
Daily, Summer (Max)	-		-		-	-	-		-	-		-					-	-
Daily, Winter (Max)		-	-		-	-	-	-	-		-		-	-	-	-	-	
Off-Road Equipmen		0.27	2.37	9.89	0.02	0.07	-	0.07	0.07	-	0.07	-	1,863	1,863	0.08	0.02	-	1,869
Dust From Material Movemen	_ t		-				0.00	0.00		0.00	0.00	-					-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Average Daily	-	-	-	1	-	-	-	1	-	-	-	-	1-	-	1	-	-	-
Off-Road Equipmen		0.02	0.14	0.60	< 0.005	< 0.005	-	< 0.005	< 0.005	-	< 0.005	-	113	113	< 0.005	< 0.005	-	113
Dust From Material Movemen	_ t		-	T	-		0.00	0.00	-	0.00	0.00	-	-		-		-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Annual	_	_	_	_	_	_	_	_	_	-	_	-	1-	_	_	_	_	_
Off-Road Equipmen		< 0.005	0.03	0.11	< 0.005	< 0.005	-	< 0.005	< 0.005	-	< 0.005	-	18.7	18.7	< 0.005	< 0.005	-	18.8
Dust From Material Movemen	_	_	-		-	_	0.00	0.00	-	0.00	0.00	-	-		-	-	-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Offsite	_	_	_	_	_	_	_	_	_	_	_	_		_	_	_	_	_

Daily, Summer (Max)	-		-				-										-	
Daily, Winter (Max)	-		-				-		-							_	-	
Worker	0.50	0.38	1.03	12.7	0.00	0.00	3.53	3.53	0.00	0.83	0.83	_	3,383	3,383	0.01	0.11	0.33	_
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	_
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	_
Average Daily	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Worker	0.03	0.02	0.07	0.82	0.00	0.00	0.21	0.21	0.00	0.05	0.05	_	208	208	< 0.005	0.01	0.33	_
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	_
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	_
Annual	_	-	_	-	-	-	-	-	-	-	_	_	-	-	-	-	-	_
Worker	0.01	< 0.005	0.01	0.15	0.00	0.00	0.04	0.04	0.00	0.01	0.01	_	34.5	34.5	< 0.005	< 0.005	0.06	_
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	_
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	_

3.2. Linear, Grading & Excavation (2026) - Mitigated

Location	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	_	_	_	-	_	_	-	_	_	_	_	_	_	_	_	-	_	_
Daily, Summer (Max)	-		-				-	-	-	_	-	-		-	-			
Daily, Winter (Max)	-								-	_	-	-	_	-				
Off-Road Equipmen		0.27	2.37	9.89	0.02	0.07	-	0.07	0.07	-	0.07	-	1,863	1,863	0.08	0.02	-	1,869

Dust From Material	-	-	-		-	-	0.00	0.00	-	0.00	0.00	-	-	F	F	-	-	Г
Movement	t																	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Average Daily	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Off-Road Equipmen		0.02	0.14	0.60	< 0.005	< 0.005	-	< 0.005	< 0.005	-	< 0.005	-	113	113	< 0.005	< 0.005	-	113
Dust From Material Movement	 t		-				0.00	0.00		0.00	0.00	-						-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Annual	_	-	-	-	-	-	-	-	-	_	-	_	-	-	_	-	-	_
Off-Road Equipmen		< 0.005	0.03	0.11	< 0.005	< 0.005	-	< 0.005	< 0.005	-	< 0.005	-	18.7	18.7	< 0.005	< 0.005	-	18.8
Dust From Material Movement	 t		-	T	-		0.00	0.00	-	0.00	0.00	-			-		-	-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Offsite	_	_	_	_	_	_	_	_	_	_	_	_	_	_	1-	_	_	_
Daily, Summer (Max)	-				-		-		-	-	-	-	-					
Daily, Winter (Max)			-		-	-	-			-	-	-	-				-	
Worker	0.50	0.38	1.03	12.7	0.00	0.00	3.53	3.53	0.00	0.83	0.83	-	3,383	3,383	0.01	0.11	0.33	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	_
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	

19 / 81

Average Daily	-	-	-	-	-	-	-	-	_	-	-		-	-	-	-	-	-
Worker	0.03	0.02	0.07	0.82	0.00	0.00	0.21	0.21	0.00	0.05	0.05	-	208	208	< 0.005	0.01	0.33	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Annual	-	-	_	1	_	_	<u> </u>	1	_	-	_	-	_	_	-	_	-	-
Worker	0.01	< 0.005	0.01	0.15	0.00	0.00	0.04	0.04	0.00	0.01	0.01	-	34.5	34.5	< 0.005	< 0.005	0.06	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.00	0.00	0.00	0.00	0.00	_

3.3. Linear, Grading & Excavation (2027) - Unmitigated

Location	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	_	—	-	1-	—	_	i-	-	_	_	-	-	-	-	<u> </u>	1-	-	-
Daily, Summer (Max)	_		_		-	_		-	_		-		-		_		-	-
Daily, Winter (Max)	_						-		-	-	-					-	-	
Off-Road Equipmen		0.27	2.31	9.90	0.02	0.07	-	0.07	0.06	-	0.06	-	1,862	1,862	0.08	0.02	-	1,868
Dust From Material Movement	_ t				-		0.00	0.00		0.00	0.00	_			-			
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Average Daily	_	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Off-Road Equipmen		0.01	0.05	0.21	< 0.005	< 0.005	-	< 0.005	< 0.005	-	< 0.005	-	40.1	40.1	< 0.005	< 0.005	-	40.2

Dust From Material Movemen	_ t		-				0.00	0.00		0.00	0.00	-						
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Annual	_	_	_	_	-	_	_	_	_	_	_	_	_	_	_	_	_	_
Off-Road Equipmer		< 0.005	0.01	0.04	< 0.005	< 0.005	-	< 0.005	< 0.005	-	< 0.005	-	6.64	6.64	< 0.005	< 0.005	-	6.66
Dust From Material Movemen	 t		-				0.00	0.00		0.00	0.00	-					-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Offsite	_	_	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Daily, Summer (Max)	_	-	_	-			-	-	-	-	-	-	-	-	-		-	
Daily, Winter (Max)	_	-	-	-	-	-	-			-	-	-	-			-	-	-
Worker	0.49	0.37	0.92	11.8	0.00	0.00	3.53	3.53	0.00	0.83	0.83	_	3,315	3,315	0.01	0.11	0.30	_
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	-
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	-
Average Daily	-	-	-	-	-	-	-	1-	-	-	-	-	-	-	-	-	-	-
Worker	0.01	0.01	0.02	0.27	0.00	0.00	0.08	0.08	0.00	0.02	0.02	-	72.4	72.4	< 0.005	< 0.005	0.11	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	_
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Ī-	0.00	0.00	0.00	0.00	0.00	-
Annual	_	_	-	-	-	-	-	_	_	-	-	_	-	-	1-	_	_	_
Worker	< 0.005	< 0.005	< 0.005	0.05	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	Ī-	12.0	12.0	< 0.005	< 0.005	0.02	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	_

Hauling 0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	_

3.4. Linear, Grading & Excavation (2027) - Mitigated

Location	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	_	-	-	1	<u>'</u> —	_	<u>-</u>	1—	_	_	_	1—	<u> </u>	_	<u> </u>	1_	_	1-
Daily, Summer (Max)	_		-								_			_		_		
Daily, Vinter Max)	-		-		-		-	-	-	_	-	-	-	-	-	-		-
Off-Road Equipmen		0.27	2.31	9.90	0.02	0.07	-	0.07	0.06	-	0.06	-	1,862	1,862	0.08	0.02	-	1,868
Dust From Material Movemen	_ t		-				0.00	0.00	-	0.00	0.00	_		_		-	_	-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Average Daily	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Off-Road Equipmen		0.01	0.05	0.21	< 0.005	< 0.005	-	< 0.005	< 0.005	-	< 0.005	-	40.1	40.1	< 0.005	< 0.005	-	40.2
Oust From Material Movemen	_ t						0.00	0.00		0.00	0.00	_		_				
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	
Annual	_	-	-	1-	1	-	-	-	-	-	-	-	-	-	1-	-	-	-
Off-Road Equipmen		< 0.005	0.01	0.04	< 0.005	< 0.005	-	< 0.005	< 0.005	-	< 0.005	-	6.64	6.64	< 0.005	< 0.005	-	6.66

Dust From Material Movemer	 nt						0.00	0.00		0.00	0.00				-		-	Γ
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Offsite	-	-	-	-	-	-	_	-	-	_	-	-	-	-	_	-	-	-
Daily, Summer (Max)	-		-	-	-	-	-	-	-		-	-	-	-	-	-	-	-
Daily, Winter (Max)	_	_	-	-			-		-	-	-	-		-		-	-	-
Worker	0.49	0.37	0.92	11.8	0.00	0.00	3.53	3.53	0.00	0.83	0.83	_	3,315	3,315	0.01	0.11	0.30	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	_
Average Daily	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-
Worker	0.01	0.01	0.02	0.27	0.00	0.00	0.08	0.08	0.00	0.02	0.02	_	72.4	72.4	< 0.005	< 0.005	0.11	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	-
Annual	-	-	-	-	-	-	-	-	-	-	-	-	_	-	-	-	-	-
Worker	< 0.005	< 0.005	< 0.005	0.05	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	-	12.0	12.0	< 0.005	< 0.005	0.02	_
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	-

3.5. Demolition (2025) - Unmitigated

		(,	· j, j.		,	(.		J,		,							
Location	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	СО2Т	CH4	N2O	R	CO2e
Onsite	_	_	_	_	_	_	_	-	_	_	_	_	_	_	_	_	_	_

Daily, Summer (Max)	-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Daily, Winter (Max)	-				-		-		-	-	-		-	-			-	
Dust From Material Movemen	_ t		-				< 0.005	< 0.005	-	< 0.005	< 0.005							
Demolitio n	-	-	-	-	-	-	3.24	3.24	-	0.49	0.49	-	-	-	-	-	-	-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Average Daily	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dust From Material Movemen	_ t						< 0.005	< 0.005		< 0.005	< 0.005	-						Ī
Demolitio n	-		-	-	-	-	0.18	0.18	-	0.03	0.03	-	1		-	-	-	-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Annual	_	_	_	_	-	_	_	_	_	_	_	_	-	_	_	_	_	_
Dust From Material Movemen	_ t						< 0.005	< 0.005	_	< 0.005	< 0.005							
Demolitio n	_	-	-	-	-	-	0.03	0.03	_	< 0.005	< 0.005	-	-	-	-	-	-	-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Offsite	_	_	_	_	-	_	_	_	_	_	_	_	_	_	_	_	_	_

Daily, Summer (Max)	-		-		-		-				-	-		_	_		-	-
Daily, Winter (Max)	-		-			-	-			-		-	-	-	-		-	-
Worker	0.51	0.39	1.14	13.7	0.00	0.00	3.53	3.53	0.00	0.83	0.83	_	3,452	3,452	0.12	0.11	0.37	-
Vendor	0.52	0.12	6.59	2.89	0.06	0.11	2.10	2.21	0.11	0.58	0.69	_	7,322	7,322	0.46	1.11	0.55	_
Hauling	1.70	0.23	17.3	8.55	0.10	0.20	4.26	4.46	0.20	1.17	1.37	_	15,565	15,565	1.47	2.55	0.87	_
Average Daily	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Worker	0.03	0.02	0.07	0.80	0.00	0.00	0.19	0.19	0.00	0.05	0.05	-	192	192	0.01	0.01	0.33	-
Vendor	0.03	0.01	0.37	0.16	< 0.005	0.01	0.11	0.12	0.01	0.03	0.04	_	401	401	0.02	0.06	0.51	_
Hauling	0.09	0.01	0.96	0.47	0.01	0.01	0.23	0.24	0.01	0.06	0.07	_	853	853	0.08	0.14	0.80	_
Annual	-	-	-	-	-	_	-	_	-	_	-	_	-	-	-	_	_	_
Worker	0.01	< 0.005	0.01	0.15	0.00	0.00	0.04	0.04	0.00	0.01	0.01	_	31.8	31.8	< 0.005	< 0.005	0.06	-
Vendor	0.01	< 0.005	0.07	0.03	< 0.005	< 0.005	0.02	0.02	< 0.005	0.01	0.01	-	66.4	66.4	< 0.005	0.01	0.08	_
Hauling	0.02	< 0.005	0.18	0.09	< 0.005	< 0.005	0.04	0.04	< 0.005	0.01	0.01	_	141	141	0.01	0.02	0.13	_

3.6. Demolition (2025) - Mitigated

Location	TOG	ROG		СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	_	_	_	_	_	_	_	_	_	_	_	_	_	-	_	_	_	_
Daily, Summer (Max)	_	_						_				_			_		_	
Daily, Winter (Max)	_		_		_				_								_	

Dust From Material Movement	-	T				T	< 0.005	< 0.005		< 0.005	< 0.005				Г	-		
Demolitio n		-	-	-	F	-	3.24	3.24	-	0.49	0.49	-	-	-	-	-	-	-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Average Daily	_	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dust From Material Movement	_ t		-			-	< 0.005	< 0.005	-	< 0.005	< 0.005							
Demolitio n	_	-	-	-	-	-	0.18	0.18	-	0.03	0.03	-	-	-	-	-	-	-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Dust From Material Movement	 t		-	-	-	-	< 0.005	< 0.005		< 0.005	< 0.005	-	-			-	-	
Demolitio n	-	-	-	-	1-	-	0.03	0.03	-	< 0.005	< 0.005	-	1-	-	1-	1-	-	-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Offsite	_	-	1-	1-	1-	1-	1-	-	-	1-	1-	-	1-	1-	1-	1-	1-	-
Daily, Summer (Max)	-	-	-			-	_	-	-	-	-	-	-		-	-	-	-
Daily, Winter (Max)	-	-	1	T					-	-	-	-		-			-	
Worker	0.51	0.39	1.14	13.7	0.00	0.00	3.53	3.53	0.00	0.83	0.83	_	3,452	3,452	0.12	0.11	0.37	_

Vendor	0.52	0.12	6.59	2.89	0.06	0.11	2.10	2.21	0.11	0.58	0.69	-	7,322	7,322	0.46	1.11	0.55	_
Hauling	1.70	0.23	17.3	8.55	0.10	0.20	4.26	4.46	0.20	1.17	1.37	-	15,565	15,565	1.47	2.55	0.87	_
Average Daily	-	-	-	1	-	-	-		-		-		-	_	-	-	-	-
Worker	0.03	0.02	0.07	0.80	0.00	0.00	0.19	0.19	0.00	0.05	0.05	1-	192	192	0.01	0.01	0.33	-
Vendor	0.03	0.01	0.37	0.16	< 0.005	0.01	0.11	0.12	0.01	0.03	0.04	_	401	401	0.02	0.06	0.51	-
Hauling	0.09	0.01	0.96	0.47	0.01	0.01	0.23	0.24	0.01	0.06	0.07	-	853	853	0.08	0.14	0.80	-
Annual	-	-	-	I -	_	_	-	I -	_	-	-	-	-	-	-	_	_	-
Worker	0.01	< 0.005	0.01	0.15	0.00	0.00	0.04	0.04	0.00	0.01	0.01	-	31.8	31.8	< 0.005	< 0.005	0.06	-
Vendor	0.01	< 0.005	0.07	0.03	< 0.005	< 0.005	0.02	0.02	< 0.005	0.01	0.01	-	66.4	66.4	< 0.005	0.01	0.08	-
Hauling	0.02	< 0.005	0.18	0.09	< 0.005	< 0.005	0.04	0.04	< 0.005	0.01	0.01	_	141	141	0.01	0.02	0.13	

3.7. Building Construction (2025) - Unmitigated

Location	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	_	-	-	-	_	_	í-	-	-	-	-	-	_	-	-	1	-	-
Daily, Summer (Max)	-						-	-		-	-	-	-	-	-	-	-	-
Off-Road Equipmer		1.13	8.28	32.0	0.06	0.42	-	0.42	0.39	-	0.39	-	6,142	6,142	0.25	0.05	-	6,163
Dust From Material Movemen	 t				-		1.91	1.91		0.90	0.90	_		-			-	
Architect ural Coatings	_	0.48						-	-	-	-	-	-	-	-			-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-

Daily, Winter (Max)	-	-	1	1	-	-	1	1	1	-	-	1-	-	F	-	1		-
Off-Road Equipmen		1.13	8.28	32.0	0.06	0.42	-	0.42	0.39	-	0.39	-	6,142	6,142	0.25	0.05	-	6,163
Dust From Material Movemen	-	T	П	Ī		T	1.91	1.91	Ī	0.90	0.90	Ī				Ī		
Architect ural Coatings	-	0.48	-			-	-	r	-	-	-	-	-	-	-	-		-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1-	0.00	0.00	0.00	0.00	0.00	-
Average Daily	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Off-Road Equipmen		0.70	5.12	19.8	0.04	0.26	-	0.26	0.24	-	0.24	1-	3,798	3,798	0.15	0.03	-	3,811
Dust From Material Movemen	-		-		-	-	1.18	1.18	-	0.56	0.56						-	-
Architect ural Coatings	-	0.29	-	-	-	-	-	1	-	F	1	F	-		-	-	-	-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1	0.00	0.00	0.00	0.00	0.00	-
Annual	_	_	1-	_	_	_	_	_	1-	_	1-	-	_	-	-	-	_	_
Off-Road Equipmen		0.13	0.93	3.62	0.01	0.05	-	0.05	0.04	-	0.04	-	629	629	0.03	0.01	-	631
Dust From Material Movemen	_ t	-			-	-	0.22	0.22	-	0.10	0.10		-			-	-	-

Architect ural Coatings		0.05			-						-		-				-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Offsite	_	-	_	-	_	_	_	_	_	_	_	_	-	_	_	_	_	_
Daily, Summer (Max)	-	-	-				-			-	-		-			-	-	-
Worker	0.52	0.41	1.03	19.3	0.00	0.00	3.53	3.53	0.00	0.83	0.83	-	3,769	3,769	0.12	0.11	14.1	-
Vendor	0.14	0.03	1.65	0.77	0.01	0.03	0.55	0.58	0.03	0.15	0.18	_	1,920	1,920	0.12	0.29	5.58	_
Hauling	0.08	0.01	0.77	0.40	< 0.005	0.01	0.20	0.21	0.01	0.05	0.06	_	728	728	0.07	0.12	1.58	_
Daily, Winter (Max)	_		-		-	-	-		-	-	-	-	-				-	
Worker	0.51	0.39	1.14	13.7	0.00	0.00	3.53	3.53	0.00	0.83	0.83	-	3,452	3,452	0.12	0.11	0.37	-
Vendor	0.14	0.03	1.73	0.76	0.01	0.03	0.55	0.58	0.03	0.15	0.18	-	1,920	1,920	0.12	0.29	0.14	-
Hauling	0.08	0.01	0.81	0.40	< 0.005	0.01	0.20	0.21	0.01	0.05	0.06	-	728	728	0.07	0.12	0.04	-
Average Daily	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Worker	0.31	0.24	0.77	9.03	0.00	0.00	2.18	2.18	0.00	0.51	0.51	-	2,165	2,165	0.07	0.07	3.77	-
Vendor	0.08	0.02	1.08	0.47	0.01	0.02	0.34	0.36	0.02	0.09	0.11	-	1,187	1,187	0.07	0.18	1.50	-
Hauling	0.05	0.01	0.51	0.25	< 0.005	0.01	0.12	0.13	0.01	0.03	0.04	-	450	450	0.04	0.07	0.42	-
Annual	_	-	_	_	-	-	_	-	-	_	_	-	-	_	-	-	_	_
Worker	0.06	0.04	0.14	1.65	0.00	0.00	0.40	0.40	0.00	0.09	0.09	-	358	358	0.01	0.01	0.62	-
Vendor	0.02	< 0.005	0.20	0.09	< 0.005	< 0.005	0.06	0.07	< 0.005	0.02	0.02	-	197	197	0.01	0.03	0.25	_
Hauling	0.01	< 0.005	0.09	0.05	< 0.005	< 0.005	0.02	0.02	< 0.005	0.01	0.01	_	74.6	74.6	0.01	0.01	0.07	

3.8. Building Construction (2025) - Mitigated

Location	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	_	<u> </u>	_	1-	<u>'</u> —	_	_	_	-	<u>'</u>	_	_	'-	<u> </u>	_	_	_	_
Daily, Summer (Max)	_		-	1	-	-	-	-		-	-	-		-		-	-	r
Off-Road Equipmen		1.13	8.28	32.0	0.06	0.42	-	0.42	0.39	-	0.39	-	6,142	6,142	0.25	0.05	-	6,163
Dust From Material Movemen	_ t						1.91	1.91		0.90	0.90							
Architect ural Coatings	_	0.48									_	-	-		-		-	-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Daily, Winter (Max)	_		_									-	-				-	
Off-Road Equipmen		1.13	8.28	32.0	0.06	0.42	-	0.42	0.39	-	0.39	-	6,142	6,142	0.25	0.05	-	6,163
Dust From Material Movemen	_ t			L			1.91	1.91		0.90	0.90			-				
Architect ural Coatings	_	0.48	-		-	-	-			-	-	-		-			-	-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Average Daily	-	-	-		-	-	-	-	-	-	-	-	1-	-	-	-	-	-
Off-Road Equipmen		0.70	5.12	19.8	0.04	0.26	-	0.26	0.24	-	0.24	-	3,798	3,798	0.15	0.03	-	3,811

Dust From Material Movement	_				_		1.18	1.18		0.56	0.56			Г				
Architect ural Coatings		0.29	-	-	-	-	-	F	-	-	-		-	-		-	-	-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Annual	_	_	_	_	1	-	_	_	_	_	_	_	_	_	_	_	_	-
Off-Road Equipmen		0.13	0.93	3.62	0.01	0.05	-	0.05	0.04	-	0.04	-	629	629	0.03	0.01	-	631
Dust From Material Movement	_	-	-		-	-	0.22	0.22		0.10	0.10		-				-	
Architect ural Coatings	_	0.05	T	T	-		-		Ī		-		-		-		-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Offsite	_	-	1-	1	-	-	_	_	_	_	_		-	-	_	_	-	-
Daily, Summer (Max)	_		1	1	-	-	-		-	-	-	-	-		ľ		-	T
Worker	0.52	0.41	1.03	19.3	0.00	0.00	3.53	3.53	0.00	0.83	0.83	_	3,769	3,769	0.12	0.11	14.1	_
Vendor	0.14	0.03	1.65	0.77	0.01	0.03	0.55	0.58	0.03	0.15	0.18	-	1,920	1,920	0.12	0.29	5.58	-
Hauling	0.08	0.01	0.77	0.40	< 0.005	0.01	0.20	0.21	0.01	0.05	0.06	_	728	728	0.07	0.12	1.58	_
Daily, Winter (Max)		-	-		-		-	L	-	F	-	F	-	F	П			Г
Worker	0.51	0.39	1.14	13.7	0.00	0.00	3.53	3.53	0.00	0.83	0.83	_	3,452	3,452	0.12	0.11	0.37	-
Vendor	0.14	0.03	1.73	0.76	0.01	0.03	0.55	0.58	0.03	0.15	0.18	1-	1,920	1,920	0.12	0.29	0.14	1-
Hauling	0.08	0.01	0.81	0.40	< 0.005	0.01	0.20	0.21	0.01	0.05	0.06	_	728	728	0.07	0.12	0.04	_

Average Daily	-	-	-	-	-	-	-	-	-		-		-	-	-	-	-	
Worker	0.31	0.24	0.77	9.03	0.00	0.00	2.18	2.18	0.00	0.51	0.51	-	2,165	2,165	0.07	0.07	3.77	-
Vendor	0.08	0.02	1.08	0.47	0.01	0.02	0.34	0.36	0.02	0.09	0.11	-	1,187	1,187	0.07	0.18	1.50	-
Hauling	0.05	0.01	0.51	0.25	< 0.005	0.01	0.12	0.13	0.01	0.03	0.04	1	450	450	0.04	0.07	0.42	-
Annual	_	-	_	_	_	-	-	1	_	-	-	-	-	-	-	_	_	-
Worker	0.06	0.04	0.14	1.65	0.00	0.00	0.40	0.40	0.00	0.09	0.09	-	358	358	0.01	0.01	0.62	-
Vendor	0.02	< 0.005	0.20	0.09	< 0.005	< 0.005	0.06	0.07	< 0.005	0.02	0.02	-	197	197	0.01	0.03	0.25	-
Hauling	0.01	< 0.005	0.09	0.05	< 0.005	< 0.005	0.02	0.02	< 0.005	0.01	0.01	_	74.6	74.6	0.01	0.01	0.07	_

3.9. Building Construction (2026) - Unmitigated

Location	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	_	Ĭ-	-	<u> </u>	1-	—	i-	-	_	_	_	-	_	1-	-	11-	1-	1-
Daily, Summer (Max)	_		-		-		-		-	-		-		-	-			
Off-Road Equipmer		1.08	7.75	32.0	0.06	0.38	-	0.38	0.36	-	0.36	-	6,145	6,145	0.25	0.05	-	6,166
Dust From Material Movemen	_ t	-			-		1.91	1.91		0.90	0.90		-	-				
Architect ural Coatings	_	0.48		-							-	-		-	-			
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Daily, Winter (Max)	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	

Off-Road Equipmen		1.08	7.75	32.0	0.06	0.38	-	0.38	0.36		0.36	1	6,145	6,145	0.25	0.05	-	6,166
Dust From Material Movement	_						1.91	1.91		0.90	0.90							ľ
Architect ural Coatings	_	0.48										-			-		-	-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Average Daily	-		_	-	-	-	-	-	-	-	-	-	-		-		-	-
Off-Road Equipmen		0.71	5.08	21.0	0.04	0.25	-	0.25	0.23	-	0.23		4,029	4,029	0.16	0.03	-	4,042
Dust From Material Movement	_						1.25	1.25		0.59	0.59							-
Architect ural Coatings	_	0.31							-									-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Annual	_	-	-	-	-	-	-	-	_	_	-	_	-	-	-	-	-	_
Off-Road Equipmen		0.13	0.93	3.83	0.01	0.05	-	0.05	0.04	-	0.04	-	667	667	0.03	0.01	-	669
Dust From Material Movement	_						0.23	0.23		0.11	0.11							
Architect ural Coatings		0.06								-	-	-						-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1-	0.00	0.00	0.00	0.00	0.00	-

Offsite	_	-	-	-	-	-	_	-	-	_	-	-	_	-	_	_	-	-
Daily, Summer (Max)	-				-		-		-	-	-		-		Ī	-		-
Worker	0.51	0.40	0.92	17.8	0.00	0.00	3.53	3.53	0.00	0.83	0.83	-	3,692	3,692	0.12	0.11	12.8	_
Vendor	0.14	0.02	1.56	0.73	0.01	0.03	0.55	0.58	0.03	0.15	0.18	-	1,888	1,888	0.10	0.29	5.15	-
Hauling	0.07	0.01	0.74	0.39	< 0.005	0.01	0.20	0.21	0.01	0.05	0.06	_	715	715	0.06	0.11	1.48	-
Daily, Winter (Max)	-		-		-		-									-		
Worker	0.50	0.38	1.03	12.7	0.00	0.00	3.53	3.53	0.00	0.83	0.83	-	3,383	3,383	0.01	0.11	0.33	_
Vendor	0.14	0.02	1.63	0.73	0.01	0.03	0.55	0.58	0.03	0.15	0.18	_	1,888	1,888	0.10	0.29	0.13	_
Hauling	0.07	0.01	0.77	0.39	< 0.005	0.01	0.20	0.21	0.01	0.05	0.06	_	715	715	0.06	0.11	0.04	_
Average Daily	-	-	-		-	-	-		-	-	-	-	-	-	-	-	-	-
Worker	0.33	0.25	0.75	8.83	0.00	0.00	2.31	2.31	0.00	0.54	0.54	-	2,249	2,249	0.01	0.08	3.62	-
Vendor	0.09	0.01	1.08	0.48	0.01	0.02	0.36	0.38	0.02	0.10	0.12	-	1,238	1,238	0.07	0.19	1.45	_
Hauling	0.05	< 0.005	0.51	0.26	< 0.005	0.01	0.13	0.14	0.01	0.04	0.04	_	469	469	0.04	0.08	0.42	
Annual	_	_	-	-	-	_	-	1	_	-	-	-	-	-	1-	-	_	_
Worker	0.06	0.05	0.14	1.61	0.00	0.00	0.42	0.42	0.00	0.10	0.10	-	372	372	< 0.005	0.01	0.60	-
Vendor	0.02	< 0.005	0.20	0.09	< 0.005	< 0.005	0.07	0.07	< 0.005	0.02	0.02	-	205	205	0.01	0.03	0.24	_
Hauling	0.01	< 0.005	0.09	0.05	< 0.005	< 0.005	0.02	0.02	< 0.005	0.01	0.01	_	77.6	77.6	0.01	0.01	0.07	-

3.10. Building Construction (2026) - Mitigated

Location	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	-	_	_	_	_	_	_	_	_	-	_	_	_	-	_	_		_
Daily, Summer (Max)	-	-	_		-	-			_		_	-	-	-	-	-	-	-

Off-Road Equipmen		1.08	7.75	32.0	0.06	0.38	_	0.38	0.36		0.36		6,145	6,145	0.25	0.05	_	6,166
Dust From Material Movemen	_ t		-				1.91	1.91		0.90	0.90							
Architect ural Coatings	_	0.48																
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Daily, Winter (Max)	_																	
Off-Road Equipmen		1.08	7.75	32.0	0.06	0.38	-	0.38	0.36	-	0.36	-	6,145	6,145	0.25	0.05	-	6,166
Dust From Material Movemen	_ t						1.91	1.91		0.90	0.90							-
Architect ural Coatings	_	0.48								-								-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Average Daily	-	-	-		_	-			_	-	-		-	-	1		-	-
Off-Road Equipmen		0.71	5.08	21.0	0.04	0.25	-	0.25	0.23	-	0.23	-	4,029	4,029	0.16	0.03	-	4,042
Dust From Material Movemen	_ t						1.25	1.25		0.59	0.59							
Architect ural Coatings		0.31	-	1	-	-		1	-	-	-	-	-	-	-	l-	-	-

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Annual	_	_	_	-	_	_	_	_	_	_	-	-	-	_	-	_	_	_
Off-Road Equipmer		0.13	0.93	3.83	0.01	0.05	-	0.05	0.04	-	0.04	-	667	667	0.03	0.01	-	669
Dust From Material Movemen	 t		-		-	-	0.23	0.23		0.11	0.11				T			
Architect ural Coatings		0.06	-			-	-				-							
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Offsite	-	_	_	-	_	-	-	_	-	_	_	-	-	-	-	_	_	-
Daily, Summer (Max)	-	-	-		-	-	-				-	-	-		F			-
Worker	0.51	0.40	0.92	17.8	0.00	0.00	3.53	3.53	0.00	0.83	0.83	_	3,692	3,692	0.12	0.11	12.8	_
Vendor	0.14	0.02	1.56	0.73	0.01	0.03	0.55	0.58	0.03	0.15	0.18	_	1,888	1,888	0.10	0.29	5.15	_
Hauling	0.07	0.01	0.74	0.39	< 0.005	0.01	0.20	0.21	0.01	0.05	0.06	-	715	715	0.06	0.11	1.48	-
Daily, Winter (Max)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Worker	0.50	0.38	1.03	12.7	0.00	0.00	3.53	3.53	0.00	0.83	0.83	-	3,383	3,383	0.01	0.11	0.33	_
Vendor	0.14	0.02	1.63	0.73	0.01	0.03	0.55	0.58	0.03	0.15	0.18	-	1,888	1,888	0.10	0.29	0.13	_
Hauling	0.07	0.01	0.77	0.39	< 0.005	0.01	0.20	0.21	0.01	0.05	0.06	-	715	715	0.06	0.11	0.04	_
Average Daily	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-
Worker	0.33	0.25	0.75	8.83	0.00	0.00	2.31	2.31	0.00	0.54	0.54	-	2,249	2,249	0.01	0.08	3.62	-
Vendor	0.09	0.01	1.08	0.48	0.01	0.02	0.36	0.38	0.02	0.10	0.12	-	1,238	1,238	0.07	0.19	1.45	-
Hauling	0.05	< 0.005	0.51	0.26	< 0.005	0.01	0.13	0.14	0.01	0.04	0.04	_	469	469	0.04	0.08	0.42	_

Annual	_	-	_	-	_	_	-	-	_	-	-	-	-	-	-	_	_	_
Worker	0.06	0.05	0.14	1.61	0.00	0.00	0.42	0.42	0.00	0.10	0.10	-	372	372	< 0.005	0.01	0.60	-
Vendor	0.02	< 0.005	0.20	0.09	< 0.005	< 0.005	0.07	0.07	< 0.005	0.02	0.02	_	205	205	0.01	0.03	0.24	_
Hauling	0.01	< 0.005	0.09	0.05	< 0.005	< 0.005	0.02	0.02	< 0.005	0.01	0.01	_	77.6	77.6	0.01	0.01	0.07	_

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

Land Use	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-	-			-	-		_	_	-	-		-	_		-	-	-
Unrefrige rated Warehou se-Rail	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.00	0.00	0.00	0.00	0.00	0.00
Other Non-Asph Surfaces	0.00 alt	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	-	-		1	-	-			-	-			-			1		-

Unrefrige Warehous		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Other Non-Asph Surfaces	0.00 alt	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Annual	_	-	-	-	_	_	1-	-	-	-	-	-	-	-	1-	_	_	-
Unrefrige rated Warehou se-Rail	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Other Non-Asph Surfaces	0.00 alt	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	T	0.00	0.00	0.00	0.00	0.00	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00

4.1.2. Mitigated

Land Use	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-		-	-	_				_				-	-			_	_

Unrefrige rated	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Other Non-Asph Surfaces	0.00 alt	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	_	-			-		-	-			-							-
Unrefrige rated Warehou se-Rail	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Other Non-Asph Surfaces	0.00 alt	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Annual	_	-	-	-	-	-	-	-	-	-	-	-	1-	-	-	-	-	-
Unrefrige rated Warehou se-Rail	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.00	0.00	0.00	0.00	0.00	0.00
Other Non-Asph Surfaces	0.00 alt	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00

Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.00	0.00	0.00	0.00	0.00	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

Land Use	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-	-		-	1-		-		-		-		-		Ė	-	-	
Unrefrige rated Warehou se-Rail			-					-	-	-	-		5,015	5,015	0.34	0.04	-	5,036
Other Non-Asph Surfaces									-		-	-	0.00	0.00	0.00	0.00		0.00
Parking Lot	-	-	-			_	-	-	_	_	-	-	0.00	0.00	0.00	0.00		0.00
Other Asphalt Surfaces			-			-			-	_	-	-	0.00	0.00	0.00	0.00	-	0.00
Total	_	-	-	-	-	_	-	-	_	_	_	-	5,015	5,015	0.34	0.04	-	5,036
Daily, Winter (Max)	-				7				_	_	-	-	-	-			-	

Unrefrige — rated Warehou		-		-						-		5,015	5,015	0.34	0.04		5,036
Other — Non-Asphalt Surfaces		-				-		-		-		0.00	0.00	0.00	0.00		0.00
Parking — Lot	-	-	-	-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	-	0.00
Other — Asphalt Surfaces				-			-	-	-			0.00	0.00	0.00	0.00		0.00
Total —	_	1-	-	1-		1-	-	-	1-	1-	1-	5,015	5,015	0.34	0.04	1-	5,036
Annual —	_	_	_	-	_	-	-	-	_	_	-	-	_	-	-	-	-
Unrefrige — rated Warehou se-Rail						-	r			-		830	830	0.06	0.01		834
Other — Non-Asphalt Surfaces	-		-	-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	-	0.00
Parking — Lot		1-		-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	-	0.00
Other — Asphalt Surfaces			-		-			İ		1	Ė	0.00	0.00	0.00	0.00		0.00
Total —	_	_	_	_	_	_	_	_	_	_	_	830	830	0.06	0.01	_	834

4.2.2. Electricity Emissions By Land Use - Mitigated

Land Use	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	-	_	-	-	_	_	_	-	_	-	-	_	_	_	-	-	-

Unrefrige Warehouse		-	-	-	-	-	-		-		-		0.00	0.00	0.00	0.00	-	0.00
Other Non-Aspha Surfaces	— alt	-	-	-	-	-	-	ŀ	-	F	-	-	0.00	0.00	0.00	0.00	-	0.00
Parking Lot	_	-	-	-	_	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	-	0.00
Other Asphalt Surfaces		-		-	-	F	-	-	-		-	-	0.00	0.00	0.00	0.00	-	0.00
Total	_	-	-	-	-	-	1-		-	-		-	0.00	0.00	0.00	0.00	-	0.00
Daily, Winter (Max)		-	-		-		-					-					-	
Unrefrige rated Warehou se-Rail		Ī		Ī	L	Ī			1				0.00	0.00	0.00	0.00		0.00
Other Non-Aspha Surfaces	— alt	Г	-		-	-	-		-	-	-		0.00	0.00	0.00	0.00	-	0.00
Parking Lot	_	-	-	-	-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	-	0.00
Other Asphalt Surfaces		-							-			1	0.00	0.00	0.00	0.00	-	0.00
Total	_	-	-	-	_	-	_	_	-	_	_	_	0.00	0.00	0.00	0.00	-	0.00
Annual	_	_	-	_	-	_	-	_	-	_	-	-	-	_	-	-	-	_
Unrefrige rated Warehou se-Rail												-	0.00	0.00	0.00	0.00		0.00
Other Non-Aspha Surfaces	— alt	-			-				-			-	0.00	0.00	0.00	0.00	-	0.00

Parking Lot	-	-	-	-	_	-	-	-	_	-	-	-	0.00	0.00	0.00	0.00	-	0.00
Other Asphalt Surfaces		-		_	-				_	_		-	0.00	0.00	0.00	0.00	-	0.00
Total	_	_	_	-	_	-	_	_	_	_	_	_	0.00	0.00	0.00	0.00	_	0.00

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

Land Use	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	-	-		-	-	-	-	-	_	-	-	-	-	-	-	-	-
Unrefrige rated Warehou se-Rail	0.02	0.01	0.20	0.17	< 0.005	0.02		0.02	0.02		0.02		244	244	0.02	< 0.005		244
Other Non-Asph Surfaces	0.00 alt	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	-	0.00		0.00	0.00	0.00	0.00	_	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	-	0.00	-	0.00	0.00	0.00	0.00	-	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	_	0.00	-	0.00	0.00	0.00	0.00	-	0.00
Total	0.02	0.01	0.20	0.17	< 0.005	0.02	-	0.02	0.02	-	0.02	-	244	244	0.02	< 0.005	-	244
Daily, Winter (Max)	_		_				-			_	-	-	-	-			-	-
Unrefrige rated Warehou se-Rail	0.02	0.01	0.20	0.17	< 0.005	0.02		0.02	0.02		0.02		244	244	0.02	< 0.005		244

	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Non-Asph Surfaces	alt																	
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	-	0.00	-	0.00	0.00	0.00	0.00	-	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00		0.00		0.00	0.00	0.00	0.00	-	0.00
Total	0.02	0.01	0.20	0.17	< 0.005	0.02	_	0.02	0.02	-	0.02	-	244	244	0.02	< 0.005	-	244
Annual	_	-	-	-	-	-	_	-	_	-	_	-	-	-	_	-	-	-
Unrefrige rated Warehou se-Rail	< 0.005	< 0.005	0.04	0.03	< 0.005	< 0.005	-	< 0.005	< 0.005		< 0.005	-	40.3	40.3	< 0.005	< 0.005	-	40.5
Other Non-Asph Surfaces	0.00 alt	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	-	0.00	-	0.00	0.00	0.00	0.00		0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	-	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	-	0.00	-	0.00	0.00	0.00	0.00	-	0.00
Total	< 0.005	< 0.005	0.04	0.03	< 0.005	< 0.005	_	< 0.005	< 0.005	_	< 0.005	_	40.3	40.3	< 0.005	< 0.005	_	40.5

4.2.4. Natural Gas Emissions By Land Use - Mitigated

Land Use	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)							_							_	_		_	

Unrefrige rated Warehou se-Rail	0.02	0.01	0.20	0.17	< 0.005	0.02	-	0.02	0.02 —	0.02		244	244	0.02	< 0.005	-	244
Other Non-Asph Surfaces	0.00 alt	0.00	0.00	0.00	0.00	0.00		0.00	0.00 —	0.00		0.00	0.00	0.00	0.00	-	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00 —	0.00	-	0.00	0.00	0.00	0.00	-	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00 —	0.00	-	0.00	0.00	0.00	0.00	-	0.00
Total	0.02	0.01	0.20	0.17	< 0.005	0.02	_	0.02	0.02 —	0.02	-	244	244	0.02	< 0.005	_	244
Daily, Winter (Max)		-	-		-	-	-				-		-	-	-	-	
Unrefrige rated Warehou se-Rail	0.02	0.01	0.20	0.17	< 0.005	0.02	Ī	0.02	0.02 —	0.02		244	244	0.02	< 0.005	-	244
Other Non-Asph Surfaces	0.00 alt	0.00	0.00	0.00	0.00	0.00		0.00	0.00 —	0.00	-	0.00	0.00	0.00	0.00	-	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00 —	0.00	-	0.00	0.00	0.00	0.00	-	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00		0.00	0.00 —	0.00		0.00	0.00	0.00	0.00	-	0.00
Total	0.02	0.01	0.20	0.17	< 0.005	0.02	-	0.02	0.02 —	0.02	-	244	244	0.02	< 0.005	-	244
Annual	_	-	-	-	-	_	-	-		-	_	-	_	-	-	_	-
Unrefrige rated Warehou se-Rail	< 0.005	< 0.005	0.04	0.03	< 0.005	< 0.005	-	< 0.005	< 0.005 —	< 0.005		40.3	40.3	< 0.005	< 0.005	_	40.5

Other Non-Asph Surfaces	0.00 nalt	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00		0.00		0.00	0.00	0.00	0.00	-	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	-	0.00	-	0.00	0.00	0.00	0.00	-	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00		0.00	0.00		0.00		0.00	0.00	0.00	0.00	-	0.00
Total	< 0.005	< 0.005	0.04	0.03	< 0.005	< 0.005	_	< 0.005	< 0.005	-	< 0.005	-	40.3	40.3	< 0.005	< 0.005	_	40.5

4.3. Area Emissions by Source

4.3.1. Unmitigated

Source	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_		-	<u> </u>	-	_	_		_	-	_		-	-	-	-	_	-
Consum er Products		0.87						-	-	-	-	_	-	_	-		-	
Architect ural Coatings		0.06	-		-	-	_		-		-	-		-			-	
Landsca pe Equipme nt		0.29	0.01	1.74	< 0.005	< 0.005	-	< 0.005	< 0.005		< 0.005		7.15	7.15	< 0.005	< 0.005	-	7.18
Total	0.31	1.21	0.01	1.74	< 0.005	< 0.005	_	< 0.005	< 0.005	_	< 0.005	-	7.15	7.15	< 0.005	< 0.005	-	7.18
Daily, Winter (Max)	_		-				-		_	_	_	_	-	_	-	-	-	

Consum er Products	_	0.87	-				-				-				-		-	
Architect ural Coatings	_	0.06	-	-	-		-		-		-	_	-		-	-	-	-
Total	_	0.93	_	-	_	_	-	-	_	_	_	-	_	_	_	_	_	-
Annual	_	_	_	-	-	_	_	-	_	_	_	-	_	-	_	_	_	-
Consum er Products	-	0.16	-	-	-	-	-	-	-			-	-		-		-	-
Architect ural Coatings	_	0.01	-				-	-				Ī	-		-		_	-
Landsca pe Equipme nt	0.04	0.04	< 0.005	0.22	< 0.005	< 0.005		< 0.005	< 0.005		< 0.005		0.81	0.81	< 0.005	< 0.005		0.81
Total	0.04	0.20	< 0.005	0.22	< 0.005	< 0.005	_	< 0.005	< 0.005	_	< 0.005	_	0.81	0.81	< 0.005	< 0.005	_	0.81

4.3.2. Mitigated

Source	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_		-	-	-	_			_	_	_	-	_	_	-	-		_
Consum er Products		0.87	-		_					_	-		_	_	-			_
Architect ural Coatings		0.06	-	-	-	-			_	-	-		_	_				_

Landsca pe Equipme	0.31	0.29	0.01	1.74	< 0.005	< 0.005	-	< 0.005	< 0.005	-	< 0.005	-	7.15	7.15	< 0.005	< 0.005	-	7.18
Total	0.31	1.21	0.01	1.74	< 0.005	< 0.005	-	< 0.005	< 0.005	-	< 0.005	-	7.15	7.15	< 0.005	< 0.005	-	7.18
Daily, Winter (Max)	_	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	
Consum er Products	_	0.87	-	-	-	_	-	-	-	-	-	-	-	-	-	-	-	r
Architect ural Coatings	_	0.06	-	-	-		-	-	-	-	-	-		-	-	-	-	
Total	_	0.93	_	-	_	_	_	-	_	_	_	-	-	-	_	_	_	-
Annual	_	_	-	-	_	_	_	-	_	-	_	-	-	-	-	_	-	-
Consum er Products	_	0.16	-	-	-		-	-	-	-	-	-		-	-	-	-	
Architect ural Coatings	-	0.01	-		-	-	-	-	-	-	-	-	-	-	-	-	-	
Landsca pe Equipme nt	0.04	0.04	< 0.005	0.22	< 0.005	< 0.005		< 0.005	< 0.005		< 0.005	Ī	0.81	0.81	< 0.005	< 0.005		0.81
Total	0.04	0.20	< 0.005	0.22	< 0.005	< 0.005	_	< 0.005	< 0.005	_	< 0.005	_	0.81	0.81	< 0.005	< 0.005	_	0.81

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

Land	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Use																		

Daily, Summer (Max)	-		-	-	-	-		-	-	-	-	-	-	-	-	-	-	-
Unrefrige rated Warehou se-Rail	_		-				-				-	0.00	5,040	5,040	0.35	0.04	-	5,061
Other Non-Asph Surfaces	— alt		-		-	-	-	-		-	-	0.00	0.00	0.00	0.00	0.00		0.00
Parking Lot	_	-	-	-		-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Other Asphalt Surfaces	-		-			-				-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Total	_	_	_	_	-	_	-	-	_	_	-	0.00	5,040	5,040	0.35	0.04	-	5,061
Daily, Winter (Max)	-		-		-		-				-						-	-
Unrefrige rated Warehou se-Rail	_	Ī					-	Ī		-	-	0.00	5,040	5,040	0.35	0.04		5,061
Other Non-Asph Surfaces	— alt	-	-	-	-	-	-		-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Parking Lot	-	-	-	-	-	-	-	-		-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Other Asphalt Surfaces	-	-	-	-	-	-	-		-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Total	_	_	-	-	-	-	-	_	_	-	-	0.00	5,040	5,040	0.35	0.04	_	5,061
Annual	_	_	_	_	_	_	_	_	_	_	_	_	-	_	1_	1_	_	_

Unrefrige — rated Warehou se-Rail							T		0.00	834	834	0.06	0.01		838
Other — Non-Asphalt Surfaces		-		-		-	-		0.00	0.00	0.00	0.00	0.00	-	0.00
Parking — Lot		-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Other — Asphalt Surfaces				-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Total —	 - 1-	-	_	-	-	1-	-	1-	0.00	834	834	0.06	0.01	1-	838

4.4.2. Mitigated

Land Use	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Unrefrige rated Warehou se-Rail						Ī				_	_	0.00	5,040	5,040	0.35	0.04		5,061
Other Non-Asph Surfaces	— nalt		-	Ī	-	-					-	0.00	0.00	0.00	0.00	0.00	-	0.00
Parking Lot	_	-	-	-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Other Asphalt Surfaces	_		-	Ī		-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00		0.00
Total	_	_	1_	1_	_	_	_	_	_	-	_	0.00	5,040	5,040	0.35	0.04	V-	5,061

Daily, Winter (Max)	-		-				-		-			Г	-					
Unrefrige rated Warehou se-Rail	_						-		-			0.00	5,040	5,040	0.35	0.04		5,061
Other Non-Asph Surfaces	— alt	-	-		-	-	-	-	-			0.00	0.00	0.00	0.00	0.00		0.00
Parking Lot	_	-	-	-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Other Asphalt Surfaces	_	-	-	-	-	-	-		-	-		0.00	0.00	0.00	0.00	0.00		0.00
Total	_	_	-	-	_	_	_	_	_	_	_	0.00	5,040	5,040	0.35	0.04	-	5,061
Annual	_	-	1-	-	-	-	-	-	-	-	-	1-	-	-	-	-	-	_
Unrefrige rated Warehou se-Rail	_		-		Ī		-		-	-		0.00	834	834	0.06	0.01	-	838
Other Non-Asph Surfaces	— alt		П		-			-			T	0.00	0.00	0.00	0.00	0.00	-	0.00
Parking Lot	_	-	-	-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Other Asphalt Surfaces	-		-		-	-	-	-	-		-	0.00	0.00	0.00	0.00	0.00		0.00
Total	_	_	_	_	_	_	_	-	I-	_	_	0.00	834	834	0.06	0.01	_	838

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

Land Use	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	
Unrefrige rated Warehou se-Rail			-	-					-	-		20.3	0.00	20.3	2.03	0.00		70.9
Other Non-Aspha Surfaces	— alt				-	-	-		-	-	-	0.00	0.00	0.00	0.00	0.00		0.00
Parking Lot	_	-	-	-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Other Asphalt Surfaces		-	-	-	-		-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Total	_	-	-	-	-	-	-	-	-	_	_	20.3	0.00	20.3	2.03	0.00	-	70.9
Daily, Winter (Max)			-			-	-	-	-	_	-	-	-	-	-	-	-	
Unrefrige rated Warehou se-Rail	_									-		20.3	0.00	20.3	2.03	0.00	-	70.9
Other Non-Aspha Surfaces	— alt							-		-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Parking Lot	_	-	-	-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Other Asphalt Surfaces			-	-				-			-	0.00	0.00	0.00	0.00	0.00	-	0.00
Total	_	_	_	_	_	_	_	_	_	_	_	20.3	0.00	20.3	2.03	0.00	_	70.9

Annual —	-	-	-	_	_	_	-	_	-	_	-	_	_	_	_	-	_
Unrefrige — rated Warehou se-Rail											3.35	0.00	3.35	0.34	0.00		11.7
Other — Non-Asphalt Surfaces				_							0.00	0.00	0.00	0.00	0.00		0.00
Parking — Lot	-		-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Other — Asphalt Surfaces			_	-					-		0.00	0.00	0.00	0.00	0.00	-	0.00
Total —			_	_	_	-	_	-	_	-	3.35	0.00	3.35	0.34	0.00	-	11.7

4.5.2. Mitigated

Land Use	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-		Ť.	L	-	-	-		-	-	-	-	-		Ī			-
Unrefrige rated Warehou se-Rail		-			-			_	-	-	-	20.3	0.00	20.3	2.03	0.00	-	70.9
Other Non-Asph Surfaces				T					-	-	-	0.00	0.00	0.00	0.00	0.00		0.00
Parking Lot	-	-	-	-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Other Asphalt Surfaces	-		-	r	-	-	-		-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00

Total —	_	_	-	1-	1-	_	-	_	-	- ·	20.3	0.00	20.3	2.03	0.00	-	70.9
Daily, — Winter (Max)	-			-					-							-	T
Unrefrige — rated Warehou se-Rail	_			-				-			20.3	0.00	20.3	2.03	0.00		70.9
Other — Non-Asphalt Surfaces				-	-	-	-		-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Parking — Lot	-	-	-	-	-		-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Other — Asphalt Surfaces	-	-		-					-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Total —	-	-	-	-	_	-	-	_	-	-	20.3	0.00	20.3	2.03	0.00	-	70.9
Annual —	_	_	_	_	_	-	_	_	_	_	-	-	_	_	_	_	_
Unrefrige — rated Warehou se-Rail	-										3.35	0.00	3.35	0.34	0.00		11.7
Other — Non-Asphalt Surfaces		T							T		0.00	0.00	0.00	0.00	0.00	-	0.00
Parking — Lot	-		-	-	-			-			0.00	0.00	0.00	0.00	0.00	-	0.00
Other — Asphalt Surfaces											0.00	0.00	0.00	0.00	0.00	-	0.00
Total —	_	_	_	_	_	_	_	_	_	_	3.35	0.00	3.35	0.34	0.00	_	11.7

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)					-	-							-	-	-	-	-	
Total	-	-	-	-	_	_	_	_	-	_	-	-	_	_	_	_	_	_
Daily, Winter (Max)	-	-	-	-	_	_	_	_	_	_	-	-	_	-	_	-	_	-
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	-
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.6.2. Mitigated

Land Use	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	-	-	-			-	-		-	-	_	_	-			-	-
Total	_	-	_	_	-	-	_	_	_	_	_	-	_	_	-		_	_
Daily, Winter (Max)	-	-	-	-	_	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	_	_	_	_	-	_	-	_	_	_	-	-	_	_	-	_	_	_
Annual	_	_	_	_	_	_	-	_	_	_	_	_	_	_	_	_	_	_
Total	-	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipme nt Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-	_				_			_		-	-	_		_		_	
Total	_	_	_	_	_	_	_	_	_	_	-	-	_	_	_	_	_	-
Daily, Winter (Max)	-	-		-	-	-			-	-	-	-	-	-	-	-	-	-
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	-	_	_	_	_	_	_	-	_	-	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.7.2. Mitigated

Equipme nt Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-	-	-	-	_		_	_			_	_	_	_	-		_	
Total	_	-	-	_	_	-	-	-	_	_	_	_	_	_	-	_	_	-
Daily, Winter (Max)	_	_	-	-	_		-	-					_	_	-		_	-
Total	_	_	_	_	_	- 1	- 1	_	_	_	_	_	_	_	_	_	-	_

Annual	_	_	_	_	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

Equipme nt Type	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)					-	-			-	-				-	-	_	-	
Fire Pump	0.87	0.79	4.11	4.01	< 0.005	0.46	0.00	0.46	0.46	0.00	0.46	0.00	403	403	0.02	< 0.005	0.00	0.00
undefine d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	404
Total	0.87	0.79	4.11	4.01	< 0.005	0.46	0.00	0.46	0.46	0.00	0.46	0.00	403	403	0.02	< 0.005	0.00	404
Daily, Winter (Max)	-		-	-	-	-	-		-	-	-	-	-	_			-	r
Fire Pump	0.87	0.79	4.11	4.01	< 0.005	0.46	0.00	0.46	0.46	0.00	0.46	0.00	403	403	0.02	< 0.005	0.00	0.00
undefine d	_	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	404
Total	0.87	0.79	4.11	4.01	< 0.005	0.46	0.00	0.46	0.46	0.00	0.46	0.00	403	403	0.02	< 0.005	0.00	404
Annual	-	1-	-	-	-	_	-	-	-	-	-	-	_	_	_	_	_	_
Fire Pump	0.16	0.14	0.75	0.73	< 0.005	0.08	0.00	0.08	0.08	0.00	0.08	0.00	66.7	66.7	< 0.005	< 0.005	0.00	0.00
undefine d	-	-	-	-	_	-	-	-	-	-	-	-	_	-	-	-	_	66.9
Total	0.16	0.14	0.75	0.73	< 0.005	0.08	0.00	0.08	0.08	0.00	0.08	0.00	66.7	66.7	< 0.005	< 0.005	0.00	66.9

4.8.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipme nt Type	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	СО2Т	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	-	-	-	-	-		-	-	-	-		-	-		-		
Fire Pump	0.87	0.79	4.11	4.01	< 0.005	0.46	0.00	0.46	0.46	0.00	0.46	0.00	403	403	0.02	< 0.005	0.00	0.00
undefine d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	404
Total	0.87	0.79	4.11	4.01	< 0.005	0.46	0.00	0.46	0.46	0.00	0.46	0.00	403	403	0.02	< 0.005	0.00	404
Daily, Winter (Max)	_		-		-	_			-		-		-	-	_	-	_	_
Fire Pump	0.87	0.79	4.11	4.01	< 0.005	0.46	0.00	0.46	0.46	0.00	0.46	0.00	403	403	0.02	< 0.005	0.00	0.00
undefine d	-	-	-	-	-	-	-	-	-	-	-	-	_	-	_	-	_	404
Total	0.87	0.79	4.11	4.01	< 0.005	0.46	0.00	0.46	0.46	0.00	0.46	0.00	403	403	0.02	< 0.005	0.00	404
Annual	_	_	_	_	_	_	_	_	_	_	_	-	_	-	_	_	-	-
Fire Pump	0.16	0.14	0.75	0.73	< 0.005	0.08	0.00	0.08	0.08	0.00	0.08	0.00	66.7	66.7	< 0.005	< 0.005	0.00	0.00
undefine d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66.9
Total	0.16	0.14	0.75	0.73	< 0.005	0.08	0.00	0.08	0.08	0.00	0.08	0.00	66.7	66.7	< 0.005	< 0.005	0.00	66.9

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

Equipme Type	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-							_	_	-				-				
Total	_	_	_	_	_	_	_	_	_	_	-	-	_	_	_	_	_	_
Daily, Winter (Max)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.9.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipme nt Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	-	-				_		-	_	-		_	_	-	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Winter (Max)	_	_	_	_	_	_	_		_	_	_	_	_	_			_	-
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	-	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetatio n	TOG	ROG	NOx	со		PM10E		PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	СО2Т	CH4	N2O	R	CO2e
Daily, Summer (Max)		_	-		-			_		-			-	-	-	_	-	-
Total	_	_	-	-	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Winter (Max)	-	-	-	-	-	-	-	_	-	-	-	-	-	-	_	_	_	-
Total	_	-	_	-	_	_	_	_	_	_	_	-	_	_	_	_	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Land Use	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-	-	-							-	_	-	_					-
Total	_	-	-	_	-	-	-	_	_	_	_	-	-	-	-	-	_	_
Daily, Winter (Max)	-	-	_	_	_	-		-	-	-	-	-	_	-	-	-	-	-
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	-	-	-	_	_	-	-	_	_	-	-	-	_	-	-	_	_	_

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Species	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-	-	-				_	_	_	-	-	-		-	-		-	-
Avoided	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	_	_	_	-	-	_	_	_	-	_	_	_	_	_	_	_	_	-
Sequest ered	-	-	-	-	-	-	-	-	_	_	-	_	-	-	_	-	_	
Subtotal	_	-	-	1	-	_	_	_	_	_	_	_	_	_	_	_	_	-
Remove d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Subtotal	_	-	-	-	-	_	_	_	-	_	-	-	-	_	1-	-	_	-
-	_	-	-	-	-	-	_	_	_	_	_	-	_	-	-	-	_	-
Daily, Winter (Max)		Г	-		-	-	-	-	-	-	-	-	-	-	-		-	
Avoided	-	-	-	-	-	-	-	_	-	-	-	_	-	-	-	_	-	_
Subtotal	_	_	_	-	-	-	_	-	-	-	-	_	-	_	-	_	-	_
Sequest ered	-	-	-	-		-	-	-	-	_	-	_	-	_	-	-	-	-
Subtotal	_	-	-	-	-	_	-	-	-	_	-	-	-	-	-	-	-	-
Remove d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Subtotal	_	_	_	-	_	_	_	_	_	_	_	_	_	-	_	-	_	-
-	-	-	-	-	_	-	-	-	-	-	-	-	-	-	-	-	-	-
Annual	_	-	-	-	-	_	-	-	-	-	_	_	-	-	-	-	-	-
Avoided	-	-	-	1-	1-	-	-	-	-	-	-	-	-	-	-	-	1-	-
Subtotal	_	_	1-	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Sequest —	_	_	-	_	-	-	_	-	_	-	-	-	_	_	_	-	_
Subtotal —	_	_	_	_	_	_	-	_	_	_	_	_	_	_	_	_	_
Remove — d	-	-	-	_	_	-		-	-	-	-	_	_	-	_	-	-
Subtotal —	-	-	-	_	_	-	-	-	-	-	-	_	_	_	-	-	-
			_	_	_	_				_	_	_	_	_	_	_	_

4.10.4. Soil Carbon Accumulation By Vegetation Type - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetatio n	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_			_								_	_		_		
Total	-	_	_	_	_	_	_	_	_	_	_	_	_	_	-	_	_	_
Daily, Winter (Max)	-	_	_	_	_													
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	-	_	_	_	_	_	_	_	_	-	_	_	_	_

4.10.5. Above and Belowground Carbon Accumulation by Land Use Type - Mitigated

Land	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Use																		
030																		
Daily,	_		_						_				_	_	_	_	_	
Summer																		
(Max)																		
,																		
Total	_	_	_			_	_	_	_	_	_	_		_	_		_	_

Daily, Winter (Max)	_	-	-		-	-			_				-					
Total	_	-	-	-	_	_	-	_	_	_	_	-	_	_	-	_	_	_
Annual	_	_	-	_	_	-	_	_	_	-	_	_	_	_	_	_	_	==1
Total	-	-	-	-	-	-	-	-	_	-	_	-	_	-	-	-	_	_

4.10.6. Avoided and Sequestered Emissions by Species - Mitigated

Species	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T		PM2.5D		BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-	_	-				-	-	-	-	-	-	-	-	-			-
Avoided	_	_	-	-	-	_	-	_	_	_	_	_	_	_	-	_	_	_
Subtotal	_	-	-	-	-	-	-	-	_	_	_	_	-	-	-	-	_	-
Sequest ered	-	-	-	-	-	-	-	-	-	_	-	-	-	-	-	-	_	-
Subtotal	-	-	-	-	-	_	_	_	-	_	_	-	_	_	-	-	-	-
Remove d	-	-	-	-	-	-	-	-	-	_	-	-	-	-	-	-	-	-
Subtotal	_	-	-	-	-	-	-	-	-	-	_	_	-	_	-	-	-	-
-	_	_	-	-		_	_	_	_	-	-	-	_	-	-	-	_	_
Daily, Winter (Max)	-		-			-	-		_	_	-	-	-		-		-	
Avoided	-	-	1-	1-	-	-	-	-	-	_	-	-	_	-	1-	1-	-	_
Subtotal	-	-	-	-	-	_	-	_	-	_	-	-	_	-	-	-	_	-
Sequest ered	-		-		-	-	-	-	-	-	-	-	-	-	-	-	_	-
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Remove d	-	-	_		-	-	-	_	_	_	-	_	_	_	_	-	_	_
Subtotal	_	-	-	1-	1-	-	1-	-	-	-	-	1-	_	-	_	_	_	_
- 1	_	_	_	-	_	_	-	_	_	_	_	_	_	_	_	_	_	_
Annual	_	-	1	-	_	_	-	-	-	-	-	-	_	_	_	_	_	_
Avoided	_	<u> </u> -	_	1	-	_	_	<u> </u> -	_	_	_	_	_	_	_	_	_	_
Subtotal	_	-	-	1-	1-	-	-	-	-	-	-	-	_	_	_	_	_	_
Sequest ered	_	-	-		-	-	-	-	-	-	-	-	_	_	-	-	-	-
Subtotal	_	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remove d	-	-	-	-	-	-	-	-	-	-	-	-	-	_	-	-	_	-
Subtotal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	J-
_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

5. Activity Data

5.1. Construction Schedule

Phase Name	Phase Type	Start Date	End Date	Days Per Week	Work Days per Phase	Phase Description
Linear, Grading & Excavation	Linear, Grading & Excavation	12/1/2026	1/11/2027	5.00	30.0	Pipeline Installation
Demolition	Demolition	1/1/2025	1/29/2025	5.00	20.0	_
Building Construction	Building Construction	2/19/2025	12/1/2026	5.00	465	_

5.2. Off-Road Equipment

5.2.1. Unmitigated

Phase Name	Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor

Linear, Grading & Excavation	Bore/Drill Rigs	Diesel	Average	1.00	8.00	83.0	0.50
Linear, Grading & Excavation	Off-Highway Trucks	Diesel	Tier 4 Final	1.00	8.00	376	0.38
Linear, Grading & Excavation	Tractors/Loaders/Backh oes	Diesel	Average	1.00	4.00	84.0	0.37
Building Construction	Rubber Tired Dozers	Diesel	Tier 4 Final	1.00	8.00	367	0.40
Building Construction	Graders	Diesel	Average	1.00	8.00	148	0.41
Building Construction	Cranes	Diesel	Tier 4 Final	1.00	8.00	367	0.29
Building Construction	Tractors/Loaders/Backh oes	Diesel	Average	1.00	8.00	84.0	0.37
Building Construction	Off-Highway Trucks	Diesel	Tier 4 Final	2.00	8.00	376	0.38
Building Construction	Crawler Tractors	Diesel	Average	1.00	4.00	87.0	0.43
Building Construction	Forklifts	Diesel	Average	1.00	4.00	82.0	0.20

5.2.2. Mitigated

Phase Name	Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
Linear, Grading & Excavation	Bore/Drill Rigs	Diesel	Average	1.00	8.00	83.0	0.50
Linear, Grading & Excavation	Off-Highway Trucks	Diesel	Tier 4 Final	1.00	8.00	376	0.38
Linear, Grading & Excavation	Tractors/Loaders/Backh oes	Diesel	Average	1.00	4.00	84.0	0.37
Building Construction	Rubber Tired Dozers	Diesel	Tier 4 Final	1.00	8.00	367	0.40
Building Construction	Graders	Diesel	Average	1.00	8.00	148	0.41
Building Construction	Cranes	Diesel	Tier 4 Final	1.00	8.00	367	0.29
Building Construction	Tractors/Loaders/Backh oes	Diesel	Average	1.00	8.00	84.0	0.37
Building Construction	Off-Highway Trucks	Diesel	Tier 4 Final	2.00	8.00	376	0.38
Building Construction	Crawler Tractors	Diesel	Average	1.00	4.00	87.0	0.43

Building Construction 1 orkints Diesel Average 1.00 4.00 02.0 0.20	Building Construction	Forklifts	Diesel	Average	1.00	4.00		0.20
--	-----------------------	-----------	--------	---------	------	------	--	------

5.3. Construction Vehicles

5.3.1. Unmitigated

Phase Name	Trip Type	One-Way Trips per Day	Miles per Trip	Vehicle Mix
Demolition	_	_	_	-
Demolition	Worker	50.0	100	LDA,LDT1,LDT2
Demolition	Vendor	25.0	100	HHDT,MHDT
Demolition	Hauling	46.0	100	HHDT
Demolition	Onsite truck	_	_	HHDT
Building Construction	_	_	_	_
Building Construction	Worker	50.0	100	LDA,LDT1,LDT2
Building Construction	Vendor	6.56	100	HHDT,MHDT
Building Construction	Hauling	2.15	100	HHDT
Building Construction	Onsite truck	_	_	HHDT
Linear, Grading & Excavation	_	_	_	-
Linear, Grading & Excavation	Worker	50.0	100	LDA,LDT1,LDT2
Linear, Grading & Excavation	Vendor	0.00	10.2	HHDT,MHDT
Linear, Grading & Excavation	Hauling	0.00	100	HHDT
Linear, Grading & Excavation	Onsite truck	_	_	HHDT

5.3.2. Mitigated

Phase Name	Trip Type	One-Way Trips per Day	Miles per Trip	Vehicle Mix
Demolition	_	_	_	_
Demolition	Worker	50.0	100	LDA,LDT1,LDT2
Demolition	Vendor	25.0	100	HHDT,MHDT

Demolition	Hauling	46.0	100	HHDT
Demolition	Onsite truck	_	_	HHDT
Building Construction	_	_	_	_
Building Construction	Worker	50.0	100	LDA,LDT1,LDT2
Building Construction	Vendor	6.56	100	HHDT,MHDT
Building Construction	Hauling	2.15	100	HHDT
Building Construction	Onsite truck	_	_	HHDT
Linear, Grading & Excavation	_	_	_	-
Linear, Grading & Excavation	Worker	50.0	100	LDA,LDT1,LDT2
Linear, Grading & Excavation	Vendor	0.00	10.2	HHDT,MHDT
Linear, Grading & Excavation	Hauling	0.00	100	HHDT
Linear, Grading & Excavation	Onsite truck	_	_	HHDT

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

Non-applicable. No control strategies activated by user.

5.5. Architectural Coatings

Phase Name	Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
Building Construction	0.00	0.00	60,000	20,000	7,684

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

Phase Name	Material Imported (Cubic Yards)	Material Exported (Cubic Yards)		Material Demolished (Ton of Debris)	Acres Paved (acres)
Linear, Grading & Excavation	_	_	0.14	0.00	_
		67	/ 81		

Demolition	_	1,350	0.14	3,000	_
Building Construction	_	8,000	581	0.00	_

5.6.2. Construction Earthmoving Control Strategies

Control Strategies Applied	Frequency (per day)	PM10 Reduction	PM2.5 Reduction
Water Exposed Area	3	74%	74%

5.7. Construction Paving

Land Use	Area Paved (acres)	% Asphalt
Unrefrigerated Warehouse-Rail	0.00	0%
Other Non-Asphalt Surfaces	2.00	0%
Parking Lot	0.50	100%
User Defined Linear	0.14	100%
Other Asphalt Surfaces	0.44	100%

5.8. Construction Electricity Consumption and Emissions Factors

kWh per Year and Emission Factor (lb/MWh)

Year	kWh per Year	CO2	CH4	N2O
2025	0.00	565	0.03	< 0.005
2026	0.00	482	0.03	< 0.005
2027	0.00	482	0.03	< 0.005

5.9. Operational Mobile Sources

5.9.1. Unmitigated

La	and Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
----	--------------	---------------	----------------	--------------	------------	-------------	--------------	------------	----------

Unrefrigerated Warehouse-Rail	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Other Non-Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

5.9.2. Mitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
Unrefrigerated Warehouse-Rail	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Other Non-Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.1.2. Mitigated

5.10.2. Architectural Coatings

Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
0	0.00	60,000	20,000	7,684

5.10.3. Landscape Equipment

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	250

5.10.4. Landscape Equipment - Mitigated

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	250

5.11. Operational Energy Consumption

5.11.1. Unmitigated

Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
Unrefrigerated Warehouse-Rail	3,800,000	482	0.0330	0.0040	760,427
Other Non-Asphalt Surfaces	0.00	482	0.0330	0.0040	0.00
Parking Lot	0.00	482	0.0330	0.0040	0.00
Other Asphalt Surfaces	0.00	482	0.0330	0.0040	0.00

5.11.2. Mitigated

Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
Unrefrigerated Warehouse-Rail	0.00	482	0.0330	0.0040	760,427
Other Non-Asphalt Surfaces	0.00	482	0.0330	0.0040	0.00
Parking Lot	0.00	482	0.0330	0.0040	0.00

Other Asphalt Surfaces	0.00	482	0.0330	0.0040	0.00
------------------------	------	-----	--------	--------	------

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Unrefrigerated Warehouse-Rail	0.00	719,653,531
Other Non-Asphalt Surfaces	0.00	0.00
Parking Lot	0.00	0.00
Other Asphalt Surfaces	0.00	0.00

5.12.2. Mitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Unrefrigerated Warehouse-Rail	0.00	719,653,531
Other Non-Asphalt Surfaces	0.00	0.00
Parking Lot	0.00	0.00
Other Asphalt Surfaces	0.00	0.00

5.13. Operational Waste Generation

5.13.1. Unmitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Unrefrigerated Warehouse-Rail	37.6	-
Other Non-Asphalt Surfaces	0.00	_
Parking Lot	0.00	-
Other Asphalt Surfaces	0.00	_

5.13.2. Mitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Unrefrigerated Warehouse-Rail	37.6	_
Other Non-Asphalt Surfaces	0.00	_
Parking Lot	0.00	_
Other Asphalt Surfaces	0.00	_

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced
5.14.2. Mitigated							
Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

Equipment Type Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
5.15.2. Mitigated					

Equipment Type Fuel Type Engine Tier Number per Day Hours Per Day Horsepower Load Factor

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

Equipment Type	Fuel Type	Number per Day	Hours per Day	Hours per Year	Horsepower	Load Factor
Fire Pump	Diesel	1.00	24.0	8,760	5.00	0.73
Fire Pump	Diesel	1.00	24.0	8,760	25.0	0.73
Fire Pump	Diesel	1.00	24.0	8,760	15.0	0.73

5.16.2. Process Boilers

٠	Equipment Type	Fuel Type	Number	Boiler Rating (MMBtu/hr)	Daily Heat Input (MMBtu/day)	Annual Heat Input (MMBtu/yr)
	_darba			20101 (1011)	Dany Hoat Input (IIII Dia asy)	/

5.17. User Defined

Equipment Type	Fuel Type
_	_

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres

5.18.1.2. Mitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

Biomass Cover Type Initial Acres Final Acres

5.18.1.2. Mitigated

Biomass Cover Type	Initial Acres	Final Acres	
5.18.2. Sequestration			
5.18.2.1. Unmitigated			
Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)
5.18.2.2. Mitigated			

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	38.6	annual days of extreme heat
Extreme Precipitation	7.50	annual days with precipitation above 20 mm
Sea Level Rise	0.00	meters of inundation depth
Wildfire	35.6	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about ¾ an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider different increments of sea level rise coupled with extreme storm events. Users may select from four model simulations to view the range in potential inundation depth for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 50 meters (m) by 50 m, or about 164 feet (ft) by 164 ft.

Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	5	0	0	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	0	0	N/A
Wildfire	1	0	0	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	0	0	0	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	5	1	1	4
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	1	1	2
Wildfire	1	1	1	2
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

Indicator	Result for Project Census Tract
Exposure Indicators	_
AQ-Ozone	97.6
AQ-PM	1.68
AQ-DPM	4.41
Drinking Water	60.7
Lead Risk Housing	11.6
Pesticides	11.0
Toxic Releases	8.39
Traffic	1.35
Effect Indicators	_
CleanUp Sites	0.00
Groundwater	0.00
Haz Waste Facilities/Generators	0.00
Impaired Water Bodies	0.00
Solid Waste	11.6

Sensitive Population	-	
Asthma	63.6	
Cardio-vascular	92.9	
Low Birth Weights	66.3	
Socioeconomic Factor Indicators	_	
Education	33.5	
Housing	22.1	
Linguistic	8.49	
Poverty	67.0	
Unemployment	64.5	

7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	-
Above Poverty	54.07416913
Employed	2.34826126
Median HI	47.09354549
Education	_
Bachelor's or higher	24.38085461
High school enrollment	100
Preschool enrollment	95.7141024
Transportation	_
Auto Access	86.34672142
Active commuting	8.161170281
Social	
2-parent households	29.38534582

Voting	73.38637239
Neighborhood	-
Alcohol availability	87.1423072
Park access	51.00731426
Retail density	9.110740408
Supermarket access	10.57359168
Tree canopy	85.29449506
Housing	_
Homeownership	77.15898884
Housing habitability	49.54446298
Low-inc homeowner severe housing cost burden	35.91684845
Low-inc renter severe housing cost burden	3.708456307
Uncrowded housing	96.93314513
Health Outcomes	
Insured adults	30.92518927
Arthritis	0.0
Asthma ER Admissions	46.4
High Blood Pressure	0.0
Cancer (excluding skin)	0.0
Asthma	0.0
Coronary Heart Disease	0.0
Chronic Obstructive Pulmonary Disease	0.0
Diagnosed Diabetes	0.0
Life Expectancy at Birth	16.7
Cognitively Disabled	5.2
Physically Disabled	5.0
Heart Attack ER Admissions	10.8

Mental Health Not Good	0.0
Chronic Kidney Disease	0.0
Obesity	0.0
Pedestrian Injuries	59.1
Physical Health Not Good	0.0
Stroke	0.0
Health Risk Behaviors	_
Binge Drinking	0.0
Current Smoker	0.0
No Leisure Time for Physical Activity	0.0
Climate Change Exposures	
Wildfire Risk	87.1
SLR Inundation Area	0.0
Children	65.5
Elderly	25.8
English Speaking	82.2
Foreign-born	0.7
Outdoor Workers	31.4
Climate Change Adaptive Capacity	_
Impervious Surface Cover	94.7
Traffic Density	3.7
Traffic Access	23.0
Other Indices	
Hardship	62.9
Other Decision Support	_
2016 Voting	81.4

7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	19.0
Healthy Places Index Score for Project Location (b)	41.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	No
Project Located in a Low-Income Community (Assembly Bill 1550)	No
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

7.4. Health & Equity Measures

No Health & Equity Measures selected.

7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

8. User Changes to Default Data

Screen	Justification
Construction: Construction Phases	Based on Client Provided data and construction schedule
Construction: Off-Road Equipment	Client Provided construction equipment list When using construction equipment greater than 150 horsepower (>150 hp), the Construction Contractor shall ensure that off-road diesel construction equipment complies with the Environmental Protection Agency (EPA)/California Air Resources Board (CARB) Tier 4 emissions standards or equivalent and shall ensure that all construction equipment is tuned and maintained in accordance with the manufacturer's specifications
Construction: Trips and VMT	Per Project applicant, the hauling trucks would travel a distance of up to 100 miles round trip, as such hauling for both the Linear, Grading & Excavation and Demolition phase was adjusted to 100 miles.

b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

No trips data available
SCAQMD Rule 1113
Export expected per Project data
SCAQMD Rule 1113
Electricity adjusted based on client provided data
Taken from 2022 Lake Analysis report

This page intentionally left blank



APPENDIX 3.7:

CALEEMOD REPLENISH BIG BEAR COMPONENT 2 MITIGATED EMISSIONS MODEL
OUTPUTS



15309-Lake Pipeline (Mitigated) Detailed Report

Table of Contents

- 1. Basic Project Information
 - 1.1. Basic Project Information
 - 1.2. Land Use Types
 - 1.3. User-Selected Emission Reduction Measures by Emissions Sector
- 2. Emissions Summary
 - 2.1. Construction Emissions Compared Against Thresholds
 - 2.2. Construction Emissions by Year, Unmitigated
 - 2.4. Operations Emissions Compared Against Thresholds
 - 2.5. Operations Emissions by Sector, Unmitigated
- 3. Construction Emissions Details
 - 3.1. Linear, Grading & Excavation (2025) Unmitigated
 - 3.3. Linear, Grading & Excavation (2026) Unmitigated
 - 3.5. Linear, Drainage, Utilities, & Sub-Grade (2026) Unmitigated
 - 3.7. Demolition (2025) Unmitigated

- 4. Operations Emissions Details
 - 4.1. Mobile Emissions by Land Use
 - 4.1.1. Unmitigated
 - 4.2. Energy
 - 4.2.1. Electricity Emissions By Land Use Unmitigated
 - 4.2.3. Natural Gas Emissions By Land Use Unmitigated
 - 4.3. Area Emissions by Source
 - 4.3.1. Unmitigated
 - 4.4. Water Emissions by Land Use
 - 4.4.1. Unmitigated
 - 4.5. Waste Emissions by Land Use
 - 4.5.1. Unmitigated
 - 4.6. Refrigerant Emissions by Land Use
 - 4.6.1. Unmitigated
 - 4.7. Offroad Emissions By Equipment Type
 - 4.7.1. Unmitigated
 - 4.8. Stationary Emissions By Equipment Type

- 4.8.1. Unmitigated
- 4.9. User Defined Emissions By Equipment Type
 - 4.9.1. Unmitigated
- 4.10. Soil Carbon Accumulation By Vegetation Type
 - 4.10.1. Soil Carbon Accumulation By Vegetation Type Unmitigated
 - 4.10.2. Above and Belowground Carbon Accumulation by Land Use Type Unmitigated
 - 4.10.3. Avoided and Sequestered Emissions by Species Unmitigated
- 5. Activity Data
 - 5.1. Construction Schedule
 - 5.2. Off-Road Equipment
 - 5.2.1. Unmitigated
 - 5.3. Construction Vehicles
 - 5.3.1. Unmitigated
 - 5.4. Vehicles
 - 5.4.1. Construction Vehicle Control Strategies
 - 5.5. Architectural Coatings
 - 5.6. Dust Mitigation

- 5.6.1. Construction Earthmoving Activities
- 5.6.2. Construction Earthmoving Control Strategies
- 5.7. Construction Paving
- 5.8. Construction Electricity Consumption and Emissions Factors
- 5.9. Operational Mobile Sources
 - 5.9.1. Unmitigated
- 5.10. Operational Area Sources
 - 5.10.1. Hearths
 - 5.10.1.1. Unmitigated
 - 5.10.2. Architectural Coatings
 - 5.10.3. Landscape Equipment
- 5.11. Operational Energy Consumption
 - 5.11.1. Unmitigated
- 5.12. Operational Water and Wastewater Consumption
 - 5.12.1. Unmitigated
- 5.13. Operational Waste Generation
 - 5.13.1. Unmitigated

- 5.14. Operational Refrigeration and Air Conditioning Equipment
 - 5.14.1. Unmitigated
- 5.15. Operational Off-Road Equipment
 - 5.15.1. Unmitigated
- 5.16. Stationary Sources
 - 5.16.1. Emergency Generators and Fire Pumps
 - 5.16.2. Process Boilers
- 5.17. User Defined
- 5.18. Vegetation
 - 5.18.1. Land Use Change
 - 5.18.1.1. Unmitigated
 - 5.18.1. Biomass Cover Type
 - 5.18.1.1. Unmitigated
 - 5.18.2. Sequestration
 - 5.18.2.1. Unmitigated
- 6. Climate Risk Detailed Report
 - 6.1. Climate Risk Summary

- 6.2. Initial Climate Risk Scores
- 6.3. Adjusted Climate Risk Scores
- 6.4. Climate Risk Reduction Measures
- 7. Health and Equity Details
 - 7.1. CalEnviroScreen 4.0 Scores
 - 7.2. Healthy Places Index Scores
 - 7.3. Overall Health & Equity Scores
 - 7.4. Health & Equity Measures
 - 7.5. Evaluation Scorecard
 - 7.6. Health & Equity Custom Measures
- 8. User Changes to Default Data

1. Basic Project Information

1.1. Basic Project Information

Data Field	Value Value	
Project Name	15309-Lake Pipeline (Mitigated)	
Construction Start Date	5/1/2025	
Operational Year	2027	
Lead Agency	_	
Land Use Scale	Project/site	
Analysis Level for Defaults	County	
Windspeed (m/s)	2.50	
Precipitation (days)	1.80	
Location	34.269428, -116.815824	
County	San Bernardino-South Coast	
City	Unincorporated	
Air District	South Coast AQMD	
Air Basin	South Coast	
TAZ	5156	
EDFZ	10	
Electric Utility	Bear Valley Electric Service	
Gas Utility	Southwest Gas Corp.	
App Version	2022.1.1.18	

1.2. Land Use Types

1	Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq	Special Landscape	Population	Description
ı						ft)	Area (sq ft)		

User Defined Linear	3.78	Mile	2.06	0.00	_	_	-	-
Other Non-Asphalt Surfaces	1.00	Acre	1.00	0.00	0.00	-	-	-

1.3. User-Selected Emission Reduction Measures by Emissions Sector

No measures selected

2. Emissions Summary

2.1. Construction Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_		-								-	-		_		-	-	
Unmit.	3.07	1.09	26.1	30.8	0.15	0.42	8.51	8.93	0.41	2.05	2.46	-	22,975	22,975	1.96	3.22	47.5	24,031
Daily, Winter (Max)	-		-	-		-			-			-			-	-	-	
Unmit.	2.38	1.05	19.2	31.2	0.11	0.36	5.63	5.99	0.35	1.45	1.80	-	17,145	17,145	1.26	2.04	0.86	17,776
Average Daily (Max)	-										-				-		-	
Unmit.	1.13	0.40	10.1	11.5	0.06	0.16	2.89	3.05	0.15	0.73	0.88	-	8,713	8,713	0.74	1.21	7.77	9,099
Annual (Max)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unmit.	0.21	0.07	1.85	2.10	0.01	0.03	0.53	0.56	0.03	0.13	0.16	_	1,443	1,443	0.12	0.20	1.29	1,506

2.2. Construction Emissions by Year, Unmitigated

Year	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily - Summer (Max)	-	-	-	T	-	-			-		-		-	-	-	T	-	-
2025	3.07	1.09	26.1	30.8	0.15	0.42	8.51	8.93	0.41	2.05	2.46	-	22,975	22,975	1.96	3.22	47.5	24,031
2026	0.59	0.49	3.12	12.9	0.01	0.11	1.24	1.34	0.10	0.29	0.39	_	2,467	2,467	0.09	0.05	4.47	2,489
Daily - Winter (Max)	-					_					-		_	-	-		_	_
2025	1.89	0.66	16.7	20.5	0.10	0.26	4.40	4.66	0.26	1.16	1.42	_	15,029	15,029	1.26	2.04	0.80	15,670
2026	2.38	1.05	19.2	31.2	0.11	0.36	5.63	5.99	0.35	1.45	1.80	-	17,145	17,145	1.20	2.01	0.86	17,776
Average Daily	-	-	-	-	-	-	-	-	-	- 1	-	-	-	-	_	-	_	_
2025	1.13	0.40	10.1	11.5	0.06	0.16	2.89	3.05	0.15	0.73	0.88	_	8,713	8,713	0.74	1.21	7.77	9,099
2026	0.38	0.28	2.33	6.76	0.01	0.07	0.82	0.89	0.06	0.20	0.26	_	1,845	1,845	0.07	0.11	1.51	1,880
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	
2025	0.21	0.07	1.85	2.10	0.01	0.03	0.53	0.56	0.03	0.13	0.16	_	1,443	1,443	0.12	0.20	1.29	1,506
2026	0.07	0.05	0.43	1.23	< 0.005	0.01	0.15	0.16	0.01	0.04	0.05	_	305	305	0.01	0.02	0.25	311

2.4. Operations Emissions Compared Against Thresholds

Un/Mit.	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_		_		-		_	_	_	-	-	_	_	_	_			Ī
Unmit.	0.00	0.22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	-		-	-	-				-	-	-	-	-	-	-	-	-	-
Unmit.	0.00	0.22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Average Daily (Max)		-	-		-	-	-				-						-	
Unmit.	0.00	0.22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Annual (Max)	-	-	-	-	-	-	-	-	1-	-	-		-	-	-	-	-	-
Unmit.	0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

2.5. Operations Emissions by Sector, Unmitigated

Sector	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	СО2Т	CH4	N2O	R	CO2e
Daily, Summer (Max)	-	-	-	-	-	-	_	-	-	-	-	_	-	-	-	-	-	-
Mobile	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Area	0.00	0.22	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	-	0.00	0.00	0.00	0.00	_	0.00
Energy	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Water	_	-	_	_	-	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Waste	_	_	_	_	_	_	_	-	_	_	_	0.00	0.00	0.00	0.00	0.00	-	0.00
Total	0.00	0.22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	-				-				-	-	-	-		-	-	-		
Mobile	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Area	_	0.22	_	-	-	_	_	-	_	_	-	-	_	-	-	I-	-	-
Energy	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	-	0.00	-	0.00	0.00	0.00	0.00	-	0.00
Water	-	_	-	-	-	_	_	-	-	 -	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Waste	-	_	-	-	-	-	-	-	-	_	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Total	0.00	0.22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Average Daily	_	-	1	_	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mobile	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Area	0.00	0.22	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Energy	0.00	0.00	0.00	0.00	0.00	0.00	1-	0.00	0.00	-	0.00	-	0.00	0.00	0.00	0.00	-	0.00
Water	_	-	_	-	_	-	_	-	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Waste	-	-	-	-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	_	0.00
Total	0.00	0.22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Annual	-	-	-	-	-	-	-	-	_	-	-	_	-	-	-	-	_	-
Mobile	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Area	0.00	0.04	0.00	0.00	0.00	0.00	-	0.00	0.00	-	0.00	_	0.00	0.00	0.00	0.00	<u> </u>	0.00
Energy	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Water	-	_	-	_	-	_	1-	-	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Waste	_	_	_	-	_	<u> </u>	-	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Total	0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3. Construction Emissions Details

3.1. Linear, Grading & Excavation (2025) - Unmitigated

Location	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite -	_	-	-	-	-	-	-	_	_	_	-	-	-	_	_	_	_	-
Daily, - Summer (Max)		_			-				_				_	_			_	
Off-Road (Equipment		0.36	2.84	9.69	0.02	0.10	-	0.10	0.10	-	0.10	-	1,799	1,799	0.07	0.01	-	1,805

Dust From Material	_		-		-		< 0.005	< 0.005	-	< 0.005	< 0.005	-			Г		-	
Movement	t																	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Daily, Winter (Max)	_		-		-	-	-	_	-		-	-				-	_	
Off-Road Equipmen		0.36	2.84	9.69	0.02	0.10	-	0.10	0.10	-	0.10	-	1,799	1,799	0.07	0.01	-	1,805
Dust From Material Movement	_ t		-			-	< 0.005	< 0.005	-	< 0.005	< 0.005	-					-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Average Daily	_	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Off-Road Equipmen		0.17	1.36	4.64	0.01	0.05	-	0.05	0.05	-	0.05	_	862	862	0.03	0.01	-	865
Dust From Material Movement	_ t	Ī	T				< 0.005	< 0.005	-	< 0.005	< 0.005	_			-	-	-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Annual	_	_	_	_	_	-	_	_	_	_	_	_	_	_	_	_	_	_
Off-Road Equipmen		0.03	0.25	0.85	< 0.005	0.01	-	0.01	0.01	-	0.01	-	143	143	0.01	< 0.005	-	143
Dust From Material Movement	_ t	-	Ī	L			< 0.005	< 0.005		< 0.005	< 0.005			-		-	-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-

Offsite	_	-	-	-	-	-	-	-	-	_		-	-	-	_	_	_	
Daily, Summer (Max)	-				-						-				-		-	
Worker	0.16	0.12	0.31	5.78	0.00	0.00	1.06	1.06	0.00	0.25	0.25	-	1,131	1,131	0.04	0.03	4.24	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Hauling	1.33	0.18	13.0	6.69	0.08	0.16	3.34	3.50	0.16	0.91	1.07	-	12,194	12,194	1.15	1.99	26.4	-
Daily, Winter (Max)	-		-		-		-		-	-	-			-		-		-
Worker	0.15	0.12	0.34	4.11	0.00	0.00	1.06	1.06	0.00	0.25	0.25	_	1,036	1,036	0.04	0.03	0.11	_
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	_
Hauling	1.33	0.18	13.5	6.70	0.08	0.16	3.34	3.50	0.16	0.91	1.07	_	12,195	12,195	1.15	2.00	0.69	_
Average Daily	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Worker	0.07	0.06	0.18	2.10	0.00	0.00	0.51	0.51	0.00	0.12	0.12	-	504	504	0.02	0.02	0.88	_
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Hauling	0.64	0.09	6.59	3.21	0.04	0.08	1.60	1.67	0.08	0.44	0.51	-	5,846	5,846	0.55	0.96	5.50	_
Annual	_	_	-	-	_	-	-	-	_	-	-	-	-	-	-	-	_	_
Worker	0.01	0.01	0.03	0.38	0.00	0.00	0.09	0.09	0.00	0.02	0.02	-	83.4	83.4	< 0.005	< 0.005	0.15	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	_
Hauling	0.12	0.02	1.20	0.59	0.01	0.01	0.29	0.31	0.01	0.08	0.09	1-	968	968	0.09	0.16	0.91	-

3.3. Linear, Grading & Excavation (2026) - Unmitigated

Location	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	_	_	_	_	_	_	-	-	_	-	_	_	_	-	_	_	_	_
Daily, Summer (Max)			-		-	-					-	_			-	-	-	-

Daily, Winter (Max)		-	-	-	-	_	_		_	_	_	-	-		_	_	-	
Off-Road Equipmen		0.35	2.76	9.69	0.02	0.09	-	0.09	0.09	-	0.09	-	1,800	1,800	0.07	0.01	-	1,806
Dust From Material Movemen	_ t		-		-		< 0.005	< 0.005		< 0.005	< 0.005		-				-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Average Daily	_	-	-	-	-	-	-	-	_	_	_	_	-	-	-	-	-	-
Off-Road Equipmen		0.01	0.11	0.40	< 0.005	< 0.005	-	< 0.005	< 0.005	-	< 0.005	-	74.0	74.0	< 0.005	< 0.005	-	74.2
Dust From Material Movemen	 t						< 0.005	< 0.005		< 0.005	< 0.005	_	-		Ī			
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Off-Road Equipmen		< 0.005	0.02	0.07	< 0.005	< 0.005	-	< 0.005	< 0.005	-	< 0.005	-	12.2	12.2	< 0.005	< 0.005	-	12.3
Dust From Material Movemen	_ t		Ī			-	< 0.005	< 0.005	-	< 0.005	< 0.005	_	-	-		-	-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	-
Offsite	_	_	_	-	_	_	_	_	_	_	_	_	-	-	_	-	_	_
Daily, Summer (Max)			-					-		-	-	_	-	-	_			

Daily, Winter (Max)		-	-	-		_						-					-	-
Worker	0.15	0.11	0.31	3.81	0.00	0.00	1.06	1.06	0.00	0.25	0.25	-	1,015	1,015	< 0.005	0.03	0.10	_
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Hauling	1.25	0.10	13.0	6.54	0.08	0.16	3.34	3.50	0.16	0.91	1.07	-	11,972	11,972	1.07	1.92	0.64	-
Average Daily	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Worker	0.01	< 0.005	0.01	0.17	0.00	0.00	0.04	0.04	0.00	0.01	0.01	-	42.3	42.3	< 0.005	< 0.005	0.07	_
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Hauling	0.05	< 0.005	0.54	0.27	< 0.005	0.01	0.14	0.14	0.01	0.04	0.04	-	492	492	0.04	0.08	0.44	-
Annual	-	_	_	-	-	_	-	-	-	-	-	-	-	-	-	_	_	-
Worker	< 0.005	< 0.005	< 0.005	0.03	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	-	7.00	7.00	< 0.005	< 0.005	0.01	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Hauling	0.01	< 0.005	0.10	0.05	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	-	81.5	81.5	0.01	0.01	0.07	_

3.5. Linear, Drainage, Utilities, & Sub-Grade (2026) - Unmitigated

Location	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	_	-	-	<u> </u>	-	_	-	1-	-	-	-	-	-	-	-	1	-	-
Daily, Summer (Max)	-		Т	-	-	-	-	-	-	-	-	-	-	-	-			
Off-Road Equipmen		0.35	2.80	6.68	0.01	0.11	-	0.11	0.10	_	0.10	-	1,175	1,175	0.05	0.01	-	1,179
Dust From Material Movemen	_ t						0.00	0.00		0.00	0.00						-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	-

Daily, Winter (Max)	_		-		_						-		-				_	
Off-Road Equipmen		0.35	2.80	6.68	0.01	0.11	-	0.11	0.10	-	0.10	-	1,175	1,175	0.05	0.01	-	1,179
Dust From Material Movemen	_ t						0.00	0.00	-	0.00	0.00		-				_	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Average Daily	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-
Off-Road Equipmen		0.18	1.46	3.48	0.01	0.06	-	0.06	0.05	-	0.05	-	612	612	0.02	< 0.005	-	614
Dust From Material Movemen	_ t						0.00	0.00		0.00	0.00						-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	-
Annual	_	-	1-	-	-	_	_	-	-	_	_	-	_	-	_	_	-	_
Off-Road Equipmen		0.03	0.27	0.63	< 0.005	0.01	-	0.01	0.01	-	0.01	-	101	101	< 0.005	< 0.005	-	102
Dust From Material Movemen	_ t	-			-	-	0.00	0.00	-	0.00	0.00	-	-	-	-	-	-	-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Offsite	_	_	_	_	_	_	_	_	_	-	_	_	_	-	_	_	_	_
Daily, Summer (Max)	-				-				-	-	-	-	-	-		-	-	-
Worker	0.18	0.14	0.32	6.23	0.00	0.00	1.24	1.24	0.00	0.29	0.29	_	1,292	1,292	0.04	0.04	4.47	_

Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	-
Daily, Winter (Max)	-				-		-		-		-		-		_	_	-	Ī
Worker	0.17	0.13	0.36	4.44	0.00	0.00	1.24	1.24	0.00	0.29	0.29	-	1,184	1,184	< 0.005	0.04	0.12	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	_
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Average Daily	-	-	-	-	-		-	1	-	-	-	-	-	-	-	-	-	-
Worker	0.09	0.07	0.21	2.45	0.00	0.00	0.64	0.64	0.00	0.15	0.15	-	625	625	< 0.005	0.02	1.01	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Annual	_	_	_	-	_	_	_	_	_	-	_	-	_	_	_	-	_	_
Worker	0.02	0.01	0.04	0.45	0.00	0.00	0.12	0.12	0.00	0.03	0.03	-	103	103	< 0.005	< 0.005	0.17	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	_
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	_

3.7. Demolition (2025) - Unmitigated

Location T	rog	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite -		_	_	_	_	_	_	-	_	_	_	-	_	_	_	_	_	_
Daily, - Summer (Max)	_	_	-		_				_									_
Off-Road 0 Equipment).34	0.28	2.32	2.77	< 0.005	0.06	-	0.06	0.06	-	0.06	-	366	366	0.01	< 0.005	_	368
Demolitio –	-	-	-	-	-	-	1.81	1.81	-	0.27	0.27	-	-	-	-	-	-	-

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Daily, Winter (Max)	_	-		-	-	_	-		-	-	-		-	-		_	-	-
Average Daily	_	-	-	-	-	-	-	-	_	-	-	-	-	-	-	-	-	-
Off-Road Equipmen		0.05	0.44	0.53	< 0.005	0.01	-	0.01	0.01	-	0.01	-	70.3	70.3	< 0.005	< 0.005	-	70.5
Demolitio n	-	-	-	-	-	-	0.35	0.35	-	0.05	0.05	-	-	-	-	-	-	-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	Н
Annual	_	_	-	_	-	_	_	_	_	_	_	_	-	_	-	_	-	_
Off-Road Equipmen		0.01	0.08	0.10	< 0.005	< 0.005	-	< 0.005	< 0.005	-	< 0.005	-	11.6	11.6	< 0.005	< 0.005	-	11.7
Demolitio n	-	-	-	-	-	-	0.06	0.06	-	0.01	0.01	-	-	-	-	-	-	-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Offsite	_	-	-	-	-	-	_	-	-	_	-	_	-	-	_	_	_	-
Daily, Summer (Max)	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	
Worker	0.05	0.04	0.10	1.93	0.00	0.00	0.35	0.35	0.00	0.08	0.08	_	377	377	0.01	0.01	1.41	_
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	_
Hauling	0.78	0.11	7.55	3.90	0.05	0.09	1.95	2.04	0.09	0.53	0.63	-	7,108	7,108	0.67	1.16	15.4	-
Daily, Winter (Max)	_	-	-		-	-	-		-	-	-	-	-	-	-	-	-	
Average Daily	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Worker	0.01	0.01	0.02	0.28	0.00	0.00	0.07	0.07	0.00	0.02	0.02	_	67.1	67.1	< 0.005	< 0.005	0.12	_

Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	_
Hauling	0.15	0.02	1.54	0.75	0.01	0.02	0.37	0.39	0.02	0.10	0.12	-	1,363	1,363	0.13	0.22	1.28	_
Annual	_	_	_	_	_	_	-	-	-	-	_	-	-	_	-	-	_	-
Worker	< 0.005	< 0.005	< 0.005	0.05	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	-	11.1	11.1	< 0.005	< 0.005	0.02	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	_
Hauling	0.03	< 0.005	0.28	0.14	< 0.005	< 0.005	0.07	0.07	< 0.005	0.02	0.02	_	226	226	0.02	0.04	0.21	-

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

Land Use	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	-	-	-	-	-	-	-		-	-	-	_	-		-		-
Other Non-Asph Surfaces	0.00 nalt	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.00	0.00	0.00	0.00	0.00	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	-								_		_						-	
Other Non-Asph Surfaces	0.00 nalt	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Annual	_	_	_	_	-	_	_	_	_	_	_	_	_	_	_	_	-	_

Other Non-Asp Surfaces		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-	-	-			-	-		_	-	-		-	-		-		
Other Non-Aspha Surfaces	— alt				-				-		-		0.00	0.00	0.00	0.00	-	0.00
Total	_	_	-	_	-	_	_	_	_	_	-	-	0.00	0.00	0.00	0.00	_	0.00
Daily, Winter (Max)	_		-		-		-	-	-	-	-	-	-	-	-	-		
Other Non-Aspha Surfaces	— alt		-		-				-		-		0.00	0.00	0.00	0.00		0.00
Total	_	-	1-	-	-	_	-	-	_	_	_	_	0.00	0.00	0.00	0.00	-	0.00
Annual	_	_	1	-	-	_	-	-	_	-	-	-	-	_	-	-	-	-
Other Non-Aspha Surfaces	— alt		-		-	-	_	_	_	-	-		0.00	0.00	0.00	0.00	-	0.00
Total	_	_	_	-	1-	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	1-	0.00

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

		,	,	, , , , ,		,	,	,	,	,	,							
Land Use	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	-	-	-	-	-			-	-	-		_	-	-	-	-	-
Other Non-Asph Surfaces	0.00 alt	0.00	0.00	0.00	0.00	0.00		0.00	0.00	-	0.00	-	0.00	0.00	0.00	0.00	-	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00		0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Daily, Winter (Max)	_	-	-		-	-	-		-	-	-	-	-	-	-	-	-	-
Other Non-Asph Surfaces	0.00 alt	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	-	0.00	-	0.00	0.00	0.00	0.00	-	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	_	0.00	-	0.00	0.00	0.00	0.00	- 1//	0.00
Annual	_	I-	_	I-	_	_	_	-	-	_	_	_	_	_	_	_	_	_
Other Non-Asph Surfaces	0.00 alt	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	-	0.00	-	0.00	0.00	0.00	0.00	-	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00

4.3. Area Emissions by Source

4.3.1. Unmitigated

Source	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_		_	_	_	_	_	_	_	_	

Consum er Products	-	< 0.005	-							r		Г						
Architect ural Coatings		0.22	-			-			-				-	-		-		
Landsca pe Equipme nt	0.00	0.00	0.00	0.00	0.00	0.00		0.00	0.00		0.00		0.00	0.00	0.00	0.00	-	0.00
Total	0.00	0.22	0.00	0.00	0.00	0.00	-	0.00	0.00	_	0.00	-	0.00	0.00	0.00	0.00	-	0.00
Daily, Winter (Max)	-	-	-		-	-				-		-		-	-			-
Consum er Products	-	< 0.005	-	-	-	-			-	-	-	-					-	-
Architect ural Coatings	-	0.22	-	-	-	-			-	-	-	-			-	-	-	-
Total	_	0.22	-	1-	1-	-	-	-	_	-	_	-	_	_	_	_	-	-
Annual	_	-	_	-	-	-	-	-	-	-	-	-	-	-	-	_	_	-
Consum er Products	-	< 0.005	-		-	-		-	-	-	1		-					
Architect ural Coatings	_	0.04	-		-								-				-	
Landsca pe Equipme nt	0.00	0.00	0.00	0.00	0.00	0.00		0.00	0.00		0.00		0.00	0.00	0.00	0.00		0.00
Total	0.00	0.04	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	1_	0.00

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-	_	_		_	_						_	_				-	-
Other Non-Asph Surfaces	— nalt	-	_	_	-	-	-		-			0.00	0.00	0.00	0.00	0.00	-	0.00
Total	_	_	_	_	_	_	_	-	-	_	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Daily, Winter (Max)	-	Г	Г	П	_	-	-		-		-	-	_	-	-		_	-
Other Non-Asph Surfaces	— nalt	-	-	-		-	-		-	-	-	0.00	0.00	0.00	0.00	0.00	_	0.00
Total	_	-	-	-	_	_	_	_	-	_	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Annual	_	-	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Other Non-Asph Surfaces	— nalt	-	-	-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Total	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

			(, 6.6.	, 101 0.0	<i>y</i> ,, <i>y</i> .		iai, aira	· · · · · · · · · · · · · · · · · · ·	o, c.c., .c.	J. J	, ,	o,							
Land	TO	G	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Use											_	_	_						

Daily, Summer (Max)			-				-		-		-		-	-		-	-	
Other Non-Aspha Surfaces	— alt		-						-		-	0.00	0.00	0.00	0.00	0.00	-	0.00
Total	_	_	-	_	_	_	_	_	_	-	_	0.00	0.00	0.00	0.00	0.00	-	0.00
Daily, Winter (Max)	_								-							-	-	T
Other Non-Aspha Surfaces	— alt							-	-	-		0.00	0.00	0.00	0.00	0.00	-	0.00
Total	_	_	1	<u>-</u>	-	_	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Annual	_	-	1-	1-	-	-	-	1-	-	-	-	-	-	-	-	_	-	-
Other Non-Aspha Surfaces	— alt				-			-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Total	_	-	_	-	-	-	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	-	0.00

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

Land Use	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-	_	_		-		_	_	_	_	_	-	_	-	_	-	-	
Total	_	-	-	_	_	_	_	_	_	_	-	-	_	_	-	-	_	_
Daily, Winter (Max)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Total	_	_	-	-	_	-	_	-	-	_	-	-	-	_	_	-	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

		(,	,	,		,			, , , , , , , , , , , , , , , , , , ,	,	,							
Equipme nt Type	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-	-	-	-	_	-	_	-	-	-	-	_	-	-	-	-	-	-
Total	-	_	-	-	_	_	_	_	_	_	_	_	_	_	_	_	-	_
Daily, Winter (Max)	-	-	_	_	-	_	_	_	_	_	_	_	_	-	_	_	-	-
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	- "
Total	_	_	_	_	_		_	_	_	_	_	_	_	_	_	_	_	_

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

П	Equipme	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
ш	nt																		
u	Туре																		

Daily, Summer (Max)	-		-	-	_	_					-		-	-	_	-	_	_
Total	_	-	-	-	_	-	_	-	I-	_	-	_	_	_	_	-	_	-
Daily, Winter (Max)	-	-	-	-		-		-	-		-	-	-	-	-	-	-	
Total	-	-	-	_	_	_	_	-	-	-	-	_	_	_	_	_	_	_
Annual	-	_	\ <u></u>	_	_	_	_	_	-	'-	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipme nt Type	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-	_		_	_		_	_					_	_	_	-	_	
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Winter (Max)	_	_	_	_	_	_	_		_	_	_		_	_			-	-
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_ !
Annual	-	_	_	_	_	_	-	_	_	_	-	_	-	_	_	-	_	_
Total	_	_	_	_	_	-	-	_	-	_	-	_	_	-	-	_	_	_

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetatio n	TOG	ROG		со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)			_		_	_		_		-		_	-	-	-	-	_	-
Total	_	_	-	_	_	_	_	_	_	_	_	_	_	_	_	-	_	_
Daily, Winter (Max)	-	-	-	-	_	-	_	_	_	-		_	_	-	_	-	_	-
Total	_	-	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Land Use	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-	-		-		-	-	-	_	-	-		-	-	-	_	_	-
Total	-	-	-	-	-	_	_	_	_	_	-	-	_	_	-		_	-
Daily, Winter (Max)	-	-	-	-	_	-			-	-	-	-	-	-	-	-	-	-
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	_	_	_	_	_	_	-	_	_	_	_	_	_	_	_	_	_	_
Total	-	-	-	-	_	_	-	_	_	_	-	-	_	_	-	_	_	_

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Species	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-	-	-					-	_	-	-	-	_	-		-		-
Avoided	-	-	-	-	-	-	-	-	-	-	_	-	-	_	_	_	_	-
Subtotal	_	_	_	_	-	-	_	_	-	_	_	_	_	_	_	_	_	-
Sequest ered	-	-	-			-	-	-	_	_	_	-	-	-	-	-	-	
Subtotal	-	-	-	-	-	_	_	_	_	_	_	_	_	_	_	_	_	_
Remove d	-	-	-	-	-	-	-	-	-	_	-	-	-	-	-	-	-	-
Subtotal	_	_	-	-	-	-	_	_	_	_	_	-	_	_	-	-	_	-
-	-	-	1-	-	-	-	_	_	_	_	_	_	_	-	_	-	_	-
Daily, Winter (Max)				I					-		-				T			
Avoided	-	-	-	1-	1-		-	-	_	_	-	-	-	-	I-	-	-	-
Subtotal	_	-	_	-	-	_	-	-	_	_	_	_	_	-	_	_	_	_
Sequest ered	-	-	-			-	-	-	-	-	-	-	-	-	-	-	-	-
Subtotal	-	_	-	-	-	_	-	-	_	_	_	-	_	-	_	-	_	-
Remove d	-	-	-		-	-	-	-	-	-	-	-	-	-	-		-	-
Subtotal	-	-	_	-	-	_	_	-	-	_	_	_	_	-	_	-	_	_
_	-	-	-	-	-	_	-	-	-	_	-	-	_	-	-	-	_	-
Annual	-	-	_	-	-	_	-	_	-	_	_	_	_	-	_	_	_	_
Avoided	-	-	-	-	1-	-	-	-	_	_	_	_	-	-	-	_	_	-
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Sequest —	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	-
Subtotal —	_	_	_	_	_	_	_	_	_	_	-	_	_	_	_	_	_
Remove — d	_	_	_	-	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal —	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
_	<u></u>					_	_	_							_	_	<u></u>

5. Activity Data

5.1. Construction Schedule

Phase Name	Phase Type	Start Date	End Date	Days Per Week	Work Days per Phase	Phase Description
Linear, Grading & Excavation	Linear, Grading & Excavation	5/1/2025	1/21/2026	5.00	190	_
Linear, Drainage, Utilities, & Sub-Grade	Linear, Drainage, Utilities, & Sub-Grade	1/21/2026	10/13/2026	5.00	190	-
Demolition	Demolition	5/1/2025	8/7/2025	5.00	70.0	_

5.2. Off-Road Equipment

5.2.1. Unmitigated

Phase Name	Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
Linear, Grading & Excavation	Excavators	Diesel	Average	1.00	8.00	36.0	0.38
Linear, Grading & Excavation	Tractors/Loaders/Backh oes	Diesel	Average	1.00	8.00	84.0	0.37
Linear, Grading & Excavation	Plate Compactors	Diesel	Average	1.00	8.00	8.00	0.43
Linear, Grading & Excavation	Signal Boards	Electric	Average	1.00	8.00	6.00	0.82

Linear, Grading & Excavation	Off-Highway Trucks	Diesel	Tier 4 Final	1.00	8.00	376	0.38
Linear, Drainage, Utilities, & Sub-Grade	Tractors/Loaders/Backh oes	Diesel	Average	1.00	6.00	84.0	0.37
Linear, Drainage, Utilities, & Sub-Grade	Plate Compactors	Diesel	Average	1.00	6.00	8.00	0.43
Linear, Drainage, Utilities, & Sub-Grade	Rollers	Diesel	Average	1.00	6.00	36.0	0.38
Linear, Drainage, Utilities, & Sub-Grade	Off-Highway Trucks	Diesel	Tier 4 Final	1.00	4.00	376	0.38
_inear, Drainage, Jtilities, & Sub-Grade	Excavators	Diesel	Average	1.00	4.00	36.0	0.38
Linear, Drainage, Utilities, & Sub-Grade	Pavers	Diesel	Average	1.00	2.00	81.0	0.42
Linear, Drainage, Utilities, & Sub-Grade	Plate Compactors	Diesel	Average	1.00	2.00	8.00	0.43
Demolition	Concrete/Industrial Saws	Diesel	Average	2.00	6.00	33.0	0.73

5.3. Construction Vehicles

5.3.1. Unmitigated

Phase Name	Trip Type	One-Way Trips per Day	Miles per Trip	Vehicle Mix
Linear, Grading & Excavation	_	_	_	_
Linear, Grading & Excavation	Worker	15.0	100	LDA,LDT1,LDT2
Linear, Grading & Excavation	Vendor	0.00	10.2	HHDT,MHDT
Linear, Grading & Excavation	Hauling	36.0	100	HHDT
Linear, Grading & Excavation	Onsite truck	_	_	HHDT
Linear, Drainage, Utilities, & Sub-Grade	_	_	_	_
Linear, Drainage, Utilities, & Sub-Grade	Worker	17.5	100	LDA,LDT1,LDT2
Linear, Drainage, Utilities, & Sub-Grade	Vendor	0.00	10.2	HHDT,MHDT

Linear, Drainage, Utilities	, & Sub-Grade Hauling	0.00	20.0	HHDT
Linear, Drainage, Utilities,	, & Sub-Grade Onsite truck	_	_	HHDT
Demolition	_	_	_	_
Demolition	Worker	5.00	100	LDA,LDT1,LDT2
Demolition	Vendor	_	10.2	HHDT,MHDT
Demolition	Hauling	21.0	100	HHDT
Demolition	Onsite truck	_	<u> </u>	HHDT

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

Non-applicable. No control strategies activated by user.

5.5. Architectural Coatings

1	Phase Name	Residential Interior Area Coated	Residential Exterior Area Coated	Non-Residential Interior Area	Non-Residential Exterior Area	Parking Area Coated (sq ft)
		(sq ft)			Coated (sq ft)	

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

Phase Name	Material Imported (Cubic Yards)	Material Exported (Cubic Yards)	Acres Graded (acres)	Material Demolished (Ton of Debris)	Acres Paved (acres)
Linear, Grading & Excavation	_	19,940	5.00	0.00	_
Linear, Drainage, Utilities, & Sub-Grade	_	-	5.00	0.00	-
Demolition	0.00	0.00	0.00	5,875	_

5.6.2. Construction Earthmoving Control Strategies

Control Strategies Applied	Frequency (per day)	PM10 Reduction	PM2.5 Reduction
	24	/ 42	

Water Exposed Area 3 74% 74%

5.7. Construction Paving

Land Use	Area Paved (acres)	% Asphalt
User Defined Linear	5.00	100%
Other Non-Asphalt Surfaces	66.0	0%

5.8. Construction Electricity Consumption and Emissions Factors

kWh per Year and Emission Factor (lb/MWh)

Year	kWh per Year	CO2	CH4	N2O
2025	29.4	565	0.03	< 0.005
2026	29.4	482	0.03	< 0.005

5.9. Operational Mobile Sources

5.9.1. Unmitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
Other Non-Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.2. Architectural Coatings

Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
0	0.00	0.00	0.00	172,498

5.10.3. Landscape Equipment

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	250

5.11. Operational Energy Consumption

5.11.1. Unmitigated

Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

ij	Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
	Other Non-Asphalt Surfaces	0.00	482	0.0330	0.0040	0.00

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Other Non-Asphalt Surfaces	0.00	0.00


5.13. Operational Waste Generation

5.13.1. Unmitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Other Non-Asphalt Surfaces	0.00	_

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated



5.18. Vegetation

Equipment Type

5.18.1. Land Use Change

Fuel Type

5.18.1.1. Unmitigated

Vegetation Land Use Type Vegetation Soil Type Initial Acres Final Acres

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

Biomass Cover Type Initial Acres Final Acres

5.18.2. Sequestration

5.18.2.1. Unmitigated

Tree Type Number Electricity Saved (kWh/year) Natural Gas Saved (btu/year)

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	38.6	annual days of extreme heat
Extreme Precipitation	7.50	annual days with precipitation above 20 mm
Sea Level Rise	0.00	meters of inundation depth
Wildfire	35.6	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi. Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about 3/4 an inch of rain, which would be light to moderate rainfall if received over a full

day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider different increments of sea level rise coupled with extreme storm events. Users may select from four model simulations to view the range in potential inundation depth for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 50 meters (m) by 50 m, or about 164 feet (ft) by 164 ft.

Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	5	0	0	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	0	0	N/A
Wildfire	1	0	0	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	0	0	0	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	5	1	1	4
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	1	1	2
Wildfire	1	1	1	2
Flooding	N/A	N/A	N/A	N/A

Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	1	1	1	2

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Exposure Indicators	——————————————————————————————————————
AQ-Ozone	97.6
AQ-PM	1.68
AQ-DPM	4.41
Drinking Water	60.7
Lead Risk Housing	11.6
Pesticides	11.0
Toxic Releases	8.39
Traffic	1.35
Effect Indicators	
CleanUp Sites	0.00
Groundwater	0.00
Haz Waste Facilities/Generators	0.00

Impaired Water Bodies	0.00
Solid Waste	11.6
Sensitive Population	
Asthma	63.6
Cardio-vascular	92.9
Low Birth Weights	66.3
Socioeconomic Factor Indicators	_
Education	33.5
Housing	22.1
Linguistic	8.49
Poverty	67.0
Unemployment	64.5

7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	-
Above Poverty	54.07416913
Employed	2.34826126
Median HI	47.09354549
Education	_
Bachelor's or higher	24.38085461
ligh school enrollment	100
Preschool enrollment	95.7141024
ransportation	_
Auto Access	86.34672142
Active commuting	8.161170281

Social	_
2-parent households	29.38534582
Voting	73.38637239
Neighborhood	-
Alcohol availability	87.1423072
Park access	51.00731426
Retail density	9.110740408
Supermarket access	10.57359168
Tree canopy	85.29449506
Housing	-
Homeownership	77.15898884
Housing habitability	49.54446298
Low-inc homeowner severe housing cost burden	35.91684845
Low-inc renter severe housing cost burden	3.708456307
Uncrowded housing	96.93314513
Health Outcomes	_
Insured adults	30.92518927
Arthritis	0.0
Asthma ER Admissions	46.4
High Blood Pressure	0.0
Cancer (excluding skin)	0.0
Asthma	0.0
Coronary Heart Disease	0.0
Chronic Obstructive Pulmonary Disease	0.0
Diagnosed Diabetes	0.0
Life Expectancy at Birth	16.7
Cognitively Disabled	5.2

Physically Disabled	5.0
Heart Attack ER Admissions	10.8
Mental Health Not Good	0.0
Chronic Kidney Disease	0.0
Obesity	0.0
Pedestrian Injuries	59.1
Physical Health Not Good	0.0
Stroke	0.0
Health Risk Behaviors	_
Binge Drinking	0.0
Current Smoker	0.0
No Leisure Time for Physical Activity	0.0
Climate Change Exposures	_
Wildfire Risk	87.1
SLR Inundation Area	0.0
Children	65.5
Elderly	25.8
English Speaking	82.2
Foreign-born	0.7
Outdoor Workers	31.4
Climate Change Adaptive Capacity	_
Impervious Surface Cover	94.7
Traffic Density	3.7
Traffic Access	23.0
Other Indices	_
Hardship	62.9
Other Decision Support	_

2016 Voting	81.4

7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	19.0
Healthy Places Index Score for Project Location (b)	41.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	No
Project Located in a Low-Income Community (Assembly Bill 1550)	No
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

7.4. Health & Equity Measures

No Health & Equity Measures selected.

7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

8. User Changes to Default Data

Screen	Justification
Construction: Construction Phases	Client Provided Schedule
Construction: Off-Road Equipment	Client Provided Equipment list When using construction equipment greater than 150 horsepower (>150 hp), the Construction Contractor shall ensure that off-road diesel construction equipment complies with the Environmental Protection Agency (EPA)/California Air Resources Board (CARB) Tier 4 emissions standards or equivalent and shall ensure that all construction equipment is tuned and maintained in accordance with the manufacturer's specifications

b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Construction:	Trips	and	VMT

13 haul trucks and 2 worker trucks accounted for in Linear, Grading & Excavation Phase in addition to default CalEEMod hauling trucks. Per Project applicant, the hauling trucks would travel a distance of up to 100 miles round trip, as such hauling for both the Linear, Grading & Excavation and Demolition phase was adjusted to 100 miles.

This page intentionally left blank



APPENDIX 3.8:

CALEEMOD REPLENISH BIG BEAR COMPONENT 3 MITIGATED EMISSIONS MODEL
OUTPUTS



15309-Shay Ponds (Mitigation) Detailed Report

Table of Contents

- 1. Basic Project Information
 - 1.1. Basic Project Information
 - 1.2. Land Use Types
 - 1.3. User-Selected Emission Reduction Measures by Emissions Sector
- 2. Emissions Summary
 - 2.1. Construction Emissions Compared Against Thresholds
 - 2.2. Construction Emissions by Year, Unmitigated
- 3. Construction Emissions Details
 - 3.1. Linear, Grading & Excavation (2025) Unmitigated
 - 3.3. Linear, Grading & Excavation (2026) Unmitigated
 - 3.5. Linear, Drainage, Utilities, & Sub-Grade (2026) Unmitigated
- 4. Operations Emissions Details
 - 4.10. Soil Carbon Accumulation By Vegetation Type
 - 4.10.1. Soil Carbon Accumulation By Vegetation Type Unmitigated

- 4.10.2. Above and Belowground Carbon Accumulation by Land Use Type Unmitigated
- 4.10.3. Avoided and Sequestered Emissions by Species Unmitigated
- 5. Activity Data
 - 5.1. Construction Schedule
 - 5.2. Off-Road Equipment
 - 5.2.1. Unmitigated
 - 5.3. Construction Vehicles
 - 5.3.1. Unmitigated
 - 5.4. Vehicles
 - 5.4.1. Construction Vehicle Control Strategies
 - 5.5. Architectural Coatings
 - 5.6. Dust Mitigation
 - 5.6.1. Construction Earthmoving Activities
 - 5.6.2. Construction Earthmoving Control Strategies
 - 5.7. Construction Paving
 - 5.8. Construction Electricity Consumption and Emissions Factors
 - 5.18. Vegetation

- 5.18.1. Land Use Change
 - 5.18.1.1. Unmitigated
- 5.18.1. Biomass Cover Type
 - 5.18.1.1. Unmitigated
- 5.18.2. Sequestration
 - 5.18.2.1. Unmitigated
- 6. Climate Risk Detailed Report
 - 6.1. Climate Risk Summary
 - 6.2. Initial Climate Risk Scores
 - 6.3. Adjusted Climate Risk Scores
 - 6.4. Climate Risk Reduction Measures
- 7. Health and Equity Details
 - 7.1. CalEnviroScreen 4.0 Scores
 - 7.2. Healthy Places Index Scores
 - 7.3. Overall Health & Equity Scores
 - 7.4. Health & Equity Measures
 - 7.5. Evaluation Scorecard

- 7.6. Health & Equity Custom Measures
- 8. User Changes to Default Data

1. Basic Project Information

1.1. Basic Project Information

Data Field	Value
Project Name	15309-Shay Ponds (Mitigation)
Construction Start Date	5/1/2025
Lead Agency	_
Land Use Scale	Project/site
Analysis Level for Defaults	County
Windspeed (m/s)	3.30
Precipitation (days)	1.80
Location	34.253674, -116.80784
County	San Bernardino-South Coast
City	Unincorporated
Air District	South Coast AQMD
Air Basin	South Coast
TAZ	5156
EDFZ	10
Electric Utility	Bear Valley Electric Service
Gas Utility	Southwest Gas Corp.
App Version	2022.1.1.18

1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq ft)	Special Landscape Area (sq ft)	Population	Description
User Defined Linear	1.20	Mile	0.65	0.00	_	_	_	_

1.3. User-Selected Emission Reduction Measures by Emissions Sector

No measures selected

2. Emissions Summary

2.1. Construction Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)							-	_	_			-		-				
Unmit.	1.04	0.60	8.71	13.8	0.06	0.22	1.66	1.88	0.21	0.45	0.66	_	7,464	7,464	0.47	0.85	15.0	7,744
Daily, Winter (Max)	_	-	-	-	-	-	_	_	_	_		_	-	_	_	-	-	-
Unmit.	1.36	0.86	10.9	19.6	0.07	0.29	1.66	1.96	0.28	0.45	0.73	-	8,444	8,444	0.47	0.85	0.39	8,710
Average Daily (Max)	-	F	-	F	-	_	_	-	-	-	-	-	-	-	-	-	-	- 1
Unmit.	0.50	0.29	4.33	6.53	0.03	0.11	0.80	0.90	0.10	0.22	0.32	_	3,573	3,573	0.22	0.41	3.12	3,704
Annual (Max)	-		П		_	_	-	-	-	-	-	-	_	-	-	-	-	-
Unmit.	0.09	0.05	0.79	1.19	< 0.005	0.02	0.15	0.16	0.02	0.04	0.06	_	592	592	0.04	0.07	0.52	613

2.2. Construction Emissions by Year, Unmitigated

Year	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily - Summer (Max)	_	-	-	-	-	-	-	-	-	-	-	-	-	_	-	_	_	-

2025	1.04	0.60	8.71	13.8	0.06	0.22	1.66	1.88	0.21	0.45	0.66	1-	7,464	7,464	0.47	0.85	15.0	7,744
2026	0.36	0.31	2.36	6.11	0.01	0.09	0.00	0.09	0.08	0.00	0.08	-	1,087	1,087	0.04	0.01	0.00	1,091
Daily - Winter (Max)	-				-	-						-			-			
2025	1.03	0.60	8.93	13.6	0.06	0.22	1.66	1.88	0.21	0.45	0.66	-	7,451	7,451	0.47	0.85	0.39	7,717
2026	1.36	0.86	10.9	19.6	0.07	0.29	1.66	1.96	0.28	0.45	0.73	-	8,444	8,444	0.47	0.85	0.36	8,710
Average Daily	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2025	0.50	0.29	4.33	6.53	0.03	0.11	0.80	0.90	0.10	0.22	0.32	-	3,573	3,573	0.22	0.41	3.12	3,704
2026	0.23	0.18	1.58	3.74	0.01	0.05	0.07	0.12	0.05	0.02	0.07	-	868	868	0.04	0.04	0.25	881
Annual	-	_	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_	-
2025	0.09	0.05	0.79	1.19	< 0.005	0.02	0.15	0.16	0.02	0.04	0.06	-	592	592	0.04	0.07	0.52	613
2026	0.04	0.03	0.29	0.68	< 0.005	0.01	0.01	0.02	0.01	< 0.005	0.01	_	144	144	0.01	0.01	0.04	146

3. Construction Emissions Details

3.1. Linear, Grading & Excavation (2025) - Unmitigated

Location	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	_	_	_	-	_	_	_	_	_	_	_	-	_	_	_	_	_	-
Daily, Summer (Max)	-				-									-		-	-	_
Off-Road Equipmen		0.50	3.73	10.7	0.02	0.14	-	0.14	0.13	-	0.13	-	1,940	1,940	0.08	0.02	_	1,947
Dust From Material Movemen	_ t	-			-		< 0.005	< 0.005		< 0.005	< 0.005							

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Daily, Winter (Max)		-		-	-	-	-	-	-	-	-	-	-			-	-	-
Off-Road Equipmen		0.50	3.73	10.7	0.02	0.14	-	0.14	0.13	-	0.13	-	1,940	1,940	0.08	0.02	-	1,947
Dust From Material Movement	_						< 0.005	< 0.005	-	< 0.005	< 0.005				r		-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Average Daily	_	-	_	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Off-Road Equipmen		0.24	1.79	5.12	0.01	0.07	-	0.07	0.06	-	0.06	-	930	930	0.04	0.01	-	933
Dust From Material Movement	_	-	-	-	-	-	< 0.005	< 0.005	-	< 0.005	< 0.005	-	-				-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	
Annual	_	_	1-	1-	1-	_	1-	_	-	_	_	-	_	_	1-	_	_	_
Off-Road Equipmen		0.04	0.33	0.93	< 0.005	0.01	-	0.01	0.01	-	0.01	-	154	154	0.01	< 0.005	-	155
Dust From Material Movement	_				-		< 0.005	< 0.005		< 0.005	< 0.005		-					
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Offsite	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Daily, Summer (Max)			-	-			_										-	
Worker	0.02	0.02	0.04	0.77	0.00	0.00	0.14	0.14	0.00	0.03	0.03	-	151	151	< 0.005	< 0.005	0.56	_
Vendor	0.27	0.06	3.28	1.53	0.03	0.06	1.09	1.15	0.06	0.30	0.36	_	3,807	3,807	0.24	0.58	11.1	-
Hauling	0.17	0.02	1.66	0.86	0.01	0.02	0.43	0.45	0.02	0.12	0.14	-	1,565	1,565	0.15	0.26	3.39	-
Daily, Winter (Max)	_		-	-	-		-		_		-	-	-				-	
Worker	0.02	0.02	0.05	0.55	0.00	0.00	0.14	0.14	0.00	0.03	0.03	_	138	138	< 0.005	< 0.005	0.01	_
Vendor	0.27	0.06	3.42	1.50	0.03	0.06	1.09	1.15	0.06	0.30	0.36	_	3,808	3,808	0.24	0.58	0.29	-
Hauling	0.17	0.02	1.74	0.86	0.01	0.02	0.43	0.45	0.02	0.12	0.14	_	1,565	1,565	0.15	0.26	0.09	_
Average Daily	-	_	_	-	-	-	-	-	_	-	-	-	-	-	-	-	-	-
Worker	0.01	0.01	0.02	0.28	0.00	0.00	0.07	0.07	0.00	0.02	0.02	-	67.1	67.1	< 0.005	< 0.005	0.12	-
Vendor	0.13	0.03	1.67	0.72	0.01	0.03	0.52	0.55	0.03	0.14	0.17	-	1,826	1,826	0.11	0.28	2.30	-
Hauling	0.08	0.01	0.85	0.41	< 0.005	0.01	0.21	0.21	0.01	0.06	0.07	-	750	750	0.07	0.12	0.71	_
Annual	_	-	_	-	-	_	_	_	_	_	_	-	-	-	-	-	_	-
Worker	< 0.005	< 0.005	< 0.005	0.05	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	-	11.1	11.1	< 0.005	< 0.005	0.02	_
Vendor	0.02	0.01	0.30	0.13	< 0.005	0.01	0.10	0.10	0.01	0.03	0.03	-	302	302	0.02	0.05	0.38	_
Hauling	0.01	< 0.005	0.15	0.08	< 0.005	< 0.005	0.04	0.04	< 0.005	0.01	0.01	_	124	124	0.01	0.02	0.12	_

3.3. Linear, Grading & Excavation (2026) - Unmitigated

Location	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	_	_	_	_	_	-	-	_	_	_	_	_	_	-	_	_	_	_
Daily, Summer (Max)	-		_		_	_		-			_						_	

Daily, Winter (Max)																		
Off-Road Equipmen		0.49	3.63	10.7	0.02	0.13	-	0.13	0.12	-	0.12	-	1,942	1,942	0.08	0.02	-	1,948
Dust From Material Movemen	_ t		-	Ī			< 0.005	< 0.005	-	< 0.005	< 0.005		-				-	-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Average Daily	-	-	-	1	-	-	-	-	-	-	-	-	1-	-	1-	-	-	-
Off-Road Equipmen		0.02	0.15	0.44	< 0.005	0.01	-	0.01	0.01	-	0.01	-	79.8	79.8	< 0.005	< 0.005	-	80.1
Dust From Material Movemen	_ t						< 0.005	< 0.005		< 0.005	< 0.005	-						-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Annual	_	_	_	_	1-	_	_	_	_	_	_	_	_	_	_	_	_	_
Off-Road Equipmen		< 0.005	0.03	0.08	< 0.005	< 0.005	-	< 0.005	< 0.005	-	< 0.005	-	13.2	13.2	< 0.005	< 0.005	-	13.3
Dust From Material Movemen	 t		-				< 0.005	< 0.005		< 0.005	< 0.005	_		-			-	-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Offsite	_	_	_	-	_	_	_	_	_	_	_	_	-	_	_	_	_	_
Daily, Summer (Max)					-						-			-			-	

Daily, Winter (Max)			-	-	-	-	_	_	_		-	-				_	_	
Worker	0.02	0.02	0.04	0.51	0.00	0.00	0.14	0.14	0.00	0.03	0.03	-	135	135	< 0.005	< 0.005	0.01	_
Vendor	0.27	0.03	3.22	1.44	0.03	0.06	1.09	1.15	0.06	0.30	0.36	_	3,743	3,743	0.21	0.58	0.26	-
Hauling	0.16	0.01	1.66	0.84	0.01	0.02	0.43	0.45	0.02	0.12	0.14	-	1,537	1,537	0.14	0.25	0.08	-
Average Daily	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	-	5.64	5.64	< 0.005	< 0.005	0.01	-
Vendor	0.01	< 0.005	0.13	0.06	< 0.005	< 0.005	0.04	0.05	< 0.005	0.01	0.01	-	154	154	0.01	0.02	0.18	-
Hauling	0.01	< 0.005	0.07	0.03	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	0.01	-	63.1	63.1	0.01	0.01	0.06	-
Annual	_	_	_	-	_	_	-	-	_	-	-	-	-	-	-	-	_	-
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	-	0.93	0.93	< 0.005	< 0.005	< 0.005	-
Vendor	< 0.005	< 0.005	0.02	0.01	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	-	25.5	25.5	< 0.005	< 0.005	0.03	-
Hauling	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	-	10.5	10.5	< 0.005	< 0.005	0.01	-

3.5. Linear, Drainage, Utilities, & Sub-Grade (2026) - Unmitigated

Location	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	_	-	-	-	-	_	_	-	-	-	_	-	_	-	-	-	-	-
Daily, Summer (Max)	-					-	-		-	-	-	-	-	_	T			
Off-Road Equipmen		0.31	2.36	6.11	0.01	0.09	-	0.09	0.08	-	0.08	-	1,087	1,087	0.04	0.01	-	1,091
Dust From Material Movemen	_ t						0.00	0.00		0.00	0.00							
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	-

Daily, Winter (Max)															_			
Off-Road Equipmen		0.31	2.36	6.11	0.01	0.09	-	0.09	0.08	-	0.08	-	1,087	1,087	0.04	0.01	-	1,091
Dust From Material Movemen	_ t						0.00	0.00		0.00	0.00						-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Average Daily	-	-	-	-	-	-	-	-	-		-	-	-		-		-	-
Off-Road Equipmen		0.16	1.23	3.18	0.01	0.04	-	0.04	0.04		0.04	-	566	566	0.02	< 0.005	-	568
Dust From Material Movemen	_ t						0.00	0.00		0.00	0.00							-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Annual	_	-	-	-	_	-	-	_	_	-	_	_		_	_	_	-	_
Off-Road Equipmen		0.03	0.22	0.58	< 0.005	0.01	-	0.01	0.01	-	0.01	-	93.7	93.7	< 0.005	< 0.005	-	94.0
Dust From Material Movemen	_ t	-	-		-		0.00	0.00	-	0.00	0.00	-	-	-	-	-	_	-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Offsite	_	_	-	-	_	_	_	_	_	_	_	_	_	-	_	_	_	_
Daily, Summer (Max)	-				-		-		-	-	-		-			-		
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	_

Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Daily, Winter (Max)	-				-				-					-			-	
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	-
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Average Daily	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	-
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Annual	_	_	_	-	_	_	_	_	_	-	_	_	-	_	_	_	_	-
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	_
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	-

4. Operations Emissions Details

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Vegetatio n	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)		-	_	_	-	_	_	_	-	-	_	_	_	-	_	_	-	-
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Daily, — Winter	-	-	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Winter (Max)																	
Total —	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual —	_	_	_	_	_	_	_	_	=	_	_	=	_			_	
Total —	_					_	_	_	_					_	_	_	_

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-	-			-							-	-	-				-
Total	_	-	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Winter (Max)	-	-	-	-	-	-			-	-	-	-	-	-	-	-	-	-
Total	_	-	_	-	_	_	-	_	_	_	_	_	_	_	_	_	_	_
Annual	_	_	_	-	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Species	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-				_		-	_	_					_		_	-	-
Avoided	-	_	-	-	-	-	-	-	_	-	-	-	_	_	_	-	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Sequest	_	_	_	_	_	_	_	_	_	_	_	-	_	_	_	_	_	_
Subtotal	-	-	-	-	-	-	- 1	- 1	_	-	_	-	_	_	-	-	_	-
Remove d	-		-		-		-		_	-	-	-	-	_	-	_	-	_
Subtotal	_	-	-	-	_	-	-	-	_	-	-	-	_	_	_	-	_	-
_	_	-	_	_	_	_	_	-	_	-	_	-	_	_	_	-	-	_
Daily, Winter (Max)	-	-		-	-	-		_	-		_		-	-		-	_	-
Avoided	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Sequest ered	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_	-
Subtotal	_	-	_	-	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Remove d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
_	-	-	-	-	-	-	_	_	-	-	-	-	-	-	-	-	_	-
Annual	-	-		-	_	-	_	_	_	_	_	_	_	_	_	_	_	_
Avoided	_	-	-	-	_	-	_	-	_	-	_	-	_	_	_	-	_	_
Subtotal	_	-	_	-	_	_	_	-	_	_	_	-	_	_	_	_	_	_
Sequest ered	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Subtotal	_	_	_	_	_	_	-	-	_	-	-	-	_	_	-	_	_	_
Remove d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Subtotal	_	-	-	-	_	_	-	- 1	_	-	-	-	_	_	-	_	_	_
_	_	-	-	_	-	_	_	_	_	_	_	_	_	_	_	_	_	_

5. Activity Data

5.1. Construction Schedule

Phase Name	Phase Type	Start Date	End Date	Days Per Week	Work Days per Phase	Phase Description
Linear, Grading & Excavation	Linear, Grading & Excavation	5/1/2025	1/21/2026	5.00	190	-
Linear, Drainage, Utilities, & Sub-Grade	Linear, Drainage, Utilities, & Sub-Grade	1/21/2026	10/13/2026	5.00	190	-

5.2. Off-Road Equipment

5.2.1. Unmitigated

Phase Name	Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
Linear, Grading & Excavation	Signal Boards	Electric	Average	1.00	8.00	6.00	0.82
Linear, Grading & Excavation	Excavators	Diesel	Average	1.00	8.00	36.0	0.38
Linear, Grading & Excavation	Tractors/Loaders/Backh oes	Diesel	Average	1.00	8.00	84.0	0.37
Linear, Grading & Excavation	Plate Compactors	Diesel	Average	1.00	8.00	8.00	0.43
Linear, Grading & Excavation	Rollers	Diesel	Average	1.00	8.00	36.0	0.38
Linear, Grading & Excavation	Off-Highway Trucks	Diesel	Tier 4 Final	1.00	8.00	376	0.38
Linear, Drainage, Utilities, & Sub-Grade	Tractors/Loaders/Backh oes	Diesel	Average	1.00	6.00	84.0	0.37
Linear, Drainage, Utilities, & Sub-Grade	Plate Compactors	Diesel	Average	1.00	6.00	8.00	0.43
Linear, Drainage, Utilities, & Sub-Grade	Rollers	Diesel	Average	1.00	6.00	36.0	0.38

Linear, Drainage, Utilities, & Sub-Grade	Excavators	Diesel	Average	1.00	4.00	36.0	0.38
Linear, Drainage, Utilities, & Sub-Grade	Off-Highway Trucks	Diesel	Tier 4 Final	1.00	4.00	376	0.38

5.3. Construction Vehicles

5.3.1. Unmitigated

Phase Name	Trip Type	One-Way Trips per Day	Miles per Trip	Vehicle Mix
Linear, Grading & Excavation	_	_	_	_
Linear, Grading & Excavation	Worker	2.00	100	LDA,LDT1,LDT2
Linear, Grading & Excavation	Vendor	13.0	100	HHDT,MHDT
Linear, Grading & Excavation	Hauling	4.62	100	HHDT
Linear, Grading & Excavation	Onsite truck	_	_	HHDT
Linear, Drainage, Utilities, & Sub-Grade	_	_	_	_
Linear, Drainage, Utilities, & Sub-Grade	Worker	0.00	18.5	LDA,LDT1,LDT2
Linear, Drainage, Utilities, & Sub-Grade	Vendor	0.00	10.2	HHDT,MHDT
Linear, Drainage, Utilities, & Sub-Grade	Hauling	0.00	20.0	HHDT
Linear, Drainage, Utilities, & Sub-Grade	Onsite truck	_	_	HHDT

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

Non-applicable. No control strategies activated by user.

5.5. Architectural Coatings

-11	DI N	D 11 (11) () A O ()	D 11 015 1 1 0 1 1	N. B. C. C. C. C.	N. B. H. C.E. C.	D 1: A O (1/ ()
	Phase Name	Residential Interior Area Coated	Residential Exterior Area Coated	Non-Residential Interior Area	Non-Residential Exterior Area	Parking Area Coated (sq ft)
		(sq ft)	(sq ft)	Coated (sq ft)	Coated (sq ft)	
		(oy ii)		Coaled (sq II)	Coaled (34 II)	

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

Phase Name	Material Imported (Cubic Yards)	Material Exported (Cubic Yards)	Acres Graded (acres)	Material Demolished (sq. ft.)	Acres Paved (acres)
Linear, Grading & Excavation	_	7,020	0.65	0.00	_
Linear, Drainage, Utilities, & Sub-Grade	-	-	0.65	0.00	_

5.6.2. Construction Earthmoving Control Strategies

Control Strategies Applied	Frequency (per day)	PM10 Reduction	PM2.5 Reduction
Water Exposed Area	3	74%	74%

5.7. Construction Paving

Land Use	Area Paved (acres)	% Asphalt
User Defined Linear	0.65	100%

5.8. Construction Electricity Consumption and Emissions Factors

kWh per Year and Emission Factor (lb/MWh)

Year	kWh per Year	CO2	CH4	N2O
2025	29.4	565	0.03	< 0.005
2026	29.4	482	0.03	< 0.005

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

Biomass Cover Type	Initial Acres	Final Acres
--------------------	---------------	-------------

5.18.2. Sequestration

5.18.2.1. Unmitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)
mee type	, terriber	- country Saroa (itringsai)	. Tatarai Gao Garea (Stary Gar)

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	39.3	annual days of extreme heat
Extreme Precipitation	4.40	annual days with precipitation above 20 mm
Sea Level Rise	0.00	meters of inundation depth
Wildfire	31.0	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi. Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about ¾ an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider different increments of sea level rise coupled with extreme storm events. Users may select from four model simulations to view the range in potential inundation depth for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 50 meters (m) by 50 m, or about 164 feet (ft) by 164 ft.

Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	5	0	0	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	0	0	N/A
Wildfire	1	0	0	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	0	0	0	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	5	1	1	4
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	1	1	2
Wildfire	1	1	1	2
Flooding	N/A	N/A	N/A	N/A

Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	1	1	1	2

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Exposure Indicators	-
AQ-Ozone	97.6
AQ-PM	1.68
AQ-DPM	4.41
Drinking Water	60.7
Lead Risk Housing	11.6
Pesticides	11.0
Toxic Releases	8.39
Traffic	1.35
Effect Indicators	
CleanUp Sites	0.00
Groundwater	0.00
Haz Waste Facilities/Generators	0.00

Impaired Water Bodies	0.00
Solid Waste	11.6
Sensitive Population	_
Asthma	63.6
Cardio-vascular	92.9
Low Birth Weights	66.3
Socioeconomic Factor Indicators	_
Education	33.5
Housing	22.1
Linguistic	8.49
Poverty	67.0
Unemployment	64.5

7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic) -
Above Poverty	54.07416913
Employed	2.34826126
Median HI	47.09354549
Education	_
Bachelor's or higher	24.38085461
High school enrollment	100
Preschool enrollment	95.7141024
Transportation	_
Auto Access	86.34672142
Active commuting	8.161170281

Social	_
2-parent households	29.38534582
Voting	73.38637239
Neighborhood	-
Alcohol availability	87.1423072
Park access	51.00731426
Retail density	9.110740408
Supermarket access	10.57359168
Tree canopy	85.29449506
Housing	
Homeownership	77.15898884
Housing habitability	49.54446298
Low-inc homeowner severe housing cost burden	35.91684845
Low-inc renter severe housing cost burden	3.708456307
Uncrowded housing	96.93314513
Health Outcomes	
Insured adults	30.92518927
Arthritis	0.0
Asthma ER Admissions	46.4
High Blood Pressure	0.0
Cancer (excluding skin)	0.0
Asthma	0.0
Coronary Heart Disease	0.0
Chronic Obstructive Pulmonary Disease	0.0
Diagnosed Diabetes	0.0
Life Expectancy at Birth	16.7
Cognitively Disabled	5.2

Physically Disabled	5.0
Heart Attack ER Admissions	10.8
Mental Health Not Good	0.0
Chronic Kidney Disease	0.0
Obesity	0.0
Pedestrian Injuries	59.1
Physical Health Not Good	0.0
Stroke	0.0
Health Risk Behaviors	_
Binge Drinking	0.0
Current Smoker	0.0
No Leisure Time for Physical Activity	0.0
Climate Change Exposures	_
Wildfire Risk	87.1
SLR Inundation Area	0.0
Children	65.5
Elderly	25.8
English Speaking	82.2
Foreign-born	0.7
Outdoor Workers	31.4
Climate Change Adaptive Capacity	_
Impervious Surface Cover	94.7
Traffic Density	3.7
Traffic Access	23.0
Other Indices	_
Hardship	62.9
Other Decision Support	_

2016 Voting	81.4

7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	19.0
Healthy Places Index Score for Project Location (b)	41.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	No
Project Located in a Low-Income Community (Assembly Bill 1550)	No
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

7.4. Health & Equity Measures

No Health & Equity Measures selected.

7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

8. User Changes to Default Data

Screen	Justification
Construction: Construction Phases	Client Provided Schedule
Construction: Off-Road Equipment	Client Provided Equipment list When using construction equipment greater than 150 horsepower (>150 hp), the Construction Contractor shall ensure that off-road diesel construction equipment complies with the Environmental Protection Agency (EPA)/California Air Resources Board (CARB) Tier 4 emissions standards or equivalent and shall ensure that all construction equipment is tuned and maintained in accordance with the manufacturer's specifications
Construction: Trips and VMT	13 haul trucks and 2 worker trucks accounted for in Linear, Grading & Excavation Phase.

25 / 25

b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

This page intentionally left blank



APPENDIX 3.9:

CALEEMOD REPLENISH BIG BEAR COMPONENT 4 MITIGATED EMISSIONS MODEL
OUTPUTS



15309-Evaporation Ponds (Mitigated) Detailed Report

Table of Contents

- 1. Basic Project Information
 - 1.1. Basic Project Information
 - 1.2. Land Use Types
 - 1.3. User-Selected Emission Reduction Measures by Emissions Sector
- 2. Emissions Summary
 - 2.1. Construction Emissions Compared Against Thresholds
 - 2.2. Construction Emissions by Year, Unmitigated
 - 2.4. Operations Emissions Compared Against Thresholds
 - 2.5. Operations Emissions by Sector, Unmitigated
- 3. Construction Emissions Details
 - 3.1. Site Preparation (2025) Unmitigated
 - 3.3. Site Preparation (2026) Unmitigated
- 4. Operations Emissions Details
 - 4.1. Mobile Emissions by Land Use

- 4.1.1. Unmitigated
- 4.2. Energy
 - 4.2.1. Electricity Emissions By Land Use Unmitigated
 - 4.2.3. Natural Gas Emissions By Land Use Unmitigated
- 4.3. Area Emissions by Source
 - 4.3.1. Unmitigated
- 4.4. Water Emissions by Land Use
 - 4.4.1. Unmitigated
- 4.5. Waste Emissions by Land Use
 - 4.5.1. Unmitigated
- 4.6. Refrigerant Emissions by Land Use
 - 4.6.1. Unmitigated
- 4.7. Offroad Emissions By Equipment Type
 - 4.7.1. Unmitigated
- 4.8. Stationary Emissions By Equipment Type
 - 4.8.1. Unmitigated
- 4.9. User Defined Emissions By Equipment Type

- 4.9.1. Unmitigated
- 4.10. Soil Carbon Accumulation By Vegetation Type
 - 4.10.1. Soil Carbon Accumulation By Vegetation Type Unmitigated
 - 4.10.2. Above and Belowground Carbon Accumulation by Land Use Type Unmitigated
 - 4.10.3. Avoided and Sequestered Emissions by Species Unmitigated
- 5. Activity Data
 - 5.1. Construction Schedule
 - 5.2. Off-Road Equipment
 - 5.2.1. Unmitigated
 - 5.3. Construction Vehicles
 - 5.3.1. Unmitigated
 - 5.4. Vehicles
 - 5.4.1. Construction Vehicle Control Strategies
 - 5.5. Architectural Coatings
 - 5.6. Dust Mitigation
 - 5.6.1. Construction Earthmoving Activities
 - 5.6.2. Construction Earthmoving Control Strategies

- 5.7. Construction Paving
- 5.8. Construction Electricity Consumption and Emissions Factors
- 5.9. Operational Mobile Sources
 - 5.9.1. Unmitigated
- 5.10. Operational Area Sources
 - 5.10.1. Hearths
 - 5.10.1.1. Unmitigated
 - 5.10.2. Architectural Coatings
 - 5.10.3. Landscape Equipment
- 5.11. Operational Energy Consumption
 - 5.11.1. Unmitigated
- 5.12. Operational Water and Wastewater Consumption
 - 5.12.1. Unmitigated
- 5.13. Operational Waste Generation
 - 5.13.1. Unmitigated
- 5.14. Operational Refrigeration and Air Conditioning Equipment
 - 5.14.1. Unmitigated

- 5.15. Operational Off-Road Equipment
 - 5.15.1. Unmitigated
- 5.16. Stationary Sources
 - 5.16.1. Emergency Generators and Fire Pumps
 - 5.16.2. Process Boilers
- 5.17. User Defined
- 5.18. Vegetation
 - 5.18.1. Land Use Change
 - 5.18.1.1. Unmitigated
 - 5.18.1. Biomass Cover Type
 - 5.18.1.1. Unmitigated
 - 5.18.2. Sequestration
 - 5.18.2.1. Unmitigated
- 6. Climate Risk Detailed Report
 - 6.1. Climate Risk Summary
 - 6.2. Initial Climate Risk Scores
 - 6.3. Adjusted Climate Risk Scores

- 6.4. Climate Risk Reduction Measures
- 7. Health and Equity Details
 - 7.1. CalEnviroScreen 4.0 Scores
 - 7.2. Healthy Places Index Scores
 - 7.3. Overall Health & Equity Scores
 - 7.4. Health & Equity Measures
 - 7.5. Evaluation Scorecard
 - 7.6. Health & Equity Custom Measures
- 8. User Changes to Default Data

1. Basic Project Information

1.1. Basic Project Information

Data Field	Value
Project Name	15309-Evaporation Ponds (Mitigated)
Construction Start Date	5/1/2025
Operational Year	2027
Lead Agency	_
Land Use Scale	Project/site
Analysis Level for Defaults	County
Windspeed (m/s)	2.50
Precipitation (days)	1.80
Location	34.270764, -116.820355
County	San Bernardino-South Coast
City	Unincorporated
Air District	South Coast AQMD
Air Basin	South Coast
TAZ	5156
EDFZ	10
Electric Utility	Bear Valley Electric Service
Gas Utility	Southwest Gas Corp.
App Version	2022.1.1.18

1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq	Special Landscape	Population	Description
					ft)	Area (sq ft)		

Other Non-Asphalt 57.0 Acre	57.0	0.00	0.00	_		
Other Non-Asphalt 57.0 Acre	57.0	0.00	0.00	_		
Surfaces						

1.3. User-Selected Emission Reduction Measures by Emissions Sector

No measures selected

2. Emissions Summary

2.1. Construction Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-	-		-	-			-	-	-	-	-	-	-	-	-	-	-
Unmit.	19.6	19.1	15.4	124	0.20	0.75	7.07	7.82	0.67	2.41	3.08	_	23,481	23,481	1.15	0.79	10.9	23,755
Daily, Winter (Max)	_		-	-	-	-			-	-	-		_	-	-	-	_	-
Unmit.	19.6	19.0	15.6	123	0.20	0.75	7.07	7.82	0.67	2.41	3.08	_	23,418	23,418	1.15	0.79	0.28	23,681
Average Daily (Max)	-	-	-	-	-	-	-		-	-	-	-	-	-	-	H	-	-
Unmit.	11.0	10.7	8.69	68.8	0.11	0.42	3.97	4.39	0.37	1.35	1.73	_	13,113	13,113	0.62	0.43	2.46	13,259
Annual (Max)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unmit.	2.00	1.95	1.59	12.6	0.02	0.08	0.72	0.80	0.07	0.25	0.31	_	2,171	2,171	0.10	0.07	0.41	2,195

2.2. Construction Emissions by Year, Unmitigated

Year TOG ROG NOx CO SO2 PM10E PM10D PM10T PM2.5E PM2.5D PM2.5T BCO2 NBCO2 CO2T CH4 N2O R CO2e	Year	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
---	------	-----	-----	-----	----	-----	-------	-------	-------	--------	--------	--------	------	-------	------	-----	-----	---	------

Daily - Summer (Max)			-		-		_				-		-					
2025	19.6	19.1	15.4	124	0.20	0.75	7.07	7.82	0.67	2.41	3.08	-	23,481	23,481	1.15	0.79	10.9	23,755
2026	19.5	19.0	15.2	123	0.20	0.74	7.07	7.81	0.67	2.41	3.07	-	23,400	23,400	1.12	0.76	10.1	23,665
Daily - Winter (Max)			-				-				-				T		-	
2025	19.6	19.0	15.6	123	0.20	0.75	7.07	7.82	0.67	2.41	3.08	-	23,418	23,418	1.15	0.79	0.28	23,681
2026	19.5	19.0	15.4	122	0.20	0.74	7.07	7.81	0.67	2.41	3.07	-	23,338	23,338	1.10	0.76	0.26	23,593
Average Daily	-	-	-	-	-	-	-	-	-	-	-	_	-	-	-	-	-	-
2025	9.38	9.13	7.53	58.9	0.10	0.36	3.39	3.75	0.32	1.15	1.47	-	11,232	11,232	0.55	0.38	2.26	11,361
2026	11.0	10.7	8.69	68.8	0.11	0.42	3.97	4.39	0.37	1.35	1.73	-	13,113	13,113	0.62	0.43	2.46	13,259
Annual	-	-	1-	-	_	-	-	-	-	_	_	-	-	-	-	-	4-	_
2025	1.71	1.67	1.38	10.7	0.02	0.07	0.62	0.68	0.06	0.21	0.27	-	1,860	1,860	0.09	0.06	0.37	1,881
2026	2.00	1.95	1.59	12.6	0.02	0.08	0.72	0.80	0.07	0.25	0.31	_	2,171	2,171	0.10	0.07	0.41	2,195

2.4. Operations Emissions Compared Against Thresholds

Un/Mit.	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-				-		_	_		_	_	_		_		_	_	-
Unmit.	0.00	0.38	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	-			-	-	-	-	-	_	-				-	-	-	-	
Unmit.	0.00	0.38	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Average Daily (Max)	_		-	-	-	_	_	_	_		-	-	-	-	-	_	-	-
Unmit.	< 0.005	0.38	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.62	0.62	< 0.005	< 0.005	< 0.005	0.63
Annual (Max)	-	-	1-	-	-	-	-	-	-	-	-	-	-		-	-	-	-
Unmit.	< 0.005	0.07	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.10	0.10	< 0.005	< 0.005	< 0.005	0.10

2.5. Operations Emissions by Sector, Unmitigated

Sector	TOG	ROG	NOx	co	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-		-		-	-	-	-		-	-	_	-	_	-	-	-	-
Mobile	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Area	0.00	0.38	0.00	0.00	0.00	0.00	_	0.00	0.00	-	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Energy	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Water	-	-	-	-	-	-	-	-	_	-	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Waste	-	-	-	-	_	_	_	-	_	-	_	0.00	0.00	0.00	0.00	0.00]	0.00
Total	0.00	0.38	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	-		-		-		-	-	-	-		-	-	-	-	-		-
Mobile	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Area	-	0.38	-	-	-	-	_	-	_	-	_	-	-	-	-	_	1-	-
Energy	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	-	0.00	-	0.00	0.00	0.00	0.00	-	0.00
Water	-	-	-	-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Waste	-	-	-	-	1-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Total	0.00	0.38	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Average Daily	_		-	_	-	-	-	_	-	_	-	_	-	-	-		-	-
Mobile	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	-	0.62	0.62	< 0.005	< 0.005	< 0.005	0.63
Area	0.00	0.38	0.00	0.00	0.00	0.00	-	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Energy	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	-	0.00	-	0.00	0.00	0.00	0.00	-	0.00
Water	_	-	_	-	_	-	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Waste	_	_	_	-	-	_	_	-	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Total	< 0.005	0.38	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.62	0.62	< 0.005	< 0.005	< 0.005	0.63
Annual	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mobile	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	_	0.10	0.10	< 0.005	< 0.005	< 0.005	0.10
Area	0.00	0.07	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	-	0.00	0.00	0.00	0.00	_	0.00
Energy	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	-	0.00	0.00	0.00	0.00	_	0.00
Water	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Waste	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Total	< 0.005	0.07	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.10	0.10	< 0.005	< 0.005	< 0.005	0.10

3. Construction Emissions Details

3.1. Site Preparation (2025) - Unmitigated

Location T	тос	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite -	_	_	-	-	-	-	_	-	_	-	-	-	_	-	-	_	_	-
Daily, - Summer (Max)	_				_								_				_	
Off-Road 1 Equipment		18.9	11.3	118	0.18	0.70	-	0.70	0.62	-	0.62	-	19,001	19,001	0.77	0.15	-	19,066

Dust From	-	-	-	-	-	-	5.34	5.34	-	1.96	1.96	-	-	-	-	-	-	-
Material Movemen	t																	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Daily, Winter (Max)	_					-		-						-	r		-	-
Off-Road Equipmen		18.9	11.3	118	0.18	0.70	-	0.70	0.62	-	0.62	-	19,001	19,001	0.77	0.15	-	19,066
Dust From Material Movemen	_ t		-		-	-	5.34	5.34		1.96	1.96		-				-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Average Daily	-		-		-	-	-	-	-	-	-	-	-	-	-	-	-	-
Off-Road Equipmen		9.07	5.40	56.5	0.08	0.33	-	0.33	0.30	-	0.30	-	9,110	9,110	0.37	0.07	-	9,141
Dust From Material Movemen	 t	Ī	Ī	Ī	-	Ī	2.56	2.56		0.94	0.94		-	-	-		-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Annual	_	_	-	-	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Off-Road Equipmen		1.65	0.99	10.3	0.02	0.06	-	0.06	0.05	-	0.05	-	1,508	1,508	0.06	0.01	-	1,513
Dust From Material Movemen	_ t	-	-	-		-	0.47	0.47		0.17	0.17		-	-	_	-	-	-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-

Offsite	_	_	-	-	-	-	_	-	-	_	 	-	-	-	_	_	_	-
Daily, Summer (Max)	-		-				-			-		-			-		-	-
Worker	0.10	0.08	0.21	3.85	0.00	0.00	0.71	0.71	0.00	0.17	0.17	-	754	754	0.02	0.02	2.82	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	_
Hauling	0.41	0.06	3.96	2.04	0.02	0.05	1.02	1.07	0.05	0.28	0.33	-	3,726	3,726	0.35	0.61	8.08	-
Daily, Winter (Max)	-	-	-	-	-	-	-	-	-		-		-	-		-		
Worker	0.10	0.08	0.23	2.74	0.00	0.00	0.71	0.71	0.00	0.17	0.17	_	690	690	0.02	0.02	0.07	_
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	-
Hauling	0.41	0.05	4.13	2.05	0.02	0.05	1.02	1.07	0.05	0.28	0.33	-	3,726	3,726	0.35	0.61	0.21	_
Average Daily	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Worker	0.05	0.04	0.12	1.40	0.00	0.00	0.34	0.34	0.00	0.08	0.08	-	336	336	0.01	0.01	0.58	_
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Hauling	0.20	0.03	2.01	0.98	0.01	0.02	0.49	0.51	0.02	0.13	0.16	_	1,786	1,786	0.17	0.29	1.68	_
Annual	_	_	_	-	_	-	_	-	_	_	_	_	-	_	-	-	_	_
Worker	0.01	0.01	0.02	0.26	0.00	0.00	0.06	0.06	0.00	0.01	0.01	-	55.6	55.6	< 0.005	< 0.005	0.10	_
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	_
Hauling	0.04	< 0.005	0.37	0.18	< 0.005	< 0.005	0.09	0.09	< 0.005	0.02	0.03	_	296	296	0.03	0.05	0.28	-

3.3. Site Preparation (2026) - Unmitigated

Location	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	-	_	_	_	_	_	_	_	_	_	-	_	-	-	_	-	_	-
Daily, Summer (Max)	-	_				-					_				-	-		-

Off-Road Equipmen		18.9	11.2	118	0.18	0.69	-	0.69	0.62		0.62		19,004	19,004	0.77	0.15	-	19,069
Dust From Material Movement	_ t				-		5.34	5.34		1.96	1.96				T			
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Daily, Winter (Max)	_		-		-		-	-	-	-	-	-	-	-	-	-	-	
Off-Road Equipmen		18.9	11.2	118	0.18	0.69	-	0.69	0.62	-	0.62	-	19,004	19,004	0.77	0.15	-	19,069
Dust From Material Movement	 t		-			Ī	5.34	5.34		1.96	1.96	-	-		-			
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Average Daily	_	_	-	-	_	_	-	-	-	-	-	-	-	-	-	-	-	_
Off-Road Equipmen		10.6	6.31	66.2	0.10	0.39	-	0.39	0.35	-	0.35	-	10,673	10,673	0.43	0.09	-	10,710
Dust From Material Movement	_ t				-		3.00	3.00		1.10	1.10		-					
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Annual	_	-	-	1	-	-	-	-	_	-	_	-	-	-	-	-	-	-
Off-Road Equipmen		1.94	1.15	12.1	0.02	0.07	-	0.07	0.06	-	0.06	-	1,767	1,767	0.07	0.01	_	1,773
Dust From Material Movement	_ t	-		-	-	-	0.55	0.55	-	0.20	0.20		-	-	-	-	-	-

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Offsite	-	_	_	-	_	_	_	-	-	-	-	-	-	_	1-	-	_	_
Daily, Summer (Max)	-	-	-	-	-	_	-		-				-	-	T	-	-	
Worker	0.10	0.08	0.18	3.56	0.00	0.00	0.71	0.71	0.00	0.17	0.17	-	738	738	0.02	0.02	2.55	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Hauling	0.38	0.03	3.81	2.00	0.02	0.05	1.02	1.07	0.05	0.28	0.33	-	3,658	3,658	0.33	0.59	7.59	-
Daily, Winter (Max)	-	-	-	-	-	_	-	-	-	-	-	-	-	-	-	-	-	-
Worker	0.10	0.08	0.21	2.54	0.00	0.00	0.71	0.71	0.00	0.17	0.17	-	677	677	< 0.005	0.02	0.07	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	-
Hauling	0.38	0.03	3.96	2.00	0.02	0.05	1.02	1.07	0.05	0.28	0.33	-	3,658	3,658	0.33	0.59	0.20	-
Average Daily	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Worker	0.06	0.04	0.13	1.51	0.00	0.00	0.40	0.40	0.00	0.09	0.09	-	385	385	< 0.005	0.01	0.62	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	_
Hauling	0.21	0.02	2.25	1.12	0.01	0.03	0.57	0.60	0.03	0.16	0.18	-	2,054	2,054	0.18	0.33	1.84	-
Annual	-	-	-	-	-	-	-	-	1-	-	1-	-	-	-	-	-	-	-
Worker	0.01	0.01	0.02	0.28	0.00	0.00	0.07	0.07	0.00	0.02	0.02	-	63.8	63.8	< 0.005	< 0.005	0.10	_
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Hauling	0.04	< 0.005	0.41	0.20	< 0.005	< 0.005	0.10	0.11	< 0.005	0.03	0.03	_	340	340	0.03	0.05	0.30	_

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

Mobile source emissions results are presented in Sections 2.6. No further detailed breakdown of emissions is available.

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_				_	_			_		_		_	_	_	_	-	-
Other Non-Aspha Surfaces	— alt				_	-	-				-	-	0.00	0.00	0.00	0.00	-	0.00
Total	_	_	-	-	_	_	_	_	_	_	-	-	0.00	0.00	0.00	0.00	_	0.00
Daily, Winter (Max)	_		-	r	_	-	-		-		-		_	-	-	_	_	-
Other Non-Aspha Surfaces	— alt			Т	-	-	-		-		-	-	0.00	0.00	0.00	0.00	-	0.00
Total	_	-	_	_	_	_	_	-	_	_	_	_	0.00	0.00	0.00	0.00	_	0.00
Annual	_	_	_	_	_	_	-	-	-	-	-	-	_	_	_	-	_	_
Other Non-Aspha Surfaces	— alt	_	-	-	_	-	-		-	-	-	-	0.00	0.00	0.00	0.00	_	0.00
Total	_	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	_	0.00

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

					J,		,			,		,	_						
-					0.0	000									000-				000
	Land	HOG	IROG	NOx	CO	ISO2	PM10E	PM10D	PM101	PM2.5E	PM2.5D	PM2.51	IBCO2	INBCO2	CO21	ICH4	N2O	IR	CO2e
	Use																		

Daily, Summer (Max)			-		-							Г						
Other Non-Asph Surfaces	0.00 alt	0.00	0.00	0.00	0.00	0.00		0.00	0.00		0.00		0.00	0.00	0.00	0.00	-	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	-	0.00	-	0.00	0.00	0.00	0.00	-	0.00
Daily, Winter (Max)	_		-				-		-	-		L					-	
Other Non-Asph Surfaces	0.00 alt	0.00	0.00	0.00	0.00	0.00	T	0.00	0.00	-	0.00	l	0.00	0.00	0.00	0.00	-	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	-	0.00	-	0.00	0.00	0.00	0.00	-	0.00
Annual	_	_	1-	-	-	-	-	1-	-	-	1-	-	1-	-	-	-	-	-
Other Non-Asph Surfaces	0.00 alt	0.00	0.00	0.00	0.00	0.00		0.00	0.00		0.00	r	0.00	0.00	0.00	0.00	-	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	1-	0.00

4.3. Area Emissions by Source

4.3.1. Unmitigated

Source	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_		_	_		_	_		_	_	_	_	_	_	_	_
Consum er Products		0.20	_		-						-	-			-			_

Architect ural Coatings	-	0.19								Г								
Landsca pe Equipme nt	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00		0.00		0.00	0.00	0.00	0.00	-	0.00
Total	0.00	0.38	0.00	0.00	0.00	0.00	1-	0.00	0.00	_	0.00	-	0.00	0.00	0.00	0.00	-	0.00
Daily, Winter (Max)	-		-	-	-	-	-	-	-	-	-	-	-			-	-	-
Consum er Products	_	0.20					-											
Architect ural Coatings	_	0.19					-			Ī	-						-	
Total	_	0.38	_	_	_	-	-	-	-	-	_	-	_	_	-	-	-	-
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Consum er Products		0.04	-		-	-		-	-	r	-		-	-	-	-	-	-
Architect ural Coatings	_	0.03	1				Ī	1		T	-	ľ		-		-	-	
Landsca pe Equipme nt	0.00	0.00	0.00	0.00	0.00	0.00		0.00	0.00		0.00		0.00	0.00	0.00	0.00		0.00
Total	0.00	0.07	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Non-Asph Surfaces	— alt	-	-	-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Total	_	-	-	-	-	-	_	-	-	-	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Daily, Winter (Max)	_	-	-	-	-	-	-		-	-	-	-	-	-	-		-	-
Other Non-Asph Surfaces	— alt	-	-	-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Total	_	-	-	-	_	_	-	-	-	_	-	0.00	0.00	0.00	0.00	0.00	- 1//	0.00
Annual	-	-	I-	_	_	_	_	-	-	_	-	-	_	-	_	_	_	_
Other Non-Asph Surfaces	— alt	-	-	-	_	-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Total		_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

Land Use	TOG	ROG	NOx	СО	SO2		PM10D	PM10T				BCO2	NBCO2	СО2Т	CH4	N2O	R	CO2e
Daily, Summer	_	-	-	_	-	-	_	-	_	-	-	-	_	-	_	-	_	_
(Max)																		

Other — Non-Asphalt Surfaces	-	-		-				-			0.00	0.00	0.00	0.00	0.00		0.00
Total —	_	1-		_	_	_	_	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Daily, — Winter (Max)		-	-	_		-		-	-			-	-	-		-	-
Other — Non-Asphalt Surfaces		-		-				-	T		0.00	0.00	0.00	0.00	0.00	F	0.00
Total —	-	1-	- 1	_	-	-	I-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Annual —	_	-	_		-	_	-	-	-	_	<u> </u>	-		1-	1-	-	-
Other — Non-Asphalt Surfaces	-	-		_		-		-	-	-	0.00	0.00	0.00	0.00	0.00		0.00
Total —	_	_	_		_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

Land Use	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)				_			_			_		_		_	_		_	
Total	_	-	_	_	_	-	_	_	_	_	_	_	_	-	_	_	_	_
Daily, Winter (Max)	_	_			_													
Total	_	_	_	_	_	-	_	_	_	_	_	_	_	_	-	_	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipme nt Type	TOG	ROG		CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_		_	_	_	-	-		-		_	-	_	-	-	-	_	
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Winter (Max)	_			_	-	- 1						T	_	-	_		_	- 1
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	- 1/1	_
Annual	-	_	-	-	_	_	_	_	_	_	_	-	_	-	_	-	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	<u>- </u>	_	_

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

Equipme nt Type	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)							_									_		
Total	_	_	J	_	_	_			_	_	_	_	_	_		_	_	_

Daily, Winter (Max)	-	-	-	-	-	-	-	-	_	_	-	_	_	_	_	-	-	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	-	-	_	-	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipme nt Type	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_				_		-				_		-	_		_		
Total	_	_	_	_	_	_	_	-	_	_	_	_	_	_	-	_	_	_
Daily, Winter (Max)	-	_	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	-	-	_	_	_	-	-	-	_	_	-	_	_	-	-	-	_	_
Total	_		_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Vegetatio	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
n																		

Daily, Summer (Max)	-	_	_	_	-	-	_	-	_	_	-	-	-	_	-	-	-	_
Total	_	-	-	-	_	_	_	_	_	-	_	-	_	_	_	_	_	_
Daily, Winter (Max)	-	-			-	-		r					-	-	-	-	-	-
Total	_	-	-		_	_	-	-	-	-	-	_	_	_	_	_	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_		_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-	_	-	_	-		_		_			_	_		_	-	-	_
Total	_	_	-	-	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Winter (Max)	_	-	-	-	_	-				-	-		-	-	-	-	_	-
Total	_	-	-	-	_	-	-	_	_	_	_	_	_	_	_	_	_	-
Annual	_	_	_	_	_	-	_	_	_	_	_	_	_	_	_	_	_	-
Total	_	-	-	-	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

		_					_ '											
Species	ITOG	IROG	NOv	ICO	ISO2	PM10F	I PM10D	PM10T	PM2.5E	PM2 5D	PM2 5T	RCO2	INRCO2	CO2T	I CH4	N2O	I R	CO2e
Openics	100	I COO	NOX	00	1002	INTOL	INTOD	I WITOI	I IVIZ.OL	1 1012.00	1 1712.01	D002	NDOOZ	0021	0117	1120	115	0020

Daily, Summer (Max)	_		-		-	-				_	_	_	-					
Avoided	_	_	_	-	_	_	_	-	-	_	-	_	_	-	_	_	_	-
Subtotal	_	-	-	_	_	_	_	-	_	_	_	_	_	-	_	-	_	-
Sequest ered	_	_	-	-	-	-	-	-	-	_	-	-	_	-	-	-	_	-
Subtotal	_	_	-	_	_	_	_	-	-	-	-	_	_	-	-	-	_	_
Remove d	-	_	-	-	-	-	_	-	_	_	-	-	_	_	-	-	_	-
Subtotal	_	_	_	_	_	_	_	_	-	_	_	_	_	-	_	_	_	_
_	_	_	_	_	_	_	_	-	-	_	_	_	_	-	-	-	_	_
Daily, Winter (Max)	-	-			-	-	-	-	-	_	-	-		-	-	-	-	-
Avoided	_	_	I-	_	_	_	_	_	_	_	_	-	_	_	_	_	_	_
Subtotal	_	-	1-	_	-	_	_	-	_	_	-	_	_	-	_	-	_	
Sequest ered	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Subtotal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_	-
Remove d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	- 1
Subtotal	_	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	_	-	-	-	-	_	-	_	-	-	-	-	-	-	-	-	_	-
Annual	-	1-	-		-	-	-	-	-	-			-	-	_	_	_	-
Avoided	_	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_	- 1
Subtotal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sequest ered	_	-	-	-	-	-	-	-	_	-	-	-	-	-	-	-	_	-
Subtotal	-	-	-	-	_	-	-	-	-	-	-	-	-	-	_	_	_	

Remove — d	_	-	_	-	-	_	-	-	_	-	_	_	_	_	-	-	_
Subtotal —	-	_	_	_	_	_	-	-	-	_	_	-	_	_	_	-	_
	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

5. Activity Data

5.1. Construction Schedule

Phase Name	Phase Type	Start Date	End Date	Days Per Week	Work Days per Phase	Phase Description
Site Preparation	Site Preparation	5/1/2025	10/14/2026	5.00	380	_

5.2. Off-Road Equipment

5.2.1. Unmitigated

Phase Name	Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
Site Preparation	Rubber Tired Dozers	Diesel	Tier 4 Final	2.00	8.00	367	0.40
Site Preparation	Crushing/Proc. Equipment	Gasoline	Average	2.00	2.00	12.0	0.85
Site Preparation	Off-Highway Trucks	Diesel	Tier 4 Final	2.00	8.00	376	0.38
Site Preparation	Scrapers	Diesel	Tier 4 Final	7.00	8.00	423	0.48
Site Preparation	Excavators	Diesel	Average	2.00	8.00	36.0	0.38

5.3. Construction Vehicles

5.3.1. Unmitigated

Phase Name	Trip Type	One-Way Trips per Day	Miles per Trip	Vehicle Mix
Site Preparation	_	_	_	_

Site Preparation	Worker	10.0	100	LDA,LDT1,LDT2
Site Preparation	Vendor	_	10.2	HHDT,MHDT
Site Preparation	Hauling	11.0	100	HHDT
Site Preparation	Onsite truck	_	_	HHDT

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

Non-applicable. No control strategies activated by user.

5.5. Architectural Coatings

ı	Phase Name	Residential Interior Area Coated	Residential Exterior Area Coated	Non-Residential Interior Area	Non-Residential Exterior Area	Parking Area Coated (sq ft)
П		(sq ft)	(sq ft)	Coated (sq ft)	Coated (sq ft)	

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

Phase Name	Material Imported (Cubic Yards)	Material Exported (Cubic Yards)	Acres Graded (acres)	Material Demolished (sq. ft.)	Acres Paved (acres)
Site Preparation	_	175,000	3,040	0.00	_

5.6.2. Construction Earthmoving Control Strategies

Control Strategies Applied	Frequency (per day)	PM10 Reduction	PM2.5 Reduction
Water Exposed Area	3	74%	74%

5.7. Construction Paving

Land Use	Area Paved (acres)	% Asphalt
Other Non-Asphalt Surfaces	57.0	0%

5.8. Construction Electricity Consumption and Emissions Factors

kWh per Year and Emission Factor (lb/MWh)

Year	kWh per Year	CO2	CH4	N2O
2025	0.00	565	0.03	< 0.005
2026	0.00	482	0.03	< 0.005

5.9. Operational Mobile Sources

5.9.1. Unmitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
Total all Land Uses	0.00	0.00	0.00	3.00	0.00	0.00	0.00	300

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.2. Architectural Coatings

Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
0	0.00	0.00	0.00	148,975

5.10.3. Landscape Equipment

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	250

5.11. Operational Energy Consumption

5.11.1. Unmitigated

Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
Other Non-Asphalt Surfaces	0.00	482	0.0330	0.0040	0.00

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Other Non-Asphalt Surfaces	0.00	0.00

5.13. Operational Waste Generation

5.13.1. Unmitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Other Non-Asphalt Surfaces	0.00	<u>-</u>

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

Land Use Type E	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced
-----------------	----------------	-------------	-----	---------------	----------------------	-------------------	----------------

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated



5.18.2. Sequestration

5.18.2.1. Unmitigated

Tree Type Number Electricity Saved (kWh/year) Natural Gas Saved (btu/year)	Тгее Туре	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)
--	-----------	--------	------------------------------	------------------------------

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	38.6	annual days of extreme heat
Extreme Precipitation	7.50	annual days with precipitation above 20 mm
Sea Level Rise	0.00	meters of inundation depth
Wildfire	35.6	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about ¾ an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider different increments of sea level rise coupled with extreme storm events. Users may select from four model simulations to view the range in potential inundation depth for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 50 meters (m) by 50 m, or about 164 feet (ft) by 164 ft.

Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	5	0	0	N/A

Extreme Precipitation	N/A	N/A	N/A	N/A	
Sea Level Rise	1	0	0	N/A	
Wildfire	1	0	0	N/A	
Flooding	N/A	N/A	N/A	N/A	
Drought	N/A	N/A	N/A	N/A	
Snowpack Reduction	N/A	N/A	N/A	N/A	
Air Quality Degradation	0	0	0	N/A	

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	5	1	1	4
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	1	1	2
Wildfire	1	1	1	2
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	1	1	1	2

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

Indicator	Result for Project Census Tract
Exposure Indicators	
AQ-Ozone	97.6
AQ-PM	1.68
AQ-DPM	4.41
Drinking Water	60.7
Lead Risk Housing	11.6
Pesticides	11.0
Toxic Releases	8.39
Traffic	1.35
Effect Indicators	_
CleanUp Sites	0.00
Groundwater	0.00
Haz Waste Facilities/Generators	0.00
Impaired Water Bodies	0.00
Solid Waste	11.6
Sensitive Population	_
Asthma	63.6
Cardio-vascular	92.9
Low Birth Weights	66.3
Socioeconomic Factor Indicators	_
Education	33.5
Housing	22.1

Linguistic	8.49	
Poverty	67.0	
Unemployment	64.5	

7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	-
Above Poverty	54.07416913
Employed	2.34826126
Median HI	47.09354549
Education	_
Bachelor's or higher	24.38085461
High school enrollment	100
Preschool enrollment	95.7141024
Transportation	——————————————————————————————————————
Auto Access	86.34672142
Active commuting	8.161170281
Social	_
2-parent households	29.38534582
Voting	73.38637239
Neighborhood	_
Alcohol availability	87.1423072
Park access	51.00731426
Retail density	9.110740408
Supermarket access	10.57359168
Tree canopy	85.29449506

Housing	_
Homeownership	77.15898884
Housing habitability	49.54446298
Low-inc homeowner severe housing cost burden	35.91684845
Low-inc renter severe housing cost burden	3.708456307
Uncrowded housing	96.93314513
Health Outcomes	_
Insured adults	30.92518927
Arthritis	0.0
Asthma ER Admissions	46.4
High Blood Pressure	0.0
Cancer (excluding skin)	0.0
Asthma	0.0
Coronary Heart Disease	0.0
Chronic Obstructive Pulmonary Disease	0.0
Diagnosed Diabetes	0.0
Life Expectancy at Birth	16.7
Cognitively Disabled	5.2
Physically Disabled	5.0
Heart Attack ER Admissions	10.8
Mental Health Not Good	0.0
Chronic Kidney Disease	0.0
Obesity	0.0
Pedestrian Injuries	59.1
Physical Health Not Good	0.0
Stroke	0.0
Health Risk Behaviors	_

Binge Drinking	0.0
Current Smoker	0.0
No Leisure Time for Physical Activity	0.0
Climate Change Exposures	
Wildfire Risk	87.1
SLR Inundation Area	0.0
Children	65.5
Elderly	25.8
English Speaking	82.2
Foreign-born	0.7
Outdoor Workers	31.4
Climate Change Adaptive Capacity	_
Impervious Surface Cover	94.7
Traffic Density	3.7
Traffic Access	23.0
Other Indices	
Hardship	62.9
Other Decision Support	
2016 Voting	81.4

7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	19.0
Healthy Places Index Score for Project Location (b)	41.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	No
Project Located in a Low-Income Community (Assembly Bill 1550)	No
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

7.4. Health & Equity Measures

No Health & Equity Measures selected.

7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

8. User Changes to Default Data

Screen	Justification
Construction: Construction Phases	Client Provided schedule
Construction: Off-Road Equipment	Client provided equipment list
Construction: Trips and VMT	Client provided total worker trips and hauling trips which equals 8,000 round trips.

This page intentionally left blank



APPENDIX 3.10:

CALEEMOD REPLENISH BIG BEAR COMPONENT 5 MITIGATED EMISSIONS MODEL
OUTPUTS



15309-Sand Canyon (Mitigated) Detailed Report

Table of Contents

- 1. Basic Project Information
 - 1.1. Basic Project Information
 - 1.2. Land Use Types
 - 1.3. User-Selected Emission Reduction Measures by Emissions Sector
- 2. Emissions Summary
 - 2.1. Construction Emissions Compared Against Thresholds
 - 2.2. Construction Emissions by Year, Unmitigated
 - 2.4. Operations Emissions Compared Against Thresholds
 - 2.5. Operations Emissions by Sector, Unmitigated
- 3. Construction Emissions Details
 - 3.1. Linear, Grading & Excavation (2025) Unmitigated
 - 3.3. Linear, Grading & Excavation (2026) Unmitigated
 - 3.5. Linear, Drainage, Utilities, & Sub-Grade (2026) Unmitigated
 - 3.7. Demolition (2025) Unmitigated

- 3.9. Building Construction (2025) Unmitigated
- 3.11. Building Construction (2026) Unmitigated
- 4. Operations Emissions Details
 - 4.1. Mobile Emissions by Land Use
 - 4.1.1. Unmitigated
 - 4.2. Energy
 - 4.2.1. Electricity Emissions By Land Use Unmitigated
 - 4.2.3. Natural Gas Emissions By Land Use Unmitigated
 - 4.3. Area Emissions by Source
 - 4.3.1. Unmitigated
 - 4.4. Water Emissions by Land Use
 - 4.4.1. Unmitigated
 - 4.5. Waste Emissions by Land Use
 - 4.5.1. Unmitigated
 - 4.6. Refrigerant Emissions by Land Use
 - 4.6.1. Unmitigated
 - 4.7. Offroad Emissions By Equipment Type

- 4.7.1. Unmitigated
- 4.8. Stationary Emissions By Equipment Type
 - 4.8.1. Unmitigated
- 4.9. User Defined Emissions By Equipment Type
 - 4.9.1. Unmitigated
- 4.10. Soil Carbon Accumulation By Vegetation Type
 - 4.10.1. Soil Carbon Accumulation By Vegetation Type Unmitigated
 - 4.10.2. Above and Belowground Carbon Accumulation by Land Use Type Unmitigated
 - 4.10.3. Avoided and Sequestered Emissions by Species Unmitigated
- 5. Activity Data
 - 5.1. Construction Schedule
 - 5.2. Off-Road Equipment
 - 5.2.1. Unmitigated
 - 5.3. Construction Vehicles
 - 5.3.1. Unmitigated
 - 5.4. Vehicles
 - 5.4.1. Construction Vehicle Control Strategies

- 5.5. Architectural Coatings
- 5.6. Dust Mitigation
 - 5.6.1. Construction Earthmoving Activities
 - 5.6.2. Construction Earthmoving Control Strategies
- 5.7. Construction Paving
- 5.8. Construction Electricity Consumption and Emissions Factors
- 5.9. Operational Mobile Sources
 - 5.9.1. Unmitigated
- 5.10. Operational Area Sources
 - 5.10.1. Hearths
 - 5.10.1.1. Unmitigated
 - 5.10.2. Architectural Coatings
 - 5.10.3. Landscape Equipment
- 5.11. Operational Energy Consumption
 - 5.11.1. Unmitigated
- 5.12. Operational Water and Wastewater Consumption
 - 5.12.1. Unmitigated

- 5.13. Operational Waste Generation
 - 5.13.1. Unmitigated
- 5.14. Operational Refrigeration and Air Conditioning Equipment
 - 5.14.1. Unmitigated
- 5.15. Operational Off-Road Equipment
 - 5.15.1. Unmitigated
- 5.16. Stationary Sources
 - 5.16.1. Emergency Generators and Fire Pumps
 - 5.16.2. Process Boilers
- 5.17. User Defined
- 5.18. Vegetation
 - 5.18.1. Land Use Change
 - 5.18.1.1. Unmitigated
 - 5.18.1. Biomass Cover Type
 - 5.18.1.1. Unmitigated
 - 5.18.2. Sequestration
 - 5.18.2.1. Unmitigated

- 6. Climate Risk Detailed Report
 - 6.1. Climate Risk Summary
 - 6.2. Initial Climate Risk Scores
 - 6.3. Adjusted Climate Risk Scores
 - 6.4. Climate Risk Reduction Measures
- 7. Health and Equity Details
 - 7.1. CalEnviroScreen 4.0 Scores
 - 7.2. Healthy Places Index Scores
 - 7.3. Overall Health & Equity Scores
 - 7.4. Health & Equity Measures
 - 7.5. Evaluation Scorecard
 - 7.6. Health & Equity Custom Measures
- 8. User Changes to Default Data

1. Basic Project Information

1.1. Basic Project Information

Data Field	Value
Project Name	15309-Sand Canyon (Mitigated)
Construction Start Date	5/1/2025
Operational Year	2027
Lead Agency	_
Land Use Scale	Project/site
Analysis Level for Defaults	County
Windspeed (m/s)	2.50
Precipitation (days)	1.80
Location	34.224799, -116.85662
County	San Bernardino-South Coast
City	Unincorporated
Air District	South Coast AQMD
Air Basin	South Coast
TAZ	5157
EDFZ	10
Electric Utility	Southern California Edison
Gas Utility	Southwest Gas Corp.
App Version	2022.1.1.18

1.2. Land Use Types

1	Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq	Special Landscape	Population	Description
ı						ft)	Area (sq ft)		

User Defined Linear	1.37	Mile	0.74	0.00	_	_	_	Pipeline
Other Non-Asphalt Surfaces	2.00	Acre	2.00	0.00	0.00	-	-	Pump/Monitoring Wells
Parking Lot	0.50	Acre	0.50	0.00	0.00	_	_	_

1.3. User-Selected Emission Reduction Measures by Emissions Sector

No measures selected

2. Emissions Summary

2.1. Construction Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-		_	-	-	-	-		_	_	-	_		-	-	-		-
Unmit.	2.82	1.41	22.1	32.3	0.11	0.52	6.86	7.39	0.50	1.60	2.10	-	16,984	16,984	1.34	2.11	34.1	17,682
Daily, Winter (Max)			-		-	-	-	-	-	-			-		-			
Unmit.	2.75	1.75	20.3	42.3	0.10	0.58	5.42	6.00	0.54	1.35	1.89	_	15,465	15,465	0.86	1.36	0.74	15,893
Average Daily (Max)	-					-			-	_	-	-	-	-	-		-	
Unmit.	1.04	0.60	8.47	13.4	0.04	0.23	2.04	2.27	0.21	0.51	0.72	-	6,132	6,132	0.43	0.68	5.38	6,350
Annual (Max)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unmit.	0.19	0.11	1.55	2.45	0.01	0.04	0.37	0.41	0.04	0.09	0.13	_	1,015	1,015	0.07	0.11	0.89	1,051

2.2. Construction Emissions by Year, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

		,	-	, , , ,		,	,		,	,	,							
Year	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily - Summer (Max)	-								-						-			-
2025	2.82	1.41	22.1	32.3	0.11	0.52	6.86	7.39	0.50	1.60	2.10	-	16,984	16,984	1.34	2.11	34.1	17,682
2026	1.11	0.84	7.50	23.5	0.04	0.22	2.27	2.49	0.21	0.55	0.76	-	5,995	5,995	0.25	0.34	11.1	6,114
Daily - Winter (Max)	-					-	-		-		-		-	_	-	-	-	-
2025	2.13	1.25	17.1	27.8	0.08	0.47	4.01	4.48	0.45	1.02	1.46	-	12,475	12,475	0.86	1.34	0.66	12,898
2026	2.75	1.75	20.3	42.3	0.10	0.58	5.42	6.00	0.54	1.35	1.89	_	15,465	15,465	0.83	1.36	0.74	15,893
Average Daily	-	-	-	_	-	-	-	-	-	-	-	-	_	-	-	-	-	_
2025	1.04	0.60	8.47	13.4	0.04	0.23	2.04	2.27	0.21	0.51	0.72	-	6,132	6,132	0.43	0.68	5.38	6,350
2026	0.52	0.40	3.42	10.2	0.02	0.11	1.05	1.15	0.10	0.25	0.35	_	2,633	2,633	0.09	0.13	2.01	2,678
Annual	_	-	_	-	_	_	_	-	-	_	-	_	_	_	_	_	_	_
2025	0.19	0.11	1.55	2.45	0.01	0.04	0.37	0.41	0.04	0.09	0.13	_	1,015	1,015	0.07	0.11	0.89	1,051
2026	0.10	0.07	0.62	1.86	< 0.005	0.02	0.19	0.21	0.02	0.05	0.06	_	436	436	0.02	0.02	0.33	443

2.4. Operations Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T		PM2.5D		BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-			-			-	-	_	-		-	-	-				
Unmit.	2.16	1.99	10.3	8.72	0.01	1.01	0.00	1.01	1.01	0.00	1.01	0.00	1,035	1,035	0.04	0.01	0.00	1,039
Daily, Winter (Max)	-	-	-	-	-	-	-		-	-	-	-	-	-	-			-
Unmit.	2.16	1.99	10.3	8.72	0.01	1.01	0.00	1.01	1.01	0.00	1.01	0.00	1,035	1,035	0.04	0.01	0.00	1,039

9/46

Average Daily (Max)	-		-			-					-					-	-	
Unmit.	2.16	1.99	10.3	8.72	0.01	1.01	0.00	1.01	1.01	0.00	1.01	0.00	1,035	1,035	0.04	0.01	0.00	1,039
Annual (Max)	-	-	-	-	-	-	-	-	1-	-	-	-	1	-	-	-	-	-
Unmit.	0.39	0.36	1.87	1.59	< 0.005	0.18	0.00	0.18	0.18	0.00	0.18	0.00	171	171	0.01	< 0.005	0.00	172

2.5. Operations Emissions by Sector, Unmitigated

Sector	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)					-			-		_	-	-			-	-	-	
Mobile	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Area	_	0.02	-	-	-	_	_	-	_	_	_	_	_	-	-	-	_	-
Energy	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	-	27.8	27.8	< 0.005	< 0.005	_	27.9
Water	_	_	-	1-	-	_	_	-	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Waste	_	_	-	-	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Stationar y	2.16	1.97	10.3	8.72	0.01	1.01	0.00	1.01	1.01	0.00	1.01	0.00	1,007	1,007	0.04	0.01	0.00	1,011
Total	2.16	1.99	10.3	8.72	0.01	1.01	0.00	1.01	1.01	0.00	1.01	0.00	1,035	1,035	0.04	0.01	0.00	1,039
Daily, Winter (Max)	-					-	-	-	_	_	-	-	-	-		-	_	-
Mobile	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Area	_	0.02	-	1-	-	_	_	-	_	_	-	-	-	-	_	_	-	-
Energy	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	-	0.00	-	27.8	27.8	< 0.005	< 0.005	-	27.9
Water	_	-	-	I -	_	_	_	-	-	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Waste	_	_		_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00

Stationar	2.16	1.97	10.3	8.72	0.01	1.01	0.00	1.01	1.01	0.00	1.01	0.00	1,007	1,007	0.04	0.01	0.00	1,011
Total	2.16	1.99	10.3	8.72	0.01	1.01	0.00	1.01	1.01	0.00	1.01	0.00	1,035	1,035	0.04	0.01	0.00	1,039
Average Daily	-	-	-	-	-		-		-	-	-	-	-		-	-	-	-
Mobile	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Area	_	0.02	-	_	_	-	_	1	_	-	_	-	-	-	-	_	_	-
Energy	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	-	0.00	-	27.8	27.8	< 0.005	< 0.005	-	27.9
Water	_	_	-	-	_	-	-	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Waste	_	_	-	-	-	-	-	1-	-	-	_	0.00	0.00	0.00	0.00	0.00	-	0.00
Stationar y	2.16	1.97	10.3	8.72	0.01	1.01	0.00	1.01	1.01	0.00	1.01	0.00	1,007	1,007	0.04	0.01	0.00	1,011
Total	2.16	1.99	10.3	8.72	0.01	1.01	0.00	1.01	1.01	0.00	1.01	0.00	1,035	1,035	0.04	0.01	0.00	1,039
Annual	_	_	-	-	-	-	-	1-	_	_	_	_	-	-	-	_	_	-
Mobile	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Area	_	< 0.005	_	_	_	-	_	-	_	_	_	_	1-	-	-	_	_	-
Energy	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	_	0.00	_	4.60	4.60	< 0.005	< 0.005	-	4.62
Water	_	_	_	-	-	_	-	1-	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Waste	_	-	_	-	-	_	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	_	0.00
Stationar y	0.39	0.36	1.87	1.59	< 0.005	0.18	0.00	0.18	0.18	0.00	0.18	0.00	167	167	0.01	< 0.005	0.00	167
Total	0.39	0.36	1.87	1.59	< 0.005	0.18	0.00	0.18	0.18	0.00	0.18	0.00	171	171	0.01	< 0.005	0.00	172

3. Construction Emissions Details

3.1. Linear, Grading & Excavation (2025) - Unmitigated

Location	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Daily, Summer (Max)					-						_	Г	-			_		
Off-Road Equipmen		0.74	6.04	13.0	0.02	0.30		0.30	0.28	-	0.28	-	2,285	2,285	0.09	0.02	-	2,293
Dust From Material Movement	 t					-	0.07	0.07		0.01	0.01	-					-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Daily, Winter (Max)	_					-						-		-			-	
Off-Road Equipmen		0.74	6.04	13.0	0.02	0.30	-	0.30	0.28	-	0.28	-	2,285	2,285	0.09	0.02	-	2,293
Dust From Material Movement	_ t						0.07	0.07		0.01	0.01				-		-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Average Daily	_	-	-	-	-	-	-	-	_	-	-	-	-	-	-	1	-	-
Off-Road Equipmen		0.35	2.89	6.22	0.01	0.14	-	0.14	0.13	-	0.13	-	1,091	1,091	0.04	0.01	-	1,095
Dust From Material Movement	_						0.03	0.03		< 0.005	< 0.005						_	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Annual	_	-	_	-	1-	-	_	-	_	_	_	-	- I	_	_	-	-	-
Off-Road Equipmen		0.06	0.53	1.14	< 0.005	0.03	-	0.03	0.02	-	0.02	-	181	181	0.01	< 0.005	-	181

Dust From Material Movemen	— nt						0.01	0.01		< 0.005	< 0.005						-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Offsite	_	_	_	_	_	-	_	_	_	_	_	_	-	_	_	_	-	_
Daily, Summer (Max)	-		-		-		-	-		-	-	r	-	-	-	-	-	
Worker	0.21	0.16	0.41	7.70	0.00	0.00	1.41	1.41	0.00	0.33	0.33	_	1,508	1,508	0.05	0.05	5.65	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	_
Hauling	0.67	0.09	6.48	3.35	0.04	0.08	1.67	1.75	0.08	0.46	0.54	_	6,097	6,097	0.58	1.00	13.2	-
Daily, Winter (Max)	-	-			-		-	-	-	_	-	-	-	-	-	-	-	-
Worker	0.20	0.16	0.46	5.49	0.00	0.00	1.41	1.41	0.00	0.33	0.33	_	1,381	1,381	0.05	0.05	0.15	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	-
Hauling	0.67	0.09	6.76	3.35	0.04	0.08	1.67	1.75	0.08	0.46	0.54	_	6,097	6,097	0.58	1.00	0.34	
Average Daily	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Worker	0.10	0.07	0.24	2.79	0.00	0.00	0.67	0.67	0.00	0.16	0.16	-	669	669	0.02	0.02	1.17	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	
Hauling	0.32	0.04	3.28	1.60	0.02	0.04	0.80	0.83	0.04	0.22	0.26	-	2,911	2,911	0.27	0.48	2.74	-
Annual	_	-	-	-	1	-	-	-	-	-	-	-	-	-	1 -	-	_	-
Worker	0.02	0.01	0.04	0.51	0.00	0.00	0.12	0.12	0.00	0.03	0.03	-	111	111	< 0.005	< 0.005	0.19	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Hauling	0.06	0.01	0.60	0.29	< 0.005	0.01	0.15	0.15	0.01	0.04	0.05	-	482	482	0.05	0.08	0.45	

3.3. Linear, Grading & Excavation (2026) - Unmitigated

Location	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	СО2Т	CH4	N2O	R	CO2e
Onsite	_	<u> </u>	_	-	_	_	_	_	_	-	-	-	<u> </u>	-	-	_	_	1 _
Daily, Summer (Max)	-		-		-		-		-	_	-		-	-		-	-	F
Daily, Winter (Max)	-		-								_		-	-			-	T
Off-Road Equipmer		0.71	5.83	13.0	0.02	0.27	-	0.27	0.25	-	0.25	-	2,286	2,286	0.09	0.02	-	2,294
Dust From Material Movemen	 t		-		-		0.07	0.07		0.01	0.01		-		-			
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	
Average Daily	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Off-Road Equipmen		0.03	0.25	0.56	< 0.005	0.01	-	0.01	0.01	-	0.01	-	98.4	98.4	< 0.005	< 0.005	-	98.8
Dust From Material Movemen	_ t						< 0.005	< 0.005		< 0.005	< 0.005	_	-				-	-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Annual	-	_	-	_	_	-	-	-	-	-	-	_	_	-	_	-	_	-
Off-Road Equipmer		0.01	0.05	0.10	< 0.005	< 0.005	-	< 0.005	< 0.005	-	< 0.005	-	16.3	16.3	< 0.005	< 0.005	-	16.4
Dust From Material Movemen	t			Ī			< 0.005	< 0.005		< 0.005	< 0.005							

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Offsite	_	_	_	_	_	_	_	_	_	-	_	_	-	_	_	-	_	_
Daily, Summer (Max)	-	_	-		-	-	-		-	-	-		-				-	
Daily, Winter (Max)	-		-		-	-	-		-	-	-		-		-	-	-	
Worker	0.20	0.15	0.41	5.08	0.00	0.00	1.41	1.41	0.00	0.33	0.33	_	1,353	1,353	< 0.005	0.05	0.13	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Hauling	0.63	0.05	6.48	3.27	0.04	0.08	1.67	1.75	0.08	0.46	0.54	-	5,986	5,986	0.53	0.96	0.32	-
Average Daily	-	-	-	-	-	-	-	-	-	-	-	-	1-	-	-	-	-	-
Worker	0.01	0.01	0.02	0.23	0.00	0.00	0.06	0.06	0.00	0.01	0.01	-	59.1	59.1	< 0.005	< 0.005	0.10	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Hauling	0.03	< 0.005	0.28	0.14	< 0.005	< 0.005	0.07	0.08	< 0.005	0.02	0.02	-	258	258	0.02	0.04	0.23	-
Annual	_	-	_	_	_	-	_	-	_	_	_	_	-	_	-	_	-	_
Worker	< 0.005	< 0.005	< 0.005	0.04	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	_	9.78	9.78	< 0.005	< 0.005	0.02	_
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	_
Hauling	< 0.005	< 0.005	0.05	0.03	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	-	42.7	42.7	< 0.005	0.01	0.04	-

3.5. Linear, Drainage, Utilities, & Sub-Grade (2026) - Unmitigated

Location	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	-	_	_	_	_	_	_	_	_	_	_	-	_	_	_	_	_	_
Daily, Summer (Max)							-				-				-	-	-	

Off-Road Equipmen		0.45	3.58	10.1	0.02	0.14	-	0.14	0.13	-	0.13		1,810	1,810	0.07	0.01	-	1,816
Dust From Material Movement	_ t				-	-	0.00	0.00		0.00	0.00						-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Daily, Winter (Max)	_		-		-	-	-		-	-	-	-	-		-		-	-
Off-Road Equipmen		0.45	3.58	10.1	0.02	0.14	-	0.14	0.13	-	0.13	-	1,810	1,810	0.07	0.01	-	1,816
Dust From Material Movement	_ t						0.00	0.00	-	0.00	0.00	-					-	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Average Daily	_		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Off-Road Equipmen		0.24	1.86	5.24	0.01	0.07	-	0.07	0.07	-	0.07	-	942	942	0.04	0.01	-	945
Dust From Material Movement	_ t						0.00	0.00		0.00	0.00							
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Annual	_	-	_	1	-	-	-	<u>-</u> -	_	_	_	_	-	-	-	_	-	-
Off-Road Equipmen		0.04	0.34	0.96	< 0.005	0.01	-	0.01	0.01	-	0.01	-	156	156	0.01	< 0.005	-	157
Dust From Material Movement	_ t	-		-	-	-	0.00	0.00	-	0.00	0.00		-	-	-	-	-	-

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Offsite	_	_	-	-	-	_	_	_	-	-	-	_	-	_	-	_	_	_
Daily, Summer (Max)	-	-	-	-	-		-			-	-	-	-			-	-	
Worker	0.20	0.16	0.37	7.12	0.00	0.00	1.41	1.41	0.00	0.33	0.33	-	1,477	1,477	0.05	0.05	5.11	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	-
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Daily, Winter (Max)	-	-	-	-	-	-	-	-		-	-	-		-	-	-	-	-
Worker	0.20	0.15	0.41	5.08	0.00	0.00	1.41	1.41	0.00	0.33	0.33	-	1,353	1,353	< 0.005	0.05	0.13	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	-
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Average Daily	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Worker	0.10	0.08	0.24	2.80	0.00	0.00	0.73	0.73	0.00	0.17	0.17	_	714	714	< 0.005	0.02	1.15	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	-
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Annual	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Worker	0.02	0.01	0.04	0.51	0.00	0.00	0.13	0.13	0.00	0.03	0.03	-	118	118	< 0.005	< 0.005	0.19	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1	0.00	0.00	0.00	0.00	0.00	_

3.7. Demolition (2025) - Unmitigated

Location	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	-	_

Daily, Summer (Max)	_	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	
Off-Road Equipmen		0.28	2.32	2.77	< 0.005	0.06	-	0.06	0.06	-	0.06	-	366	366	0.01	< 0.005	-	368
Demolitio n	-	-	-	-	-	-	1.62	1.62	-	0.25	0.25	-	-	-	-	-	-	-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Daily, Winter (Max)			-			-	-	-		-	-	-	-		-	-	-	
Average Daily	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Off-Road Equipmen		0.02	0.13	0.15	< 0.005	< 0.005	-	< 0.005	< 0.005	-	< 0.005	-	20.1	20.1	< 0.005	< 0.005	-	20.1
Demolitio n	_	-	-	-	-	-	0.09	0.09	-	0.01	0.01	-	-	-	-	-	-	-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Annual	_	_	_	_	_	_	_	_	_	_	_	_	-	_	_	_	_	_
Off-Road Equipmen		< 0.005	0.02	0.03	< 0.005	< 0.005	-	< 0.005	< 0.005	-	< 0.005	-	3.32	3.32	< 0.005	< 0.005	-	3.34
Demolitio n	-	-	-	-	-	-	0.02	0.02	-	< 0.005	< 0.005	-	-	-	-	-	-	-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Offsite	_	_	_	1-	1-	_	_	1-	1-	_	_	-	1-	_	1-	_	_	_
Daily, Summer (Max)	_	_	-	-	-	-	-		-	-	-		-	-	-	-	-	-
Worker	0.05	0.04	0.10	1.93	0.00	0.00	0.35	0.35	0.00	0.08	0.08	-	377	377	0.01	0.01	1.41	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	_

Hauling	0.69	0.09	6.75	3.49	0.04	0.08	1.74	1.82	0.08	0.48	0.56	_	6,351	6,351	0.60	1.04	13.8	_
Daily, Winter (Max)	-	-	-	-	-	-	-		-		_		-	-	-		-	Г
Average Daily	-	_	-	-	-	-	-	-	-	_	-	-	-	-	-	-	-	-
Worker	< 0.005	< 0.005	0.01	0.08	0.00	0.00	0.02	0.02	0.00	< 0.005	< 0.005	-	19.2	19.2	< 0.005	< 0.005	0.03	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Hauling	0.04	0.01	0.39	0.19	< 0.005	< 0.005	0.10	0.10	< 0.005	0.03	0.03	-	348	348	0.03	0.06	0.33	-
Annual	_	_	_	-	_	-	-	-	_	-	_	-	-	_	-	_	_	-
Worker	< 0.005	< 0.005	< 0.005	0.01	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	-	3.18	3.18	< 0.005	< 0.005	0.01	-
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Hauling	0.01	< 0.005	0.07	0.03	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	0.01	_	57.6	57.6	0.01	0.01	0.05	_

3.9. Building Construction (2025) - Unmitigated

Location	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	_	-	4-	1-	4-	_	-	\ <u>-</u>	-	-	-		-	-	-	-	-	-
Daily, Summer (Max)	_						-	-		_	-	-		-	_		-	-
Off-Road Equipmen		0.19	2.17	3.86	0.01	0.07	-	0.07	0.07	-	0.07	-	609	609	0.02	< 0.005	-	611
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Daily, Winter (Max)	_								-	-	-	-	-	-	-	-		-
Off-Road Equipmen		0.19	2.17	3.86	0.01	0.07	-	0.07	0.07	-	0.07	-	609	609	0.02	< 0.005	-	611

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Average Daily	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Off-Road Equipmer		0.08	0.86	1.53	< 0.005	0.03	-	0.03	0.03	-	0.03	-	241	241	0.01	< 0.005	-	242
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Annual	_	-	_	_	_	_	_	-	_	_	_	_	-	_	_	_	_	_
Off-Road Equipmer		0.01	0.16	0.28	< 0.005	0.01	-	0.01	< 0.005	-	< 0.005	-	39.9	39.9	< 0.005	< 0.005	-	40.0
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Offsite	_	_	1-	_	_	_	1-	_	_	_	_	_	-	_	1-	_	_	_
Daily, Summer (Max)	-	-	1-	-	-	-	-	-	-	-	-	-	-	-		-	-	-
Worker	0.05	0.04	0.10	1.93	0.00	0.00	0.35	0.35	0.00	0.08	0.08	_	377	377	0.01	0.01	1.41	-
Vendor	0.13	0.03	1.51	0.71	0.01	0.03	0.50	0.53	0.03	0.14	0.17	_	1,757	1,757	0.11	0.27	5.11	_
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	_
Daily, Winter (Max)		-			-		-				-		-				-	
Worker	0.05	0.04	0.11	1.37	0.00	0.00	0.35	0.35	0.00	0.08	0.08	-	345	345	0.01	0.01	0.04	-
Vendor	0.13	0.03	1.58	0.69	0.01	0.03	0.50	0.53	0.03	0.14	0.17	-	1,757	1,757	0.11	0.27	0.13	_
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	_
Average Daily	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Worker	0.02	0.02	0.05	0.58	0.00	0.00	0.14	0.14	0.00	0.03	0.03	_	138	138	< 0.005	< 0.005	0.24	_
Vendor	0.05	0.01	0.63	0.27	0.01	0.01	0.20	0.21	0.01	0.05	0.07	_	695	695	0.04	0.10	0.87	_
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Worker	< 0.005	< 0.005	0.01	0.11	0.00	0.00	0.03	0.03	0.00	0.01	0.01	-	22.9	22.9	< 0.005	< 0.005	0.04	_
Vendor	0.01	< 0.005	0.12	0.05	< 0.005	< 0.005	0.04	0.04	< 0.005	0.01	0.01	-	115	115	0.01	0.02	0.14	_
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	_

3.11. Building Construction (2026) - Unmitigated

Location	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	_	1	-	1-	1-	1-	_	-	_	_	_	-	-	-	1-	_	_	-
Daily, Summer (Max)	_					-	-		-		-	-	-			-	-	
Off-Road Equipmen		0.18	2.04	3.86	0.01	0.06	-	0.06	0.05	-	0.05	-	611	611	0.02	< 0.005	-	613
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Daily, Winter (Max)	_		-		-	-	-		-	_	-	-	-	-	-	-	-	-
Off-Road Equipmen		0.18	2.04	3.86	0.01	0.06	-	0.06	0.05	-	0.05	-	611	611	0.02	< 0.005	-	613
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Average Daily	_	-	-	1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Off-Road Equipmen		0.04	0.43	0.81	< 0.005	0.01	-	0.01	0.01	-	0.01	-	128	128	0.01	< 0.005	-	128
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Annual	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1-	-	-	-
Off-Road Equipmen		0.01	0.08	0.15	< 0.005	< 0.005	-	< 0.005	< 0.005	-	< 0.005	-	21.2	21.2	< 0.005	< 0.005	-	21.2

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Offsite	-	-	_	_	_	_	_	_	-	-	-	_	-	-	-	-	_	-
Daily, Summer (Max)	_	_	-	-	-		-	-	-	-	-		-	-		-	-	-
Worker	0.05	0.04	0.09	1.78	0.00	0.00	0.35	0.35	0.00	0.08	0.08	_	369	369	0.01	0.01	1.28	-
Vendor	0.13	0.02	1.43	0.66	0.01	0.03	0.50	0.53	0.03	0.14	0.17	_	1,728	1,728	0.10	0.27	4.71	_
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	_
Daily, Winter (Max)	-	_	-	-	-	_	-	-	-	-	-	-	-	-	-	-	-	-
Worker	0.05	0.04	0.10	1.27	0.00	0.00	0.35	0.35	0.00	0.08	0.08	_	338	338	< 0.005	0.01	0.03	_
Vendor	0.12	0.02	1.49	0.67	0.01	0.03	0.50	0.53	0.03	0.14	0.17	_	1,728	1,728	0.10	0.27	0.12	-
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	-
Average Daily	-	-	-	-	1-	-	-	-	-	-	-	-	-	-	-	-	-	-
Worker	0.01	0.01	0.02	0.28	0.00	0.00	0.07	0.07	0.00	0.02	0.02	-	71.8	71.8	< 0.005	< 0.005	0.12	-
Vendor	0.03	< 0.005	0.32	0.14	< 0.005	0.01	0.11	0.11	0.01	0.03	0.03	_	362	362	0.02	0.06	0.42	-
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	_
Annual	-	-	-	-	-	-	-	-	1-	-	-	-	-	-	- I	-	-	-
Worker	< 0.005	< 0.005	< 0.005	0.05	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	-	11.9	11.9	< 0.005	< 0.005	0.02	-
Vendor	< 0.005	< 0.005	0.06	0.03	< 0.005	< 0.005	0.02	0.02	< 0.005	0.01	0.01	-	59.9	59.9	< 0.005	0.01	0.07	-
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

Mobile source emissions results are presented in Sections 2.6. No further detailed breakdown of emissions is available.

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

Land Use	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_		-						-									-
Other Non-Asph Surfaces	— nalt		-						-			-	0.00	0.00	0.00	0.00		0.00
Parking Lot	-	-	-	-	-	-	-	-	-	-	-	-	27.8	27.8	< 0.005	< 0.005	-	27.9
Total	_	-	-	-	-	-	-	_	_	_	_	-	27.8	27.8	< 0.005	< 0.005	-	27.9
Daily, Winter (Max)	-		-			-	_	-	-		-	-	-		-			
Other Non-Asph Surfaces	— nalt		-			-	-			-	-	_	0.00	0.00	0.00	0.00	-	0.00
Parking Lot	-	1	-	1	-	-	-	-	-	-	-	-	27.8	27.8	< 0.005	< 0.005	-	27.9
Total	_	-	_	_	1 -	_	-	_	_	_	_	_	27.8	27.8	< 0.005	< 0.005	_	27.9
Annual	_	-	-	II-	-	-	_	_	-	_	_	-	I -	-	-	-	-	-
Other Non-Asph Surfaces	— nalt		-	-	-	-	_		-	_	-	-	0.00	0.00	0.00	0.00	-	0.00
Parking Lot	-	-	-	-	-	-	-	-	-	-	-	-	4.60	4.60	< 0.005	< 0.005	-	4.62
Total	_	_	_	_	_	_	_	_	_	_	_	_	4.60	4.60	< 0.005	< 0.005	_	4.62

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-		-		-		-	-	-	-	-		-	-	_	-	-	-
Other Non-Aspl Surfaces		0.00	0.00	0.00	0.00	0.00		0.00	0.00		0.00		0.00	0.00	0.00	0.00		0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	-	0.00	-	0.00	0.00	0.00	0.00	-	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	-	0.00	-	0.00	0.00	0.00	0.00	-	0.00
Daily, Winter (Max)	-								-				-	-				
Other Non-Aspl Surfaces		0.00	0.00	0.00	0.00	0.00	-	0.00	0.00		0.00		0.00	0.00	0.00	0.00		0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	-	0.00	-	0.00	0.00	0.00	0.00	-	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	-	0.00	_	0.00	0.00	0.00	0.00	-	0.00
Annual	_	_	_	-	_	-	-	_	_	_	_	-	_	_	_	_	- 1	-
Other Non-Aspl Surfaces		0.00	0.00	0.00	0.00	0.00		0.00	0.00	-	0.00	-	0.00	0.00	0.00	0.00	-	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	-	0.00	-	0.00	0.00	0.00	0.00	-	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00

4.3. Area Emissions by Source

4.3.1. Unmitigated

Source	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-	-	-	_		_	_	-	-	-	-	-	-	-	-	-	-	
Consum er Products	_	0.01							-	_	-	_			-		-	
Architect ural Coatings	_	0.01	-		-		-		-		-	-		-	-	-	-	
Total	_	0.02	-	-	-	-	_	-	-	_	-	_	-	-	1-	-	-	-
Daily, Winter (Max)	_	-					-			-	-	-	-					
Consum er Products	-	0.01					-			-	-	-		-				
Architect ural Coatings	_	0.01	-						-	_	-		-					
Total	_	0.02	-	-	I-	-	-	-	-	-	-	-	-	-	1 -	-	-	-
Annual	_	_	_		_	_	_	_	_	_	_	_	_	_	1-	_	_	_
Consum er Products		< 0.005			-	-	-	-	-	-	-		-			-	-	
Architect ural Coatings	_	< 0.005	-		-	-	-	-	_	-	-		-					
Total	_	< 0.005	_	_	_	_	_	_	_	_	_	_	_	_	1	_	_	_

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

Land Use	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Non-Asp Surfaces			-				-				-	0.00	0.00	0.00	0.00	0.00		0.00
Parking Lot	-	-	-	-	-	-	-	-	_	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Total	_	-	-	-	-	-	-	-	_	-	_	0.00	0.00	0.00	0.00	0.00	-	0.00
Daily, Winter (Max)	-		-		-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Non-Asp Surfaces				T	I	-	-		-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Parking Lot	-	-	-	-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Total	_	-	_	-	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Annual	-	-	-	-	-	-	-	-	-	-	_	-	-	-	-	-	-	-
Other Non-Asp Surfaces					-					_	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Parking Lot	-	-	-	-	_	-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Total	-	_	-	-	1-	_	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

Land Use	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Non-Asp Surfaces		-	-	-		-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00		0.00
Parking Lot	-	-	-	-	-	_	-	-	_	_	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Total	_	-	-	-	_	-	-	-	-	_	_	0.00	0.00	0.00	0.00	0.00	-	0.00
Daily, Winter (Max)	-					-	-	-	-	-	-	-	-	-	-			
Other Non-Asp Surfaces		T			Ī	-		-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Parking Lot	-		-	-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Total	_	_	_	-	_	_	_	-	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Annual	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Non-Asp Surfaces		-	-		-	-			_	_	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Parking Lot	-	-	-	-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Total	-	-	-	-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	_	0.00

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

		()	,	J, J.		,	(-		J,									
Land Use	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)		_	_		_				_		_	_	_				-	
Total	_	-	_	_	_	-	-	-	_	-	_	_	_	-	-	-	_	
Daily, Winter (Max)	_	_	_	_	_	-	-	_	_	-	-	-	-	-	-	-	_	- 1
Total	_	-	_	-	-	-	-	_	_	_	-	_	_	-	-	_	-	_
Annual	-	-	_	_	_	_	-	_	_	_	-	_	_	_	-	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

Equipme nt Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-				_	_		_						_	_	_	_	
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Winter (Max)	_	-	-	-	-	_						-		_	_	-	-	-

Total —	-	-	-	-	_	_	_	_	_	_	_	-	_	_	_	_	_
Annual —	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	-	_
Total —	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

Equipme nt	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	СО2Т	CH4	N2O	R	CO2e
Туре																		
Daily, Summer (Max)	-	-	_	_	-	_	_	_	-	-	_	_	-	-	_	_	_	-
Fire Pump	2.16	1.97	10.3	8.72	0.01	1.01	0.00	1.01	1.01	0.00	1.01	0.00	1,007	1,007	0.04	0.01	0.00	0.00
undefine d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1,011
Total	2.16	1.97	10.3	8.72	0.01	1.01	0.00	1.01	1.01	0.00	1.01	0.00	1,007	1,007	0.04	0.01	0.00	1,011
Daily, Winter (Max)	-					-	-	-	-	-	-	-	-	-	-			
Fire Pump	2.16	1.97	10.3	8.72	0.01	1.01	0.00	1.01	1.01	0.00	1.01	0.00	1,007	1,007	0.04	0.01	0.00	0.00
undefine d	-	-	-		-	-	-	-	-	-	-	-	-	-	-	1	-	1,011
Total	2.16	1.97	10.3	8.72	0.01	1.01	0.00	1.01	1.01	0.00	1.01	0.00	1,007	1,007	0.04	0.01	0.00	1,011
Annual	_	-	-	-	-	-	_	_	_	-	-	-	1-	-	-	-	-	-
Fire Pump	0.39	0.36	1.87	1.59	< 0.005	0.18	0.00	0.18	0.18	0.00	0.18	0.00	167	167	0.01	< 0.005	0.00	0.00
undefine d	-	-	_	-	-	_	-	-	-	-	-	-	-	-	-	1-	_	167

Total	0.39	0.36	1.87	1.59	< 0.005 0.18	0.00	0.18	0.18	0.00	0.18	0.00	167	167	0.01	< 0.005	0.00	167

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipme nt Type	TOG	ROG		со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	-	_	-	_	-	-	-	-	-	-	-	-	-	-	-	_	-
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	-
Daily, Winter (Max)	-		_	_	-	-	-						-	-	-		_	- 1
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	-	-	_	-	-	-	-	_	-	_	-	_	-	-	_	-	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_		_	_

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Vegetatio n	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)		_																
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Daily, — Winter	-	-	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
(Max)																	
Total —	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual —	_	_	_	_	_	_	_			_	_	_		_			
Total —	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-				-	-					_		-	-			-	-
Total	_	-	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Winter (Max)	-	-		-	-	-			-	-	-	-	-	-	-	-	-	-
Total	_	-	_	_	_	-	_	_	_	_	_	_	_	_	_	_	_	_
Annual	_	_	_	_	_	-	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Species	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-	-															_	_
Avoided	_	_	_	_	_	_	_	_	_	_	-	_	_	_	_	_	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Sequest	-	-	_	_	_	_	_	_	_	-	_	-	_	_	_	_	_	_
Subtotal	_	-	_	_	_	-	_	-	_	-	_	_	_	-	_	_	_	_
Remove d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	- 1
Subtotal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	_	_	_	_	_	-	_	_	_	-	_	_	_	-	_	-	_	-
Daily, Winter (Max)	-										_		-	-	_			
Avoided	_	_	_	-	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	-	-	-	-	_	_	_	_	-	_	_	_	_	-	_	_	_	-
Sequest ered	-	-	-	-	-	-	- 1	-	-	_	-	_	_	_	-	-	_	-
Subtotal	_	-	_	-	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Remove d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
-	-	-	-	-	_	-	-	-	-	-	_	-	_	-	_	-	_	-
Annual	_	_	_	-	_	-	-	_	_	_	-	_	_	_	-	_	_	_
Avoided	-	-	_	-	_	-	_	-	_	-	_	_	_	-	_	-	_	- 1
Subtotal	_	_	_	_	_	-	_	-	_	-	_	_	_	-	_	_	_	_
Sequest ered	-	-	-	-	-	-	-	-	-	-	-	-	-	-	- 1	-	-	-
Subtotal	-	_	-	-	_	_	_	- 1	-	-	_	-	_	-	_	-	_	- 1
Remove d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Subtotal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_
-	-		-		1-		-	-	_	-	_	-	_	-	_	-	_	-

5. Activity Data

5.1. Construction Schedule

Phase Name	Phase Type	Start Date	End Date	Days Per Week	Work Days per Phase	Phase Description
Linear, Grading & Excavation	Linear, Grading & Excavation	5/2/2025	1/22/2026	5.00	190	F
Linear, Drainage, Utilities, & Sub-Grade	Linear, Drainage, Utilities, & Sub-Grade	1/22/2026	10/14/2026	5.00	190	_
Demolition	Demolition	5/1/2025	5/29/2025	5.00	20.0	_
Building Construction	Building Construction	6/13/2025	4/17/2026	5.00	220	_

5.2. Off-Road Equipment

5.2.1. Unmitigated

Phase Name	Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
Linear, Grading & Excavation	Tractors/Loaders/Backh oes	Diesel	Average	1.00	4.00	84.0	0.37
Linear, Grading & Excavation	Crawler Tractors	Diesel	Average	1.00	4.00	87.0	0.43
Linear, Grading & Excavation	Excavators	Diesel	Average	1.00	8.00	36.0	0.38
Linear, Grading & Excavation	Plate Compactors	Diesel	Average	1.00	8.00	8.00	0.43
Linear, Grading & Excavation	Pavers	Diesel	Average	1.00	8.00	81.0	0.42
Linear, Grading & Excavation	Rollers	Diesel	Average	1.00	8.00	36.0	0.38
Linear, Grading & Excavation	Off-Highway Trucks	Diesel	Tier 4 Final	1.00	8.00	376	0.38

Linear, Grading & Excavation	Signal Boards	Electric	Average	1.00	8.00	6.00	0.82
Linear, Drainage, Utilities, & Sub-Grade	Cranes	Diesel	Tier 4 Final	1.00	4.00	367	0.29
Linear, Drainage, Utilities, & Sub-Grade	Forklifts	Diesel	Average	1.00	4.00	82.0	0.20
Linear, Drainage, Utilities, & Sub-Grade	Tractors/Loaders/Backh oes	Diesel	Average	1.00	8.00	84.0	0.37
Linear, Drainage, Utilities, & Sub-Grade	Plate Compactors	Diesel	Average	1.00	6.00	8.00	0.43
Linear, Drainage, Utilities, & Sub-Grade	Rollers	Diesel	Average	1.00	6.00	36.0	0.38
Linear, Drainage, Utilities, & Sub-Grade	Excavators	Diesel	Average	1.00	4.00	36.0	0.38
Linear, Drainage, Utilities, & Sub-Grade	Off-Highway Trucks	Diesel	Tier 4 Final	1.00	4.00	376	0.38
Linear, Drainage, Utilities, & Sub-Grade	Pavers	Diesel	Average	1.00	2.00	81.0	0.42
Demolition	Concrete/Industrial Saws	Diesel	Average	2.00	6.00	33.0	0.73
Building Construction	Bore/Drill Rigs	Diesel	Average	1.00	8.00	83.0	0.50
Building Construction	Plate Compactors	Diesel	Average	1.00	2.00	8.00	0.43
Building Construction	Tractors/Loaders/Backh oes	Diesel	Average	1.00	6.00	84.0	0.37

5.3. Construction Vehicles

5.3.1. Unmitigated

Phase Name	Trip Type	One-Way Trips per Day	Miles per Trip	Vehicle Mix
Demolition	_	_	_	_
Demolition	Worker	5.00	100	LDA,LDT1,LDT2

Demolition	Vendor	_	10.2	HHDT,MHDT
Demolition	Hauling	18.8	100	HHDT
Demolition	Onsite truck	_	_	HHDT
Linear, Grading & Excavation	_	_	-	_
Linear, Grading & Excavation	Worker	20.0	100	LDA,LDT1,LDT2
Linear, Grading & Excavation	Vendor	0.00	10.2	HHDT,MHDT
Linear, Grading & Excavation	Hauling	18.0	100	HHDT
Linear, Grading & Excavation	Onsite truck	_	_	HHDT
Linear, Drainage, Utilities, & Sub-Grade	_	_	-	_
Linear, Drainage, Utilities, & Sub-Grade	Worker	20.0	100	LDA,LDT1,LDT2
Linear, Drainage, Utilities, & Sub-Grade	Vendor	0.00	10.2	HHDT,MHDT
Linear, Drainage, Utilities, & Sub-Grade	Hauling	0.00	20.0	HHDT
Linear, Drainage, Utilities, & Sub-Grade	Onsite truck	_	-	HHDT
Building Construction	_	_	-	-
Building Construction	Worker	5.00	100	LDA,LDT1,LDT2
Building Construction	Vendor	6.00	100	HHDT,MHDT
Building Construction	Hauling	0.00	20.0	HHDT
Building Construction	Onsite truck	_	_	HHDT

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

Non-applicable. No control strategies activated by user.

5.5. Architectural Coatings

A					5 11 4 6 11 (1)
Phase Name	Residential Interior Area Coated	Residential Exterior Area Coated	Non-Residential Interior Area	Non-Residential Exterior Area	Parking Area Coated (sq ft)
	(sq ft)	(sq ft)	Coated (sq ft)	Coated (sq ft)	

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

Phase Name	Material Imported (Cubic Yards)	Material Exported (Cubic Yards)	Acres Graded (acres)	Material Demolished (Ton of Debris)	Acres Paved (acres)
Linear, Grading & Excavation	_	7,210	0.74	0.00	_
Linear, Drainage, Utilities, & Sub-Grade	_	_	0.74	0.00	_
Demolition	0.00	0.00	0.00	1,500	-

5.6.2. Construction Earthmoving Control Strategies

Control Strategies Applied	Frequency (per day)	PM10 Reduction	PM2.5 Reduction
Water Exposed Area	3	74%	74%

5.7. Construction Paving

Land Use	Area Paved (acres)	% Asphalt
User Defined Linear	0.74	100%
Other Non-Asphalt Surfaces	2.00	0%
Parking Lot	0.50	100%

5.8. Construction Electricity Consumption and Emissions Factors

kWh per Year and Emission Factor (lb/MWh)

Year	kWh per Year	CO2	CH4	N2O
2025	29.4	349	0.03	< 0.005
2026	29.4	346	0.03	< 0.005

5.9. Operational Mobile Sources

5.9.1. Unmitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
Total all Land Uses	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.2. Architectural Coatings

Residential Interior Area	Coated (sq ft) Resid	idential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
0	0.00)	0.00	0.00	6,534

5.10.3. Landscape Equipment

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	250

5.11. Operational Energy Consumption

5.11.1. Unmitigated

Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
Other Non-Asphalt Surfaces	0.00	532	0.0330	0.0040	0.00
		3	7 / 46		

Parking Lot 19,079 532 0.0330 0.0040 0.00

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Other Non-Asphalt Surfaces	0.00	0.00
Parking Lot	0.00	0.00

5.13. Operational Waste Generation

5.13.1. Unmitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Other Non-Asphalt Surfaces	0.00	_
Parking Lot	0.00	_

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
111 1 1 1 1 1 1 1 1 1 1						

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

Equipment Type	Fuel Type	Number per Day	Hours per Day	Hours per Year	Horsepower	Load Factor
Fire Pump	Diesel	1.00	24.0	8,760	25.0	0.73

5.16.2. Process Boilers

ď	Equipment Type	Fuel Type	Number	Boiler Rating (MMBtu/hr)	Daily Heat Input (MMBtu/day)	Annual Heat Input (MMBtu/yr)
						, , , , , , , , , , , , , , , , , , , ,

5.17. User Defined

Equipment Type	Fuel Type
_	_

- 5.18. Vegetation
- 5.18.1. Land Use Change
- 5.18.1.1. Unmitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres

- 5.18.1. Biomass Cover Type
- 5.18.1.1. Unmitigated

Biomass Cover Type Initial Acres Final Acres

5.18.2. Sequestration

5.18.2.1. Unmitigated

Tree Type Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)
------------------	------------------------------	------------------------------

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	38.1	annual days of extreme heat
Extreme Precipitation	8.60	annual days with precipitation above 20 mm
Sea Level Rise	0.00	meters of inundation depth
Wildfire	32.4	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about ¾ an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider different increments of sea level rise coupled with extreme storm events. Users may select from four model simulations to view the range in potential inundation depth for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 50 meters (m) by 50 m, or about 164 feet (ft) by 164 ft.

Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	5	0	0	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	0	0	N/A

Wildfire	1	0	0	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	0	0	0	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	5	1	1	4
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	1	1	2
Wildfire	1	1	1	2
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	1	1	1	2

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

Indicator	Result for Project Census Tract
Exposure Indicators	-
AQ-Ozone	98.7
AQ-PM	4.43
AQ-DPM	1.14
Drinking Water	70.5
Lead Risk Housing	65.1
Pesticides	4.55
Toxic Releases	18.1
Traffic	3.04
Effect Indicators	_
CleanUp Sites	0.00
Groundwater	0.00
Haz Waste Facilities/Generators	1.80
Impaired Water Bodies	90.1
Solid Waste	75.7
Sensitive Population	_
Asthma	26.6
Cardio-vascular	44.6
Low Birth Weights	67.2
Socioeconomic Factor Indicators	-
Education	9.73
Housing	12.8
Linguistic	0.26
Poverty	55.9

Unemployment	35.0

7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	-
Above Poverty	53.62504812
Employed	15.8475555
Median HI	38.16245348
Education	_
Bachelor's or higher	57.65430515
ligh school enrollment	0.372128834
Preschool enrollment	1.873476197
Transportation	_
Auto Access	44.50147568
Active commuting	57.28217631
Social	_
2-parent households	49.63428718
/oting	87.82240472
leighborhood	_
Alcohol availability	85.88476838
Park access	61.54240985
Retail density	2.078788656
Supermarket access	11.39484152
ree canopy	94.22558707
Housing	-
Homeownership	62.4534839

Housing habitability	66.86770178
Low-inc homeowner severe housing cost burden	47.83780316
Low-inc renter severe housing cost burden	50.78916977
Uncrowded housing	77.4541255
Health Outcomes	_
Insured adults	70.78147055
Arthritis	0.0
Asthma ER Admissions	68.5
High Blood Pressure	0.0
Cancer (excluding skin)	0.0
Asthma	0.0
Coronary Heart Disease	0.0
Chronic Obstructive Pulmonary Disease	0.0
Diagnosed Diabetes	0.0
Life Expectancy at Birth	87.1
Cognitively Disabled	32.0
Physically Disabled	7.5
Heart Attack ER Admissions	26.6
Mental Health Not Good	0.0
Chronic Kidney Disease	0.0
Obesity	0.0
Pedestrian Injuries	97.6
Physical Health Not Good	0.0
Stroke	0.0
Health Risk Behaviors	_
Binge Drinking	0.0
Current Smoker	0.0

No Leisure Time for Physical Activity	0.0
Climate Change Exposures	_
Wildfire Risk	72.7
SLR Inundation Area	0.0
Children	75.0
Elderly	8.4
English Speaking	75.9
Foreign-born	3.5
Outdoor Workers	55.8
Climate Change Adaptive Capacity	_
Impervious Surface Cover	98.3
Traffic Density	2.9
Traffic Access	23.0
Other Indices	_
Hardship	33.2
Other Decision Support	_
2016 Voting	97.1

7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	24.0
Healthy Places Index Score for Project Location (b)	21.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	No
Project Located in a Low-Income Community (Assembly Bill 1550)	No
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

7.4. Health & Equity Measures

No Health & Equity Measures selected.

7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

8. User Changes to Default Data

Screen	Justification
Characteristics: Project Details	Rural Big Bear
Construction: Construction Phases	Client Provided Schedule
Construction: Off-Road Equipment	Client provided schedule When using construction equipment greater than 150 horsepower (>150 hp), the Construction Contractor shall ensure that off-road diesel construction equipment complies with the Environmental Protection Agency (EPA)/California Air Resources Board (CARB) Tier 4 emissions standards or equivalent and shall ensure that all construction equipment is tuned and maintained in accordance with the manufacturer's specifications
Construction: Trips and VMT	Client provided pump station trips

This page intentionally left blank

