



COUNTY OF LAKE
COMMUNITY DEVELOPMENT DEPARTMENT
Planning Division
Courthouse - 255 N. Forbes Street
Lakeport, California 95453
Telephone: (707) 263-2221 FAX: (707) 263-2225

April 27, 2023

CALIFORNIA ENVIRONMENTAL QUALITY ACT ENVIRONMENTAL CHECKLIST FORM INITIAL STUDY (MUP 23-06, IS 20-99)

1. Project Title: Sugar Mountain Farms
2. Permit Numbers: Minor Use Permit MUP 23-06
Initial Study IS 20-99
3. Lead Agency Name and Address: County of Lake
Community Development Department
Courthouse, 3rd Floor, 255 North Forbes Street
Lakeport, CA 95453
4. Contact Person: Andrew Amelung, Associate Planner
(707) 263-2221
5. Project Location(s): 7075 Kahms Lane, Kelseyville, CA 95451
APNs: 011-065-01 and 02
6. Project Sponsor's Name & Address: Sugar Mountain Farms, LLC
7075 Kahms Lane
Kelseyville, CA 95451
7. General Plan Designation: RL – Rural Lands
8. Zoning: RL-BF-SC – Rural Lands – Special Lot Size/Density
Frozen – Scenic Combining
9. Supervisor District: District 5
10. Flood Zone: "D": Areas of undetermined, but possible flood hazard
risk
11. Slope: Varied; cultivation sites are less than 10 percent
12. Fire Hazard Severity Zone: California State Responsibility Area (CALFIRE):
Very High Fire Hazard Severity Zone
13. Earthquake Fault Zone: None
14. Dam Failure Inundation Area: Not located within Dam Failure Inundation Area

15. Parcel Size: 10.4 Acres (011-065-01) and 10.6 Acres (011-065-02)


16. Description of Project:

The applicant, Sugar Mountain Farms, LLC, is requesting discretionary approval from Lake County for a Minor Use Permit, MUP 23-06, for commercial cannabis cultivation at 7075 Kahms Lane, Kelseyville, CA (APNs: 011-065-01 & 02), as described below:

One (1) A-Type 1A: "Specialty Indoor" license: Indoor cultivation for adult-use cannabis using exclusively artificial light. The applicant proposes 4,560 sq. ft. of indoor commercial cannabis canopy.

One (1) A-Type 13 Self-distribution License: In the "RL" zoning district the Type 13 Distributor Only, Self-distribution State licenses are an accessory use to an active cannabis cultivation or cannabis manufacturing license site with a valid minor or major use permit. Per Article 27 Section 11 (ay), the parcel where the distributor transport only, self-distribution license is issued shall front and have direct access to a State or County maintained road or an access easement to such a road, the permittee shall not transport any cannabis product that was not cultivated by the permittee, and all non-transport related distribution activities shall occur within a locked structure. Furthermore, all guidelines for Distributor Transport Only License from the California Department of Cannabis Control's Title 4, Division 19, Chapter, as described in §15315, must be followed.

Figure 1. Vicinity Map



Source: Lake County Parcel Viewer, Topographic Basemap

The growing medium of the proposed indoor cultivation/canopy areas would be an imported organic soilless growing mixture (composed of composted forest material, coco coir, and perlite) in plastic nursery pots on solid metal tables. Drip irrigation systems would be used to deliver irrigation water to each plant within the indoor cultivation/canopy areas. Each solid metal table will be tilted slightly, so that runoff is conveyed via gravity to the irrigation water mixing and storage tanks of each indoor cultivation room, and then reapplied during the next irrigation cycle. Indoor cultivation would occur year-round.

The Project proposes the following:

- A proposed 64' x 80' (5,120 sq. ft.) indoor cultivation and processing building (metal building on concrete slab) with up to 2,560 sq. ft. of indoor canopy
- A proposed 40'x60' (2,400 sq. ft.) indoor cultivation building (metal building on concrete slab) with up to 2,000 sq. ft. of indoor canopy
- A proposed 10'x12' (120 sq. ft.) stormproof wooden shed for chemical, pesticide, hazardous material storage
- An existing onsite permitted groundwater well with an estimated yield of at least 12 gallons per minute
- Irrigation systems using water pumps, polyvinyl chloride (PVC) piping, black poly tubing and drip tape
- Two (2) 3,000-gallon water storage tanks
- A proposed 25,000-gallon metal fire water storage tank
- An employee parking area with four (4) spaces and one ADA compliant space

According to the applicant's Property Management Plan, fertilizers and pesticides will be stored within a 120 sq. ft. stormproof storage shed. All solid waste will be kept in a secured area and regularly removed to be disposed of at waste disposal facility. All plant waste will be chipped/mulched and composted on site.

Water Analysis.


All water for the proposed cultivation operation would come from an existing onsite groundwater well located at Latitude 38.86706° and Longitude -122.77774° (project well) on Lake County APN 011-065-02 (Project Parcel). A second onsite groundwater well, located at Latitude 38.86738° and Longitude -122.77885° on Lake County APN 011-065-01, will serve as the sole water source for the existing onsite residence. The project well was drilled in 1991, through layers of clay, shale, and gravel, to a depth of 90 feet below ground surface.

On December 28th, 2022 Cal-Tech Pump Well & Water Treatment (License No. 923640) conducted 4-hour pump test of the project well. According to the pump test log, the project well was pumped at 12 gallons per minute (gpm) for the duration of the 4-hour pump test, and the water level within the well dropped from 38 feet to 44 feet below ground surface (bgs). The water level within the well recovered to 38 feet bgs within 15 minutes after pumping ceased (100% recovery). According to the applicant's Revised Hydrology Report, the estimated water use requirement for the proposed indoor cultivation operation would be approximately 102,000 gallons per year, and approximately 280 gallons per day.

Power.

The Project Property is serviced by Pacific Gas and Electric’s (PG&E) electrical grid, which will serve as the primary power source for the Project. The Project proposes to use up to sixty 1,000-watt horticultural lights within each of the four (4) proposed indoor cultivation/canopy areas. A new electrical utility service connection would be needed to provide power to the proposed buildings. The existing electrical utility service connections of the Project Property would continue to be used to supply power to the existing onsite groundwater wells and residence. PG&E has indicated that they have the capacity to serve the Project.

Figure 2. Cultivation Site Plan



Source: Materials Submitted by the Applicant

Operations.

Operations will occur year-round up to seven days per week. The operation hours will be Monday through Sunday from approximately 8:00 a.m. to 8:00 p.m. The Lake County Zoning Ordinance restricts deliveries and pickups to 9:00 a.m. to 7 p.m., Monday through Saturday, and Sunday from 12 noon to 5:00 p.m. Once operational, the proposed Project would staff approximately two (2) to three (3) full-time year-round employees. Daily traffic commutes for operation of the proposed Project would be approximately two (2) to four (4) trips. Weekly truck deliveries of various project-related materials would occur throughout the year.


The Project Property is accessed via Kahms Lane, which connects to Bottle Rock Road approximately one-half mile east of the Project Property. The Project Site is accessed via private gravel and native soil surfaced access roads off Kahms Lane. Locking metal gates across the private access roads control access to the Project Property. The proposed indoor cannabis cultivation and processing buildings will be secured at all times with commercial grade locking metal

doors, as well as a security system. Security cameras will be installed within each room of the proposed indoor cannabis cultivation and processing buildings, and at other points of access in compliance with the Lake County Zoning Ordinance.

The Project Parcel is enrolled in the State Water Resources Control Board's Cannabis General Order (Order No. WQ 2019-001-DWQ) as a Tier 1, Low Risk site (WDID: 5S17CC415494). As required in the Cannabis Order's Policy for coming into compliance with Best Practicable Treatment or Control (BPTC) measures, the applicant had to prepare a Site Management Plan (SMP) within 90 days of enrollment. "The purpose of the Cannabis Policy is to ensure that the diversion of water and discharge of waste associated with cannabis cultivation does not have a negative impact on water quality, aquatic habitat, riparian habitat, wetlands, and springs" (State Water Board, 2019). To comply with the Cannabis General Order, BPTC measures shall be implemented at the site for erosion control and stormwater pollution. Additionally, the applicant is required to complete online Annual Monitoring and Reporting to assess compliance with the Cannabis General Order and Notice of Applicability. This includes BPTC measures for winterization.

According to the applicant's Property Management Plan, the Project would increase the impervious surface area of the Project Parcel by approximately 8,150 sq. ft., or approximately 0.9 percent of the Project Property, through the construction/installation of a 5,120 sq. ft. metal building, a 2,400 sq. ft. metal building, 120 sq. ft. wooden building, and a 25-foot diameter metal fire water storage tank. The proposed parking lot will have a permeable gravel surface, and the proposed ADA parking spaces will be constructed of permeable pavers. Approximately 500 cubic yards will need to be graded to create a level pad on which the proposed buildings would be constructed.

Figure 3. Erosion and Sediment Control Site Plan




Source: Materials Submitted by the Applicant

Established vegetation within and around the proposed cultivation operation will be maintained/protected to the extent possible, as a permanent erosion and sediment control measure. All structures and cultivation areas will be located more than 100 feet from surface water bodies, and stormwater runoff from the structures will be discharged to well-vegetated buffers surrounding the proposed cultivation operation to filter and/or remove any sediment, nutrients, and/or pesticides mobilized by stormwater runoff, and prevent those pollutants from reaching nearby surface water bodies.

A native grass seed mixture and certified weed-free straw mulch will be applied at a rate of two tons per acre to all areas of the exposed soil around the proposed cultivation operation, prior to November 15th of each year, until permanent stabilization has been achieved. Straw wattles will be installed and maintained throughout the proposed cultivation operation per the Project's Erosion & Sediment Control Site Plan following site development, until permanent stabilization has been achieved. If areas of concentrated stormwater runoff begin to develop, additional erosion and sediment control measures will be implemented to protect those areas and their outfalls. Monthly monitoring inspections will be conducted to confirm that this operation is in compliance with California Water Code/SWRCB's Cannabis General Order.

Figure 4. Grading Plan



Source: Materials Submitted by the Applicant


17. Environmental Setting and Existing Conditions:

The proposed cannabis Project is located at 7075 Kahms Lane (APN 011-065-02), approximately seven and a half (7.5) miles southeast of Kelseyville (Section 29, Township 12N, Range 8W, Mount Diablo Base and Meridian, in The Geysers USGS 7.5-minute quadrangle). The Project Property is accessed via Kahms Lane off of Bottle Rock Road. The

Project Property has been improved with a residence, two groundwater wells, and two outbuildings. The proposed Project is located in the Cobb Mountain Planning Area.

Topography of the Project Property is gently to moderately sloped, with elevations that range from approximately 2,425 feet to 2,615 feet above sea level. There is a small manmade pond/water storage reservoir in the northern half of the Project Property, and a potential wetland in the central portion of the Project Parcel. An ephemeral Class III watercourse flows from the outlet of the manmade pond/water storage reservoir from east to west through the Project Parcel, passing under an access road of the Project Parcel via an 18" corrugated metal culvert, then into an unnamed tributary of Kelsey Creek approximately 550 feet east of the Project Parcel. The proposed cultivation operation will not use water from the onsite pond/water storage reservoir, and all surface water bodies are beyond the 100-foot setback requirement from fertilizer or pesticide use as described in Article 27.11 (at) subsection 2 (including the potential wetland).

Figure 5. Aerial Image of Project Property



Source: Lake County Parcel Viewer, World Imagery Basemap and Parcel Layer

The climate of the site is characterized by a Mediterranean-type climate, with distinct seasons consisting of hot, dry summers and wet, moderately cold winters. Land uses in the vicinity of the Project Property are primarily rural residential, commercial vineyard and orchard, grazing land, and undeveloped chaparral and conifer woodlands. Vegetation of the Project Property generally consists of annual grassland and mixed oak woodland.

Soils of the Project Site are identified as Jafa loam with 5 to 15 percent slopes by the NRCS Web Soil Survey, and characterized as loam and gravelly clay loam from a parent material of alluvium. The United States Geological Survey Map of the Santa Rosa Quadrangle defines the area in the vicinity of the Project Parcel as “Older alluvium”. The Project Property is located in the Clear Lake Volcanics Groundwater Source Area and Clear Lake Pleistocene Volcanics Groundwater Basin/Management Plan Area, as identified in the 2006 Lake County Groundwater Management Plan.

18. Surrounding Land Uses and Setting:

Since the Project Parcel is over five (5) acres in size, neighboring parcels that fall within a 725-foot buffer will be notified of the Project. These parcels include:

- North: 7050 and 7100 Kahms Lane; Parcel Numbers 011-068-39 and 40; Zoned Rural Residential
- East and Northeast: 7125, 7200 and 7225 Kahms Lane; Parcel Numbers 011-065-03 & 04 and 011-068-41; Zoned Rural Lands
- South: 12869 and 12879 Bottle Rock Road; Parcel Numbers 011-012-86 and 011-065-11; Zoned Rural Lands
- West and Northwest: 6950 and 6975 Kahms Lane; Parcel Numbers 011-068-30 and 011-012-02; Zoned Rural Lands

Figure 6. Lake County Base Zoning Districts



Source: Lake County Parcel Viewer, Topographic Basemap and Zoning Layer

19. Other public agencies whose approval is required (e.g., Permits, financing approval, or participation agreement).

The extent of this environmental review falls within the scope of the Lead Agency, the Lake County Community Development Department, and its review for compliance with the Lake

County General Plan, the Northshore Area Plan, the Lake County Zoning Ordinance, and the Lake County Municipal Code. Other organizations in the review process for permitting purposes, financial approval, or participation agreement can include but are not limited to:

- Lake County Department of Environmental Health
- Lake County Air Quality Management District
- Lake County Department of Public Works
- Lake County Department of Public Services
- Lake County Agricultural Commissioner
- Lake County Sheriff Department
- Northshore Fire Protection District
- Department of Motor Vehicles
- Central Valley Regional Water Quality Control Board
- California Water Resources Control Board
- California Department of Food and Agricultural
- California Department of Pesticides Regulations
- California Department of Public Health
- California Bureau of Cannabis Control
- California Department of Consumer Affairs
- California Department of Fish & Wildlife (CDFW)
- California Department of Forestry & Fire Protection (CALFIRE)
- California Department of Transportation (CALTRANS)

20. Have California Native American tribes traditionally and culturally affiliated with the Project area requested consultation pursuant to Public Resources Code section 21080.3.1? If so, is there a plan for consultation that includes, for example, the determination of significance of impacts to tribal cultural resources, procedures regarding confidentiality, etc.?

Conducting consultation early in the CEQA process allows tribal governments, lead agencies, and Project proponents to discuss the level of environmental review, identify and address potential adverse impacts to tribal cultural resources, and reduce the potential for delay and conflict in the environmental review process, per Public Resources Code §21080.3.2. Information may also be available from the California Native American Heritage Commission's Sacred Lands File per Public Resources Code section 5097.96 and the California Historical Resources Information System administered by the California Office of Historic Preservation. Please also note that Public Resources Code section 21082.3 (c) contains provisions specific to confidentiality.

A California Historical Resources Information System (CHRIS) records review for the Project Property completed on March 9, 2023, indicated that two studies included the Project area, and neither study identified significant cultural resources within the Project area. The CHRIS report recommended the lead agency contact the local Native American tribes regarding traditional, cultural, and religious heritage values. Notification of the Project was sent to local tribes on February 23, 2023. The Tribal Historic Preservation Officer for the Big Valley Band of Pomo Indians requested Tribal Consultation for this Project on February 24, 2023. Following the tribal request for consultation, the Community Development Department has reached out to the Big Valley Tribe on multiple occasions to schedule Tribal Consultation. However, as of this date, the Community Development Department has not received a response to coordinate Tribal Consultation for this Project.

ENVIRONMENTAL FACTORS POTENTIALLY AFFECTED:

The environmental factors checked below would be potentially affected by this Project, involving at least one impact that is a "Potentially Significant Impact" as indicated by the checklist on the following pages.

- | | | |
|---|--|--|
| <input checked="" type="checkbox"/> Aesthetics | <input type="checkbox"/> Greenhouse Gas Emissions | <input type="checkbox"/> Public Services |
| <input type="checkbox"/> Agriculture & Forestry Resources | <input type="checkbox"/> Hazards & Hazardous Materials | <input type="checkbox"/> Recreation |
| <input checked="" type="checkbox"/> Air Quality | <input type="checkbox"/> Hydrology / Water Quality | <input type="checkbox"/> Transportation |
| <input checked="" type="checkbox"/> Biological Resources | <input type="checkbox"/> Land Use / Planning | <input checked="" type="checkbox"/> Tribal Cultural Resources |
| <input checked="" type="checkbox"/> Cultural Resources | <input type="checkbox"/> Mineral Resources | <input type="checkbox"/> Utilities / Service Systems |
| <input type="checkbox"/> Energy | <input checked="" type="checkbox"/> Noise | <input checked="" type="checkbox"/> Wildfire |
| <input type="checkbox"/> Geology / Soils | <input type="checkbox"/> Population / Housing | <input checked="" type="checkbox"/> Mandatory Findings of Significance |

DETERMINATION: (To be completed by the lead Agency)

On the basis of this initial evaluation:

- I find that the proposed project COULD NOT have a significant effect on the environment, and a NEGATIVE DECLARATION will be prepared.
- I find that although the proposed Project could have a significant effect on the environment, there will not be a significant effect in this case because revisions in the Project have been made by or agreed to by the Project proponent. A MITIGATED NEGATIVE DECLARATION will be prepared.
- I find that the proposed Project MAY have a significant effect on the environment, and an ENVIRONMENTAL IMPACT REPORT is required.
- I find that the proposed Project MAY have a "potentially significant impact" or "potentially significant unless mitigated" impact on the environment, but at least one effect 1) has been adequately analyzed in an earlier document pursuant to applicable legal standards, and 2) has been addressed by mitigation measures based on the earlier analysis as described on attached sheets. An ENVIRONMENTAL IMPACT REPORT is required, but it must analyze only the effects that remain to be addressed.
- I find that although the proposed Project could have a significant effect on the environment, because all potentially significant effects (a) have been analyzed adequately in an earlier EIR or NEGATIVE DECLARATION pursuant to applicable standards and (b) have been avoided or mitigated pursuant to that earlier EIR or NEGATIVE DECLARATION, including revisions or mitigation measures that are imposed upon the proposed Project, nothing further is required.

Initial Study Prepared By: Roy Sherrell, Environmental and Regulatory Compliance Consultant
Reviewed By: Eric Porter, Associate Planner



Signature: _____

Andrew Amelung, Cannabis Program Manager
Lake County Community Development Department

Date: 4-27-2023

SECTION 1

EVALUATION OF ENVIRONMENTAL IMPACTS:

- 1) A brief explanation is required for all answers except "No Impact" answers that are adequately supported by the information sources a lead agency cites in the parentheses following each question. A "No Impact" answer is adequately supported if the referenced information sources show that the impact simply does not apply to Projects like the one involved (e.g., the Project falls outside a fault rupture zone). A "No Impact" answer should be explained where it is based on Project-specific factors as well as general standards (e.g., the Project will not expose sensitive receptors to pollutants, based on a Project-specific screening analysis).
- 2) All answers must take account of the whole action involved, including off-site as well as on-site, cumulative as well as Project-level, indirect as well as direct, and construction as well as operational impacts.
- 3) Once the lead agency has determined that a particular physical impact may occur, and then the checklist answers must indicate whether the impact is potentially significant, less than significant with mitigation, or less than significant. "Potentially Significant Impact" is appropriate if there is substantial evidence that an effect may be significant. If there are one or more "Potentially Significant Impact" entries when the determination is made, an EIR is required.
- 4) "Negative Declaration: Less Than Significant With Mitigation Incorporated" applies where the incorporation of mitigation measures has reduced an effect from "Potentially Significant Impact" to a "Less Than Significant Impact." The lead agency must describe the mitigation measures, and briefly explain how they reduce the effect to a less than significant level (mitigation measures from Section XVII, "Earlier Analyses," may be cross-referenced).
- 5) Earlier analyses may be used where, pursuant to the tiering, program EIR, or other CEQA process, an effect has been adequately analyzed in an earlier EIR or negative declaration. Section 15063(c) (3) (D). In this case, a brief discussion should identify the following:
 - a) Earlier Analysis Used. Identify and state where they are available for review.
 - b) Impacts Adequately Addressed. Identify which effects from the above checklist were within the scope of and adequately analyzed in an earlier document pursuant to applicable legal standards, and state whether such effects were addressed by mitigation measures based on the earlier analysis.
 - c) Mitigation Measures. For effects that are "Less than Significant with Mitigation Measures Incorporated," describe the mitigation measures, which were incorporated or refined from the earlier document and the extent to which they address site-specific conditions for the Project.
- 6) Lead agencies are encouraged to incorporate into the checklist references to information sources for potential impacts (e.g., general plans, zoning ordinances). Reference to a previously prepared or outside document should, where appropriate, include a reference to the page or pages where the statement is substantiated.
- 7) Supporting Information Sources: A source list should be attached, and other sources used or individuals contacted should be cited in the discussion.
- 8) This is only a suggested form, and lead agencies are free to use different formats; however, lead agencies should normally address the questions from this checklist that are relevant to a Project's environmental effects in whatever format is selected.

- 9) The explanation of each issue should identify:
- The significance criteria or threshold, if any, used to evaluate each question; and
 - The mitigation measure identified, if any, to reduce the impact to less than significance

I. AESTHETICS	Potentially Significant Impact	Less Than Significant with Mitigation Measures	Less Than Significant Impact	No Impact	Source Number
Except as provided in Public Resource Code Section 21099, would the project:					
a) Have a substantial adverse effect on a scenic vista?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1, 2, 3, 4, 5, 6, 9
b) Substantially damage scenic resources, including, but not limited to, trees, rock outcroppings, and historic buildings within a state scenic highway?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	2, 3, 4, 9
c) Substantially degrade the existing visual character or quality of public views of the site and its surroundings? (Public views are those that are experienced from publicly accessible vantage point). If the project is in an urbanized area would the project conflict with applicable zoning and other regulations governing scenic quality?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1, 2, 3, 4, 5, 6, 9
d) Would the project create a new source of substantial light or glare which would adversely affect day or nighttime views in the area?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1, 2, 3, 4, 5, 6, 9

Discussion:

- The Project Property’s General Plan Land Use designation is Rural Land (RL), and its Zoning District designation is Rural Land (RL) – Special Lot Size/Density Frozen (BF) – Scenic Combining (SC). The Lake County Zoning Ordinance allows for commercial cannabis cultivation in the RL land use zone with a major or minor use permit.

The “SC” Zoning District, as described in the Lake County Zoning Ordinance Article 34.1, sets forth to “protect and enhance views of scenic areas from the County’s scenic highways and roadways for the benefit of local residential and resort development, the motoring public, and the recreation based economy of the County.” According to Article 34.2, scenic criteria that applies to the Project Parcel include 1) varied topographic features including dominant hills and mountains; 2) vegetative features including significant stands of trees and plants; and 3) pastoral features such as pastures and vineyards.

The Cobb Mountain Area Plan identifies Bottle Rock Road as a potential county scenic highway. According to the Cobb Mountain Area Plan, Bottle Rock Road provides spectacular panoramic views of the northern portion of Lake County’s geothermal development area, as well as many of the area’s major mountain peaks.

The uses permitted described in Article 34.3 do not apply to the proposed Project, and the requirement of a minor use permit as described in Article 34.4 is satisfied through the current use permit application. The proposed project meets the performance standards as described in Article 34.11.

The Project site is located over 2,500 feet from Bottle Rock Road, and would not be visible from the Road due to topography and existing stands of trees. Additionally, the proposed Project would not obstruct views of topographic features, vegetative features, or pastoral features from a highway, county roadway, bikeway or trail.

Less than Significant Impact

- b) The Project Parcel is located at 7075 Kahms Lane, approximately one-half mile west of Bottle Rock Road. Neither Kahms Lane nor Bottle Rock Road are identified as “Officially Designated” or an “Eligible State Scenic Highway-Not Officially Designated”, however the Cobb Mountain Area Plan has designated Bottle Rock Road as a potential county scenic highway. The Project site is not visible from Bottle Rock Road due to topographic and vegetative features that provide natural screening. Therefore, there will be no significant impact.

There are no scenic resources, rock outcroppings, or historic buildings on or in the vicinity of the Project Parcel, and the site is located over three (3) miles from Highway 175, the nearest State Highway.

Less Than Significant Impact

- c) The Project Property is located in a rural unincorporated area of Lake County. The site is visible from Kahms Lane, however, Kahms Lane is not a scenic route or corridor. The proposed Project is agricultural in nature, and therefore compatible with the ranching and agricultural uses (including commercial cannabis cultivation) of surrounding properties. The proposed buildings are compatible with the existing buildings associated with ranching and agricultural uses of surrounding properties.

The site is not within an urbanized area and is not highly visible from any public property.

Less than Significant Impact

- d) The proposed use is an indoor cannabis cultivation operation. All artificial lighting of the proposed indoor cultivation areas would be located within solid metal buildings.

The Project has some potential to create additional light and/or glare through exterior security lighting. The following mitigation measure shall be implemented to reduce impacts to less than significant:

AES-1: All outdoor lighting shall be shielded and downcast or otherwise positioned in a manner that would not broadcast light or glare beyond the boundaries of the subject property. All lighting equipment shall comply with the recommendations of www.darksky.org and provisions of Section 21.48 of the Zoning Ordinance.

Less than Significant Impact with Mitigation Measures AES-1 and AES-2 incorporated.

II. AGRICULTURE AND FORESTRY RESOURCES


	Potentially Significant Impact	Less Than Significant with Mitigation Measures	Less Than Significant Impact	No Impact	Source Number
Would the project:					
a) Convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance (Farmland), as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, to non-agricultural use?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1, 2, 3, 4, 7, 8, 11, 13, 39
b) Conflict with existing zoning for agricultural use, or a Williamson Act contract?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1, 2, 3, 4, 5, 7, 8, 11, 13
c) Conflict with existing zoning for, or cause rezoning of, forest land (as defined in Public Resources Code section 12220(g)), timberland (as defined by Public Resources Code section 4526), or timberland zoned Timberland Production (as defined by Government Code section 51104(g))?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1, 2, 3, 4, 5, 7, 8, 11, 13
d) Result in the loss of forest land or conversion of forest land to non-forest use?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1, 2, 3, 4, 5, 6, 9
e) Involve other changes in the existing environment which, due to their location or nature, could result in conversion of Farmland, to non-agricultural use or conversion of forest land to non-forest use?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1, 2, 3, 4, 5, 7, 8, 11, 13

Discussion:

In determining whether impacts to agricultural resources are significant environmental effects, lead agencies may refer to the California Agricultural Land Evaluation and Site Assessment Model (1997) prepared by the California Dept. of Conservation as an optional model to use in assessing impacts on agriculture and farmland. In determining whether impacts to forest resources, including timberland, are significant environmental effects, lead agencies may refer to information compiled by the California Department of Forestry and Fire Protection regarding the state's inventory of forest land, including the Forest and Range Assessment Project and the Forest Legacy Assessment Project; and forest carbon measurement methodology provided in Forest protocols adopted by the California Air Resources Board.

- a) According to the California Department of Conversation Farmland Mapping and Monitoring Program no portion of the Project Property is mapped as Prime Farmland, Unique Farmland, or Farmland of Statewide Importance. Instead, the Project Property as Grazing Land the California Department of Conversation Farmland Mapping and Monitoring Program.

Figure 7. Farmland Mapping and Monitoring Program Designation for Project Property



Source: Lake County, CA GIS Portal, California FMMP Data for Lake County

Therefore, the proposed Project would not be converting farmland that is of high quality or significant farmland to a non-agricultural use.

No Impact

- b) Under Article 27.11 of the Lake County Zoning Ordinance, Indoor Cannabis Cultivation is allowed on parcels with a Base Zoning District of “RL” Rural Lands with a major or minor use permit.

No portion of the Project Property is under a Williamson Act contract and the Project would not interfere with the ability of the owner or neighbors to use the remaining land for more traditional crop production and/or grazing land.

No Impact

- c) Public Resources Code §12220(g) defines “forest land” as land that can support 10% native tree cover of any species, including hardwoods, under natural conditions, and that allows for management of one or more forest resources, including timber, aesthetics, fish and wildlife, biodiversity, water quality, recreation, and other public benefits.

Public Resources Code §4526 defines “timberland” as land, other than land owned by the federal government and land designated by the State Board of Forestry and Fire Protection as experimental forest land, which is available for, and capable of, growing a crop of trees of a commercial species used to produce lumber and other forest products, including Christmas trees.

Government Code §51104(g) defines “timberland production zone” as an area that has been zoned pursuant to Government Code Section 51112 or 51113 and is devoted to and used for growing and harvesting timber, or for growing and harvesting timber and compatible uses.

The Project Property is currently zoned Rural Lands. The southern third of the Project Property supports forest land, as defined in Public Resources Code §12220(g), but the Project site does not contain any forest lands, timberland, or timberland zoned Timberland Production lands. The Project does not propose a zone change that would rezone forest land, timberland, or timberland zoned for Timberland Production, and the proposed Project would not affect any of the forest land of the Project Property. Therefore, the project has no potential to impact such zoning.

No Impact

- d) The Project site does not contain forest lands, and the Project Property is not zoned for forest lands, nor is it identified as containing forest resources by the General Plan. Because forest land is not present on the Project site, and the proposed Project would not affect any of the forest land of the Project Property, the proposed Project has no potential to result in the loss of forest land or the conversion of forest land to non-forest use. No impact would occur.

No Impact

- e) The Project will not involve other changes in the existing environment which, due to their location or nature, could result in conversion of farmland to non-agricultural uses or forest land to non-forest uses.

Less Than Significant Impact

III. AIR QUALITY	Potentially Significant Impact	Less Than Significant with Mitigation Measures	Less Than Significant Impact	No Impact	Source Number
Would the project:					
a) Conflict with or obstruct implementation of the applicable air quality plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1, 3, 4, 5, 21, 24, 31, 36
b) Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under and applicable federal or state ambient air quality standard?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1, 2, 3, 4, 5, 21, 24, 31, 36

- | | | | | | |
|---|--------------------------|--------------------------|-------------------------------------|--------------------------|-----------------------------------|
| c) Expose sensitive receptors to substantial pollutant concentrations? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 1, 2, 3, 4, 5, 10, 21, 24, 31, 36 |
| d) Result in other emissions (such as those leading to odors or dust) adversely affecting a substantial number of people? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 1, 2, 3, 4, 5, 21, 24, 31, 36 |

Discussion:

Where available, the significance criteria established by the applicable air quality management district or air pollution control district may be relied upon to make the following determinations.

- a) The Project site is located within the Lake County Air Basin, which is under the jurisdiction of the Lake County Air Quality Management District (LCAQMD). The LCAQMD applies air pollution regulations to all major stationary pollution sources and monitors air quality. The Lake County Air Basin is in attainment with both state and federal air quality standards.

According to the USDA Soil Survey and the ultramafic, ultrabasic, serpentine rock and soils map of Lake County, serpentine soils have not been found on the Project Property, and would pose no threat of asbestos exposure during either the construction phase or the operational phase.

Due to the fact that the Lake County Air Basin is in attainment of both state and federal air quality standards, LCAQMD has not adopted an Air Quality Management Plan, but rather uses its Rules and Regulations to address air quality standards.

According to the Lake County Zoning Ordinance section on Commercial Cannabis Cultivation (§27.11), Air Quality must be addressed in the Property Management Plan. The intent of addressing this is to ensure that “all cannabis permittees shall not degrade the County’s air quality as determined by the Lake County Air Quality Management District” and that “permittees shall identify any equipment or activity that may cause, or potentially cause the issuance of air contaminants including odor and shall identify measures to be taken to reduce, control or eliminate the issuance of air contaminants, including odors”. This includes obtaining an Authority to Construct permit pursuant to LCAQMD Rules and Regulations.

The proposed Project has the potential to result in short- and long-term air quality impacts from construction and operation of the proposed Project.

Construction impacts, which includes minor grading (approximately 500 cubic yards) to establish a level pad on which to construction the proposed cultivation and processing buildings, would be temporary in nature and would occur over a two (2) to three (3) month period.

Operational impacts would include dust and fumes from site preparation and vehicular traffic, including small delivery vehicles that would be contributors during and after site preparation and construction.

Implementation of mitigation measures would reduce air quality impacts to less than significant. Dust during site preparation shall be limited during periods of high winds (over 15 mph). All visibly dry, disturbed soil and road surfaces shall be watered to minimize fugitive dust emissions.

AQ-1: Prior to obtaining the necessary permits and/or approvals for any phase, applicant shall contact the Lake County Air Quality Management District (LCAQMD) and obtain an Authority to Construct (A/C) permit for all operations and for any diesel-powered equipment and/or other equipment with potential for air emissions.

AQ-2: All mobile diesel equipment used must be in compliance with state registration requirements. Portable and stationary diesel-powered equipment must meet all federal, state, and local requirements, including the requirements of the State Air Toxic Control Measures for compression ignition engines. Additionally, all engines must notify LCAQMD prior to beginning construction activities and prior to engine use.

AQ-3: The applicant shall maintain records of all hazardous or toxic materials used, including a Material Safety Data Sheet (MSDS) for all volatile organic compounds utilized, including cleaning materials. Said information shall be made available upon request and/or the ability to provide the LCAQMD such information in order to complete an updated Air Toxic emission Inventory.

AQ-4: All vegetation during site development shall be chipped and spread for ground cover and/or erosion control. The burning of vegetation, construction debris, including waste material is prohibited.

AQ-5: The applicant shall have the primary access and parking areas surfaced with chip seal, asphalt, or an equivalent all weather surfacing to reduce fugitive dust generation. The use of white rock as a road base or surface material for travel routes and/or parking areas is prohibited.

AQ-6: All areas subject to infrequent use of driveways, overflow parking, etc., shall be surfaced with gravel, chip seal, asphalt, or an equivalent all weather surfacing. Applicant shall regularly use and/or maintain graveled area to reduce fugitive dust generations.

Less than Significant Impact with Mitigation Measures AQ-1 through AQ-6 incorporated

- b) The Project Property is located within the Lake County Air Basin, which is designated as in attainment for state and federal air quality standards for criteria pollutants (CO, SO₂, NO_x, O₃, PM₁₀, PM_{2.5}, VOC, ROG, Pb). Any Project with daily emissions that exceed any of the thresholds of significance for these criteria pollutants should be considered as having an individually and cumulatively significant impact on both a direct and cumulative basis.

As indicated by the Project's Air Quality Management Plan, near-term construction activities and long-term operational activities would not exceed any of the thresholds of significance for criteria pollutants. Lake County has adopted Bay Area Air Quality Management District (BAAQMD) thresholds of significance as a basis for determining the significance of air quality and greenhouse gas impacts. Using the California Emissions Estimator Model, air emissions modeling performed for this Project, in both the construction phase and the operational phase, will not generate significant quantities of ozone or particulate matter and

does not exceed the Project-level thresholds. Construction and operational emissions are summarized in the following tables:

Comparison of Daily Construction Emissions Impacts with Thresholds of Significance

Criteria Pollutants	Project Emissions unmitigated (pounds/day)	BAAQMD Threshold (pounds/day)	Significance
ROG (VOC)	1 to 10	54	Less than significant
NO _x	10 to 20	54	Less than significant
CO	10 to 30	548	Less than significant
SO _x	< 1	219	Less than significant
Exhaust PM ₁₀	1 to 10	82	Less than significant
Exhaust PM _{2.5}	1 to 10	54	Less than significant
Greenhouse Gasses (CO _{2e})	2,000 to 3,500	No threshold established	Less than significant

Comparison of Daily Operational Emissions Impacts with Thresholds of Significance

Criteria Pollutants	Project Emissions unmitigated (pounds/day)	BAAQMD Threshold (pounds/day)	Significance
ROG (VOC)	1 to 10	54	Less than significant
NO _x	1 to 5	54	Less than significant
CO	1 to 10	548	Less than significant
SO _x	< 1	219	Less than significant
PM ₁₀ (total)	1 to 5	82	Less than significant
PM _{2.5} (total)	1 to 5	54	Less than significant
Greenhouse Gasses (CO _{2e})	1 to 20	No threshold established	Less than significant

Comparison of Annual Operational Emissions Impacts with Thresholds of Significance

Criteria Pollutants	Project Emissions (tons/year)	BAAQMD Threshold (tons/year)	Significance
ROG (VOC)	0 to 1	10	Less than significant
NO _x	0 to 1	10	Less than significant
CO	0 to 1	100	Less than significant
SO _x	0 to 1	40	Less than significant
PM ₁₀	0 to 1	15	Less than significant
PM _{2.5}	0 to 1	10	Less than significant
Greenhouse gasses (as CO ₂ or methane)	1 to 100	10,000	Less than significant

Less than Significant Impact

- c) Sensitive receptors (i.e., children, senior citizens, and acutely or chronically ill people) are more susceptible to the effects of air pollution than the general population. Land uses that are considered sensitive receptors typically include residences, schools, playgrounds, childcare centers, hospitals, convalescent homes, and retirement homes.

There are no schools, parks, childcare centers, convalescent homes, or retirement homes located in proximity to the Project site. The nearest off-site residence is located approximately 300 feet from the Project site, more than the 200-foot setback for offsite residences from commercial cannabis cultivation as described in Article 27.11 of the Lake County Zoning.

Pesticide application will be only within the proposed buildings. The proposed cultivation areas will be located within metal buildings, which will prevent off-site drift of pesticides. Additionally, no demolition or renovation will be performed which would cause asbestos exposure, and no serpentine soils have been detected and are not mapped onsite.

Less than Significant Impact

- d) The Project Property is located in a rural area of the County of Lake, where the majority of development is agricultural uses and single family residential dwellings. The operation will not result in other emissions (such as those leading to odors or dust) adversely affecting a substantial number of people

Less than Significant Impact

IV. BIOLOGICAL RESOURCES

	Potentially Significant Impact	Less Than Significant with Mitigation Measures	Less Than Significant Impact	No Impact	Source Number
Would the project:					
a) Have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Game or U.S. Fish and Wildlife Service?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2, 5, 11, 12, 13, 16, 24, 29, 30, 31, 32, 33, 34, 45
b) Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, and regulations or by the California Department of Fish and Game or U.S. Fish and Wildlife Service?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1, 2, 3, 4, 5, 11, 12, 13, 16, 17, 29, 30, 31, 32, 33, 34, 45
c) Have a substantial adverse effect on state or federally protected wetlands (including, not limited to, marsh, vernal pool, coastal wetlands, etc.) through direct removal, filling, hydrological interruption, or other means?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1, 2, 3, 4, 5, 11, 12, 13, 16, 17, 21, 24, 29, 30, 31, 32, 33, 34, 45
d) Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	13

corridors, or impede the use of native wildlife nursery sites?

- | | | | | | |
|--|--------------------------|--------------------------|-------------------------------------|-------------------------------------|---------------------------|
| e) Conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 1, 2, 3, 4, 5, 11, 12, 13 |
| f) Conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 1, 2, 3, 5, 6 |

Discussion:

- a) A Biological Resources Assessment (BRA) of the Project Property was prepared by Pinecrest Environmental Consulting on January 14, 2020. The field survey for the BRA was conducted on December 30, 2019. A Botanical Survey was conducted by Pinecrest Environmental Consulting on June 1, 2021. The purpose of the BRA and Botanical Survey was to provide information as to whether the proposed cultivation area contains sensitive plants or potentially contains sensitive wildlife requiring mitigation under CEQA.

The information below is based on the survey results documented in the biological botanical assessments prepared for the Project Property.

Natural Communities

Natural communities of the Project Property consist of well-drained grassland and wet meadow in the lowlands, and mixed oak woodland in the south and northwest where the terrain becomes steeper. The Project site is located within the grassland vegetation of the central portion of the Project Parcel, which is predominantly composed of non-native annual species. Three special-status plant species were identified in the area of the proposed indoor cultivation and processing buildings: Mt. Saint Helena Morning Glory (*Calystegia collina* spp. *Oxyphylla*), Tehama Navarretia (*Navarretia heterandra*), and Bristly Leptosiphon (*Leptosiphon acicularis*). None of these species are listed as Threatened or Endangered by the State or Federal governments, but are included on California Native Plant Society List 4, species with limited distributions, and generally are limited to southern Lake County and northern Napa County.

Wetlands and Watercourses

There is a small manmade pond/water storage reservoir in the northern half of the Project Property, and a potential wetland in the central portion of the Project Parcel. An ephemeral Class III watercourse flows from the outlet of the manmade pond/water storage reservoir from east to west through the Project Parcel, passing under an access road of the Project Parcel via an 18" corrugated metal culvert, then into a tributary of Kelsey Creek approximately 550 feet east of the Project Parcel. The proposed buildings will be located more than 100 feet from any surface waterbody (including the potential wetland).

Summary and Findings of the Biological Resources Assessment and Botanical Survey

No special-status animal species were observed during the surveys performed for the BRA and Botanical Survey. No impacts are predicted for any State or Federal special-status animal species, due to the lack of actual observations and lack of suitable habitat

near the Project site. There is no suitable breeding habitat onsite for any special-status species except for Western pond turtle, which is likely to be present in the small manmade pond/water storage reservoir. The proposed Project is not expected to impact the small manmade pond/water storage reservoir.

Three special-status plant species were identified in the area of the proposed indoor cultivation and processing buildings: Mt. Saint Helena Morning Glory, Tehama Navarretia, and Bristly Leptosiphon. None of these species are listed as Threatened or Endangered by the State or Federal governments, but are included on California Native Plant Society List 4, species with limited distributions, and generally are limited to southern Lake County and northern Napa County. These species like disturbance, and are likely present in this area of the Project Property due to the disturbance created for the established garden in the area of the proposed indoor cultivation and processing buildings.

The biologist provided recommendations for the protection of the three special-status plant species identified in the area of the proposed indoor cultivation and processing buildings, which have been incorporated into the mitigation measures below. The locations of the three special-status plant species were flagged in March of 2023, as well as an appropriate relocation site, to assist in the implementation of the mitigation measures below.

BIO-1: All work should incorporate erosion control measures consistent with the engineered Erosion and Sediment Control Plans submitted, Lake County Grading Regulations, and the State Water Resources Control Board's Cannabis General Order (Order No. WQ 2019-001-DWQ).

BIO-2: Pesticides and fertilizer storage facilities shall be located outside of riparian setbacks and not located within 100 feet of a well head and all watercourses.

BIO-3: The applicant shall maintain a minimum of a one-hundred-foot setback/buffer from the top of bank of any watercourse, wetland, and/or vernal pool.

BIO-4: Prior to commencement of activities within the bed or bank of a creek, a Streambed Alteration Agreement shall be obtained from the California Department of Fish and Wildlife. All the conditions of such permit shall be adhered to throughout the course of the project to reduce the impacts to a less than significant level.

BIO-5: Prior to any ground disturbance and/or vegetation removal, the applicant shall have a pre-construction survey conducted by a qualified biologist for special-status plant and animal species to ensure that special-status species are not present. If any listed species are detected, construction shall be delayed, and the appropriate resource agency (CDFW and/or USFWS) shall be consulted with and project impacts and mitigation reassessed.

BIO-6: Prior to any ground disturbance, the Mt. Saint Helena Morning Glory observed in the area of the proposed buildings, shall be transplanted to a suitable relocation site, and irrigated weekly for six months to assure their survival.

BIO-7: Prior to any ground disturbance, soil in the area of the proposed buildings where Bristly Leptosiphon and Tehama Navarretia have been observed, shall be excavated to a depth of 6" and redistributed in an area with similar habitat characteristics that is outside the area of disturbance.

BIO-8: If construction activities occur during the nesting season (usually March through September), a pre-construction survey for the presence of special-status bird species or any nesting bird species should be conducted by a qualified biologist within 500 feet of proposed construction areas, within seven days prior to the commencement of ground disturbing activities. If active nests are identified in these areas, CDFW and/or USFWS should be consulted to develop measures to avoid “take” of active nests prior to the initiation of any construction activities. Avoidance measures may include establishment of a buffer zone using construction fencing or the postponement of vegetation removal until after the nesting season, or until after a qualified biologist has determined the young have fledged and are independent of the nest site.

Less Than Significant Impact with Mitigation Measures BIO-1 through BIO-8 incorporated.

- b) The There is a small manmade pond/water storage reservoir in the northern half of the Project Property, and a potential wetland in the central portion of the Project Parcel. An ephemeral Class III watercourse flows from the outlet of the manmade pond/water storage reservoir from east to west through the Project Parcel, passing under an access road of the Project Parcel via an 18” corrugated metal culvert, then into a tributary of Kelsey Creek approximately 550 feet east of the Project Parcel. (including the potential wetland).

No development is proposed within 100-feet of the identified watercourses and potential wetland, which is consistent with Article 27 of the Lake County Zoning Ordinance that regulates commercial cannabis cultivation. The applicant has provided a Property Management Plan with engineered grading and erosion & sediment control plans, which address controlled water runoff in a manner that reduces impacts to surface water bodies. No development would occur within the drainage buffers and setbacks and there are no sensitive natural communities within the Project area.

The Project is enrolled with the SWRCB for Tier 1, Low Risk coverage under Order No. WQ 2019-001-DWQ (Cannabis Cultivation General Order). The Cannabis Cultivation General Order implements Cannabis Policy requirements with the purpose of ensuring that the diversion of water and discharge of waste associated with cannabis cultivation does not have a negative impact on water quality, aquatic habitat, riparian habitat, wetlands, or springs. The Cannabis Cultivation General Order requires the preparation of a Site Management Plan (SMP) and the submittal of annual technical and monitoring reports demonstrating compliance. The purpose of the SMP is to identify BPTC measures that the site intends to follow for erosion control purposes and to prevent stormwater pollution.

Less Than Significant Impact with Mitigation Measures BIO-1 through BIO-8 incorporated.

- c) The Biological Resources Assessment (BRA) identified one area on the Project Parcel that appear to qualify as a jurisdictional wetland, although a protocol-level wetland delineation was not performed.

No development is proposed within 100-feet of the potential wetland, which is consistent with Article 27 of the Lake County Zoning Ordinance that regulates commercial cannabis cultivation. The applicant has provided a Property Management Plan with engineered grading and erosion & sediment control plans, which addresses controlled water runoff in a manner that reduces impacts to surface water bodies. No development would occur within the riparian buffers and setbacks and there are no sensitive natural communities within the Project area.

Less Than Significant Impact with Mitigation Measures BIO-1 through BIO-8 incorporated.

- d) No wildlife corridors were identified on the Project Property in the BRA. Although no mapped wildlife corridors (such as the California Essential Habitat Connectivity Area layer in the CNDDDB) exist within or near the Project area, the open space and the stream corridors of the Project Property facilitate animal movement and migrations. Although the Project area may be used by wildlife for movement or migration, the proposed Project would not have a significant impact on this movement because it would not create any unpassable barriers and the majority of the Project Property will still be available for corridor and migration routes. More than 19 acres of the +20-acre Project Property would remain available for natural habitat and wildlife corridors.

Implementation of the Project will not interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites.

Less than Significant Impact

- e) In Article 27 of the County of Lake, CA Zoning Ordinance, under §27.13 on Conditions for Commercial Cannabis Cultivation, Tree Removal is listed under Prohibited Activities, whereas “(the) removal of any commercial tree species as defined by the California Code of Regulations section 895.1, Commercial Species for the Coast Forest District and Northern Forest District, and the removal of any true oak species (*Quercus* species) or Tan Oak (*Notholithocarpus* species) for the purpose of developing a cannabis cultivation site should be avoided and minimized.”

Furthermore, the County of Lake General Plan Policy OSC-1.13 states the County shall support the conservation and management of oak woodland communities and their habitats, and Resolution Number 95-211 was adopted as a Management Policy for Oak Woodlands in Lake County, whereas the County of Lake aims to monitor oak woodland resources, pursue education of the public, federal, state and local agencies on the importance of oak woodlands, promote incentive programs that foster the maintenance and improvement of oak woodlands, and, through federal, state, and local agency land management programs, foster oak woodlands on their respective lands within the county.

Tree removal is not proposed for this Project, and implementation of the Project does not conflict with any county or municipal policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance.

Less than Significant Impact

- f) No Habitat Conservation Plans, Natural Community Conservation Plans, or other local, regional, or state habitat conservation plans have been adopted for the Project area and no impacts are anticipated.

No Impact

V. CULTURAL RESOURCES

	Potentially Significant Impact	Less Than Significant with Mitigation Measures	Less Than Significant Impact	No Impact	Source Number
Would the project:					
a) Cause a substantial adverse change in the significance of a historical resource pursuant to §15064.5?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1, 3, 4, 5, 11, 14c, 15
b) Cause a substantial adverse change in the significance of an archeological resource pursuant to §15064.5?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1, 3, 4, 5, 11, 14, 15
c) Disturb any human remains, including those interred outside of formal cemeteries?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1, 3, 4, 5, 11, 14, 15

Discussion:

- a) A Cultural Resources Evaluation (CRE) for the proposed cultivation Project was prepared by Registered Professional Archaeologist Dr. John Parker and dated December 21, 2019. A pedestrian field survey of the Project Property and adjacent parcel was conducted for the CRE on December 13, 2019, and a record search was conducted at the Sonoma State University office of the California Historical Resource Information System prior to the field survey. The record search indicated that four prehistoric sites had been recorded within a mile of the Project area.

During the field survey for the CRE, two isolated pieces of chipped Konocti obsidian were discovered on the Project Property, and a Prehistoric site and another isolated piece of chipped Konocti obsidian were discovered on the adjacent parcel. According to the CRE, the prehistoric site has the potential for providing information important to the study of local and regional history and should be preserved as required by the California Environmental Quality Act. The isolated obsidian flakes are not considered significant cultural resources as defined in the California Public Resources Code.

The CRE concluded with the recommendation that the Project be approved as planned, with the stipulation that no ground disturbance activity or equipment staging take place within the area of the recorded prehistoric site. The prehistoric site is located on an adjacent parcel and would not be impacted by the proposed Project.

It is possible that significant artifacts or human remains could be discovered during Project construction. If, however, significant artifacts or human remains of any type are encountered it is required that the Project sponsor shall contact the culturally affiliated tribe and a qualified archaeologist to assess the situation. The Sheriff's Department must also be contacted if any human remains are encountered.

CUL-1: Should any archaeological, paleontological, or cultural materials be discovered during site development, all activity shall be halted in the vicinity of the find(s), the applicant shall notify the culturally affiliated Tribe, and a qualified archaeologist to evaluate the find(s) and recommend mitigation procedures, if necessary, subject to the approval of the Community Development Director. Should any human remains be encountered, the applicant shall notify the Sheriff's Department, the culturally affiliated Tribe, and a qualified archaeologist for proper internment and Tribal rituals per Public Resources Code Section 5097.98 and Health and Safety Code 7050.5.

CUL-2: All employees shall be trained in recognizing potentially significant artifacts that may be discovered during ground disturbance. If any artifacts or remains are found, the culturally affiliated Tribe shall immediately be notified; a licensed archaeologist shall be notified, and the Lake County Community Development Director shall be notified of such finds.

Less than Significant Impacts with Mitigation Measures CUL-1 through CUL-2 incorporated.

- b) A California Historical Resources Information System (CHRIS) records search was completed by the Northwest Information Center (NWIC) to determine if the Project would affect archaeological resources. The record search indicated that the Project Property been previously inspected for cultural resources, and that no significant cultural resources have been identified within the Project area. The CHRIS records search concluded that the proposed Project area has a low possibility of containing unrecorded archaeological sites.

Four isolated prehistoric artifacts, two isolated historic features, and a prehistoric site were discovered and recorded on the Project Parcel during the field survey conducted for the CRE. The prehistoric site has the potential for providing information important to the study of local and regional history and should be preserved as required by the California Environmental Quality Act. The isolated prehistoric artifacts and historic features are not considered significant cultural resources as defined in the California Public Resources Code.

Less than Significant Impact with Mitigation Measures CUL-1 through CUL-2 incorporated.

- c) The Project site does not contain a cemetery and no known formal cemeteries are located within the immediate site vicinity. In the event that human remains are discovered on the Project site, the Project would be required to comply with the applicable provisions of Health and Safety Code §7050.5, Public Resources Code §5097 et. seq. and CEQA Guidelines §15064.5(e). California Health and Safety Code §7050.5 states that no further disturbance shall occur until the County Coroner has made the necessary findings as to origin. Pursuant to California Public Resources Code §5097.98(b), remains shall be left in place and free from disturbance until a final decision as to the treatment and disposition has been made by the Coroner.

If the Coroner determines the remains to be Native American, the California Native American Heritage Commission must be contacted and the Native American Heritage Commission must then immediately notify the “most likely descendant(s)” of receiving notification of the discovery. The most likely descendant(s) shall then make recommendations within 48 hours, and engage in consultations concerning the treatment of the remains as provided in Public Resources Code §5097.98. Mandatory compliance with these requirements would ensure that potential impacts associated with the accidental discovery of human remains would be less than significant.

Less than Significant Impact with Mitigation Measures CUL-1 and CUL-2 incorporated.

VI. ENERGY

	Potentially Significant Impact	Less Than Significant with Mitigation Measures	Less Than Significant Impact	No Impact	Source Number
Would the project:					
a) Result in potentially significant environmental impacts due to wasteful, inefficient, or unnecessary consumption of energy resource, during construction or operation?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	5
b) Conflict with or obstruct a state or local plan for renewable energy or energy efficiency?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1, 3, 4, 5

Discussion:

- a) The proposed Project consists of indoor cannabis cultivation. The Project Property is serviced by Pacific Gas and Electric’s electrical grid. A new electrical utility service connection would be needed to provide power to the proposed buildings. The existing electrical utility service connections of the Project Property would continue to be used to supply power to the existing onsite groundwater wells and residence.

Up to sixty 1,000-watt horticultural lights would be installed within each of the proposed indoor cultivation/canopy areas (up to 240 lights in total). Additionally, the cultivation site will require power for security systems, water pumps, minor outdoor lighting, dehumidifiers, and cannabis processing equipment. The proposed use would not result in potentially significant environmental impacts due to wasteful, inefficient or unnecessary consumption of energy resources during Project development or operation. All energy usage shall adhere to all Federal, State and local agency requirements regarding energy use.

Less than Significant Impact

- b) According to the California Department of Cannabis Control’s Title 4 Division 19 §15010 on compliance with the CEQA, all cannabis applications must describe their project’s anticipated operational energy needs, identify the source of energy supplied for the project and the anticipated amount of energy per day, and explain whether the project will require an increase in energy demand and the need for additional energy resources.

The proposed Project consists of indoor cannabis cultivation. The Project Property is serviced by Pacific Gas and Electric’s electrical grid. The Project will require an increase in onsite energy demand, and new electrical utility service connection would be needed to provide power to the proposed buildings. The existing electrical utility service connections of the Project Property would continue to be used to supply power to the existing onsite groundwater wells and residence.

California Department of Cannabis Control cultivation and microbusiness licensees authorized to engage in indoor, tier 2 mixed-light cultivation, or nursery using indoor or tier 2 mixed-light techniques, are required to report total electricity for each power source used to the DCC upon license renewal and comply with the renewable energy requirements. Specifically, such licensees must have an average weighted greenhouse gas emission intensity (AWGGEI) that is less than or equal to the AWGGEI of their local utility provider. Such licensees are required to obtain carbon offset credits if the AWGGEI is greater than their utility provider’s.

The proposed use will not conflict or obstruct a State or local plan for renewable energy or energy efficiency.

Less than Significant Impact

VII. GEOLOGY AND SOILS

	Potentially Significant Impact	Less Than Significant With Mitigation Measures	Less Than Significant Impact	No Impact	Source Number
Would the project:					
a) Directly or indirectly cause potentially substantial adverse effects, including the risk of loss, injury, or death involving:					
i) Rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault? Refer to Division of Mines and Geology Special Publication 42.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1, 2, 3, 4, 5, 18, 19
ii) Strong seismic ground shaking?					
iii) Seismic-related ground failure, including liquefaction?					
iv) Landslides?					
b) Result in substantial soil erosion or the loss of topsoil?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1, 3, 4, 5, 19, 21, 24, 25, 30

c) Be located on a geologic unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on-site or off-site landslide, lateral spreading, subsidence, liquefaction or collapse?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1, 2, 3, 5, 6, 9, 18, 21
d) Be located on expansive soil, as defined in Table 18-1-B of the Uniform Building Code (1994), creating substantial direct or indirect risks to life or property?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	5, 7, 39
e) Have soils incapable of adequately supporting the use of septic tanks or alternative wastewater disposal systems where sewers are not available for the disposal of waste water?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	2, 4, 5, 7, 13, 39
f) Directly or indirectly destroy a unique paleontological resource or site or unique geologic feature?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1, 2, 3, 4, 5, 14, 15

Discussion:

- a) The Project site is located in a seismically active area of California and is expected to experience moderate to severe ground shaking during the lifetime of the Project. That risk is not considered substantially different than that of other similar properties and projects in California.

Earthquake Faults (i)

According to the USGS Earthquake Faults map available on the Lake County GIS Portal, there are no mapped earthquake faults within two miles of the Project Property. Thus, no rupture of a known earthquake fault is anticipated and the proposed Project would not expose people or structures to an adverse effects related rupture of a known earthquake fault as no structures for human occupancy are being proposed.

Seismic Ground Shaking (ii) and Seismic-Related Ground Failure, including liquefaction (iii)

Lake County contains numerous known active faults. Future seismic events in the Northern California region can be expected to produce seismic ground shaking at the site. All proposed construction is required to be built under Current Seismic Safety Construction Standards.

Landslides (iv)

The Project site is minimally sloped (less than 20% slopes). According to the Landslide Hazard Identification Map prepared by the California Department of Conservation's Division of Mines and Geology, the area is considered generally stable. As such, the Project site is considered moderately susceptible to landslides and will not likely expose people or structures to substantial adverse effects involving landslides, including losses, injuries or death.

Less Than Significant Impact

- b) Soils of the Project Site are identified as Jafa loam with 5 to 15 percent slopes by the NRCS Web Soil Survey, and characterized as loam and gravelly clay loam from a parent material of alluvium. The Project would increase the impervious surface area of the Project Parcel by approximately 8,150 ft², or approximately 0.9 percent of the Project Property, through the construction/installation of a 5,120 ft² metal building, a 2,400 ft² metal building,

120 ft² wooden building, and a 25-foot diameter metal fire water storage tank. The proposed parking lot will have a permeable gravel surface, and the proposed ADA parking spaces will be constructed of permeable pavers. Approximately 500 cubic yards will need to be graded to create a level pad on which the proposed buildings would be constructed.

The applicant has provided an engineered Erosion and Sediment Control Plan that addresses potential erosion through the application of gravel/rock to access roads, weed-free straw mulch to disturbed areas, and the installation of straw wattles around the proposed structures. Additionally, the applicant shall comply with the State Water Resources Control Board's Cannabis General Order (Order No. WQ-2019-001-DWQ) and Chapters 29 and 30 of the Lake County Code, to protect water quality through the implementation of Best Management Practices (BMPs) / Best Practicable Treatment or Control (BPTC) measures, which include erosion and sediment control BMPs/BPTC measures.

Less Than Significant Impact

- c) The Project Property as a whole is hilly, with many slopes that are greater than 30%, but the Project site is minimally sloped (less than 20% slopes). According to the Landslide Hazard Identification Map, prepared by the California Department of Conservation, Division of Mines and Geology, the Project site is not located within and/or adjacent to an existing known "landslide area".

Soils of the Project Site are identified as Jafa loam with 5 to 15 percent slopes by the NRCS Web Soil Survey, and characterized as loam and gravelly clay loam from a parent material of alluvium. The Jafa loam considered "generally stable" and not in danger of lateral spreading, subsidence, liquefaction or collapse.

Less Than Significant Impact

- d) The Uniform Building Code is a set of rules that specify standards for structures. No structures are proposed that would require a building permit.


Expansive soils possess a "shrink-swell" characteristic. Shrink-swell is the cyclic change in volume (expansion and contraction) that occurs in fine-grained clay sediments from the process of wetting and drying. Structural damage may occur over a long period of time due to expansive soils, usually the result of inadequate soil and foundation engineering or the placement of structures directly on expansive soils.

Soils of the Project Site are identified as Jafa loam (Soil Type 145) with 5 to 15 percent slopes by the NRCS Web Soil Survey, and characterized as loam and gravelly clay loam from a parent material of alluvium.

Soil Type 145 has a moderate shrink-swell potential due to its clay composition. Any new construction requiring a building permit would be subject to the Uniform Building Code and California Building Code for foundation design to meet the requirements associated with expansive soils, if they are found to exist within a site specific study.

Less than Significant Impact

Figure 8. Slope of the Project Property



Source: Lake County, CA GIS Portal, Slope and Terrain Viewer

- e) The Project would be served by an ADA-compliant restroom within the proposed Indoor Cultivation and Processing Building. The restroom would rely on a new onsite wastewater treatment septic system, which would require a permit from the Lake County Department of Environmental Health. Prior to applying for a permit, the Lake County Department of Environmental Health requires a Site Evaluation to determine the suitability of the site for a septic system. A percolation test would be conducted to determine the water absorption rate of the soil, and the septic system would be located, designed, and installed appropriately, following all applicable State and County guidelines and requirements. A proposed septic system would be located in an area of Type 145 soils. According to the USDA Soil Survey, this soil type could support a septic system.

Therefore, the proposed Project would not have soils incapable of adequately supporting the use of septic tanks for the disposal of wastewater. In addition, the system would be reviewed and approved by the Department of Environmental Health.

Less than Significant Impact

- f) The project site does not contain any known unique geologic feature or paleontological resources. Disturbance of these resources is not anticipated.

Less than Significant Impact

VIII. GREENHOUSE GAS EMISSIONS

	Potentially Significant Impact	Less Than Significant with Mitigation Measures	Less Than Significant Impact	No Impact	Source Number
Would the project:					
a) Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1, 3, 4, 5, 36
b) Conflict with an applicable plan, policy or regulation adopted for the purpose of reducing the emissions of greenhouse gases?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1, 3, 4, 5, 36

Discussion:

- a) The Project Property is located within the Lake County Air Basin, which is under the jurisdiction of the Lake County Air Quality Management District (LCAQMD). The LCAQMD applies air pollution regulations to all major stationary pollution sources and monitors countywide air quality. Climate change is caused by greenhouse gases (GHGs) emitted into the atmosphere around the world from a variety of sources, including the combustion of fuel for energy and transportation, cement manufacturing, and refrigerant emissions. GHGs are those gases that have the ability to trap heat in the atmosphere, a process that is analogous to the way a greenhouse traps heat. GHGs may be emitted as a result of human activities, as well as through natural processes. Increasing GHG concentrations in the atmosphere are leading to global climate change. The Lake County Air Basin is in attainment for all air pollutants and has therefore not adopted thresholds of significance for GHG emissions.

The propose Project consists of indoor cannabis cultivation. In general, greenhouse gas emissions associated with indoor cannabis cultivation come from construction activities and vehicle trips. The indoor cultivation areas will not have specific greenhouse gas-producing elements, and the cannabis plants will capture some carbon dioxide. Construction impacts, which includes minor grading (approximately 500 cubic yards) to establish a level pad on which to construct the proposed cultivation and processing buildings, would be temporary in nature and would occur over a two (2) to three (3) month period. Construction activities are expected to generate 2 to 6 vehicle trips per day, and the operation is expected to generate 2 to 4 vehicle trips per day.

Additionally, California Department of Cannabis Control cultivation and microbusiness licensees authorized to engage in indoor, tier 2 mixed-light cultivation, or nursery using indoor or tier 2 mixed-light techniques, are required to report total electricity for each power source used to the DCC upon license renewal and comply with the renewable energy requirements. Specifically, such licensees must have an average weighted greenhouse gas emission intensity (AWGGEI) that is less than or equal to the AWGGEI of their local utility provider. Such licensees are required to obtain carbon offset credits if the AWGGEI is greater than their utility providers.

Less than Significant Impact

b) For purposes of this analysis, the Project was evaluated against the following applicable plans, policies, and regulations:

- The Lake County General Plan
- The Lake County Air Quality Management District
- AB 32 Climate Change Scoping Plan
- AB 1346 Air Pollution: Small Off-Road Equipment

Policy HS-3.6 of the Lake County General Plan on Regional Agency Review of Development Proposals states that the “County shall solicit and consider comments from local and regional agencies on proposed projects that may affect regional air quality. The County shall continue to submit development proposals to the Lake County Air Quality Management District for review and comment, in compliance with the California Environmental Quality Act (CEQA) prior to consideration by the County.” The proposed Project was sent out for review from the LCAQMD and the only concern was restricting the use of an onsite generator to emergency situations only.

The Lake County Air Basin is in attainment for all air pollutants with a high air quality level, and therefore the LCAQMD has not adopted an Air Quality Management Plan, but rather uses its rules and regulations for the purpose of reducing the emissions of greenhouse gases. The proposed Project does not conflict with any existing LCAQMD rules or regulations and would therefore have no impact at this time.

The 2017 AB Climate Change Scoping Plan recognizes that local government efforts to reduce emissions within their jurisdiction are critical to achieving the State’s long term GHG goals, which includes a primary target of no more than six (6) metric tons CO₂e per capita by 2030 and no more than two (2) metric tons CO₂e per capita by 2050. The Project will have up to three (3) individuals working on site (owners/operators) during normal operational hours, and with an expected 6.875 metric tons of overall operational CO₂e per year, the per capita figure of 2.29 metric tons of operational CO₂e per year meets the 2017 Climate Change Scoping Plan’s 2030 target, and nearly meets the 2050 target.

On October 9, 2021, AB 1346 Air Pollution: Small Off-Road Equipment (SORE) was passed, which will require the state board, by July 1, 2022, consistent with federal law, to adopt cost-effective and technologically feasible regulations to prohibit engine exhaust and evaporative emissions from new small off-road engines, as defined by the state board. The bill would require the state board to identify and, to the extent feasible, make available funding for commercial rebates or similar incentive funding as part of any updates to existing applicable funding program guidelines to local air pollution control districts and air quality management districts to implement to support the transition to zero-emission small off-road equipment operations, and the applicant should be aware of and expected to make a transition away from SOREs by the required future date.

Less than Significant Impact

IX. HAZARDS AND HAZARDOUS MATERIALS

Potentially Significant Impact	Less Than Significant with Mitigation Measures	Less Than Significant Impact	No Impact	Source Number
--------------------------------	--	------------------------------	-----------	---------------

Would the project:

- | | | | | | |
|---|--------------------------|--------------------------|-------------------------------------|-------------------------------------|---|
| a) Create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 1, 3, 5, 13, 21, 24, 29, 31, 32, 33, 34 |
| b) Create a significant hazard to the public or the environment through reasonable foreseeable upset and accident conditions involving the release of hazardous materials into the environment? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 1, 3, 5, 13, 21, 24, 29, 31, 32, 33, 34 |
| c) Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 1, 2, 5 |
| d) Be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5 and, as a result, would it create a significant hazard to the public or the environment? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 2, 40 |
| e) For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project result in a safety hazard or excessive noise for people residing or working in the project area? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 1, 3, 4, 5, 20, 22 |
| f) Impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 1, 3, 4, 5, 20, 22, 35, 37 |
| g) Expose people or structures, either directly or indirectly, to a significant risk of loss, injury or death involving wildland fires? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 1, 3, 4, 5, 20, 35, 37 |

a) Chemicals Storage and Effluent

According to the applicant, chemicals stored and used at/by the proposed cultivation operation include fertilizers/nutrients, pesticides, and petroleum products (Agricultural Chemicals). All fertilizers/nutrients and pesticides, when not in use, will be stored in their manufacturer's original containers/packaging, undercover, and at least 100 feet from surface water bodies, inside the secure Pesticides & Agricultural Chemicals Storage Area/shed. Petroleum products will be stored under cover, in State of California-approved containers with secondary containment, and separate from pesticides and fertilizers within the proposed Pesticides & Agricultural Chemicals Storage Area/shed. Spill containment and cleanup equipment will be maintained within the proposed Pesticides and Agricultural Chemicals Storage Area, as well as Materials Safety Data Sheets (MSDS/SDS) for all potentially hazardous materials used onsite.

According to the applicant, the growing medium of the proposed indoor cultivation/canopy areas would be an imported organic soilless growing mixture (composed of composted forest material, coco coir, and perlite) in plastic nursery pots on solid metal tables. Drip

irrigation systems would be used to deliver irrigation water to each plant within the indoor cultivation/canopy areas. Each solid metal table will be tilted slightly, so that runoff is conveyed via gravity to the irrigation water mixing and storage tanks of each indoor cultivation room, and then reapplied during the next irrigation cycle. All wastewater from the indoor cultivation/canopy areas will be stored within two 3,000-gallon heavy-duty plastic water storage tanks and hauled to a permitted wastewater treatment facility by a permitted wastewater hauler. No effluent is expected to be produced by the proposed cultivation operation.

Solid Waste Management

According to the applicant, the types of solid waste that will be generated from the proposed cultivation operation include gardening materials and wastes (such as plastic mulch and plastic/fertilizer/pesticide bags and bottles) and general litter from staff/personnel. All solid waste will be stored in bins with secure fitting lids, located directly adjacent to the proposed cultivation areas. At no time will the bins be filled to a point that their lids cannot fit securely. Solid waste from the bins will be deposited into a dump trailer and hauled to a Lake County Integrated Waste Management facility, at least every seven (7) days/weekly. The Eastlake Landfill is the closest Lake County Integrated Waste Management facility to the project site.

Site Maintenance

According to the applicant, all equipment will be stored in its proper designated area upon completion of the task for which the equipment was needed. Any refuse created during the work day will be placed in the proper waste disposal receptacle at the end of each shift, or at a minimum upon completion of the task assigned. Any refuse which poses a risk for contamination or personal injury will be disposed of immediately. 100 feet of defensible space will be established and maintained around the proposed cultivation operation for fire protection and to ensure safe and sanitary working conditions. Areas of defensible space will be mowed and trimmed regularly around the cultivation operation to provide for visibility and security monitoring. Access roads and parking areas will be graveled to prevent the generation of fugitive dust, and vegetative ground cover will be preserved throughout the entire site to filter and infiltrate storm water runoff from access roads, parking areas, and the proposed cultivation operation. Staff will have access to the restroom of the proposed indoor cultivation and processing building and portable restroom facilities whenever they are onsite. The restroom of the proposed indoor cultivation and processing building will discharge to a permitted septic system, and the portable restroom facilities will be serviced regularly to ensure a safe and sanitary working environment.

The Project shall comply with Section 41.7 of the Lake County Zoning Ordinance that specifies that all uses involving the use or storage of combustible, explosive, caustic, or otherwise hazardous materials shall comply with all applicable local, state, and federal safety standards and shall be provided with adequate safety devices against the hazard of fire and explosion, and adequate firefighting and fire suppression equipment.

The Lake County Division of Environmental Health, which acts as the Certified Unified Program Agency (CUPA) for Hazardous Materials Management, has been consulted about the project and the project is required to address Hazardous Material Management in the Property Management Plan, which has been reviewed by the Lead Agency to ensure the contents are current and adequate. In addition, the Project will require measures for employee training to determine if they meet the requirements outlined in the Plan and measures for the review of hazardous waste disposal records to ensure proper disposal methods and the amount of wastes generated by the facility.

Less Than Significant Impact

- b) The Project involves the use of fertilizers and pesticides which will be stored in a secure stormproof structure. Flood risk at the Project site is minimal and according to Lake County GIS Portal data and the Project is not located in or near an identified earthquake fault zone.

The Project site is within a very high fire hazard severity zone and will retain at least 5,000 gallons of water on site that will be reserved for emergency services to use in the event of a wildfire. The water tank shall have connectors that can be easily used by emergency service providers when and if needed.

The Project Property does not contain any identified areas of serpentine soils or ultramafic rock, and risk of asbestos exposure during construction is minimal.

Less than Significant Impact

- c) There are no schools located within one-quarter mile of the proposed Project site. The nearest school is Lower Lake Elementary School, which is located over five (5) miles west of the Project Property.

No Impact

- d) The California Environmental Protection Agency (CALEPA) has the responsibility for compiling information about sites that may contain hazardous materials, such as hazardous waste facilities, solid waste facilities where hazardous materials have been reported, leaking underground storage tanks and other sites where hazardous materials have been detected. Hazardous materials include all flammable, reactive, corrosive, or toxic substances that pose potential harm to the public or environment.

The following databases compiled pursuant to Government Code §65962.5 were checked for known hazardous materials contamination within ¼-mile of the Project site:

- The SWRCB GeoTracker database
- The Department of Toxic Substances Control EnviroStor database
- The SWRCB list of solid waste disposal sites with waste constituents above hazardous waste levels outside the waste management unit.

The Project site is not listed in any of these databases as a site containing hazardous materials as described above.

No Impact

- e) The Project site is located over 10 miles from the nearest public airport or public use airport (Lampson Field). Lampson Field is administered by the Lake County Airport Land Use Commission, which has not adopted an Airport Land Use Compatibility Plan. There will be no hazard for people working in the Project area from a public airport or public use airport.

No Impact

- f) The Project would not impair or interfere with an adopted emergency response or evacuation plan. Kahms Lane and Bottle Rock Road would be used to evacuate the area of the Project site. During evacuations, all persons at the Project site would be required to follow emergency responses instructions for evacuations. Because the Project would not interfere with an adopted emergency response or evacuation plan, impacts are less than significant and no mitigation measures are required.

Less than Significant Impact

- g) The Project site is within a very high fire hazard severity zone. The applicant shall adhere to all federal, state, and local fire requirements and regulations for setbacks and defensible space. Please refer to Section XX. Wildfire for additional information pertaining to risks associated with wildland fire mitigation measures.

Less than Significant Impact

X. HYDROLOGY AND WATER QUALITY

	Potentially Significant Impact	Less Than Significant with Mitigation Measures	Less Than Significant Impact	No Impact	Source Number
Would the project:					
a) Violate any water quality standards or waste discharge requirements or otherwise substantially degrade surface or ground water quality?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1, 2, 3, 5, 6, 29, 30
b) Substantially decrease groundwater supplies or interfere substantially with groundwater recharge such that the project may impede sustainable groundwater management of the basin?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1, 2, 3, 5, 6, 29, 30
c) Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river or through the addition of impervious surfaces, in a manner that would:					
i) Result in substantial erosion or siltation on-site or off-site;					
ii) Substantially increase the rate or amount of surface runoff in a manner which would result in flooding on- or off-site;	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1, 2, 3, 5, 6, 7, 15, 18, 29, 32
iii) Create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff; or					
iv) Impede or redirect flood flows?					

- | | | | | | |
|---|--------------------------|--------------------------|-------------------------------------|--------------------------|-----------------------------|
| d) In any flood hazard, tsunami, or seiche zones, risk release of pollutants due to project inundation? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 1, 2, 3, 5, 6, 7, 9, 23, 32 |
| e) Conflict with or obstruct implementation of a water quality control plan or sustainable groundwater management plan? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 1, 2, 3, 5, 6, 29 |

Discussion:

- a) The Project Property is enrolled in the State Water Resources Control Board’s Cannabis General Order (Order No. WQ 2019-001-DWQ) as a Tier 1, Low Risk site (WDID: 5S17CC415494). As required in the Cannabis Order’s Policy for coming into compliance with Best Practicable Treatment or Control (BPTC) measures, the applicant had to prepare a Site Management Plan (SMP) within 90 days of enrollment. “The purpose of the Cannabis Policy is to ensure that the diversion of water and discharge of waste associated with cannabis cultivation does not have a negative impact on water quality, aquatic habitat, riparian habitat, wetlands, and springs” (State Water Board, 2019). To comply with the Cannabis General Order, BPTC measures shall be implemented at the site for erosion control and stormwater pollution. Additionally, the applicant is required to complete online Annual Monitoring and Reporting to assess compliance with the Cannabis General Order and Notice of Applicability. This includes BPTC measures for winterization.

The applicant provided a Hydrology Report and an engineered Grading and Erosion & Sediment Control Site Plans for the proposed Project. According to the applicant’s Property Management Plan, the following erosion control measures will be followed:

- Established and re-established vegetation within and around the proposed cultivation operation will be maintained/protected as a permanent erosion and sediment control measure.
- A native grass seed mixture and certified weed-free straw mulch will be applied to all areas of exposed soil prior to November 15th of each year, until permanent stabilization has been achieved.
- Gravel will be applied to the surfaces of access roads, pathways, and the aisles between the garden beds/pots of the proposed cultivation areas, to allow for infiltration while mitigating the generation of sediment laden stormwater runoff.
- Straw rolls/wattles will be installed before November 15th of each year throughout the proposed cultivation operation per the Project’s engineered Erosion and Sediment Control Site Plan, to filter pollutants and promote stormwater retention and infiltration.
- If areas of concentrated stormwater runoff begin to develop, additional erosion and sediment control measures will be implemented to protect those areas and their outfalls

The County’s Cannabis Ordinance requires that all cultivation operations be located at least 100-feet away from all waterbodies (i.e. spring, top of bank of any creek or seasonal stream, edge of lake, wetland or vernal pool). Additionally, cultivators who enroll in the State Water Board’s Waste Discharge Requirements for Cannabis Cultivation Order WQ 2019-001-DWQ must comply with the Minimum Riparian Setbacks. Cannabis cultivators must comply with these setbacks for all land disturbances, cannabis cultivation activities, and facilities (e.g., material or vehicle storage, diesel powered pump locations, water storage areas, and chemical toilet placement).

The proposed Project has been designed to meet the required riparian setbacks, in the flattest practical area of the Project Property, to reduce the potential for water pollution and erosion.

Less Than Significant Impact

- b) Due to exceptional drought conditions, the Lake County Board of Supervisors passed an Urgency Ordinance (Ordinance 3106) on July 27, 2021, requiring land use applicants to provide enhanced water analysis during a declared drought emergency. Ordinance 3106 requires that all project that require a CEQA analysis of water use include the following items in a Hydrology Report prepared by a licensed professional experienced in water resources:

- Approximate amount of water available for the project's identified water source,
- Approximate recharge rate for the project's identified water source, and
- Cumulative impact of water use to surrounding areas due to the project

Water Demand

According to the Project's *Hydrology Report – Water Usage* section, the estimated water use requirement for the proposed indoor cultivation operation would be approximately 102,000 gallons per year, and approximately 280 gallons per day.

Water Availability

According to the Project's *Hydrology Report – Water Availability* section, all water for the proposed cultivation operation will come from an existing onsite groundwater well located at Latitude 38.86706° and Longitude -122.77774° (Project Well). A second onsite groundwater well, located at Latitude 38.86738° and Longitude -122.77885° on Lake County APN 001-065-01, will serve as the sole water source for the existing onsite residence. The Project Well was drilled in 1991 through layers of clay, shale, and gravel, to a depth of 90 feet.

On December 28th, 2022 Cal-Tech Pump Well & Water Treatment (License No. 923640) conducted 4-hour pump test of the Project Well. The Project Well was pumped at 12 gallons per minute (gpm) for the duration of the 4-hour pump test, and the water level within the well dropped from 38 feet bgs to 44 feet bgs. The water level within the well recovered to 38 feet bgs within 15 minutes after pumping ceased (100% recovery). The pump test data indicates a Specific Capacity of 2 gpm/foot of drawdown (i.e., 12 gpm / 6 feet) for the Project Well.

According to the Hydrology Report, the pump test data indicates that Project Well can produce approximately 2 gpm for every foot of drawdown, and at least 12 gpm. The well recovery observations demonstrate that the well may be able to produce this water without causing overdraft conditions. At 12 gpm, the Project Well could produce the estimated daily demand for water of the proposed cultivation operation in less than 24 minutes. Based on the estimated water usage rates, the measured pumping rates, the well recovery rate, and the proposed water storage capacity, the site appears to have the water necessary to meet the irrigation water demands of the proposed cultivation operation without creating aquifer overdraft.

Aquifer/Groundwater Recharge

According to the Project's *Hydrology Report – Aquifer/Groundwater Recharge* section, the estimated average annual groundwater recharge of the Project Property is 5.9 acre-feet. The estimated groundwater recharge of the Project Property during severe drought years is 1.7 acre-feet. Both the estimated average annual groundwater recharge (5.9 acre-feet) and estimated recharge during severe drought years (1.7 acre-feet) exceed the proposed Project's estimated annual water use requirement of 102,000 gallons (0.3 acre-feet).

Potential Impacts to Neighboring Groundwater Wells

According to the Project's *Hydrology Report*, the calculated zone of pumping influence for the proposed cultivation operation extends approximately 150 feet from the Project Well. The calculated zone of pumping influence does not extend beyond the boundaries of the Project Property. Therefore, impacts to neighboring groundwater wells as a result of pumping for the proposed cultivation operation are not anticipated.

Groundwater Basin

The United States Geological Survey Map of the Santa Rosa Quadrangle defines the area in the vicinity of the Project Property as "Older alluvium". The Project Property is located in the Clear Lake Volcanics Groundwater Source Area and Clear Lake Pliocene Volcanics Groundwater Basin/Management Plan Area, as identified in the 2006 Lake County Groundwater Management Plan. The Clear Lake Volcanics Groundwater Source Area is bounded by the Franciscan Formation to the south and east, and shares a boundary with the Big Valley Groundwater Basin to the north and west. The Clear Lake Volcanics Groundwater Source Area consists of basalt, andesite, and other volcanic rocks, in a complex sequence formed from a multitude of volcanic eruptions associated with the formation of Mount Konocti. The Project Site is located within an alluvial basin within the Clear Lake Volcanics Groundwater Source Area. The Clear Lake Volcanics Groundwater Basin has not been identified by the California Department of Water Resources (DWR) as a critically over-drafted basin.

Water level monitoring is required by the Lake County Zoning Ordinance. Ordinance Article 27 Section 27.11(at) requires the production well to have a water meter and water level monitor. With this required measure in place, the impact is expected to be less than significant.

Less Than Significant Impact

- c) According to Lake County Ordinance Section 27.13 (at) 3, the Property Management Plan must have a section on Storm Water Management based on the requirements of the California Regional Water Quality Control Board Central Valley Region or the California Regional Water Quality Control Board North Coast Region, with the intent to protect the water quality of the surface water and the stormwater management systems managed by Lake County and to evaluate the impact on downstream property owners. All cultivation activities shall comply with the California State Water Board, the Central Valley Regional Water Quality Control Board, and the North Coast Region Water Quality Control Board orders, regulations, and procedures as appropriate.

The cultivation operation is enrolled in the State Water Resources Control Board's Order *WQ 2019-0001-DWQ General Waste Discharge Requirements for Discharges of Waste Associated with Cannabis Cultivation Activities* (General Order). Compliance with this Order will ensure that cultivation operations will not significantly impact water resources

by using a combination of Best Management Practices, buffer zones, sediment and erosion controls, inspections and reporting, and regulatory oversight. Additionally, an engineered erosion and sediment control site plan was submitted by the applicant as part of the Property Management Plan.

The proposed Project would increase the impervious surface area of the Project Parcel by approximately 8,150 ft², or approximately 0.9 percent of the Project Property, through the construction/installation of a 5,120 ft² metal building, a 2,400 ft² metal building, 120 ft² wooden buildings, and a 25-foot diameter metal fire water storage tank. The proposed parking lot will have a permeable gravel surface, and the proposed ADA parking spaces will be constructed of permeable pavers. Approximately 500 cubic yards will need to be graded to create a level pad on which the proposed buildings would be constructed.

The applicant has provided an engineered Erosion and Sediment Control Plan that addresses potential erosion through the application of gravel/rock to access roads, weed-free straw mulch to disturbed areas, and the installation of straw wattles around the proposed structures. Additionally, the applicant shall comply with the State Water Resources Control Board's Cannabis General Order (Order No. WQ-2019-001-DWQ) and Chapters 29 and 30 of the Lake County Code, to protect water quality through the implementation of Best Management Practices (BMPs) / Best Practicable Treatment or Control (BPTC) measures, which include erosion and sediment control BMPs/BPTC measures. With implementation of the proposed erosion and sediment control measures and required BMPs/BPTC measures, the Project i) will not result in substantial erosion or siltation on-site or off-site; ii) will not substantially increase the rate or amount of surface runoff in a manner which would result in flooding on or offsite; iii) will not create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff; and iv) will not impede or redirect flood flows.

Less Than Significant Impact

- d) The Project site is not located in an area of potential inundation by seiche or tsunami. The Project site is designated to be in Flood Zone D – areas of undetermined, but possible flood hazard risk – not in a special flood hazard area.

Less than Significant Impact

- e) The Project Property is located within the Sacramento River Basin. The Water Quality Control Plan for the California Regional Water Quality Control Board Central Valley Region (Basin Plan) is applicable to the Sacramento River Basin, as well as the San Joaquin River Basin. The State Water Resource Control Board's Cannabis General Order (2019-001-DWQ) adheres to water quality and management standards identified and outlined within the Basin Plan. Compliance with the Cannabis General Order will ensure that the project does not conflict with or obstruct implementation of a water quality control plan.

There are no groundwater management plans for the affected groundwater basin(s) at this time. Groundwater use and monitoring data collected and reported to comply with the Lake County Zoning Ordinance could be used in the development of a sustainable groundwater management plan at some point in the future.

Less Than Significant Impact

XI. LAND USE PLANNING

	Potentially Significant Impact	Less Than Significant with Mitigation Measures	Less Than Significant Impact	No Impact	Source Number
Would the project:					
a) Physically divide an established community?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1, 2, 3, 5, 6
b) Cause a significant environmental impact due to a conflict with any land use plan, policy, or regulation adopted for the purpose of avoiding or mitigating an environmental effect?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1, 3, 4, 5, 20, 21, 22, 27

Discussion:

- a) The Project Property is located in a rural area of Lake County, characterized by large parcels of mostly undeveloped land with some agricultural and residential uses. The proposed Project would not physically divide any established community.

No Impact

- b) The proposed Project is consistent with the Lake County General Plan and Cobb Mountain Area Plan and would create diversity within the local economy and future employment opportunities for local residents.

The General Plan Land Use and Base Zoning District designation currently assigned to the Project Parcel is Rural Lands (RL). The Lake County Zoning Ordinance allows for commercial cannabis cultivation in the RL land use zone with a major or minor use permit. The Project is consistent with all other development standards within the zoning code for commercial cannabis cultivation.

Less than Significant Impact

XII. MINERAL RESOURCES

	Potentially Significant Impact	Less Than Significant with Mitigation Measures	Less Than Significant Impact	No Impact	Source Number
Would the project:					
a) Result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1, 3, 4, 5, 26
b) Result in the loss of availability of a locally important mineral resource recovery site delineated on a local general plan, specific plan, or other land use plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1, 3, 4, 5, 26

Discussion:

- a) The Lake County Aggregate Resource Management Plan does not identify the Project site as having an important source of aggregate resources. The California Department of Conservation describes the generalized rock type for the Project Property as “Older alluvium. Additionally, according to the California Department of Conservation, Mineral Land Classification, there are no known mineral resources on the Project Property.

No Impact

- b) According to the California Geological Survey’s Aggregate Availability Map, the Project site is not within the vicinity of a site being used for aggregate production. In addition, the site not delineated on the County of Lake’s General Plan, the Lower Lake Area Plan nor the Lake County Aggregate Resource Management Plan as a mineral resource site. Therefore, the project has no potential to result in the loss of availability of a local mineral resource recovery site.

No Impact

XIII. NOISE

	Potentially Significant Impact	Less Than Significant with Mitigation Measures	Less Than Significant Impact	No Impact	Source Number
Would the project:					
a) Result in the generation of a substantial temporary or permanent increase in ambient noise levels in the vicinity of the project in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1, 3, 4, 5, 13
b) Result in the generation of excessive ground-borne vibration or ground-borne noise levels?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1, 3, 4, 5, 13
c) For a project located within the vicinity of a private airstrip or an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project expose people residing or working in the project area to excessive noise levels?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1, 3, 4, 5, 11, 14, 15

Discussion:

- a) Noise related to cannabis cultivation typically occurs either during construction, or from the use of operational equipment such as well pumps or emergency backup generators during power outages. Short-term increases in ambient noise to uncomfortable levels may be expected during Project construction/development, and routine maintenance of the Project Property.

In regards to the Lake County General Plan Chapter 8 - Noise, there are no sensitive noise receptors within one (1) mile of the project site, and Community Noise Equivalent Levels (CNEL) are not expected to exceed the 55 dBA during daytime hours (7am – 10pm) or 45 dBA during night hours (10pm – 7am) when measured at the property line.

Although the property size and location will help to reduce any noise detectable at the property line, mitigation measures will still need to be implemented to further limit the potential sources of noise to an acceptable level.

NOI-1: All construction activities including engine warm-up shall be limited Monday Through Friday, between the hours of 7:00 a.m. and 7:00 p.m., and Saturdays from 12:00 noon to 5:00 p.m. to minimize noise impacts on nearby residents. Back-up beepers shall be adjusted to the lowest allowable levels. This mitigation does not apply to night work.

NOI-2: Maximum non-construction related sounds levels shall not exceed levels of 55 dBA between the hours of 7:00 a.m. to 10:00 p.m. and 45 dBA between the hours of 10:00 p.m. to 7:00 a.m. within residential areas as specified within Zoning Ordinance Section 21-41.11 (Table 11.1) at the property lines.

Less than Significant Impact with Mitigation Measures NOI-1 and NOI-2 incorporated.

- a) The Project would not generate ground-borne vibration or noise, except potentially during the construction phase from the use of heavy construction equipment. The Project is not expected to employ any pile driving, rock blasting, or rock crushing equipment during construction activities, which are the primary sources of ground-borne noise and vibration during construction. As such, the Project is not expected to create unusual ground-borne vibration due to site development or facility operation.

Less Than Significant Impact

- b) The Project site is located over 10 miles from the nearest airport or airstrip. Therefore, the Project would not expose people residing or working in the Project area to excessive noise levels from air travel.

No Impact

XIV. POPULATION AND HOUSING

Potentially Significant Impact	Less Than Significant With Mitigation Measures	Less Than Significant Impact	No Impact	Source Number
--------------------------------	--	------------------------------	-----------	---------------

Would the project:

- | | | | | | |
|---|--------------------------|--------------------------|--------------------------|-------------------------------------|------------|
| a) Induce substantial unplanned population growth in an area, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure)? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 1, 3, 4, 5 |
|---|--------------------------|--------------------------|--------------------------|-------------------------------------|------------|

- b) Displace substantial numbers of existing people or housing, necessitating the construction of replacement housing elsewhere? 1, 3, 4, 5

Discussion:

- a) The Project is not anticipated to induce significant population growth to the area. The increased employment will be up to two (2) employees to be hired locally.

No Impact

- b) The Project will not displace any existing housing.

No Impact

XV. PUBLIC SERVICES

Potentially Significant Impact	Less Than Significant with Mitigation Measures	Less Than Significant Impact	No Impact	Source Number
--------------------------------	--	------------------------------	-----------	---------------

Would the project:

- | | | | | | |
|---|--------------------------|--------------------------|-------------------------------------|--------------------------|---|
| a) Result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times or other performance objectives for any of the public services: | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 1, 2, 3, 4, 5, 20, 21, 22, 23, 27, 28, 29, 32, 33, 34, 36, 37 |
| 1) Fire Protection? | | | | | |
| 2) Police Protection? | | | | | |
| 3) Schools? | | | | | |
| 4) Parks? | | | | | |
| 5) Other Public Facilities? | | | | | |

Discussion:

- a) The Project does not propose any new housing or other uses that would necessitate new or altered government facilities. No new roads are proposed, and the Project would be required to comply with all applicable local and state fire code requirements related to design and emergency access. Construction and operation of the proposed project may result in accidents or crime emergency incidents that would require police services. Construction activities would be temporary and limited in scope. Accidents or crime emergency incidents during operation are expected to be infrequent and minor in nature.

There will not be a need to increase fire or police protection, schools, parks or other public facilities as a result of the project's implementation.

Less than Significant Impact

XVI. RECREATION

	Potentially Significant Impact	Less Than Significant with Mitigation Measures	Less Than Significant Impact	No Impact	Source Number
Would the project:					
a) Increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facility would occur or be accelerated?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1, 2, 3, 4, 5
b) Does the project include recreational facilities or require the construction or expansion of recreational facilities which might have an adverse physical effect on the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1, 3, 4, 5

Discussion:

- a) As the small staff for the proposed Project will be hired locally, there will be no increase in the use of existing neighborhood and regional parks or other recreational facilities and no impacts are expected.

No Impact

- b) The proposed Project does not include any recreational facilities and will not require the construction or expansion of existing recreational facilities, and no impacts are expected.

No Impact

XVII. TRANSPORTATION

	Potentially Significant Impact	Less Than Significant with Mitigation Measures	Less Than Significant Impact	No Impact	Source Number
Would the project:					
a) Conflict with a program plan, ordinance or policy addressing the circulation system, including transit, roadway, bicycle and pedestrian facilities?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1, 3, 4, 5, 9, 20, 22, 27, 28, 35
b) For a land use project, would the project conflict with or be inconsistent with CEQA guidelines section 15064.3, subdivision (b)(1)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1, 3, 4, 5, 9, 20, 22, 27, 28, 35
c) For a transportation project, would the project conflict with or be inconsistent with CEQA Guidelines section 15064.3, subdivision (b)(2)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1, 3, 4, 5, 9, 20, 22, 27, 28, 35
d) Substantially increase hazards due to geometric design features (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1, 3, 4, 5, 9, 20, 22, 27, 28, 35
e) Result in inadequate emergency access?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1, 3, 4, 5, 9, 20, 22, 27, 28, 35

Discussion:

- a) The Project Property is accessed via Kahms Lane off of Bottle Rock Road. A minimal increase in traffic is anticipated due to construction, maintenance and weekly and/or monthly incoming and outgoing deliveries through the use of small vehicles only.

There are no known pedestrian or bicycle facilities on Kahms Lane or Bottle Rock Road in the vicinity of the Project Property. Kahms Lane is a narrow gravel road, and Bottle Rock Road is a winding two-lane road with narrow shoulders unsuitable for pedestrian or bicycle traffic.

The applicant will be required to obtain and maintain all the necessary Federal, State and local agency permits for any works that occurs with the right-of-way. The proposed Project does not conflict with any existing program plan, ordinance or policy addressing roadway circulation, including the Lake County General Plan Chapter 6 – Transportation and Circulation, and a less than significant impact on road maintenance is expected.

Less than Significant Impact

- b) State CEQA Guidelines Section 15064.3, Subdivision (b) states that for land use projects, transportation impacts are to be measured by evaluating the proposed Project's vehicle miles traveled (VMT), as follows:

“Vehicle miles traveled exceeding an applicable threshold of significance may indicate a significant impact. Generally, projects within one-half mile of either an existing major transit stop or a stop along an existing high quality transit corridor should be presumed to cause a less than significant transportation impact. Projects that decrease vehicle miles traveled in the project area compared to existing conditions should be presumed to have a less than significant transportation impact.”

To date, the County has not yet formally adopted its transportation significance thresholds or its transportation impact analysis procedures. As a result, the project-related VMT impacts were assessed based on guidelines described by the California Office of Planning and Research (OPR) in the publication *Transportation Impacts (SB 743) CEQA Guidelines Update and Technical Advisory*, 2018. The OPR Technical Advisory identifies several criteria that may be used to identify certain types of projects that are unlikely to have a significant VMT impact and can be “screened” from further analysis. One of these screening criteria pertains to small projects, which OPR defines as those generating fewer than 110 new vehicle trips per day on average. OPR specifies that VMT should be based on a typical weekday and averaged over the course of the year to take into consideration seasonal fluctuations. The estimated trips per day for the proposed Project are between 2 to 12 during construction and operation.

The proposed Project would not generate or attract more than 110 trips per day, and therefore it is not expected for the Project to have a potentially significant level of VMT. Impacts related to CEQA Guidelines section 15064.3, subdivision (b) would be less than significant.

Less than Significant Impact

- c) The Project is not a transportation project. The proposed use will not conflict with and/or be inconsistent with CEQA Guidelines Section 15064.3, subdivision (b)(2).

No Impact

- d) The Project does not propose any changes to road alignment or other features, does not result in the introduction of any obstacles, nor does it involve incompatible uses that could increase traffic hazards. Equipment used in cultivation will be transported to the Project site as needed and will not need to be operated on Kahms Lane.

No Impact

- e) The proposed Project would not alter the physical configuration of the existing roadway network serving the area, and will have no effect on access to local streets or adjacent uses (including access for emergency vehicles). Internal gates and roadways shall meet CALFIRE requirements for vehicle access according to PRC §4290, including adequate width requirements. Furthermore, as noted above under impact discussion (a), increased project-related operational traffic would be minimal. The proposed Project would not inhibit the ability of local roadways to continue to accommodate emergency response and evacuation activities. The proposed Project would not interfere with the City's adopted emergency response plan.

Less than Significant Impact

XVIII. TRIBAL CULTURAL RESOURCES

	Potentially Significant Impact	Less Than Significant with Mitigation Measures	Less Than Significant Impact	No Impact	Source Number
<p>Would the project Cause a substantial adverse change in the significance of a tribal cultural resource, defined in Public Resources Code section 21074 as either a site, feature, place, cultural landscape that is geographically defined in terms of the size and scope of the landscape, sacred place, or object with cultural value to a California Native American tribe, and that is:</p>					
a) Listed or eligible for listing in the California Register of Historical Resources, or in a local register of historical resources as defined in Public Resources Code section 5020.1(k)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1, 3, 4, 5, 11, 14, 15
b) A resource determined by the lead agency, in its discretion and supported by substantial evidence, to be significant pursuant to criteria set forth in subdivision (c) of Public Resources Code section 5024.1, the lead agency shall consider the significance of the resource to a California Native American tribe?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1, 3, 4, 5, 11, 14, 15

Discussion:

- a) A Cultural Resources Evaluation (CRE) for the proposed cultivation Project was prepared by Registered Professional Archaeologist Dr. John Parker, and dated December 21, 2019. A pedestrian field survey of the Project Property and adjacent parcel was conducted for the CRE on December 13, 2019, and a record search was conducted at the Sonoma State University office of the California Historical Resource Information System prior to the field survey. The record search indicated that four prehistoric sites had been recorded within a mile of the Project area.

During the field survey for the CRE, two isolated pieces of chipped Konocti obsidian were discovered on the Project Property, and a Prehistoric site and another isolated piece of chipped Konocti obsidian were discovered on the adjacent parcel. According to the CRE, the prehistoric site has the potential for providing information important to the study of local and regional history and should be preserved as required by the California Environmental Quality Act. The isolated obsidian flakes are not considered significant cultural resources as defined in the California Public Resources Code.

The CRE concluded with the recommendation that the Project be approved as planned, with the stipulation that no ground disturbance activity or equipment staging take place within the area of the recorded prehistoric site. The prehistoric site is located on an adjacent parcel and would not be impacted by the proposed Project.

It is possible that significant artifacts or human remains could be discovered during Project construction. If significant artifacts or human remains of any type are encountered, the Project sponsor shall contact the culturally affiliated tribe and a qualified archaeologist to assess the situation. The Sheriff's Department must also be contacted if any human remains are encountered.

Less than Significant Impact with Mitigation Measures CUL-1 and CUL-2 incorporated.

- b) A California Historical Resources Information System (CHRIS) records search was completed by the Northwest Information Center (NWIC) to determine if the Project would affect archaeological resources. The record search indicated that the Project Property been previously inspected for cultural resources, and that no significant cultural resources have been identified within the Project area. The CHRIS records search concluded that the proposed Project area has a low possibility of containing unrecorded archaeological sites.

Four isolated prehistoric artifacts, two isolated historic features, and a prehistoric site were discovered and recorded on the Project Parcel during the field survey conducted for the CRE. The prehistoric site has the potential for providing information important to the study of local and regional history and should be preserved as required by the California Environmental Quality Act. The isolated prehistoric artifacts and historic features are not considered significant cultural resources as defined in the California Public Resources Code.

It is possible that significant artifacts or human remains could be discovered during Project construction. If significant artifacts or human remains of any type are encountered, the Project sponsor shall contact the culturally affiliated tribe and a qualified archaeologist to assess the situation. The Sheriff's Department must also be contacted if any human remains are encountered.

Less than Significant Impact with Mitigation Measures CUL-1 and CUL-2 incorporated.

XIX. UTILITIES

	Potentially Significant Impact	Less Than Significant with Mitigation Measures	Less Than Significant Impact	No Impact	Source Number
Would the project:					
a) Require or result in the relocation or construction of new or expanded water, wastewater treatment or storm water drainage, electric power, natural gas, or telecommunications facilities, the construction or relocation of which could cause significant environmental effects?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1, 3, 4, 5, 29, 32, 33, 34, 37
b) Have sufficient water supplies available to serve the project and reasonably foreseeable future development during normal, dry and multiple dry years?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1, 2, 3, 5, 6, 22, 31
c) Result in a determination by the wastewater treatment provider, which serves or may serve the project that it has adequate capacity to serve the project's projected demand in addition to the provider's existing commitments?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1, 2, 3, 5, 6, 22
d) Generate solid waste in excess of State or local standards, or in excess of the capacity of local infrastructure, or otherwise impair the attainment of solid waste reduction goals?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1, 2, 3, 5, 6, 35, 36
e) Comply with federal, state, and local management and reduction statutes and regulations related to solid waste?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1, 2, 3, 5, 6, 35, 36

Discussion:

- a) The proposed Project consists of indoor cannabis cultivation. All water for the proposed cultivation operation will come from an existing onsite groundwater well located at Latitude 38.86706° and Longitude -122.77774° (Project Well). A second onsite groundwater well, located at Latitude 38.86738° and Longitude -122.77885° on Lake County APN 001-065-01, will serve as the sole water source for the existing onsite residence. According to the Hydrology Report prepared for the proposed Project, the Project Well can produce at least 12 gallons per minute without causing overdraft conditions. At 12 gpm, the Project Well could produce the estimated daily demand for water of the proposed cultivation operation in less than 24 minutes. The Hydrology Study concluded that the site appears to have the water necessary to meet the irrigation water demands of the proposed cultivation operation without creating aquifer overdraft.

The Project Property is serviced by Pacific Gas and Electric's electrical grid. A new electrical utility service connection would be needed to provide power to the proposed buildings. The existing electrical utility service connections of the Project Property would continue to be used to supply power to the existing onsite groundwater wells and residence.

The Project would be served by an ADA-compliant restroom within the proposed Indoor Cultivation and Processing Building. The restroom would rely on a new onsite wastewater treatment septic system, which would require a permit from the Lake County Department of Environmental Health. Prior to applying for a permit, the Lake County Department of Environmental Health requires a Site Evaluation to determine the suitability of the site for a septic system. A percolation test would be conducted to determine the water absorption rate of the soil, and the septic system would be located, designed, and installed appropriately, following all applicable State and County guidelines and requirements. A proposed septic system would be located in an area of Type 145 soils. According to the USDA Soil Survey, this soil type could support a septic system.

The Project will not require or result in the relocation or construction of new or expanded water, wastewater treatment or storm water drainage, natural gas, or telecommunications facilities, the construction or relocation of which could cause significant environmental effects.

Less than Significant Impact

- b) According to the Project's *Hydrology Report – Water Usage* section, the estimated water use requirement for the proposed indoor cultivation operation would be approximately 102,000 gallons per year, and approximately 280 gallons per day. All water for the proposed cultivation operation will come from an existing onsite groundwater well located at Latitude 38.86706° and Longitude -122.77774° (Project Well). A second onsite groundwater well, located at Latitude 38.86738° and Longitude -122.77885° on Lake County APN 001-065-01, will serve as the sole water source for the existing onsite residence.

On December 28th, 2022 Cal-Tech Pump Well & Water Treatment (License No. 923640) conducted 4-hour pump test of the Project Well. The Project Well was pumped at 12 gallons per minute (gpm) for the duration of the 4-hour pump test, and the water level within the well dropped from 38 feet bgs to 44 feet bgs. The water level within the well recovered to 38 feet bgs within 15 minutes after pumping ceased (100% recovery). The pump test data indicates a Specific Capacity of 2 gpm/foot of drawdown (i.e., 12 gpm / 6 feet) for the Project Well.

According to the Hydrology Report, the pump test data indicates that Project Well can produce approximately 2 gpm for every foot of drawdown, and at least 12 gpm. The well recovery observations demonstrate that the well may be able to produce this water without causing overdraft conditions. At 12 gpm, the Project Well could produce the estimated daily demand for water of the proposed cultivation operation in less than 24 minutes. Based on the estimated water usage rates, the measured pumping rates, the well recovery rate, and the proposed water storage capacity, the site appears to have the water necessary to meet the irrigation water demands of the proposed cultivation operation without creating aquifer overdraft.

The Hydrology Report concluded that the aquifer storage and recharge area of the Project Property are sufficient to provide for sustainable annual water use for the proposed cultivation operation, and that pumping of groundwater for the proposed Project is unlikely to result in significant declines in groundwater elevations or depletion of groundwater resources.

Water level monitoring is required by the Lake County Zoning Ordinance. Ordinance Article 27 Section 27.11(at) requires the production well to have a water meter and water level monitor.

Less than Significant Impact

- c) A wastewater treatment provider does not serve, nor is likely to serve, the Project Property. The Project would be served by an ADA-compliant restroom within the proposed Indoor Cultivation and Processing Building. The restroom would rely on a new onsite wastewater treatment septic system, which would require a permit from the Lake County Department of Environmental Health. Prior to applying for a permit, the Lake County Department of Environmental Health requires a Site Evaluation to determine the suitability of the site for a septic system. A percolation test would be conducted to determine the water absorption rate of the soil, and the septic system would be located, designed, and installed appropriately, following all applicable State and County guidelines and requirements. A proposed septic system would be located in an area of Type 145 soils. According to the USDA Soil Survey, this soil type could support a septic system.

No Impact

- a) The Eastlake Landfill, South Lake Refuse Center, and Quackenbush Mountain Resource Recovery and Compost Facility are located within reasonable proximity of the Project site. As of 2019, the Eastlake Landfill had 659,200 cubic yards available for solid waste, with an additional 481,000 cubic yards approved in 2020.

The proposed Project is expected to generate approximately 200 pounds of solid waste each year. There is adequate solid waste capacity to accommodate the proposed Project, and the project would not generate solid waste in excess of state or local standards, or in excess of the capacity of local infrastructure.

Less than Significant Impact

- b) The Project will be in compliance with federal, state, and local management and reduction statutes and regulations related to solid waste.

Less than Significant Impact

XX. WILDFIRE	Potentially Significant Impact	Less Than Significant with Mitigation Measures	Less Than Significant Impact	No Impact	Source Number
If located in or near state responsibility areas or lands classified as very high fire hazard severity zones, would the project:					
a) Substantially impair an adopted emergency response plan or emergency evacuation plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1, 2, 3, 5, 6, 23, 25, 28, 29
b) Would the project, due to slope, prevailing winds, and other factors, exacerbate wildfire risks, and thereby expose project occupants to pollutant concentrations from a wildfire or the uncontrolled spread of a wildfire?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1, 2, 3, 5, 6, 23, 25, 28, 29

- | | | | | | |
|--|--------------------------|-------------------------------------|--------------------------|--------------------------|---------------------------|
| c) Require the installation or maintenance of associated infrastructure (such as roads, fuel breaks, emergency water sources, power lines or other utilities) that may exacerbate fire risk or that may result in temporary or ongoing impacts to the environment? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1, 2, 3, 5, 6 |
| d) Expose people or structures to significant risks, including downslope or downstream flooding or landslides, as a result of runoff, post-fire slope instability, or drainage changes? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1, 2, 3, 5, 6, 21, 23, 32 |

Discussion:

- a) The Project will not impair an adopted emergency response plan or evacuation plan. The applicant shall adhere to all regulation of California Code Regulations Title 14, Division 1.5, Chapter 7, Subchapter 2, and Article 1 through 5 shall apply to this project; and all regulations of California Building Code, Chapter 7A, Section 701A, 701A.3.2.A.

Less than Significant Impact

- b) The Project site is situated in a very high fire hazard severity zone, and the Project site is relatively flat. Operation of the proposed Project would not further exacerbate the risk of wildfire, or the overall effect of pollutant concentrations on area residents in the event of a wildfire. The Project would improve fire access and the ability to fight fires at or from the Project site and other sites accessed from the same roads through the upkeep of the Project Property, internal access road improvements, and the installation of the proposed water tanks.

Less than Significant Impact

- c) The proposed site improvements are minimal, and do not rise to the level of warranting additional roads, fuel breaks, powerlines or other utilities.

WDF-1: Construction activities shall occur during a red flag warning (per the local fire department and/or national weather service) and wind, temperature and relative humidity shall be monitored in order to minimize the risk of wildfire. Grading shall not occur on windy days that could increase the risk of wildfire spread should the equipment create a spark.

WDF-2: A water tender shall be present onsite during earth work to reduce risk of wildfire and dust.

WDF-3: Prior to cultivation, the applicant shall improve the interior driveway to meet PRC 4290 and 4291 commercial driveway standards for width, surface material, overhead clearance, gate widths.

WDF-4: Prior to cultivation, the applicant shall have at least one 5,000 gallon water tank reserved for fire suppression if needed. The tank shall be fiberglass or metal, and shall have connectors that will easily enable emergency service providers to connect to the tank if and when necessary.

WDF-5: The applicant shall install Knox-Boxes on all locked gates to enable emergency service providers to access the site. The property address shall be clearly posted on the driveway entrance to the site from Kahms Lane.

Less than Significant Impact with mitigation measures added

- d) There is little chance of increased risks associated with post-fire slope runoff, instability, or drainage changes due to the relatively flat nature of the Project site. Steeper sections of the Project Property are heavily vegetated and would not be affected by the proposed Project. The erosion and sediment control BMPs/BPTC measures to be implemented would provide further stability on and around the Project site.

Less than Significant Impact

XXI. MANDATORY FINDINGS OF SIGNIFICANCE	Potentially Significant Impact	Less Than Significant with Mitigation Measures	Less Than Significant Impact	No Impact	Source Number
a) Does the project have the potential to substantially degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, substantially reduce the number or restrict the range of a rare or endangered plant or animal, or eliminate important examples of the major periods of California history or prehistory?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	ALL
b) Does the project have impacts that are individually limited, but cumulatively considerable? (“Cumulatively considerable” means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	ALL
c) Does the project have environmental effects which will cause substantial adverse effects on human beings, either directly or indirectly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	ALL

Discussion:

- a) The project proposes the cultivation of commercial cannabis in a rural area of the County on an “RL” Rural Lands-zoned parcel.

According to the biological and cultural studies conducted, the proposed Project does not have the potential to substantially degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, substantially reduce the number or restrict the range of a rare or endangered plant or animal or eliminate

important examples of the major periods of California history or prehistory when mitigation measures are implemented.

Mitigation measures are listed herein to reduce impacts related to Aesthetics, Air Quality, Biological Resources, Cultural/Tribal Resources, Noise, and Wildfire.

Less than significant with mitigation measures added

- b) Potentially significant impacts have been identified related to Aesthetics, Air Quality, Biological Resources, Cultural and Tribal Resources, Noise, and Wildfire. These impacts in combination with the impacts of other past, present, and reasonably foreseeable future projects could cumulatively contribute to significant effects on the environment.

Implementation of and compliance with the mitigation measures identified in each section as Project Conditions of Approval would avoid or reduce potential impacts to less than significant levels and would not result in any cumulatively considerable environmental impacts.

Less than significant with mitigation measures added

- c) The proposed Project has the potential to result in adverse indirect or direct effects on human beings. In particular, Aesthetics, Air Quality, Cultural and Tribal Resources, Noise and Wildfire have the potential to impact human beings. Implementation of and compliance with the mitigation measures identified in each section as conditions of approval would not result in substantial adverse indirect or direct effects on human beings and impacts would be considered less than significant.

Less than significant with mitigation measures added

Impact Categories defined by CEQA

Source List

1. Lake County General Plan
2. Lake County GIS Database
3. Lake County Zoning Ordinance
4. Cobb Mountain Area Plan
5. Sugar Mountain Farms Revised Cannabis Application – Minor Use Permit.
6. U.S.G.S. Topographic Maps
7. U.S.D.A. Lake County Soil Survey
8. Lake County Important Farmland Map, California Department of Conservation Farmland Mapping and Monitoring Program
9. Department of Transportation’s Scenic Highway Mapping Program, (<https://dot.ca.gov/programs/design/lap-landscape-architecture-and-community-livability/lap-liv-i-scenic-highways>)
10. Lake County Serpentine Soil Mapping
11. California Natural Diversity Database (<https://wildlife.ca.gov/Data/CNDDDB>)
12. U.S. Fish and Wildlife Service National Wetlands Inventory
13. Biological Resources Assessment – 7125, 7075 & 7025 Kahm’s Lane (APNs 011-065-03, 011-065-02, 011-065-01) Lake County, California, prepared by Pinecrest Environmental Consulting, Inc., January 14, 2020.

14. Cultural Resource Evaluation of 7125 Kahms Lane, Kelseyville, A portion of APNs 011-065-01, 02, and 03, prepared by Wolf Creek Archaeology Services dated December 21, 2019.
15. California Historical Resource Information Systems (CHRIS); Northwest Information Center, Sonoma State University; Rohnert Park, CA.
16. Water Resources Division, Lake County Department of Public Works Wetlands Mapping.
17. U.S.G.S. Geologic Map and Structure Sections of the Clear Lake Volcanic, Northern California, Miscellaneous Investigation Series, 1995
18. Official Alquist-Priolo Earthquake Fault Zone maps for Lake County
19. Landslide Hazards in the Eastern Clear Lake Area, Lake County, California, Landslide Hazard Identification Map No. 16, California Department of Conservation, Division of Mines and Geology, DMG Open –File Report 89-27, 1990
20. Lake County Emergency Management Plan
21. Lake County Hazardous Waste Management Plan, adopted 1989
22. Lake County Airport Land Use Compatibility Plan, adopted 1992
23. California Department of Forestry and Fire Protection - Fire Hazard Mapping
24. National Pollution Discharge Elimination System (NPDES)
25. FEMA Flood Hazard Maps
26. Lake County Aggregate Resource Management Plan
27. Lake County Bicycle Plan
28. Lake County Transit for Bus Routes
29. Lake County Environmental Health Division
30. Lake County Grading Ordinance
31. Lake County Natural Hazard database
32. Lake County Countywide Integrated Waste Management Plan and Siting Element, 1996
33. Lake County Water Resources
34. Lake County Waste Management Department
35. California Department of Transportation (Caltrans)
36. Lake County Air Quality Management District website
37. Lake County Fire Protection District
38. Site Visit – February 17, 2022
39. United States Department of Agriculture – Natural Resources Conservation Service Web Soil Survey
40. Hazardous Waste and Substances Sites List,
41. State Water Resources Control Board (SWRCB) Cannabis Policy and General Order
42. Lake County Groundwater Management Plan, March 31st, 2006.
43. Lake County Rules and Regulations (LCF) for On-Site Sewage Disposal
44. Lake County Municipal Code: Sanitary Disposal of Sewage (Chapter 9: Health and Sanitation, Article III)
45. Memorandum, Results of a special-status plant survey at Lake County APN 011-065-02, prepared by Pinecrest Environmental Consulting, Inc., June 4, 2021