

Freeway Drive Warehouse - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

**Freeway Drive Warehouse
South Coast AQMD Air District, Summer**

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Unrefrigerated Warehouse-No Rail	104.90	1000sqft	2.41	104,900.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	31
Climate Zone	3			Operational Year	2025
Utility Company	Southern California Edison				
CO2 Intensity (lb/MWhr)	390.98	CH4 Intensity (lb/MWhr)	0.033	N2O Intensity (lb/MWhr)	0.004

1.3 User Entered Comments & Non-Default Data

Project Characteristics -

Land Use -

Table Name	Column Name	Default Value	New Value
------------	-------------	---------------	-----------

2.0 Emissions Summary

Freeway Drive Warehouse - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

2.1 Overall Construction (Maximum Daily Emission)

Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2024	97.4499	13.9116	15.7765	0.0323	7.1944	0.6319	7.7672	3.4544	0.5902	3.9814	0.0000	3,040.8043	3,040.8043	0.7694	0.0569	3,068.9348
2025	97.4383	1.1610	2.0830	3.8000e-003	0.1006	0.0520	0.1526	0.0267	0.0520	0.0787	0.0000	364.9609	364.9609	0.0171	1.7700e-003	365.9166
Maximum	97.4499	13.9116	15.7765	0.0323	7.1944	0.6319	7.7672	3.4544	0.5902	3.9814	0.0000	3,040.8043	3,040.8043	0.7694	0.0569	3,068.9348

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2024	97.4499	13.9116	15.7765	0.0323	7.1944	0.6319	7.7672	3.4544	0.5902	3.9814	0.0000	3,040.8043	3,040.8043	0.7694	0.0569	3,068.9348
2025	97.4383	1.1610	2.0830	3.8000e-003	0.1006	0.0520	0.1526	0.0267	0.0520	0.0787	0.0000	364.9609	364.9609	0.0171	1.7700e-003	365.9166
Maximum	97.4499	13.9116	15.7765	0.0323	7.1944	0.6319	7.7672	3.4544	0.5902	3.9814	0.0000	3,040.8043	3,040.8043	0.7694	0.0569	3,068.9348

Freeway Drive Warehouse - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	2.3444	1.0000e-004	0.0107	0.0000		4.0000e-005	4.0000e-005		4.0000e-005	4.0000e-005		0.0230	0.0230	6.0000e-005		0.0245
Energy	0.0555	0.5046	0.4239	3.0300e-003		0.0384	0.0384		0.0384	0.0384		605.5629	605.5629	0.0116	0.0111	609.1615
Mobile	0.5914	0.6589	6.3833	0.0151	1.6483	0.0105	1.6588	0.4393	9.7600e-003	0.4490		1,543.5204	1,543.5204	0.0892	0.0607	1,563.8284
Total	2.9913	1.1636	6.8179	0.0182	1.6483	0.0489	1.6972	0.4393	0.0482	0.4874		2,149.1063	2,149.1063	0.1008	0.0718	2,173.0143

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	2.3444	1.0000e-004	0.0107	0.0000		4.0000e-005	4.0000e-005		4.0000e-005	4.0000e-005		0.0230	0.0230	6.0000e-005		0.0245
Energy	0.0555	0.5046	0.4239	3.0300e-003		0.0384	0.0384		0.0384	0.0384		605.5629	605.5629	0.0116	0.0111	609.1615
Mobile	0.5914	0.6589	6.3833	0.0151	1.6483	0.0105	1.6588	0.4393	9.7600e-003	0.4490		1,543.5204	1,543.5204	0.0892	0.0607	1,563.8284
Total	2.9913	1.1636	6.8179	0.0182	1.6483	0.0489	1.6972	0.4393	0.0482	0.4874		2,149.1063	2,149.1063	0.1008	0.0718	2,173.0143

Freeway Drive Warehouse - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	1/1/2024	1/26/2024	5	20	
2	Site Preparation	Site Preparation	1/27/2024	1/31/2024	5	3	
3	Grading	Grading	2/1/2024	2/8/2024	5	6	
4	Building Construction	Building Construction	2/9/2024	12/12/2024	5	220	
5	Paving	Paving	12/13/2024	12/26/2024	5	10	
6	Architectural Coating	Architectural Coating	12/27/2024	1/9/2025	5	10	

Acres of Grading (Site Preparation Phase): 4.5

Acres of Grading (Grading Phase): 6

Acres of Paving: 0

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 157,350; Non-Residential Outdoor: 52,450; Striped Parking Area: 0 (Architectural Coating – sqft)

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Architectural Coating	Air Compressors	1	6.00	78	0.48
Paving	Cement and Mortar Mixers	1	8.00	9	0.56
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Building Construction	Cranes	1	8.00	231	0.29
Building Construction	Forklifts	2	7.00	89	0.20

Freeway Drive Warehouse - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

Building Construction	Generator Sets	1	8.00	84	0.74
Grading	Graders	1	8.00	187	0.41
Site Preparation	Graders	1	8.00	187	0.41
Paving	Pavers	1	8.00	130	0.42
Paving	Paving Equipment	1	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Demolition	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Site Preparation	Scrapers	1	8.00	367	0.48
Building Construction	Tractors/Loaders/Backhoes	1	6.00	97	0.37
Demolition	Tractors/Loaders/Backhoes	3	8.00	97	0.37
Grading	Tractors/Loaders/Backhoes	2	7.00	97	0.37
Paving	Tractors/Loaders/Backhoes	1	8.00	97	0.37
Site Preparation	Tractors/Loaders/Backhoes	1	7.00	97	0.37
Building Construction	Welders	3	8.00	46	0.45

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	5	13.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	3	8.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading	4	10.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	8	44.00	17.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	9.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Freeway Drive Warehouse - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.2 Demolition - 2024

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.4397	13.8867	13.4879	0.0241		0.6311	0.6311		0.5895	0.5895		2,324.9459	2,324.9459	0.5884		2,339.6562
Total	1.4397	13.8867	13.4879	0.0241		0.6311	0.6311		0.5895	0.5895		2,324.9459	2,324.9459	0.5884		2,339.6562

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0387	0.0249	0.4247	1.2400e-003	0.1453	7.8000e-004	0.1461	0.0385	7.2000e-004	0.0393		124.8862	124.8862	2.8200e-003	2.7400e-003	125.7721
Total	0.0387	0.0249	0.4247	1.2400e-003	0.1453	7.8000e-004	0.1461	0.0385	7.2000e-004	0.0393		124.8862	124.8862	2.8200e-003	2.7400e-003	125.7721

Freeway Drive Warehouse - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.2 Demolition - 2024

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.4397	13.8867	13.4879	0.0241		0.6311	0.6311		0.5895	0.5895	0.0000	2,324.9459	2,324.9459	0.5884		2,339.6562
Total	1.4397	13.8867	13.4879	0.0241		0.6311	0.6311		0.5895	0.5895	0.0000	2,324.9459	2,324.9459	0.5884		2,339.6562

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0387	0.0249	0.4247	1.2400e-003	0.1453	7.8000e-004	0.1461	0.0385	7.2000e-004	0.0393		124.8862	124.8862	2.8200e-003	2.7400e-003	125.7721
Total	0.0387	0.0249	0.4247	1.2400e-003	0.1453	7.8000e-004	0.1461	0.0385	7.2000e-004	0.0393		124.8862	124.8862	2.8200e-003	2.7400e-003	125.7721

Freeway Drive Warehouse - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.3 Site Preparation - 2024

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					1.5908	0.0000	1.5908	0.1718	0.0000	0.1718			0.0000			0.0000
Off-Road	1.2406	13.1186	9.5796	0.0245		0.4971	0.4971		0.4573	0.4573		2,373.651 4	2,373.651 4	0.7677		2,392.843 5
Total	1.2406	13.1186	9.5796	0.0245	1.5908	0.4971	2.0878	0.1718	0.4573	0.6291		2,373.651 4	2,373.651 4	0.7677		2,392.843 5

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0238	0.0153	0.2614	7.6000e-004	0.0894	4.8000e-004	0.0899	0.0237	4.4000e-004	0.0242		76.8531	76.8531	1.7400e-003	1.6800e-003	77.3982
Total	0.0238	0.0153	0.2614	7.6000e-004	0.0894	4.8000e-004	0.0899	0.0237	4.4000e-004	0.0242		76.8531	76.8531	1.7400e-003	1.6800e-003	77.3982

Freeway Drive Warehouse - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.3 Site Preparation - 2024

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					1.5908	0.0000	1.5908	0.1718	0.0000	0.1718			0.0000			0.0000
Off-Road	1.2406	13.1186	9.5796	0.0245		0.4971	0.4971		0.4573	0.4573	0.0000	2,373.651 4	2,373.651 4	0.7677		2,392.843 5
Total	1.2406	13.1186	9.5796	0.0245	1.5908	0.4971	2.0878	0.1718	0.4573	0.6291	0.0000	2,373.651 4	2,373.651 4	0.7677		2,392.843 5

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0238	0.0153	0.2614	7.6000e-004	0.0894	4.8000e-004	0.0899	0.0237	4.4000e-004	0.0242		76.8531	76.8531	1.7400e-003	1.6800e-003	77.3982
Total	0.0238	0.0153	0.2614	7.6000e-004	0.0894	4.8000e-004	0.0899	0.0237	4.4000e-004	0.0242		76.8531	76.8531	1.7400e-003	1.6800e-003	77.3982

Freeway Drive Warehouse - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.4 Grading - 2024

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					7.0826	0.0000	7.0826	3.4247	0.0000	3.4247			0.0000			0.0000
Off-Road	1.3015	13.8178	8.6998	0.0206		0.5722	0.5722		0.5265	0.5265		1,995.5803	1,995.5803	0.6454		2,011.7155
Total	1.3015	13.8178	8.6998	0.0206	7.0826	0.5722	7.6548	3.4247	0.5265	3.9512		1,995.5803	1,995.5803	0.6454		2,011.7155

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0298	0.0191	0.3267	9.5000e-004	0.1118	6.0000e-004	0.1124	0.0296	5.5000e-004	0.0302		96.0663	96.0663	2.1700e-003	2.1000e-003	96.7477
Total	0.0298	0.0191	0.3267	9.5000e-004	0.1118	6.0000e-004	0.1124	0.0296	5.5000e-004	0.0302		96.0663	96.0663	2.1700e-003	2.1000e-003	96.7477

Freeway Drive Warehouse - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.4 Grading - 2024

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					7.0826	0.0000	7.0826	3.4247	0.0000	3.4247			0.0000			0.0000
Off-Road	1.3015	13.8178	8.6998	0.0206		0.5722	0.5722		0.5265	0.5265	0.0000	1,995.5803	1,995.5803	0.6454		2,011.7155
Total	1.3015	13.8178	8.6998	0.0206	7.0826	0.5722	7.6548	3.4247	0.5265	3.9512	0.0000	1,995.5803	1,995.5803	0.6454		2,011.7155

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0298	0.0191	0.3267	9.5000e-004	0.1118	6.0000e-004	0.1124	0.0296	5.5000e-004	0.0302		96.0663	96.0663	2.1700e-003	2.1000e-003	96.7477
Total	0.0298	0.0191	0.3267	9.5000e-004	0.1118	6.0000e-004	0.1124	0.0296	5.5000e-004	0.0302		96.0663	96.0663	2.1700e-003	2.1000e-003	96.7477

Freeway Drive Warehouse - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.5 Building Construction - 2024

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.5971	12.8235	14.1002	0.0250		0.5381	0.5381		0.5153	0.5153		2,289.654 1	2,289.654 1	0.4265		2,300.315 4
Total	1.5971	12.8235	14.1002	0.0250		0.5381	0.5381		0.5153	0.5153		2,289.654 1	2,289.654 1	0.4265		2,300.315 4

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0184	0.6199	0.2390	3.0500e-003	0.1089	3.6000e-003	0.1125	0.0313	3.4500e-003	0.0348		328.4584	328.4584	0.0112	0.0476	342.9294
Worker	0.1311	0.0842	1.4374	4.1800e-003	0.4918	2.6400e-003	0.4945	0.1304	2.4300e-003	0.1329		422.6918	422.6918	9.5600e-003	9.2600e-003	425.6900
Total	0.1495	0.7041	1.6764	7.2300e-003	0.6007	6.2400e-003	0.6069	0.1618	5.8800e-003	0.1677		751.1502	751.1502	0.0208	0.0569	768.6194

Freeway Drive Warehouse - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.5 Building Construction - 2024

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.5971	12.8235	14.1002	0.0250		0.5381	0.5381		0.5153	0.5153	0.0000	2,289.654 1	2,289.654 1	0.4265		2,300.315 4
Total	1.5971	12.8235	14.1002	0.0250		0.5381	0.5381		0.5153	0.5153	0.0000	2,289.654 1	2,289.654 1	0.4265		2,300.315 4

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0184	0.6199	0.2390	3.0500e-003	0.1089	3.6000e-003	0.1125	0.0313	3.4500e-003	0.0348		328.4584	328.4584	0.0112	0.0476	342.9294
Worker	0.1311	0.0842	1.4374	4.1800e-003	0.4918	2.6400e-003	0.4945	0.1304	2.4300e-003	0.1329		422.6918	422.6918	9.5600e-003	9.2600e-003	425.6900
Total	0.1495	0.7041	1.6764	7.2300e-003	0.6007	6.2400e-003	0.6069	0.1618	5.8800e-003	0.1677		751.1502	751.1502	0.0208	0.0569	768.6194

Freeway Drive Warehouse - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.6 Paving - 2024

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.8425	8.1030	11.7069	0.0179		0.3957	0.3957		0.3652	0.3652		1,710.2024	1,710.2024	0.5420		1,723.7529
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.8425	8.1030	11.7069	0.0179		0.3957	0.3957		0.3652	0.3652		1,710.2024	1,710.2024	0.5420		1,723.7529

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0447	0.0287	0.4900	1.4300e-003	0.1677	9.0000e-004	0.1686	0.0445	8.3000e-004	0.0453		144.0995	144.0995	3.2600e-003	3.1600e-003	145.1216
Total	0.0447	0.0287	0.4900	1.4300e-003	0.1677	9.0000e-004	0.1686	0.0445	8.3000e-004	0.0453		144.0995	144.0995	3.2600e-003	3.1600e-003	145.1216

Freeway Drive Warehouse - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.6 Paving - 2024

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.8425	8.1030	11.7069	0.0179		0.3957	0.3957		0.3652	0.3652	0.0000	1,710.2024	1,710.2024	0.5420		1,723.7529
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.8425	8.1030	11.7069	0.0179		0.3957	0.3957		0.3652	0.3652	0.0000	1,710.2024	1,710.2024	0.5420		1,723.7529

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0447	0.0287	0.4900	1.4300e-003	0.1677	9.0000e-004	0.1686	0.0445	8.3000e-004	0.0453		144.0995	144.0995	3.2600e-003	3.1600e-003	145.1216
Total	0.0447	0.0287	0.4900	1.4300e-003	0.1677	9.0000e-004	0.1686	0.0445	8.3000e-004	0.0453		144.0995	144.0995	3.2600e-003	3.1600e-003	145.1216

Freeway Drive Warehouse - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.7 Architectural Coating - 2024

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	97.2423					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1808	1.2188	1.8101	2.9700e-003		0.0609	0.0609		0.0609	0.0609		281.4481	281.4481	0.0159		281.8443
Total	97.4231	1.2188	1.8101	2.9700e-003		0.0609	0.0609		0.0609	0.0609		281.4481	281.4481	0.0159		281.8443

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0268	0.0172	0.2940	8.6000e-004	0.1006	5.4000e-004	0.1011	0.0267	5.0000e-004	0.0272		86.4597	86.4597	1.9600e-003	1.8900e-003	87.0730
Total	0.0268	0.0172	0.2940	8.6000e-004	0.1006	5.4000e-004	0.1011	0.0267	5.0000e-004	0.0272		86.4597	86.4597	1.9600e-003	1.8900e-003	87.0730

Freeway Drive Warehouse - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.7 Architectural Coating - 2024

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	97.2423					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1808	1.2188	1.8101	2.9700e-003		0.0609	0.0609		0.0609	0.0609	0.0000	281.4481	281.4481	0.0159		281.8443
Total	97.4231	1.2188	1.8101	2.9700e-003		0.0609	0.0609		0.0609	0.0609	0.0000	281.4481	281.4481	0.0159		281.8443

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0268	0.0172	0.2940	8.6000e-004	0.1006	5.4000e-004	0.1011	0.0267	5.0000e-004	0.0272		86.4597	86.4597	1.9600e-003	1.8900e-003	87.0730
Total	0.0268	0.0172	0.2940	8.6000e-004	0.1006	5.4000e-004	0.1011	0.0267	5.0000e-004	0.0272		86.4597	86.4597	1.9600e-003	1.8900e-003	87.0730

Freeway Drive Warehouse - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.7 Architectural Coating - 2025

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	97.2423					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1709	1.1455	1.8091	2.9700e-003		0.0515	0.0515		0.0515	0.0515		281.4481	281.4481	0.0154		281.8319
Total	97.4132	1.1455	1.8091	2.9700e-003		0.0515	0.0515		0.0515	0.0515		281.4481	281.4481	0.0154		281.8319

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0251	0.0155	0.2739	8.3000e-004	0.1006	5.1000e-004	0.1011	0.0267	4.7000e-004	0.0272		83.5129	83.5129	1.7700e-003	1.7700e-003	84.0848
Total	0.0251	0.0155	0.2739	8.3000e-004	0.1006	5.1000e-004	0.1011	0.0267	4.7000e-004	0.0272		83.5129	83.5129	1.7700e-003	1.7700e-003	84.0848

Freeway Drive Warehouse - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.7 Architectural Coating - 2025

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	97.2423					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1709	1.1455	1.8091	2.9700e-003		0.0515	0.0515		0.0515	0.0515	0.0000	281.4481	281.4481	0.0154		281.8319
Total	97.4132	1.1455	1.8091	2.9700e-003		0.0515	0.0515		0.0515	0.0515	0.0000	281.4481	281.4481	0.0154		281.8319

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0251	0.0155	0.2739	8.3000e-004	0.1006	5.1000e-004	0.1011	0.0267	4.7000e-004	0.0272		83.5129	83.5129	1.7700e-003	1.7700e-003	84.0848
Total	0.0251	0.0155	0.2739	8.3000e-004	0.1006	5.1000e-004	0.1011	0.0267	4.7000e-004	0.0272		83.5129	83.5129	1.7700e-003	1.7700e-003	84.0848

Freeway Drive Warehouse - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	0.5914	0.6589	6.3833	0.0151	1.6483	0.0105	1.6588	0.4393	9.7600e-003	0.4490		1,543.5204	1,543.5204	0.0892	0.0607	1,563.8284
Unmitigated	0.5914	0.6589	6.3833	0.0151	1.6483	0.0105	1.6588	0.4393	9.7600e-003	0.4490		1,543.5204	1,543.5204	0.0892	0.0607	1,563.8284

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Unrefrigerated Warehouse-No Rail	182.53	182.53	182.53	782,255	782,255
Total	182.53	182.53	182.53	782,255	782,255

4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Unrefrigerated Warehouse-No Rail	16.60	8.40	6.90	59.00	0.00	41.00	92	5	3

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Unrefrigerated Warehouse-No Rail	0.541709	0.062136	0.185590	0.128486	0.023783	0.006533	0.012157	0.009216	0.000814	0.000497	0.024669	0.000753	0.003657

Freeway Drive Warehouse - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
NaturalGas Mitigated	0.0555	0.5046	0.4239	3.0300e-003		0.0384	0.0384		0.0384	0.0384		605.5629	605.5629	0.0116	0.0111	609.1615
NaturalGas Unmitigated	0.0555	0.5046	0.4239	3.0300e-003		0.0384	0.0384		0.0384	0.0384		605.5629	605.5629	0.0116	0.0111	609.1615

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Unrefrigerated Warehouse-No Rail	5147.28	0.0555	0.5046	0.4239	3.0300e-003		0.0384	0.0384		0.0384	0.0384		605.5629	605.5629	0.0116	0.0111	609.1615
Total		0.0555	0.5046	0.4239	3.0300e-003		0.0384	0.0384		0.0384	0.0384		605.5629	605.5629	0.0116	0.0111	609.1615

Freeway Drive Warehouse - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

5.2 Energy by Land Use - NaturalGas

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Unrefrigerated Warehouse-No Rail	5.14728	0.0555	0.5046	0.4239	3.0300e-003		0.0384	0.0384		0.0384	0.0384		605.5629	605.5629	0.0116	0.0111	609.1615
Total		0.0555	0.5046	0.4239	3.0300e-003		0.0384	0.0384		0.0384	0.0384		605.5629	605.5629	0.0116	0.0111	609.1615

6.0 Area Detail

6.1 Mitigation Measures Area

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	2.3444	1.0000e-004	0.0107	0.0000		4.0000e-005	4.0000e-005		4.0000e-005	4.0000e-005		0.0230	0.0230	6.0000e-005		0.0245
Unmitigated	2.3444	1.0000e-004	0.0107	0.0000		4.0000e-005	4.0000e-005		4.0000e-005	4.0000e-005		0.0230	0.0230	6.0000e-005		0.0245

Freeway Drive Warehouse - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.2664					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	2.0770					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Landscaping	9.8000e-004	1.0000e-004	0.0107	0.0000		4.0000e-005	4.0000e-005		4.0000e-005	4.0000e-005		0.0230	0.0230	6.0000e-005		0.0245
Total	2.3444	1.0000e-004	0.0107	0.0000		4.0000e-005	4.0000e-005		4.0000e-005	4.0000e-005		0.0230	0.0230	6.0000e-005		0.0245

Freeway Drive Warehouse - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

6.2 Area by SubCategory

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.2664					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	2.0770					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Landscaping	9.8000e-004	1.0000e-004	0.0107	0.0000		4.0000e-005	4.0000e-005		4.0000e-005	4.0000e-005		0.0230	0.0230	6.0000e-005		0.0245
Total	2.3444	1.0000e-004	0.0107	0.0000		4.0000e-005	4.0000e-005		4.0000e-005	4.0000e-005		0.0230	0.0230	6.0000e-005		0.0245

7.0 Water Detail

7.1 Mitigation Measures Water

Freeway Drive Warehouse - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

8.0 Waste Detail

8.1 Mitigation Measures Waste

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation
