

NOTICE OF EXEMPTION

To:	Office of Planning and Research Post Office Box 3044 Sacramento, California 95812	From:	Department of Water Resources Water Management 1516 9 th Street Sacramento, California 95814
------------	---	--------------	--

Project Title	Transfer of 450 acre-feet of Santa Barbara County Flood Control and Water Conservation District's Article 56 Carryover Water to the Metropolitan Water District of Southern California (SWP #23011)		
Location- Specific	From the Delta to the Metropolitan Water District of Southern California's (MWDSC) turnout(s) located on the California Aqueduct.		
Location- County	Orange and Los Angeles Counties		
Description of Activity	The project is for the transfer of 450 acre-feet of Santa Barbara County Flood Control and Water Conservation District's (Santa Barbara) State Water Project Article 56 Carryover Water stored in San Luis Reservoir to MWDSC.		
Name of Public Agency Approving or Carrying out Activity	Central Coast Water Authority (lead agency), Santa Barbara, MWDSC, and DWR (responsible agency)		
Exempt Status	<input type="checkbox"/> Ministerial <input type="checkbox"/> Declared Emergency <input type="checkbox"/> Emergency Project <input checked="" type="checkbox"/> Categorical Exemption: Class 1; CEQA Guidelines Section 15301, Existing Facilities <input type="checkbox"/> Statutory Exemption: California Water Code Section 1729		
Reasons why activity is exempt	a. SWP long-term water supply contracts include provisions for delivery within SWP place of use, including transfers between SWP contractors. b. No construction is required to implement the proposed delivery. c. The facilities are existing facilities that have not been expanded or modified to implement the proposed delivery. d. There will be no change in land use.		
Responsible Agency Contact Person	Patrick Luzuriaga Telephone: 916-820-7778		
Signature: <i>John Leahigh</i> _____ John Leahigh Assistant Division Manager, Water Management Division of Operations and Maintenance State Water Project		Date: 5/2/2023 _____	