

Appendix G

Native Oak Tree Inventory Removal with no Mitigation required (due to condition)

Tree #	Common Name	Scientific Name	DBH (Inches)	Canopy Radius (Feet)	Health/Structure Condition	Action	Mitigation
2	Live Oak	<i>Quercus wislenzii</i>	23"/25"	20ft.	2 (Fair); Evidence of decay or disease	Proposed for Removal	No mitigation required due to condition of tree.
3	Blue Oak	<i>Quercus douglasii</i>	11"	10ft.	1 (Poor); Decay or disease at the base	Proposed for Removal	No mitigation required due to condition of tree.
4	Live Oak	<i>Quercus wislenzii</i>	20"	20ft.	1 (Poor); Decay or disease at the base	Proposed for Removal	No mitigation required due to condition of tree.
5	Blue Oak	<i>Quercus douglasii</i>	13"	15ft.	1 (Poor); Unbalanced crown	Proposed for Removal	No mitigation required due to condition of tree.
6	Blue Oak	<i>Quercus douglasii</i>	15"	15ft.	1.5 (Poor); Unbalanced crown	Proposed for Removal	No mitigation required due to condition of tree.
7	Blue Oak	<i>Quercus douglasii</i>	13"	15ft.	2(Fair); Unbalanced crown	Proposed for Removal	No mitigation required due to condition of tree.
8	Blue Oak	<i>Quercus douglasii</i>	15"	15ft.	2(Fair); Wound closure at base	Proposed for Removal	No mitigation required due to condition of tree.
10	Blue Oak	<i>Quercus douglasii</i>	14"	15ft.	2(Fair); Severe lean and growth pattern	Proposed for Removal	No mitigation required due to condition of tree.
15	Blue Oak	<i>Quercus douglasii</i>	32"	25ft.	2(Fair); Unbalanced crown	Proposed for Removal	No mitigation required due to condition of tree.
16	Blue Oak	<i>Quercus douglasii</i>	33"	30ft.	2(Fair); Large longitudinal crack is a hazard	Proposed for Removal	No mitigation required due to condition of tree.
18	Blue Oak	<i>Quercus douglasii</i>	N/A	N/A	1(Hazardous)	N/A	No mitigation required due to condition of tree.
23	Blue Oak	<i>Quercus douglasii</i>	12"	15ft.	1(Poor); Unbalanced crown	Proposed for Removal	No mitigation required due to condition of tree.
24	Blue Oak	<i>Quercus douglasii</i>	12"	15ft.	1.5(Poor); Unbalanced crown	Proposed for Removal	No mitigation required due to condition of tree.
26	Blue Oak	<i>Quercus douglasii</i>	6"/5"	8ft.	1(Poor); Decay or disease at the base	Proposed for Removal	No mitigation required due to condition of tree.

Tree #	Common Name	Scientific Name	DBH (Inches)	Canopy Radius (Feet)	Health/Structure Condition	Action	Mitigation
27	Blue Oak	<i>Quercus douglasii</i>	30"	25ft.	1(Poor); Split at the base is a hazard	Proposed for Removal	No mitigation required due to condition of tree.
31	Blue Oak	<i>Quercus douglasii</i>	15"	15ft.	2(Fair); Unbalanced crown	Proposed for Removal	No mitigation required due to condition of tree.
32	Blue Oak	<i>Quercus douglasii</i>	11"	10ft.	2(Fair); Unbalanced crown	Proposed for Removal	No mitigation required due to condition of tree.
33	Blue Oak	<i>Quercus douglasii</i>	14"/18"	20ft.	2(Fair); Balanced and thin canopy	Proposed for Removal	No mitigation required due to condition of tree.
34	Blue Oak	<i>Quercus douglasii</i>	8"	10ft.	1.5(Poor); Unbalanced crown	Proposed for Removal	No mitigation required due to condition of tree.
36	Blue Oak	<i>Quercus douglasii</i>	10"	12ft.	2(Fair); Wound damage along lower trunk	Proposed for Removal	No mitigation required due to condition of tree.
37	Blue Oak	<i>Quercus douglasii</i>	3"	5ft.	3(Good); Subordinate to adjacent trees	Proposed for Removal	No mitigation required due to size of tree.
42	Blue Oak	<i>Quercus douglasii</i>	7"	10ft.	2(Fair); Unbalanced crown	Proposed for Removal	No mitigation required due to condition of tree.
46	Blue Oak	<i>Quercus douglasii</i>	5"	5ft.	2(Fair); Narrow canopy	Proposed for Removal	No mitigation required due to condition of tree.
54	Blue Oak	<i>Quercus douglasii</i>	11"	10ft.	2-Fair; Balance narrow canopy	Proposed for Removal	No mitigation required due to condition of tree.
56	Blue Oak	<i>Quercus douglasii</i>	12"/9"	20ft.	2-Fair; Unbalanced crown	Proposed for Removal	No mitigation required due to condition of tree.
79	Blue Oak	<i>Quercus douglasii</i>	12"/11"	20ft.	1.5(Poor); Unbalanced crown	Proposed for Removal	No mitigation required due to condition of tree.
80	Blue Oak	<i>Quercus douglasii</i>	9"/6"	15ft.	1.5(Poor); No closure at base	Proposed for Removal	No mitigation required due to condition of tree.
81	Blue Oak	<i>Quercus douglasii</i>	16"/16"	20ft.	1.5(Poor); Unbalanced crown	Proposed for Removal	No mitigation required due to condition of tree.
93	Live Oak	<i>Quercus wislenzii</i>	2.5"/1/1"	5ft.	3 (Good)	Proposed for Removal	No mitigation required due to size of tree.

