

APPENDIX E:
ENVIRONMENTAL SITE ASSESSMENT

**E.1: Citadel EHS,
Phase II Subsurface Investigation Report,
11905 Wilshire Boulevard, Los Angeles, California 90025,
July 13, 2021, revised November 10, 2021.**

[This Page Intentionally Left Blank]



July 13, 2021
Revised November 10, 2021

Srinivasan Radhakrishnan
RADHA HOTELS USA, LLC
9 Rapallo
Irvine, California 92614

**Re: CITADEL Project No. 1870.1001.0
Phase II Subsurface Investigation Report
Wilshire Westgate
11905 Wilshire Boulevard
Los Angeles, California 90025**

Dear Mr. Radhakrishman:

Citadel EHS (Citadel) is pleased to provide you with this Phase II Subsurface Investigation Report for the above-referenced location.

The Phase II Subsurface Investigation was conducted in general accordance with Citadel's Proposal 1870.1001.P (R2), dated June 10, 2021, and a mutually agreed upon scope of work.

If, after your review, you have any questions or require additional information, please do not hesitate to contact me at (818) 246-2707.

Sincerely,
CITADEL EHS

T. Michael Pendergrass, PG
Senior Project Geologist, Engineering and Environmental Sciences

Enclosure



Radha Hotels USA, LLC
9 Rapallo
Irvine, California 92614

Phase II Subsurface Investigation Report

July 13, 2021
Revised November 10, 2021

Citadel Project Number 1870.1001.0

Wilshire Westgate
11905 Wilshire Boulevard
Los Angeles, California 90025

www.CitadelEHS.com

Table of Contents

1.0	INTRODUCTION	1
2.0	BACKGROUND.....	1
3.0	GEOLOGY/HYDROGEOLOGY.....	3
4.0	PRE-FIELD ACTIVITIES	3
5.0	SOIL, GROUNDWATER AND SOIL VAPOR SAMPLING	4
6.0	SCREENING LEVELS	6
7.0	LABORATORY ANALYTICAL RESULTS	6
8.0	CONCLUSIONS.....	7
9.0	RECOMMENDATIONS.....	9
10.0	REFERENCES CITED	10
11.0	DISCLAIMER	11
12.0	SIGNATURES	12

FIGURES

Figure 1	Site Location Map
Figure 2	Site Map
Figure 3	Historical Sampling Locations
Figure 4	Boring Locations with Tetrachloroethene Concentrations in Groundwater
Figure 5	Boring Locations with Tetrachloroethene Concentrations in Soil Vapor

TABLES

Table 1	Volatile Organic Compounds in Soil
Table 2	Volatile Organic Compounds in Groundwater
Table 3	Select Volatile Organic Compounds in Soil Vapor

APPENDICES

Appendix A	Los Angeles County Department of Public Health Boring Permit
Appendix B	Health and Safety Plan
Appendix C	Boring Logs
Appendix D	Citadel Field Notes
Appendix E	Photographic Log
Appendix F	Laboratory Reports and Chain of Custody Documentation

1.0 INTRODUCTION

Citadel EHS (Citadel) has prepared this Phase II Subsurface Investigation (Phase II SI) Report for Radha Hotels USA, LLC (Client) for the property located at 11905 Wilshire Boulevard in the unincorporated Community of Brentwood in the City of Los Angeles, California (Site). The Site consists of one single-story building of approximately 7,500 square feet (SF), asphalt-paved surface parking areas, and associated landscaping on approximately 0.52 acres of land. The Assessor's Parcel Numbers (APNs) associated with the Site include 4265-014-037 and -038.

Citadel was provided with a Phase II Environmental Site Assessment (Phase II ESA) prepared by Western Environmental Engineers Co. (WEECO) from 2001, a Subsurface Investigation Report prepared by Leymaster Environmental Consulting, LLC (LEC) from 2015, a Time Critical Removal Action Workplan prepared by LEC from 2019, and documents relating to the Standard Voluntary Agreement reached between the property owner and the California Department of Toxic Substances Control (DTSC) in 2019.

According to the reports reviewed, the on-Site building has been occupied by dry cleaning facilities in the northwestern portion of the building from 1977 to the present. Hernan Norge Cleaners has operated at the Site since 2006. Tetrachloroethene (PCE) was used at the Site from 1977 to 2006 as a dry-cleaning solvent. Most recently the Site building has also been occupied by a café restaurant and is currently occupied by a restaurant at the south end of the building. The surrounding properties include an office building to the northeast, residential apartment buildings to the northwest, and various commercial properties to the southwest and southeast. Citadel understands that the Client is proposing to redevelop the Site into mixed use residential, with two levels of subterranean parking.

A Site Location Map and Site Map are included as Figures 1 and 2, respectively.

2.0 BACKGROUND

In 2000, Maurison Environmental Engineering Consultants (MEEC) (LEC, 2019) advanced four soil borings in the vicinity of the dry-cleaning machine within the drycleaner space. During this investigation eight soil samples were collected by MEEC. Soil samples were collected between three and six-feet below ground surface (bgs). PCE was reported in the eight soil samples at concentrations ranging from 0.034 milligrams per kilogram (mg/kg) to 5.48 mg/kg in soil.

In October 2001, WEECO advanced an additional five soil borings in the vicinity of the dry-cleaning machine to further evaluate the current soil conditions. A total of 10 soil samples were collected at depths ranging from three to eight feet bgs. The investigation detected PCE in all but one sample at concentrations ranging from 0.05 mg/kg to 21 mg/kg. WEECO described the soils encountered at the site as clay and silty clay. WEECO concluded that the PCE contaminated soil from zero to five feet bgs should be treated by a bio-remedial method (WEECO, 2001).

In April 2002, Remediation Sciences, Inc. (RSI) (LEC, 2019) collected soil samples from five soil borings at the Site, stepping out from the borings previously conducted by Maurison and WEECO. Each boring was advanced to approximately 20-feet bgs. Twenty-four soil samples were collected from the five borings and analyzed for VOCs. The analytical results of the soil samples indicated that PCE was detected in four of the five borings and in 15 of the 24 soil samples collected at concentrations ranging from 0.014 mg/kg to 5,965 mg/kg. Maximum concentrations were observed in boring RSI-2 located southwest of the dry-cleaning machine and the lowest concentrations were observed in boring RSI-4 located northeast of the dry-cleaning machine.

In May 2002, RSI (LEC, 2019) proposed to install a groundwater monitoring well on the southwest side of the former dry-cleaner. Boring MW-1 was drilled an estimated 15 feet southeast of boring RSI-2 at a 14-degree angle from the vertical to reach beneath the building and vertically assess the contamination observed in boring RSI-2. Soil samples were collected at slant depths of 25, 30, 40 and 45 feet bgs or vertical depths of approximately 24, 29, 38 and 43 feet, respectively. The 45-foot slant depth soil sample is calculated to have a horizontal offset from the surface location of approximately 11 feet to the northeast, therefore this sample has a horizontal offset from boring RSI-2 of approximately four feet.

No groundwater samples were collected from MW-1 due to encountering a perched groundwater zone that did not have sufficient groundwater to collect a sample. The analytical results of the four soil samples indicated that PCE was detected at a maximum concentration of 0.12 mg/kg in the 25-foot slant depth boring and was not detected in the 30, 40 and 45 foot slant depth soil samples.

In a letter dated January 7, 2004, the Los Angeles County Fire Department (LACFD) Health Hazardous Materials Division issued the responsible party a No Further Action Letter. The letter stated that high concentrations of PCE are being allowed to remain in place because the soil consists of tight clays making extraction of the soil vapors difficult, and excavation to the depths needed would jeopardize the integrity of the existing building and therefore, not possible.

Results of a natural spring sampling conducted by the Los Angeles Unified School District (LAUSD) at the nearby University High School revealed the presence of PCE and its degradation products. The LAUSD suggested that the presence of these volatile organic compounds (VOCs) may have originated from the dry-cleaning facility at the Site. Sampling conducted on behalf of the DTSC in March 2013 found detectable concentrations of PCE in soil vapor samples collected in the vicinity of the Site. The Los Angeles Regional Water Quality Control Board (LARWQCB) issued Investigative Order No. R4-2014-0158 in August 2014 to assist in determining whether the former and present dry cleaning operations at the Site contributed to the presence of PCE at the natural spring.

LEC conducted a subsurface investigation at the Site in November 2015. The investigation consisted of the collection of soil, soil vapor and groundwater samples. Four soil borings (SB1 to SB4) were drilled surrounding the dry-cleaning machine and a step out to the southeast. Borings were advanced to final depths ranging from 19 feet to 25 feet bgs. PCE was detected in all soil borings with the maximum PCE concentration of 100 mg/kg at three feet bgs. Soil vapor probes were installed in each of the soil borings with vapor probes at five feet and 15 feet bgs in each boring. PCE was detected in all soil vapor samples at a maximum concentration of 7,500,000 micrograms per cubic meter ($\mu\text{g}/\text{m}^3$) in vapor sample SV-2-15' located southwest of the dry-cleaning machine.

The analytical results from the soil and soil vapor sampling events indicate a source of VOCs is located near the dry-cleaning machine located in the northwestern portion Site building.

The LARWQCB requested two groundwater samples be collected from inside the building. This was unsuccessful due to soil lithology and groundwater was not encountered prior to drilling refusal with the limited access rig at approximately 25 feet bgs.

A hydropunch boring was drilled by LEC in 2019 at the southern boundary of the Site in the presumed downgradient groundwater flow direction. A workplan groundwater sampling was submitted by LEC in 2016 which proposed additional soil, soil vapor and groundwater assessment, including the collection of hydropunch groundwater samples. A report for this investigation was

not available for review. A reference to the completed hydropunch sampling was provided in the Time Critical Removal Action Workplan (Workplan) submitted by LEC in 2019. There is no mention of the soil and soil vapor investigation methods or results. Therefore, the date of the hydropunch sampling is unknown but a groundwater sample was retrieved from approximately 30 feet bgs using new polyethylene tubing. The analytical results of the groundwater sample reported a PCE concentration of 0.50 micrograms per liter ($\mu\text{g/l}$) and chloroform at a concentration of 0.82 $\mu\text{g/l}$ which are below their respective Maximum Contaminant Levels (MCLs).

The locations of the historical borings referenced above are shown in Figure 3.

In 2019, the property owner entered into a Standard Voluntary Agreement with the DTSC for remediation of the Site. The Workplan was prepared and submitted to the DTSC by LEC in November 2019. The Workplan called for excavation from inside the dry cleaner of an area of approximately 35 feet by 22 feet to depths of five to 10 feet bgs. The Workplan also proposed a post-excavation indoor air survey in the dry-cleaner and adjacent restaurant spaces, and the installation of soil vapor probes in the alley between the Site and the apartment buildings to the northwest.

3.0 GEOLOGY/HYDROGEOLOGY

The Site is located on the Sawtelle Plain, which is essentially a thin sheet of alluvium deposited on an eroded surface in the area surrounded by the Santa Monica and Ocean Park Plains and Beverly Hills (CDWR, 1961). The Site is identified on the geologic map of the Los Angeles 30' x 60' quadrangle, Los Angeles, California (Yerkes and Campbell, 2005) as being late to middle Pleistocene aged alluvial-fan deposits (Qof). The alluvial fan deposits are described as slightly to moderately consolidated silt, sand and gravel deposits. The United States Department of Agriculture (USDA) Natural Resources Conservation Service (NRCS) National Cooperative Soil Survey identifies the Site soils as Urban land-Sepulveda-Pierview complex. The Urban Land soil is described as fan remnants with very high runoff; the Sepulveda soil is described as clay loam, sandy clay loam and fine sandy loam with medium runoff; the Pierview soil is described as loam, clay loam and clay with medium runoff. Soil encountered in this investigation included silt, clayey silt, silty clay and clay. According to the United States Geological Survey Beverly Hills Quadrangle topographic map, the Site is situated approximately 270 feet above mean sea level, and slopes to the south.

The Site is located in the Coastal Plain of Los Angeles Groundwater Basin, Santa Monica Subbasin (No. 4-11.01), determined by the Department of Water Resources (CDWR, 2003). The Santa Monica Subbasin is bounded by the impermeable rocks of the Santa Monica Mountains to the north, by the Ballona escarpment on the south, the Inglewood Fault zone to the east and the Pacific Ocean to the west. Ballona Creek is the dominant hydrologic feature and drains surface waters to the Pacific Ocean. Throughout the Santa Monica Subbasin, groundwater occurs in Holocene and Pleistocene age sediments at relatively shallow depths. A previous Site investigation encountered groundwater at approximately 30 feet bgs (LEC, 2019). Groundwater was encountered in this investigation between 28 and 32 feet bgs at some locations, and not encountered at other locations to depths of 40 feet bgs.

4.0 PRE-FIELD ACTIVITIES

A well/exploration hole permit was obtained from the Los Angeles County Department of Public Health. A copy of the permit is included in Appendix A.

For this project and the field activities, Citadel prepared a site-specific health and safety plan (HASP). This HASP identified existing and potential hazards for workers at the Site during drilling and sample collection activities. The HASP was discussed with the geophysical survey and drilling subcontractors, prior to performing the fieldwork. A copy of the HASP signed by all participants is included in Appendix B.

To screen the Site for potential utilities, Citadel marked the proposed boring locations and contacted Underground Service Alert (USA) for marking public utilities to clear the borings.

5.0 SOIL, GROUNDWATER AND SOIL VAPOR SAMPLING

A geophysical survey was conducted on June 21, 2021, by Ground Penetration Radar Systems, LLC., (GPRS) under the supervision of Citadel representatives to detect and delineate, to the extent possible, the existence of any pipes, conduits, and other potential anomalies within a 10-foot radius of the proposed boring locations. The identified obstructions were marked with paint to clear the borings.

Soil, groundwater and soil vapor sampling was conducted to further define the extent of impacts to soil, groundwater and soil vapor at the Site. Boring locations were chosen to step out from borings conducted in previous investigations as shown on Figure 3. Borings were advanced in the parking lots located northeast and southwest of the building and in the alley northwest of the building

Soil Sampling

Upon completion of the geophysical survey, Strongarm Environmental Field Services, Inc. (Strongarm) under the supervision of Citadel, advanced five borings, identified as Borings B1, B2, B3, B4 and B6 at the Site using a direct push drill rig.

These borings were located within the asphalt-paved parking areas of the Site. Borings B1 and B2 were located east of the on-Site building and borings B3, B4 and B6 were located on the west side of the building. Please refer to Figure 4 for a Site Map showing the boring locations.

Boring B1 was advanced to 40 feet bgs and encountered groundwater at 32.5 feet bgs; boring B2 was advanced to 31 feet bgs and encountered groundwater at 29.5 feet bgs; boring B3 was intended to be advanced to groundwater but only advanced to approximately 17 feet bgs before drilling became too difficult, resulting in boring refusal; boring B4 was advanced to 32 feet bgs and encountered groundwater at 28.15 feet bgs; and boring B6 was intended to be advanced to 25 feet but refusal was encountered at approximately 17 feet bgs. Soil samples were collected in acetate sleeves at approximate five-foot intervals and prepared per EPA Method 5035. The soil borings were described for soil lithology (type) under the supervision of a California Professional Geologist. Split soil samples collected from each sampling interval were field screened with a photo-ionizing detector (PID) to monitor the vapor space for the presence of VOCs. The maximum PID reading for VOCs was observed in sample B1 at 30 feet (B1-30) with a reading of 54 parts per million by volume (ppm).

Twenty-five soil samples were transported the day they were collected under proper Chain-of-Custody (COC) protocols to American Scientific Laboratories (ASL) in Los Angeles, California. ASL is an Environmental Laboratory Accreditation Program (ELAP) certified laboratory. Two soil samples from each boring for a total of 10 soil samples were analyzed for VOCs by EPA Method

8260B. The samples were chosen for laboratory analysis based on photoionization device (PID) readings conducted in the field with the two samples with the highest PID readings from each boring submitted for analysis. The remaining 15 samples were kept on hold at the laboratory and were not analyzed.

Groundwater Sampling

Four groundwater samples were proposed to define the groundwater conditions surrounding the building with two samples from northeast of the building and two samples from southwest of the building.

Boring B1 was advanced to approximately 40 feet. Groundwater was not observed, therefore the boring was allowed to remain open. Approximately two hours later water was observed at approximately 32.5 feet bgs in boring B1. Boring B2 was advanced to approximately 31 feet bgs. A wet zone was encountered during drilling between 27 and 29 feet bgs. Boring B3 was attempted to be advanced to groundwater but encountered refusal at approximately 17 feet bgs. Boring B4 was advanced to approximately 32 feet bgs and water was encountered at approximately 28 feet bgs. Boring B6 was attempted to be advanced to groundwater as a replacement for the B3 location, but it also encountered refusal at 15 feet bgs.

Groundwater samples were collected from borings B1, B2 and B4 using a temporary casing and new polyethylene tubing with a check valve. The samples were collected in laboratory supplied glass vials preserved with hydrochloric acid and placed in an iced cooler. The samples were transported to under COC protocols to ASL for analysis of VOCs by EPA Method 8260B.

Soil Vapor Sampling

Soil vapor probes were installed in borings at depths of five, 15, and 25 feet bgs in borings B1, B2, and B4 and at five and 15 feet bgs in borings B3 and B6 on June 21, 2021. In addition to further assess soil vapor in the alley north of the Site and the northeast corner of the Site, four borings were installed using a handheld Roto-Hammer drill. These shallow borings were to be advanced to 10 feet bgs, however refusal due to some hard obstructions were met in three borings. Boring B5 located immediately northwest of the building in the alley was advanced to 10 feet bgs and soil vapor probes were installed at five and 10 feet bgs; borings B7, B8 and B9 were advanced to three feet bgs. Soil vapor probes were installed in borings B7 and B9 at three feet bgs, a soil vapor probe was not installed in Boring B8. Each soil vapor probe was set in accordance with the California Environmental Protection Agency's (Cal EPA) Department of Toxic Substance Control (DTSC) – Active Soil Gas Investigation (July 2015) and. Soil vapor probe tips were placed within a sand pack at the proposed sampling depth. Approximately six inches of dry bentonite chips were placed over the sand pack, followed by placement of hydrated bentonite. Gas tight fittings were placed at the end of the probes at the surface.

On June 22, 2021, Citadel collected soil vapor samples from each of the borings. Soil vapor samples were collected following the procedure of the Cal EPA's Guidance for the Evaluation and Mitigation of Subsurface Vapor Intrusion to Indoor Air (October 2011) a minimum of two-hours following the installation of the probes. The soil vapor probes were purged of three volumes of soil vapor from each probe and a soil vapor sample was collected into one-liter Tedlar Bags using a pump and vacuum box. Due to the stiff soil type encountered in Boring B6 at 15 feet bgs Citadel was unable to collect a soil vapor sample from this probe. The soil vapor samples were stored in a cooler without ice. Upon completion of collecting the soil vapor samples, the soil vapor probes and tubing were removed, and the surfaces were patched to match the existing surface.

Seventeen soil vapor samples representing from eight borings were transported under COC protocols to ASL for analysis of VOCs by EPA Method 8260B.

Citadel's boring logs, field notes, and photographic log describing onsite activities are included as Appendices C, D and E, respectively.

6.0 SCREENING LEVELS

Laboratory results for each sample were compared to the San Francisco Bay Regional Water Quality Control Board (SFBRWQCB) Environmental Screening Levels (ESLs) for residential properties as these are the most conservative thresholds for soil vapor. The ESLs are developed using an attenuation factor (AF) for soil vapor in the subsurface that may enter into the indoor air space from advection and/or diffusion processes. The DTSC follows the Federal EPA guidance that has determined that an AF of 0.03 is appropriate for most sites. However, for sites to be developed for residential occupancy, the AF has been adjusted to 0.001. In California, the calculated thresholds used for site investigation are 0.03 to assess the Site, and 0.001 to develop a closure plan. The result tables for soil vapor include each of these AF's and accompanying threshold concentrations.

Groundwater results were compared to the Federal EPA and State Water Resources Control Boards maximum contaminant level (MCL) Priority list. The ESL for each reported constituent is included for soil in Table 1, the MCL Priority for groundwater is included in Table 2 and soil vapor in Table 3.

The laboratory results for soil, soil vapor and groundwater include the Practical Quantitation Limit (PQL) and the laboratory Method Detection Limits (MDLs). Measurements of soil vapor detected but below the PQL; is an approximate value calculated by the laboratory and is flagged with a "J" in the tables and laboratory reports.

7.0 LABORATORY ANALYTICAL RESULTS

Soil Results

Twenty-five soil samples were submitted for analysis for VOCs, however only 10 samples, two from five borings were analyzed. VOCs were reported above the MDL for PCE in samples collected at B3-17, B6-5 and B6-15. The maximum concentration 1.34 J µg/kg was reported in sample B3-17. All results were below the residential ESL of 590 µg/kg. A summary of the laboratory results for VOCs is included in Table 1. A copy of the laboratory report is included as Appendix F.

Groundwater Results

Three groundwater samples were collected and submitted for analysis. Benzene, toluene, PCE with maximum concentrations of 0.26 J microgram per liter (µg/L), 0.37 J µg/L, and 4.36 µg/L, respectively. All reported concentrations were below their respective MCL Priority screening levels.

VOC concentrations in groundwater are summarized in Table 2, PCE concentrations are shown on Figure 3. A copy of the laboratory report is included as Appendix F.

Soil Vapor Results

Seventeen soil vapor samples representing eight borings were collected and submitted for analysis. Several VOCs were reported above the MDLs, including benzene, toluene, ethylbenzene, total xylenes, PCE and TCE. Benzene, ethylbenzene, PCE and TCE were reported at concentrations

above their respective ESLs, with maximum concentrations of 255 µg/m³, 69 J µg/m³, 218,000 µg/m³, and 164 µg/m³, respectively.

Benzene was reported above the laboratory MDL in 12 of 17 soil vapor samples at concentrations ranging from 11 J microgram per cubic meter (µg/m³) in B2-15V to 255 µg/m³ in B9-3V. All reported concentrations were above the residential ESL for soil vapor of 3.2 µg/m³.

Toluene was reported above the laboratory MDL in 14 of 17 soil vapor samples at concentrations ranging from 28 J µg/m³ in B4-15V to 623 µg/m³ in B9-3V. All reported concentrations were below the residential ESL for soil vapor of 10,000 µg/m³.

Ethylbenzene was reported above the laboratory MDL in seven of 17 soil vapor samples at concentrations ranging from 13 J µg/m³ in B5-10V to 69 J µg/m³ in B9-3V. Three samples had reported concentrations above the residential ESL for soil vapor of 37 µg/m³.

Total xylenes (o-xylene and m,p-xylenes) were reported above the laboratory MDL in four of the soil vapor samples with a maximum concentration of 286 µg/m³ in B9-3V. All reported concentrations were below the residential ESL for soil vapor of 3,500 µg/m³.

PCE was reported above the laboratory MDL in all soil vapor samples at concentrations ranging from 44 J µg/m³ in B1-25V to 218,000 µg/m³ in B3-15V. All reported concentrations were above the residential ESL for soil vapor of 15 µg/m³.

Other VOCs were also reported above their laboratory MDL's but their concentrations are well below their respective ESLs.

Table 3 presents soil vapor samples laboratory results for select VOCs and their respective residential ESLs for soil vapor. PCE concentrations in soil vapor are shown in Figure 5. A copy of the laboratory report is included in Appendix F.

Table 3 also provides assumed cleanup thresholds for soil vapor using the assumed cleanup AF of 0.001, only benzene and PCE report concentrations that exceed the screening level for soil vapor of 96 µg/m³ and 450 µg/m³, respectively. PCE exceeds the assumed development screening levels in all borings except B1 and benzene exceeds the assumed development screening level in the two shallow vapor samples north (B7) and northeast (B9) of the building.

8.0 CONCLUSIONS

The current investigation was intended to evaluate subsurface conditions for any potential impacts from the historical Site operations. Historical operations have included a dry-cleaning facility in the northwestern portion of the building from 1977 to the present and a former café restaurant and active restaurant space in the southeastern portion of the building. The surrounding properties include an office building to the northeast, residential apartment buildings to the northwest, and various commercial properties to the southwest and southeast.

Citadel understands that the Client is proposing to redevelop the Site into mixed use residential, with two subterranean parking levels.

Citadel collected 25 soil samples, three groundwater samples, and 17 soil vapor samples from nine borings across the Site. Ten soil samples, three groundwater samples and 17 soil vapor samples were analyzed for VOCs by EPA method 8260B.

The results from the soil, groundwater, and soil vapor samples indicate the following:

Soil

- VOCs in soil samples were not reported above the MDL except for PCE in three samples. All results were below the residential ESL for PCE.

Groundwater

- Benzene, toluene, and PCE were reported in one or more groundwater samples. All reported concentrations were below their respective MCL Priority screening levels.

Soil Vapor

- Benzene was reported above the laboratory MDL in 12 of 17 soil vapor samples. All reported concentrations were above the residential ESL for soil vapor, but only samples from B7 and B9 exceeded the assumed development screening level.
- Toluene was reported above the laboratory MDL in 14 of 17 soil vapor samples. All reported concentrations were below the residential ESL for soil vapor.
- Ethylbenzene was reported above the laboratory MDL in seven of 17 soil vapor samples. Three samples had reported concentrations were above the residential ESL for soil vapor.
- Total xylenes (o-xylene and m,p-xylenes) were reported above the laboratory MDL in four of 17 soil vapor samples. All reported concentrations were below the residential ESL for soil vapor.
- PCE was reported above the laboratory MDL in all soil vapor samples. All reported concentrations were above the residential ESL for soil vapor. All reported results were above the assumed development screening level except for samples B1-5V, B1-15V, B1-25V, B2-5V and B4-5V.

Discussion

Based on this investigation and historical investigations, the Site is impacted by VOCs from the historical operation of the on-Site drycleaner. The presence and elevated concentrations reported for benzene, ethylbenzene, PCE and TCE is an environmental concern and may be a potential health risk to construction workers, future residents, and site workers.

Historical investigations primarily focused on the interior of the building with shallow borings surrounding the former dry-cleaning machine and step out locations within the dry-cleaning suite. PCE in soil was defined as mostly encountered in borings surrounding the former dry-cleaning machine and generally decreasing with depth and distance from the machine. PCE in soil was not encountered during this investigation and it appears that PCE in soil that exceeds the residential ESL is limited to the northwest half of the dry-cleaning suite.

Four groundwater samples have been collected at the Site, one historical sample and three samples during this investigation. All results were below the MCL Priority of 5.0 µg/L. These samples are limited to the northeast parking lot and the south end of the southwest parking lot. Additional

groundwater samples were attempted to be collected from beneath the building, but groundwater was not encountered during assessment activities by RSI in 2002. Attempts at sampling groundwater from the north end of the southwest parking lot have not been successful due to difficulty in advancing borings in that portion of the Site.

Soil Vapor samples have historically been collected by LEC within the building and from exterior locations during this investigation. The maximum interior concentration for PCE was 7,500,000 µg/m³ in SV-2-15 collected by LEC in 2015 and the maximum exterior concentration for PCE was 218,000 µg/m³ in B3-15V during this investigation. Concentrations that exceed the assumed development screening level for PCE are encountered to the maximum explored depth of 25 feet bgs in multiple locations across the Site and concentrations generally increase with depth. Soil vapor samples from Boring B1 in the southeast corner of the Site indicates that this is the only area that does not exceed the assumed development screening level for PCE.

9.0 RECOMMENDATIONS

The Site has entered into a Standard Voluntary Agreement with the DTSC for cleanup of the Site. A meeting should be scheduled with the DTSC to discuss options for remedial and mitigation options prior to preparing a workplan. Potential remedial and mitigation options may include soil excavation, soil vapor extraction, and post-construction measures such as a vapor barrier, sub-slab venting system and indoor air sampling to verify that residual vapors are controlled.

Prior to beginning any soil excavation activities, Citadel recommends the preparation of a Soil Management Plan and obtaining a South Coast Air Quality Management District (SCAQMD) Rule 1166 Site-Specific permit for soil excavation activities. The SMP is to provide information on policy and to delineate the requirements for the identification, management and disposal of soils generated during excavation, grading and construction activities that may disturb potentially contaminated soil at the Site. The SCAQMD Rule 1166 permit is required during the excavation of VOC contaminated soil.

10.0 REFERENCES CITED

California Department of Water Resources (CDWR), 1961, Bulletin 104, Planned Utilization of the Ground Water Basins of the Coastal Plain of Los Angeles County. June.

California Department of Water Resources, 2003, Coastal Plain of Los Angeles Groundwater Basin, Santa Monica Subbasin, Department of Water Resources, California Groundwater Bulletin 118.

California Environmental Protection Agency, Department of Toxic Substances Control, Guidance for the Evaluation and Mitigation of Subsurface Vapor Intrusion to Indoor Air, October 2010.

California Environmental Protection Agency, Department of Toxic Substances Control, Los Angeles Regional Water Quality Control Board, San Francisco Bay Regional Water Quality Control Board, Advisory Active Soil Gas Investigations, July 2015.

California State Water Resources Control Board, GeoTracker.
(<http://geotracker.waterboards.ca.gov/>).

Yerkes, Robert F., and Campbell, Russell H., 2005, Preliminary Geologic Map of the Los Angeles 30' x 60' Quadrangle, Southern California.

Leymaster Environmental Consulting, LLC, 2015, Subsurface Investigation Report, Hernan Norge Cleaners, 11905 Wilshire Boulevard, Los Angeles, California. November 30.

Leymaster Environmental Consulting, LLC, 2019, Time Critical Removal Action Workplan for Hernan Norge Cleaners, 11905 Wilshire Boulevard, Los Angeles, California. November 11.

San Francisco Bay Regional Water Quality Control Board, Environmental Screening Levels, July 2019.

United States Department of Agriculture, National Resources Conservation Service, Web Soil Survey (<http://websoilsurvey.sc.egov.usda.gov/App/WebSoilSurvey.aspx>).

Western Environmental Engineers Company (WEECO), 2001. Preliminary Phase II Environmental Site Assessment Report. October 30.

11.0 DISCLAIMER

The services performed by Citadel Environmental Services, Inc. ("Citadel"), d.b.a. Citadel EHS, in connection with this Report were performed in accordance with generally and currently accepted engineering practices and principles; provided, however, Citadel completed such services as directed by the Client and the recommendations described in this Report are therefore limited in purpose and scope. The procedures and methodologies used by Citadel in its performance of services, and the recommendations contained herein, are not intended to meet the requirements under any specific laws or regulatory guidelines unless expressly set forth in the Proposal.

The recommendations and conclusions set forth in this Report are based on information and data available to Citadel during the course of its performance of the services. Citadel relied on the information and data provided by or on behalf of Client, including, if applicable, historical and present operations, conditions and test data, and Citadel assumed all such information and data was correct and complete. Citadel shall not be liable for any damages or losses resulting from inaccuracies of, or omissions from, information or data provided by or on behalf of the Client, any interested third-parties, or any federal, state, county, or local governmental authority, or otherwise available in the public domain.

The information contained in this Report and conclusions resulting therefrom are based solely on information available to Citadel at the time of its performance of services, and from observations and perceived conditions and materials existing on the date of Citadel's limited survey of the site, if applicable. Citadel disclaims any inaccuracy in the Report as a result of any part or parcel of property to which Citadel was not provided access, or which was concealed, including, but not limited to, wall cavities/chases, ceiling plenums, below floor finishes, crawlspaces, below grade, beneath existing structures, or behind electrical panels.

The findings and recommendations presented in this Report are based upon observations of present conditions and may not necessarily indicate future conditions. No conclusions should be construed or inferred other than those expressly stated in this Report. EXCEPT FOR ANY WARRANTIES EXPRESSLY SET FORTH IN THE PROPOSAL OR OTHER WRITTEN AGREEMENT BETWEEN CITADEL AND CLIENT, CITADEL MAKES NO WARRANTIES HEREUNDER WITH RESPECT TO ANY INFORMATION CONTAINED IN THIS REPORT, EXPRESS OR IMPLIED, AND CITADEL HEREBY DISCLAIMS ALL OTHER WARRANTIES.

All testing and remediation methods have reliability limitations and no method nor number of sampling locations can guarantee that a hazard will be discovered if contamination or other evidence of the hazard is not encountered within the performance of the services as authorized. Reliability of testing or remediation varies according to the sampling frequency and other service variables that were selected by Client. Citadel shall not be at fault or liable for any such limitations.

The information and opinions rendered in this report are exclusively for use and reliance by the Client. The information contained herein may not be used, disclosed, or copied without written permission of the Client and may not be relied upon without the written permission of Citadel.


12.0 SIGNATURES

Report Prepared by:


T. Michael Pendergrass, PG
Senior Project Geologist, Engineering and Environmental Sciences

Reviewed by:

Mark Drollinger, M. Eng., CSP, CHMM
Principal, Engineering and Environmental Sciences



Figures



Source: EDR, Beverly Hills Quadrangle, 2018, 7.5 Minute Series



CITADEL EHS
assess resolve strengthen


RADHA HOTELS USA, LLC

11905 Wilshire Boulevard
Los Angeles, California

Figure 1

PROJECT NO.: 1870.1001.0
DATE: JULY 2021

Site Location Map



SITE BOUNDARY

- APPROXIMATE GROUNDWATER, SOIL AND SOIL VAPOR BORING LOCATIONS
- APPROXIMATE SOIL AND SOIL VAPOR BORING LOCATIONS
- ROTO HAMMER SOIL VAPOR BORING LOCATION



Source: Google Earth

Not to Scale



RADHA HOTELS USA, LLC

11905 Wilshire Boulevard
Los Angeles, California

Figure 2

PROJECT NO.: 1870.1001.0

DATE: July 2021

**Site Map
with Sampling Locations**




SITE BOUNDARY

- LEC Soil and Soil Vapor Sampling Locations - 2015
- ⊕ LEC Groundwater Sampling Location - 2015
- RSI Soil Sampling Locations - 2002
- ⊕ WEECO Soil Sampling Locations – 2001
- Maurison Soil Sampling Locations – 2000



Source: Google Earth

Not to Scale




SITE BOUNDARY

- APPROXIMATE GROUNDWATER, SOIL AND SOIL VAPOR BORING LOCATIONS
- APPROXIMATE SOIL AND SOIL VAPOR BORING LOCATIONS
- ROTO HAMMER SOIL VAPOR BORING LOCATION



Source: Google Earth

Not to Scale



SITE BOUNDARY

- APPROXIMATE GROUNDWATER, SOIL AND SOIL VAPOR BORING LOCATIONS
- APPROXIMATE SOIL AND SOIL VAPOR BORING LOCATIONS
- ROTO HAMMER SOIL VAPOR BORING LOCATION



Source: Google Earth

Not to Scale

Tables

Table 1
Volatile Organic Compounds in Soil

11905 Wilshire Boulevard
 Los Angeles, California

Sample ID	Depth (feet bgs)	Date Sampled	Volatile Organic Compounds										
			EPA Method 8260B										
			Benzene	Toluene	Ethylbenzene	o-Xylene	m,p-Xylene	Chloro-benzene	p-Isopropyl-toluene	Tetrachloro-ethene (PCE)	Trichloro-ethene (TCE)	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene
			micrograms per kilogram ($\mu\text{g}/\text{kg}$)										
B1-25	25	6/21/2021	<0.930	<1.00	<1.00	<1.00	<1.80	<0.890	<3.86	<0.930	<1.15	<3.19	<1.23
B1-30	30	6/21/2021	<0.930	<1.00	<1.00	<1.00	<1.80	<0.890	<3.86	<0.930	<1.15	<3.19	<1.23
B2-5	5	6/21/2021	<0.930	<1.00	<1.00	<1.00	<1.80	<0.890	<3.86	<0.930	<1.15	<3.19	<1.23
B2-15	30	6/21/2021	<0.930	<1.00	<1.00	<1.00	<1.80	<0.890	<3.86	<0.930	<1.15	<3.19	<1.23
B3-5	5	6/21/2021	<0.930	<1.00	<1.00	<1.00	<1.80	<0.890	<3.86	<0.930	<1.15	<3.19	<1.23
B3-17	17	6/21/2021	<0.930	<1.00	<1.00	<1.00	<1.80	<0.890	<3.86	1.34 J	<1.15	<3.19	<1.23
B4-5	5	6/21/2021	<0.930	<1.00	<1.00	<1.00	<1.80	<0.890	<3.86	<0.930	<1.15	<3.19	<1.23
B4-15	15	6/21/2021	<0.930	<1.00	<1.00	<1.00	<1.80	<0.890	<3.86	<0.930	<1.15	<3.19	<1.23
B6-5	5	6/21/2021	<0.930	<1.00	<1.00	<1.00	<1.80	<0.890	<3.86	0.940 J	<1.15	<3.19	<1.23
B6-15	15	6/21/2021	<0.930	<1.00	<1.00	<1.00	<1.80	<0.890	<3.86	1.10 J	<1.15	<3.19	<1.23
ESL - Residential Soil			330	1,100,000	5,900	580,000	580,000	270,000	--	590	950	300,000*	270,000*

Notes:

bgs = below ground surface

J = Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

< = Analyte not detected at or above the indicated laboratory practical quantitation limit (PQL) for EPA Method 8015B or 8260B

ESL = Environmental Screening Levels (SFBRWQCB, 2019)

Bold = Analyte detected above the PQL

* - EPA Regional Screening Levels (RSLs) for Residential Soil

Table 2
Volatile Organic Compounds in Groundwater
 11905 Wilshire Boulevard
 Los Angeles, California

Sample ID	Date Sampled	Volatile Organic Compounds										
		EPA Method 8260B										
		Benzene	Toluene	Ethylbenzene	o-Xylene	m,p-Xylene	sec-Butylbenzene	Chloroform	Isopropyl-benzene	n-Propyl-benzene	Tetrachloro-ethene (PCE)	Trichloro-ethene (TCE)
micrograms per Liter ($\mu\text{g/L}$)												
B1-GW	6/21/2021	0.260 J	0.370 J	<0.209	<0.262	<0.476	2.07	<0.247	0.420 J	0.440 J	<0.421	<0.117
B2-GW	6/21/2021	0.110 J	<0.282	<0.209	<0.262	<0.476	<0.338	0.390 J	<0.291	<0.254	1.66	<0.117
B4-GW	6/21/2021	<0.097	<0.282	<0.209	<0.262	<0.476	<0.338	<0.247	<0.291	<0.254	4.36	<0.117
ESL - MCL Priority		1	40	30	20	20	590*	80	--	--	5	5

Notes:

bgs = below ground surface

J = Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

-- = No regulatory criterion

< = Analyte not detected at or above the indicated laboratory practical quantitation limit (PQL) for EPA Method 8015B and 8260B

Bold = Analyte detected above the PQL

ESL - MCL Priority = All available Maximum Contaminant Level (MCL) values. If no MCL values are available, the lower of the cancer and noncancer tapwater direct exposure levels is listed.

ESL = Environmental Screening Levels (SFBRWQCB, 2019)

* - DTSC HERO Note 3 Screening Levels for Tap Water

Table 3
Select Volatile Organic Compounds in Soil Vapor
 11905 Wilshire Boulevard
 Los Angeles, California

Sample ID	Probe Depth (feet bgs)	Date Sampled	Volatile Organic Compounds (VOCs) by EPA Method 8260B							
			Benzene	Toluene	Ethylbenzene	o-Xylenes	m,p-Xylenes	Tetrachloro-ethene (PCE)	Trichloro-ethene (TCE)	Total VOCs
			micrograms per cubic meter ($\mu\text{g}/\text{m}^3$)							
B1-5V	5	6/22/2021	32 J	54 J	<12	<26	<48	134	<12	220
B1-15V	15	6/22/2021	19 J	35 J	<12	<26	<48	56 J	<12	110
B1-25V	25	6/22/2021	<10	<28	<12	<26	<48	44 J	<12	112
B2-5V	5	6/22/2021	13 J	88 J	44 J	<26	<48	100	<12	633
B2-15V	15	6/22/2021	11 J	97 J	23 J	54.1 J	<48	761	30 J	1,215
B2-25V	25	6/22/2021	<10	47 J	<12	<26	<48	4,760	164	4,962
B3-5V	5	6/22/2021	18J	38 J	<12	<26	<48	3,690	<12	3,746
B3-15V	15	6/22/2021	<10	<28	<12	<26	<48	218,000	61 J	218,061
B4-5V	5	6/22/2021	33 J	63 J	57 J	<26	<48	364	<12	585
B4-15V	15	6/22/2021	<10	28 J	<12	<26	<48	5,800	<12	5,772
B4-25V	25	6/22/2021	<10	<28	<12	<26	<48	16,400	96 J	16,496
B5-5V	5	6/22/2021	15 J	106	19 J	<26	57 J	15,600	97 J	15,894
B5-10V	10	6/22/2021	11 J	94 J	13 J	<26	<48	7,590	<12	7,708
B6-5V	5	6/22/2021	11 J	29 J	<12	<26	<48	15,200	<12	15,240
B6-15V	15	6/22/2021	NS	NS	NS	NS	NS	NS	NS	NS
B7-3V	3	6/22/2021	211	360	33 J	<26	101 J	2,110	<12	2,815
B9-3V	3	6/22/2021	255	623	69 J	51 J	235	2,230	<12	3,561
ESL - Residential Soil Vapor			3.2	10,000	37	3,500	3,500	15	16	--
Assumed Cleanup Threshold			96	300,000	1,110	105,000	105,000	450	480	--

Table 3
Select Volatile Organic Compounds in Soil Vapor
11905 Wilshire Boulevard
Los Angeles, California

Notes:

J = Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

bgs = below ground surface

< = Analyte not detected at or above the indicated laboratory method detection limit for EPA Method 8260B.

Bold = Analyte detected above the Method Detection Limit

ESL = Environmental Screening Levels (SFBRWQCB, 2019)

NS = Not Sampled due to No Flow Condition

Exceeds assumed regulatory cleanup threshold using an attenuation factor of 0.001 for new residential construction.

Appendix A

Los Angeles County Department of Public Health Boring Permit



ENVIRONMENTAL HEALTH



COUNTY OF LOS ANGELES
Public Health

Drinking Water Program

5050 Commerce Drive, Baldwin Park, CA 91706

Telephone: (626) 430-5420 • http://publichealth.lacounty.gov/eh/ep/dw/dw_main.htm

Work Plan Approval

WORK SITE ADDRESS	CITY	ZIP	EMAIL ADDRESS
11905 Wilshire Blvd	Los Angeles	90025	mpendergrass@citadeleh.com

NOTICE:

- WORK PLAN APPROVALS ARE VALID FOR 180 DAYS. 30 DAY EXTENSIONS OF WORK PLAN APPROVALS ARE CONSIDERED ON AN INDIVIDUAL (CASE-BY-CASE) BASIS AND MAY BE SUBJECT TO ADDITIONAL PLAN REVIEW FEES (HOURLY RATE AS APPLICABLE).
- WORK PLAN MODIFICATIONS MAY BE REQUIRED IF WELL AND GEOLOGIC CONDITIONS ENCOUNTERED AT THE SITE INSPECTION ARE FOUND TO DIFFER FROM THE SCOPE OF WORK PRESENTED TO THE DEPARTMENT OF PUBLIC HEALTH—DRINKING WATER PROGRAM.
- WORK PLAN APPROVALS ARE LIMITED TO COMPLIANCE WITH THE CALIFORNIA WELL STANDARDS AND THE LOS ANGELES COUNTY CODE AND DOES NOT GRANT ANY RIGHTS TO CONSTRUCT, RENOVATE, OR DECOMMISSION ANY WELL. THE APPLICANT IS RESPONSIBLE FOR SECURING ALL OTHER NECESSARY PERMITS SUCH AS WATER RIGHTS, PROPERTY RIGHTS, COASTAL COMMISSION APPROVALS, USE COVENANTS, ENCROACHMENT PERMISSIONS, UTILITY LINE SETBACKS, CITY/COUNTY PUBLIC WORKS RIGHTS OF WAY, ETC.
- THIS PERMIT IS NOT COMPLETE UNTIL ALL OF THE FOLLOWING REQUIREMENTS ARE SIGNED BY THE DEPUTY HEALTH OFFICER. WORK SHALL NOT BE INITIATED WITHOUT A WORK PLAN APPROVAL STAMPED BY THE DEPARTMENT OF PUBLIC HEALTH—DRINKING WATER PROGRAM.

TO BE COMPLETED BY DEPARTMENT OF PUBLIC HEALTH—DRINKING WATER PROGRAM:

X	WORK PLAN APPROVED FOR: 4 Soil Borings/Exp. Holes	PERMIT NUMBER:	SR0259298	DATE:	6-22-2021
----------	--	-------------------	-----------	-------	-----------

ADDITIONAL APPROVAL CONDITIONS:

- Work plan approval is issued for scope of work submitted to the Drinking Water Program. Any modifications to the scope of work will require additional work plan review.
- Ensure the boring/exploration hole is backfilled within 24 hours of boring construction.
- Ensure to backfill using a tremie pipe under pressure or equivalent equipment with approved cement grout, proceeding upward from the bottom of the boring/exploration hole.
- Ensure soil borings are sealed per California Well Standards 74-90
 - Cement grout mix ratio of 5-6 gallons of water per 94-pound bag of Portland cement.
 - Up to 6% of Bentonite may be added to the cement-based mix.
 - No hydrated Bentonite chips
- Borings/Exploration holes must comply with all applicable requirements published in the California Well Standards (Bulletins 74-81 and 74-90) and the Los Angeles County Code, Title 11.



Appendix B

Health and Safety Plan



Radha Hotels USA, LLC
9 Rapallo
Irvine, California 92614

Health and Safety Plan

June 18, 2021

Citadel Project Number 1870.1001.0

Wilshire Westgate
11905 Wilshire Boulevard
Los Angeles, California 90025

www.CitadelEHS.com

Table of Contents

1.0 SITE DESCRIPTION	1
2.0 BACKGROUND.....	1
3.0 SAFETY POLICY	2
4.0 WORK DESCRIPTION	3
5.0 KEY PROJECT PERSONNEL AND RESPONSIBILITIES	4
PROJECT MANAGER.....	4
SITE SAFETY OFFICER/PROJECT MONITOR	5
SUBCONTRACTOR PERSONNEL.....	5
6.0 SITE CONTROL MEASURES.....	5
7.0 STANDARD OPERATING PROCEDURES	5
GENERAL SAFETY.....	5
HAZARD EVALUATION	6
COMMUNICATION PROCEDURES	6
FIELD VEHICLES.....	6
MANUAL LIFTING	6
HEAT EXPOSURE	6
8.0 PERSONAL PROTECTIVE EQUIPMENT.....	7
9.0 DECONTAMINATION PROCEDURES.....	8
10.0 EMERGENCY PROCEDURES	9
SIGNATURE PAGE	12

1.0 SITE DESCRIPTION

Citadel EHS (Citadel) has prepared this Health and Safety Plan (HASP) for use during Phase II Subsurface Investigation activities to be conducted at Wilshire Westgate located at 11905 Wilshire Boulevard in the City of Los Angeles, California (Site). The Site consists of one single-story building of approximately 7,500 square feet (SF), asphalt-paved surface parking areas, and associated landscaping on approximately 0.52 acres of land. Activities conducted under Citadel's direction at the Site will be in compliance with applicable Occupational Safety and Health Administration (OSHA) regulations, particularly those in Title 8 California Code of Regulations (CCR) 5192, and other applicable federal, state, and local laws, regulations, and statutes. A copy of this HASP will be kept onsite during scheduled field activities.

2.0 BACKGROUND

Citadel reviewed a Phase II Environmental Site Assessment (Phase II ESA) prepared by Western Environmental Engineers Co. (WEECO) in 2001; and a Time Critical Removal Action Workplan prepared by Leymaster Environmental Consulting, LLC (LEC) in 2019. The Site has been occupied by dry cleaning facilities in the northwestern portion of the building from 1977 to the present. Hernan Norge Cleaners has operated at the Site since 2006. Tetrachloroethylene (PCE) was used at the Site from 1977 to 2006 as a dry cleaning solvent. The Site also has a former café and restaurant space in the southeastern portion of the building. The surrounding properties include an office building to the northeast, residential apartment buildings to the northwest, and various commercial properties to the southwest and southeast.

In 2000, Maurison Environmental Engineering Consultants (MEEC) drilled and sampled four soil borings in the vicinity of the dry cleaning machine at the Site. During this investigation eight soil samples were collected. The deepest soil sample was collected from 6 feet below ground surface (bgs). PCE was reported at concentrations ranging from 0.034 milligrams per kilogram (mg/kg) to 5.48 mg/kg in soil.

In October 2001, an additional five soil borings were drilled and sampled by WEECO. A total of 10 soil samples were collected at depths ranging from three to eight feet bgs. The investigation detected PCE in all but one sample at concentrations ranging from 0.05 mg/kg to 21 mg/kg. WEECO described the soils encountered at the site as clay and silty clay.

In April 2002, Remediation Sciences, Inc. (RSI) collected soil samples from five soil borings at the Site. Each boring was advanced to approximately 20 feet bgs. Twenty four soil samples were collected and analyzed. The analytical results of the soil samples indicated that PCE was detected in four of the five borings and in 15 of the 19 soil samples collected at concentrations ranging from 0.014 mg/kg to 5,965 mg/kg.

In May 2002, RSI drilled and sampled a proposed groundwater monitoring well on the southwest side of the drycleaner. The boring was drilled at a 14-degree angle from the vertical to reach beneath the building. Soil samples were collected at five-foot slanted angle intervals starting at 25-feet bgs to a total depth of 45 feet bgs. No groundwater samples were collected due to encountering a perched groundwater zone that did not have sufficient groundwater to collect a sample. The analytical results of the four soil samples indicated that PCE was detected at a maximum concentration of 0.12 mg/kg.

In a letter dated January 7, 2004, the Los Angeles County Fire Department (LACFD) Health Hazardous Materials Division issued the responsible party a No Further Action Letter. The letter stated that high concentrations of PCE were being allowed to remain in place because the soil is

tight clay, and excavation to the depths needed would jeopardize the integrity of the existing building and therefore, not possible.

Results of a natural spring sampling conducted by the Los Angeles Unified School District (LAUSD) at the nearby University High School revealed the presence of PCE and its degradation products. Sampling conducted on behalf of the Department of Toxic Substance Control (DTSC) in March 2013 found detectable concentrations of PCE in soil vapor samples collected in the vicinity of the Site. The Los Angeles Regional Water Quality Control Board (LARWQCB) issued Investigative Order No. R4-2014-0158 in August 2014 to assist in determining whether the former operations at the Site contributed to the apparent PCE impacts at the spring.

LEC conducted a subsurface investigation in November 2015. The investigation consisted of soil, soil vapor, and groundwater sampling. Four soil borings were drilled to final depths ranging from 19 feet to 25 feet bgs. PCE was detected in all soil borings with the maximum PCE concentration of 100 mg/kg at three feet bgs. Soil vapor probes were installed near each of the soil boring locations with vapor probes at five feet and 15 feet bgs in each boring. PCE was detected in all soil vapor samples at a maximum concentration of 7,500,000 micrograms per cubic meter ($\mu\text{g}/\text{m}^3$). The analytical results from the soil and soil vapor sampling events indicate a source of volatile organic compounds (VOCs) is located near the dry cleaning machine located in the northwestern portion of the dry cleaner unit.

The LARWQCB requested the collection of two groundwater samples from inside the building. This was unsuccessful due to soil lithology and groundwater was not encountered prior to refusal with the limited access drilling rig at 25 feet bgs.

A hydropunch boring was drilled at the southern boundary of the Site in the presumed downgradient groundwater flow direction. A groundwater sample was retrieved at approximately 30 feet bgs using new polyethylene tubing. The analytical results of the groundwater sample contained a PCE concentration of 0.5 micrograms per liter ($\mu\text{g}/\text{l}$) and chloroform concentration of 0.82 $\mu\text{g}/\text{l}$, which are below their respective Maximum Contaminant Levels (MCLs).

In 2019, the property owner entered into a Standard Voluntary Agreement with the DTSC for remediation of the Site. A Time Critical Removal Action Workplan was prepared and submitted by LEC in November 2019. The workplan called for excavation inside the drycleaner of an area of approximately 35 feet by 22 feet to depths of five to 10 feet bgs. The workplan also proposed a post-excavation indoor air survey in the drycleaner and adjacent restaurant space, and the installation of soil vapor probes in the alley between the Site and the apartment buildings to the northwest.

The current plan for the Site is to demolish the existing buildings and to redevelop the Site. The proposed soil excavation activities would be conducted as part of the Site redevelopment. The Client has requested that Citadel conduct an additional Phase II ESA to evaluate the Site beyond the limits of the dry cleaner for potential impacts to soil, soil vapor, and groundwater.

3.0 SAFETY POLICY

Safety will be given primary importance in the planning and operation of this project. It is the policy of Citadel to conform to current OSHA standards in construction and local government agency requirements having authority over the project as regards to Citadel employees and public safety. In addition, due to COVID-19, Citadel will adhere to social distancing guidance.

Each subcontracting firm will assume primary responsibility for the safety of their own work in regard to their employees and other persons. Subcontractors will assume the duty to comply with OSHA, and all other federal, state and local regulations.

The subcontractors work will be monitored by Citadel project managers for implementation of the Citadel HASP, while adhering to their own safety program. Citadel will retain the authority and power to enforce this HASP during the progress of the work. Any deficiencies in safe work practices will be brought to the attention of the subcontractor firm's supervisor for immediate corrective action. If the subcontractor fails or refuses to take corrective action promptly a stop work order shall be issued and the subcontractor or the subcontractor employee may be removed from the project.

4.0 WORK DESCRIPTION

Subsurface Utility Clearance and Subsurface Geophysical Survey

Prior to commencing with Phase II activities, Citadel will mark proposed boring locations and contact Underground Service Alert (USA) for marking off utilities. This will be followed by a contracted geophysical survey to identify and clear the proposed boring locations for subsurface anomalies that may be present. The methods used to locate subsurface anomalies will include magnetometry and ground penetrating radar.

Soil, Soil Vapor, and Groundwater Sampling

Based on reports found on the State Water Resources Control Board's GeoTracker database and previous site investigation, groundwater is anticipated to be at approximately 30 feet bgs, with groundwater flow to the south or southwest. According to the Client, groundwater may be encountered as shallow as 20 feet bgs. To evaluate the soil, soil vapor, and groundwater, Citadel will advance seven exterior borings at the Site.

Soil Borings and Soil Vapor Probes

Four borings will be advanced to groundwater, which is expected to be encountered between 30 and 35 feet bgs, using a direct push drill rig. The locations of the proposed borings are at approximately the four corners of the Site. Two additional borings will be advanced adjacent to the alley to a maximum depth of 25 feet bgs or first encountered groundwater. One boring will be advanced in the alley adjacent to the building using a roto-hammer to the maximum depth attainable. Soil samples will be collected in acetate sleeves at approximate five-foot intervals and prepared per EPA Method 5035. The soil borings will be logged by, or under the supervision of a California Professional Geologist. Split soil samples collected from each sampling interval will be field screened with a photo-ionizing detector (PID) or equivalent field measurement device to monitor the vapor space for the presence of VOCs.

After collection of soil samples, soil vapor sampling probes will be installed in each of the six borings, at depths of five, 15 and 25 feet bgs and at the maximum depth and an intermediate depth in the roto-hammer boring. If groundwater is encountered above 25 feet, the vapor probes will be set approximately one foot above groundwater. All soil vapor sampling probes will be installed in accordance with the California Environmental Protection Agency's (Cal EPA) DTSC –

Active Soil Gas Investigation¹ and Guidance for the Evaluation and Mitigation of Subsurface Vapor Intrusion to Indoor Air². Soil vapor probe tips will be placed within a sand pack at the proposed sampling depths. Approximately six inches of dry bentonite chips will be placed over the sand pack, followed by placement of hydrated bentonite. Gas tight fittings will be placed at the end of the probes at the surface. Soil vapor samples will be collected in glass syringes, or similar vapor sampling container per the procedures described by the Cal EPA's Active Soil Gas Investigation Authority approximately two hours after the probes have been installed.

Following the collection of soil and soil vapor samples, the boring locations will be backfilled with hydrated bentonite and the surface will be finished to match the surrounding surface.

The soil samples will be placed in a chilled cooler and the soil vapor samples will be placed in an unchilled cooler for transportation to an accredited laboratory for analysis under proper chain of custody (COC) procedures. A total of approximately 39 soil samples will be submitted to the laboratory. Two soil samples from each boring, 14 total, will be selected for analysis based on the field PID readings. If a PID response is not observed, the soil samples at five and 15 feet bgs will be submitted for analysis. The 14 soil samples will be analyzed for VOCs by EPA Method 8260B and 21 soil vapor samples will also be analyzed for VOCs by EPA Method 8260B.

Groundwater Samples

A groundwater grab sample will be collected from each of the four borings advanced to groundwater, using a dedicated high-density polyethylene (HDPE) bailer. All groundwater samples will be analyzed and reported by a state of California certified laboratory. The groundwater samples will be placed in a chilled cooler for transportation to an accredited laboratory for analysis under proper chain of custody (COC) procedures. A total of approximately four groundwater samples will be submitted to the laboratory and analyzed for VOCs by EPA Method 8260B.

5.0 KEY PROJECT PERSONNEL AND RESPONSIBILITIES

Project Manager	Mike Pendergrass (Citadel)
Site Safety Officer (SSO)/Project Monitor	Tim Lambert (Citadel)
Drilling Subcontractor Personnel	Strongarm Environmental
Geophysical Subcontractor Personnel	GPRS

PROJECT MANAGER

The Project Manager has the ultimate responsibility for the health and safety of personnel at the Site. The Project Manager is responsible for:

- Ensuring that project personnel review and understand the requirements of this HASP;
- Keeping on-site personnel informed of the expected hazards and appropriate protective measures at the Site; and
- Providing resources necessary for maintaining a safe and health work environment

¹ Advisory Active Soil Gas Investigations, California Environmental Protection Agency, Department of Toxic Substance Control, Los Angeles Regional Water Quality Control Board, San Francisco Regional Water Quality Control Board, July 2015.

² Guidance for the Evaluation and Mitigation of Subsurface Vapor Intrusion to Indoor Air, Department of Toxic Substance Control, California Environmental Protection Agency, October 2011.

SITE SAFETY OFFICER/PROJECT MONITOR

The SSO is responsible for enforcing the requirements of this HASP once site work begins. The SSO has the authority to immediately correct situations where noncompliance with this HASP is noted and to immediately stop work in cases where an immediate danger to site workers or the environment is perceived. Responsibilities of the SSO also include:

- Obtaining and distributing PPE and air monitoring equipment necessary for this project;
- Limiting access at the Site to authorized personnel;
- Communicating unusual or unforeseen conditions at the Site to the Project Manager;
- Supervising and monitoring the safety performance of site personnel to evaluate the effectiveness of health and safety procedures and correct deficiencies;
- Conducting daily tailgate safety meetings before each day's activities begin; and
- Conducting a site safety inspection prior to the commencement of each day's field activities.

SUBCONTRACTOR PERSONNEL

Subcontractor personnel are expected to comply with the minimum requirements specified in this HASP. Failure to do so may result in the dismissal of the subcontractor or any of the subcontractor's workers from the job site. Subcontractors may employ health and safety procedures that afford them a greater measure of personal protection than those specified in this plan as long as they do not pose additional hazards to themselves, the environment, or others working in the area.

6.0 SITE CONTROL MEASURES

The SSO or Project Manager has been designated to coordinate access and security on site.

7.0 STANDARD OPERATING PROCEDURES

GENERAL SAFETY

- Maintain good housekeeping at all times in all project work areas.
- Check the work area to determine what problems or hazards may exist.
- Designate specific areas for the proper storage of materials.
- Store tools, equipment, materials, and supplies in an orderly manner.
- Provide containers for collecting trash and other debris.
- Clean up all spills quickly.
- Report unsafe conditions or unsafe acts to your supervisor immediately.
- Report all occupational illnesses, injuries, and vehicle accidents.
- Do not wear loose clothing, wristwatches, and other loose accessories when within arm's reach of moving machinery.
- Emergency exits and evacuation areas should be clearly marked during work activities.
- Personnel fall protection is required when climbing to perform maintenance six feet or higher above ground.
- Inspect hand tools and use proper PPE.
- Ensure proper grounding and guarding of equipment.
- Keep hands and fingers out of pinch points.
- Use good ergonomic posturing when working with heavy items.

HAZARD EVALUATION

The following substances are known or suspected to be on site. The primary hazards of each are identified as follow:

<u>Substances</u>	<u>Concentration</u>	<u>Primary Hazards</u>
Volatile Organic Compounds	Various	Ingestion, inhalation, skin

COMMUNICATION PROCEDURES

Due to the close proximity of all field crew members, the necessity for radio communication is not necessary.

The following standard hand signals will be used:

Hand drawn across throat	Cease operation immediately
Hand gripping throat	Out of air, can't breathe
Grip partner's wrist or both hands around waist	Leave area immediately
Hands on top of head	Need assistance
Thumbs up	OK, I am alright, understood
Thumbs down.....	No, negative

FIELD VEHICLES

- Equip vehicles with emergency supplies and equipment.
- Maintain both a first aid kit and fire extinguisher in the field vehicle at all times.
- Utilize a rotary beacon on vehicle if working adjacent to active roadway.
- Always wear seatbelt while operating vehicle.
- Tie down loose items.

MANUAL LIFTING

- Personnel shall seek assistance when performing manual lifting tasks that appear beyond their physical capabilities.
- Assess the situation before lifting, ensure good lifting and body positioning practices, and ensure good carrying and setting down practices.

HEAT EXPOSURE

- Limit exposure to the sun or take extra precautions when the UV index rating is high.
- Take lunch and breaks in shaded areas.
- Create shade by using umbrellas, tents, and canopies.
- Wear proper clothing: long sleeved shirts with collars, long pants, and UV-protective sunglasses or safety glasses.
- Apply sunscreen generously to all exposed skin surfaces at least 20 minutes before exposure. Re-apply sunscreen at least every 2 hours, and more frequently when sweating or performing activities where sunscreen may be wiped off.
- Communicate any concerns regarding heat stress to a supervisor.
- Keep hydrated throughout the day (about 4 cups per hour).

- OHSA's Heat Index:

Heat Index	Risk Level	Protective Measures
Less than 91°F	Lower (Caution)	Basic heat safety and planning
91°F to 103°F	Moderate	Implement precautions and heighten awareness
103°F to 115°F	High	Additional precautions to protect workers
Greater than 115°F	Very High to Extreme	Triggers even more aggressive protective measures

Utilities (Under Ground and Above Ground): Low Hazard. All boring locations will be hand drilled and stop work will be enforced if any utilities are encountered.

Biological Hazards: Low to Medium Hazard. Beware of spiders, insects and other possible animals.

Site Instability: Low to Medium Hazard. The Site will be inspected prior to equipment placement and closely monitored. Any settling of the equipment will cause the work to stop immediately.

Equipment Refueling: Low Hazard. Equipment shall not be refueled with the engine running. Cigarettes, open flames, or other ignition sources are not allowed within 50 feet of the fueling location.

Personnel Injury: Upon notification of an injury, the Project Field Leader should evaluate the nature of the injury, and the affected person should be decontaminated to the extent possible prior to movement. The Project Field Leader shall initiate the appropriate first aid, and contact should be made for an ambulance and with the designated medical facility (if required).

Fire/Explosion: The fire department shall be alerted, and all personnel moved to a safe distance from the involved area.

Other Equipment Failure: If any other equipment on site fails to operate properly, the Project Team Leader shall be notified and then determine the effect of this failure on continuing operations on site. If the failure affects the safety of personnel or prevents completion of the Work Plan tasks, work will cease until the situation is evaluated and appropriate actions taken.

8.0 PERSONAL PROTECTIVE EQUIPMENT

The purpose of PPE is to protect employees from hazards and potential hazards they are likely to encounter during site activities. The amount and type of PPE used will be based on the nature of the hazard encountered or anticipated. Respiratory protection will be utilized when an airborne hazard has been identified using real-time air monitoring devices, or as a precautionary measure in areas designated by the SSO, elevating to level C. If this occurs, contractor personnel shall be respirator-approved.

Dermal protection, primarily in the form of chemical-resistant gloves and coveralls, will be worn whenever contact with chemically affected materials (e.g. soils, groundwater, sludge) is anticipated, without regard to the level of respiratory protection required.

Based on evaluation of potential hazards, the following levels of personal protection have been designated for the applicable work areas or tasks:

<u>Location</u>	<u>Job Function</u>	<u>Level of Protection</u>
Controlled Area	All Workers	A B C D Other

Specific protective equipment for each level of protection is as follows:

Level A

Fully-encapsulating suit
SCBA

Disposable coveralls

Level C

Splash gear
Half-face canister respirator with H₂S/VOC cartridge
Mouth/nose canister respirator
Efficiency 100 (HEPA)

Level B

Splash gear
SCBA

Level D

Hard hat
Ear plugs
Neoprene or leather gloves - nitrile gloves
Safety vests and Glasses
Hard toe boots

NO CHANGES TO THE SPECIFIED LEVELS OF PROTECTION SHALL BE MADE WITHOUT THE APPROVAL OF THE SSO OR PROJECT MANAGER.

9.0 DECONTAMINATION PROCEDURES

Despite protective procedures, personnel may come in contact with potentially hazardous compounds while performing work tasks. If so, decontamination needs to take place using an Alconox or tri-sodium phosphate (TSP), followed by a rinse with clean water. Standard decontamination procedure for levels C and D are as follows:

- Equipment drop
- Safety boot wash and rinse
- Glove wash and rinse
- Respirator removal
- Glove removal
- Field wash of hands and face

Workers should employ only applicable steps in accordance with level of PPE worn and extent of contamination present. The SSO shall maintain adequate quantities of clean water to be used for personal decontamination (i.e. field wash of hands and face) whenever a suitable washing facility is not located in the immediate vicinity of the work area. Disposable items will be disposed of in an appropriate container. Wash and rinse water generated from decontamination activities will be handled and disposed of properly. Non-disposable items may need to be sanitized before reuse. Each site worker is responsible for the maintenance, decontamination, and sanitizing of his/her own PPE.

Used equipment may be decontaminated as follows:

- An Alconox or TSP and water solution will be used to wash the equipment.
- The equipment will then be rinsed with clean water.


Each person must follow these procedures to reduce the potential for transferring chemically affected materials offsite.

10.0 EMERGENCY PROCEDURES

In the event of an emergency, site personnel will signal distress with three blasts of a horn (a vehicle horn will be sufficient), or other predetermined signal. Communication signals, such as hand signals, must be established where communication equipment is not feasible or in areas of loud noise.

The SSO will designate evacuation routes and refuge areas to be used in the event of an emergency. Site personnel will stay upwind from vapors or smoke and upgradient from spills. Workers should exit through the established decontamination areas wherever possible. If evacuation cannot be done through an established decontamination area, site personnel will go to the nearest safe location and remove contaminated clothing there. Personnel will assemble at the predetermined refuge following evacuation and decontamination. The SSO will count and identify site personnel to verify that all personnel have been evacuated safely. Please refer to Figure 1.0 for the evacuation route and refuge location.

FIGURE 1.0 – EVACUATION ROUTE AND REFUGE AREAS




= Approximate Site Boundaries

= Refuge Areas

The designated medical facility is:

Ronald Reagan UCLA Medical Center Emergency Room
924 Westwood Boulevard, Suite 300
Los Angeles, California 90095
Telephone: (310) 794-0585



Directions:

Head northeast on Wilshire Boulevard toward Westgate Avenue
Turn left onto Gayley Avenue
Turn right onto Charles E. Young Drive South
Turn right at the next driveway (Emergency Department)

1.4 miles
0.6 mile
233 feet

Local ambulance service is available from:

Name: Local Paramedics
Phone: 911

First-aid equipment is available in the SSO's vehicle.

List of emergency phone numbers:

<u>Agency/Facility</u>	<u>Phone</u>
Police/Fire	911
Hospital	(310) 794-0585

This HASP has been prepared by:



 Digitally signed by
Shirley Lee
Date: 2021.06.18
16:50:29 -07'00'
Shirley Lee
Senior Staff Environmental Specialist, Engineering and Environmental Sciences

This HASP has been reviewed by:

 Digitally signed by T.
T. Michael Pendergrass
Date: 2021.06.18 16:50:04
-07'00'
T. Michael Pendergrass, PG
Senior Project Geologist, Engineering and Environmental Sciences

SIGNATURE PAGE

The following signatures indicate that this Health and Safety Plan (HASP) has been read and accepted by all site personnel.

NAME	COMPANY	SIGNATURE	DATE
Tim Lambert	Citadel EHS		6-21-21
Frank Rodriguez	SEFS		6-21-21
Francisco Mora	SEFS		6-21-21
Jose Martinez	SEFS		6-21-21
Tim Lambert	CitadelEHS		6-22-21

Appendix C Boring Logs

Boring I.D. B1		Project No. 1870.1001.0		Project Phase II Subsurface Investigation				 CITADEL EHS assess • resolve • strengthen	
Location 11905 Wilshire Boulevard						Logged By: TL			
Drilling Method Direct Push		Driller Strongarm Environmental				Checked By: MP			
Drilling Date 6/21/2021		Start Time 0805		Completion Time 1130		Backfilling Grout/Bentonite	#3 Sands	Total Depth (feet) 40	
Depth (feet)	Sample ID	Sample Time	PID (ppm)	Munsel Color	USCS	Soil Description			
1						Asphalt			
2									
3									
4									
5	B1-5	0811	0.0	10YR 5/3	CL	Clay, very friable, slightly moist, non-plastic, non-sticky, brown			
6									
7									
8									
9									
10	B1-10	0816	0.0	10YR 4/4	ML	Clayey Silt, friable, slightly moist, non-plastic, non-sticky, dark yellowish brown			
11									
12									
13									
14									
15	B1-15	0822	0.0	10YR 4/4	ML	Clayey Silt, friable, slightly moist, non-plastic, non-sticky, dark yellowish brown			
16									
17									
18									
19									
20	B1-20	1045	0.0	5Y 4/2	ML	Silt, with gravel, dry, loose, olive gray			
21									
22									
23									
24									
25	B1-25	1055	28	5Y 3/1	CL	Clay, moist, very friable, non-sticky, non-plastic, very dark gray			

Boring I.D. B1		Project No. 1870.1001.0		Project Phase II Subsurface Investigation				 CITADEL EHS assess • resolve • strengthen	
Location 11905 Wilshire Boulevard						Logged By: TL			
Drilling Method Direct Push		Driller Strongarm Environmental				Checked By: MP			
Drilling Date 6/21/2021		Start Time 0805		Completion Time 1130		Backfilling Grout/Bentonite	#3 Sands	Total Depth (feet) 40	
Depth (feet)		Sample ID	Sample Time	PID (ppm)	Munsel Color	USCS	Soil Description		
26									
27									
28									
29									
30		B1-30	1101	54	10YR 4/3	CL	Silty Clay, moist, firm, non-plastic, non-sticky, brown		
31									
32									
33									
34									
35		B1-35	1117	0.0	10YR 4/3	CL	Clay, moist, firm, plastic, non-sticky, brown		
36									
37									
38									
39									
40							No Sample		
41							TD=40'		
42									
43									
44									
45									
46									
47									
48									
49									
50									
End exploration at 40' bgs									

Vapor probes installed at 5', 15' and 25' bgs

Boring I.D. B2		Project No. 1870.1001.0	Project Phase II Subsurface Investigation				 CITADEL EHS assess • resolve • strengthen		
Location 11905 Wilshire Boulevard						Logged By: MP			
Drilling Method Direct Push		Driller Strongarm Environmental				Checked By: MP			
Drilling Date 6/21/2021		Start Time 0840		Completion Time 1010		Backfilling #3 Sands Grout/Bentonite	Total Depth (feet) 31		
Depth (feet)		Sample ID	Sample Time	PID (ppm)	Munsel Color	USCS	Soil Description		Graphic Log
1							Asphalt		
2									
3									
4									
5	B2-5	0910	0.0	10YR 4/6	ML	Silt, hard, dry, dark yellowish brown			
6						Extremely hard			
7									
8									
9									
10									
11									
12	B2-12	0933	0.0	10YR 4/2	ML	Silt, dry, slightly hard, dark grayish brown			
13									
14									
15	B2-15	0940	0.0	5YR 5/3	ML	Clayey Silt, slightly moist, firm, reddish brown			
16									
17									
18									
19									
20	B2-20	0948	0.0	10YR 4/2	ML	Silt with gravel, slightly moist, loose, drak grayish brown			
21									
22									
23									
24									
25	B2-25	1001	0.0	10YR 4/2	ML	Clayey Silt, moist, very friable, dark grayish brown			

Boring I.D. B2		Project No. 1870.1001.0	Project Phase II Subsurface Investigation				 CITADEL EHS assess • resolve • strengthen
Location 11905 Wilshire Boulevard						Logged By: MP	
Drilling Method Direct Push	Driller Strongarm Environmental				Checked By: MP		
Drilling Date 6/21/2021	Start Time 0840	Completion Time 1010	Backfilling Grout/Bentonite	#3 Sands	Total Depth (feet) 31	Depth to Groundwater (feet) 29.5	
Depth (feet)	Sample ID	Sample Time	PID (ppm)	Munsel Color	USCS	Soil Description	Graphic Log
26							
27							
28							
29						Groundwater Sample Collected at 29.5 feet bgs Clay, wet, very friable, non-plastic, non-sticky, dark reddish brown	
30	B2-30	1009	0.0	5YR 3/4	CL		
31							
32						TD=31'	
33							
34							
35							
36							
37							
38							
39							
40							
End exploration at 31' bgs							

Soil Vapor Probes set at 5', 15' and 25' bgs

Boring I.D. B3		Project No. 1870.1001.0		Project Phase II Subsurface Investigation				 CITADEL EHS assess • resolve • strengthen
Location 11905 Wilshire Boulevard						Logged By: TL		
Drilling Method Direct Push		Driller Strongarm Environmental			Checked By: MP			
Drilling Date 6/21/2021		Start Time 1305		Completion Time 1430		Backfilling Grout/Bentonite	#3 Sands	Total Depth (feet) 17
Depth (feet)		Sample ID	Sample Time	PID (ppm)	Munsel Color	USCS	Soil Description	
1							Asphalt	
2								
3								
4								
5	B3-5	1315	0.0	7.5YR 5/4	ML	Clayey Silt, dry, hard, brown		
6								
7								
8								
9								
10	B3-10	1345	0.0	10YR 4/2	ML	Clayey Silt, dry, hard, dark grayish brown		
11								
12								
13								
14								
15								
16								
17	B3-17	1420	0.0	2.5Y 4/2	ML	Silt, dry, loose, dark grayish brown TD=17'		
18								
19								
20								
21								
22								
23								
24								
25								
End exploration at 17'								

Soil Vapor Probes set at 5' and 15' bgs

Boring I.D. B4		Project No. 1870.1001.0		Project Phase II Subsurface Investigation				 CITADEL EHS <i>assess • resolve • strengthen</i>	
Location 11905 Wilshire Boulevard						Logged By: TL			
Drilling Method Direct Push		Driller Strongarm Environmental				Checked By: MP			
Drilling Date 6/21/2021		Start Time 1620		Completion Time 1750		Backfilling Grout/Bentonite	#3 Sands	Total Depth (feet) 32	
						Depth to Groundwater (feet) 28.15			
Depth (feet)	Sample ID	Sample Time	PID (ppm)	Munsel Color	USCS	Soil Description			
1						Asphalt			
2									
3									
4									
5	B4-5	1646	0.0	2.5Y 4/2	ML	Silt, dry, slightly hard, dark grayish brown			
6									
7									
8									
9									
10	B4-10	1653	0.0	10YR 4/2	ML	Clayey Silt, hard, dry, dark grayish brown			
11									
12									
13									
14									
15	B4-15	1701	0.0	10YR 4/2	CL	Silty Clay, slightly hard, slightly moist, non-plastic, non-sticky, dark grayish brown			
16									
17									
18									
19									
20	B4-20	1716	0.0	10YR 4/3	CL	Silty Clay, friable, slightly moist, non-plastic, non-sticky brown			
21									
22									
23									
24									
25	B4-25	1725	0.0	10YR 4/3	CL	Clay, friable, moist, slightly plastic, non-sticky, brown			

Boring I.D. B4		Project No. 1870.1001.0	Project Phase II Subsurface Investigation				 CITADEL EHS assess • resolve • strengthen
Location 11905 Wilshire Boulevard						Logged By: TL	
Drilling Method Direct Push	Driller Strongarm Environmental				Checked By: MP		
Drilling Date 6/21/2021	Start Time 1620	Completion Time 1750	Backfilling Grout/Bentonite	#3 Sands	Total Depth (feet) 32	Depth to Groundwater (feet) 28.15	
Depth (feet)	Sample ID	Sample Time	PID (ppm)	Munsel Color	USCS	Soil Description	Graphic Log
26							
27							
28					▼	Groundwater Sample Collected at 28 feet bgs	
29							
30	B4-30	1747	0.0	2.5Y 3/2	ML	Gravely Silt, slightly moist, very friable	
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
End exploration at 32'							

Soil Vapor Probes set at 5', 15' and 25' bgs

Boring I.D. B5	Project No. 1870.1001.0	Project Phase II Subsurface Investigation					 CITADEL EHS assess • resolve • strengthen
Location 11905 Wilshire Boulevard					Logged By: TL		
Drilling Method Hammer Drill	Driller Citadel					Checked By: MP	
Drilling Date 6/21/2021	Start Time 1235	Completion Time 1300	Backfilling Bentonite	#3 Sands	Total Depth (feet) 10	Depth to Groundwater (feet) NA	
Depth (feet)	Sample ID	Sample Time	PID (ppm)	Munsel Color	USCS	Soil Description	
1						Asphalt	
2						Drilled with the hammer drill, no soil samples collected.	
3							
4							
5							
6							
7							
8							
9							
10							
11						TD=10'	
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
End exploration at 10'							

Soil Vapor Probes set at 5' and 10' bgs

Boring I.D. B6		Project No. 1870.1001.0	Project Phase II Subsurface Investigation				 CITADEL EHS assess • resolve • strengthen
Location 11905 Wilshire Boulevard						Logged By: MP	
Drilling Method Direct Push	Driller Strongarm Environmental				Checked By: MP		
Drilling Date 6/21/2021	Start Time 1500		Completion Time 1545		Backfilling Grout/Bentonite	#3 Sands	Total Depth (feet) 15
						Depth to Groundwater (feet) NA	
Depth (feet)	Sample ID	Sample Time	PID (ppm)	Munsel Color	USCS	Soil Description	
1						Asphalt	
2							
3							
4							
5	B6-5	1515	0.0	10YR 4/4	ML	Clayey Silt, dry, hard, dark yellowish brown	
6							
7							
8							
9							
10	B6-10	1532	0.0	10YR 3/2	ML	Sandy Clayey Silt, dry, slightly hard, very dark grayish brown	
11							
12							
13							
14							
15	B6-15	1544	0.0	10YR 3/4	ML	Clayey Silt, dry, hard, dark yellowish brown	
16						TD=15'	
17							
18							
19							
20							
21							
22							
23							
24							
25							
End exploration at 15'							

Soil Vapor Probes set at 5' and 15' bgs

Boring I.D. B7	Project No. 1870.1001.0	Project Phase II Subsurface Investigation				 CITADEL EHS assess • resolve • strengthen	
Location 11905 Wilshire Boulevard				Logged By: TL			
Drilling Method Hammer Drill	Driller Citadel				Checked By: MP		
Drilling Date 6/22/2021	Start Time ~0800	Completion Time ~1120	Backfilling Bentonite	#3 Sands	Total Depth (feet) 3	Depth to Groundwater (feet) NA	
Depth (feet)	Sample ID	Sample Time	PID (ppm)	Munsel Color	USCS	Soil Description	Graphic Log
1						Asphalt	
2						Drilled with the hammer drill, no soil samples collected.	
3						TD=3'	
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
End exploration at 3' Soil Vapor Probe set at 3' bgs							

Boring I.D. B8	Project No. 1870.1001.0	Project Phase II Subsurface Investigation				 CITADEL EHS assess • resolve • strengthen	
Location 11905 Wilshire Boulevard				Logged By: TL			
Drilling Method Hammer Drill	Driller Citadel				Checked By: MP		
Drilling Date 6/22/2021	Start Time ~0800	Completion Time ~1120	Backfilling Bentonite	#3 Sands	Total Depth (feet) 3	Depth to Groundwater (feet) NA	
Depth (feet)	Sample ID	Sample Time	PID (ppm)	Munsel Color	USCS	Soil Description	Graphic Log
1						Asphalt	
2						Drilled with the hammer drill, no soil or soil vapor samples collected.	
3						TD=3'	
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
End exploration at 3'							

Boring I.D. B9	Project No. 1870.1001.0	Project Phase II Subsurface Investigation				 CITADEL EHS assess • resolve • strengthen	
Location 11905 Wilshire Boulevard				Logged By: TL			
Drilling Method Hammer Drill	Driller Citadel				Checked By: MP		
Drilling Date 6/22/2021	Start Time ~0800	Completion Time ~1120	Backfilling Bentonite	#3 Sands	Total Depth (feet) 3	Depth to Groundwater (feet) NA	
Depth (feet)	Sample ID	Sample Time	PID (ppm)	Munsel Color	USCS	Soil Description	Graphic Log
1						Asphalt	
2						Drilled with the hammer drill, no soil samples collected.	
3						TD=3'	
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
End exploration at 3' Soil Vapor Probe set at 3' bgs							

Appendix D

Citadel Field Notes

CITADEL EHS
PROJECT DOCUMENTATION



CLIENT	Radha Hotels USA, LLC	PAGE	1 OF 2
PROJECT NUMBER	1870.1001.0	CITADEL REPRESENTATIVE	Tim Lambert
PROJECT NAME	Phase II investigation	CONTRACTOR	Strongarm Environmental
PROJECT WORK AREA	11905 Wilshire Boulevard, LA	SUPERVISOR	
PROJECT LOCATION	11905 Wilshire Boulevard, LA		Mike Pendergrass

TIME	FIELD NOTES
0700	Citadel on site. Meet with Strongarm and GPRS to walk the site and discuss scope of work. Conduct safety meeting and review HASP.
0715	GPRS begins utility survey.
0745	Boring B1 is cleared. Begin setup.
0805	Drilling begins at B1.
0835	B1 refusal at 17'. Crew moves to B2. Will attempt B1 again later.
0840	Drilling begins at B2.
0855	Extremely hard soil is encountered at 7' in B2.
0925	B2 10' liner is jammed in the rod. Crew attempts to remove it. Resume drilling. Currently stuck at 12'.
1010	Crew passes through a wet layer from 27'-29'. Boring stops at 31'. Remove rods and allow to recharge with water.
1035	Return to B1. Resume drilling.
1130	B1 advanced to 40'. No groundwater.
1150	Break for lunch.
1220	Return from lunch.
1228	Groundwater sampled at B2.
1235	Begin hand drilling B5.
1300	B5 drilled to 10' bgs.
1305	Drilling begins at B3. Due to jamming liners, the crew will push in two foot intervals.
1420	Ultimate refusal at 17'.
1435	Begin sampling groundwater at B1.
1450	Begin setting B5 probes at 5'+10'.

CITADEL REPRESENTATIVE:	Tim Lambert	DAY:	Monday
SIGNATURE:		DATE:	6-21-21

CITADEL EHS PROJECT DOCUMENTATION



CLIENT	Radha Hotels USA, LLC	PAGE	2 OF 2
PROJECT NUMBER	1870.1001.0	CITADEL REPRESENTATIVE	Tim Lambert
PROJECT NAME	Phase II Investigation	CONTRACTOR	Strongarm Environmental
PROJECT WORK AREA	11905 Wilshire Boulevard, LA	SUPERVISOR	Mike Pendergrass
PROJECT LOCATION	11905 Wilshire Boulevard, LA		

CITADEL REPRESENTATIVE:	Tim Lambert	DAY:	Monday
SIGNATURE:		DATE:	6-21-21

CITADEL EHS
PROJECT DOCUMENTATION



CLIENT	Radha Hotels USA, LLC	PAGE	1 OF 2
PROJECT NUMBER	1870.1001.0	CITADEL REPRESENTATIVE	Tim Lambert
PROJECT NAME	Phase II Investigation	CONTRACTOR	Strongarm Environmental
PROJECT WORK AREA	11905 Wilshire Boulevard, LA	SUPERVISOR	Mike Pendergrass
PROJECT LOCATION	11905 Wilshire Boulevard, LA		

TIME	FIELD NOTES
0730	Citadel on site. Begin setup at B7.
0800	Drilling begins at B7 with the hand roto-hammer drill.
0820	Refusal is met at 2 1/2 feet. Begin drilling alternate locations to attempt to achieve depth.
1120	A total of eight locations were attempted. All borings met refusal between 2 1/2' + 3' bgs. Three locations are chosen for shallow vapor sampling. The remaining locations will be patched. Begin setting probes.
1145	B7-3A, B8-3B, + B9-3C are set and remaining holes are patched.
1200	Begin sampling B1 probes.
1255	B1 probes are sampled and boring is patched. Begin sampling B2 probes.
1340	B2 probes are sampled and boring is patched. Begin Sampling B4 probes.
1420	B4 probes sampled and boring is patched. Begin sampling B3 probes.
1445	B3 probes are sampled and boring is patched. Begin sampling B6 probes.
1515	B6 probes are sampled. Probe # B6-15V produced very little volume. Boring is patched. Begin sampling B5 probes.
1530	B5 probes sampled and boring is patched. Begin sampling probes B7-3A, B8-3B , + B9-3C
CITADEL REPRESENTATIVE:	Tim Lambert
SIGNATURE:	
	DAY: Tuesday
	DATE: 6-22-21

CITADEL EHS
PROJECT DOCUMENTATION



CLIENT	Radha Hotels USA, LLC	PAGE	2 OF 2
PROJECT NUMBER	1870.1001.0	CITADEL REPRESENTATIVE	Tim Lambert
PROJECT NAME	Phase II investigation	CONTRACTOR	Strongarm Environmental
PROJECT WORK AREA	11905 Wilshire Boulevard, LA	SUPERVISOR	Mike Pendergrass
PROJECT LOCATION	11905 Wilshire Boulevard, LA		

CITADEL REPRESENTATIVE:

Tim Lambert

DAY: Tuesday

SIGNATURE:

Tin jacket

DATE: 6-22-21

Appendix E

Photographic Log

PHOTOGRAPHIC LOG



PHOTO 1: Drilling operations at B2 (6/21/21).




PHOTO 2: Drilling operations at B6 (6/21/21).

PHOTOGRAPHIC LOG




PHOTO 3: Installing boring B5 (6/21/21).




PHOTO 4: Installing boring B7 with the Roto-Hammer Drill (6/22/21).

PHOTOGRAPHIC LOG



PHOTO 5: Installing vapor probes in boring B5 (6/21/21).




PHOTO 6: Vapor probe B9 in the alley (6/22/21).

Appendix F

Laboratory Reports and

Chain of Custody Documentation



AMERICAN SCIENTIFIC LABORATORIES, LLC
Environmental Testing Services
2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

30 June 2021

Michael Pendergrass
Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale, CA 91201

Work Order #: 2106169

Project Name: Radha Hotels USA, LLC

Project ID: 1870.1001.0

Site Address: 11905 Wilshire Boulevard, LA

Enclosed are the results of analyses for samples received by the laboratory on June 22, 2021. If you have any questions concerning this report, please feel free to contact us.

Molky Brar

Laboratory Director

American Scientific Laboratories, LLC (ASL) accepts sample materials from clients for analysis with the assumption that all of the information provided to ASL verbally or in writing by our clients (and/or their agents), regarding samples being submitted to ASL, is complete and accurate. ASL accepts all samples subject to the following conditions:

- 1) ASL is not responsible for verifying any client-provided information regarding any samples submitted to the laboratory.
- 2) ASL is not responsible for any consequences resulting from any inaccuracies, omissions, or misrepresentations contained in client-provided information regarding samples submitted to the laboratory.

AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA, CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Page 1 of 3

COC#

GLOBAL ID

E REPORT:

■ PDF

EDF

ANALYSIS REQUESTED

C H A - N O		C H A - N O		C H A - N O		C H A - N O		C H A - N O		C H A - N O		C H A - N O	
Company:	Citadel EHS	Project Name :	Radha Hotels USA, LLC	Address:		Invoice To:		Address:		Address:		Address:	
Address:	1725 Victory Boulevard	Site Address:	11905 Wilshire Boulevard, LA	Project ID:	1870.1001.0	P.O #:	1870.1001.0	Container(s)		Matrix		Preservation	
Glendale, California 91201													
Telephone:	818-296-9405	Email:	mpendergrass@citadelehhs.com	Project Manager:	Mike Pendergrass								
Special Instruction:													
Collected By: <u>Jeanne Laienbecker</u>	Date Collected: <u>6-22-16</u>	Date Relinquished: <u>6-22-16</u>	Time Collected: <u>11:22</u>	Time Relinquished: <u>11:22</u>	Date Received: <u>6-22-16</u>	Date For Laboratory: <u>6-22-16</u>	Date Date: <u>6-22-16</u>	Date Condition of Sample: <u>Normal</u>	Time Time: <u>17:16</u>				
Relinquished By: <u>Jeanne Laienbecker</u>	Date Relinquished: <u>6-22-16</u>	Date Received: <u>6-22-16</u>	Time Relinquished: <u>11:22</u>	Time Received: <u>11:22</u>	Date For Laboratory: <u>6-22-16</u>	Date Date: <u>6-22-16</u>	Date Condition of Sample: <u>Normal</u>	Time Time: <u>17:16</u>	Time Time: <u>17:16</u>	Time Time: <u>17:16</u>	Time Time: <u>17:16</u>	Time Time: <u>17:16</u>	Time Time: <u>17:16</u>
Received By: <u>Jeanne Laienbecker</u>	Date Received: <u>6-22-16</u>	Date Date: <u>6-22-16</u>	Time Received: <u>11:22</u>	Time Date: <u>11:22</u>	Date Condition of Sample: <u>Normal</u>	Date Normal: <u>6-22-16</u>	Date Rush: <u>6-22-16</u>	Time Time: <u>17:16</u>	Time Time: <u>17:16</u>	Time Time: <u>17:16</u>	Time Time: <u>17:16</u>	Time Time: <u>17:16</u>	Time Time: <u>17:16</u>
Condition of Sample: <u>Normal</u>	Normal: <input checked="" type="checkbox"/>	Rush: <input type="checkbox"/>											
Site - Report, Yellow - Laboratory, Pink - Client													

AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA, CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

OOC# GLOBAL ID**E REPORT:** ■ PDF EDF ASL JOB# 2106169

C		H		A		N		O		F		C		U		S		T		O		D		Y		R		E		C		O		R		D	
Company:		Citadel EHS		Project Name :		Radha Hotels USA, LLC		Address:		Invoice To:		Use lowest Detection Limits		Report MDLs		Report To:		Analysis Requested		Remarks																	
T	E	Company:	Address:	Site Address:	11905 Wilshire Boulevard, LA	Telephone:	818-296-9405	Special Instruction:	Project ID: 1870.1001.0	Email: mpendergrass@citadellehs.com	Project Manager:	Mike Pendergrass	P.O.#:	1870.1001.0	VACS 850A	Report To:	Analysis Requested	Remarks																			
LAB USE ONLY		SAMPLE ID		SAMPLE DESCRIPTION		Date		Time		#		Container(s)		Matrix		Preservation		Remarks																			
T	E	Lab ID	Sample ID	Project Name :	Radha Hotels USA, LLC	Address:	Invoice To:	Address:	Project ID:	Special Instruction:	Email:	Project Manager:	P.O.#:	VACS 850A	Report To:	Analysis Requested	Remarks	Remarks	Remarks	Remarks	Remarks	Remarks	Remarks	Remarks	Remarks	Remarks	Remarks	Remarks	Remarks								
2106169-11		B1-5V		C-12-21	1225	1	Tedlar	Air	1235				N/A																								
2106169-12		B1-15V							1245																												
2106169-13		B1-25V							1305																												
2106169-14		B2-5V							1315																												
2106169-15		B2-15V							1325																												
2106169-16		B2-25V							1355																												
2106169-17		B4-5V							1405																												
2106169-18		B4-15V							1415																												
2106169-19		B4-25V							1425																												
2106169-20		B3-5V																																			
Collected By:	Tim Lambert	Date	C-22-21	Time	1600	Relinquished By:		Date	Time	TAT	Received For Laboratory	Janet	Date	Time	Normal	Condition of Sample:																					
Relinquished By:	Tan Jankut	Date	C-22-21	Time	1716	Received For Laboratory	Janet	Date	Time	Rush																											
Received By:		Date	Time																																		

White - Report, Yellow - Laboratory, Pink - Client

AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA, CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Page 3 of 3

COC#

GLOBAL ID

E REPORT:

■ PDF ■ EDF ■ EDD ■ ASL JOB# 2106169

C		H		A		N		O		F		C		U		S		T		O		D		Y		R		E		C											
Company:		Citadel EHS		Project Name :		Radha Hotels USA, LLC		Address:		Invoice To:		Report To:		Use Lowest Detection Limits		Report MDLs		Remarks		Preservation		Matrix		Container(s)		Type		Time		Date		Sample ID		SAMPLE DESCRIPTION		Project Manager:		P.O.#:		ANALYSIS REQUESTED	
T	E	Lab USE ONLY	M	Lab ID	Sample ID	Date	Time	#	Container(s)	Matrix	Preservation																														
2106169-21		B3 - 15V		6-22-21	1435	1	Tedlar	Air		N/A	X																														
2106169-22		B6 - 5V			1450						X																														
2106169-23		B6 - 15V			1500						X																														
2106169-24		B5 - 5V			1520						X																														
2106169-25		B5 - 10V			1525						X																														
2106169-26		B7 - 3A			1534						X																														
2106169-27		B9 - 3C			1552						X																														
Collected By:	<u>Tim Lambert</u>		Date	6-22-21	Time	1600	Relinquished By:			Date	Time	TAT		Received			For Laboratory			Janet Chin	Date	Time	Normal		Condition of Sample:			Received By:			Site - Report, Yellow - Laboratory, Pink - Client										
Relinquished By:	<u>Tim Lambert</u>		Date	6-22-21	Time	1710																																			
			Date		Time																																				



Job# 2106169

ASL Sample Receipt Form

Client: Citadel Environmental Services, Inc.

Date: 6-22-2021

Sample Information:

Temperature: 5.5 °C

Blank Sample

Custody Seal:

Yes No Not Available

Received Within Holding Time:

Yes No

Container:

Proper Containers and Sufficient Volume:

Yes No

Soil: 4oz 8oz Sleeve VOA q sets (5035 kit)

Water: 500AG 1AG 125PB 250PB 500PB VOA Other

Air: 17 Tedlar®

Sample Containers Intact:

Yes No

Trip Blank

Yes No

Chain-of-Custody (COC):

Received:

Yes No

Samplers Name:

Yes No

Container Labels match COC:

Yes No


COC documents received complete:

Yes No

Proper Preservation Noted:

Yes No

Completed By: Janet chin



Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass


Work Order No: 2106169
Reported:
06/30/2021 15:50

ANALYTICAL SUMMARY REPORT

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
B6-5	2106169-01	Solid	06/21/2021 15:15	06/22/2021 17:16
B6-15	2106169-03	Solid	06/21/2021 15:44	06/22/2021 17:16
B4-5	2106169-04	Solid	06/21/2021 16:46	06/22/2021 17:16
B4-15	2106169-06	Solid	06/21/2021 17:01	06/22/2021 17:16
B4-GW	2106169-10	Water	06/21/2021 18:08	06/22/2021 17:16
B1-5V	2106169-11	Air	06/22/2021 12:25	06/22/2021 17:16
B1-15V	2106169-12	Air	06/22/2021 12:35	06/22/2021 17:16
B1-25V	2106169-13	Air	06/22/2021 12:45	06/22/2021 17:16
B2-5V	2106169-14	Air	06/22/2021 13:05	06/22/2021 17:16
B2-15V	2106169-15	Air	06/22/2021 13:15	06/22/2021 17:16
B2-25V	2106169-16	Air	06/22/2021 13:25	06/22/2021 17:16
B4-5V	2106169-17	Air	06/22/2021 13:55	06/22/2021 17:16
B4-15V	2106169-18	Air	06/22/2021 14:05	06/22/2021 17:16
B4-25V	2106169-19	Air	06/22/2021 14:15	06/22/2021 17:16
B3-5V	2106169-20	Air	06/22/2021 14:25	06/22/2021 17:16
B3-15V	2106169-21	Air	06/22/2021 14:35	06/22/2021 17:16
B6-5V	2106169-22	Air	06/22/2021 14:50	06/22/2021 17:16
B5-5V	2106169-24	Air	06/22/2021 15:20	06/22/2021 17:16
B5-10V	2106169-25	Air	06/22/2021 15:25	06/22/2021 17:16
B7-3A	2106169-26	Air	06/22/2021 15:36	06/22/2021 17:16
B9-3C	2106169-27	Air	06/22/2021 15:52	06/22/2021 17:16

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amolk Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass


Work Order No: 2106169
Reported:
06/30/2021 15:50

Analytical Results**Client Sample ID: B6-5****Laboratory Sample ID: 2106169-01 (Solid)**

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
Acetone	ND		12.7	50.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
Benzene	ND		0.930	2.00	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
Bromobenzene	ND		3.39	10.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
Bromochloromethane	ND		0.380	10.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
Bromodichloromethane	ND		0.630	10.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
Bromoform	ND		3.39	50.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
Bromomethane	ND		2.75	30.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
2-Butanone	ND		5.83	50.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
n-Butylbenzene	ND		2.05	10.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
sec-Butylbenzene	ND		3.04	10.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
tert-Butylbenzene	ND		1.34	10.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
Carbon disulfide	ND		5.53	10.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
Carbon tetrachloride	ND		2.48	10.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
Chlorobenzene	ND		0.890	10.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
Chloroethane	ND		2.15	30.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
2-Chloroethylvinyl Ether	ND		5.53	50.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
Chloroform	ND		1.24	10.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
Chloromethane	ND		1.74	30.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
4-Chlorotoluene	ND		1.34	10.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
2-Chlorotoluene	ND		2.35	10.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
1,2-Dibromo-3-chloropropane	ND		2.69	50.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
Dibromochloromethane	ND		0.650	10.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
1,2-Dibromoethane	ND		2.75	10.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
Dibromomethane	ND		2.30	10.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
1,2-Dichlorobenzene	ND		1.65	10.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
1,3-Dichlorobenzene	ND		1.03	10.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
1,4-Dichlorobenzene	ND		2.23	10.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
Dichlorodifluoromethane	ND		2.07	30.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
1,1-Dichloroethane	ND		1.30	10.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
1,2-Dichloroethane	ND		1.57	10.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
1,1-Dichloroethene	ND		1.60	10.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
cis-1,2-Dichloroethene	ND		2.16	10.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
trans-1,2-Dichloroethene	ND		2.60	10.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
1,1-Dichloropropene	ND		0.660	10.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
1,2-Dichloropropene	ND		0.920	10.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
1,3-Dichloropropene	ND		1.36	10.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106169
Reported:
06/30/2021 15:50

Analytical Results**Client Sample ID: B6-5****Laboratory Sample ID: 2106169-01 (Solid)**

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
2,2-Dichloropropane	ND		1.12	10.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
cis-1,3-Dichloropropene	ND		0.980	10.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
trans-1,3-Dichloropropene	ND		0.960	10.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
Ethylbenzene	ND		1.00	2.00	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
Hexachlorobutadiene	ND		2.77	30.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
2-Hexanone	ND		3.18	50.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
Isopropylbenzene	ND		1.42	10.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
p-Isopropyltoluene	ND		3.86	10.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
Methyl tert-Butyl Ether (MTBE)	ND		1.81	5.00	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
4-Methyl-2-pentanone (MIBK)	ND		3.14	50.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
Methylene chloride	ND		3.31	50.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
Naphthalene	ND		1.14	10.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
n-Propylbenzene	ND		1.14	10.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
Styrene	ND		0.800	10.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
1,1,1,2-Tetrachloroethane	ND		1.28	10.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
1,1,2,2-Tetrachloroethane	ND		3.25	10.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
Tetrachloroethene	0.940	J	0.930	10.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
Toluene	ND		1.00	2.00	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
1,2,3-Trichlorobenzene	ND		1.23	10.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
1,2,4-Trichlorobenzene	ND		2.82	10.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
1,1,1-Trichloroethane	ND		2.03	10.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
1,1,2-Trichloroethane	ND		1.74	10.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
Trichloroethene	ND		1.15	10.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
Trichlorofluoromethane	ND		3.15	10.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
1,2,3-Trichloropropane	ND		1.74	10.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
1,2,4-Trimethylbenzene	ND		3.19	10.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
1,3,5- Trimethylbenzene	ND		1.23	10.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
Vinyl acetate	ND		10.8	50.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
Vinyl chloride	ND		2.79	30.0	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
m,p-Xylenes	ND		1.80	4.00	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
o-Xylene	ND		1.00	2.00	ug/kg	1	5035	06/25/2021 04:56	SA	8260B
Surrogate: 4-Bromofluorobenzene			120 %	70-120			5035	06/25/2021 04:56	SA	8260B
Surrogate: Dibromofluoromethane			93.8 %	70-120			5035	06/25/2021 04:56	SA	8260B
Surrogate: Toluene-d8			110 %	70-120			5035	06/25/2021 04:56	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amolk Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass


Work Order No: 2106169
Reported:
06/30/2021 15:50

Analytical Results**Client Sample ID: B6-15****Laboratory Sample ID: 2106169-03 (Solid)**

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
Acetone	ND		12.7	50.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
Benzene	ND		0.930	2.00	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
Bromobenzene	ND		3.39	10.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
Bromochloromethane	ND		0.380	10.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
Bromodichloromethane	ND		0.630	10.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
Bromoform	ND		3.39	50.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
Bromomethane	ND		2.75	30.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
2-Butanone	ND		5.83	50.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
n-Butylbenzene	ND		2.05	10.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
sec-Butylbenzene	ND		3.04	10.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
tert-Butylbenzene	ND		1.34	10.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
Carbon disulfide	ND		5.53	10.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
Carbon tetrachloride	ND		2.48	10.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
Chlorobenzene	ND		0.890	10.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
Chloroethane	ND		2.15	30.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
2-Chloroethylvinyl Ether	ND		5.53	50.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
Chloroform	ND		1.24	10.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
Chloromethane	ND		1.74	30.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
4-Chlorotoluene	ND		1.34	10.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
2-Chlorotoluene	ND		2.35	10.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
1,2-Dibromo-3-chloropropane	ND		2.69	50.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
Dibromochloromethane	ND		0.650	10.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
1,2-Dibromoethane	ND		2.75	10.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
Dibromomethane	ND		2.30	10.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
1,2-Dichlorobenzene	ND		1.65	10.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
1,3-Dichlorobenzene	ND		1.03	10.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
1,4-Dichlorobenzene	ND		2.23	10.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
Dichlorodifluoromethane	ND		2.07	30.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
1,1-Dichloroethane	ND		1.30	10.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
1,2-Dichloroethane	ND		1.57	10.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
1,1-Dichloroethene	ND		1.60	10.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
cis-1,2-Dichloroethene	ND		2.16	10.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
trans-1,2-Dichloroethene	ND		2.60	10.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
1,1-Dichloropropene	ND		0.660	10.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
1,2-Dichloropropane	ND		0.920	10.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
1,3-Dichloropropane	ND		1.36	10.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106169
Reported:
06/30/2021 15:50

Analytical Results**Client Sample ID: B6-15****Laboratory Sample ID: 2106169-03 (Solid)**

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
2,2-Dichloropropane	ND		1.12	10.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
cis-1,3-Dichloropropene	ND		0.980	10.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
trans-1,3-Dichloropropene	ND		0.960	10.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
Ethylbenzene	ND		1.00	2.00	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
Hexachlorobutadiene	ND		2.77	30.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
2-Hexanone	ND		3.18	50.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
Isopropylbenzene	ND		1.42	10.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
p-Isopropyltoluene	ND		3.86	10.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
Methyl tert-Butyl Ether (MTBE)	ND		1.81	5.00	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
4-Methyl-2-pentanone (MIBK)	ND		3.14	50.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
Methylene chloride	ND		3.31	50.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
Naphthalene	ND		1.14	10.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
n-Propylbenzene	ND		1.14	10.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
Styrene	ND		0.800	10.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
1,1,1,2-Tetrachloroethane	ND		1.28	10.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
1,1,2,2-Tetrachloroethane	ND		3.25	10.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
Tetrachloroethene	1.10	J	0.930	10.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
Toluene	ND		1.00	2.00	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
1,2,3-Trichlorobenzene	ND		1.23	10.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
1,2,4-Trichlorobenzene	ND		2.82	10.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
1,1,1-Trichloroethane	ND		2.03	10.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
1,1,2-Trichloroethane	ND		1.74	10.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
Trichloroethene	ND		1.15	10.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
Trichlorofluoromethane	ND		3.15	10.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
1,2,3-Trichloropropane	ND		1.74	10.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
1,2,4-Trimethylbenzene	ND		3.19	10.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
1,3,5- Trimethylbenzene	ND		1.23	10.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
Vinyl acetate	ND		10.8	50.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
Vinyl chloride	ND		2.79	30.0	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
m,p-Xylenes	ND		1.80	4.00	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
o-Xylene	ND		1.00	2.00	ug/kg	1	5035	06/25/2021 05:49	SA	8260B
Surrogate: 4-Bromofluorobenzene			109 %	70-120			5035	06/25/2021 05:49	SA	8260B
Surrogate: Dibromofluoromethane			120 %	70-120			5035	06/25/2021 05:49	SA	8260B
Surrogate: Toluene-d8			113 %	70-120			5035	06/25/2021 05:49	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106169
Reported:
06/30/2021 15:50

Analytical Results**Client Sample ID: B4-5****Laboratory Sample ID: 2106169-04 (Solid)**

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
Acetone	ND		12.7	50.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
Benzene	ND		0.930	2.00	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
Bromobenzene	ND		3.39	10.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
Bromochloromethane	ND		0.380	10.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
Bromodichloromethane	ND		0.630	10.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
Bromoform	ND		3.39	50.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
Bromomethane	ND		2.75	30.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
2-Butanone	ND		5.83	50.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
n-Butylbenzene	ND		2.05	10.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
sec-Butylbenzene	ND		3.04	10.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
tert-Butylbenzene	ND		1.34	10.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
Carbon disulfide	ND		5.53	10.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
Carbon tetrachloride	ND		2.48	10.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
Chlorobenzene	ND		0.890	10.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
Chloroethane	ND		2.15	30.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
2-Chloroethylvinyl Ether	ND		5.53	50.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
Chloroform	ND		1.24	10.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
Chloromethane	ND		1.74	30.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
4-Chlorotoluene	ND		1.34	10.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
2-Chlorotoluene	ND		2.35	10.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
1,2-Dibromo-3-chloropropane	ND		2.69	50.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
Dibromochloromethane	ND		0.650	10.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
1,2-Dibromoethane	ND		2.75	10.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
Dibromomethane	ND		2.30	10.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
1,2-Dichlorobenzene	ND		1.65	10.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
1,3-Dichlorobenzene	ND		1.03	10.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
1,4-Dichlorobenzene	ND		2.23	10.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
Dichlorodifluoromethane	ND		2.07	30.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
1,1-Dichloroethane	ND		1.30	10.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
1,2-Dichloroethane	ND		1.57	10.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
1,1-Dichloroethene	ND		1.60	10.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
cis-1,2-Dichloroethene	ND		2.16	10.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
trans-1,2-Dichloroethene	ND		2.60	10.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
1,1-Dichloropropene	ND		0.660	10.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
1,2-Dichloropropane	ND		0.920	10.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
1,3-Dichloropropane	ND		1.36	10.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass


Work Order No: 2106169
Reported:
06/30/2021 15:50

Analytical Results**Client Sample ID: B4-5****Laboratory Sample ID: 2106169-04 (Solid)**

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
2,2-Dichloropropane	ND		1.12	10.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
cis-1,3-Dichloropropene	ND		0.980	10.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
trans-1,3-Dichloropropene	ND		0.960	10.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
Ethylbenzene	ND		1.00	2.00	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
Hexachlorobutadiene	ND		2.77	30.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
2-Hexanone	ND		3.18	50.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
Isopropylbenzene	ND		1.42	10.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
p-Isopropyltoluene	ND		3.86	10.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
Methyl tert-Butyl Ether (MTBE)	ND		1.81	5.00	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
4-Methyl-2-pentanone (MIBK)	ND		3.14	50.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
Methylene chloride	ND		3.31	50.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
Naphthalene	ND		1.14	10.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
n-Propylbenzene	ND		1.14	10.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
Styrene	ND		0.800	10.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
1,1,1,2-Tetrachloroethane	ND		1.28	10.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
1,1,2,2-Tetrachloroethane	ND		3.25	10.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
Tetrachloroethene	ND		0.930	10.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
Toluene	ND		1.00	2.00	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
1,2,3-Trichlorobenzene	ND		1.23	10.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
1,2,4-Trichlorobenzene	ND		2.82	10.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
1,1,1-Trichloroethane	ND		2.03	10.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
1,1,2-Trichloroethane	ND		1.74	10.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
Trichloroethene	ND		1.15	10.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
Trichlorofluoromethane	ND		3.15	10.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
1,2,3-Trichloropropane	ND		1.74	10.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
1,2,4-Trimethylbenzene	ND		3.19	10.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
1,3,5- Trimethylbenzene	ND		1.23	10.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
Vinyl acetate	ND		10.8	50.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
Vinyl chloride	ND		2.79	30.0	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
m,p-Xylenes	ND		1.80	4.00	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
o-Xylene	ND		1.00	2.00	ug/kg	1	5035	06/25/2021 06:16	SA	8260B
Surrogate: 4-Bromofluorobenzene			114 %		70-120		5035	06/25/2021 06:16	SA	8260B
Surrogate: Dibromofluoromethane			119 %		70-120		5035	06/25/2021 06:16	SA	8260B
Surrogate: Toluene-d8			110 %		70-120		5035	06/25/2021 06:16	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass


Work Order No: 2106169
Reported:
06/30/2021 15:50

Analytical Results**Client Sample ID: B4-15****Laboratory Sample ID: 2106169-06 (Solid)**

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
Acetone	ND		12.7	50.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
Benzene	ND		0.930	2.00	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
Bromobenzene	ND		3.39	10.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
Bromochloromethane	ND		0.380	10.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
Bromodichloromethane	ND		0.630	10.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
Bromoform	ND		3.39	50.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
Bromomethane	ND		2.75	30.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
2-Butanone	ND		5.83	50.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
n-Butylbenzene	ND		2.05	10.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
sec-Butylbenzene	ND		3.04	10.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
tert-Butylbenzene	ND		1.34	10.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
Carbon disulfide	ND		5.53	10.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
Carbon tetrachloride	ND		2.48	10.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
Chlorobenzene	ND		0.890	10.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
Chloroethane	ND		2.15	30.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
2-Chloroethylvinyl Ether	ND		5.53	50.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
Chloroform	ND		1.24	10.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
Chloromethane	ND		1.74	30.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
4-Chlorotoluene	ND		1.34	10.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
2-Chlorotoluene	ND		2.35	10.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
1,2-Dibromo-3-chloropropane	ND		2.69	50.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
Dibromochloromethane	ND		0.650	10.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
1,2-Dibromoethane	ND		2.75	10.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
Dibromomethane	ND		2.30	10.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
1,2-Dichlorobenzene	ND		1.65	10.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
1,3-Dichlorobenzene	ND		1.03	10.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
1,4-Dichlorobenzene	ND		2.23	10.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
Dichlorodifluoromethane	ND		2.07	30.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
1,1-Dichloroethane	ND		1.30	10.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
1,2-Dichloroethane	ND		1.57	10.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
1,1-Dichloroethene	ND		1.60	10.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
cis-1,2-Dichloroethene	ND		2.16	10.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
trans-1,2-Dichloroethene	ND		2.60	10.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
1,1-Dichloropropene	ND		0.660	10.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
1,2-Dichloropropane	ND		0.920	10.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
1,3-Dichloropropane	ND		1.36	10.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106169
Reported:
06/30/2021 15:50

Analytical Results**Client Sample ID: B4-15****Laboratory Sample ID: 2106169-06 (Solid)**

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
2,2-Dichloropropane	ND		1.12	10.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
cis-1,3-Dichloropropene	ND		0.980	10.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
trans-1,3-Dichloropropene	ND		0.960	10.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
Ethylbenzene	ND		1.00	2.00	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
Hexachlorobutadiene	ND		2.77	30.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
2-Hexanone	ND		3.18	50.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
Isopropylbenzene	ND		1.42	10.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
p-Isopropyltoluene	ND		3.86	10.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
Methyl tert-Butyl Ether (MTBE)	ND		1.81	5.00	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
4-Methyl-2-pentanone (MIBK)	ND		3.14	50.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
Methylene chloride	ND		3.31	50.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
Naphthalene	ND		1.14	10.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
n-Propylbenzene	ND		1.14	10.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
Styrene	ND		0.800	10.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
1,1,1,2-Tetrachloroethane	ND		1.28	10.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
1,1,2,2-Tetrachloroethane	ND		3.25	10.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
Tetrachloroethene	ND		0.930	10.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
Toluene	ND		1.00	2.00	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
1,2,3-Trichlorobenzene	ND		1.23	10.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
1,2,4-Trichlorobenzene	ND		2.82	10.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
1,1,1-Trichloroethane	ND		2.03	10.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
1,1,2-Trichloroethane	ND		1.74	10.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
Trichloroethene	ND		1.15	10.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
Trichlorofluoromethane	ND		3.15	10.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
1,2,3-Trichloropropane	ND		1.74	10.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
1,2,4-Trimethylbenzene	ND		3.19	10.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
1,3,5- Trimethylbenzene	ND		1.23	10.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
Vinyl acetate	ND		10.8	50.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
Vinyl chloride	ND		2.79	30.0	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
m,p-Xylenes	ND		1.80	4.00	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
o-Xylene	ND		1.00	2.00	ug/kg	1	5035	06/25/2021 07:10	SA	8260B
Surrogate: 4-Bromofluorobenzene			118 %		70-120		5035	06/25/2021 07:10	SA	8260B
Surrogate: Dibromofluoromethane			120 %		70-120		5035	06/25/2021 07:10	SA	8260B
Surrogate: Toluene-d8			110 %		70-120		5035	06/25/2021 07:10	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106169
Reported:
06/30/2021 15:50

Analytical Results**Client Sample ID: B4-GW****Laboratory Sample ID: 2106169-10 (Water)**

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
Acetone	ND		2.52	5.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
Benzene	ND		0.097	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
Bromobenzene	ND		0.291	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
Bromoform	ND		0.169	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
Bromochloromethane	ND		0.169	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
Bromodichloromethane	ND		0.169	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
Bromomethane	ND		0.284	5.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
2-Butanone (MEK)	ND		5.00	5.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
n-Butylbenzene	ND		0.363	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
sec-Butylbenzene	ND		0.338	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
tert-Butylbenzene	ND		0.235	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
Carbon disulfide	ND		0.463	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
Carbon tetrachloride	ND		0.144	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
Chlorobenzene	ND		0.176	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
Chloroethane	ND		0.328	3.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
2-Chloroethyl vinyl ether	ND		0.665	5.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
Chloroform	ND		0.247	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
Chloromethane	ND		0.174	3.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
4-Chlorotoluene	ND		0.147	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
2-Chlorotoluene	ND		0.311	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
1,2-Dibromo-3-chloropropane	ND		0.333	5.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
Dibromochloromethane	ND		0.300	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
1,2-Dibromoethane	ND		0.226	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
Dibromomethane	ND		0.316	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
1,2-Dichlorobenzene	ND		0.358	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
1,3-Dichlorobenzene	ND		0.333	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
1,4-Dichlorobenzene	ND		0.384	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
Dichlorodifluoromethane	ND		0.244	3.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
1,1-Dichloroethane	ND		0.372	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
1,2-Dichloroethane	ND		0.182	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
1,1-Dichloroethene	ND		0.355	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
cis-1,2-Dichloroethene	ND		0.279	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
trans-1,2-Dichloroethene	ND		0.176	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
1,2-Dichloropropane	ND		0.359	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
1,3-Dichloropropane	ND		0.205	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
2,2-Dichloropropane	ND		0.341	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass


Work Order No: 2106169
Reported:
06/30/2021 15:50

Analytical Results**Client Sample ID: B4-GW****Laboratory Sample ID: 2106169-10 (Water)**

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
1,1-Dichloropropene	ND		0.210	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
cis-1,3-Dichloropropene	ND		0.122	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
trans-1,3-Dichloropropene	ND		0.100	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
Ethylbenzene	ND		0.209	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
Hexachlorobutadiene	ND		0.413	3.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
2-Hexanone	ND		0.944	5.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
Isopropylbenzene	ND		0.291	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
p-Isopropyltoluene	ND		0.468	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
Methyl tert-Butyl Ether (MTBE)	ND		0.240	2.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
4-Methyl-2-pentanone (MIBK)	ND		1.71	5.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
Methylene chloride	ND		4.69	5.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
Naphthalene	ND		0.375	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
n-Propylbenzene	ND		0.254	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
Styrene	ND		0.122	2.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
1,1,1,2-Tetrachloroethane	ND		0.141	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
1,1,2,2-Tetrachloroethane	ND		0.579	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
Tetrachloroethene	4.36		0.421	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
Toluene	ND		0.282	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
1,2,3-Trichlorobenzene	ND		0.219	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
1,2,4-Trichlorobenzene	ND		0.451	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
1,1,1-Trichloroethane	ND		0.150	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
1,1,2-Trichloroethane	ND		0.233	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
Trichloroethene	ND		0.117	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
Trichlorofluoromethane	ND		0.294	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
1,2,3-Trichloropropane	ND		0.303	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
1,2,4- Trimethylbenzene	ND		0.451	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
1,3,5- Trimethylbenzene	ND		0.219	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
Vinyl acetate	ND		1.62	5.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
Vinyl chloride	ND		0.331	3.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
o-Xylene	ND		0.262	1.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
m,p-Xylenes	ND		0.476	2.00	ug/L	1	5030B	06/24/2021 17:41	SA	8260B
Surrogate: 4-Bromofluorobenzene			108 %		70-120		5030B	06/24/2021 17:41	SA	8260B
Surrogate: Dibromofluoromethane			104 %		70-120		5030B	06/24/2021 17:41	SA	8260B
Surrogate: Toluene-d8			102 %		70-120		5030B	06/24/2021 17:41	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106169
Reported:
06/30/2021 15:50

Analytical Results

Client Sample ID: B1-5V

Laboratory Sample ID: 2106169-11 (Air)

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
Acetone	ND		25.2	500	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
Benzene	32.0	J	10.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
Bromobenzene	ND		29.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
Bromochloromethane	ND		17.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
Bromodichloromethane	ND		17.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
Bromoform	ND		28.0	500	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
Bromomethane	ND		17.0	300	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
2-Butanone (MEK)	ND		465	500	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
n-Butylbenzene	ND		36.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
sec-Butylbenzene	ND		38.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
tert-Butylbenzene	ND		26.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
Carbon disulfide	ND		46.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
Carbon tetrachloride	ND		14.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
Chlorobenzene	ND		18.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
Chloroethane	ND		33.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
2-Chloroethyl vinyl ether	ND		67.0	500	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
Chloroform	ND		25.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
Chloromethane	ND		17.0	300	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
4-Chlorotoluene	ND		15.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
2-Chlorotoluene	ND		31.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
1,2-Dibromo-3-chloropropane	ND		33.0	500	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
Dibromochloromethane	ND		30.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
1,2-Dibromoethane	ND		23.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
Dibromomethane	ND		32.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
1,2-Dichlorobenzene	ND		36.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
1,3-Dichlorobenzene	ND		33.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
1,4-Dichlorobenzene	ND		38.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
Dichlorodifluoromethane	ND		24.0	300	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
1,1-Dichloroethane	ND		37.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
1,2-Dichloroethane	ND		18.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
1,1-Dichloroethene	ND		36.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
cis-1,2-Dichloroethene	ND		28.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
trans-1,2-Dichloroethene	ND		18.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
1,2-Dichloropropane	ND		36.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
1,3-Dichloropropane	ND		21.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
2,2-Dichloropropane	ND		34.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106169
Reported:
06/30/2021 15:50

Analytical Results


Client Sample ID: B1-5V

Laboratory Sample ID: 2106169-11 (Air)

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
1,1-Dichloropropene	ND		21.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
cis-1,3-Dichloropropene	ND		12.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
trans-1,3-Dichloropropene	ND		10.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
Ethylbenzene	ND		12.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
Hexachlorobutadiene	ND		41.0	300	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
2-Hexanone	ND		94.0	500	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
Isopropylbenzene	ND		29.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
p-Isopropyltoluene	ND		47.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
Methyl tert-Butyl Ether (MTBE)	ND		24.0	200	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
4-Methyl-2-pentanone (MIBK)	ND		171	500	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
Methylene chloride	ND		469	500	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
Naphthalene	ND		38.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
n-Propylbenzene	ND		25.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
Styrene	ND		12.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
1,1,1,2-Tetrachloroethane	ND		14.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
1,1,2,2-Tetrachloroethane	ND		58.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
Tetrachloroethene	134		14.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
Toluene	54.0	J	28.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
1,2,3-Trichlorobenzene	ND		22.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
1,2,4-Trichlorobenzene	ND		45.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
1,1,1-Trichloroethane	ND		15.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
1,1,2-Trichloroethane	ND		23.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
Trichloroethene	ND		12.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
Trichlorofluoromethane	ND		29.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
1,2,3-Trichloropropane	ND		30.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
1,2,4-Trimethylbenzene	ND		45.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
1,3,5-Trimethylbenzene	ND		22.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
Vinyl acetate	ND		162	500	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
Vinyl chloride	ND		33.0	300	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
o-Xylene	ND		26.0	100	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
m,p-Xylenes	ND		48.0	200	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
Isopropyl alcohol	ND		250	500	ug/m3	1	Prep - Volati	06/23/2021 15:39	SA	8260B
Surrogate: 4-Bromofluorobenzene			119 %		70-120		Prep - Volati	06/23/2021 15:39	SA	8260B
Surrogate: Dibromofluoromethane			77.7 %		70-120		Prep - Volati	06/23/2021 15:39	SA	8260B
Surrogate: Toluene-d8			103 %		70-120		Prep - Volati	06/23/2021 15:39	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106169
Reported:
06/30/2021 15:50

Analytical Results

Client Sample ID: B1-15V

Laboratory Sample ID: 2106169-12 (Air)

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
Acetone	ND		25.2	500	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
Benzene	19.0	J	10.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
Bromobenzene	ND		29.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
Bromochloromethane	ND		17.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
Bromodichloromethane	ND		17.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
Bromoform	ND		28.0	500	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
Bromomethane	ND		17.0	300	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
2-Butanone (MEK)	ND		465	500	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
n-Butylbenzene	ND		36.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
sec-Butylbenzene	ND		38.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
tert-Butylbenzene	ND		26.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
Carbon disulfide	ND		46.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
Carbon tetrachloride	ND		14.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
Chlorobenzene	ND		18.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
Chloroethane	ND		33.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
2-Chloroethyl vinyl ether	ND		67.0	500	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
Chloroform	ND		25.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
Chloromethane	ND		17.0	300	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
4-Chlorotoluene	ND		15.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
2-Chlorotoluene	ND		31.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
1,2-Dibromo-3-chloropropane	ND		33.0	500	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
Dibromochloromethane	ND		30.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
1,2-Dibromoethane	ND		23.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
Dibromomethane	ND		32.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
1,2-Dichlorobenzene	ND		36.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
1,3-Dichlorobenzene	ND		33.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
1,4-Dichlorobenzene	ND		38.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
Dichlorodifluoromethane	ND		24.0	300	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
1,1-Dichloroethane	ND		37.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
1,2-Dichloroethane	ND		18.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
1,1-Dichloroethene	ND		36.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
cis-1,2-Dichloroethene	ND		28.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
trans-1,2-Dichloroethene	ND		18.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
1,2-Dichloropropane	ND		36.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
1,3-Dichloropropane	ND		21.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
2,2-Dichloropropane	ND		34.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106169
Reported:
06/30/2021 15:50

Analytical Results

Client Sample ID: B1-15V

Laboratory Sample ID: 2106169-12 (Air)

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
1,1-Dichloropropene	ND		21.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
cis-1,3-Dichloropropene	ND		12.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
trans-1,3-Dichloropropene	ND		10.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
Ethylbenzene	ND		12.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
Hexachlorobutadiene	ND		41.0	300	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
2-Hexanone	ND		94.0	500	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
Isopropylbenzene	ND		29.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
p-Isopropyltoluene	ND		47.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
Methyl tert-Butyl Ether (MTBE)	ND		24.0	200	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
4-Methyl-2-pentanone (MIBK)	ND		171	500	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
Methylene chloride	ND		469	500	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
Naphthalene	ND		38.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
n-Propylbenzene	ND		25.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
Styrene	ND		12.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
1,1,1,2-Tetrachloroethane	ND		14.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
1,1,2,2-Tetrachloroethane	ND		58.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
Tetrachloroethene	56.0	J	14.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
Toluene	35.0	J	28.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
1,2,3-Trichlorobenzene	ND		22.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
1,2,4-Trichlorobenzene	ND		45.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
1,1,1-Trichloroethane	ND		15.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
1,1,2-Trichloroethane	ND		23.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
Trichloroethene	ND		12.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
Trichlorofluoromethane	ND		29.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
1,2,3-Trichloropropane	ND		30.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
1,2,4- Trimethylbenzene	ND		45.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
1,3,5- Trimethylbenzene	ND		22.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
Vinyl acetate	ND		162	500	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
Vinyl chloride	ND		33.0	300	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
o-Xylene	ND		26.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
m,p-Xylenes	ND		48.0	200	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
Isopropyl alcohol	ND		250	500	ug/m3	1	Prep - Volati	06/23/2021 16:13	SA	8260B
Surrogate: 4-Bromofluorobenzene			114 %		70-120		Prep - Volati	06/23/2021 16:13	SA	8260B
Surrogate: Dibromofluoromethane			87.1 %		70-120		Prep - Volati	06/23/2021 16:13	SA	8260B
Surrogate: Toluene-d8			101 %		70-120		Prep - Volati	06/23/2021 16:13	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director

Page 20 of 61



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106169
Reported:
06/30/2021 15:50

Analytical Results

Client Sample ID: B1-25V


Laboratory Sample ID: 2106169-13 (Air)

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
Acetone	ND		25.2	500	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
Benzene	ND		10.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
Bromobenzene	ND		29.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
Bromochloromethane	ND		17.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
Bromodichloromethane	ND		17.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
Bromoform	ND		28.0	500	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
Bromomethane	ND		17.0	300	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
2-Butanone (MEK)	ND		465	500	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
n-Butylbenzene	ND		36.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
sec-Butylbenzene	ND		38.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
tert-Butylbenzene	ND		26.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
Carbon disulfide	ND		46.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
Carbon tetrachloride	ND		14.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
Chlorobenzene	ND		18.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
Chloroethane	ND		33.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
2-Chloroethyl vinyl ether	ND		67.0	500	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
Chloroform	ND		25.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
Chloromethane	ND		17.0	300	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
4-Chlorotoluene	ND		15.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
2-Chlorotoluene	ND		31.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
1,2-Dibromo-3-chloropropane	ND		33.0	500	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
Dibromochloromethane	ND		30.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
1,2-Dibromoethane	ND		23.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
Dibromomethane	ND		32.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
1,2-Dichlorobenzene	ND		36.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
1,3-Dichlorobenzene	ND		33.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
1,4-Dichlorobenzene	ND		38.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
Dichlorodifluoromethane	ND		24.0	300	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
1,1-Dichloroethane	ND		37.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
1,2-Dichloroethane	ND		18.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
1,1-Dichloroethene	ND		36.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
cis-1,2-Dichloroethene	ND		28.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
trans-1,2-Dichloroethene	ND		18.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
1,2-Dichloropropane	ND		36.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
1,3-Dichloropropane	ND		21.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
2,2-Dichloropropane	ND		34.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director

Page 21 of 61



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106169
Reported:
06/30/2021 15:50

Analytical Results


Client Sample ID: B1-25V

Laboratory Sample ID: 2106169-13 (Air)

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
1,1-Dichloropropene	ND		21.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
cis-1,3-Dichloropropene	ND		12.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
trans-1,3-Dichloropropene	ND		10.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
Ethylbenzene	ND		12.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
Hexachlorobutadiene	ND		41.0	300	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
2-Hexanone	ND		94.0	500	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
Isopropylbenzene	ND		29.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
p-Isopropyltoluene	68.0	J	47.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
Methyl tert-Butyl Ether (MTBE)	ND		24.0	200	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
4-Methyl-2-pentanone (MIBK)	ND		171	500	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
Methylene chloride	ND		469	500	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
Naphthalene	ND		38.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
n-Propylbenzene	ND		25.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
Styrene	ND		12.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
1,1,1,2-Tetrachloroethane	ND		14.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
1,1,2,2-Tetrachloroethane	ND		58.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
Tetrachloroethene	44.0	J	14.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
Toluene	ND		28.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
1,2,3-Trichlorobenzene	ND		22.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
1,2,4-Trichlorobenzene	ND		45.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
1,1,1-Trichloroethane	ND		15.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
1,1,2-Trichloroethane	ND		23.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
Trichloroethene	ND		12.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
Trichlorofluoromethane	ND		29.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
1,2,3-Trichloropropane	ND		30.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
1,2,4-Trimethylbenzene	ND		45.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
1,3,5-Trimethylbenzene	ND		22.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
Vinyl acetate	ND		162	500	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
Vinyl chloride	ND		33.0	300	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
o-Xylene	ND		26.0	100	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
m,p-Xylenes	ND		48.0	200	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
Isopropyl alcohol	ND		250	500	ug/m3	1	Prep - Volati	06/23/2021 16:47	SA	8260B
Surrogate: 4-Bromofluorobenzene			115 %		70-120		Prep - Volati	06/23/2021 16:47	SA	8260B
Surrogate: Dibromofluoromethane			92.7 %		70-120		Prep - Volati	06/23/2021 16:47	SA	8260B
Surrogate: Toluene-d8			101 %		70-120		Prep - Volati	06/23/2021 16:47	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106169
Reported:
06/30/2021 15:50

Analytical Results

Client Sample ID: B2-5V

Laboratory Sample ID: 2106169-14 (Air)

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
Acetone	ND		25.2	500	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
Benzene	13.0	J	10.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
Bromobenzene	ND		29.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
Bromochloromethane	ND		17.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
Bromodichloromethane	ND		17.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
Bromoform	ND		28.0	500	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
Bromomethane	ND		17.0	300	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
2-Butanone (MEK)	ND		465	500	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
n-Butylbenzene	ND		36.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
sec-Butylbenzene	ND		38.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
tert-Butylbenzene	ND		26.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
Carbon disulfide	ND		46.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
Carbon tetrachloride	ND		14.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
Chlorobenzene	ND		18.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
Chloroethane	ND		33.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
2-Chloroethyl vinyl ether	ND		67.0	500	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
Chloroform	ND		25.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
Chloromethane	ND		17.0	300	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
4-Chlorotoluene	ND		15.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
2-Chlorotoluene	ND		31.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
1,2-Dibromo-3-chloropropane	ND		33.0	500	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
Dibromochloromethane	ND		30.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
1,2-Dibromoethane	ND		23.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
Dibromomethane	ND		32.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
1,2-Dichlorobenzene	ND		36.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
1,3-Dichlorobenzene	ND		33.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
1,4-Dichlorobenzene	ND		38.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
Dichlorodifluoromethane	ND		24.0	300	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
1,1-Dichloroethane	ND		37.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
1,2-Dichloroethane	ND		18.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
1,1-Dichloroethene	ND		36.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
cis-1,2-Dichloroethene	ND		28.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
trans-1,2-Dichloroethene	ND		18.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
1,2-Dichloropropane	ND		36.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
1,3-Dichloropropane	ND		21.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
2,2-Dichloropropane	ND		34.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106169
Reported:
06/30/2021 15:50

Analytical Results

Client Sample ID: B2-5V

Laboratory Sample ID: 2106169-14 (Air)

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
1,1-Dichloropropene	ND		21.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
cis-1,3-Dichloropropene	ND		12.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
trans-1,3-Dichloropropene	ND		10.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
Ethylbenzene	44.0	J	12.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
Hexachlorobutadiene	ND		41.0	300	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
2-Hexanone	ND		94.0	500	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
Isopropylbenzene	ND		29.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
p-Isopropyltoluene	354		47.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
Methyl tert-Butyl Ether (MTBE)	ND		24.0	200	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
4-Methyl-2-pentanone (MIBK)	ND		171	500	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
Methylene chloride	ND		469	500	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
Naphthalene	ND		38.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
n-Propylbenzene	ND		25.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
Styrene	ND		12.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
1,1,1,2-Tetrachloroethane	ND		14.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
1,1,2,2-Tetrachloroethane	ND		58.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
Tetrachloroethene	100		14.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
Toluene	88.0	J	28.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
1,2,3-Trichlorobenzene	ND		22.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
1,2,4-Trichlorobenzene	ND		45.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
1,1,1-Trichloroethane	ND		15.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
1,1,2-Trichloroethane	ND		23.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
Trichloroethene	ND		12.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
Trichlorofluoromethane	ND		29.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
1,2,3-Trichloropropane	ND		30.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
1,2,4- Trimethylbenzene	78.0	J	45.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
1,3,5- Trimethylbenzene	ND		22.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
Vinyl acetate	ND		162	500	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
Vinyl chloride	ND		33.0	300	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
o-Xylene	ND		26.0	100	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
m,p-Xylenes	ND		48.0	200	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
Isopropyl alcohol	ND		250	500	ug/m3	1	Prep - Volati	06/23/2021 17:36	SA	8260B
Surrogate: 4-Bromofluorobenzene			120 %		70-120		Prep - Volati	06/23/2021 17:36	SA	8260B
Surrogate: Dibromofluoromethane			83.2 %		70-120		Prep - Volati	06/23/2021 17:36	SA	8260B
Surrogate: Toluene-d8			104 %		70-120		Prep - Volati	06/23/2021 17:36	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106169
Reported:
06/30/2021 15:50

Analytical Results


Client Sample ID: B2-15V

Laboratory Sample ID: 2106169-15 (Air)

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
Acetone	ND		25.2	500	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
Benzene	11.0	J	10.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
Bromobenzene	ND		29.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
Bromochloromethane	ND		17.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
Bromodichloromethane	ND		17.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
Bromoform	ND		28.0	500	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
Bromomethane	ND		17.0	300	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
2-Butanone (MEK)	ND		465	500	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
n-Butylbenzene	ND		36.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
sec-Butylbenzene	ND		38.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
tert-Butylbenzene	ND		26.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
Carbon disulfide	ND		46.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
Carbon tetrachloride	ND		14.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
Chlorobenzene	ND		18.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
Chloroethane	ND		33.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
2-Chloroethyl vinyl ether	ND		67.0	500	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
Chloroform	ND		25.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
Chloromethane	ND		17.0	300	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
4-Chlorotoluene	ND		15.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
2-Chlorotoluene	ND		31.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
1,2-Dibromo-3-chloropropane	ND		33.0	500	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
Dibromochloromethane	ND		30.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
1,2-Dibromoethane	ND		23.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
Dibromomethane	ND		32.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
1,2-Dichlorobenzene	ND		36.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
1,3-Dichlorobenzene	ND		33.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
1,4-Dichlorobenzene	ND		38.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
Dichlorodifluoromethane	ND		24.0	300	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
1,1-Dichloroethane	ND		37.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
1,2-Dichloroethane	ND		18.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
1,1-Dichloroethene	ND		36.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
cis-1,2-Dichloroethene	ND		28.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
trans-1,2-Dichloroethene	ND		18.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
1,2-Dichloropropane	ND		36.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
1,3-Dichloropropane	ND		21.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
2,2-Dichloropropane	ND		34.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass


Work Order No: 2106169
Reported:
06/30/2021 15:50

Analytical Results**Client Sample ID: B2-15V****Laboratory Sample ID: 2106169-15 (Air)**

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
1,1-Dichloropropene	ND		21.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
cis-1,3-Dichloropropene	ND		12.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
trans-1,3-Dichloropropene	ND		10.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
Ethylbenzene	23.0	J	12.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
Hexachlorobutadiene	ND		41.0	300	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
2-Hexanone	ND		94.0	500	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
Isopropylbenzene	ND		29.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
p-Isopropyltoluene	247		47.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
Methyl tert-Butyl Ether (MTBE)	ND		24.0	200	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
4-Methyl-2-pentanone (MIBK)	ND		171	500	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
Methylene chloride	ND		469	500	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
Naphthalene	ND		38.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
n-Propylbenzene	ND		25.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
Styrene	ND		12.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
1,1,1,2-Tetrachloroethane	ND		14.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
1,1,2,2-Tetrachloroethane	ND		58.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
Tetrachloroethene	761		14.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
Toluene	97.0	J	28.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
1,2,3-Trichlorobenzene	ND		22.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
1,2,4-Trichlorobenzene	ND		45.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
1,1,1-Trichloroethane	ND		15.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
1,1,2-Trichloroethane	ND		23.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
Trichloroethene	30.0	J	12.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
Trichlorofluoromethane	ND		29.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
1,2,3-Trichloropropane	ND		30.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
1,2,4- Trimethylbenzene	ND		45.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
1,3,5- Trimethylbenzene	22.0	J	22.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
Vinyl acetate	ND		162	500	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
Vinyl chloride	ND		33.0	300	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
o-Xylene	ND		26.0	100	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
m,p-Xylenes	54.1	J	48.0	200	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
Isopropyl alcohol	ND		250	500	ug/m3	1	Prep - Volati	06/23/2021 18:10	SA	8260B
Surrogate: 4-Bromofluorobenzene			117 %		70-120		Prep - Volati	06/23/2021 18:10	SA	8260B
Surrogate: Dibromofluoromethane			93.8 %		70-120		Prep - Volati	06/23/2021 18:10	SA	8260B
Surrogate: Toluene-d8			100 %		70-120		Prep - Volati	06/23/2021 18:10	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106169
Reported:
06/30/2021 15:50

Analytical Results**Client Sample ID: B2-25V****Laboratory Sample ID: 2106169-16 (Air)**

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
Acetone	ND		25.2	500	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B
Benzene	ND		10.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B
Bromobenzene	ND		29.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B
Bromochloromethane	ND		17.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B
Bromodichloromethane	ND		17.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B
Bromoform	ND		28.0	500	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B
Bromomethane	ND		17.0	300	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B
2-Butanone (MEK)	ND		465	500	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B
n-Butylbenzene	ND		36.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B
sec-Butylbenzene	ND		38.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B
tert-Butylbenzene	ND		26.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B
Carbon disulfide	ND		46.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B
Carbon tetrachloride	ND		14.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B
Chlorobenzene	ND		18.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B
Chloroethane	ND		33.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B
2-Chloroethyl vinyl ether	ND		67.0	500	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B
Chloroform	ND		25.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B
Chloromethane	ND		17.0	300	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B
4-Chlorotoluene	ND		15.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B
2-Chlorotoluene	ND		31.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B
1,2-Dibromo-3-chloropropane	ND		33.0	500	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B
Dibromochloromethane	ND		30.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B
1,2-Dibromoethane	ND		23.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B
Dibromomethane	ND		32.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B
1,2-Dichlorobenzene	ND		36.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B
1,3-Dichlorobenzene	ND		33.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B
1,4-Dichlorobenzene	ND		38.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B
Dichlorodifluoromethane	ND		24.0	300	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B
1,1-Dichloroethane	ND		37.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B
1,2-Dichloroethane	ND		18.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B
1,1-Dichloroethene	ND		36.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B
cis-1,2-Dichloroethene	ND		28.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B
trans-1,2-Dichloroethene	ND		18.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B
1,2-Dichloropropane	ND		36.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B
1,3-Dichloropropane	ND		21.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B
2,2-Dichloropropane	ND		34.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106169
Reported:
06/30/2021 15:50

Analytical Results

Client Sample ID: B2-25V

Laboratory Sample ID: 2106169-16 (Air)

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method	
Volatile Organic Compounds											
1,1-Dichloropropene	ND		21.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B	
cis-1,3-Dichloropropene	ND		12.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B	
trans-1,3-Dichloropropene	ND		10.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B	
Ethylbenzene	ND		12.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B	
Hexachlorobutadiene	ND		41.0	300	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B	
2-Hexanone	ND		94.0	500	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B	
Isopropylbenzene	ND		29.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B	
p-Isopropyltoluene	155		47.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B	
Methyl tert-Butyl Ether (MTBE)	ND		24.0	200	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B	
4-Methyl-2-pentanone (MIBK)	ND		171	500	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B	
Methylene chloride	ND		469	500	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B	
Naphthalene	ND		38.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B	
n-Propylbenzene	ND		25.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B	
Styrene	ND		12.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B	
1,1,1,2-Tetrachloroethane	ND		14.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B	
1,1,2,2-Tetrachloroethane	ND		58.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B	
Tetrachloroethene	4760			14.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B
Toluene	47.0	J	28.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B	
1,2,3-Trichlorobenzene	ND		22.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B	
1,2,4-Trichlorobenzene	ND		45.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B	
1,1,1-Trichloroethane	ND		15.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B	
1,1,2-Trichloroethane	ND		23.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B	
Trichloroethene	164		12.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B	
Trichlorofluoromethane	ND		29.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B	
1,2,3-Trichloropropane	ND		30.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B	
1,2,4- Trimethylbenzene	ND		45.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B	
1,3,5- Trimethylbenzene	ND		22.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B	
Vinyl acetate	ND		162	500	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B	
Vinyl chloride	ND		33.0	300	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B	
o-Xylene	ND		26.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B	
m,p-Xylenes	ND		48.0	200	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B	
Isopropyl alcohol	ND		250	500	ug/m3	1	Prep - Volati	06/23/2021 19:20	SA	8260B	
Surrogate: 4-Bromofluorobenzene			114 %		70-120		Prep - Volati	06/23/2021 19:20	SA	8260B	
Surrogate: Dibromofluoromethane			93.2 %		70-120		Prep - Volati	06/23/2021 19:20	SA	8260B	
Surrogate: Toluene-d8			99.8 %		70-120		Prep - Volati	06/23/2021 19:20	SA	8260B	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106169
Reported:
06/30/2021 15:50

Analytical Results


Client Sample ID: B4-5V

Laboratory Sample ID: 2106169-17 (Air)

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
Acetone	ND		25.2	500	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
Benzene	33.0	J	10.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
Bromobenzene	ND		29.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
Bromochloromethane	ND		17.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
Bromodichloromethane	ND		17.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
Bromoform	ND		28.0	500	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
Bromomethane	ND		17.0	300	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
2-Butanone (MEK)	ND		465	500	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
n-Butylbenzene	ND		36.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
sec-Butylbenzene	ND		38.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
tert-Butylbenzene	ND		26.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
Carbon disulfide	ND		46.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
Carbon tetrachloride	ND		14.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
Chlorobenzene	68.0	J	18.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
Chloroethane	ND		33.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
2-Chloroethyl vinyl ether	ND		67.0	500	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
Chloroform	ND		25.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
Chloromethane	ND		17.0	300	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
4-Chlorotoluene	ND		15.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
2-Chlorotoluene	ND		31.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
1,2-Dibromo-3-chloropropane	ND		33.0	500	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
Dibromochloromethane	ND		30.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
1,2-Dibromoethane	ND		23.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
Dibromomethane	ND		32.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
1,2-Dichlorobenzene	ND		36.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
1,3-Dichlorobenzene	ND		33.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
1,4-Dichlorobenzene	ND		38.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
Dichlorodifluoromethane	ND		24.0	300	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
1,1-Dichloroethane	ND		37.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
1,2-Dichloroethane	ND		18.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
1,1-Dichloroethene	ND		36.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
cis-1,2-Dichloroethene	ND		28.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
trans-1,2-Dichloroethene	ND		18.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
1,2-Dichloropropane	ND		36.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
1,3-Dichloropropane	ND		21.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
2,2-Dichloropropane	ND		34.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106169
Reported:
06/30/2021 15:50

Analytical Results**Client Sample ID: B4-5V****Laboratory Sample ID: 2106169-17 (Air)**

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
1,1-Dichloropropene	ND		21.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
cis-1,3-Dichloropropene	ND		12.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
trans-1,3-Dichloropropene	ND		10.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
Ethylbenzene	57.0	J	12.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
Hexachlorobutadiene	ND		41.0	300	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
2-Hexanone	ND		94.0	500	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
Isopropylbenzene	ND		29.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
p-Isopropyltoluene	ND		47.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
Methyl tert-Butyl Ether (MTBE)	ND		24.0	200	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
4-Methyl-2-pentanone (MIBK)	ND		171	500	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
Methylene chloride	ND		469	500	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
Naphthalene	ND		38.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
n-Propylbenzene	ND		25.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
Styrene	ND		12.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
1,1,1,2-Tetrachloroethane	ND		14.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
1,1,2,2-Tetrachloroethane	ND		58.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
Tetrachloroethene	364		14.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
Toluene	63.0	J	28.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
1,2,3-Trichlorobenzene	ND		22.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
1,2,4-Trichlorobenzene	ND		45.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
1,1,1-Trichloroethane	ND		15.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
1,1,2-Trichloroethane	ND		23.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
Trichloroethene	ND		12.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
Trichlorofluoromethane	ND		29.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
1,2,3-Trichloropropane	ND		30.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
1,2,4- Trimethylbenzene	ND		45.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
1,3,5- Trimethylbenzene	ND		22.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
Vinyl acetate	ND		162	500	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
Vinyl chloride	ND		33.0	300	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
o-Xylene	ND		26.0	100	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
m,p-Xylenes	ND		48.0	200	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
Isopropyl alcohol	ND		250	500	ug/m3	1	Prep - Volati	06/23/2021 19:57	SA	8260B
Surrogate: 4-Bromofluorobenzene			96.8 %		70-120		Prep - Volati	06/23/2021 19:57	SA	8260B
Surrogate: Dibromofluoromethane			95.5 %		70-120		Prep - Volati	06/23/2021 19:57	SA	8260B
Surrogate: Toluene-d8			106 %		70-120		Prep - Volati	06/23/2021 19:57	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106169
Reported:
06/30/2021 15:50

Analytical Results**Client Sample ID: B4-15V****Laboratory Sample ID: 2106169-18 (Air)**

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
Acetone	ND		25.2	500	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
Benzene	ND		10.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
Bromobenzene	ND		29.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
Bromochloromethane	ND		17.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
Bromodichloromethane	ND		17.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
Bromoform	ND		28.0	500	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
Bromomethane	ND		17.0	300	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
2-Butanone (MEK)	ND		465	500	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
n-Butylbenzene	ND		36.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
sec-Butylbenzene	ND		38.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
tert-Butylbenzene	ND		26.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
Carbon disulfide	ND		46.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
Carbon tetrachloride	ND		14.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
Chlorobenzene	ND		18.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
Chloroethane	ND		33.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
2-Chloroethyl vinyl ether	ND		67.0	500	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
Chloroform	ND		25.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
Chloromethane	ND		17.0	300	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
4-Chlorotoluene	ND		15.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
2-Chlorotoluene	ND		31.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
1,2-Dibromo-3-chloropropane	ND		33.0	500	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
Dibromochloromethane	ND		30.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
1,2-Dibromoethane	ND		23.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
Dibromomethane	ND		32.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
1,2-Dichlorobenzene	ND		36.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
1,3-Dichlorobenzene	ND		33.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
1,4-Dichlorobenzene	ND		38.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
Dichlorodifluoromethane	ND		24.0	300	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
1,1-Dichloroethane	ND		37.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
1,2-Dichloroethane	ND		18.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
1,1-Dichloroethene	ND		36.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
cis-1,2-Dichloroethene	ND		28.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
trans-1,2-Dichloroethene	ND		18.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
1,2-Dichloropropane	ND		36.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
1,3-Dichloropropane	ND		21.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
2,2-Dichloropropane	ND		34.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106169
Reported:
06/30/2021 15:50

Analytical Results**Client Sample ID: B4-15V****Laboratory Sample ID: 2106169-18 (Air)**

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
1,1-Dichloropropene	ND		21.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
cis-1,3-Dichloropropene	ND		12.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
trans-1,3-Dichloropropene	ND		10.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
Ethylbenzene	ND		12.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
Hexachlorobutadiene	ND		41.0	300	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
2-Hexanone	ND		94.0	500	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
Isopropylbenzene	ND		29.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
p-Isopropyltoluene	ND		47.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
Methyl tert-Butyl Ether (MTBE)	ND		24.0	200	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
4-Methyl-2-pentanone (MIBK)	ND		171	500	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
Methylene chloride	ND		469	500	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
Naphthalene	ND		38.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
n-Propylbenzene	ND		25.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
Styrene	ND		12.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
1,1,1,2-Tetrachloroethane	ND		14.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
1,1,2,2-Tetrachloroethane	ND		58.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
Tetrachloroethene	5800		14.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
Toluene	28.0	J	28.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
1,2,3-Trichlorobenzene	ND		22.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
1,2,4-Trichlorobenzene	ND		45.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
1,1,1-Trichloroethane	ND		15.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
1,1,2-Trichloroethane	ND		23.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
Trichloroethene	ND		12.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
Trichlorofluoromethane	ND		29.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
1,2,3-Trichloropropane	ND		30.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
1,2,4-Trimethylbenzene	ND		45.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
1,3,5-Trimethylbenzene	ND		22.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
Vinyl acetate	ND		162	500	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
Vinyl chloride	ND		33.0	300	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
o-Xylene	ND		26.0	100	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
m,p-Xylenes	ND		48.0	200	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
Isopropyl alcohol	ND		250	500	ug/m3	1	Prep - Volati	06/23/2021 20:31	SA	8260B
Surrogate: 4-Bromofluorobenzene			116 %		70-120		Prep - Volati	06/23/2021 20:31	SA	8260B
Surrogate: Dibromofluoromethane			94.1 %		70-120		Prep - Volati	06/23/2021 20:31	SA	8260B
Surrogate: Toluene-d8			100 %		70-120		Prep - Volati	06/23/2021 20:31	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106169
Reported:
06/30/2021 15:50

Analytical Results


Client Sample ID: B4-25V

Laboratory Sample ID: 2106169-19 (Air)

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
Acetone	ND		25.2	500	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
Benzene	ND		10.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
Bromobenzene	ND		29.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
Bromoform	ND		17.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
Bromochloromethane	ND		17.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
Bromodichloromethane	ND		17.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
Bromomethane	ND		28.0	500	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
2-Butanone (MEK)	ND		465	500	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
n-Butylbenzene	ND		36.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
sec-Butylbenzene	ND		38.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
tert-Butylbenzene	ND		26.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
Carbon disulfide	ND		46.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
Carbon tetrachloride	ND		14.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
Chlorobenzene	ND		18.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
Chloroethane	ND		33.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
2-Chloroethyl vinyl ether	ND		67.0	500	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
Chloroform	ND		25.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
Chloromethane	ND		17.0	300	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
4-Chlorotoluene	ND		15.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
2-Chlorotoluene	ND		31.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
1,2-Dibromo-3-chloropropane	ND		33.0	500	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
Dibromochloromethane	ND		30.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
1,2-Dibromoethane	ND		23.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
Dibromomethane	ND		32.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
1,2-Dichlorobenzene	ND		36.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
1,3-Dichlorobenzene	ND		33.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
1,4-Dichlorobenzene	ND		38.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
Dichlorodifluoromethane	ND		24.0	300	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
1,1-Dichloroethane	ND		37.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
1,2-Dichloroethane	ND		18.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
1,1-Dichloroethene	ND		36.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
cis-1,2-Dichloroethene	ND		28.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
trans-1,2-Dichloroethene	ND		18.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
1,2-Dichloropropane	ND		36.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
1,3-Dichloropropane	ND		21.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
2,2-Dichloropropane	ND		34.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106169
Reported:
06/30/2021 15:50

Analytical Results

Client Sample ID: B4-25V

Laboratory Sample ID: 2106169-19 (Air)

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
1,1-Dichloropropene	ND		21.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
cis-1,3-Dichloropropene	ND		12.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
trans-1,3-Dichloropropene	ND		10.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
Ethylbenzene	ND		12.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
Hexachlorobutadiene	ND		41.0	300	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
2-Hexanone	ND		94.0	500	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
Isopropylbenzene	ND		29.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
p-Isopropyltoluene	ND		47.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
Methyl tert-Butyl Ether (MTBE)	ND		24.0	200	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
4-Methyl-2-pentanone (MIBK)	ND		171	500	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
Methylene chloride	ND		469	500	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
Naphthalene	ND		38.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
n-Propylbenzene	ND		25.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
Styrene	ND		12.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
1,1,1,2-Tetrachloroethane	ND		14.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
1,1,2,2-Tetrachloroethane	ND		58.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
Tetrachloroethene	16400		70.0	500	ug/m3	5	Prep - Volati	06/23/2021 21:06	SA	8260B
Toluene	ND		28.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
1,2,3-Trichlorobenzene	ND		22.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
1,2,4-Trichlorobenzene	ND		45.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
1,1,1-Trichloroethane	ND		15.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
1,1,2-Trichloroethane	ND		23.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
Trichloroethene	96.0	J	12.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
Trichlorofluoromethane	ND		29.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
1,2,3-Trichloropropane	ND		30.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
1,2,4-Trimethylbenzene	ND		45.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
1,3,5-Trimethylbenzene	ND		22.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
Vinyl acetate	ND		162	500	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
Vinyl chloride	ND		33.0	300	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
o-Xylene	ND		26.0	100	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
m,p-Xylenes	ND		48.0	200	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
Isopropyl alcohol	ND		250	500	ug/m3	1	Prep - Volati	06/23/2021 21:06	SA	8260B
Surrogate: 4-Bromofluorobenzene			113 %		70-120		Prep - Volati	06/23/2021 21:06	SA	8260B
Surrogate: Dibromofluoromethane			91.1 %		70-120		Prep - Volati	06/23/2021 21:06	SA	8260B
Surrogate: Toluene-d8			99.5 %		70-120		Prep - Volati	06/23/2021 21:06	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106169
Reported:
06/30/2021 15:50

Analytical Results

Client Sample ID: B3-5V

Laboratory Sample ID: 2106169-20 (Air)

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
Acetone	ND		25.2	500	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
Benzene	18.0	J	10.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
Bromobenzene	ND		29.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
Bromochloromethane	ND		17.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
Bromodichloromethane	ND		17.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
Bromoform	ND		28.0	500	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
Bromomethane	ND		17.0	300	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
2-Butanone (MEK)	ND		465	500	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
n-Butylbenzene	ND		36.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
sec-Butylbenzene	ND		38.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
tert-Butylbenzene	ND		26.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
Carbon disulfide	ND		46.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
Carbon tetrachloride	ND		14.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
Chlorobenzene	ND		18.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
Chloroethane	ND		33.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
2-Chloroethyl vinyl ether	ND		67.0	500	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
Chloroform	ND		25.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
Chloromethane	ND		17.0	300	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
4-Chlorotoluene	ND		15.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
2-Chlorotoluene	ND		31.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
1,2-Dibromo-3-chloropropane	ND		33.0	500	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
Dibromochloromethane	ND		30.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
1,2-Dibromoethane	ND		23.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
Dibromomethane	ND		32.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
1,2-Dichlorobenzene	ND		36.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
1,3-Dichlorobenzene	ND		33.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
1,4-Dichlorobenzene	ND		38.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
Dichlorodifluoromethane	ND		24.0	300	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
1,1-Dichloroethane	ND		37.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
1,2-Dichloroethane	ND		18.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
1,1-Dichloroethene	ND		36.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
cis-1,2-Dichloroethene	ND		28.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
trans-1,2-Dichloroethene	ND		18.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
1,2-Dichloropropane	ND		36.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
1,3-Dichloropropane	ND		21.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
2,2-Dichloropropane	ND		34.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director

Page 35 of 61



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass


Work Order No: 2106169
Reported:
06/30/2021 15:50

Analytical Results**Client Sample ID: B3-5V****Laboratory Sample ID: 2106169-20 (Air)**

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
1,1-Dichloropropene	ND		21.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
cis-1,3-Dichloropropene	ND		12.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
trans-1,3-Dichloropropene	ND		10.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
Ethylbenzene	ND		12.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
Hexachlorobutadiene	ND		41.0	300	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
2-Hexanone	ND		94.0	500	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
Isopropylbenzene	ND		29.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
p-Isopropyltoluene	ND		47.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
Methyl tert-Butyl Ether (MTBE)	ND		24.0	200	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
4-Methyl-2-pentanone (MIBK)	ND		171	500	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
Methylene chloride	ND		469	500	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
Naphthalene	ND		38.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
n-Propylbenzene	ND		25.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
Styrene	ND		12.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
1,1,1,2-Tetrachloroethane	ND		14.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
1,1,2,2-Tetrachloroethane	ND		58.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
Tetrachloroethene	3690		14.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
Toluene	38.0	J	28.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
1,2,3-Trichlorobenzene	ND		22.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
1,2,4-Trichlorobenzene	ND		45.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
1,1,1-Trichloroethane	ND		15.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
1,1,2-Trichloroethane	ND		23.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
Trichloroethene	ND		12.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
Trichlorofluoromethane	ND		29.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
1,2,3-Trichloropropane	ND		30.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
1,2,4- Trimethylbenzene	ND		45.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
1,3,5- Trimethylbenzene	ND		22.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
Vinyl acetate	ND		162	500	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
Vinyl chloride	ND		33.0	300	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
o-Xylene	ND		26.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
m,p-Xylenes	ND		48.0	200	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
Isopropyl alcohol	ND		250	500	ug/m3	1	Prep - Volati	06/24/2021 14:06	SA	8260B
Surrogate: 4-Bromofluorobenzene			88.4 %		70-120		Prep - Volati	06/24/2021 14:06	SA	8260B
Surrogate: Dibromofluoromethane			102 %		70-120		Prep - Volati	06/24/2021 14:06	SA	8260B
Surrogate: Toluene-d8			111 %		70-120		Prep - Volati	06/24/2021 14:06	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass


Work Order No: 2106169
Reported:
06/30/2021 15:50

Analytical Results**Client Sample ID: B3-15V****Laboratory Sample ID: 2106169-21 (Air)**

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
Acetone	ND		25.2	500	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
Benzene	ND		10.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
Bromobenzene	ND		29.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
Bromochloromethane	ND		17.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
Bromodichloromethane	ND		17.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
Bromoform	ND		28.0	500	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
Bromomethane	ND		17.0	300	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
2-Butanone (MEK)	ND		465	500	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
n-Butylbenzene	ND		36.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
sec-Butylbenzene	ND		38.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
tert-Butylbenzene	ND		26.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
Carbon disulfide	ND		46.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
Carbon tetrachloride	ND		14.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
Chlorobenzene	ND		18.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
Chloroethane	ND		33.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
2-Chloroethyl vinyl ether	ND		67.0	500	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
Chloroform	ND		25.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
Chloromethane	ND		17.0	300	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
4-Chlorotoluene	ND		15.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
2-Chlorotoluene	ND		31.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
1,2-Dibromo-3-chloropropane	ND		33.0	500	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
Dibromochloromethane	ND		30.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
1,2-Dibromoethane	ND		23.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
Dibromomethane	ND		32.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
1,2-Dichlorobenzene	ND		36.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
1,3-Dichlorobenzene	ND		33.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
1,4-Dichlorobenzene	ND		38.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
Dichlorodifluoromethane	ND		24.0	300	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
1,1-Dichloroethane	ND		37.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
1,2-Dichloroethane	ND		18.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
1,1-Dichloroethene	ND		36.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
cis-1,2-Dichloroethene	ND		28.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
trans-1,2-Dichloroethene	ND		18.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
1,2-Dichloropropane	ND		36.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
1,3-Dichloropropane	ND		21.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
2,2-Dichloropropane	ND		34.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106169
Reported:
06/30/2021 15:50

Analytical Results**Client Sample ID: B3-15V****Laboratory Sample ID: 2106169-21 (Air)**

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
1,1-Dichloropropene	ND		21.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
cis-1,3-Dichloropropene	ND		12.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
trans-1,3-Dichloropropene	ND		10.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
Ethylbenzene	ND		12.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
Hexachlorobutadiene	ND		41.0	300	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
2-Hexanone	ND		94.0	500	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
Isopropylbenzene	ND		29.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
p-Isopropyltoluene	ND		47.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
Methyl tert-Butyl Ether (MTBE)	ND		24.0	200	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
4-Methyl-2-pentanone (MIBK)	ND		171	500	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
Methylene chloride	ND		469	500	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
Naphthalene	ND		38.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
n-Propylbenzene	ND		25.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
Styrene	ND		12.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
1,1,1,2-Tetrachloroethane	ND		14.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
1,1,2,2-Tetrachloroethane	ND		58.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
Tetrachloroethene	218000		700	5000	ug/m3	50	Prep - Volati	06/24/2021 14:40	SA	8260B
Toluene	ND		28.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
1,2,3-Trichlorobenzene	ND		22.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
1,2,4-Trichlorobenzene	ND		45.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
1,1,1-Trichloroethane	ND		15.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
1,1,2-Trichloroethane	ND		23.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
Trichloroethene	61.0	J	12.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
Trichlorofluoromethane	ND		29.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
1,2,3-Trichloropropane	ND		30.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
1,2,4-Trimethylbenzene	ND		45.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
1,3,5-Trimethylbenzene	ND		22.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
Vinyl acetate	ND		162	500	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
Vinyl chloride	ND		33.0	300	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
o-Xylene	ND		26.0	100	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
m,p-Xylenes	ND		48.0	200	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
Isopropyl alcohol	ND		250	500	ug/m3	1	Prep - Volati	06/24/2021 14:40	SA	8260B
Surrogate: 4-Bromofluorobenzene			89.9 %		70-120		Prep - Volati	06/24/2021 14:40	SA	8260B
Surrogate: Dibromofluoromethane			101 %		70-120		Prep - Volati	06/24/2021 14:40	SA	8260B
Surrogate: Toluene-d8			112 %		70-120		Prep - Volati	06/24/2021 14:40	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106169
Reported:
06/30/2021 15:50

Analytical Results


Client Sample ID: B6-5V

Laboratory Sample ID: 2106169-22 (Air)

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
Acetone	ND		25.2	500	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
Benzene	11.0	J	10.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
Bromobenzene	ND		29.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
Bromochloromethane	ND		17.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
Bromodichloromethane	ND		17.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
Bromoform	ND		28.0	500	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
Bromomethane	ND		17.0	300	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
2-Butanone (MEK)	ND		465	500	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
n-Butylbenzene	ND		36.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
sec-Butylbenzene	ND		38.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
tert-Butylbenzene	ND		26.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
Carbon disulfide	ND		46.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
Carbon tetrachloride	ND		14.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
Chlorobenzene	ND		18.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
Chloroethane	ND		33.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
2-Chloroethyl vinyl ether	ND		67.0	500	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
Chloroform	ND		25.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
Chloromethane	ND		17.0	300	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
4-Chlorotoluene	ND		15.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
2-Chlorotoluene	ND		31.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
1,2-Dibromo-3-chloropropane	ND		33.0	500	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
Dibromochloromethane	ND		30.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
1,2-Dibromoethane	ND		23.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
Dibromomethane	ND		32.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
1,2-Dichlorobenzene	ND		36.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
1,3-Dichlorobenzene	ND		33.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
1,4-Dichlorobenzene	ND		38.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
Dichlorodifluoromethane	ND		24.0	300	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
1,1-Dichloroethane	ND		37.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
1,2-Dichloroethane	ND		18.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
1,1-Dichloroethene	ND		36.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
cis-1,2-Dichloroethene	ND		28.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
trans-1,2-Dichloroethene	ND		18.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
1,2-Dichloropropane	ND		36.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
1,3-Dichloropropane	ND		21.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
2,2-Dichloropropane	ND		34.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106169
Reported:
06/30/2021 15:50

Analytical Results


Client Sample ID: B6-5V

Laboratory Sample ID: 2106169-22 (Air)

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
1,1-Dichloropropene	ND		21.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
cis-1,3-Dichloropropene	ND		12.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
trans-1,3-Dichloropropene	ND		10.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
Ethylbenzene	ND		12.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
Hexachlorobutadiene	ND		41.0	300	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
2-Hexanone	ND		94.0	500	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
Isopropylbenzene	ND		29.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
p-Isopropyltoluene	ND		47.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
Methyl tert-Butyl Ether (MTBE)	ND		24.0	200	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
4-Methyl-2-pentanone (MIBK)	ND		171	500	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
Methylene chloride	ND		469	500	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
Naphthalene	ND		38.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
n-Propylbenzene	ND		25.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
Styrene	ND		12.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
1,1,1,2-Tetrachloroethane	ND		14.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
1,1,2,2-Tetrachloroethane	ND		58.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
Tetrachloroethene	15200		70.0	500	ug/m3	5	Prep - Volati	06/24/2021 15:14	SA	8260B
Toluene	29.0	J	28.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
1,2,3-Trichlorobenzene	ND		22.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
1,2,4-Trichlorobenzene	ND		45.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
1,1,1-Trichloroethane	ND		15.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
1,1,2-Trichloroethane	ND		23.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
Trichloroethene	ND		12.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
Trichlorofluoromethane	ND		29.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
1,2,3-Trichloropropane	ND		30.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
1,2,4-Trimethylbenzene	ND		45.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
1,3,5-Trimethylbenzene	ND		22.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
Vinyl acetate	ND		162	500	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
Vinyl chloride	ND		33.0	300	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
o-Xylene	ND		26.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
m,p-Xylenes	ND		48.0	200	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
Isopropyl alcohol	ND		250	500	ug/m3	1	Prep - Volati	06/24/2021 15:14	SA	8260B
Surrogate: 4-Bromofluorobenzene			98.6 %		70-120		Prep - Volati	06/24/2021 15:14	SA	8260B
Surrogate: Dibromofluoromethane			99.9 %		70-120		Prep - Volati	06/24/2021 15:14	SA	8260B
Surrogate: Toluene-d8			111 %		70-120		Prep - Volati	06/24/2021 15:14	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106169
Reported:
06/30/2021 15:50

Analytical Results

Client Sample ID: B5-5V

Laboratory Sample ID: 2106169-24 (Air)

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
Acetone	ND		25.2	500	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
Benzene	15.0	J	10.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
Bromobenzene	ND		29.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
Bromochloromethane	ND		17.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
Bromodichloromethane	ND		17.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
Bromoform	ND		28.0	500	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
Bromomethane	ND		17.0	300	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
2-Butanone (MEK)	ND		465	500	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
n-Butylbenzene	ND		36.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
sec-Butylbenzene	ND		38.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
tert-Butylbenzene	ND		26.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
Carbon disulfide	ND		46.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
Carbon tetrachloride	ND		14.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
Chlorobenzene	ND		18.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
Chloroethane	ND		33.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
2-Chloroethyl vinyl ether	ND		67.0	500	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
Chloroform	ND		25.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
Chloromethane	ND		17.0	300	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
4-Chlorotoluene	ND		15.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
2-Chlorotoluene	ND		31.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
1,2-Dibromo-3-chloropropane	ND		33.0	500	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
Dibromochloromethane	ND		30.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
1,2-Dibromoethane	ND		23.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
Dibromomethane	ND		32.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
1,2-Dichlorobenzene	ND		36.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
1,3-Dichlorobenzene	ND		33.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
1,4-Dichlorobenzene	ND		38.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
Dichlorodifluoromethane	ND		24.0	300	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
1,1-Dichloroethane	ND		37.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
1,2-Dichloroethane	ND		18.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
1,1-Dichloroethene	ND		36.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
cis-1,2-Dichloroethene	ND		28.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
trans-1,2-Dichloroethene	ND		18.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
1,2-Dichloropropane	ND		36.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
1,3-Dichloropropane	ND		21.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
2,2-Dichloropropane	ND		34.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106169
Reported:
06/30/2021 15:50

Analytical Results

Client Sample ID: B5-5V

Laboratory Sample ID: 2106169-24 (Air)

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
1,1-Dichloropropene	ND		21.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
cis-1,3-Dichloropropene	ND		12.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
trans-1,3-Dichloropropene	ND		10.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
Ethylbenzene	19.0	J	12.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
Hexachlorobutadiene	ND		41.0	300	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
2-Hexanone	ND		94.0	500	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
Isopropylbenzene	ND		29.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
p-Isopropyltoluene	ND		47.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
Methyl tert-Butyl Ether (MTBE)	ND		24.0	200	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
4-Methyl-2-pentanone (MIBK)	ND		171	500	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
Methylene chloride	ND		469	500	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
Naphthalene	ND		38.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
n-Propylbenzene	ND		25.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
Styrene	ND		12.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
1,1,1,2-Tetrachloroethane	ND		14.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
1,1,2,2-Tetrachloroethane	ND		58.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
Tetrachloroethene	15600		70.0	500	ug/m3	5	Prep - Volati	06/24/2021 15:48	SA	8260B
Toluene	106		28.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
1,2,3-Trichlorobenzene	ND		22.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
1,2,4-Trichlorobenzene	ND		45.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
1,1,1-Trichloroethane	ND		15.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
1,1,2-Trichloroethane	ND		23.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
Trichloroethene	97.0	J	12.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
Trichlorofluoromethane	ND		29.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
1,2,3-Trichloropropane	ND		30.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
1,2,4- Trimethylbenzene	ND		45.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
1,3,5- Trimethylbenzene	ND		22.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
Vinyl acetate	ND		162	500	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
Vinyl chloride	ND		33.0	300	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
o-Xylene	ND		26.0	100	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
m,p-Xylenes	57.0	J	48.0	200	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
Isopropyl alcohol	ND		250	500	ug/m3	1	Prep - Volati	06/24/2021 15:48	SA	8260B
Surrogate: 4-Bromofluorobenzene			91.3 %		70-120		Prep - Volati	06/24/2021 15:48	SA	8260B
Surrogate: Dibromofluoromethane			101 %		70-120		Prep - Volati	06/24/2021 15:48	SA	8260B
Surrogate: Toluene-d8			110 %		70-120		Prep - Volati	06/24/2021 15:48	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106169
Reported:
06/30/2021 15:50

Analytical Results**Client Sample ID: B5-10V****Laboratory Sample ID: 2106169-25 (Air)**

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
Acetone	ND		25.2	500	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
Benzene	11.0	J	10.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
Bromobenzene	ND		29.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
Bromochloromethane	ND		17.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
Bromodichloromethane	ND		17.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
Bromoform	ND		28.0	500	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
Bromomethane	ND		17.0	300	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
2-Butanone (MEK)	ND		465	500	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
n-Butylbenzene	ND		36.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
sec-Butylbenzene	ND		38.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
tert-Butylbenzene	ND		26.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
Carbon disulfide	ND		46.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
Carbon tetrachloride	ND		14.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
Chlorobenzene	ND		18.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
Chloroethane	ND		33.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
2-Chloroethyl vinyl ether	ND		67.0	500	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
Chloroform	ND		25.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
Chloromethane	ND		17.0	300	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
4-Chlorotoluene	ND		15.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
2-Chlorotoluene	ND		31.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
1,2-Dibromo-3-chloropropane	ND		33.0	500	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
Dibromochloromethane	ND		30.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
1,2-Dibromoethane	ND		23.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
Dibromomethane	ND		32.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
1,2-Dichlorobenzene	ND		36.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
1,3-Dichlorobenzene	ND		33.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
1,4-Dichlorobenzene	ND		38.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
Dichlorodifluoromethane	ND		24.0	300	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
1,1-Dichloroethane	ND		37.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
1,2-Dichloroethane	ND		18.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
1,1-Dichloroethene	ND		36.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
cis-1,2-Dichloroethene	ND		28.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
trans-1,2-Dichloroethene	ND		18.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
1,2-Dichloropropane	ND		36.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
1,3-Dichloropropane	ND		21.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
2,2-Dichloropropane	ND		34.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106169
Reported:
06/30/2021 15:50

Analytical Results**Client Sample ID: B5-10V****Laboratory Sample ID: 2106169-25 (Air)**

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
1,1-Dichloropropene	ND		21.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
cis-1,3-Dichloropropene	ND		12.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
trans-1,3-Dichloropropene	ND		10.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
Ethylbenzene	13.0	J	12.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
Hexachlorobutadiene	ND		41.0	300	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
2-Hexanone	ND		94.0	500	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
Isopropylbenzene	ND		29.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
p-Isopropyltoluene	ND		47.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
Methyl tert-Butyl Ether (MTBE)	ND		24.0	200	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
4-Methyl-2-pentanone (MIBK)	ND		171	500	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
Methylene chloride	ND		469	500	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
Naphthalene	ND		38.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
n-Propylbenzene	ND		25.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
Styrene	ND		12.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
1,1,1,2-Tetrachloroethane	ND		14.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
1,1,2,2-Tetrachloroethane	ND		58.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
Tetrachloroethene	7590		14.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
Toluene	94.0	J	28.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
1,2,3-Trichlorobenzene	ND		22.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
1,2,4-Trichlorobenzene	ND		45.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
1,1,1-Trichloroethane	ND		15.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
1,1,2-Trichloroethane	ND		23.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
Trichloroethene	ND		12.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
Trichlorofluoromethane	ND		29.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
1,2,3-Trichloropropane	ND		30.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
1,2,4- Trimethylbenzene	ND		45.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
1,3,5- Trimethylbenzene	ND		22.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
Vinyl acetate	ND		162	500	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
Vinyl chloride	ND		33.0	300	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
o-Xylene	ND		26.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
m,p-Xylenes	ND		48.0	200	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
Isopropyl alcohol	ND		250	500	ug/m3	1	Prep - Volati	06/24/2021 16:21	SA	8260B
Surrogate: 4-Bromofluorobenzene			94.2 %		70-120		Prep - Volati	06/24/2021 16:21	SA	8260B
Surrogate: Dibromofluoromethane			102 %		70-120		Prep - Volati	06/24/2021 16:21	SA	8260B
Surrogate: Toluene-d8			112 %		70-120		Prep - Volati	06/24/2021 16:21	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106169
Reported:
06/30/2021 15:50

Analytical Results

Client Sample ID: B7-3A

Laboratory Sample ID: 2106169-26 (Air)

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
Acetone	ND		25.2	500	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
Benzene	211		10.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
Bromobenzene	ND		29.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
Bromochloromethane	ND		17.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
Bromodichloromethane	ND		17.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
Bromoform	ND		28.0	500	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
Bromomethane	ND		17.0	300	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
2-Butanone (MEK)	ND		465	500	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
n-Butylbenzene	ND		36.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
sec-Butylbenzene	ND		38.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
tert-Butylbenzene	ND		26.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
Carbon disulfide	ND		46.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
Carbon tetrachloride	ND		14.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
Chlorobenzene	ND		18.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
Chloroethane	ND		33.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
2-Chloroethyl vinyl ether	ND		67.0	500	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
Chloroform	ND		25.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
Chloromethane	ND		17.0	300	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
4-Chlorotoluene	ND		15.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
2-Chlorotoluene	ND		31.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
1,2-Dibromo-3-chloropropane	ND		33.0	500	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
Dibromochloromethane	ND		30.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
1,2-Dibromoethane	ND		23.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
Dibromomethane	ND		32.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
1,2-Dichlorobenzene	ND		36.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
1,3-Dichlorobenzene	ND		33.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
1,4-Dichlorobenzene	ND		38.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
Dichlorodifluoromethane	ND		24.0	300	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
1,1-Dichloroethane	ND		37.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
1,2-Dichloroethane	ND		18.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
1,1-Dichloroethene	ND		36.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
cis-1,2-Dichloroethene	ND		28.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
trans-1,2-Dichloroethene	ND		18.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
1,2-Dichloropropane	ND		36.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
1,3-Dichloropropane	ND		21.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
2,2-Dichloropropane	ND		34.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106169
Reported:
06/30/2021 15:50

Analytical Results

Client Sample ID: B7-3A

Laboratory Sample ID: 2106169-26 (Air)

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
1,1-Dichloropropene	ND		21.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
cis-1,3-Dichloropropene	ND		12.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
trans-1,3-Dichloropropene	ND		10.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
Ethylbenzene	33.0	J	12.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
Hexachlorobutadiene	ND		41.0	300	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
2-Hexanone	ND		94.0	500	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
Isopropylbenzene	ND		29.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
p-Isopropyltoluene	ND		47.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
Methyl tert-Butyl Ether (MTBE)	ND		24.0	200	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
4-Methyl-2-pentanone (MIBK)	ND		171	500	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
Methylene chloride	ND		469	500	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
Naphthalene	ND		38.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
n-Propylbenzene	ND		25.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
Styrene	ND		12.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
1,1,1,2-Tetrachloroethane	ND		14.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
1,1,2,2-Tetrachloroethane	ND		58.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
Tetrachloroethene	2110		14.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
Toluene	360		28.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
1,2,3-Trichlorobenzene	ND		22.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
1,2,4-Trichlorobenzene	ND		45.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
1,1,1-Trichloroethane	ND		15.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
1,1,2-Trichloroethane	ND		23.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
Trichloroethene	ND		12.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
Trichlorofluoromethane	ND		29.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
1,2,3-Trichloropropane	ND		30.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
1,2,4- Trimethylbenzene	ND		45.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
1,3,5- Trimethylbenzene	ND		22.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
Vinyl acetate	ND		162	500	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
Vinyl chloride	ND		33.0	300	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
o-Xylene	ND		26.0	100	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
m,p-Xylenes	101	J	48.0	200	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
Isopropyl alcohol	ND		250	500	ug/m3	1	Prep - Volati	06/24/2021 16:55	SA	8260B
Surrogate: 4-Bromofluorobenzene			95.7 %		70-120		Prep - Volati	06/24/2021 16:55	SA	8260B
Surrogate: Dibromofluoromethane			105 %		70-120		Prep - Volati	06/24/2021 16:55	SA	8260B
Surrogate: Toluene-d8			113 %		70-120		Prep - Volati	06/24/2021 16:55	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106169
Reported:
06/30/2021 15:50

Analytical Results**Client Sample ID: B9-3C****Laboratory Sample ID: 2106169-27 (Air)**

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
Acetone	ND		25.2	500	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
Benzene	255		10.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
Bromobenzene	ND		29.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
Bromochloromethane	ND		17.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
Bromodichloromethane	ND		17.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
Bromoform	ND		28.0	500	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
Bromomethane	ND		17.0	300	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
2-Butanone (MEK)	ND		465	500	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
n-Butylbenzene	ND		36.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
sec-Butylbenzene	ND		38.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
tert-Butylbenzene	ND		26.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
Carbon disulfide	ND		46.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
Carbon tetrachloride	ND		14.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
Chlorobenzene	ND		18.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
Chloroethane	ND		33.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
2-Chloroethyl vinyl ether	ND		67.0	500	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
Chloroform	ND		25.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
Chloromethane	ND		17.0	300	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
4-Chlorotoluene	ND		15.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
2-Chlorotoluene	ND		31.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
1,2-Dibromo-3-chloropropane	ND		33.0	500	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
Dibromochloromethane	ND		30.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
1,2-Dibromoethane	ND		23.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
Dibromomethane	ND		32.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
1,2-Dichlorobenzene	ND		36.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
1,3-Dichlorobenzene	ND		33.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
1,4-Dichlorobenzene	ND		38.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
Dichlorodifluoromethane	ND		24.0	300	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
1,1-Dichloroethane	ND		37.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
1,2-Dichloroethane	ND		18.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
1,1-Dichloroethene	ND		36.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
cis-1,2-Dichloroethene	ND		28.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
trans-1,2-Dichloroethene	ND		18.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
1,2-Dichloropropane	ND		36.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
1,3-Dichloropropane	ND		21.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
2,2-Dichloropropane	ND		34.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106169
Reported:
06/30/2021 15:50

Analytical Results**Client Sample ID: B9-3C****Laboratory Sample ID: 2106169-27 (Air)**

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
1,1-Dichloropropene	ND		21.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
cis-1,3-Dichloropropene	ND		12.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
trans-1,3-Dichloropropene	ND		10.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
Ethylbenzene	69.0	J	12.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
Hexachlorobutadiene	ND		41.0	300	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
2-Hexanone	ND		94.0	500	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
Isopropylbenzene	ND		29.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
p-Isopropyltoluene	ND		47.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
Methyl tert-Butyl Ether (MTBE)	ND		24.0	200	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
4-Methyl-2-pentanone (MIBK)	ND		171	500	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
Methylene chloride	ND		469	500	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
Naphthalene	ND		38.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
n-Propylbenzene	ND		25.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
Styrene	ND		12.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
1,1,1,2-Tetrachloroethane	ND		14.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
1,1,2,2-Tetrachloroethane	ND		58.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
Tetrachloroethene	2230		14.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
Toluene	623		28.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
1,2,3-Trichlorobenzene	ND		22.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
1,2,4-Trichlorobenzene	ND		45.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
1,1,1-Trichloroethane	ND		15.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
1,1,2-Trichloroethane	ND		23.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
Trichloroethene	ND		12.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
Trichlorofluoromethane	ND		29.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
1,2,3-Trichloropropane	ND		30.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
1,2,4- Trimethylbenzene	51.0	J	45.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
1,3,5- Trimethylbenzene	47.0	J	22.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
Vinyl acetate	ND		162	500	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
Vinyl chloride	ND		33.0	300	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
o-Xylene	51.0	J	26.0	100	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
m,p-Xylenes	235		48.0	200	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
Isopropyl alcohol	ND		250	500	ug/m3	1	Prep - Volati	06/24/2021 17:29	SA	8260B
Surrogate: 4-Bromofluorobenzene			94.2 %		70-120		Prep - Volati	06/24/2021 17:29	SA	8260B
Surrogate: Dibromofluoromethane			100 %		70-120		Prep - Volati	06/24/2021 17:29	SA	8260B
Surrogate: Toluene-d8			112 %		70-120		Prep - Volati	06/24/2021 17:29	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106169
Reported:
06/30/2021 15:50

Volatile Organic Compounds - Quality Control Report

Analyte	Result	MDL	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch BF10752 - No Prep - Volatiles - 8260B

Blank (BF10752-BLK1)

Prepared & Analyzed: 06/23/202

Acetone	ND	25.2	500	ug/m3							
Benzene	ND	10.0	100	"							
Bromobenzene	ND	29.0	100	"							
Bromochloromethane	ND	17.0	100	"							
Bromodichloromethane	ND	17.0	100	"							
Bromoform	ND	28.0	500	"							
Bromomethane	ND	17.0	300	"							
2-Butanone (MEK)	ND	465	500	"							
n-Butylbenzene	ND	36.0	100	"							
sec-Butylbenzene	ND	38.0	100	"							
tert-Butylbenzene	ND	26.0	100	"							
Carbon disulfide	ND	46.0	100	"							
Carbon tetrachloride	ND	14.0	100	"							
Chlorobenzene	ND	18.0	100	"							
Chloroethane	ND	33.0	100	"							
2-Chloroethyl vinyl ether	ND	67.0	500	"							
Chloroform	ND	25.0	100	"							
Chloromethane	ND	17.0	300	"							
4-Chlorotoluene	ND	15.0	100	"							
2-Chlorotoluene	ND	31.0	100	"							
1,2-Dibromo-3-chloropropane	ND	33.0	500	"							
Dibromochloromethane	ND	30.0	100	"							
1,2-Dibromoethane	ND	23.0	100	"							
Dibromomethane	ND	32.0	100	"							
1,2-Dichlorobenzene	ND	36.0	100	"							
1,3-Dichlorobenzene	ND	33.0	100	"							
1,4-Dichlorobenzene	ND	38.0	100	"							
Dichlorodifluoromethane	ND	24.0	300	"							
1,1-Dichloroethane	ND	37.0	100	"							
1,2-Dichloroethane	ND	18.0	100	"							
1,1-Dichloroethene	ND	36.0	100	"							
cis-1,2-Dichloroethene	ND	28.0	100	"							
trans-1,2-Dichloroethene	ND	18.0	100	"							
1,2-Dichloropropane	ND	36.0	100	"							
1,3-Dichloropropane	ND	21.0	100	"							
2,2-Dichloropropane	ND	34.0	100	"							
1,1-Dichloropropene	ND	21.0	100	"							
cis-1,3-Dichloropropene	ND	12.0	100	"							
trans-1,3-Dichloropropene	ND	10.0	100	"							
Ethylbenzene	ND	12.0	100	"							

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amolk Brar, Lab Director



Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106169
Reported:
06/30/2021 15:50

Volatile Organic Compounds - Quality Control Report

Analyte	Result	MDL	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch BF10752 - No Prep - Volatiles - 8260B


Blank (BF10752-BLK1)

Prepared & Analyzed: 06/23/202

Hexachlorobutadiene	ND	41.0	300	ug/m3							
2-Hexanone	ND	94.0	500	"							
Isopropylbenzene	ND	29.0	100	"							
p-Isopropyltoluene	ND	47.0	100	"							
Methyl tert-Butyl Ether (MTBE)	ND	24.0	200	"							
4-Methyl-2-pentanone (MIBK)	ND	171	500	"							
Methylene chloride	ND	469	500	"							
Naphthalene	ND	38.0	100	"							
n-Propylbenzene	ND	25.0	100	"							
Styrene	ND	12.0	100	"							
1,1,1,2-Tetrachloroethane	ND	14.0	100	"							
1,1,2,2-Tetrachloroethane	ND	58.0	100	"							
Tetrachloroethene	ND	14.0	100	"							
Toluene	ND	28.0	100	"							
1,2,3-Trichlorobenzene	ND	22.0	100	"							
1,2,4-Trichlorobenzene	ND	45.0	100	"							
1,1,1-Trichloroethane	ND	15.0	100	"							
1,1,2-Trichloroethane	ND	23.0	100	"							
Trichloroethene	ND	12.0	100	"							
Trichlorofluoromethane	ND	29.0	100	"							
1,2,3-Trichloropropane	ND	30.0	100	"							
1,2,4- Trimethylbenzene	ND	45.0	100	"							
1,3,5- Trimethylbenzene	ND	22.0	100	"							
Vinyl acetate	ND	162	500	"							
Vinyl chloride	ND	33.0	300	"							
o-Xylene	ND	26.0	100	"							
m,p-Xylenes	ND	48.0	200	"							
Isopropyl alcohol	ND	250	500	"							

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106169
Reported:
06/30/2021 15:50

Volatile Organic Compounds - Quality Control Report

Analyte	Result	MDL	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch BF10752 - No Prep - Volatiles - 8260B

LCS (BF10752-BS1)

		Prepared & Analyzed: 06/23/202				
Benzene	43.8		ug/L	50.0	87.6	75-120
Chlorobenzene	46.4		"	50.0	92.8	75-120
1,1-Dichloroethene	38.6		"	50.0	77.1	75-120
Toluene	45.1		"	50.0	90.1	75-120
Trichloroethene	45.0		"	50.0	90.1	75-120

LCS Dup (BF10752-BSD1)

		Prepared & Analyzed: 06/23/202				
Benzene	45.0		ug/L	50.0	90.1	75-120 2.77 15
Chlorobenzene	47.6		"	50.0	95.2	75-120 2.57 15
1,1-Dichloroethene	40.4		"	50.0	80.9	75-120 4.76 15
Toluene	46.5		"	50.0	93.0	75-120 3.12 15
Trichloroethene	46.4		"	50.0	92.9	75-120 3.08 15

Matrix Spike (BF10752-MS1)

Source: 2106169-11

		Prepared & Analyzed: 06/23/202				
Benzene	42.0		ug/L	50.0	0.0320	83.9 75-120
Chlorobenzene	43.8		"	50.0	0.00	87.7 75-120
1,1-Dichloroethene	43.8		"	50.0	0.00	87.7 75-120
Toluene	42.4		"	50.0	0.0540	84.6 75-120
Trichloroethene	42.0		"	50.0	0.00	84.0 75-120

Matrix Spike Dup (BF10752-MSD1)

Source: 2106169-11

		Prepared & Analyzed: 06/23/202				
Benzene	43.1		ug/L	50.0	0.0320	86.1 75-120 2.56 15
Chlorobenzene	44.8		"	50.0	0.00	89.6 75-120 2.21 15
1,1-Dichloroethene	45.5		"	50.0	0.00	91.1 75-120 3.78 15
Toluene	43.4		"	50.0	0.0540	86.8 75-120 2.54 15
Trichloroethene	42.6		"	50.0	0.00	85.1 75-120 1.35 15

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amolk Brar, Lab Director



Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106169
Reported:
06/30/2021 15:50

Volatile Organic Compounds - Quality Control Report

Analyte	Result	MDL	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch BF10773 - No Prep - Volatiles - 8260B


Blank (BF10773-BLK1)

Prepared & Analyzed: 06/24/202

Acetone	ND	25.2	500	ug/m3							
Benzene	ND	10.0	100	"							
Bromobenzene	ND	29.0	100	"							
Bromochloromethane	ND	17.0	100	"							
Bromodichloromethane	ND	17.0	100	"							
Bromoform	ND	28.0	500	"							
Bromomethane	ND	17.0	300	"							
2-Butanone (MEK)	ND	465	500	"							
n-Butylbenzene	ND	36.0	100	"							
sec-Butylbenzene	ND	38.0	100	"							
tert-Butylbenzene	ND	26.0	100	"							
Carbon disulfide	ND	46.0	100	"							
Carbon tetrachloride	ND	14.0	100	"							
Chlorobenzene	ND	18.0	100	"							
Chloroethane	ND	33.0	100	"							
2-Chloroethyl vinyl ether	ND	67.0	500	"							
Chloroform	ND	25.0	100	"							
Chloromethane	ND	17.0	300	"							
4-Chlorotoluene	ND	15.0	100	"							
2-Chlorotoluene	ND	31.0	100	"							
1,2-Dibromo-3-chloropropane	ND	33.0	500	"							
Dibromochloromethane	ND	30.0	100	"							
1,2-Dibromoethane	ND	23.0	100	"							
Dibromomethane	ND	32.0	100	"							
1,2-Dichlorobenzene	ND	36.0	100	"							
1,3-Dichlorobenzene	ND	33.0	100	"							
1,4-Dichlorobenzene	ND	38.0	100	"							
Dichlorodifluoromethane	ND	24.0	300	"							
1,1-Dichloroethane	ND	37.0	100	"							
1,2-Dichloroethane	ND	18.0	100	"							
1,1-Dichloroethene	ND	36.0	100	"							
cis-1,2-Dichloroethene	ND	28.0	100	"							
trans-1,2-Dichloroethene	ND	18.0	100	"							
1,2-Dichloropropane	ND	36.0	100	"							
1,3-Dichloropropane	ND	21.0	100	"							
2,2-Dichloropropane	ND	34.0	100	"							
1,1-Dichloropropene	ND	21.0	100	"							
cis-1,3-Dichloropropene	ND	12.0	100	"							
trans-1,3-Dichloropropene	ND	10.0	100	"							
Ethylbenzene	ND	12.0	100	"							
Hexachlorobutadiene	ND	41.0	300	"							

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106169
Reported:
06/30/2021 15:50

Volatile Organic Compounds - Quality Control Report

Analyte	Result	MDL	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch BF10773 - No Prep - Volatiles - 8260B

Blank (BF10773-BLK1)

Prepared & Analyzed: 06/24/202

2-Hexanone	ND	94.0	500	ug/m3							
Isopropylbenzene	ND	29.0	100	"							
p-Isopropyltoluene	ND	47.0	100	"							
Methyl tert-Butyl Ether (MTBE)	ND	24.0	200	"							
4-Methyl-2-pentanone (MIBK)	ND	171	500	"							
Methylene chloride	ND	469	500	"							
Naphthalene	ND	38.0	100	"							
n-Propylbenzene	ND	25.0	100	"							
Styrene	ND	12.0	100	"							
1,1,1,2-Tetrachloroethane	ND	14.0	100	"							
1,1,2,2-Tetrachloroethane	ND	58.0	100	"							
Tetrachloroethene	ND	14.0	100	"							
Toluene	ND	28.0	100	"							
1,2,3-Trichlorobenzene	ND	22.0	100	"							
1,2,4-Trichlorobenzene	ND	45.0	100	"							
1,1,1-Trichloroethane	ND	15.0	100	"							
1,1,2-Trichloroethane	ND	23.0	100	"							
Trichloroethene	ND	12.0	100	"							
Trichlorofluoromethane	ND	29.0	100	"							
1,2,3-Trichloropropane	ND	30.0	100	"							
1,2,4- Trimethylbenzene	ND	45.0	100	"							
1,3,5- Trimethylbenzene	ND	22.0	100	"							
Vinyl acetate	ND	162	500	"							
Vinyl chloride	ND	33.0	300	"							
o-Xylene	ND	26.0	100	"							
m,p-Xylenes	ND	48.0	200	"							
Isopropyl alcohol	ND	250	500	"							

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106169
Reported:
06/30/2021 15:50

Volatile Organic Compounds - Quality Control Report

Analyte	Result	MDL	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch BF10773 - No Prep - Volatiles - 8260B

LCS (BF10773-BS1)											
Benzene	41.7			ug/L	50.0	83.4	75-120				
Chlorobenzene	43.1			"	50.0	86.2	75-120				
1,1-Dichloroethene	42.1			"	50.0	84.2	75-120				
Toluene	42.7			"	50.0	85.3	75-120				
Trichloroethene	41.9			"	50.0	83.8	75-120				

LCS Dup (BF10773-BSD1)											
Benzene	44.1			ug/L	50.0	88.3	75-120	5.64	15		
Chlorobenzene	45.3			"	50.0	90.7	75-120	5.02	15		
1,1-Dichloroethene	44.4			"	50.0	88.9	75-120	5.43	15		
Toluene	44.7			"	50.0	89.4	75-120	4.67	15		
Trichloroethene	43.9			"	50.0	87.8	75-120	4.61	15		

Matrix Spike (BF10773-MS1)											
	Source: 2106169-27				Prepared & Analyzed: 06/24/202						
Benzene	48.7			ug/L	50.0	0.255	97.0	75-120			
Chlorobenzene	48.0			"	50.0	0.00	96.0	75-120			
1,1-Dichloroethene	48.9			"	50.0	0.00	97.7	75-120			
Toluene	49.8			"	50.0	0.623	98.5	75-120			
Trichloroethene	48.8			"	50.0	0.00	97.6	75-120			

Matrix Spike Dup (BF10773-MSD1)											
	Source: 2106169-27				Prepared & Analyzed: 06/24/202						
Benzene	48.3			ug/L	50.0	0.255	96.0	75-120	0.948	15	
Chlorobenzene	48.3			"	50.0	0.00	96.5	75-120	0.499	15	
1,1-Dichloroethene	47.5			"	50.0	0.00	94.9	75-120	2.93	15	
Toluene	49.0			"	50.0	0.623	96.7	75-120	1.78	15	
Trichloroethene	48.1			"	50.0	0.00	96.2	75-120	1.44	15	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amolk Brar, Lab Director

Page 54 of 61



Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106169
Reported:
06/30/2021 15:50

Volatile Organic Compounds - Quality Control Report

Analyte	Result	MDL	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch BF10855 - 5035 - 8260B

Blank (BF10855-BLK1)

Prepared: 06/24/202 Analyzed: 06/25/202

Acetone	ND	12.7	50.0	ug/kg							
Benzene	ND	0.930	2.00	"							
Bromobenzene	ND	3.39	10.0	"							
Bromochloromethane	ND	0.380	10.0	"							
Bromodichloromethane	ND	0.630	10.0	"							
Bromoform	ND	3.39	50.0	"							
Bromomethane	ND	2.75	30.0	"							
2-Butanone	ND	5.83	50.0	"							
n-Butylbenzene	ND	2.05	10.0	"							
sec-Butylbenzene	ND	3.04	10.0	"							
tert-Butylbenzene	ND	1.34	10.0	"							
Carbon disulfide	ND	5.53	10.0	"							
Carbon tetrachloride	ND	2.48	10.0	"							
Chlorobenzene	ND	0.890	10.0	"							
Chloroethane	ND	2.15	30.0	"							
2-Chloroethylvinyl Ether	ND	5.53	50.0	"							
Chloroform	ND	1.24	10.0	"							
Chloromethane	ND	1.74	30.0	"							
4-Chlorotoluene	ND	1.34	10.0	"							
2-Chlorotoluene	ND	2.35	10.0	"							
1,2-Dibromo-3-chloropropane	ND	2.69	50.0	"							
Dibromochloromethane	ND	0.650	10.0	"							
1,2-Dibromoethane	ND	2.75	10.0	"							
Dibromomethane	ND	2.30	10.0	"							
1,2-Dichlorobenzene	ND	1.65	10.0	"							
1,3-Dichlorobenzene	ND	1.03	10.0	"							
1,4-Dichlorobenzene	ND	2.23	10.0	"							
Dichlorodifluoromethane	ND	2.07	30.0	"							
1,1-Dichloroethane	ND	1.30	10.0	"							
1,2-Dichloroethane	ND	1.57	10.0	"							
1,1-Dichloroethene	ND	1.60	10.0	"							
cis-1,2-Dichloroethene	ND	2.16	10.0	"							
trans-1,2-Dichloroethene	ND	2.60	10.0	"							
1,1-Dichloropropene	ND	0.660	10.0	"							
1,2-Dichloropropane	ND	0.920	10.0	"							
1,3-Dichloropropane	ND	1.36	10.0	"							
2,2-Dichloropropane	ND	1.12	10.0	"							
cis-1,3-Dichloropropene	ND	0.980	10.0	"							
trans-1,3-Dichloropropene	ND	0.960	10.0	"							
Ethylbenzene	ND	1.00	2.00	"							
Hexachlorobutadiene	ND	2.77	30.0	"							

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106169
Reported:
06/30/2021 15:50

Volatile Organic Compounds - Quality Control Report

Analyte	Result	MDL	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch BF10855 - 5035 - 8260B

Blank (BF10855-BLK1)

Prepared: 06/24/202 Analyzed: 06/25/202

2-Hexanone	ND	3.18	50.0	ug/kg							
Isopropylbenzene	ND	1.42	10.0	"							
p-Isopropyltoluene	ND	3.86	10.0	"							
Methyl tert-Butyl Ether (MTBE)	ND	1.81	5.00	"							
4-Methyl-2-pentanone (MIBK)	ND	3.14	50.0	"							
Methylene chloride	ND	3.31	50.0	"							
Naphthalene	ND	1.14	10.0	"							
n-Propylbenzene	ND	1.14	10.0	"							
Styrene	ND	0.800	10.0	"							
1,1,1,2-Tetrachloroethane	ND	1.28	10.0	"							
1,1,2,2-Tetrachloroethane	ND	3.25	10.0	"							
Tetrachloroethene	ND	0.930	10.0	"							
Toluene	ND	1.00	2.00	"							
1,2,3-Trichlorobenzene	ND	1.23	10.0	"							
1,2,4-Trichlorobenzene	ND	2.82	10.0	"							
1,1,1-Trichloroethane	ND	2.03	10.0	"							
1,1,2-Trichloroethane	ND	1.74	10.0	"							
Trichloroethene	ND	1.15	10.0	"							
Trichlorofluoromethane	ND	3.15	10.0	"							
1,2,3-Trichloropropane	ND	1.74	10.0	"							
1,2,4-Trimethylbenzene	ND	3.19	10.0	"							
1,3,5- Trimethylbenzene	ND	1.23	10.0	"							
Vinyl acetate	ND	10.8	50.0	"							
Vinyl chloride	ND	2.79	30.0	"							
m,p-Xylenes	ND	1.80	4.00	"							
o-Xylene	ND	1.00	2.00	"							


LCS (BF10855-BS1)

Prepared & Analyzed: 06/24/202

Benzene	59.0	ug/L	50.0	118	75-120
Chlorobenzene	59.1	"	50.0	118	80-120
1,1-Dichloroethene	59.3	"	50.0	119	75-120
Methyl tert-Butyl Ether (MTBE)	58.2	"	50.0	116	75-120
Toluene	51.7	"	50.0	103	75-120
Trichloroethene	50.7	"	50.0	101	75-120

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106169
Reported:
06/30/2021 15:50

Volatile Organic Compounds - Quality Control Report

Analyte	Result	MDL	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch BF10855 - 5035 - 8260B


LCS Dup (BF10855-BSD1)		Prepared & Analyzed: 06/24/202							
Benzene	58.8			ug/L	50.0	118	75-120	0.305	20
Chlorobenzene	59.3			"	50.0	119	80-120	0.456	20
1,1-Dichloroethene	58.7			"	50.0	117	75-120	0.966	15
Methyl tert-Butyl Ether (MTBE)	58.0			"	50.0	116	75-120	0.361	15
Toluene	50.8			"	50.0	102	75-120	1.74	15
Trichloroethene	50.0			"	50.0	100	75-120	1.33	20
Matrix Spike (BF10855-MS1)		Source: 2106160-06		Prepared: 06/24/202 Analyzed: 06/25/202					
Benzene	55.5			ug/L	50.0	0.810	109	75-120	
Chlorobenzene	55.1			"	50.0	0.00	110	75-120	
1,1-Dichloroethene	59.1			"	50.0	0.00	118	75-120	
Methyl tert-Butyl Ether (MTBE)	56.9			"	50.0	0.00	114	75-120	
Toluene	52.5			"	50.0	0.330	104	75-120	
Trichloroethene	52.5			"	50.0	2.00	101	75-120	
Matrix Spike Dup (BF10855-MSD1)		Source: 2106160-06		Prepared: 06/24/202 Analyzed: 06/25/202					
Benzene	55.4			ug/L	50.0	0.810	109	75-120	0.108
Chlorobenzene	56.1			"	50.0	0.00	112	75-120	1.78
1,1-Dichloroethene	55.4			"	50.0	0.00	111	75-120	6.57
Methyl tert-Butyl Ether (MTBE)	56.4			"	50.0	0.00	113	75-120	0.812
Toluene	50.8			"	50.0	0.330	101	75-120	3.23
Trichloroethene	51.5			"	50.0	2.00	99.1	75-120	1.88

Batch BF10883 - 5030B - 8260B

Blank (BF10883-BLK1)					Prepared & Analyzed: 06/24/202				
Acetone	ND	2.52	5.00	ug/L					
Benzene	ND	0.097	1.00	"					
Bromobenzene	ND	0.291	1.00	"					
Bromochloromethane	ND	0.169	1.00	"					
Bromodichloromethane	ND	0.169	1.00	"					
Bromoform	ND	0.284	5.00	"					
Bromomethane	ND	0.174	3.00	"					
2-Butanone (MEK)	ND	5.00	5.00	"					
n-Butylbenzene	ND	0.363	1.00	"					
sec-Butylbenzene	ND	0.338	1.00	"					
tert-Butylbenzene	ND	0.235	1.00	"					
Carbon disulfide	ND	0.463	1.00	"					
Carbon tetrachloride	ND	0.144	1.00	"					
Chlorobenzene	ND	0.176	1.00	"					
Chloroethane	ND	0.328	3.00	"					
2-Chloroethyl vinyl ether	ND	0.665	5.00	"					

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106169
Reported:
06/30/2021 15:50

Volatile Organic Compounds - Quality Control Report

Analyte	Result	MDL	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch BF10883 - 5030B - 8260B


Blank (BF10883-BLK1)

Prepared & Analyzed: 06/24/202

Chloroform	ND	0.247	1.00	ug/L							
Chloromethane	ND	0.174	3.00	"							
4-Chlorotoluene	ND	0.147	1.00	"							
2-Chlorotoluene	ND	0.311	1.00	"							
1,2-Dibromo-3-chloropropane	ND	0.333	5.00	"							
Dibromochloromethane	ND	0.300	1.00	"							
1,2-Dibromoethane	ND	0.226	1.00	"							
Dibromomethane	ND	0.316	1.00	"							
1,2-Dichlorobenzene	ND	0.358	1.00	"							
1,3-Dichlorobenzene	ND	0.333	1.00	"							
1,4-Dichlorobenzene	ND	0.384	1.00	"							
Dichlorodifluoromethane	ND	0.244	3.00	"							
1,1-Dichloroethane	ND	0.372	1.00	"							
1,2-Dichloroethane	ND	0.182	1.00	"							
1,1-Dichloroethene	ND	0.355	1.00	"							
cis-1,2-Dichloroethene	ND	0.279	1.00	"							
trans-1,2-Dichloroethene	ND	0.176	1.00	"							
1,2-Dichloropropane	ND	0.359	1.00	"							
1,3-Dichloropropane	ND	0.205	1.00	"							
2,2-Dichloropropane	ND	0.341	1.00	"							
1,1-Dichloropropene	ND	0.210	1.00	"							
cis-1,3-Dichloropropene	ND	0.122	1.00	"							
trans-1,3-Dichloropropene	ND	0.100	1.00	"							
Ethylbenzene	ND	0.209	1.00	"							
Hexachlorobutadiene	ND	0.413	3.00	"							
2-Hexanone	ND	0.944	5.00	"							
Isopropylbenzene	ND	0.291	1.00	"							
p-Isopropyltoluene	ND	0.468	1.00	"							
Methyl tert-Butyl Ether (MTBE)	ND	0.240	2.00	"							
4-Methyl-2-pentanone (MIBK)	ND	1.71	5.00	"							
Methylene chloride	ND	4.69	5.00	"							
Naphthalene	ND	0.375	1.00	"							
n-Propylbenzene	ND	0.254	1.00	"							
Styrene	ND	0.122	2.00	"							
1,1,1,2-Tetrachloroethane	ND	0.141	1.00	"							
1,1,2,2-Tetrachloroethane	ND	0.579	1.00	"							
Tetrachloroethene	ND	0.421	1.00	"							
Toluene	ND	0.282	1.00	"							
1,2,3-Trichlorobenzene	ND	0.219	1.00	"							
1,2,4-Trichlorobenzene	ND	0.451	1.00	"							
1,1,1-Trichloroethane	ND	0.150	1.00	"							

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amolk Brar, Lab Director



Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106169
Reported:
06/30/2021 15:50

Volatile Organic Compounds - Quality Control Report

Analyte	Result	MDL	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch BF10883 - 5030B - 8260B

Blank (BF10883-BLK1)

Prepared & Analyzed: 06/24/202

1,1,2-Trichloroethane	ND	0.233	1.00	ug/L							
Trichloroethene	ND	0.117	1.00	"							
Trichlorofluoromethane	ND	0.294	1.00	"							
1,2,3-Trichloropropane	ND	0.303	1.00	"							
1,2,4- Trimethylbenzene	ND	0.451	1.00	"							
1,3,5- Trimethylbenzene	ND	0.219	1.00	"							
Vinyl acetate	ND	1.62	5.00	"							
Vinyl chloride	ND	0.331	3.00	"							
o-Xylene	ND	0.262	1.00	"							
m,p-Xylenes	ND	0.476	2.00	"							

LCS (BF10883-BS1)

Prepared & Analyzed: 06/24/202

Benzene	45.0	ug/L	50.0	89.9	75-120						
Chlorobenzene	46.4	"	50.0	92.8	75-120						
1,1-Dichloroethene	43.8	"	50.0	87.6	75-120						
Methyl tert-Butyl Ether (MTBE)	46.1	"	50.0	92.2	75-120						
Toluene	48.3	"	50.0	96.6	75-120						
Trichloroethene	41.9	"	50.0	83.9	75-120						

LCS Dup (BF10883-BSD1)

Prepared & Analyzed: 06/24/202

Benzene	47.2	ug/L	50.0	94.4	75-120	4.90	15				
Chlorobenzene	49.5	"	50.0	99.0	75-120	6.44	15				
1,1-Dichloroethene	46.6	"	50.0	93.2	75-120	6.15	15				
Methyl tert-Butyl Ether (MTBE)	47.7	"	50.0	95.3	75-120	3.33	15				
Toluene	50.1	"	50.0	100	75-120	3.56	15				
Trichloroethene	43.6	"	50.0	87.3	75-120	4.00	15				

Matrix Spike (BF10883-MS1)

Source: 2106169-10

Prepared: 06/24/202 Analyzed: 06/25/202

Benzene	58.4	ug/L	50.0	0.00	117	75-120					
Chlorobenzene	55.4	"	50.0	0.00	111	75-120					
1,1-Dichloroethene	49.3	"	50.0	0.00	98.5	75-120					
Methyl tert-Butyl Ether (MTBE)	52.0	"	50.0	0.00	104	75-120					
Toluene	60.3	"	50.0	0.260	120	75-120					
Trichloroethene	50.5	"	50.0	0.00	101	75-120					

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director

Page 59 of 61



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106169
Reported:
06/30/2021 15:50

Volatile Organic Compounds - Quality Control Report

Analyte	Result	MDL	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch BF10883 - 5030B - 8260B

Matrix Spike Dup (BF10883-MSD1)	Source: 2106169-10	Prepared: 06/24/202 Analyzed: 06/25/202								
Benzene	56.2		ug/L	50.0	0.00	112	75-120	3.87	15	
Chlorobenzene	60.3		"	50.0	0.00	121	75-120	8.57	15	QM-05
1,1-Dichloroethene	48.6		"	50.0	0.00	97.2	75-120	1.35	15	
Methyl tert-Butyl Ether (MTBE)	49.2		"	50.0	0.00	98.5	75-120	5.34	15	
Toluene	58.4		"	50.0	0.260	116	75-120	3.12	15	
Trichloroethene	50.1		"	50.0	0.00	100	75-120	0.835	15	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amolk Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC
Environmental Testing Services
2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106169
Reported:
06/30/2021 15:50

Notes and Definitions

QM-05 The spike recovery was outside acceptance limits for the MS and/or MSD due to matrix interference. The LCS and/or LCSD were within acceptance limits showing that the laboratory is in control and the data is acceptable.

J Detected but below the Reporting Limit; therefore, result is an estimated concentration (CLP J-Flag).


DET Analyte DETECTED

ND Analyte NOT DETECTED at or above the practical quantitation limit (PQL)

NR Not Reported

dry Sample results reported on a dry weight basis

RPD Relative Percent Difference



AMERICAN SCIENTIFIC LABORATORIES, LLC
Environmental Testing Services
2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

08 July 2021

Michael Pendergrass
Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale, CA 91201

Work Order #: 2106163

Project Name: Radha Hotels USA, LLC

Project ID: 1870.1001.0

Site Address: 11905 Wilshire Boulevard, LA

Enclosed are the results of analyses for samples received by the laboratory on June 21, 2021. If you have any questions concerning this report, please feel free to contact us.

A handwritten signature in black ink, appearing to read "Molky Brar".

Molky Brar

Laboratory Director

American Scientific Laboratories, LLC (ASL) accepts sample materials from clients for analysis with the assumption that all of the information provided to ASL verbally or in writing by our clients (and/or their agents), regarding samples being submitted to ASL, is complete and accurate. ASL accepts all samples subject to the following conditions:

- 1) ASL is not responsible for verifying any client-provided information regarding any samples submitted to the laboratory.
- 2) ASL is not responsible for any consequences resulting from any inaccuracies, omissions, or misrepresentations contained in client-provided information regarding samples submitted to the laboratory.

AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA, CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Page _____ Of _____

COC#

GLOBAL ID

E REPORT: ■ PDF EDF EDD ASL JOB# 2106163

ANALYSIS REQUESTED															
C	H	A	N	O	F	C	U	S	T	O	D	Y	R	E	C
Company:	Citadel EHs	Project Name :	Radha Hotels USA, LLC	Address:	Report To:										
Address:	1725 Victory Boulevard	Site Address:	11905 Wilshire Boulevard, LA	Invoice To:											
Glendale, California 91201				Address:											
Telephone:	818-296-9405	Project ID:	1870.1001.0	P.O.#:	1870.1001.0										
Special Instruction:	Email: mpendergrass@citadelehhs.com	Project Manager:	Mike Pendergrass												
T	LAB USE ONLY	SAMPLE DESCRIPTION			Container(s)										
E	Lab ID	Sample ID	Date	Time	#	Type	Matrix	Preservation							
M	2106163-01	B1-5	6-21-21	0811	3	5035 Kit	5011	8035							
	2106163-02	B1-10	0816		1	x Bag									
	2106163-03	B1-15	0822												
	2106163-04	B2-5	0910						X						
	2106163-05	B2-12	0933												
	2106163-06	B2-15	0940												
	2106163-07	B2-20	0948	3x	40ml vca										
	2106163-08	B2-25	1001		1x	sleeve									
	2106163-09	B2-30	1009												
	2106163-10	B1-20	1045												
	Collected By:	Tim Lambert	Date 6-21-21	Time 1430	Relinquished By:	Mark O'Hanlon	Date 6-21-21	Time 1430	TAT						
	Relinquished By:	Tim Lambert	Date 6-21-21	Time 1545	Received										
	Received By:	Mark O'Hanlon	Date 6-21-21	Time 1545	For Laboratory "Tant Chin"	Date 6-21-21	Time 1730	Condition of Sample:	Normal						

Yellow - Laboratory, Pink - Client

Page Of

Collected By: Tim Lambert Date 6-21-21 Time 1430
 Relinquished By: Tim Lambert Date 6-21-21 Time 1545
 Received By: [REDACTED] Date 6-25-21 Time 1545

Relinquished By: MURIL NOCAZ Date: 6-21-21 Time: 1730 TAT
 Received _____ Date _____ Time _____
 For Laboratory: Jacet Chen Date: 6-21-21 Time: 17:30
 Condition of Sample:
 Normal Rush

White - Report, Yellow - Laboratory, Pink - Client



Job# 2106163

ASL Sample Receipt Form

Client: Citadel Environmental Services, Inc.

Date: 6-21-2021

Sample Information:

Temperature: 5.3 °C

Blank Sample

Custody Seal:

Yes No Not Available

Received Within Holding Time:

Yes No

Container:

Proper Containers and Sufficient Volume:

Yes No

Soil: 4oz 8oz 10 sleeve VOA 17 sets 5035 kit, Plastic Bag

Water: 500AG 1AG 125PB 250PB 500PB VOA Other

Air: Tedlar®

Sample Containers Intact:

Yes No

Trips Blank

Yes No

Chain-of-Custody (COC):

Received:

Yes No

Samplers Name:

Yes No

Container Labels match COC:

Yes No

COC documents received complete:

Yes No

Proper Preservation Noted:

Yes No

Completed By: Janet chin

Janet Chin

From: Molky Brar <molky@asllab.com>
Sent: Thursday, July 1, 2021 1:08 PM
To: janet@asllab.com
Subject: FW: American Scientific Laboratories 2106163 (Radha Hotels USA, LLC)
Attachments: 2106163 ASL_MDL_PQL FINAL.pdf; DOC036.pdf

Importance: High

Please process additional RUSH request.

Sincerely,

Molky Brar | Lab Director
+1 323-223-9700 P | +1 323-223-9500 F | +1 562-331-1950 m
| molky@asllab.com | www.asllab.com

American Scientific Laboratories, LLC
Environmental Testing Services

2520 N San Fernando Road, | Los Angeles, CA 90065

Please consider the environment before printing this e-mail and/or its attachments.

CONFIDENTIAL NOTICE: This message and or data is intended for the use of the individual or entity to which it is addressed and may contain information that is privileged, confidential, and exempt from disclosure under applicable law. If you are not the intended recipient, you are hereby notified that any use, dissemination, distribution, or copying of this communication is STRICTLY PROHIBITED. If you have received this communication in error, please notify us by reply e-mail, by forwarding this to molky@asllab.com or by telephone at (323)223-9700 and destroy the original transmission and its attachment without reading. Thank You.

-----Original Message-----

From: Mike Pendergrass <MPendergrass@citadelehs.com>
Sent: Thursday, July 1, 2021 12:05 PM
To: molky@asllab.com
Subject: FW: American Scientific Laboratories 2106163 (Radha Hotels USA, LLC)

Molky,

We accidentally held some soil samples submitted with this batch. Can you run B3-5 and B3-17 for VOCs 8260, 48-hour TAT. I've marked up the COC noting which samples to analyze.

Thanks,
Mike

T. Michael Pendergrass, P.G.
Senior Project Geologist, Engineering & Environmental Sciences

Orange County Regional Office
2 Peters Canyon Road, Suite 200
Irvine, CA 92606
O: 714-547-4301 | D: 818-296-9405 | C: 818-482-1176 www.CitadelEHS.com Glendale | Irvine | Valencia | Long Beach | Oakland

The information in this email message may be privileged, confidential, and protected from disclosure or use, dissemination, distribution, or copying of the message or any attachment is strictly prohibited.
If you think that you have received this email in error, please notify the sender.

-----Original Message-----

From: Molky Brar <molky@asllab.com>
Sent: Tuesday, June 29, 2021 3:44 PM
To: Mike Pendergrass <MPendergrass@citadelehs.com>
Subject: American Scientific Laboratories 2106163 (Radha Hotels USA, LLC)

Work Order: 2106163
Client: Citadel Environmental Services, Inc.
Project: Radha Hotels USA, LLC
Client Manager: Michael Pendergrass
Received: 06/21/2021 17:30

If you have any questions about this email or if this email has been sent to you in error, please contact:

Molky Brar | Lab Director
+1 323-223-9700 P | +1 323-223-9500 F | +1 562-331-1950 m
| molky@asllab.com | www.asllab.com

American Scientific Laboratories, LLC
Environmental Testing Services

2520 N San Fernando Road, | Los Angeles, CA 90065

Please consider the environment before printing this e-mail and/or its attachments.

CONFIDENTIAL NOTICE: This message and or data is intended for the use of the individual or entity to which it is addressed and may contain information that is privileged, confidential, and exempt from disclosure under applicable law. If you are not the intended recipient, you are hereby notified that any use, dissemination, distribution, or copying of this communication is STRICTLY PROHIBITED. If you have received this communication in error, please notify us by reply e-mail, by forwarding this to molky@asllab.com or by telephone at (323)223-9700 and destroy the original transmission and its attachment without reading. Thank You.

AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, L.A., CA 90041 • Tel: (323) 223-0760 • Fax: (323) 223-0540

On

Page

COC# GLOBAL ID 2106163

E REPORT

■ PDF

EDF

EDD

ASL JOB# 2106163

Company		Citadel EHS		Report To		ANALYSIS REQUESTED		Report MDXs	
Address	1725 Victory Boulevard	Project Name	Radha Hotels USA, LLC	Address	Invoice To				
Glendale, California 91201		Site Address	11905 Wilshire Boulevard, LA						
Telephone:	818-296-9405			Address					
Special Instruction		Project ID:	1870.1001.0						
Email: impendengrass@citadellehs.com		Project Manager	Mike Pendengrass	P.O. #	1870.1001.0				
T	E	M	Sample ID	SAMPLE DESCRIPTION	Container(s)	Matrix	Preservation	Remarks	
1	LAB USE ONLY			Date	#	Yrs.			
2106163-01	B1-5	6-21-21	0811	3x5035 Kit	Soil	80.35			
2106163-02	B1-10		0810	1x Bag					
2106163-03	B1-15		0822						
2106163-04	B2-5		0910						
2106163-05	B2-12		0933						
2106163-06	B2-15		0940						
2106163-07	B2-20		0948	3x40ml vials					
2106163-08	B2-25		1001	1x sleeve					
2106163-09	B2-30		1009						
2106163-10	B1-20		1045						
Collected By:	Tim Lambert	Date 6-21-21	Time 1430	Relinquished By:	Nicole	6-21-21	Date 6-21-21	Time 1730	FAT
Relinquished By:	Tim Lambert	Date 6-21-21	Time 1545	Received For Laboratory	Jant Chin	6-21-21	Date 6-21-21	Time 1730	<input checked="" type="checkbox"/> Normal
Received By:	Mark G. Lambert	Date 6-21-21	Time 1545	Condition of Sample					<input type="checkbox"/> Rush
White	Yellow	Green	Pink	Clear					

AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA, CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Page Of

GLOBAL ID 2106163

E REPORT:

■ PDF

EDF

EDD

ASL JOB# 2106163

C		H		A		N		O		F		C		U		S		T		O		D		Y		R		E		C					
Company:		Citadel EHS		Report To:																															
Address:	1725 Victory Boulevard	Project Name:	Radha Hotels USA, LLC	Address:		Invoice To:		Address:		Matrix		Preservation		Remarks		Address:		Container(s)	Date	#	Type	P.O. #:	1870 1001.0	Report To:		Report	MDLs								
Glendale, California 91201		Site Address:	11905 Wilshire Boulevard, LA																																
Telephone:	818-296-9405	Project ID:	1870.1001.0																																
Special Instruction:		Project Manager:	Mike Pendergrass																																
Email:	mpendergrass@citadellehs.com	SAMPLE DESCRIPTION																																	
T	LAB USE ONLY	Lab ID	Sample ID	Date	Time	#	Type																												
E																																			
M																																			
2106163-11	B1-25	6-21-21	1055	340ml VOA	5035	5035	X																												
2106163-12	B1-30		1101																																
2106163-13	B1-35		1117																																
2106163-14	B5-5		1315																																
2106163-15	B3-10		1345																																
2106163-16	B3-17		1420																																
2106163-17	B1-GW		1445	340ml VOA	Water	HCL	J																												
2106163-18	B2-GW		1228	J																															
Collected By:	Tim Lambert	Date	6-21-21	Time	1430	Relinquished By:	Mark Lambert	Date	6-21-21	Time	1730	Received																							
Relinquished By:	Tim Lambert	Date	6-21-21	Time	1545	For Laboratory:	Tenet Chem	Date	6-21-21	Time	1730	Condition of Sample:																							
Received By:	Mark Lambert	Date	6-21-21	Time	1545																														

White = Yellow Laboratory Pink = Client



AMERICAN SCIENTIFIC LABORATORIES, LLC
Environmental Testing Services
2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106163
Reported:
07/08/2021 12:06

ANALYTICAL SUMMARY REPORT

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
B2-5	2106163-04	Solid	06/21/2021 09:10	06/21/2021 17:30
B2-15	2106163-06	Solid	06/21/2021 09:40	06/21/2021 17:30
B1-25	2106163-11	Solid	06/21/2021 10:55	06/21/2021 17:30
B1-30	2106163-12	Solid	06/21/2021 11:01	06/21/2021 17:30
B3-5	2106163-14	Solid	06/21/2021 13:15	06/21/2021 17:30
B3-17	2106163-16	Solid	06/21/2021 14:20	06/21/2021 17:30
B1-GW	2106163-17	Water	06/21/2021 14:45	06/21/2021 17:30
B2-GW	2106163-18	Water	06/21/2021 12:28	06/21/2021 17:30

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amolk Brar, Lab Director

Page 9 of 35



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106163
Reported:
07/08/2021 12:06

Analytical Results


Client Sample ID: B2-5

Laboratory Sample ID: 2106163-04 (Solid)

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
					Batch ID: BF10844			Prepared: 06/28/2021 09:00		
Acetone	ND		12.7	50.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
Benzene	ND		0.930	2.00	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
Bromobenzene	ND		3.39	10.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
Bromochloromethane	ND		0.380	10.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
Bromodichloromethane	ND		0.630	10.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
Bromoform	ND		3.39	50.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
Bromomethane	ND		2.75	30.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
2-Butanone	ND		5.83	50.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
n-Butylbenzene	ND		2.05	10.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
sec-Butylbenzene	ND		3.04	10.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
tert-Butylbenzene	ND		1.34	10.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
Carbon disulfide	ND		5.53	10.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
Carbon tetrachloride	ND		2.48	10.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
Chlorobenzene	ND		0.890	10.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
Chloroethane	ND		2.15	30.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
2-Chloroethylvinyl Ether	ND		5.53	50.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
Chloroform	ND		1.24	10.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
Chloromethane	ND		1.74	30.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
4-Chlorotoluene	ND		1.34	10.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
2-Chlorotoluene	ND		2.35	10.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
1,2-Dibromo-3-chloropropane	ND		2.69	50.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
Dibromochloromethane	ND		0.650	10.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
1,2-Dibromoethane	ND		2.75	10.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
Dibromomethane	ND		2.30	10.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
1,2-Dichlorobenzene	ND		1.65	10.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
1,3-Dichlorobenzene	ND		1.03	10.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
1,4-Dichlorobenzene	ND		2.23	10.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
Dichlorodifluoromethane	ND		2.07	30.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
1,1-Dichloroethane	ND		1.30	10.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
1,2-Dichloroethane	ND		1.57	10.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
1,1-Dichloroethene	ND		1.60	10.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
cis-1,2-Dichloroethene	ND		2.16	10.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
trans-1,2-Dichloroethene	ND		2.60	10.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
1,1-Dichloropropene	ND		0.660	10.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
1,2-Dichloropropene	ND		0.920	10.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
1,3-Dichloropropene	ND		1.36	10.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106163
Reported:
07/08/2021 12:06

Analytical Results**Client Sample ID: B2-5****Laboratory Sample ID: 2106163-04 (Solid)**

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
2,2-Dichloropropane	ND		1.12	10.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
cis-1,3-Dichloropropene	ND		0.980	10.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
trans-1,3-Dichloropropene	ND		0.960	10.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
Ethylbenzene	ND		1.00	2.00	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
Hexachlorobutadiene	ND		2.77	30.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
2-Hexanone	ND		3.18	50.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
Isopropylbenzene	ND		1.42	10.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
p-Isopropyltoluene	ND		3.86	10.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
Methyl tert-Butyl Ether (MTBE)	ND		1.81	5.00	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
4-Methyl-2-pentanone (MIBK)	ND		3.14	50.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
Methylene chloride	ND		3.31	50.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
Naphthalene	ND		1.14	10.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
n-Propylbenzene	ND		1.14	10.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
Styrene	ND		0.800	10.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
1,1,1,2-Tetrachloroethane	ND		1.28	10.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
1,1,2,2-Tetrachloroethane	ND		3.25	10.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
Tetrachloroethene	ND		0.930	10.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
Toluene	ND		1.00	2.00	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
1,2,3-Trichlorobenzene	ND		1.23	10.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
1,2,4-Trichlorobenzene	ND		2.82	10.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
1,1,1-Trichloroethane	ND		2.03	10.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
1,1,2-Trichloroethane	ND		1.74	10.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
Trichloroethene	ND		1.15	10.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
Trichlorofluoromethane	ND		3.15	10.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
1,2,3-Trichloropropane	ND		1.74	10.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
1,2,4-Trimethylbenzene	ND		3.19	10.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
1,3,5- Trimethylbenzene	ND		1.23	10.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
Vinyl acetate	ND		10.8	50.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
Vinyl chloride	ND		2.79	30.0	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
m,p-Xylenes	ND		1.80	4.00	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
o-Xylene	ND		1.00	2.00	ug/kg	1	5035	06/28/2021 19:40	SA	8260B
Surrogate: 4-Bromofluorobenzene			107 %	70-120			5035	06/28/2021 19:40	SA	8260B
Surrogate: Dibromofluoromethane			105 %	70-120			5035	06/28/2021 19:40	SA	8260B
Surrogate: Toluene-d8			119 %	70-120			5035	06/28/2021 19:40	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106163
Reported:
07/08/2021 12:06

Analytical Results


Client Sample ID: B2-15

Laboratory Sample ID: 2106163-06 (Solid)

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
Acetone	ND		12.7	50.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
Benzene	ND		0.930	2.00	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
Bromobenzene	ND		3.39	10.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
Bromoform	ND		0.380	10.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
Bromochloromethane	ND		0.630	10.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
Bromodichloromethane	ND		3.39	50.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
2-Butanone	ND		2.75	30.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
n-Butylbenzene	ND		5.83	10.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
sec-Butylbenzene	ND		2.05	10.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
tert-Butylbenzene	ND		3.04	10.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
Carbon disulfide	ND		1.34	10.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
Carbon tetrachloride	ND		5.53	10.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
Chlorobenzene	ND		2.48	10.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
Chloroethane	ND		0.890	10.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
2-Chloroethylvinyl Ether	ND		5.53	50.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
Chloroform	ND		2.15	30.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
Chloromethane	ND		1.74	10.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
4-Chlorotoluene	ND		1.34	10.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
2-Chlorotoluene	ND		1.34	10.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
1,2-Dibromo-3-chloropropane	ND		2.35	50.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
Dibromochloromethane	ND		0.650	10.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
1,2-Dibromoethane	ND		2.75	10.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
Dibromomethane	ND		2.30	10.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
1,2-Dichlorobenzene	ND		1.65	10.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
1,3-Dichlorobenzene	ND		1.03	10.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
1,4-Dichlorobenzene	ND		2.23	10.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
Dichlorodifluoromethane	ND		2.07	30.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
1,1-Dichloroethane	ND		1.30	10.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
1,2-Dichloroethane	ND		1.57	10.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
1,1-Dichloroethene	ND		1.60	10.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
cis-1,2-Dichloroethene	ND		2.16	10.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
trans-1,2-Dichloroethene	ND		2.60	10.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
1,1-Dichloropropene	ND		0.660	10.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
1,2-Dichloropropane	ND		0.920	10.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
1,3-Dichloropropane	ND		1.36	10.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106163
Reported:
07/08/2021 12:06

Analytical Results**Client Sample ID: B2-15****Laboratory Sample ID: 2106163-06 (Solid)**

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
2,2-Dichloropropane	ND		1.12	10.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
cis-1,3-Dichloropropene	ND		0.980	10.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
trans-1,3-Dichloropropene	ND		0.960	10.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
Ethylbenzene	ND		1.00	2.00	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
Hexachlorobutadiene	ND		2.77	30.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
2-Hexanone	ND		3.18	50.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
Isopropylbenzene	ND		1.42	10.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
p-Isopropyltoluene	ND		3.86	10.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
Methyl tert-Butyl Ether (MTBE)	ND		1.81	5.00	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
4-Methyl-2-pentanone (MIBK)	ND		3.14	50.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
Methylene chloride	ND		3.31	50.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
Naphthalene	ND		1.14	10.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
n-Propylbenzene	ND		1.14	10.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
Styrene	ND		0.800	10.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
1,1,1,2-Tetrachloroethane	ND		1.28	10.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
1,1,2,2-Tetrachloroethane	ND		3.25	10.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
Tetrachloroethene	ND		0.930	10.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
Toluene	ND		1.00	2.00	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
1,2,3-Trichlorobenzene	ND		1.23	10.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
1,2,4-Trichlorobenzene	ND		2.82	10.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
1,1,1-Trichloroethane	ND		2.03	10.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
1,1,2-Trichloroethane	ND		1.74	10.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
Trichloroethene	ND		1.15	10.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
Trichlorofluoromethane	ND		3.15	10.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
1,2,3-Trichloropropane	ND		1.74	10.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
1,2,4-Trimethylbenzene	ND		3.19	10.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
1,3,5- Trimethylbenzene	ND		1.23	10.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
Vinyl acetate	ND		10.8	50.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
Vinyl chloride	ND		2.79	30.0	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
m,p-Xylenes	ND		1.80	4.00	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
o-Xylene	ND		1.00	2.00	ug/kg	1	5035	06/28/2021 20:07	SA	8260B
Surrogate: 4-Bromofluorobenzene			108 %	70-120			5035	06/28/2021 20:07	SA	8260B
Surrogate: Dibromofluoromethane			107 %	70-120			5035	06/28/2021 20:07	SA	8260B
Surrogate: Toluene-d8			98.4 %	70-120			5035	06/28/2021 20:07	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106163
Reported:
07/08/2021 12:06

Analytical Results


Client Sample ID: B1-25

Laboratory Sample ID: 2106163-11 (Solid)

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
Acetone	ND		12.7	50.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
Benzene	ND		0.930	2.00	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
Bromobenzene	ND		3.39	10.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
Bromoform	ND		0.380	10.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
Bromochloromethane	ND		0.630	10.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
Bromodichloromethane	ND		3.39	50.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
Bromomethane	ND		2.75	30.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
2-Butanone	ND		5.83	50.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
n-Butylbenzene	ND		2.05	10.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
sec-Butylbenzene	ND		3.04	10.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
tert-Butylbenzene	ND		1.34	10.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
Carbon disulfide	ND		5.53	10.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
Carbon tetrachloride	ND		2.48	10.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
Chlorobenzene	ND		0.890	10.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
Chloroethane	ND		2.15	30.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
2-Chloroethylvinyl Ether	ND		5.53	50.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
Chloroform	ND		1.24	10.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
Chloromethane	ND		1.74	30.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
4-Chlorotoluene	ND		1.34	10.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
2-Chlorotoluene	ND		2.35	10.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
1,2-Dibromo-3-chloropropane	ND		2.69	50.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
Dibromochloromethane	ND		0.650	10.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
1,2-Dibromoethane	ND		2.75	10.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
Dibromomethane	ND		2.30	10.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
1,2-Dichlorobenzene	ND		1.65	10.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
1,3-Dichlorobenzene	ND		1.03	10.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
1,4-Dichlorobenzene	ND		2.23	10.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
Dichlorodifluoromethane	ND		2.07	30.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
1,1-Dichloroethane	ND		1.30	10.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
1,2-Dichloroethane	ND		1.57	10.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
1,1-Dichloroethene	ND		1.60	10.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
cis-1,2-Dichloroethene	ND		2.16	10.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
trans-1,2-Dichloroethene	ND		2.60	10.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
1,1-Dichloropropene	ND		0.660	10.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
1,2-Dichloropropane	ND		0.920	10.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
1,3-Dichloropropane	ND		1.36	10.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106163
Reported:
07/08/2021 12:06

Analytical Results

Client Sample ID: B1-25

Laboratory Sample ID: 2106163-11 (Solid)

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
2,2-Dichloropropane	ND		1.12	10.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
cis-1,3-Dichloropropene	ND		0.980	10.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
trans-1,3-Dichloropropene	ND		0.960	10.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
Ethylbenzene	ND		1.00	2.00	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
Hexachlorobutadiene	ND		2.77	30.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
2-Hexanone	ND		3.18	50.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
Isopropylbenzene	ND		1.42	10.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
p-Isopropyltoluene	ND		3.86	10.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
Methyl tert-Butyl Ether (MTBE)	ND		1.81	5.00	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
4-Methyl-2-pentanone (MIBK)	ND		3.14	50.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
Methylene chloride	ND		3.31	50.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
Naphthalene	ND		1.14	10.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
n-Propylbenzene	ND		1.14	10.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
Styrene	ND		0.800	10.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
1,1,1,2-Tetrachloroethane	ND		1.28	10.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
1,1,2,2-Tetrachloroethane	ND		3.25	10.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
Tetrachloroethene	ND		0.930	10.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
Toluene	ND		1.00	2.00	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
1,2,3-Trichlorobenzene	ND		1.23	10.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
1,2,4-Trichlorobenzene	ND		2.82	10.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
1,1,1-Trichloroethane	ND		2.03	10.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
1,1,2-Trichloroethane	ND		1.74	10.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
Trichloroethene	ND		1.15	10.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
Trichlorofluoromethane	ND		3.15	10.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
1,2,3-Trichloropropane	ND		1.74	10.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
1,2,4-Trimethylbenzene	ND		3.19	10.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
1,3,5- Trimethylbenzene	ND		1.23	10.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
Vinyl acetate	ND		10.8	50.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
Vinyl chloride	ND		2.79	30.0	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
m,p-Xylenes	ND		1.80	4.00	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
o-Xylene	ND		1.00	2.00	ug/kg	1	5035	06/28/2021 20:35	SA	8260B
Surrogate: 4-Bromofluorobenzene			80.4 %		70-120		5035	06/28/2021 20:35	SA	8260B
Surrogate: Dibromofluoromethane			114 %		70-120		5035	06/28/2021 20:35	SA	8260B
Surrogate: Toluene-d8			106 %		70-120		5035	06/28/2021 20:35	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106163
Reported:
07/08/2021 12:06

Analytical Results


Client Sample ID: B1-30

Laboratory Sample ID: 2106163-12 (Solid)

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
Acetone	ND		12.7	50.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
Benzene	ND		0.930	2.00	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
Bromobenzene	ND		3.39	10.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
Bromoform	ND		0.380	10.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
Bromochloromethane	ND		0.630	10.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
Bromodichloromethane	ND		3.39	50.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
Bromomethane	ND		2.75	30.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
2-Butanone	ND		5.83	50.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
n-Butylbenzene	ND		2.05	10.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
sec-Butylbenzene	ND		3.04	10.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
tert-Butylbenzene	ND		1.34	10.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
Carbon disulfide	ND		5.53	10.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
Carbon tetrachloride	ND		2.48	10.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
Chlorobenzene	ND		0.890	10.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
Chloroethane	ND		2.15	30.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
2-Chloroethylvinyl Ether	ND		5.53	50.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
Chloroform	ND		1.24	10.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
Chloromethane	ND		1.74	30.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
4-Chlorotoluene	ND		1.34	10.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
2-Chlorotoluene	ND		2.35	10.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
1,2-Dibromo-3-chloropropane	ND		2.69	50.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
Dibromochloromethane	ND		0.650	10.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
1,2-Dibromoethane	ND		2.75	10.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
Dibromomethane	ND		2.30	10.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
1,2-Dichlorobenzene	ND		1.65	10.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
1,3-Dichlorobenzene	ND		1.03	10.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
1,4-Dichlorobenzene	ND		2.23	10.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
Dichlorodifluoromethane	ND		2.07	30.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
1,1-Dichloroethane	ND		1.30	10.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
1,2-Dichloroethane	ND		1.57	10.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
1,1-Dichloroethene	ND		1.60	10.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
cis-1,2-Dichloroethene	ND		2.16	10.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
trans-1,2-Dichloroethene	ND		2.60	10.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
1,1-Dichloropropene	ND		0.660	10.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
1,2-Dichloropropane	ND		0.920	10.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
1,3-Dichloropropane	ND		1.36	10.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass


Work Order No: 2106163
Reported:
07/08/2021 12:06

Analytical Results**Client Sample ID: B1-30****Laboratory Sample ID: 2106163-12 (Solid)**

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
2,2-Dichloropropane	ND		1.12	10.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
cis-1,3-Dichloropropene	ND		0.980	10.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
trans-1,3-Dichloropropene	ND		0.960	10.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
Ethylbenzene	ND		1.00	2.00	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
Hexachlorobutadiene	ND		2.77	30.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
2-Hexanone	ND		3.18	50.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
Isopropylbenzene	ND		1.42	10.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
p-Isopropyltoluene	ND		3.86	10.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
Methyl tert-Butyl Ether (MTBE)	ND		1.81	5.00	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
4-Methyl-2-pentanone (MIBK)	ND		3.14	50.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
Methylene chloride	ND		3.31	50.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
Naphthalene	ND		1.14	10.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
n-Propylbenzene	ND		1.14	10.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
Styrene	ND		0.800	10.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
1,1,1,2-Tetrachloroethane	ND		1.28	10.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
1,1,2,2-Tetrachloroethane	ND		3.25	10.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
Tetrachloroethene	ND		0.930	10.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
Toluene	ND		1.00	2.00	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
1,2,3-Trichlorobenzene	ND		1.23	10.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
1,2,4-Trichlorobenzene	ND		2.82	10.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
1,1,1-Trichloroethane	ND		2.03	10.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
1,1,2-Trichloroethane	ND		1.74	10.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
Trichloroethene	ND		1.15	10.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
Trichlorofluoromethane	ND		3.15	10.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
1,2,3-Trichloropropane	ND		1.74	10.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
1,2,4-Trimethylbenzene	ND		3.19	10.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
1,3,5- Trimethylbenzene	ND		1.23	10.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
Vinyl acetate	ND		10.8	50.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
Vinyl chloride	ND		2.79	30.0	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
m,p-Xylenes	ND		1.80	4.00	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
o-Xylene	ND		1.00	2.00	ug/kg	1	5035	06/28/2021 21:03	SA	8260B
Surrogate: 4-Bromofluorobenzene			101 %		70-120		5035	06/28/2021 21:03	SA	8260B
Surrogate: Dibromofluoromethane			116 %		70-120		5035	06/28/2021 21:03	SA	8260B
Surrogate: Toluene-d8			117 %		70-120		5035	06/28/2021 21:03	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106163
Reported:
07/08/2021 12:06

Analytical Results


Client Sample ID: B3-5

Laboratory Sample ID: 2106163-14 (Solid)

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
Acetone	ND		12.7	50.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
Benzene	ND		0.930	2.00	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
Bromobenzene	ND		3.39	10.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
Bromochloromethane	ND		0.380	10.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
Bromodichloromethane	ND		0.630	10.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
Bromoform	ND		3.39	50.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
Bromomethane	ND		2.75	30.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
2-Butanone	ND		5.83	50.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
n-Butylbenzene	ND		2.05	10.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
sec-Butylbenzene	ND		3.04	10.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
tert-Butylbenzene	ND		1.34	10.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
Carbon disulfide	ND		5.53	10.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
Carbon tetrachloride	ND		2.48	10.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
Chlorobenzene	ND		0.890	10.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
Chloroethane	ND		2.15	30.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
2-Chloroethylvinyl Ether	ND		5.53	50.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
Chloroform	ND		1.24	10.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
Chloromethane	ND		1.74	30.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
4-Chlorotoluene	ND		1.34	10.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
2-Chlorotoluene	ND		2.35	10.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
1,2-Dibromo-3-chloropropane	ND		2.69	50.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
Dibromochloromethane	ND		0.650	10.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
1,2-Dibromoethane	ND		2.75	10.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
Dibromomethane	ND		2.30	10.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
1,2-Dichlorobenzene	ND		1.65	10.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
1,3-Dichlorobenzene	ND		1.03	10.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
1,4-Dichlorobenzene	ND		2.23	10.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
Dichlorodifluoromethane	ND		2.07	30.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
1,1-Dichloroethane	ND		1.30	10.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
1,2-Dichloroethane	ND		1.57	10.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
1,1-Dichloroethene	ND		1.60	10.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
cis-1,2-Dichloroethene	ND		2.16	10.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
trans-1,2-Dichloroethene	ND		2.60	10.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
1,1-Dichloropropene	ND		0.660	10.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
1,2-Dichloropropane	ND		0.920	10.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
1,3-Dichloropropane	ND		1.36	10.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106163
Reported:
07/08/2021 12:06

Analytical Results**Client Sample ID: B3-5****Laboratory Sample ID: 2106163-14 (Solid)**

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
2,2-Dichloropropane	ND		1.12	10.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
cis-1,3-Dichloropropene	ND		0.980	10.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
trans-1,3-Dichloropropene	ND		0.960	10.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
Ethylbenzene	ND		1.00	2.00	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
Hexachlorobutadiene	ND		2.77	30.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
2-Hexanone	ND		3.18	50.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
Isopropylbenzene	ND		1.42	10.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
p-Isopropyltoluene	ND		3.86	10.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
Methyl tert-Butyl Ether (MTBE)	ND		1.81	5.00	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
4-Methyl-2-pentanone (MIBK)	ND		3.14	50.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
Methylene chloride	ND		3.31	50.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
Naphthalene	ND		1.14	10.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
n-Propylbenzene	ND		1.14	10.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
Styrene	ND		0.800	10.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
1,1,1,2-Tetrachloroethane	ND		1.28	10.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
1,1,2,2-Tetrachloroethane	ND		3.25	10.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
Tetrachloroethene	ND		0.930	10.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
Toluene	ND		1.00	2.00	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
1,2,3-Trichlorobenzene	ND		1.23	10.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
1,2,4-Trichlorobenzene	ND		2.82	10.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
1,1,1-Trichloroethane	ND		2.03	10.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
1,1,2-Trichloroethane	ND		1.74	10.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
Trichloroethene	ND		1.15	10.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
Trichlorofluoromethane	ND		3.15	10.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
1,2,3-Trichloropropane	ND		1.74	10.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
1,2,4-Trimethylbenzene	ND		3.19	10.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
1,3,5- Trimethylbenzene	ND		1.23	10.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
Vinyl acetate	ND		10.8	50.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
Vinyl chloride	ND		2.79	30.0	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
m,p-Xylenes	ND		1.80	4.00	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
o-Xylene	ND		1.00	2.00	ug/kg	1	5030A	07/02/2021 03:19	SA	8260B
Surrogate: 4-Bromofluorobenzene			107 %		70-120		5030A	07/02/2021 03:19	SA	8260B
Surrogate: Dibromofluoromethane			93.7 %		70-120		5030A	07/02/2021 03:19	SA	8260B
Surrogate: Toluene-d8			102 %		70-120		5030A	07/02/2021 03:19	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106163
Reported:
07/08/2021 12:06

Analytical Results


Client Sample ID: B3-17

Laboratory Sample ID: 2106163-16 (Solid)

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
Acetone	ND		12.7	50.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
Benzene	ND		0.930	2.00	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
Bromobenzene	ND		3.39	10.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
Bromoform	ND		0.380	10.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
Bromochloromethane	ND		0.630	10.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
Bromodichloromethane	ND		3.39	50.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
2-Butanone	ND		2.75	30.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
n-Butylbenzene	ND		5.83	10.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
sec-Butylbenzene	ND		2.05	10.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
tert-Butylbenzene	ND		3.04	10.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
Carbon disulfide	ND		1.34	10.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
Carbon tetrachloride	ND		5.53	10.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
Chlorobenzene	ND		2.48	10.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
Chloroethane	ND		0.890	10.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
2-Chloroethylvinyl Ether	ND		5.53	50.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
Chloroform	ND		2.15	30.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
Chloromethane	ND		1.74	10.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
4-Chlorotoluene	ND		1.34	10.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
2-Chlorotoluene	ND		1.34	10.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
1,2-Dibromo-3-chloropropane	ND		2.35	50.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
Dibromochloromethane	ND		0.650	10.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
1,2-Dibromoethane	ND		2.75	10.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
Dibromomethane	ND		2.30	10.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
1,2-Dichlorobenzene	ND		1.65	10.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
1,3-Dichlorobenzene	ND		1.03	10.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
1,4-Dichlorobenzene	ND		2.23	10.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
Dichlorodifluoromethane	ND		2.07	30.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
1,1-Dichloroethane	ND		1.30	10.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
1,2-Dichloroethane	ND		1.57	10.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
1,1-Dichloroethene	ND		1.60	10.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
cis-1,2-Dichloroethene	ND		2.16	10.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
trans-1,2-Dichloroethene	ND		2.60	10.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
1,1-Dichloropropene	ND		0.660	10.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
1,2-Dichloropropane	ND		0.920	10.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
1,3-Dichloropropane	ND		1.36	10.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106163
Reported:
07/08/2021 12:06

Analytical Results**Client Sample ID: B3-17****Laboratory Sample ID: 2106163-16 (Solid)**

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
2,2-Dichloropropane	ND		1.12	10.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
cis-1,3-Dichloropropene	ND		0.980	10.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
trans-1,3-Dichloropropene	ND		0.960	10.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
Ethylbenzene	ND		1.00	2.00	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
Hexachlorobutadiene	ND		2.77	30.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
2-Hexanone	ND		3.18	50.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
Isopropylbenzene	ND		1.42	10.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
p-Isopropyltoluene	ND		3.86	10.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
Methyl tert-Butyl Ether (MTBE)	ND		1.81	5.00	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
4-Methyl-2-pentanone (MIBK)	ND		3.14	50.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
Methylene chloride	ND		3.31	50.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
Naphthalene	ND		1.14	10.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
n-Propylbenzene	ND		1.14	10.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
Styrene	ND		0.800	10.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
1,1,1,2-Tetrachloroethane	ND		1.28	10.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
1,1,2,2-Tetrachloroethane	ND		3.25	10.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
Tetrachloroethene	1.34	J	0.930	10.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
Toluene	ND		1.00	2.00	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
1,2,3-Trichlorobenzene	ND		1.23	10.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
1,2,4-Trichlorobenzene	ND		2.82	10.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
1,1,1-Trichloroethane	ND		2.03	10.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
1,1,2-Trichloroethane	ND		1.74	10.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
Trichloroethene	ND		1.15	10.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
Trichlorofluoromethane	ND		3.15	10.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
1,2,3-Trichloropropane	ND		1.74	10.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
1,2,4-Trimethylbenzene	ND		3.19	10.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
1,3,5- Trimethylbenzene	ND		1.23	10.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
Vinyl acetate	ND		10.8	50.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
Vinyl chloride	ND		2.79	30.0	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
m,p-Xylenes	ND		1.80	4.00	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
o-Xylene	ND		1.00	2.00	ug/kg	1	5030A	07/02/2021 03:47	SA	8260B
Surrogate: 4-Bromofluorobenzene			105 %	70-120			5030A	07/02/2021 03:47	SA	8260B
Surrogate: Dibromofluoromethane			86.8 %	70-120			5030A	07/02/2021 03:47	SA	8260B
Surrogate: Toluene-d8			102 %	70-120			5030A	07/02/2021 03:47	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106163
Reported:
07/08/2021 12:06

Analytical Results


Client Sample ID: B1-GW

Laboratory Sample ID: 2106163-17 (Water)

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
Acetone	ND		2.52	5.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
Benzene	0.260	J	0.097	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
Bromobenzene	ND		0.291	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
Bromochloromethane	ND		0.169	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
Bromodichloromethane	ND		0.169	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
Bromoform	ND		0.284	5.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
Bromomethane	ND		0.174	3.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
2-Butanone (MEK)	ND		5.00	5.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
n-Butylbenzene	ND		0.363	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
sec-Butylbenzene	2.07		0.338	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
tert-Butylbenzene	ND		0.235	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
Carbon disulfide	ND		0.463	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
Carbon tetrachloride	ND		0.144	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
Chlorobenzene	ND		0.176	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
Chloroethane	ND		0.328	3.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
2-Chloroethyl vinyl ether	ND		0.665	5.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
Chloroform	ND		0.247	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
Chloromethane	ND		0.174	3.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
4-Chlorotoluene	ND		0.147	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
2-Chlorotoluene	ND		0.311	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
1,2-Dibromo-3-chloropropane	ND		0.333	5.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
Dibromochloromethane	ND		0.300	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
1,2-Dibromoethane	ND		0.226	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
Dibromomethane	ND		0.316	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
1,2-Dichlorobenzene	ND		0.358	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
1,3-Dichlorobenzene	ND		0.333	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
1,4-Dichlorobenzene	ND		0.384	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
Dichlorodifluoromethane	ND		0.244	3.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
1,1-Dichloroethane	ND		0.372	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
1,2-Dichloroethane	ND		0.182	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
1,1-Dichloroethene	ND		0.355	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
cis-1,2-Dichloroethene	ND		0.279	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
trans-1,2-Dichloroethene	ND		0.176	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
1,2-Dichloropropane	ND		0.359	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
1,3-Dichloropropane	ND		0.205	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
2,2-Dichloropropane	ND		0.341	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106163
Reported:
07/08/2021 12:06

Analytical Results


Client Sample ID: B1-GW

Laboratory Sample ID: 2106163-17 (Water)

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
1,1-Dichloropropene	ND		0.210	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
cis-1,3-Dichloropropene	ND		0.122	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
trans-1,3-Dichloropropene	ND		0.100	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
Ethylbenzene	ND		0.209	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
Hexachlorobutadiene	ND		0.413	3.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
2-Hexanone	ND		0.944	5.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
Isopropylbenzene	0.420	J	0.291	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
p-Isopropyltoluene	ND		0.468	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
Methyl tert-Butyl Ether (MTBE)	ND		0.240	2.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
4-Methyl-2-pentanone (MIBK)	ND		1.71	5.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
Methylene chloride	ND		4.69	5.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
Naphthalene	ND		0.375	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
n-Propylbenzene	0.440	J	0.254	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
Styrene	ND		0.122	2.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
1,1,1,2-Tetrachloroethane	ND		0.141	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
1,1,2,2-Tetrachloroethane	ND		0.579	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
Tetrachloroethene	ND		0.421	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
Toluene	0.370	J	0.282	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
1,2,3-Trichlorobenzene	ND		0.219	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
1,2,4-Trichlorobenzene	ND		0.451	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
1,1,1-Trichloroethane	ND		0.150	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
1,1,2-Trichloroethane	ND		0.233	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
Trichloroethene	ND		0.117	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
Trichlorofluoromethane	ND		0.294	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
1,2,3-Trichloropropane	ND		0.303	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
1,2,4- Trimethylbenzene	ND		0.451	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
1,3,5- Trimethylbenzene	ND		0.219	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
Vinyl acetate	ND		1.62	5.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
Vinyl chloride	ND		0.331	3.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
o-Xylene	ND		0.262	1.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
m,p-Xylenes	ND		0.476	2.00	ug/L	1	5030B	06/28/2021 21:45	SA	8260B
Surrogate: 4-Bromofluorobenzene			107 %		70-120		5030B	06/28/2021 21:45	SA	8260B
Surrogate: Dibromofluoromethane			108 %		70-120		5030B	06/28/2021 21:45	SA	8260B
Surrogate: Toluene-d8			88.5 %		70-120		5030B	06/28/2021 21:45	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106163
Reported:
07/08/2021 12:06

Analytical Results

Client Sample ID: B2-GW

Laboratory Sample ID: 2106163-18 (Water)

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
Acetone	ND		2.52	5.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
Benzene	0.110	J	0.097	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
Bromobenzene	ND		0.291	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
Bromochloromethane	ND		0.169	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
Bromodichloromethane	ND		0.169	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
Bromoform	ND		0.284	5.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
Bromomethane	ND		0.174	3.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
2-Butanone (MEK)	ND		5.00	5.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
n-Butylbenzene	ND		0.363	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
sec-Butylbenzene	ND		0.338	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
tert-Butylbenzene	ND		0.235	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
Carbon disulfide	ND		0.463	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
Carbon tetrachloride	ND		0.144	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
Chlorobenzene	ND		0.176	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
Chloroethane	ND		0.328	3.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
2-Chloroethyl vinyl ether	ND		0.665	5.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
Chloroform	0.390	J	0.247	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
Chloromethane	ND		0.174	3.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
4-Chlorotoluene	ND		0.147	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
2-Chlorotoluene	ND		0.311	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
1,2-Dibromo-3-chloropropane	ND		0.333	5.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
Dibromochloromethane	ND		0.300	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
1,2-Dibromoethane	ND		0.226	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
Dibromomethane	ND		0.316	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
1,2-Dichlorobenzene	ND		0.358	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
1,3-Dichlorobenzene	ND		0.333	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
1,4-Dichlorobenzene	ND		0.384	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
Dichlorodifluoromethane	ND		0.244	3.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
1,1-Dichloroethane	ND		0.372	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
1,2-Dichloroethane	ND		0.182	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
1,1-Dichloroethene	ND		0.355	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
cis-1,2-Dichloroethene	ND		0.279	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
trans-1,2-Dichloroethene	ND		0.176	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
1,2-Dichloropropane	ND		0.359	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
1,3-Dichloropropane	ND		0.205	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
2,2-Dichloropropane	ND		0.341	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106163
Reported:
07/08/2021 12:06

Analytical Results

Client Sample ID: B2-GW

Laboratory Sample ID: 2106163-18 (Water)

Analyte	Result	Notes	MDL	PQL	Units	Dilution	Prep Method	Analyzed	Analyst	Method
Volatile Organic Compounds										
1,1-Dichloropropene	ND		0.210	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
cis-1,3-Dichloropropene	ND		0.122	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
trans-1,3-Dichloropropene	ND		0.100	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
Ethylbenzene	ND		0.209	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
Hexachlorobutadiene	ND		0.413	3.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
2-Hexanone	ND		0.944	5.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
Isopropylbenzene	ND		0.291	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
p-Isopropyltoluene	ND		0.468	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
Methyl tert-Butyl Ether (MTBE)	ND		0.240	2.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
4-Methyl-2-pentanone (MIBK)	ND		1.71	5.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
Methylene chloride	ND		4.69	5.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
Naphthalene	ND		0.375	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
n-Propylbenzene	ND		0.254	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
Styrene	ND		0.122	2.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
1,1,1,2-Tetrachloroethane	ND		0.141	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
1,1,2,2-Tetrachloroethane	ND		0.579	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
Tetrachloroethene	1.66		0.421	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
Toluene	ND		0.282	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
1,2,3-Trichlorobenzene	ND		0.219	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
1,2,4-Trichlorobenzene	ND		0.451	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
1,1,1-Trichloroethane	ND		0.150	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
1,1,2-Trichloroethane	ND		0.233	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
Trichloroethene	ND		0.117	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
Trichlorofluoromethane	ND		0.294	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
1,2,3-Trichloropropane	ND		0.303	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
1,2,4- Trimethylbenzene	ND		0.451	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
1,3,5- Trimethylbenzene	ND		0.219	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
Vinyl acetate	ND		1.62	5.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
Vinyl chloride	ND		0.331	3.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
o-Xylene	ND		0.262	1.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
m,p-Xylenes	ND		0.476	2.00	ug/L	1	5030B	06/28/2021 22:15	SA	8260B
Surrogate: 4-Bromofluorobenzene			99.8 %		70-120		5030B	06/28/2021 22:15	SA	8260B
Surrogate: Dibromofluoromethane			108 %		70-120		5030B	06/28/2021 22:15	SA	8260B
Surrogate: Toluene-d8			97.8 %		70-120		5030B	06/28/2021 22:15	SA	8260B

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106163
Reported:
07/08/2021 12:06

Volatile Organic Compounds - Quality Control Report

Analyte	Result	MDL	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch BF10844 - 5035 - 8260B

Blank (BF10844-BLK1)

Prepared & Analyzed: 06/28/202

Acetone	ND	12.7	50.0	ug/kg							
Benzene	ND	0.930	2.00	"							
Bromobenzene	ND	3.39	10.0	"							
Bromochloromethane	ND	0.380	10.0	"							
Bromodichloromethane	ND	0.630	10.0	"							
Bromoform	ND	3.39	50.0	"							
Bromomethane	ND	2.75	30.0	"							
2-Butanone	ND	5.83	50.0	"							
n-Butylbenzene	ND	2.05	10.0	"							
sec-Butylbenzene	ND	3.04	10.0	"							
tert-Butylbenzene	ND	1.34	10.0	"							
Carbon disulfide	ND	5.53	10.0	"							
Carbon tetrachloride	ND	2.48	10.0	"							
Chlorobenzene	ND	0.890	10.0	"							
Chloroethane	ND	2.15	30.0	"							
2-Chloroethylvinyl Ether	ND	5.53	50.0	"							
Chloroform	ND	1.24	10.0	"							
Chloromethane	ND	1.74	30.0	"							
4-Chlorotoluene	ND	1.34	10.0	"							
2-Chlorotoluene	ND	2.35	10.0	"							
1,2-Dibromo-3-chloropropane	ND	2.69	50.0	"							
Dibromochloromethane	ND	0.650	10.0	"							
1,2-Dibromoethane	ND	2.75	10.0	"							
Dibromomethane	ND	2.30	10.0	"							
1,2-Dichlorobenzene	ND	1.65	10.0	"							
1,3-Dichlorobenzene	ND	1.03	10.0	"							
1,4-Dichlorobenzene	ND	2.23	10.0	"							
Dichlorodifluoromethane	ND	2.07	30.0	"							
1,1-Dichloroethane	ND	1.30	10.0	"							
1,2-Dichloroethane	ND	1.57	10.0	"							
1,1-Dichloroethene	ND	1.60	10.0	"							
cis-1,2-Dichloroethene	ND	2.16	10.0	"							
trans-1,2-Dichloroethene	ND	2.60	10.0	"							
1,1-Dichloropropene	ND	0.660	10.0	"							
1,2-Dichloropropane	ND	0.920	10.0	"							
1,3-Dichloropropane	ND	1.36	10.0	"							
2,2-Dichloropropane	ND	1.12	10.0	"							
cis-1,3-Dichloropropene	ND	0.980	10.0	"							
trans-1,3-Dichloropropene	ND	0.960	10.0	"							
Ethylbenzene	ND	1.00	2.00	"							

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amolk Brar, Lab Director



Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106163
Reported:
07/08/2021 12:06

Volatile Organic Compounds - Quality Control Report

Analyte	Result	MDL	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch BF10844 - 5035 - 8260B

Blank (BF10844-BLK1)

Prepared & Analyzed: 06/28/202

Hexachlorobutadiene	ND	2.77	30.0	ug/kg							
2-Hexanone	ND	3.18	50.0	"							
Isopropylbenzene	ND	1.42	10.0	"							
p-Isopropyltoluene	ND	3.86	10.0	"							
Methyl tert-Butyl Ether (MTBE)	ND	1.81	5.00	"							
4-Methyl-2-pentanone (MIBK)	ND	3.14	50.0	"							
Methylene chloride	ND	3.31	50.0	"							
Naphthalene	ND	1.14	10.0	"							
n-Propylbenzene	ND	1.14	10.0	"							
Styrene	ND	0.800	10.0	"							
1,1,1,2-Tetrachloroethane	ND	1.28	10.0	"							
1,1,2,2-Tetrachloroethane	ND	3.25	10.0	"							
Tetrachloroethene	ND	0.930	10.0	"							
Toluene	ND	1.00	2.00	"							
1,2,3-Trichlorobenzene	ND	1.23	10.0	"							
1,2,4-Trichlorobenzene	ND	2.82	10.0	"							
1,1,1-Trichloroethane	ND	2.03	10.0	"							
1,1,2-Trichloroethane	ND	1.74	10.0	"							
Trichloroethene	ND	1.15	10.0	"							
Trichlorofluoromethane	ND	3.15	10.0	"							
1,2,3-Trichloropropane	ND	1.74	10.0	"							
1,2,4-Trimethylbenzene	ND	3.19	10.0	"							
1,3,5- Trimethylbenzene	ND	1.23	10.0	"							
Vinyl acetate	ND	10.8	50.0	"							
Vinyl chloride	ND	2.79	30.0	"							
m,p-Xylenes	ND	1.80	4.00	"							
o-Xylene	ND	1.00	2.00	"							

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106163
Reported:
07/08/2021 12:06

Volatile Organic Compounds - Quality Control Report

Analyte	Result	MDL	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD RPD	RPD Limit	Notes
---------	--------	-----	-----	-------	-------------	---------------	------	-------------	---------	-----------	-------

Batch BF10844 - 5035 - 8260B

LCS (BF10844-BS1)

		Prepared & Analyzed: 06/28/202				
Benzene	53.1		ug/L	50.0	106	75-120
Chlorobenzene	59.5		"	50.0	119	80-120
1,1-Dichloroethene	55.9		"	50.0	112	75-120
Methyl tert-Butyl Ether (MTBE)	57.1		"	50.0	114	75-120
Toluene	53.0		"	50.0	106	75-120
Trichloroethene	48.3		"	50.0	96.6	75-120

LCS Dup (BF10844-BSD1)

		Prepared & Analyzed: 06/28/202				
Benzene	53.3		ug/L	50.0	107	75-120
Chlorobenzene	58.1		"	50.0	116	80-120
1,1-Dichloroethene	54.7		"	50.0	109	75-120
Methyl tert-Butyl Ether (MTBE)	56.4		"	50.0	113	75-120
Toluene	50.5		"	50.0	101	75-120
Trichloroethene	47.7		"	50.0	95.4	75-120

Matrix Spike (BF10844-MS1)

Source: 2106163-04

		Prepared & Analyzed: 06/28/202				
Benzene	57.5		ug/L	50.0	0.0700	115
Chlorobenzene	58.0		"	50.0	0.440	115
1,1-Dichloroethene	58.8		"	50.0	0.00	118
Methyl tert-Butyl Ether (MTBE)	59.5		"	50.0	0.00	119
Toluene	55.4		"	50.0	0.250	110
Trichloroethene	54.6		"	50.0	0.00	109

Matrix Spike Dup (BF10844-MSD1)

Source: 2106163-04

		Prepared & Analyzed: 06/28/202				
Benzene	59.3		ug/L	50.0	0.0700	119
Chlorobenzene	59.4		"	50.0	0.440	118
1,1-Dichloroethene	58.4		"	50.0	0.00	117
Methyl tert-Butyl Ether (MTBE)	57.7		"	50.0	0.00	115
Toluene	55.4		"	50.0	0.250	110
Trichloroethene	54.7		"	50.0	0.00	109

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106163
Reported:
07/08/2021 12:06

Volatile Organic Compounds - Quality Control Report

Analyte	Result	MDL	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch BF10852 - 5030B - 8260B


Blank (BF10852-BLK1)

Prepared & Analyzed: 06/28/202

Acetone	ND	2.52	5.00	ug/L							
Benzene	ND	0.097	1.00	"							
Bromobenzene	ND	0.291	1.00	"							
Bromochloromethane	ND	0.169	1.00	"							
Bromodichloromethane	ND	0.169	1.00	"							
Bromoform	ND	0.284	5.00	"							
Bromomethane	ND	0.174	3.00	"							
2-Butanone (MEK)	ND	5.00	5.00	"							
n-Butylbenzene	ND	0.363	1.00	"							
sec-Butylbenzene	ND	0.338	1.00	"							
tert-Butylbenzene	ND	0.235	1.00	"							
Carbon disulfide	ND	0.463	1.00	"							
Carbon tetrachloride	ND	0.144	1.00	"							
Chlorobenzene	ND	0.176	1.00	"							
Chloroethane	ND	0.328	3.00	"							
2-Chloroethyl vinyl ether	ND	0.665	5.00	"							
Chloroform	ND	0.247	1.00	"							
Chloromethane	ND	0.174	3.00	"							
4-Chlorotoluene	ND	0.147	1.00	"							
2-Chlorotoluene	ND	0.311	1.00	"							
1,2-Dibromo-3-chloropropane	ND	0.333	5.00	"							
Dibromochloromethane	ND	0.300	1.00	"							
1,2-Dibromoethane	ND	0.226	1.00	"							
Dibromomethane	ND	0.316	1.00	"							
1,2-Dichlorobenzene	ND	0.358	1.00	"							
1,3-Dichlorobenzene	ND	0.333	1.00	"							
1,4-Dichlorobenzene	ND	0.384	1.00	"							
Dichlorodifluoromethane	ND	0.244	3.00	"							
1,1-Dichloroethane	ND	0.372	1.00	"							
1,2-Dichloroethane	ND	0.182	1.00	"							
1,1-Dichloroethene	ND	0.355	1.00	"							
cis-1,2-Dichloroethene	ND	0.279	1.00	"							
trans-1,2-Dichloroethene	ND	0.176	1.00	"							
1,2-Dichloropropane	ND	0.359	1.00	"							
1,3-Dichloropropane	ND	0.205	1.00	"							
2,2-Dichloropropane	ND	0.341	1.00	"							
1,1-Dichloropropene	ND	0.210	1.00	"							
cis-1,3-Dichloropropene	ND	0.122	1.00	"							
trans-1,3-Dichloropropene	ND	0.100	1.00	"							
Ethylbenzene	ND	0.209	1.00	"							
Hexachlorobutadiene	ND	0.413	3.00	"							

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106163
Reported:
07/08/2021 12:06

Volatile Organic Compounds - Quality Control Report

Analyte	Result	MDL	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch BF10852 - 5030B - 8260B

Blank (BF10852-BLK1) Prepared & Analyzed: 06/28/202

2-Hexanone	ND	0.944	5.00	ug/L							
Isopropylbenzene	ND	0.291	1.00	"							
p-Isopropyltoluene	ND	0.468	1.00	"							
Methyl tert-Butyl Ether (MTBE)	ND	0.240	2.00	"							
4-Methyl-2-pentanone (MIBK)	ND	1.71	5.00	"							
Methylene chloride	ND	4.69	5.00	"							
Naphthalene	ND	0.375	1.00	"							
n-Propylbenzene	ND	0.254	1.00	"							
Styrene	ND	0.122	2.00	"							
1,1,1,2-Tetrachloroethane	ND	0.141	1.00	"							
1,1,2,2-Tetrachloroethane	ND	0.579	1.00	"							
Tetrachloroethene	ND	0.421	1.00	"							
Toluene	ND	0.282	1.00	"							
1,2,3-Trichlorobenzene	ND	0.219	1.00	"							
1,2,4-Trichlorobenzene	ND	0.451	1.00	"							
1,1,1-Trichloroethane	ND	0.150	1.00	"							
1,1,2-Trichloroethane	ND	0.233	1.00	"							
Trichloroethene	ND	0.117	1.00	"							
Trichlorofluoromethane	ND	0.294	1.00	"							
1,2,3-Trichloropropane	ND	0.303	1.00	"							
1,2,4- Trimethylbenzene	ND	0.451	1.00	"							
1,3,5- Trimethylbenzene	ND	0.219	1.00	"							
Vinyl acetate	ND	1.62	5.00	"							
Vinyl chloride	ND	0.331	3.00	"							
o-Xylene	ND	0.262	1.00	"							
m,p-Xylenes	ND	0.476	2.00	"							

LCS (BF10852-BS1) Prepared & Analyzed: 06/28/202

Benzene	49.2	ug/L	50.0	98.3	75-120
Chlorobenzene	51.4	"	50.0	103	75-120
1,1-Dichloroethene	51.7	"	50.0	103	75-120
Methyl tert-Butyl Ether (MTBE)	57.9	"	50.0	116	75-120
Toluene	53.7	"	50.0	107	75-120
Trichloroethene	46.8	"	50.0	93.6	75-120

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amol Brar, Lab Director



Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106163
Reported:
07/08/2021 12:06

Volatile Organic Compounds - Quality Control Report

Analyte	Result	MDL	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD RPD	RPD Limit	Notes
---------	--------	-----	-----	-------	-------------	---------------	------	-------------	---------	-----------	-------

Batch BF10852 - 5030B - 8260B

LCS Dup (BF10852-BSD1)		Prepared & Analyzed: 06/28/202								
Benzene	53.9			ug/L	50.0	108	75-120	9.16	15	
Chlorobenzene	52.8			"	50.0	106	75-120	2.74	15	
1,1-Dichloroethene	54.0			"	50.0	108	75-120	4.45	15	
Methyl tert-Butyl Ether (MTBE)	58.1			"	50.0	116	75-120	0.431	15	
Toluene	53.3			"	50.0	107	75-120	0.617	15	
Trichloroethene	46.2			"	50.0	92.3	75-120	1.40	15	

Matrix Spike (BF10852-MS1)		Source: 2106163-17 Prepared & Analyzed: 06/28/202								
Benzene	58.7			ug/L	50.0	0.260	117	75-120		
Chlorobenzene	50.2			"	50.0	0.00	100	75-120		
1,1-Dichloroethene	59.3			"	50.0	0.00	119	75-120		
Methyl tert-Butyl Ether (MTBE)	55.2			"	50.0	0.00	110	75-120		
Toluene	58.9			"	50.0	0.370	117	75-120		
Trichloroethene	52.6			"	50.0	0.00	105	75-120		

Matrix Spike Dup (BF10852-MSD1)		Source: 2106163-17 Prepared & Analyzed: 06/28/202								
Benzene	48.2			ug/L	50.0	0.260	95.9	75-120	19.6	15
Chlorobenzene	43.9			"	50.0	0.00	87.9	75-120	13.3	15
1,1-Dichloroethene	53.4			"	50.0	0.00	107	75-120	10.5	15
Methyl tert-Butyl Ether (MTBE)	53.8			"	50.0	0.00	108	75-120	2.46	15
Toluene	47.0			"	50.0	0.370	93.3	75-120	22.3	15
Trichloroethene	39.6			"	50.0	0.00	79.1	75-120	28.4	15
									QM-05	

Batch BG10081 - 5030A - 8260B

Blank (BG10081-BLK1)		Prepared & Analyzed: 07/01/202								
Acetone	ND	12.7	50.0	ug/kg						
Benzene	ND	0.930	2.00	"						
Bromobenzene	ND	3.39	10.0	"						
Bromochloromethane	ND	0.380	10.0	"						
Bromodichloromethane	ND	0.630	10.0	"						
Bromoform	ND	3.39	50.0	"						
Bromomethane	ND	2.75	30.0	"						
2-Butanone	ND	5.83	50.0	"						
n-Butylbenzene	ND	2.05	10.0	"						
sec-Butylbenzene	ND	3.04	10.0	"						
tert-Butylbenzene	ND	1.34	10.0	"						
Carbon disulfide	ND	5.53	10.0	"						
Carbon tetrachloride	ND	2.48	10.0	"						
Chlorobenzene	ND	0.890	10.0	"						
Chloroethane	ND	2.15	30.0	"						
2-Chloroethylvinyl Ether	ND	5.53	50.0	"						

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106163
Reported:
07/08/2021 12:06

Volatile Organic Compounds - Quality Control Report

Analyte	Result	MDL	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch BG10081 - 5030A - 8260B

Blank (BG10081-BLK1)

Prepared & Analyzed: 07/01/202

Chloroform	ND	1.24	10.0	ug/kg							
Chloromethane	ND	1.74	30.0	"							
4-Chlorotoluene	ND	1.34	10.0	"							
2-Chlorotoluene	ND	2.35	10.0	"							
1,2-Dibromo-3-chloropropane	ND	2.69	50.0	"							
Dibromochloromethane	ND	0.650	10.0	"							
1,2-Dibromoethane	ND	2.75	10.0	"							
Dibromomethane	ND	2.30	10.0	"							
1,2-Dichlorobenzene	ND	1.65	10.0	"							
1,3-Dichlorobenzene	ND	1.03	10.0	"							
1,4-Dichlorobenzene	ND	2.23	10.0	"							
Dichlorodifluoromethane	ND	2.07	30.0	"							
1,1-Dichloroethane	ND	1.30	10.0	"							
1,2-Dichloroethane	ND	1.57	10.0	"							
1,1-Dichloroethene	ND	1.60	10.0	"							
cis-1,2-Dichloroethene	ND	2.16	10.0	"							
trans-1,2-Dichloroethene	ND	2.60	10.0	"							
1,1-Dichloropropene	ND	0.660	10.0	"							
1,2-Dichloropropane	ND	0.920	10.0	"							
1,3-Dichloropropane	ND	1.36	10.0	"							
2,2-Dichloropropane	ND	1.12	10.0	"							
cis-1,3-Dichloropropene	ND	0.980	10.0	"							
trans-1,3-Dichloropropene	ND	0.960	10.0	"							
Ethylbenzene	ND	1.00	2.00	"							
Hexachlorobutadiene	ND	2.77	30.0	"							
2-Hexanone	ND	3.18	50.0	"							
Isopropylbenzene	ND	1.42	10.0	"							
p-Isopropyltoluene	ND	3.86	10.0	"							
Methyl tert-Butyl Ether (MTBE)	ND	1.81	5.00	"							
4-Methyl-2-pentanone (MIBK)	ND	3.14	50.0	"							
Methylene chloride	ND	3.31	50.0	"							
Naphthalene	ND	1.14	10.0	"							
n-Propylbenzene	ND	1.14	10.0	"							
Styrene	ND	0.800	10.0	"							
1,1,1,2-Tetrachloroethane	ND	1.28	10.0	"							
1,1,2,2-Tetrachloroethane	ND	3.25	10.0	"							
Tetrachloroethene	ND	0.930	10.0	"							
Toluene	ND	1.00	2.00	"							
1,2,3-Trichlorobenzene	ND	1.23	10.0	"							
1,2,4-Trichlorobenzene	ND	2.82	10.0	"							
1,1,1-Trichloroethane	ND	2.03	10.0	"							

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amolk Brar, Lab Director



Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106163
Reported:
07/08/2021 12:06

Volatile Organic Compounds - Quality Control Report

Analyte	Result	MDL	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch BG10081 - 5030A - 8260B

Blank (BG10081-BLK1)

Prepared & Analyzed: 07/01/202

1,1,2-Trichloroethane	ND	1.74	10.0	ug/kg							
Trichloroethene	ND	1.15	10.0	"							
Trichlorofluoromethane	ND	3.15	10.0	"							
1,2,3-Trichloropropane	ND	1.74	10.0	"							
1,2,4-Trimethylbenzene	ND	3.19	10.0	"							
1,3,5- Trimethylbenzene	ND	1.23	10.0	"							
Vinyl acetate	ND	10.8	50.0	"							
Vinyl chloride	ND	2.79	30.0	"							
m,p-Xylenes	ND	1.80	4.00	"							
o-Xylene	ND	1.00	2.00	"							

LCS (BG10081-BS1)

Prepared & Analyzed: 07/01/202

Benzene	57.6	ug/L	50.0	115	75-120						
Chlorobenzene	59.5	"	50.0	119	80-120						
1,1-Dichloroethene	58.6	"	50.0	117	75-120						
Methyl tert-Butyl Ether (MTBE)	49.6	"	50.0	99.3	75-120						
Toluene	48.4	"	50.0	96.8	75-120						
Trichloroethene	50.1	"	50.0	100	75-120						

LCS Dup (BG10081-BSD1)

Prepared & Analyzed: 07/01/202

Benzene	55.2	ug/L	50.0	110	75-120	4.29	20				
Chlorobenzene	56.9	"	50.0	114	80-120	4.43	20				
1,1-Dichloroethene	56.5	"	50.0	113	75-120	3.79	15				
Methyl tert-Butyl Ether (MTBE)	48.2	"	50.0	96.3	75-120	3.05	15				
Toluene	46.1	"	50.0	92.1	75-120	4.95	15				
Trichloroethene	48.1	"	50.0	96.2	75-120	4.09	20				

Matrix Spike (BG10081-MS1)

Source: 2106163-14


Prepared & Analyzed: 07/01/202

Benzene	55.4	ug/L	50.0	0.0200	111	75-120					
Chlorobenzene	55.4	"	50.0	0.00	111	75-120					
1,1-Dichloroethene	56.8	"	50.0	0.00	114	75-120					
Methyl tert-Butyl Ether (MTBE)	52.1	"	50.0	0.00	104	75-120					
Toluene	46.5	"	50.0	0.0400	93.0	75-120					
Trichloroethene	48.7	"	50.0	0.00	97.5	75-120					

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amolk Brar, Lab Director

Page 33 of 35



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106163
Reported:
07/08/2021 12:06

Volatile Organic Compounds - Quality Control Report

Analyte	Result	MDL	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------


Batch BG10081 - 5030A - 8260B

Matrix Spike Dup (BG10081-MSD1)	Source: 2106163-14	Prepared & Analyzed: 07/01/202								
Benzene	60.1			ug/L	50.0	0.0200	120	75-120	8.19	15
Chlorobenzene	59.5			"	50.0	0.00	119	75-120	7.09	15
1,1-Dichloroethene	64.2			"	50.0	0.00	128	75-120	12.3	15
Methyl tert-Butyl Ether (MTBE)	54.5			"	50.0	0.00	109	75-120	4.41	15
Toluene	49.1			"	50.0	0.0400	98.2	75-120	5.41	15
Trichloroethene	52.1			"	50.0	0.00	104	75-120	6.66	15

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Amolk Brar, Lab Director

Page 34 of 35



AMERICAN SCIENTIFIC LABORATORIES, LLC
Environmental Testing Services
2520 N. San Fernando Road, LA CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Citadel Environmental Services, Inc.
1725 Victory Boulevard
Glendale CA, 91201

Project: Radha Hotels USA, LLC
Project Number: 1870.1001.0
Project Manager: Michael Pendergrass

Work Order No: 2106163
Reported:
07/08/2021 12:06

Notes and Definitions

QM-05 The spike recovery was outside acceptance limits for the MS and/or MSD due to matrix interference. The LCS and/or LCSD were within acceptance limits showing that the laboratory is in control and the data is acceptable.

J Detected but below the Reporting Limit; therefore, result is an estimated concentration (CLP J-Flag).

DET Analyte DETECTED

ND Analyte NOT DETECTED at or above the practical quantitation limit (PQL)

NR Not Reported

dry Sample results reported on a dry weight basis

RPD Relative Percent Difference